

WORKLIST(Hardcopy Internal Chain)

Worklist Name : PB164339

Worklist ID : 184687

Department : Digestion

Date : 10-23-2024 08:52:34

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4322-01	MYD0L6	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	Q11	10/01/2024	SFAM_MS
P4322-02	MYD0Y6	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	Q11	10/02/2024	SFAM_MS
P4322-03	MYD0Y8	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	Q11	10/03/2024	SFAM_MS
P4322-04	MYD035	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	Q11	09/17/2024	SFAM_MS
P4322-05	MYD036	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	Q11	09/18/2024	SFAM_MS
P4322-06	MYD038	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	Q11	09/20/2024	SFAM_MS
P4322-07	MYDD00	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	Q11	06/21/2024	SFAM_MS
P4322-08	MYDD01	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	Q11	06/20/2024	SFAM_MS
P4322-09	MYDD02	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	Q11	06/19/2024	SFAM_MS
P4322-10	MYDD03	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	Q11	06/18/2024	SFAM_MS

Date/Time

10/23/24 8:55

Raw Sample Received by:

Raw Sample Relinquished by:

for (not dig)
CP

Date/Time

10/23/24 9:55

Raw Sample Received by:

Raw Sample Relinquished by:

for (not dig)
CP