
From: Hairston, Miles (NE) <Miles.Hairston@gdit.com>
Sent: Friday, October 11, 2024 16:35
To: Sohil Jodhani; Mohammad Ahmed; Deepak Parmar
Cc: R9RSCC (R9RSCC@epa.gov); carmon.jamie@epa.gov; Spiegel, Michael (he/him/his); Britz, Helen; Moody, Brett; Myer, Shari; Bauer, Heather E; Johnson, Matthew; Ackerman, Eric
Subject: Region 09 | Case 51772 | Lab ACE | Issue Discrepancies with tags, jars, and/or COC | FINAL
Attachments: SKM_95824100810170-Revised_0132.pdf

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Good afternoon,

Please see the resolution below.

Issue: The laboratory received water samples preserved with H2SO4 instead of HNO3. The laboratory would like to know how to proceed.

Resolution: Per Region 9, an updated COC with the correct preservative HNO3 has been attached. The laboratory should note the issue in the SDG narrative and proceed with the analysis of the samples.

Please note that the laboratory will have to contact the appropriate CLP COR should any defects need to be waived for this issue.

Thanks,
Miles Hairston
Associate Environmental Analyst
Under contract to EPA
QSS Coordinator – EPA Regions 1, 8, 7, and 9

Work Phone: +1 571-454-0346
Miles.Hairston@gdit.com
15036 Conference Center Drive
Chantilly, VA 20151
www.gdit.com

Leave alert: October 14 and October 21 - 22

GENERAL DYNAMICS
Information Technology

This electronic message transmission contains information from GDIT that may be attorney-client privileged, proprietary or confidential. The information in this message is intended only for use by the individual(s) to whom it is addressed. If you believe you have received this message in error, please contact me immediately and be aware that any use, disclosure, copying or distribution of the contents of this message is strictly prohibited. NOTE: Regardless of content, this

email shall not operate to bind GDIT to any order or other contract unless pursuant to explicit written agreement or government initiative expressly permitting the use of email for such purpose.

From: R9RSCC <R9RSCC@epa.gov>
Sent: Friday, October 11, 2024 3:14 PM
To: Hairston, Miles (NE) <Miles.Hairston@gdit.com>
Cc: R9RSCC <R9RSCC@epa.gov>
Subject: FW: [EXT]:FW: Region 09 | Case 51772 | Lab ACE | Issue Discrepancies with tags, jars, and/or COC

This Message Is From an External Sender

Please use caution with links, attachments, and any requests for credentials.

Hi Miles,

Revised COC correcting for the preservative.

Thanks!

-Jamie

Jamie Carmon (she/her)

Region 9

RSCC (Regional Sample Control Coordinator)

Email: R9RSCC@epa.gov

The R9 lab will be closed Monday, October 14th in observance of the Federal holiday.

- The lab will resume normal hours October 15th.

From: Hairston, Miles (NE)

Sent: Friday, October 11, 2024 2:57 PM

To: R9RSCC (R9RSCC@epa.gov) R9RSCC@epa.gov; carmon.jamie@epa.gov; Spiegel, Michael (he/him/his) Spiegel.Michael@epa.gov

Cc: Britz, Helen Britz.Helen@epa.gov; Moody, Brett Moody.Brett@epa.gov; Myer, Shari Myer.Shari@epa.gov; Bauer, Heather E Heather.Bauer@gdit.com; Johnson, Matthew Matthew.Johnson32@gdit.com; Ackerman, Eric Eric.Ackerman@WestonSolutions.com

Subject: Region 09 | Case 51772 | Lab ACE | Issue Discrepancies with tags, jars, and/or COC

Good afternoon,

I would like to follow up on the email below. Please advise on the issue below.

Issue: The laboratory received water samples preserved with H2SO4 instead of HNO3. The laboratory would like to know how to proceed.

Thanks,

Miles Hairston

Associate Environmental Analyst

Under contract to EPA

QSS Coordinator – EPA Regions 1, 8, 7, and 9

Work Phone: +1 571-454-0346

Miles.Hairston@gdit.com

15036 Conference Center Drive

Chantilly, VA 20151

www.gdit.com

Leave alert: October 14 and October 21 - 22

GENERAL DYNAMICS
Information Technology

This electronic message transmission contains information from GDIT that may be attorney-client privileged, proprietary or confidential. The information in this message is intended only for use by the individual(s) to whom it is addressed. If you believe you have received this message in error, please contact me immediately and be aware that any use, disclosure, copying or distribution of the contents of this message is strictly prohibited. NOTE: Regardless of content, this email shall not operate to bind GDIT to any order or other contract unless pursuant to explicit written agreement or government initiative expressly permitting the use of email for such purpose.

From: Walzer, Thomas <T.A.Walzer@WestonSolutions.com>

Sent: Friday, October 11, 2024 7:41 AM

To: R9RSCC <R9RSCC@epa.gov>; Guijarro, Carolina <carolina.guijarro@WestonSolutions.com>; Leatherbury, Ryan <Ryan.Leachbury@westonsolutions.com>; Rodriguez, Anthony <anthony.rodriguez@westonsolutions.com>; Grossman, Scott <grossman.scott@epa.gov>

Subject: RE: [EXT]:FW: Region 09 | Case 51772 | Lab ACE | Issue Discrepancies with tags, jars, and/or COC

Caution: This email originated from outside EPA, please exercise additional caution when deciding whether to open attachments or click on provided links.

Corrected analysis and preservative. PDF includes original COC 0132. Submitting revised XML.



Thomas Walzer
Principal Analyst  

 (713) 705-1467  T.A.Walzer@WestonSolutions.com

 Environmental and Infrastructure Solutions

From: R9RSCC <R9RSCC@epa.gov>

Sent: Thursday, October 10, 2024 3:04 PM

To: Guijarro, Carolina <Carolina.Guijarro@WestonSolutions.com>; Walzer, Thomas <T.A.Walzer@WestonSolutions.com>; Leatherbury, Ryan <Ryan.Leachbury@WestonSolutions.com>; Rodriguez, Anthony <Anthony.Rodriguez@WestonSolutions.com>; Grossman, Scott <grossman.scott@epa.gov>

Cc: R9RSCC <R9RSCC@epa.gov>

Subject: [EXT]:FW: Region 09 | Case 51772 | Lab ACE | Issue Discrepancies with tags, jars, and/or COC

***** External Message *** -- PROBE message before clicking links or opening attachments.**

Hi Thomas,

CLP would like to follow up on the email below.
Carolina mentioned in the attached outlook item that she would resend the COC.
However, I think she have forgotten as CLP has said they are still waiting for the revised COC.

Thanks!
-Jamie

Jamie Carmon (she/her)

Region 9

RSCC (Regional Sample Control Coordinator)

Email: R9RSCC@epa.gov

The R9 lab will be closed Monday, October 14th in observance of the Federal holiday.

- The lab will resume normal hours October 15th.

From: Hairston, Miles (NE) <Miles.Hairston@gdit.com>

Sent: Thursday, October 10, 2024 11:09 AM

To: R9RSCC <R9RSCC@epa.gov>; Carmon, Jamie (she/her/hers) <Carmon.Jamie@epa.gov>; Spiegel, Michael (he/him/his) <Spiegel.Michael@epa.gov>

Cc: Britz, Helen <Britz.Helen@epa.gov>; Moody, Brett <Moody.Brett@epa.gov>; Myer, Shari <Myer.Shari@epa.gov>; Bauer, Heather E <Heather.Bauer@gdit.com>; Johnson, Matthew <Matthew.Johnson32@gdit.com>; Eric.Ackerman@WestonSolutions.com

Subject: Region 09 | Case 51772 | Lab ACE | Issue Discrepancies with tags, jars, and/or COC

Caution: This email originated from outside EPA, please exercise additional caution when deciding whether to open attachments or click on provided links.

Good afternoon,

I would like to follow up on the email below. Please advise on the issue below.

Issue: The laboratory received water samples preserved with H2SO4 instead of HNO3. The laboratory would like to know how to proceed.

Thanks,
Miles Hairston
Associate Environmental Analyst
Under contract to EPA
QSS Coordinator – EPA Regions 1, 8, 7, and 9

Work Phone: +1 571-454-0346

Miles.Hairston@gdit.com

15036 Conference Center Drive

Chantilly, VA 20151

www.gdit.com

Leave alert: October 14 and October 21 - 22

GENERAL DYNAMICS
Information Technology

This electronic message transmission contains information from GDIT that may be attorney-client privileged, proprietary or confidential. The information in this message is intended only for use by the individual(s) to whom it is addressed. If you believe you have received this message in error, please contact me immediately and be aware that any use, disclosure, copying or distribution of the contents of this message is strictly prohibited. NOTE: Regardless of content, this email shall not operate to bind GDIT to any order or other contract unless pursuant to explicit written agreement or government initiative expressly permitting the use of email for such purpose.

From: Hairston, Miles (NE)

Sent: Tuesday, October 8, 2024 2:32 PM

To: R9RSCC (R9RSCC@epa.gov) <R9RSCC@epa.gov>; carmon.jamie@epa.gov; Spiegel, Michael (he/him/his) <Spiegel.Michael@epa.gov>

Cc: Britz, Helen <Britz.Helen@epa.gov>; Moody, Brett <Moody.Brett@epa.gov>; Myer, Shari <Myer.Shari@epa.gov>; Bauer, Heather E <Heather.Bauer@gdit.com>; Johnson, Matthew <Matthew.Johnson32@gdit.com>; Ackerman, Eric <Eric.Ackerman@WestonSolutions.com>

Subject: Region 09 | Case 51772 | Lab ACE | Issue Discrepancies with tags, jars, and/or COC

Good afternoon,

Please advise on the issue below.

Issue: The laboratory received water samples preserved with H2SO4 instead of HNO3. The laboratory would like to know how to proceed.

Thanks,

Miles Hairston

Associate Environmental Analyst

Under contract to EPA

QSS Coordinator – EPA Regions 1, 8, 7, and 9

Work Phone: +1 571-454-0346

Miles.Hairston@gdit.com

15036 Conference Center Drive

Chantilly, VA 20151

www.gdit.com

Leave alert: October 14 and October 21 - 22

GENERAL DYNAMICS
Information Technology

This electronic message transmission contains information from GDIT that may be attorney-client privileged, proprietary or confidential. The information in this message is intended only for use by the individual(s) to whom it is addressed. If you believe you have received this message in error, please contact me immediately and be aware that any use, disclosure, copying or distribution of the contents of this message is strictly prohibited. NOTE: Regardless of content, this email shall not operate to bind GDIT to any order or other contract unless pursuant to explicit written agreement or government initiative expressly permitting the use of email for such purpose.

From: Sohil Jodhani <Sohil.Jodhani@alliancetg.com>

Sent: Tuesday, October 8, 2024 11:44 AM

To: Hairston, Miles (NE) <Miles.Hairston@gdit.com>

Cc: Deepak Parmar <Deepak.Parmar@AllianceTG.com>

Subject: RE: Region 09 | Case 51772 | Lab ACE | Issue Discrepancies with tags, jars, and/or COC

This Message Is From an External Sender

Please use caution with links, attachments, and any requests for credentials.

Hi Miles,

Metals samples we receive are always preserved with HNO₃. For this shipment, samples are preserved with H₂SO₄ which is incorrect preservative.

Thanks & Regards,



Sohil Jodhani

QA/QC Director

An Alliance Technical Group Company

Main: 908-789-8900

Direct: 908-728-3152

Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092

www.alliancetg.com     

From: Hairston, Miles (NE) <Miles.Hairston@gdit.com>

Sent: Tuesday, October 8, 2024 11:24 AM

To: Deepak Parmar <Deepak.Parmar@alliancetg.com>

Cc: Sohil Jodhani <Sohil.Jodhani@AllianceTG.com>

Subject: Region 09 | Case 51772 | Lab ACE | Issue Discrepancies with tags, jars, and/or COC

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Good morning,

Can the laboratory confirm if the preservative listed on the COC is correct.

Thanks,

Miles Hairston

Associate Environmental Analyst

Under contract to EPA

QSS Coordinator – EPA Regions 1, 8, 7, and 9

Work Phone: +1 571-454-0346

Miles.Hairston@gdit.com

15036 Conference Center Drive

Chantilly, VA 20151

www.gdit.com

Leave alert: October 14 and October 21 - 22

This electronic message transmission contains information from GDIT that may be attorney-client privileged, proprietary or confidential. The information in this message is intended only for use by the individual(s) to whom it is addressed. If you believe you have received this message in error, please contact me immediately and be aware that any use, disclosure, copying or distribution of the contents of this message is strictly prohibited. NOTE: Regardless of content, this email shall not operate to bind GDIT to any order or other contract unless pursuant to explicit written agreement or government initiative expressly permitting the use of email for such purpose.

From: Deepak Parmar <Deepak.Parmar@alliancetg.com>

Sent: Tuesday, October 8, 2024 10:36 AM

To: Hairston, Miles (NE) <Miles.Hairston@gdit.com>

Cc: Sohil Jodhani <Sohil.Jodhani@AllianceTG.com>

Subject: Region 09 | Case 51772 | Lab ACE | Issue Discrepancies with tags, jars, and/or COC

This Message Is From an External Sender

Please use caution with links, attachments, and any requests for credentials.

Hello Miles,

Samples received under this case has below discrepancies,

Issue1: Lab has received water samples with preservative mentioned on COC and bottles H2SO4 .please let us know how to proceed ?

Please see attachment for your reference.

Thanks & Regards,



Deepak Parmar

QA/QC

An Alliance Technical Group Company

Main: 908-789-8900

Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092

www.alliancetg.com



CAUTION: This email originated outside of the organization. **DO NOT CLICK** links or open attachments unless you recognize the sender and know the content is safe.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.