SDG COVER PAGE

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011 Lab Code: Case No.: 51772 MA No.: 3225.1,3226.1 SDG No.: MYDBB4 SOW No. : SFAM01.1 Analysis Method EPA Sample No. Lab Sample Id ICP-AES ICP-MS Mercury Cyanide MYDBB4 P4331-01 Χ Χ MYDBB5 P4331-02 Χ Χ MYDBB6 P4331-03 Χ Χ MYDBB7 P4331-04 Χ MYDBB7D P4331-05 Χ Χ MYDBB7S P4331-06 Χ Χ MYDBB8 P4331-07 Χ Χ MYDBB9 P4331-08 Χ Χ P4331-09 MYDBC0 Χ Χ P4331-10 Χ Χ MYDBC1 MYDBC2 Χ Χ P4331-11 MYDBC3 P4331-12 Χ Χ MYDBC4 P4331-13 Χ Χ Χ Χ MYDBC5 P4331-14 MYDBC6 P4331-15 Χ Χ MYDBC7 P4331-16 Χ Χ MYDBC8 P4331-17 Χ Χ MYDBC9 P4331-18 Χ Χ MYDBD0 P4331-19 Χ Χ MYDBD1 P4331-20 Χ Χ MYDBD2 P4331-21 Χ Χ P4331-22 Χ Χ MYDBD3

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the SDG Narrative. All edits and manual integrations have been peer-reviewed. Release of the data contained in this hardcopy Complete SDG File and in the electronic data submitted has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature:	 Name:	
Date:	Title:	

USEPA CLP COC (LAB COPY)

CarrierName: FedEx DateShipped: 10/4/2024

68HERH20D0011

SDG # MYDBB4

Lab: Alliance Technical Group LLC No: 9-062424-103902-0081

Lab Contact: Mohammad Ahmed Lab Phone: 908-728-3151

CHAIN OF CUSTODY RECORD

Cooler #: 51772-132 Case #: 51772

Sample Identifier	CLP CLP	Matrix/Sampler	Coll.	Analysis/Turnaround	Tag/Preservative/Bottles	Location	Date/Time	Only
,	Sample No.		Мешоа	(Days)	0 E303 (None) (1)	107A 3-A-0003	06/21/2024 10:14	
107A_3-A-0003-	MYDBB4	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-0092 (NOTIE) (1)			
107A_3-C-0003-	MYDBB5	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-5393 (None) (1)	107A_3-C-0003	06/21/2024 10:14	
01				ICD AES 11 ICD-MS	9-5394 (None) (1)	107A_3-A-0008	06/21/2024 10:15	
107A_3-A-0008-	MYDBB6	Soil/ REAC	Grab	11(21)			20.07	
107A_3-C-0008-	MYDBB7	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-5395 (None) (1)	10/A_3-C-0008	08/21/2024 10:01	1
03			0	ICP_AES 11 ICP-MS	9-5396 (None) (1)	107A_3-A-0005	06/21/2024 10:1/	
107A_3-A-0005-	MYDBB8	Soll/ REAC	Grab	11(21)			06/24/2024 10:32	
107A_3-B-0005-	МҮДВВЭ	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-5397 (None) (1)	10/A_0-0-0000	0000	
107A 3-C-0001-	MYDBC0	Soil/ REAC	Grab	ICP-AES 11 ICP-MS	9-5398 (None) (1)	107A_3-C-0001	06/21/2024 10:20	
01				11(21)	0 5200 (None) (1)	107A 3-A-0006	06/21/2024 10:21	
107A_3-A-0006-	MYDBC1	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-0399 (Notice) (1)			
107A_3-B-0004-	MYDBC2	Soil/ REAC	Grab	ICP-AES 11 ICP-MS	9-5400 (None) (1)	107A_3-B-0004	06/21/2024 10.23	
01		CONTRACT	Grah	ICP-AES 11 ICP-MS	9-5401 (None) (1)	107A_3-B-0007	06/21/2024 10:26	
2 (11(21)				

TO A COLOR AS ALCO DICE ARE 11 Metals and ICP-MS 11 Metals
--

1059 10-7-2-01

68HERH20D0011

SDG # MYDBB4

USEPA CLP COC (LAB COPY)

CarrierName: FedEx DateShipped: 10/4/2024 AirbilNo: 7790 2090 4704

CHAIN OF CUSTODY RECORD

Cooler #: 51772-132 Case #: 51772

No: 9-062424-103902-0081

Lab: Alliance Technical Group LLC Lab Contact: Mohammad Ahmed Lab Phone: 908-728-3151

Sample Identifier	CLP	Matrix/Sampler	Coll.	Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	For Lab Use Only
107A_3-B-0001-	MYDBC4	Soil/ REAC	Grab	ICP-AES 11 ICP-MS	9-5402 (None) (1)	107A_3-B-0001	06/21/2024 10:26	
2				11(21)	0 5400 (\$1500) (4)		06/21/2024 10:27	
107A_3-B-0006-	MYDBC5	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-5403 (None) (1)		0012112027 10.21	
107A 3-B-0002-	MYDBC6	Soil/ REAC	Grab	ICP-AES 11 ICP-MS	9-5404 (None) (1)	107A_3-B-0002	06/21/2024 10:27	
70/A_3-B-0002- 01	N DOCO		Ç	11(21)		2027 3 8 0003	06/04/000/ 40:08	
107A_3-B-0002-	MYDBC7	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-5405 (None) (1)	10/A_0-0-0002	0012112027 10:20	
107A_3-A-0004-	MYDBC8	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-5406 (None) (1)	107A_3-A-0004	06/21/2024:10:29	
	MVDBCo	Soil/ REAC	Grah	ICP-AES 11 ICP-MS	9-5407 (None) (1)	107A_3-B-0008	06/21/2024 10:30	
107A_3-B-0008- 01	MYDBC9	SON REAC	G	11(21)			06/31/3034 10:31	
107A_3-B-0003-	MYDBD0	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-5408 (None) (1)	10/A_3-b-0003	0012112027	
107A_3-C-0004-	MYDBD1	Soil/ REAC	Grab	ICP-AES 11 ICP-MS	9-5409 (None) (1)	107A_3-C-0004	107A_3-C-0004 06/21/2024 10:16	
01				(1.)	0 540 (100) (4)	100-D-0001	06/21/2024 09:22	
109-D-0001-01	MYDBD2	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-541U (None) (1)	109-0-000	0012112021200	
109-C-0005-01	MYDBD3	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-5411 (None) (1)	109-C-0005	06/21/2024 09:03	

Special Instructions: CP-AES 11+Metals:Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn ICP-MS 11+Metals: Ag, As, Ba,Be, Cd, Co, Cr, Cu, Ni, Pb, Sb, Se,Tl, V, Zn

Shipment for Case Complete? N Samples Transferred From Chain of Custody #

Analysis Key: ICP-AES 11 ICP-MS 11=CLP ICP-AES 11 Metals and ICP-MS 11 Metals

	1059		13.00	Caraliva allama	Shipte
>: A ! C	10-2-74	Received by (Signature and Organization)	Date/Time	Relinquished by (Signature and Organization)	Items/Reason

FORM DC-1 SAMPLE LOG-IN SHEET

Lab Name : Alliance Technical Group, LLC	Page 1 of 1
Received By (Print Name) 60058 N95400	Log-in Date 10/7/2024
Received By (Signature)	
Case Number 51772 SDG No. MYDBB4	MA No. 3225.1,3225.1,3226.1

Remarks:	
1. Custody Seal (s)	Present, Intact
Custody Seal Nos.	n/a
3. Traffic Reports/Chain Of Custody Records	Present
4. Airbill	Present
5. Airbill No. and Shipping Container ID No.	779020904704 1
6. Shipping Container Temperature Indicator Bottle	Absent
7. Shipping Container Temperature	21.8 Degree C
8. Sample Condition	Intact
9. Sample Tags Sample Tag Numbers	Absent Listed on Traffic Report
10. Does information on Traffic Reports/Chain of Custody Records and Sample Tags agree ?	Yes
11. Date Received at Lab	10/07/2024
12.Time Received	10:59

-000				- W	
			Correspondir		
	EPA Sample #	Aqueous Water Sample pH	Sample Tag #	Assigned Lab #	Remarks: Condition of Sample Shipment, etc.
1	MYDBB4	N/A	9-5392	P4331-01	Intact
2	MYDBB5	N/A	9-5393	P4331-02	Intact
3	MYDBB6	N/A	9-5394	P4331-03	Intact
4	MYDBB7	N/A	9-5395	P4331-04	Intact
5	MYDBB7D	N/A	9-5395	P4331-05	Intact
6	MYDBB7S	N/A	9-5395	P4331-06	Intact
7	MYDBB8	N/A	9-5396	P4331-07	Intact
8	MYDBB9	N/A	9-5397	P4331-08	Intact
9	MYDBC0	N/A	9-5398	P4331-09	Intact
10	MYDBC1	N/A	9-5399	P4331-10	Intact
11	MYDBC2	N/A	9-5400	P4331-11	Intact
12	MYDBC3	N/A	9-5401	P4331-12	Intact
13	MYDBC4	N/A	9-5402	P4331-13	Intact
14	MYDBC5	N/A	9-5403	P4331-14	Intact
15	MYDBC6	N/A	9-5404	P4331-15	Intact
16	MYDBC7	N/A	9-5405	P4331-16	Intact
17	MYDBC8	N/A	9-5406	P4331-17	Intact
18	MYDBC9	N/A	9-5407	P4331-18	Intact
19	MYDBD0	N/A	9-5408	P4331-19	Intact
20	MYDBD1	N/A	9-5409	P4331-20	Intact
21	MYDBD2	N/A	9-5410	P4331-21	Intact
22	MYDBD3	N/A	9-5411	P4331-22	Intact
23	N/A	N/A	N/A	N/A	N/A

* Contact SMO and attach record of resolution

Reviewed By		Logbook No.	N/A
Date	1017 124	Logbook Page No.	N/A

FORM DC-2 COMPLETE SDG FILE (CSF) INVENTORY SHEET

LAB NAME	Alliance Technical	Group, LLC		
LAB CODE	ACE			
CONTRACT NO.	68HERH20D0011			
CASE NO.	51772	SDG NO.	MYDBB4	
MA NO.	3225.1,3226.1	SOW NO.	SFAM01.1	•
			•	•

All documents delivered in the Complete SDG File must be original documents where possible. (Reference - Exhibit B Section 2.4)

, , , , , , , , , , , , , , , , , , , ,				
	PAGE	NOs:	CHI	ECK
	FROM	TO	LAB	REGION
1. SDG Cover Page	1	1	_ ✓	
2. Traffic Report/Chain of Custody Record(s)	2	3	✓	
3. Sample Log-In Sheet (DC-1)	4	4	- ✓	
4. CSF Inventory Sheet (DC-2)	5	7	√	
5. SDG Narrative	8	17	- ✓	
6. Communication Logs	NA	NA	✓	
7. Percent Solids Log	18	20	✓	
Analysis Forms and Data (ICP-AES)				
8. Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample	21	40	✓	
or sample analysis, laboratory QC as applicable 9. Instrument raw data by instrument in analysis order	41	278	✓	
Other Data				
10. Standard and Reagent Preparation Logs	279	430	✓	
11. Original Preparation and Cleanup forms or copies of Preparation and	431	432	✓	
Cleanup Logbooks 12. Original Analysis or Instrument Run forms or copies of Analysis or Instrument Logbooks	433	439	_	
13. Performance Evaluation (PE)/Proficiency Testing (PT) Sample Instructions	NA	NA		
14. Extraction Logs for TCLP and SPLP	NA	NA		
15. Raw GPC Data	NA	NA	✓	
16. Raw Florisil Data	NA	NA		
Analysis Forms and Data (ICP-MS)				
17. Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample	440	459	✓	
or sample analysis, laboratory QC as applicable 18. Instrument raw data by instrument in analysis order	460	2568	✓	
Other Data				
19. Standard and Reagent Preparation Logs	2569	2709	✓	
20. Original Preparation and Cleanup forms or copies of Preparation and	2710	2711	✓	
Cleanup Logbooks 21. Original Analysis or Instrument Run forms or copies of Analysis or Instrument Logbooks	2712	2734		
22. Performance Evaluation (PE)/Proficiency Testing (PT) Sample Instructions	NA	NA	✓	

	PAGE 1	NOs:	СН	ECK
	FROM	TO	LAB	REGION
23. Extraction Logs for TCLP and SPLP	NA	NA		
24 . Raw GPC Data	NA	NA		
25 . Raw Florisil Data	NA	NA	✓	
Analysis Forms and Data (Mercury)				
26. Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample or sample analysis, laboratory QC as applicable	NA	NA		
27. Instrument raw data by instrument in analysis order	NA .	NA	_	
Other Data				
28. Standard and Reagent Preparation Logs	NA	NA	✓	
29. Original Preparation and Cleanup forms or copies of Preparation and Cleanup Logbooks	NA	NA		
30 . Original Analysis or Instrument Run forms or copies of Analysis or	NA	NA		
Instrument Logbooks 31. Performance Evaluation (PE)/Proficiency Testing (PT) Sample	NA	NA	✓	
Instructions 32. Extraction Logs for TCLP and SPLP	NA	NA	✓	
33 . Raw GPC Data	NA	NA	√	
34 . Raw Florisil Data	NA	NA	✓	
Analysis Forms and Data (Cyanide)				
35. Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample	NA	NA	✓	
or sample analysis, laboratory QC as applicable 36. Instrument raw data by instrument in analysis order	NA	NA	✓	
Other Data				
37. Standard and Reagent Preparation Logs	NA	NA	✓	
38. Original Preparation and Cleanup forms or copies of Preparation and	NA	NA	✓	
Cleanup Logbooks 39. Original Analysis or Instrument Run forms or copies of Analysis or	NA	NA	✓	
Instrument Logbooks 40. Performance Evaluation (PE)/Proficiency Testing (PT) Sample	NA	NA	✓	
Instructions 41. Extraction Logs for TCLP and SPLP	NA	NA	✓	
42 . Raw GPC Data	NA	NA	√	
43 . Raw Florisil Data	NA	NA	✓	

			PAGE	NOs:	CH	HECK
			FROM	TO	LAB	REGION
Additional						
44. EPA Shipp	ing/Receiving Documents					
Airbill (No. of Shipments)		2735	2735	✓	
Sample Ta	gs		NA	NA	✓	
Sample Lo	g-In Sheet (Lab)		2736	2738	✓	
45. Misc. Shi	pping/Receiving Records(list all individu	al records)				
			NA	NA_		
	Lab Sample Transfer Records and Tracking	Sheets				
(describe	e or list)		2739	2742	,	
					√	
45 011 5						-
	ords and related Communication Logs or list)					
	•		NA	NA_	✓	
48. Comments:						
46. Comments:						
Completed by	:					
(CLP Lab)	(Signature)	Nimisha Pandya, Documen (Print Name & Title)	t Control	l Officer	<u> </u>	+ 0 \
Audited by: (EPA)	(Signature)	(fillic Name & IICIE)			(Da	LE)
(DI V)	(Signature)	(Print Name & Title)			(Da	te)
	(- J /	,			, _ u	/



SDG NARRATIVE

USEPA
SDG # MYDBB4
CASE # 51772
CONTRACT # 68HERH20D0011
SOW# SFAM01.1
LAB NAME: Alliance Technical Group, LLC
LAB CODE: ACE
LAB ORDER ID # P4331
MODIFIED ANALYSIS #3225.1, 3226.1

A. Number of Samples and Date of Receipt

20 Soil samples were delivered to the laboratory intact on 10/07/2024.

B. Parameters

Test requested for Metals CLP FULL = Aluminum, Antimony, Arsenic, Barium, Beryllium, Cadmium, Calcium, Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Nickel, Potassium, Selenium, Silver, Sodium, Thallium, Vanadium, Zinc.

Test requested for Metals CLP MS FULL = Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Copper, Lead, Nickel, Selenium, Silver, Thallium, Vanadium, Zinc.

C. Cooler Temp

Indicator Bottle: Presence/Absence

Cooler: 21.8°C

D. Detail Documentation (related to Sample Handling Shipping, Analytical Problem, Temp of Cooler etc):

Issue 1: A "P" or "M" prefix was listed at the beginning of a CLP sample ID.

E. Corrective Action taken for above:

Resolution 1 : To maintain COC integrity, ASB requests no changes to the Sample IDs. The laboratory will note the issue in the SDG Narrative and proceed with the analysis of the samples.

F. Analytical Techniques:

All analyses were based on CLP Methodology by method SFAM01.1.



284 Sheffield Street Mountainside, NJ 07092

Inter Element correction factors (IECs) are determined annually and correction factor are applied during ICP-AES analysis.

G. Calculation:

Calculation for ICP-AES Soil Sample:

Conversion of Results from mg/L or ppm to mg/kg (Dry Weight Basis):

Concentration (mg/kg) =
$$C \times \frac{Vf}{W \times S} \times DF$$

Where,

C = Instrument value in ppm (The average of all replicate exposures)

Vf = Final digestion volume (mL)

W = Initial aliquot amount (g) (Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)

DF = Dilution Factor

Example Calculation For Sample MYDBB4 For Arsenic:

If
$$C = 0.1339229 \text{ ppm}$$

$$Vf = 100 \text{ ml}$$

$$W = 1.23g$$

S = 0.962(96.2/100)

DF = 1

Concentration (mg/kg) =
$$0.1339229x \frac{100}{1.23 \times 0.962}x 1$$

$$= 22.63625 \text{ mg/kg}$$

= 23 mg/kg (Reported Result with Signification)

Calculation for ICP-MS Soil Sample:

Conversion of Results from µg /L or ppb to mg/kg:

Concentration (mg/kg) =
$$C \times Vf \times DF / 1000$$

W x S

Where,

C = Instrument value in ppb (The average of all replicate integrations)

Vf = Final digestion volume (mL)

W = Initial aliquot amount (g) (Fraction of Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)

DF = Dilution Factor



Example Calculation For Sample MYDBB4 For Antimony:

If C = ppb
Vf = 500 ml
W = 1.16 g
S = 0.962 (96.2/100)
DF = 1
Concentration (mg/kg) =
$$1.16 \times \frac{500}{1.23 \times 0.962} \times 1/1000$$

= 0.49017 mg/kg
= 0.49 mg/kg (Reported Result with Signification)

H. QA/QC

Calibrations met requirements. Interference check met requirements. Blank analyses did not indicate any presence of contamination. Laboratory Control sample was within control limits. Spike sample did meet requirements except for Antimony, Selenium, Zinc. Spike sample(MYDBB7SRE) did meet requirements except for Silver. Spike sample(MYDBB7S) did meet requirements except for Barium, Beryllium, Nickel and Zinc Duplicate sample did meet requirements except for Barium, Manganese. Serial Dilution did meet requirements.

Collision cell is being used to remove potential interferences. The analytes Na, Mg, Al, K, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, As are being analyzed with collision cell and analytes Be, B, Ca, Ti, Se, Sr, Zr, Mo, Ag, Cd, Sn, Sb, Ba, Tl, Pb, U are being analyzed with Non-Collision Cell. Helium gas is used for the Collision Cell analysis.

Internal Standard Association for ICP-MS analysis.

Target Analyte	Associated Internal Standard
Antimony	159Tb
Arsenic	89Y
Barium	159Tb
Beryllium	6Li
Cadmium	159Tb
Chromium	45Sc



284 Sheffield Street Mountainside, NJ 07092

110 07072
45Sc
45Sc
209Bi
45Sc
89Y
159Tb
209Bi
45Sc
45Sc

I certify that the data package is in compliance with the terms and conditions of the contract both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Director or his designee, as verified by the following signature.

Signature	Name: Nimisha Pandya
Date	Title: Document Control Officer

Date: 09/11/2024	MA: 3225.1	Title: ICP-MS with Modified Preparation Method and Analysis of Soils with Additional Laboratory QC
		Laboratory QC
Method Source: SFAM01.1	Method: ICP-MS	

Matrix: Soil/Sediment

Summary of Modification

The purpose of this modified analysis is to prepare samples by EPA Draft Method 3050C (see below) with additional modified LCS and Matrix Spikes and analyze for the scheduled target analytes by ICP-MS. Unless specifically modified by this modification, all analyses, Quality Control (QC), and reporting requirements specified in the SOW listed in your current EPA agreement remain unchanged and in full force and effect.

I. Analyte Modifications

Not applicable

II. Calibration and QC Requirements

Not applicable

The Laboratory shall:

- Use the Method Detection Limits (MDLs) determined for routine soil analyses (i.e., Method 200.8) to report the results for these analyses. The Laboratory is NOT required to perform an MDL study for Draft Method 3050C.
- Prepare and analyze an additional Laboratory Control Sample (LCS) spiked at the CRQL. Percent Recovery limits do NOT apply to this LCS and no corrective actions are required.
- Prepare a Matrix Spike spiked at three times the levels specified in the SOW.
- Prepare and analyze an additional Matrix Spike sample spiked at five times the levels specified for this Modified Analysis (i.e., 15x the levels specified in the SOW).
- Post-Digestion Spike requirements apply to the 5x Matrix Spike only.
- Post-Digestion Spike corrective actions apply to Sb.

III. Preparation and Method Modifications

Not applicable

- Prepare and analyze the sample by EPA Draft Method 3050C as follows:
 - Mix sample thoroughly and transfer 1.00 1.50 g to a digestion vessel.
 - Add 10 mL 1:1 HNO₃ and 5 mL 1:1 HCl, heat the sample at 95°C (±3°C) and reflux 10-15 minutes.
 - o Add 5 mL concentrated HNO₃ and reflux for 30 minutes at 95°C (±3°C), repeat until digestion complete.
 - Concentrate sample to 5 mL or reflux without boiling for 2 hours at 95°C (±3°C).
 - Cool sample, add 2mL water and 3 mL 30% H₂O₂. Heat at 95°C (±3°C) and add additional 1 mL aliquots of 30% H₂O₂ until effervescence is minimal.
 - Reduce volume to 5 mL or reflux without boiling for 2 hours at 95°C (±3°C).
 - o Dilute to 100 mL with water, centrifuge or filter as necessary prior to analysis.
- The same sample extracts can be used for ICP-AES analysis. Separate Matrix Spikes and LCS will need to be prepared for both ICP-AES and ICP-MS analyses.
- Analyze the samples starting at an initial 5x dilution. Subsequently, dilute samples as necessary
 to bring the analyte concentrations within the calibration range of the instrument per the SOW.
- Method Blanks, both LCSs, and all instrument QC are to be analyzed undiluted.

IV. Special Reporting Requirements

Not applicable

- Ensure the SDG Narrative is updated as stated in the SOW, including any technical and
 administrative problems encountered and the resolution or corrective actions taken. These
 problems may include interference problems encountered during analysis, dilutions, re-analyses
 and/or re-preparations performed, and problems with the analysis of samples. Also include a
 discussion of any SOW Modified Analyses, including a copy of the approved modification form
 with the SDG Narrative.
- Initial analysis data are reported with a dilution factor of 1.0 and a final volume of 500 mL, per the SOW.
- Report the additional LCS as "LCSD" in the raw data and in the EDD with QCType "Laboratory_Control_Sample_Duplicate".
- Report the additional Matrix Spike with an "SRE" suffix in the raw data and EDD.
- Report any Post-Digestion Spike of the additional 5x Matrix Spike with an "ARE" suffix.

Date: 09/11/2024	MA: 3226.1	Title: ICP-AES with Modified Preparation Method and Analysis of Soils with Additional
		Laboratory QC
Method Source: SFAM01.1	Method: ICP-AES	

Matrix: Soil/Sediment

Summary of Modification

The purpose of this modified analysis is to prepare samples by EPA Draft Method 3050C (see below) with additional modified LCS and Matrix Spikes and analyze for the scheduled target analytes by ICP-AES. Unless specifically modified by this modification, all analyses, Quality Control (QC), and reporting requirements specified in the SOW listed in your current EPA agreement remain unchanged and in full force and effect.

I. Analyte Modifications

Not applicable

II. Calibration and QC Requirements

Not applicable

The Laboratory shall:

- Use the Method Detection Limits determined for routine soil analyses (i.e., Method 3050B) to report the results for these analyses. The Laboratory is NOT required to perform an MDL study for Draft Method 3050C.
- Prepare and analyze an additional Laboratory Control Sample (LCS) spiked at the CRQL. Percent Recovery limits do NOT apply to this LCS and no corrective actions are required.
- Prepare a Matrix Spike spiked at two times the levels specified in the SOW.
- Post-Digestion Spike requirements apply to the 2x Matrix Spike.
- Post-Digestion Spike corrective actions apply to Sb.

III. Preparation and Method Modifications

Not applicable

- Prepare and analyze the sample by EPA Draft Method 3050C as follows:
 - \circ Mix sample thoroughly and transfer 1.00 1.50 g to a digestion vessel.
 - \circ Add 10 mL 1:1 HNO₃ and 5 mL 1:1 HCl, heat the sample at 95°C (±3°C) and reflux 10 -15 minutes.
 - Add 5 mL concentrated HNO₃ and reflux for 30 minutes at 95°C (±3°C), repeat until digestion complete.
 - Concentrate sample to 5 mL or reflux without boiling for 2 hours at 95°C (±3°C).
 - \circ Cool sample, add 2mL water and 3 mL 30% H₂O₂. Heat at 95°C (±3°C) and add additional 1 mL aliquots of 30% H₂O₂ until effervescence is minimal.
 - Reduce volume to 5 mL or reflux without boiling for 2 hours at 95°C (±3°C).
 - Dilute to 100 mL with water, centrifuge or filter as necessary prior to analysis.
- The same sample extracts can also be used for ICP-MS analysis. Separate Matrix Spikes and LCS will need to be prepared for both ICP-AES and ICP-MS analyses.
- Analyze the samples starting at an initial 2x dilution. Subsequently, dilute samples as necessary to bring the analyte concentrations within the calibration range of the instrument per the SOW.
- Verify that the dilution was adequate to reduce interferents to within the method calibration range. This can optionally be verified by visual verification of the spectrogram or by analysis of a serial dilution. There are other acceptable means to provide assurance, e.g. some software may automatically provide guidance to the analyst.
- Method Blanks, both LCS, and all instrument QC are to be analyzed undiluted.

IV. Special Reporting Requirements

Not applicable

- Ensure the SDG Narrative is updated as stated in the SOW, including any technical and
 administrative problems encountered and the resolution or corrective actions taken. These
 problems may include interference problems encountered during analysis, dilutions, re-analyses
 and/or re-preparations performed, and problems with the analysis of samples. Also include a
 discussion of any SOW Modified Analyses, including a copy of the approved modification form
 with the SDG Narrative.
- Initial analysis data are reported with a dilution factor of 2.0 and a final volume of 100 mL, per the SOW.
- Report the additional LCS as "LCSD" in the raw data and in the EDD with QCType "Laboratory_Control_Sample_Duplicate".
- Ensure that up-to-date Interelement Correction Factors (IECs) are provided with the data package.

Element, Wavelength and Order	Use?	# IECs	IEC	k1	k2	Calc-in-fit
As 189.042 {479}		1	Fe	-0.000064	0.000000	No
TI 190.856 {477}	\boxtimes	5	Мо	-0.002450	0.000000	No
			Co	0.002248	0.000000	No
			Ti	-0.000500	0.000000	No
	***************************************		Mn	0.000370	0.000000	No
			V	-0.012340	0.000000	No
Pb 220.353 {453}	X	6	Мо	-0.001480	0.000000	No
			Al	-0.000075	0.000000	No
<u> </u>	***************************************	:	Cu	0.001400	0.000000	No
i	***************************************		Fe	0.000030	0.000000	No
	***************************************		Mn	0.000340	0.000000	No
	***************************************		Ni	0.000630	0.000000	No
Se 196.090 {472}	Ø	3	Fe	-0.000308	0.000000	No
			Mn	0.000470	0.000000	No
			Со	-0.000630	0.000000	No
Sb 206.833 {463}	Ø	4	Cr	0.010700	0.000000	No
		<u> </u>	V	-0.001168	0.000000	No
			Мо	-0.002850	0.000000	No
	14111414141414141414141414141414		Ni	-0.000440	0.000000	No
Al 396.152 { 85}	X	1	Мо	0.037230	0.000000	No
Ba 493.409 { 68}		None		0.007200	0.000000	1110
Be 234.861 {144}		3	Мо	-0.000320	0.000000	No
			Fe	0.000010	0.000000	No
	***************************************		Mn	-0.000047	0.000000	No
Cd 214.438 {457}	\boxtimes	1	Fe	0.000047	0.000000	No
Ca 373.690 { 90}	<u></u>	None	1.5	0.000040	0.000000	INO
Cr 267.716 {126}			Mn	0.000160	0.000000	No
Co 228.616 {448}		1				
00 220.010 (440)		2	Ti	0.001840	0.000000	No
Cu 324.754 {104}			Mo	-0.001230	0.000000	No
Cu 324.734 {104}		4	Co	-0.000796	0.000000	No
			Fe	-0.000100	0.000000	No
		<u> </u>	Mn	0.000345	0.000000	No
F- 050 007 (400)			Ni	0.000895	0.000000	No
Fe 259.837 {130}		None				
Mn 257.610 {131}	<u> </u>	1	Ni Ni	0.000897	0.000000	No
Mg 279.079 {121}		None				
Ni 231.604 {446}		None			<u></u>	
Ag 328.068 {103}	\square	3 [Fe	-0.000100	0.000000	No
			Mn	0.000146	0.000000	No
			V	-0.000889	0.000000	No
Na 818.326 { 41}		None			į	Į
V 292.402 {115}		2	Мо	-0.008480	0.000000	No
	<u></u>	<u>.</u>	Cr	-0.002220	0.000000	No
Zn 206.200 {464}		None				
Zn 213.856 {158}		1 [Ni	0.007280	0.000000	No
< 769.896 { 44}		None				
P 177.495 {490}		2	Ni	0.001640	0.000000	No
		i	Cu	-0.012530	0.000000	No
3 249.678 {135}		3	Со	0.002880	0.000000	No
	<u> </u>		V	-0.002000	0.000000	No
	Ī	·····	Fe	-0.001360	0.000000	No
Ло 202.030 {467}		None				
§ 182.034 {485}	X	2	Мо	-0.008000	0.000000	No
	K		Mn	0.002700	0.000000	No

Element, Wavelength an Order	d Use?	# IECs	IEC	k1	k2	Calc-in-fit?
Si 251.611 {134		2	Мо	0.010520	0.000000	No
			Ti	0.005650	0.000000	No
Sn 189.989 {478		None		· · · · · · · · · · · · · · · · · · ·		
Ti 336.121 {100}	\square	1	Ni	-0.001000	0.000000	No
Li 670.784 { 50}		None		İ		· · · · · · · · · · · · · · · · · · ·
Y 224.306 {450}*		None		<u>.</u>	*	
Y 360.073 { 94}*		None			· • • • • • • • • • • • • • • • • • • •	·
Y 371.030 { 91}*		None				
Y 224.306 {150}*		None			. <u></u>	<u> </u>
In 230.606 {446}*		None	***************************************	***************************************		
Sr 407.771 { 83}		None	***************************************	***************************************	<u> </u>	<u>:</u>



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 10/11/2024

OVENTEMP IN Celsius(°C): 107 OVENTEMP OUT Celsius(°C): 103

Time IN: 16:50 Time OUT: 08:11

In Date: 10/10/2024 Out Date: 10/11/2024

Weight Check 1.0g: 1.00 Weight Check 1.0g: 1.00 Weight Check 10g: 10.00 OvenID: M OVEN#1 BalanceID: M SC-4

Thermometer ID: % SOLID- OVEN

qc:LB132867

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g)(B)	Dish+Dry Sample Wt(g)(C)	% Solid	Comments
P4331-01	MYDBB4	1	1.14	8.53	9.67	9.35	96.2	
P4331-02	MYDBB5	2	1.18	8.43	9.61	9.37	97.2	
P4331-03	MYDBB6	3	1.17	8.67	9.84	9.29	93.7	
P4331-04	MYDBB7	4	1.14	8.40	9.54	9.28	96.9	
P4331-05	MYDBB7D	5	1.14	8.40	9.54	9.28	96.9	
P4331-06	MYDBB7S	6	1.14	8.40	9.54	9.28	96.9	
P4331-07	MYDBB8	7	1.16	8.38	9.54	9.00	93.6	
P4331-08	MYDBB9	8	1.15	8.78	9.93	9.45	94.5	
P4331-09	MYDBC0	9	1.15	8.64	9.79	9.47	96.3	
P4331-10	MYDBC1	10	1.18	8.35	9.53	9.11	95.0	
P4331-11	MYDBC2	11	1.17	8.41	9.58	9.39	97.7	
P4331-12	MYDBC3	12	1.18	8.74	9.92	9.6	96.3	
P4331-13	MYDBC4	13	1.18	8.65	9.83	9.55	96.8	
P4331-14	MYDBC5	14	1.16	8.67	9.83	9.53	96.5	
P4331-15	MYDBC6	15	1.17	8.60	9.77	9.54	97.3	
P4331-16	MYDBC7	16	1.16	8.50	9.66	9.32	96.0	
P4331-17	MYDBC8	17	1.15	8.65	9.8	9.59	97.6	
P4331-18	MYDBC9	18	1.15	8.47	9.62	9.2	95.0	
P4331-19	MYDBD0	19	1.15	8.40	9.55	9.22	96.1	
P4331-20	MYDBD1	20	1.18	8.48	9.66	9.4	96.9	
P4331-21	MYDBD2	21	1.15	8.35	9.5	9.03	94.4	
P4331-22	MYDBD3	22	1.18	8.53	9.71	9.29	95.1	

WORKLIST(Hardcopy Internal Chain)

WorkList Name: %1-P4331

BB28CF

WorkList Name :	%1-P4331	WorkList ID :	D : 184321	Department:	Wet-Chemistry		Date: 10-10-20;	10-10-2024 13:43:40
Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4331-01	MYDBB4	Solid	Percent Solids	Cool 4 dea C	1000			
P4331-02	MYDBB5	Solid	Percent Solids	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	DALIE CO	5	06/21/2024	Chemtech -SO
P4331-03	MYDBB6	Solid	Percent Solids	Cool 4 deg C	USEP01	Q11	06/21/2024	Chemtech -SO
P4331-04	MYD887	S S		Cool 4 deg C	USEP01	011 	06/21/2024	Chemtech -SO
P4331-05	MYDBZD		rercent solids	Cool 4 deg C	USEP01	Q11	06/21/2024	Chemtech -SO
B4334 06		Solid	Percent Solids	Cool 4 deg C	USEP01	Q11	06/21/2024	Chemtech -SO
74331-00	MYDBB/S	Solid	Percent Solids	Cool 4 deg C	USEP01	Q11	06/21/2024	Chemtech -So
P4331-07	MYDBB8	Solid	Percent Solids	Cool 4 deg C	USEP01	Q11	06/21/2024	Chemtech -SO
P4331-08	MYDBB9	Solid	Percent Solids	Cool 4 deg C	USEP01	Q11	06/21/2024	Chemtech SO
P4331-09	MYDBC0	Solid	Percent Solids	Cool 4 deg C	USEP01	011	08/24/2004	
P4331-10	MYDBC1	Solid	Percent Solids	Cool 4 dea C	LISEDO1	5 5	9002112024	Chemiech - SO
P4331-11	MYDBC2	Solid	Percent Solids	C 200 7 1000		= 3	U6/21/2024	Chemtech -SO
P4331-12	MYDBC3	3		o figure 1	USEPUI	D 11	06/21/2024	Chemtech -SO
D/324 12	Coddy	Dilos	Percent Solids	Cool 4 deg C	USEP01	Q11	06/21/2024	Chemtech -SO
14301-13	MYDBC4	Solid	Percent Solids	Cool 4 deg C	USEP01	Q11	06/21/2024	Chemtech -SO
P4331-14	MYDBC5	Solid	Percent Solids	Cool 4 deg C	USEP01	Q11	06/21/2024	Chemtech -SO
P4331-15	MYDBC6	Solid	Percent Solids	Cool 4 deg C	USEP01	Q11	06/21/2024	Chemtech -SO
P4331-16	MYDBC7	Solid	Percent Solids	Cool 4 deg C	USEP01	Q11	06/21/2024	Chemtech -SO
P4331-17	MYDBC8	Solid	Percent Solids	Cool 4 deg C	USEP01	Q11	06/21/2024	Chemtech -SO
P4331-18	MYDBC9	Solid	Percent Solids	Cool 4 deg C	USEP01	011	06/24/2024	Chompton do
P4331-19	MYDBD0	Solid	Percent Solids	Cool 4 deg C	USEP01	043	06/04/2004	Orientech-20
P4331-20	MYDBD1	Solid	Percent Solids	Cool 4 dea C	LISED04	5 5	901711700	Chemiech -SO
P4331-21	MYDBD2	Solid	Percent Solide	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10.100	2	06/21/2024	Chemtech -SO
~	()		Spilos il solido	Cool 4 deg C	USEP01	011	06/21/2024	Chemtech -SO
I TO CO								

Date/Time 10|10|24 16:00 Raw Sample Relinquished by: Raw Sample Received by:

Raw Sample Received by:

Date/Time 10/10/24

Raw Sample Relinquished by:

Page 1 of 2

WORKLIST(Hardcopy Internal Chain)

WorkList ID: 184321 %1-P4331 WorkList Name:

Department: Wet-Chemistry

06/21/2024 Chemtech -SO

<u>0</u>

USEP01

Cool 4 deg C

Percent Solids

Solid

MYDBD3

P4331-22

Collect Date Method

Raw Sample

Storage Location

Customer

Preservative

Test

Matrix

Customer Sample

Sample

Date: 10-10-2024 13:43:40 AD 131867

Raw Sample Received by: Date/Time $(d//d/\lambda)$

Raw Sample Relinquished by:

LO CONCI

Page 2 of 2

Raw Sample Relinquished by:

Raw Sample Received by: Date/Time 10/10 1