EPA SAMPLE NO.

MYDBD4

FORM 1 - IN

INORGANIC ANALYSIS DATA SHEET

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51772 MA No. : 3226.1 SDG No.: MYDBD4

Matrix: SOIL Lab Sample ID: P4332-01

% Solids: 96.6 Date Received: 10/07/2024

Analytical Method: ICP_AES

Concentration Units (µg/L, mg/L, mg/kg dry weight, µg, or µg/cm²): mg/kg

| CAS No. | Analyte | Concentration | Q | Date Analyzed | Time Analyzed |
|---|---|---|---|---|---|
| 7429-90-5 | Aluminum | 100000 | D | 10/25/2024 | 2330 |
| 7440-36-0 | Antimony | 13 | D* | 10/25/2024 | 2330 |
| 7440-38-2 | Arsenic | 140 | D | 10/25/2024 | 2330 |
| 7440-39-3 | Barium | 350 | D | 10/25/2024 | 2330 |
| 7440-41-7 | Beryllium | 6.7 | D | 10/25/2024 | 2330 |
| 7440-43-9 | Cadmium | 16 | D | 10/25/2024 | 2330 |
| 7440-70-2 | Calcium | 6000 | D | 10/25/2024 | 2330 |
| 7440-47-3 | Chromium | 290 | D* | 10/25/2024 | 2330 |
| 7440-48-4 | Cobalt | 21 | D | 10/25/2024 | 2330 |
| 7440-50-8 | Copper | 3900 | D | 10/25/2024 | 2330 |
| 7439-89-6 | Iron | 26000 | D | 10/25/2024 | 2330 |
| 7439-92-1 | Lead | 690 | D | 10/25/2024 | 2330 |
| 7439-95-4 | Magnesium | 14000 | D | 10/25/2024 | 2330 |
| 7439-96-5 | Manganese | 840 | D | 10/25/2024 | 2330 |
| 7440-02-0 | Nickel | 170 | D | 10/25/2024 | 2330 |
| 7440-09-7 | Potassium | 2800 | D | 10/25/2024 | 2330 |
| 7782-49-2 | Selenium | 7.2 | D* | 10/25/2024 | 2330 |
| 7440-22-4 | Silver | 5.3 | D | 10/25/2024 | 2330 |
| 7440-23-5 | Sodium | 440 | JD | 10/25/2024 | 2330 |
| 7440-28-0 | Thallium | 4.5 | UD | 10/25/2024 | 2330 |
| 7440-62-2 | Vanadium | 62 | D | 10/25/2024 | 2330 |
| 7440-66-6 | Zinc | 2700 | D | 10/25/2024 | 2330 |

NOTE: Hardness (total) is reported in mg/L

Comments:

EPA SAMPLE NO.

MYDBD5

FORM 1 - IN

INORGANIC ANALYSIS DATA SHEET

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51772 MA No. : 3226.1 SDG No.: MYDBD4

Matrix: SOIL Lab Sample ID: P4332-02

% Solids: 96.5 Date Received: 10/07/2024

Analytical Method: ICP_AES

Concentration Units (µg/L, mg/L, mg/kg dry weight, µg, or µg/cm²): mg/kg

| CAS No. | Analyte | Concentration | Q | Date Analyzed | Time Analyzed |
|---|---|---|---|---|---|
| 7429-90-5 | Aluminum | 52000 | D | 10/25/2024 | 2334 |
| 7440-36-0 | Antimony | 5.3 | JD' | 10/25/2024 | 2334 |
| 7440-38-2 | Arsenic | 160 | D | 10/25/2024 | 2334 |
| 7440-39-3 | Barium | 470 | D | 10/25/2024 | 2334 |
| 7440-41-7 | Beryllium | 3.7 | D | 10/25/2024 | 2334 |
| 7440-43-9 | Cadmium | 14 | D | 10/25/2024 | 2334 |
| 7440-70-2 | Calcium | 7100 | D | 10/25/2024 | 2334 |
| 7440-47-3 | Chromium | 130 | D* | 10/25/2024 | 2334 |
| 7440-48-4 | Cobalt | 26 | D | 10/25/2024 | 2334 |
| 7440-50-8 | Copper | 2600 | D | 10/25/2024 | 2334 |
| 7439-89-6 | Iron | 59000 | D | 10/25/2024 | 2334 |
| 7439-92-1 | Lead | 680 | D | 10/25/2024 | 2334 |
| 7439-95-4 | Magnesium | 9400 | D | 10/25/2024 | 2334 |
| 7439-96-5 | Manganese | 850 | D | 10/25/2024 | 2334 |
| 7440-02-0 | Nickel | 120 | D | 10/25/2024 | 2334 |
| 7440-09-7 | Potassium | 3600 | D | 10/25/2024 | 2334 |
| 7782-49-2 | Selenium | 3.9 | JD' | 10/25/2024 | 2334 |
| 7440-22-4 | Silver | 1.4 | JD | 10/25/2024 | 2334 |
| 7440-23-5 | Sodium | 320 | JD | 10/25/2024 | 2334 |
| 7440-28-0 | Thallium | 4.6 | UD | 10/25/2024 | 2334 |
| 7440-62-2 | Vanadium | 59 | D | 10/25/2024 | 2334 |
| 7440-66-6 | Zinc | 1900 | D | 10/25/2024 | 2334 |

NOTE: Hardness (total) is reported in mg/L

Comments:

EPA SAMPLE NO.

MYDBD6

FORM 1 - IN

INORGANIC ANALYSIS DATA SHEET

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51772 MA No. : 3226.1 SDG No.: MYDBD4

Matrix: SOIL Lab Sample ID: P4332-03

% Solids: 97.1 Date Received: 10/07/2024

Analytical Method: ICP_AES

Concentration Units (µg/L, mg/L, mg/kg dry weight, µg, or µg/cm²): mg/kg

| CAS No. | Analyte | Concentration | Q | Date Analyzed | Time Analyzed |
|---|---|---|---|---|---|
| 7429-90-5 | Aluminum | 110000 | D | 10/25/2024 | 2339 |
| 7440-36-0 | Antimony | 15 | D* | 10/25/2024 | 2339 |
| 7440-38-2 | Arsenic | 79 | D | 10/25/2024 | 2339 |
| 7440-39-3 | Barium | 280 | D | 10/25/2024 | 2339 |
| 7440-41-7 | Beryllium | 7.4 | D | 10/25/2024 | 2339 |
| 7440-43-9 | Cadmium | 14 | D | 10/25/2024 | 2339 |
| 7440-70-2 | Calcium | 5000 | D | 10/25/2024 | 2339 |
| 7440-47-3 | Chromium | 370 | D* | 10/25/2024 | 2339 |
| 7440-48-4 | Cobalt | 20 | D | 10/25/2024 | 2339 |
| 7440-50-8 | Copper | 4300 | D | 10/25/2024 | 2339 |
| 7439-89-6 | Iron | 22000 | D | 10/25/2024 | 2339 |
| 7439-92-1 | Lead | 740 | D | 10/25/2024 | 2339 |
| 7439-95-4 | Magnesium | 18000 | D | 10/25/2024 | 2339 |
| 7439-96-5 | Manganese | 740 | D | 10/25/2024 | 2339 |
| 7440-02-0 | Nickel | 210 | D | 10/25/2024 | 2339 |
| 7440-09-7 | Potassium | 2600 | D | 10/25/2024 | 2339 |
| 7782-49-2 | Selenium | 5.8 | JD' | 10/25/2024 | 2339 |
| 7440-22-4 | Silver | 7.1 | D | 10/25/2024 | 2339 |
| 7440-23-5 | Sodium | 380 | JD | 10/25/2024 | 2339 |
| 7440-28-0 | Thallium | 4.2 | UD | 10/25/2024 | 2339 |
| 7440-62-2 | Vanadium | 58 | D | 10/25/2024 | 2339 |
| 7440-66-6 | Zinc | 2900 | D | 10/25/2024 | 2339 |

NOTE: Hardness (total) is reported in mg/L

Comments:

EPA SAMPLE NO.

MYDBD7

FORM 1 - IN

INORGANIC ANALYSIS DATA SHEET

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51772 MA No. : 3226.1 SDG No.: MYDBD4

Matrix: SOIL Lab Sample ID: P4332-04

% Solids: 97.2 Date Received: 10/07/2024

Analytical Method: ICP_AES

Concentration Units (µg/L, mg/L, mg/kg dry weight, µg, or µg/cm²): mg/kg

| CAS No. | Analyte | Concentration | Q | Date Analyzed | Time Analyzed |
|---|---|---|---|---|---|
| 7429-90-5 | Aluminum | 53000 | D | 10/25/2024 | 2343 |
| 7440-36-0 | Antimony | 5.8 | JD' | 10/25/2024 | 2343 |
| 7440-38-2 | Arsenic | 160 | D | 10/25/2024 | 2343 |
| 7440-39-3 | Barium | 510 | D | 10/25/2024 | 2343 |
| 7440-41-7 | Beryllium | 3.6 | D | 10/25/2024 | 2343 |
| 7440-43-9 | Cadmium | 12 | D | 10/25/2024 | 2343 |
| 7440-70-2 | Calcium | 7200 | D | 10/25/2024 | 2343 |
| 7440-47-3 | Chromium | 150 | D* | 10/25/2024 | 2343 |
| 7440-48-4 | Cobalt | 28 | D | 10/25/2024 | 2343 |
| 7440-50-8 | Copper | 2200 | D | 10/25/2024 | 2343 |
| 7439-89-6 | Iron | 34000 | D | 10/25/2024 | 2343 |
| 7439-92-1 | Lead | 470 | D | 10/25/2024 | 2343 |
| 7439-95-4 | Magnesium | 9100 | D | 10/25/2024 | 2343 |
| 7439-96-5 | Manganese | 830 | D | 10/25/2024 | 2343 |
| 7440-02-0 | Nickel | 130 | D | 10/25/2024 | 2343 |
| 7440-09-7 | Potassium | 2900 | D | 10/25/2024 | 2343 |
| 7782-49-2 | Selenium | 1.7 | JD' | 10/25/2024 | 2343 |
| 7440-22-4 | Silver | 2.1 | D | 10/25/2024 | 2343 |
| 7440-23-5 | Sodium | 730 | JD | 10/25/2024 | 2343 |
| 7440-28-0 | Thallium | 3.7 | UD | 10/25/2024 | 2343 |
| 7440-62-2 | Vanadium | 62 | D | 10/25/2024 | 2343 |
| 7440-66-6 | Zinc | 1400 | D | 10/25/2024 | 2343 |

NOTE: Hardness (total) is reported in mg/L

Comments:

EPA SAMPLE NO.

MYDBD8

FORM 1 - IN

INORGANIC ANALYSIS DATA SHEET

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51772 MA No. : 3226.1 SDG No.: MYDBD4

Matrix: SOIL Lab Sample ID: P4332-05

% Solids: 97.1 Date Received: 10/07/2024

Analytical Method: ICP_AES

Concentration Units (µg/L, mg/L, mg/kg dry weight, µg, or µg/cm²): mg/kg

| CAS No. | Analyte | Concentration | Q | Date Analyzed | Time Analyzed |
|---|---|---|---|---|---|
| 7429-90-5 | Aluminum | 110000 | D | 10/25/2024 | 2347 |
| 7440-36-0 | Antimony | 16 | D* | 10/25/2024 | 2347 |
| 7440-38-2 | Arsenic | 85 | D | 10/25/2024 | 2347 |
| 7440-39-3 | Barium | 280 | D | 10/25/2024 | 2347 |
| 7440-41-7 | Beryllium | 7.5 | D | 10/25/2024 | 2347 |
| 7440-43-9 | Cadmium | 14 | D | 10/25/2024 | 2347 |
| 7440-70-2 | Calcium | 5100 | D | 10/25/2024 | 2347 |
| 7440-47-3 | Chromium | 310 | D* | 10/25/2024 | 2347 |
| 7440-48-4 | Cobalt | 18 | D | 10/25/2024 | 2347 |
| 7440-50-8 | Copper | 4100 | D | 10/25/2024 | 2347 |
| 7439-89-6 | Iron | 23000 | D | 10/25/2024 | 2347 |
| 7439-92-1 | Lead | 760 | D | 10/25/2024 | 2347 |
| 7439-95-4 | Magnesium | 18000 | D | 10/25/2024 | 2347 |
| 7439-96-5 | Manganese | 720 | D | 10/25/2024 | 2347 |
| 7440-02-0 | Nickel | 170 | D | 10/25/2024 | 2347 |
| 7440-09-7 | Potassium | 2800 | D | 10/25/2024 | 2347 |
| 7782-49-2 | Selenium | 8.7 | D* | 10/25/2024 | 2347 |
| 7440-22-4 | Silver | 6.8 | D | 10/25/2024 | 2347 |
| 7440-23-5 | Sodium | 410 | JD | 10/25/2024 | 2347 |
| 7440-28-0 | Thallium | 3.7 | UD | 10/25/2024 | 2347 |
| 7440-62-2 | Vanadium | 57 | D | 10/25/2024 | 2347 |
| 7440-66-6 | Zinc | 2800 | D | 10/25/2024 | 2347 |

NOTE: Hardness (total) is reported in mg/L

Comments:

EPA SAMPLE NO.

MYDBD9

FORM 1 - IN

INORGANIC ANALYSIS DATA SHEET

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51772 MA No. : 3226.1 SDG No.: MYDBD4

Matrix: SOIL Lab Sample ID: P4332-06

% Solids: 97.1 Date Received: 10/07/2024

Analytical Method: ICP_AES

Concentration Units (µg/L, mg/L, mg/kg dry weight, µg, or µg/cm²): mg/kg

| CAS No. | Analyte | Concentration | Q | Date Analyzed | Time Analyzed |
|---|---|---|---|---|---|
| 7429-90-5 | Aluminum | 33000 | D | 10/25/2024 | 2352 |
| 7440-36-0 | Antimony | 6.2 | JD' | 10/25/2024 | 2352 |
| 7440-38-2 | Arsenic | 270 | D | 10/25/2024 | 2352 |
| 7440-39-3 | Barium | 400 | D | 10/25/2024 | 2352 |
| 7440-41-7 | Beryllium | 2.3 | D | 10/25/2024 | 2352 |
| 7440-43-9 | Cadmium | 11 | D | 10/25/2024 | 2352 |
| 7440-70-2 | Calcium | 6700 | D | 10/25/2024 | 2352 |
| 7440-47-3 | Chromium | 110 | D* | 10/25/2024 | 2352 |
| 7440-48-4 | Cobalt | 26 | D | 10/25/2024 | 2352 |
| 7440-50-8 | Copper | 2000 | D | 10/25/2024 | 2352 |
| 7439-89-6 | Iron | 35000 | D | 10/25/2024 | 2352 |
| 7439-92-1 | Lead | 610 | D | 10/25/2024 | 2352 |
| 7439-95-4 | Magnesium | 9000 | D | 10/25/2024 | 2352 |
| 7439-96-5 | Manganese | 790 | D | 10/25/2024 | 2352 |
| 7440-02-0 | Nickel | 110 | D | 10/25/2024 | 2352 |
| 7440-09-7 | Potassium | 2400 | D | 10/25/2024 | 2352 |
| 7782-49-2 | Selenium | 1.6 | JD' | 10/25/2024 | 2352 |
| 7440-22-4 | Silver | 3.6 | D | 10/25/2024 | 2352 |
| 7440-23-5 | Sodium | 640 | JD | 10/25/2024 | 2352 |
| 7440-28-0 | Thallium | 4.3 | UD | 10/25/2024 | 2352 |
| 7440-62-2 | Vanadium | 59 | D | 10/25/2024 | 2352 |
| 7440-66-6 | Zinc | 960 | D | 10/25/2024 | 2352 |

NOTE: Hardness (total) is reported in mg/L

Comments:

EPA SAMPLE NO.

MYDBE0

FORM 1 - IN

INORGANIC ANALYSIS DATA SHEET

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51772 MA No. : 3226.1 SDG No.: MYDBD4

Matrix: SOIL Lab Sample ID: P4332-07

% Solids: 97 Date Received: 10/07/2024

Analytical Method: ICP_AES

Concentration Units (µg/L, mg/L, mg/kg dry weight, µg, or µg/cm²): mg/kg

| CAS No. | Analyte | Concentration | Q | Date Analyzed | Time Analyzed |
|---|---|---|---|---|---|
| 7429-90-5 | Aluminum | 36000 | D | 10/26/2024 | 0005 |
| 7440-36-0 | Antimony | 7.8 | JD' | 10/26/2024 | 0005 |
| 7440-38-2 | Arsenic | 320 | D | 10/26/2024 | 0005 |
| 7440-39-3 | Barium | 520 | D | 10/26/2024 | 0005 |
| 7440-41-7 | Beryllium | 2.6 | D | 10/26/2024 | 0005 |
| 7440-43-9 | Cadmium | 12 | D | 10/26/2024 | 0005 |
| 7440-70-2 | Calcium | 6800 | D | 10/26/2024 | 0005 |
| 7440-47-3 | Chromium | 110 | D* | 10/26/2024 | 0005 |
| 7440-48-4 | Cobalt | 33 | D | 10/26/2024 | 0005 |
| 7440-50-8 | Copper | 2200 | D | 10/26/2024 | 0005 |
| 7439-89-6 | Iron | 41000 | D | 10/26/2024 | 0005 |
| 7439-92-1 | Lead | 670 | D | 10/26/2024 | 0005 |
| 7439-95-4 | Magnesium | 9200 | D | 10/26/2024 | 0005 |
| 7439-96-5 | Manganese | 950 | D | 10/26/2024 | 0005 |
| 7440-02-0 | Nickel | 110 | D | 10/26/2024 | 0005 |
| 7440-09-7 | Potassium | 2600 | D | 10/26/2024 | 0005 |
| 7782-49-2 | Selenium | 3.1 | JD' | 10/26/2024 | 0005 |
| 7440-22-4 | Silver | 3.9 | D | 10/26/2024 | 0005 |
| 7440-23-5 | Sodium | 440 | JD | 10/26/2024 | 0005 |
| 7440-28-0 | Thallium | 4.1 | UD | 10/26/2024 | 0005 |
| 7440-62-2 | Vanadium | 66 | D | 10/26/2024 | 0005 |
| 7440-66-6 | Zinc | 1000 | D | 10/26/2024 | 0005 |

NOTE: Hardness (total) is reported in mg/L

Comments:

EPA SAMPLE NO.

MYDBE1

FORM 1 - IN

INORGANIC ANALYSIS DATA SHEET

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51772 MA No. : 3226.1 SDG No.: MYDBD4

Matrix: SOIL Lab Sample ID: P4332-08

% Solids: 95.2 Date Received: 10/07/2024

Analytical Method: ICP_AES

Concentration Units (µg/L, mg/L, mg/kg dry weight, µg, or µg/cm²): mg/kg

| CAS No. | Analyte | Concentration | Q | Date Analyzed | Time Analyzed |
|---|---|---|---|---|---|
| 7429-90-5 | Aluminum | 78000 | D | 10/26/2024 | 0009 |
| 7440-36-0 | Antimony | 16 | D* | 10/26/2024 | 0009 |
| 7440-38-2 | Arsenic | 170 | D | 10/26/2024 | 0009 |
| 7440-39-3 | Barium | 330 | D | 10/26/2024 | 0009 |
| 7440-41-7 | Beryllium | 6.2 | D | 10/26/2024 | 0009 |
| 7440-43-9 | Cadmium | 13 | D | 10/26/2024 | 0009 |
| 7440-70-2 | Calcium | 11000 | D | 10/26/2024 | 0009 |
| 7440-47-3 | Chromium | 220 | D* | 10/26/2024 | 0009 |
| 7440-48-4 | Cobalt | 23 | D | 10/26/2024 | 0009 |
| 7440-50-8 | Copper | 3600 | D | 10/26/2024 | 0009 |
| 7439-89-6 | Iron | 28000 | D | 10/26/2024 | 0009 |
| 7439-92-1 | Lead | 690 | D | 10/26/2024 | 0009 |
| 7439-95-4 | Magnesium | 11000 | D | 10/26/2024 | 0009 |
| 7439-96-5 | Manganese | 750 | D | 10/26/2024 | 0009 |
| 7440-02-0 | Nickel | 150 | D | 10/26/2024 | 0009 |
| 7440-09-7 | Potassium | 2400 | D | 10/26/2024 | 0009 |
| 7782-49-2 | Selenium | 5.0 | JD' | 10/26/2024 | 0009 |
| 7440-22-4 | Silver | 6.2 | D | 10/26/2024 | 0009 |
| 7440-23-5 | Sodium | 370 | JD | 10/26/2024 | 0009 |
| 7440-28-0 | Thallium | 4.2 | UD | 10/26/2024 | 0009 |
| 7440-62-2 | Vanadium | 50 | D | 10/26/2024 | 0009 |
| 7440-66-6 | Zinc | 2600 | D | 10/26/2024 | 0009 |

NOTE: Hardness (total) is reported in mg/L

Comments:

EPA SAMPLE NO.

MYDBE2

FORM 1 - IN

INORGANIC ANALYSIS DATA SHEET

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51772 MA No. : 3226.1 SDG No.: MYDBD4

Matrix: SOIL Lab Sample ID: P4332-09

% Solids: 94.8 Date Received: 10/07/2024

Analytical Method: ICP_AES

Concentration Units (µg/L, mg/L, mg/kg dry weight, µg, or µg/cm²): mg/kg

| CAS No. | Analyte | Concentration | Q | Date Analyzed | Time Analyzed |
|---|---|---|---|---|---|
| 7429-90-5 | Aluminum | 35000 | D | 10/26/2024 | 0014 |
| 7440-36-0 | Antimony | 0.95 | JD' | 10/26/2024 | 0014 |
| 7440-38-2 | Arsenic | 78 | D | 10/26/2024 | 0014 |
| 7440-39-3 | Barium | 580 | D | 10/26/2024 | 0014 |
| 7440-41-7 | Beryllium | 2.1 | D | 10/26/2024 | 0014 |
| 7440-43-9 | Cadmium | 6.0 | D | 10/26/2024 | 0014 |
| 7440-70-2 | Calcium | 8300 | D | 10/26/2024 | 0014 |
| 7440-47-3 | Chromium | 97 | D* | 10/26/2024 | 0014 |
| 7440-48-4 | Cobalt | 27 | D | 10/26/2024 | 0014 |
| 7440-50-8 | Copper | 830 | D | 10/26/2024 | 0014 |
| 7439-89-6 | Iron | 37000 | D | 10/26/2024 | 0014 |
| 7439-92-1 | Lead | 210 | D | 10/26/2024 | 0014 |
| 7439-95-4 | Magnesium | 10000 | D | 10/26/2024 | 0014 |
| 7439-96-5 | Manganese | 800 | D | 10/26/2024 | 0014 |
| 7440-02-0 | Nickel | 130 | D | 10/26/2024 | 0014 |
| 7440-09-7 | Potassium | 2900 | D | 10/26/2024 | 0014 |
| 7782-49-2 | Selenium | 1.6 | JD' | 10/26/2024 | 0014 |
| 7440-22-4 | Silver | 1.7 | UD | 10/26/2024 | 0014 |
| 7440-23-5 | Sodium | 380 | JD | 10/26/2024 | 0014 |
| 7440-28-0 | Thallium | 4.3 | UD | 10/26/2024 | 0014 |
| 7440-62-2 | Vanadium | 76 | D | 10/26/2024 | 0014 |
| 7440-66-6 | Zinc | 510 | D | 10/26/2024 | 0014 |

NOTE: Hardness (total) is reported in mg/L

Comments:

EPA SAMPLE NO.

MYDBE3

FORM 1 - IN

INORGANIC ANALYSIS DATA SHEET

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51772 MA No. : 3226.1 SDG No.: MYDBD4

Matrix: SOIL Lab Sample ID: P4332-10

% Solids: 96.2 Date Received: 10/07/2024

Analytical Method: ICP_AES

Concentration Units (µg/L, mg/L, mg/kg dry weight, µg, or µg/cm²): mg/kg

| CAS No. | Analyte | Concentration | Q | Date Analyzed | Time Analyzed |
|---|---|---|---|---|---|
| 7429-90-5 | Aluminum | 31000 | D | 10/26/2024 | 0018 |
| 7440-36-0 | Antimony | 2.1 | JD' | 10/26/2024 | 0018 |
| 7440-38-2 | Arsenic | 110 | D | 10/26/2024 | 0018 |
| 7440-39-3 | Barium | 440 | D | 10/26/2024 | 0018 |
| 7440-41-7 | Beryllium | 1.9 | D | 10/26/2024 | 0018 |
| 7440-43-9 | Cadmium | 9.1 | D | 10/26/2024 | 0018 |
| 7440-70-2 | Calcium | 9700 | D | 10/26/2024 | 0018 |
| 7440-47-3 | Chromium | 83 | D* | 10/26/2024 | 0018 |
| 7440-48-4 | Cobalt | 35 | D | 10/26/2024 | 0018 |
| 7440-50-8 | Copper | 1200 | D | 10/26/2024 | 0018 |
| 7439-89-6 | Iron | 38000 | D | 10/26/2024 | 0018 |
| 7439-92-1 | Lead | 260 | D | 10/26/2024 | 0018 |
| 7439-95-4 | Magnesium | 13000 | D | 10/26/2024 | 0018 |
| 7439-96-5 | Manganese | 1000 | D | 10/26/2024 | 0018 |
| 7440-02-0 | Nickel | 150 | D | 10/26/2024 | 0018 |
| 7440-09-7 | Potassium | 2800 | D | 10/26/2024 | 0018 |
| 7782-49-2 | Selenium | 1.2 | JD' | 10/26/2024 | 0018 |
| 7440-22-4 | Silver | 1.4 | UD | 10/26/2024 | 0018 |
| 7440-23-5 | Sodium | 930 | D | 10/26/2024 | 0018 |
| 7440-28-0 | Thallium | 3.6 | UD | 10/26/2024 | 0018 |
| 7440-62-2 | Vanadium | 71 | D | 10/26/2024 | 0018 |
| 7440-66-6 | Zinc | 580 | D | 10/26/2024 | 0018 |

NOTE: Hardness (total) is reported in mg/L

Comments:

EPA SAMPLE NO.

MYDBE4

FORM 1 - IN

INORGANIC ANALYSIS DATA SHEET

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51772 MA No. : 3226.1 SDG No.: MYDBD4

Matrix: SOIL Lab Sample ID: P4332-11

% Solids: 96 Date Received: 10/07/2024

Analytical Method: ICP_AES

Concentration Units (µg/L, mg/L, mg/kg dry weight, µg, or µg/cm²): mg/kg

| CAS No. | Analyte | Concentration | Q | Date Analyzed | Time Analyzed |
|---|---|---|---|---|---|
| 7429-90-5 | Aluminum | 58000 | D | 10/26/2024 | 0022 |
| 7440-36-0 | Antimony | 9.0 | JD' | 10/26/2024 | 0022 |
| 7440-38-2 | Arsenic | 210 | D | 10/26/2024 | 0022 |
| 7440-39-3 | Barium | 430 | D | 10/26/2024 | 0022 |
| 7440-41-7 | Beryllium | 4.0 | D | 10/26/2024 | 0022 |
| 7440-43-9 | Cadmium | 13 | D | 10/26/2024 | 0022 |
| 7440-70-2 | Calcium | 7200 | D | 10/26/2024 | 0022 |
| 7440-47-3 | Chromium | 160 | D* | 10/26/2024 | 0022 |
| 7440-48-4 | Cobalt | 25 | D | 10/26/2024 | 0022 |
| 7440-50-8 | Copper | 2800 | D | 10/26/2024 | 0022 |
| 7439-89-6 | Iron | 33000 | D | 10/26/2024 | 0022 |
| 7439-92-1 | Lead | 700 | D | 10/26/2024 | 0022 |
| 7439-95-4 | Magnesium | 8700 | D | 10/26/2024 | 0022 |
| 7439-96-5 | Manganese | 810 | D | 10/26/2024 | 0022 |
| 7440-02-0 | Nickel | 130 | D | 10/26/2024 | 0022 |
| 7440-09-7 | Potassium | 3000 | D | 10/26/2024 | 0022 |
| 7782-49-2 | Selenium | 3.7 | JD' | 10/26/2024 | 0022 |
| 7440-22-4 | Silver | 4.1 | D | 10/26/2024 | 0022 |
| 7440-23-5 | Sodium | 320 | JD | 10/26/2024 | 0022 |
| 7440-28-0 | Thallium | 4.8 | UD | 10/26/2024 | 0022 |
| 7440-62-2 | Vanadium | 57 | D | 10/26/2024 | 0022 |
| 7440-66-6 | Zinc | 1700 | D | 10/26/2024 | 0022 |

NOTE: Hardness (total) is reported in mg/L

Comments:

EPA SAMPLE NO.

MYDBE5

FORM 1 - IN

INORGANIC ANALYSIS DATA SHEET

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51772 MA No. : 3226.1 SDG No.: MYDBD4

Matrix: SOIL Lab Sample ID: P4332-12

% Solids: 96.2 Date Received: 10/07/2024

Analytical Method: ICP_AES

Concentration Units (µg/L, mg/L, mg/kg dry weight, µg, or µg/cm²): mg/kg

| CAS No. | Analyte | Concentration | Q | Date Analyzed | Time Analyzed |
|---|---|---|---|---|---|
| 7429-90-5 | Aluminum | 45000 | D | 10/26/2024 | 0027 |
| 7440-36-0 | Antimony | 8.0 | JD' | 10/26/2024 | 0027 |
| 7440-38-2 | Arsenic | 240 | D | 10/26/2024 | 0027 |
| 7440-39-3 | Barium | 750 | D | 10/26/2024 | 0027 |
| 7440-41-7 | Beryllium | 3.8 | D | 10/26/2024 | 0027 |
| 7440-43-9 | Cadmium | 14 | D | 10/26/2024 | 0027 |
| 7440-70-2 | Calcium | 7100 | D | 10/26/2024 | 0027 |
| 7440-47-3 | Chromium | 110 | D* | 10/26/2024 | 0027 |
| 7440-48-4 | Cobalt | 29 | D | 10/26/2024 | 0027 |
| 7440-50-8 | Copper | 3300 | D | 10/26/2024 | 0027 |
| 7439-89-6 | Iron | 90000 | D | 10/26/2024 | 0027 |
| 7439-92-1 | Lead | 1000 | D | 10/26/2024 | 0027 |
| 7439-95-4 | Magnesium | 8200 | D | 10/26/2024 | 0027 |
| 7439-96-5 | Manganese | 920 | D | 10/26/2024 | 0027 |
| 7440-02-0 | Nickel | 97 | D | 10/26/2024 | 0027 |
| 7440-09-7 | Potassium | 4400 | D | 10/26/2024 | 0027 |
| 7782-49-2 | Selenium | 5.4 | JD' | 10/26/2024 | 0027 |
| 7440-22-4 | Silver | 2.0 | D | 10/26/2024 | 0027 |
| 7440-23-5 | Sodium | 500 | JD | 10/26/2024 | 0027 |
| 7440-28-0 | Thallium | 4.0 | UD | 10/26/2024 | 0027 |
| 7440-62-2 | Vanadium | 56 | D | 10/26/2024 | 0027 |
| 7440-66-6 | Zinc | 2200 | D | 10/26/2024 | 0027 |

NOTE: Hardness (total) is reported in mg/L

Comments:

EPA SAMPLE NO.

MYDBE6

FORM 1 - IN

INORGANIC ANALYSIS DATA SHEET

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51772 MA No. : 3226.1 SDG No.: MYDBD4

Matrix: SOIL Lab Sample ID: P4332-13

% Solids: 96.7 Date Received: 10/07/2024

Analytical Method: ICP_AES

Concentration Units (µg/L, mg/L, mg/kg dry weight, µg, or µg/cm²): mg/kg

| CAS No. | Analyte | Concentration | Q | Date Analyzed | Time Analyzed |
|---|---|---|---|---|---|
| 7429-90-5 | Aluminum | 31000 | D | 10/26/2024 | 0031 |
| 7440-36-0 | Antimony | 4.0 | JD' | 10/26/2024 | 0031 |
| 7440-38-2 | Arsenic | 120 | D | 10/26/2024 | 0031 |
| 7440-39-3 | Barium | 530 | D | 10/26/2024 | 0031 |
| 7440-41-7 | Beryllium | 2.0 | D | 10/26/2024 | 0031 |
| 7440-43-9 | Cadmium | 8.4 | D | 10/26/2024 | 0031 |
| 7440-70-2 | Calcium | 8700 | D | 10/26/2024 | 0031 |
| 7440-47-3 | Chromium | 89 | D* | 10/26/2024 | 0031 |
| 7440-48-4 | Cobalt | 28 | D | 10/26/2024 | 0031 |
| 7440-50-8 | Copper | 1400 | D | 10/26/2024 | 0031 |
| 7439-89-6 | Iron | 34000 | D | 10/26/2024 | 0031 |
| 7439-92-1 | Lead | 340 | D | 10/26/2024 | 0031 |
| 7439-95-4 | Magnesium | 8100 | D | 10/26/2024 | 0031 |
| 7439-96-5 | Manganese | 870 | D | 10/26/2024 | 0031 |
| 7440-02-0 | Nickel | 100 | D | 10/26/2024 | 0031 |
| 7440-09-7 | Potassium | 2800 | D | 10/26/2024 | 0031 |
| 7782-49-2 | Selenium | 1.8 | JD' | 10/26/2024 | 0031 |
| 7440-22-4 | Silver | 1.1 | JD | 10/26/2024 | 0031 |
| 7440-23-5 | Sodium | 380 | JD | 10/26/2024 | 0031 |
| 7440-28-0 | Thallium | 4.5 | UD | 10/26/2024 | 0031 |
| 7440-62-2 | Vanadium | 61 | D | 10/26/2024 | 0031 |
| 7440-66-6 | Zinc | 740 | D | 10/26/2024 | 0031 |

NOTE: Hardness (total) is reported in mg/L

Comments:

EPA SAMPLE NO.

MYDBE7

FORM 1 - IN

INORGANIC ANALYSIS DATA SHEET

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51772 MA No. : 3226.1 SDG No.: MYDBD4

Matrix: SOIL Lab Sample ID: P4332-16

% Solids: 96.7 Date Received: 10/07/2024

Analytical Method: ICP_AES

Concentration Units (µg/L, mg/L, mg/kg dry weight, µg, or µg/cm²): mg/kg

| CAS No. | Analyte | Concentration | Q | Date Analyzed | Time Analyzed |
|---|---|---|---|---|---|
| 7429-90-5 | Aluminum | 44000 | D | 10/26/2024 | 0048 |
| 7440-36-0 | Antimony | 4.4 | JD' | 10/26/2024 | 0048 |
| 7440-38-2 | Arsenic | 110 | D | 10/26/2024 | 0048 |
| 7440-39-3 | Barium | 430 | D | 10/26/2024 | 0048 |
| 7440-41-7 | Beryllium | 3.6 | D | 10/26/2024 | 0048 |
| 7440-43-9 | Cadmium | 9.4 | D | 10/26/2024 | 0048 |
| 7440-70-2 | Calcium | 7000 | D | 10/26/2024 | 0048 |
| 7440-47-3 | Chromium | 110 | D* | 10/26/2024 | 0048 |
| 7440-48-4 | Cobalt | 24 | D | 10/26/2024 | 0048 |
| 7440-50-8 | Copper | 1700 | D | 10/26/2024 | 0048 |
| 7439-89-6 | Iron | 50000 | D | 10/26/2024 | 0048 |
| 7439-92-1 | Lead | 350 | D | 10/26/2024 | 0048 |
| 7439-95-4 | Magnesium | 8600 | D | 10/26/2024 | 0048 |
| 7439-96-5 | Manganese | 890 | D | 10/26/2024 | 0048 |
| 7440-02-0 | Nickel | 100 | D | 10/26/2024 | 0048 |
| 7440-09-7 | Potassium | 2800 | D | 10/26/2024 | 0048 |
| 7782-49-2 | Selenium | 2.4 | JD' | 10/26/2024 | 0048 |
| 7440-22-4 | Silver | 1.7 | UD | 10/26/2024 | 0048 |
| 7440-23-5 | Sodium | 340 | JD | 10/26/2024 | 0048 |
| 7440-28-0 | Thallium | 4.4 | UD | 10/26/2024 | 0048 |
| 7440-62-2 | Vanadium | 61 | D | 10/26/2024 | 0048 |
| 7440-66-6 | Zinc | 1100 | D | 10/26/2024 | 0048 |

NOTE: Hardness (total) is reported in mg/L

Comments:

EPA SAMPLE NO.

MYDBE8

FORM 1 - IN

INORGANIC ANALYSIS DATA SHEET

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51772 MA No. : 3226.1 SDG No.: MYDBD4

Matrix: SOIL Lab Sample ID: P4332-17

% Solids: 95.7 Date Received: 10/07/2024

Analytical Method: ICP_AES

Concentration Units (µg/L, mg/L, mg/kg dry weight, µg, or µg/cm²): mg/kg

| CAS No. | Analyte | Concentration | Q | Date Analyzed | Time Analyzed |
|---|---|---|---|---|---|
| 7429-90-5 | Aluminum | 26000 | D | 10/26/2024 | 0053 |
| 7440-36-0 | Antimony | 2.5 | JD' | 10/26/2024 | 0053 |
| 7440-38-2 | Arsenic | 170 | D | 10/26/2024 | 0053 |
| 7440-39-3 | Barium | 390 | D | 10/26/2024 | 0053 |
| 7440-41-7 | Beryllium | 1.7 | D | 10/26/2024 | 0053 |
| 7440-43-9 | Cadmium | 7.6 | D | 10/26/2024 | 0053 |
| 7440-70-2 | Calcium | 6700 | D | 10/26/2024 | 0053 |
| 7440-47-3 | Chromium | 83 | D* | 10/26/2024 | 0053 |
| 7440-48-4 | Cobalt | 35 | D | 10/26/2024 | 0053 |
| 7440-50-8 | Copper | 1500 | D | 10/26/2024 | 0053 |
| 7439-89-6 | Iron | 36000 | D | 10/26/2024 | 0053 |
| 7439-92-1 | Lead | 270 | D | 10/26/2024 | 0053 |
| 7439-95-4 | Magnesium | 7400 | D | 10/26/2024 | 0053 |
| 7439-96-5 | Manganese | 1100 | D | 10/26/2024 | 0053 |
| 7440-02-0 | Nickel | 83 | D | 10/26/2024 | 0053 |
| 7440-09-7 | Potassium | 2200 | D | 10/26/2024 | 0053 |
| 7782-49-2 | Selenium | 1.5 | JD' | 10/26/2024 | 0053 |
| 7440-22-4 | Silver | 1.7 | UD | 10/26/2024 | 0053 |
| 7440-23-5 | Sodium | 280 | JD | 10/26/2024 | 0053 |
| 7440-28-0 | Thallium | 4.3 | UD | 10/26/2024 | 0053 |
| 7440-62-2 | Vanadium | 68 | D | 10/26/2024 | 0053 |
| 7440-66-6 | Zinc | 490 | D | 10/26/2024 | 0053 |

NOTE: Hardness (total) is reported in mg/L

Comments:

EPA SAMPLE NO.

MYDBE9

FORM 1 - IN

INORGANIC ANALYSIS DATA SHEET

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51772 MA No. : 3226.1 SDG No.: MYDBD4

Matrix: SOIL Lab Sample ID: P4332-18

% Solids: 97.1 Date Received: 10/07/2024

Analytical Method: ICP_AES

Concentration Units (µg/L, mg/L, mg/kg dry weight, µg, or µg/cm²): mg/kg

| CAS No. | Analyte | Concentration | Q | Date Analyzed | Time Analyzed |
|---|---|---|---|---|---|
| 7429-90-5 | Aluminum | 31000 | D | 10/26/2024 | 0057 |
| 7440-36-0 | Antimony | 1.4 | JD' | 10/26/2024 | 0057 |
| 7440-38-2 | Arsenic | 44 | D | 10/26/2024 | 0057 |
| 7440-39-3 | Barium | 180 | D | 10/26/2024 | 0057 |
| 7440-41-7 | Beryllium | 1.7 | D | 10/26/2024 | 0057 |
| 7440-43-9 | Cadmium | 3.8 | D | 10/26/2024 | 0057 |
| 7440-70-2 | Calcium | 6400 | D | 10/26/2024 | 0057 |
| 7440-47-3 | Chromium | 99 | D* | 10/26/2024 | 0057 |
| 7440-48-4 | Cobalt | 27 | D | 10/26/2024 | 0057 |
| 7440-50-8 | Copper | 610 | D | 10/26/2024 | 0057 |
| 7439-89-6 | Iron | 45000 | D | 10/26/2024 | 0057 |
| 7439-92-1 | Lead | 120 | D | 10/26/2024 | 0057 |
| 7439-95-4 | Magnesium | 14000 | D | 10/26/2024 | 0057 |
| 7439-96-5 | Manganese | 810 | D | 10/26/2024 | 0057 |
| 7440-02-0 | Nickel | 74 | D | 10/26/2024 | 0057 |
| 7440-09-7 | Potassium | 2400 | D | 10/26/2024 | 0057 |
| 7782-49-2 | Selenium | 5.2 | UD' | 10/26/2024 | 0057 |
| 7440-22-4 | Silver | 1.5 | UD | 10/26/2024 | 0057 |
| 7440-23-5 | Sodium | 270 | JD | 10/26/2024 | 0057 |
| 7440-28-0 | Thallium | 3.7 | UD | 10/26/2024 | 0057 |
| 7440-62-2 | Vanadium | 94 | D | 10/26/2024 | 0057 |
| 7440-66-6 | Zinc | 440 | D | 10/26/2024 | 0057 |

NOTE: Hardness (total) is reported in mg/L

Comments:

EPA SAMPLE NO.

MYDBF0

FORM 1 - IN

INORGANIC ANALYSIS DATA SHEET

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51772 MA No. : 3226.1 SDG No.: MYDBD4

Matrix: SOIL Lab Sample ID: P4332-19

% Solids: 95.5 Date Received: 10/07/2024

Analytical Method: ICP_AES

Concentration Units (µg/L, mg/L, mg/kg dry weight, µg, or µg/cm²): mg/kg

| CAS No. | Analyte | Concentration | Q | Date Analyzed | Time Analyzed |
|---|---|---|---|---|---|
| 7429-90-5 | Aluminum | 39000 | D | 10/26/2024 | 0101 |
| 7440-36-0 | Antimony | 5.4 | JD' | 10/26/2024 | 0101 |
| 7440-38-2 | Arsenic | 180 | D | 10/26/2024 | 0101 |
| 7440-39-3 | Barium | 430 | D | 10/26/2024 | 0101 |
| 7440-41-7 | Beryllium | 2.5 | D | 10/26/2024 | 0101 |
| 7440-43-9 | Cadmium | 8.6 | D | 10/26/2024 | 0101 |
| 7440-70-2 | Calcium | 7900 | D | 10/26/2024 | 0101 |
| 7440-47-3 | Chromium | 120 | D* | 10/26/2024 | 0101 |
| 7440-48-4 | Cobalt | 28 | D | 10/26/2024 | 0101 |
| 7440-50-8 | Copper | 1500 | D | 10/26/2024 | 0101 |
| 7439-89-6 | Iron | 34000 | D | 10/26/2024 | 0101 |
| 7439-92-1 | Lead | 440 | D | 10/26/2024 | 0101 |
| 7439-95-4 | Magnesium | 9000 | D | 10/26/2024 | 0101 |
| 7439-96-5 | Manganese | 900 | D | 10/26/2024 | 0101 |
| 7440-02-0 | Nickel | 120 | D | 10/26/2024 | 0101 |
| 7440-09-7 | Potassium | 2200 | D | 10/26/2024 | 0101 |
| 7782-49-2 | Selenium | 3.2 | JD' | 10/26/2024 | 0101 |
| 7440-22-4 | Silver | 1.6 | JD | 10/26/2024 | 0101 |
| 7440-23-5 | Sodium | 370 | JD | 10/26/2024 | 0101 |
| 7440-28-0 | Thallium | 4.4 | UD | 10/26/2024 | 0101 |
| 7440-62-2 | Vanadium | 65 | D | 10/26/2024 | 0101 |
| 7440-66-6 | Zinc | 840 | D | 10/26/2024 | 0101 |

NOTE: Hardness (total) is reported in mg/L

Comments:

EPA SAMPLE NO.

MYDBF1

FORM 1 - IN

INORGANIC ANALYSIS DATA SHEET

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51772 MA No. : 3226.1 SDG No.: MYDBD4

Matrix: SOIL Lab Sample ID: P4332-20

% Solids: 91.5 Date Received: 10/07/2024

Analytical Method: ICP_AES

Concentration Units (µg/L, mg/L, mg/kg dry weight, µg, or µg/cm²): mg/kg

| CAS No. | Analyte | Concentration | Q | Date Analyzed | Time Analyzed |
|---|---|---|---|---|---|
| 7429-90-5 | Aluminum | 41000 | D | 10/26/2024 | 0106 |
| 7440-36-0 | Antimony | 3.9 | JD' | 10/26/2024 | 0106 |
| 7440-38-2 | Arsenic | 130 | D | 10/26/2024 | 0106 |
| 7440-39-3 | Barium | 330 | D | 10/26/2024 | 0106 |
| 7440-41-7 | Beryllium | 3.1 | D | 10/26/2024 | 0106 |
| 7440-43-9 | Cadmium | 12 | D | 10/26/2024 | 0106 |
| 7440-70-2 | Calcium | 6600 | D | 10/26/2024 | 0106 |
| 7440-47-3 | Chromium | 100 | D* | 10/26/2024 | 0106 |
| 7440-48-4 | Cobalt | 29 | D | 10/26/2024 | 0106 |
| 7440-50-8 | Copper | 2300 | D | 10/26/2024 | 0106 |
| 7439-89-6 | Iron | 39000 | D | 10/26/2024 | 0106 |
| 7439-92-1 | Lead | 470 | D | 10/26/2024 | 0106 |
| 7439-95-4 | Magnesium | 8500 | D | 10/26/2024 | 0106 |
| 7439-96-5 | Manganese | 800 | D | 10/26/2024 | 0106 |
| 7440-02-0 | Nickel | 88 | D | 10/26/2024 | 0106 |
| 7440-09-7 | Potassium | 3800 | D | 10/26/2024 | 0106 |
| 7782-49-2 | Selenium | 3.4 | JD' | 10/26/2024 | 0106 |
| 7440-22-4 | Silver | 2.7 | D | 10/26/2024 | 0106 |
| 7440-23-5 | Sodium | 360 | JD | 10/26/2024 | 0106 |
| 7440-28-0 | Thallium | 4.2 | UD | 10/26/2024 | 0106 |
| 7440-62-2 | Vanadium | 66 | D | 10/26/2024 | 0106 |
| 7440-66-6 | Zinc | 1200 | D | 10/26/2024 | 0106 |

NOTE: Hardness (total) is reported in mg/L

Comments:

EPA SAMPLE NO.

MYDBF2

FORM 1 - IN

INORGANIC ANALYSIS DATA SHEET

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51772 MA No. : 3226.1 SDG No.: MYDBD4

Matrix: SOIL Lab Sample ID: P4332-21

% Solids: 94.5 Date Received: 10/07/2024

Analytical Method: ICP_AES

Concentration Units (µg/L, mg/L, mg/kg dry weight, µg, or µg/cm²): mg/kg

| CAS No. | Analyte | Concentration | Q | Date Analyzed | Time Analyzed |
|---|---|---|---|---|---|
| 7429-90-5 | Aluminum | 33000 | D | 10/26/2024 | 0110 |
| 7440-36-0 | Antimony | 1.6 | JD' | 10/26/2024 | 0110 |
| 7440-38-2 | Arsenic | 120 | D | 10/26/2024 | 0110 |
| 7440-39-3 | Barium | 840 | D | 10/26/2024 | 0110 |
| 7440-41-7 | Beryllium | 2.0 | D | 10/26/2024 | 0110 |
| 7440-43-9 | Cadmium | 7.1 | D | 10/26/2024 | 0110 |
| 7440-70-2 | Calcium | 9500 | D | 10/26/2024 | 0110 |
| 7440-47-3 | Chromium | 89 | D* | 10/26/2024 | 0110 |
| 7440-48-4 | Cobalt | 27 | D | 10/26/2024 | 0110 |
| 7440-50-8 | Copper | 1000 | D | 10/26/2024 | 0110 |
| 7439-89-6 | Iron | 35000 | D | 10/26/2024 | 0110 |
| 7439-92-1 | Lead | 250 | D | 10/26/2024 | 0110 |
| 7439-95-4 | Magnesium | 11000 | D | 10/26/2024 | 0110 |
| 7439-96-5 | Manganese | 770 | D | 10/26/2024 | 0110 |
| 7440-02-0 | Nickel | 130 | D | 10/26/2024 | 0110 |
| 7440-09-7 | Potassium | 2700 | D | 10/26/2024 | 0110 |
| 7782-49-2 | Selenium | 5.9 | UD' | 10/26/2024 | 0110 |
| 7440-22-4 | Silver | 0.42 | JD | 10/26/2024 | 0110 |
| 7440-23-5 | Sodium | 570 | JD | 10/26/2024 | 0110 |
| 7440-28-0 | Thallium | 4.2 | UD | 10/26/2024 | 0110 |
| 7440-62-2 | Vanadium | 74 | D | 10/26/2024 | 0110 |
| 7440-66-6 | Zinc | 550 | D | 10/26/2024 | 0110 |

NOTE: Hardness (total) is reported in mg/L

Comments:

EPA SAMPLE NO.

MYDBF3

FORM 1 - IN

INORGANIC ANALYSIS DATA SHEET

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51772 MA No. : 3226.1 SDG No.: MYDBD4

Matrix: SOIL Lab Sample ID: P4332-22

% Solids: 96.2 Date Received: 10/07/2024

Analytical Method: ICP_AES


Concentration Units (µg/L, mg/L, mg/kg dry weight, µg, or µg/cm²): mg/kg

| CAS No. | Analyte | Concentration | Q | Date Analyzed | Time Analyzed |
|---|---|---|---|---|---|
| 7429-90-5 | Aluminum | 71000 | D | 10/26/2024 | 0114 |
| 7440-36-0 | Antimony | 7.9 | JD' | 10/26/2024 | 0114 |
| 7440-38-2 | Arsenic | 120 | D | 10/26/2024 | 0114 |
| 7440-39-3 | Barium | 300 | D | 10/26/2024 | 0114 |
| 7440-41-7 | Beryllium | 6.0 | D | 10/26/2024 | 0114 |
| 7440-43-9 | Cadmium | 12 | D | 10/26/2024 | 0114 |
| 7440-70-2 | Calcium | 6800 | D | 10/26/2024 | 0114 |
| 7440-47-3 | Chromium | 200 | D* | 10/26/2024 | 0114 |
| 7440-48-4 | Cobalt | 19 | D | 10/26/2024 | 0114 |
| 7440-50-8 | Copper | 3300 | D | 10/26/2024 | 0114 |
| 7439-89-6 | Iron | 29000 | D | 10/26/2024 | 0114 |
| 7439-92-1 | Lead | 570 | D | 10/26/2024 | 0114 |
| 7439-95-4 | Magnesium | 10000 | D | 10/26/2024 | 0114 |
| 7439-96-5 | Manganese | 680 | D | 10/26/2024 | 0114 |
| 7440-02-0 | Nickel | 130 | D | 10/26/2024 | 0114 |
| 7440-09-7 | Potassium | 3200 | D | 10/26/2024 | 0114 |
| 7782-49-2 | Selenium | 5.0 | JD' | 10/26/2024 | 0114 |
| 7440-22-4 | Silver | 4.6 | D | 10/26/2024 | 0114 |
| 7440-23-5 | Sodium | 370 | JD | 10/26/2024 | 0114 |
| 7440-28-0 | Thallium | 4.0 | UD | 10/26/2024 | 0114 |
| 7440-62-2 | Vanadium | 54 | D | 10/26/2024 | 0114 |
| 7440-66-6 | Zinc | 1900 | D | 10/26/2024 | 0114 |

NOTE: Hardness (total) is reported in mg/L

Comments:

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**As 189.042 {479}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:48:20 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | -0.000047 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.038948 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999850 | Status: | OK. |
| Std Error of Est: | 0.000011 | | |
| Predicted MDL: | 0.004900 | | |
| Predicted MQL: | 0.016334 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | .00000 | .000 | .000 | -.00005 | .000 | 1 |
| S1 | .01000 | .00891 | -.001 | -10.9 | .00030 | .000 | 1 |
| S2 | 1.2500 | 1.1950 | -.055 | -4.40 | .04657 | .000 | 1 |
| S3 | 2.5000 | 2.4521 | -.048 | -1.92 | .09560 | .000 | 1 |
| S4 | 5.0000 | 4.9646 | -.035 | -.708 | .19360 | .001 | 1 |
| S5 | 10.000 | 10.139 | .139 | 1.39 | .39544 | .000 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**Tl 190.856 {477}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:48:20 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | -0.000053 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.080959 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999556 | Status: | OK. |
| Std Error of Est: | 0.000064 | | |
| Predicted MDL: | 0.002755 | | |
| Predicted MQL: | 0.009183 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00000 | -.000 | .000 | -.00005 | .000 | 1 |
| S1 | .02500 | .02318 | -.002 | -7.28 | .00178 | .000 | 1 |
| S2 | 1.2500 | 1.3238 | .074 | 5.90 | .10642 | .000 | 1 |
| S3 | 2.5000 | 2.5964 | .096 | 3.86 | .20875 | .001 | 1 |
| S4 | 5.0000 | 5.0893 | .089 | 1.79 | .40918 | .000 | 1 |
| S5 | 10.000 | 9.7423 | -.258 | -2.58 | .78310 | .001 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**Pb 220.353 {453}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:48:20 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | -0.000858 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.161550 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999978 | Status: | OK. |
| Std Error of Est: | 0.000040 | | |
| Predicted MDL: | 0.003072 | | |
| Predicted MQL: | 0.010241 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | .00000 | .000 | .000 | -.00086 | .000 | 1 |
| S1 | .01000 | .00868 | -.001 | -13.2 | .00055 | .000 | 1 |
| S2 | 6.2500 | 6.3202 | .070 | 1.12 | 1.0199 | .003 | 1 |
| S3 | 12.500 | 12.619 | .119 | .953 | 2.0373 | .003 | 1 |
| S4 | 25.000 | 25.101 | .101 | .405 | 4.0532 | .009 | 1 |
| S5 | 50.000 | 49.711 | -.289 | -.578 | 8.0279 | .025 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**Se 196.090 {472}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:48:20 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.000295 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.090112 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.998535 | Status: | OK. |
| Std Error of Est: | 0.000153 | | |
| Predicted MDL: | 0.004727 | | |
| Predicted MQL: | 0.015755 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | .00001 | .000 | .000 | .00030 | .000 | 1 |
| S1 | .03500 | .02649 | -.009 | -24.3 | .00268 | .001 | 1 |
| S2 | 1.2500 | 1.1478 | -.102 | -8.17 | .10351 | .001 | 1 |
| S3 | 2.5000 | 2.3238 | -.176 | -7.05 | .20927 | .000 | 1 |
| S4 | 5.0000 | 4.7976 | -.202 | -4.05 | .43176 | .000 | 1 |
| S5 | 10.000 | 10.489 | .489 | 4.89 | .94379 | .001 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**Sb 206.833 {463}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:48:20 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.000502 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.226406 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.997658 | Status: | OK. |
| Std Error of Est: | 0.000657 | | |
| Predicted MDL: | 0.002267 | | |
| Predicted MQL: | 0.007557 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | .00002 | .000 | .000 | .00051 | .000 | 1 |
| S1 | .06000 | .05430 | -.006 | -9.50 | .01280 | .000 | 1 |
| S2 | 1.2500 | 1.1122 | -.138 | -11.0 | .26066 | .001 | 1 |
| S3 | 2.5000 | 2.2589 | -.241 | -9.65 | .52863 | .002 | 1 |
| S4 | 5.0000 | 4.7415 | -.258 | -5.17 | 1.1074 | .005 | 1 |
| S5 | 10.000 | 10.643 | .643 | 6.43 | 2.4770 | .015 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**Al 396.152 { 85}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:52:58 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.010766 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.122855 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999992 | Status: | OK. |
| Std Error of Est: | 0.000313 | | |
| Predicted MDL: | 0.013230 | | |
| Predicted MQL: | 0.044101 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | .00003 | .000 | .000 | .01077 | .001 | 1 |
| S1 | .20000 | .17115 | -.029 | -14.4 | .03184 | .001 | 1 |
| S2 | 38.750 | 38.595 | -.155 | -.399 | 4.7581 | .028 | 1 |
| S3 | 77.500 | 76.562 | -.938 | -1.21 | 9.4283 | .024 | 1 |
| S4 | 155.00 | 154.23 | -.768 | -.496 | 18.982 | .043 | 1 |
| S5 | 310.00 | 310.57 | .570 | .184 | 38.212 | .072 | 1 |
| S6 | 800.00 | 801.32 | 1.32 | .165 | 98.457 | .280 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**Ba 493.409 { 68}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:48:20 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.031170 | Re-Slope: | 1.000000 |
| A1 (Gain): | 6.200801 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999925 | Status: | OK. |
| Std Error of Est: | 0.008050 | | |
| Predicted MDL: | 0.000827 | | |
| Predicted MQL: | 0.002756 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00002 | -.000 | .000 | .03105 | .004 | 1 |
| S1 | .20000 | .21547 | .015 | 7.73 | 1.3672 | .007 | 1 |
| S2 | 2.5000 | 2.5283 | .028 | 1.13 | 15.709 | .024 | 1 |
| S3 | 5.0000 | 5.0370 | .037 | .739 | 31.264 | .116 | 1 |
| S4 | 10.000 | 10.128 | .128 | 1.28 | 62.835 | .195 | 1 |
| S5 | 20.000 | 19.791 | -.209 | -1.05 | 122.75 | .412 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**Be 234.861 {144}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:48:20 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | -0.001969 | Re-Slope: | 1.000000 |
| A1 (Gain): | 6.798982 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999792 | Status: | OK. |
| Std Error of Est: | 0.000519 | | |
| Predicted MDL: | 0.000135 | | |
| Predicted MQL: | 0.000451 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00000 | -.000 | .000 | -.00197 | .001 | 1 |
| S1 | .00500 | .00548 | .000 | 9.60 | .03527 | .001 | 1 |
| S2 | .12500 | .13003 | .005 | 4.03 | .88076 | .005 | 1 |
| S3 | .25000 | .25734 | .007 | 2.94 | 1.7450 | .016 | 1 |
| S4 | .50000 | .50395 | .004 | .790 | 3.4189 | .012 | 1 |
| S5 | 1.0000 | .98319 | -.017 | -1.68 | 6.6718 | .039 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**Cd 214.438 {457}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:48:20 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.000613 | Re-Slope: | 1.000000 |
| A1 (Gain): | 2.301637 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999850 | Status: | OK. |
| Std Error of Est: | 0.000335 | | |
| Predicted MDL: | 0.000131 | | |
| Predicted MQL: | 0.000435 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00000 | -.000 | .000 | .00061 | .000 | 1 |
| S1 | .00500 | .00500 | .000 | .069 | .01214 | .000 | 1 |
| S2 | .62500 | .64273 | .018 | 2.84 | 1.4834 | .003 | 1 |
| S3 | 1.2500 | 1.2801 | .030 | 2.41 | 2.9539 | .005 | 1 |
| S4 | 2.5000 | 2.5304 | .030 | 1.21 | 5.8384 | .017 | 1 |
| S5 | 5.0000 | 4.9218 | -.078 | -1.56 | 11.356 | .033 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**Ca 373.690 { 90}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:52:58 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.007624 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.079260 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999816 | Status: | OK. |
| Std Error of Est: | 0.005311 | | |
| Predicted MDL: | 0.016430 | | |
| Predicted MQL: | 0.054766 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00098 | -.001 | .000 | .00755 | .000 | 1 |
| S1 | 5.0000 | 5.5795 | .580 | 11.6 | .44986 | .004 | 1 |
| S2 | 62.500 | 65.071 | 2.57 | 4.11 | 5.1652 | .030 | 1 |
| S3 | 125.00 | 129.07 | 4.07 | 3.26 | 10.238 | .045 | 1 |
| S4 | 250.00 | 255.13 | 5.13 | 2.05 | 20.229 | .044 | 1 |
| S5 | 500.00 | 501.16 | 1.16 | .231 | 39.729 | .146 | 1 |
| S6 | 800.00 | 786.49 | -13.5 | -1.69 | 62.345 | .123 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**Cr 267.716 {126}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:48:20 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | -0.000077 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.214160 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999743 | Status: | OK. |
| Std Error of Est: | 0.000144 | | |
| Predicted MDL: | 0.000929 | | |
| Predicted MQL: | 0.003097 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00000 | -.000 | .000 | -.00008 | .000 | 1 |
| S1 | .01000 | .01039 | .000 | 3.91 | .00215 | .000 | 1 |
| S2 | 3.8750 | 4.0864 | .211 | 5.46 | .87600 | .003 | 1 |
| S3 | 7.7500 | 7.9558 | .206 | 2.65 | 1.7056 | .004 | 1 |
| S4 | 15.500 | 15.669 | .169 | 1.09 | 3.3594 | .003 | 1 |
| S5 | 31.000 | 30.413 | -.587 | -1.89 | 6.5207 | .006 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**Co 228.616 {448}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:48:20 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | -0.000489 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.699920 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999964 | Status: | OK. |
| Std Error of Est: | 0.000159 | | |
| Predicted MDL: | 0.000496 | | |
| Predicted MQL: | 0.001655 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00000 | -.000 | .000 | -.00049 | .000 | 1 |
| S1 | .05000 | .05109 | .001 | 2.18 | .03539 | .000 | 1 |
| S2 | .62500 | .63088 | .006 | .941 | .44161 | .000 | 1 |
| S3 | 1.2500 | 1.2625 | .013 | 1.00 | .88425 | .001 | 1 |
| S4 | 2.5000 | 2.5203 | .020 | .811 | 1.7656 | .006 | 1 |
| S5 | 5.0000 | 4.9602 | -.040 | -.795 | 3.4755 | .011 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**Cu 324.754 {104}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:48:20 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.000853 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.205959 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999965 | Status: | OK. |
| Std Error of Est: | 0.000079 | | |
| Predicted MDL: | 0.003865 | | |
| Predicted MQL: | 0.012883 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00001 | -.000 | .000 | .00085 | .001 | 1 |
| S1 | .02500 | .02967 | .005 | 18.7 | .00696 | .001 | 1 |
| S2 | 3.7500 | 3.8158 | .066 | 1.76 | .78626 | .003 | 1 |
| S3 | 7.5000 | 7.5323 | .032 | .430 | 1.5512 | .004 | 1 |
| S4 | 15.000 | 15.090 | .090 | .599 | 3.1068 | .008 | 1 |
| S5 | 30.000 | 29.807 | -.193 | -.642 | 6.1360 | .017 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**Fe 259.837 {130}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:52:58 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.001286 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.015090 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999368 | Status: | OK. |
| Std Error of Est: | 0.000234 | | |
| Predicted MDL: | 0.024471 | | |
| Predicted MQL: | 0.081569 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | .00000 | .000 | .000 | .00129 | .000 | 1 |
| S1 | .10000 | .07708 | -.023 | -22.9 | .00245 | .000 | 1 |
| S2 | 37.500 | 41.096 | 3.60 | 9.59 | .62143 | .003 | 1 |
| S3 | 75.000 | 80.871 | 5.87 | 7.83 | 1.2216 | .005 | 1 |
| S4 | 150.00 | 157.42 | 7.42 | 4.95 | 2.3768 | .001 | 1 |
| S5 | 300.00 | 303.32 | 3.32 | 1.11 | 4.5784 | .010 | 1 |
| S6 | 800.00 | 779.81 | -20.2 | -2.52 | 11.769 | .028 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**Mn 257.610 {131}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:48:20 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.000446 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.312814 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999751 | Status: | OK. |
| Std Error of Est: | 0.000248 | | |
| Predicted MDL: | 0.001234 | | |
| Predicted MQL: | 0.004115 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00000 | -.000 | .000 | .00045 | .000 | 1 |
| S1 | .01500 | .01571 | .001 | 4.75 | .00537 | .000 | 1 |
| S2 | 3.7500 | 3.9228 | .173 | 4.61 | 1.2277 | .001 | 1 |
| S3 | 7.5000 | 7.6695 | .170 | 2.26 | 2.3999 | .012 | 1 |
| S4 | 15.000 | 15.254 | .254 | 1.69 | 4.7727 | .009 | 1 |
| S5 | 30.000 | 29.403 | -.597 | -1.99 | 9.1996 | .035 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**Mg 279.079 {121}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:52:58 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | -0.000056 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.006776 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999982 | Status: | OK. |
| Std Error of Est: | 0.000141 | | |
| Predicted MDL: | 0.064350 | | |
| Predicted MQL: | 0.214501 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00025 | -.000 | .000 | -.00006 | .000 | 1 |
| S1 | 5.0000 | 5.3304 | .330 | 6.61 | .03606 | .000 | 1 |
| S2 | 62.500 | 61.655 | -.845 | -1.35 | .41771 | .002 | 1 |
| S3 | 125.00 | 123.78 | -1.22 | -.975 | .83868 | .004 | 1 |
| S4 | 250.00 | 251.36 | 1.36 | .542 | 1.7031 | .004 | 1 |
| S5 | 500.00 | 501.82 | 1.82 | .363 | 3.4002 | .013 | 1 |
| S6 | 800.00 | 798.56 | -1.44 | -.180 | 5.4109 | .004 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**Ni 231.604 {446}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:48:20 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | -0.000158 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.661137 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999889 | Status: | OK. |
| Std Error of Est: | 0.000234 | | |
| Predicted MDL: | 0.000558 | | |
| Predicted MQL: | 0.001861 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00000 | -.000 | .000 | -.00016 | .000 | 1 |
| S1 | .04000 | .04328 | .003 | 8.21 | .02846 | .000 | 1 |
| S2 | .62500 | .63830 | .013 | 2.13 | .42185 | .001 | 1 |
| S3 | 1.2500 | 1.2718 | .022 | 1.75 | .84071 | .001 | 1 |
| S4 | 2.5000 | 2.5271 | .027 | 1.08 | 1.6706 | .007 | 1 |
| S5 | 5.0000 | 4.9345 | -.066 | -1.31 | 3.2622 | .007 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**Ag 328.068 {103}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:48:20 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.026912 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.362165 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999947 | Status: | OK. |
| Std Error of Est: | 0.000032 | | |
| Predicted MDL: | n/a | | |
| Predicted MQL: | n/a | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00000 | -.000 | .000 | .02691 | .000 | 1 |
| S1 | .01000 | .01164 | .002 | 16.4 | .03112 | .000 | 1 |
| S2 | .31250 | .31141 | -.001 | -.347 | .14091 | .000 | 1 |
| S3 | .62500 | .62462 | -.000 | -.061 | .25556 | .002 | 1 |
| S4 | 1.2500 | 1.2358 | -.014 | -1.13 | .47936 | .001 | 1 |
| S5 | 2.5000 | 2.5140 | .014 | .561 | .94716 | .003 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**Na 818.326 { 41}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:52:58 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | -0.010787 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.012856 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999997 | Status: | OK. |
| Std Error of Est: | 0.000091 | | |
| Predicted MDL: | 0.273282 | | |
| Predicted MQL: | 0.910941 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00003 | -.000 | .000 | -.01079 | .003 | 1 |
| S1 | 5.0000 | 5.0145 | .014 | .290 | .05368 | .003 | 1 |
| S2 | 37.500 | 37.703 | .203 | .540 | .47390 | .002 | 1 |
| S3 | 75.000 | 75.291 | .291 | .388 | .95713 | .004 | 1 |
| S4 | 150.00 | 149.46 | -.537 | -.358 | 1.9107 | .002 | 1 |
| S5 | 300.00 | 299.20 | -.797 | -.266 | 3.8356 | .008 | 1 |
| S6 | 800.00 | 800.83 | .826 | .103 | 10.284 | .024 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**V 292.402 {115}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:48:20 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | -0.000049 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.086195 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999886 | Status: | OK. |
| Std Error of Est: | 0.000034 | | |
| Predicted MDL: | 0.009024 | | |
| Predicted MQL: | 0.030081 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00000 | -.000 | .000 | -.00005 | .000 | 1 |
| S1 | .05000 | .04896 | -.001 | -2.08 | .00416 | .001 | 1 |
| S2 | .62500 | .63376 | .009 | 1.40 | .05292 | .001 | 1 |
| S3 | 1.2500 | 1.2797 | .030 | 2.37 | .10694 | .001 | 1 |
| S4 | 2.5000 | 2.5281 | .028 | 1.12 | .21124 | .001 | 1 |
| S5 | 5.0000 | 4.9345 | -.065 | -1.31 | .41204 | .001 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**Zn 213.856 {158}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:48:20 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.009395 | Re-Slope: | 1.000000 |
| A1 (Gain): | 3.170963 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.998470 | Status: | OK. |
| Std Error of Est: | 0.012509 | | |
| Predicted MDL: | 0.000431 | | |
| Predicted MQL: | 0.001438 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | .00001 | .000 | .000 | .00944 | .001 | 1 |
| S1 | .06000 | .05581 | -.004 | -6.98 | .18729 | .001 | 1 |
| S2 | 3.7500 | 3.4446 | -.305 | -8.14 | 10.946 | .023 | 1 |
| S3 | 7.5000 | 6.9158 | -.584 | -7.79 | 21.968 | .115 | 1 |
| S4 | 15.000 | 14.378 | -.622 | -4.15 | 45.659 | .339 | 1 |
| S5 | 30.000 | 31.516 | 1.52 | 5.05 | 100.06 | .312 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**K 769.896 { 44}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:48:20 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.053435 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.037684 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999929 | Status: | OK. |
| Std Error of Est: | 0.000929 | | |
| Predicted MDL: | 0.121058 | | |
| Predicted MQL: | 0.403526 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | .00028 | .000 | .000 | .05345 | .001 | 1 |
| S1 | 5.0000 | 4.9181 | -.082 | -1.64 | .23877 | .004 | 1 |
| S2 | 37.500 | 36.360 | -1.14 | -3.04 | 1.4236 | .007 | 1 |
| S3 | 75.000 | 73.773 | -1.23 | -1.64 | 2.8335 | .010 | 1 |
| S4 | 150.00 | 149.74 | -.264 | -.176 | 5.6961 | .008 | 1 |
| S5 | 300.00 | 302.71 | 2.71 | .905 | 11.461 | .019 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**P 177.495 {490}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:48:20 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | -0.001011 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.062512 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999811 | Status: | OK. |
| Std Error of Est: | 0.000020 | | |
| Predicted MDL: | 0.003068 | | |
| Predicted MQL: | 0.010227 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | .00000 | .000 | .000 | -.00101 | .000 | 1 |
| S1 | .01000 | .00758 | -.002 | -24.2 | -.00055 | .000 | 1 |
| S2 | 1.2500 | 1.1903 | -.060 | -4.78 | .07052 | .000 | 1 |
| S3 | 2.5000 | 2.4400 | -.060 | -2.40 | .14577 | .000 | 1 |
| S4 | 5.0000 | 4.9928 | -.007 | -.144 | .29961 | .000 | 1 |
| S5 | 10.000 | 10.129 | .129 | 1.29 | .60922 | .002 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**B 249.678 {135}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:48:20 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.003383 | Re-Slope: | 1.000000 |
| A1 (Gain): | 1.057102 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999581 | Status: | OK. |
| Std Error of Est: | 0.000492 | | |
| Predicted MDL: | 0.000995 | | |
| Predicted MQL: | 0.003316 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | .00001 | .000 | .000 | .00339 | .001 | 1 |
| S1 | .01000 | .00164 | -.008 | -83.6 | .00502 | .000 | 1 |
| S2 | 1.2500 | 1.2962 | .046 | 3.70 | 1.3203 | .002 | 1 |
| S3 | 2.5000 | 2.5554 | .055 | 2.22 | 2.5981 | .008 | 1 |
| S4 | 5.0000 | 5.0839 | .084 | 1.68 | 5.1643 | .018 | 1 |
| S5 | 10.000 | 9.8231 | -.177 | -1.77 | 9.9607 | .070 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**Mo 202.030 {467}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:48:20 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.000390 | Re-Slope: | 1.000000 |
| A1 (Gain): | 1.078807 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.998785 | Status: | OK. |
| Std Error of Est: | 0.000892 | | |
| Predicted MDL: | 0.000426 | | |
| Predicted MQL: | 0.001420 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | .00000 | .000 | .000 | .00039 | .000 | 1 |
| S1 | .01000 | .00913 | -.001 | -8.67 | .01024 | .000 | 1 |
| S2 | 1.2500 | 1.1577 | -.092 | -7.38 | 1.2494 | .004 | 1 |
| S3 | 2.5000 | 2.3281 | -.172 | -6.87 | 2.5120 | .003 | 1 |
| S4 | 5.0000 | 4.8158 | -.184 | -3.68 | 5.1957 | .013 | 1 |
| S5 | 10.000 | 10.449 | .449 | 4.49 | 11.273 | .054 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**S 182.034 {485}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:48:20 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.000719 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.031901 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999627 | Status: | OK. |
| Std Error of Est: | 0.000046 | | |
| Predicted MDL: | 0.005873 | | |
| Predicted MQL: | 0.019576 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | .00002 | .000 | .000 | .00072 | .000 | 1 |
| S1 | .10000 | .08520 | -.015 | -14.8 | .00344 | .000 | 1 |
| S2 | 1.2500 | 1.1721 | -.078 | -6.23 | .03812 | .000 | 1 |
| S3 | 2.5000 | 2.4079 | -.092 | -3.68 | .07754 | .000 | 1 |
| S4 | 5.0000 | 4.9943 | -.006 | -.113 | .16006 | .001 | 1 |
| S5 | 10.000 | 10.190 | .190 | 1.90 | .32584 | .002 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**Si 251.611 {134}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:48:20 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.014497 | Re-Slope: | 1.000000 |
| A1 (Gain): | 1.546658 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.994714 | Status: | OK. |
| Std Error of Est: | 0.008621 | | |
| Predicted MDL: | 0.000586 | | |
| Predicted MQL: | 0.001952 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00014 | -.000 | .000 | .01427 | .001 | 1 |
| S1 | .10000 | .24234 | .142 | 142. | .39035 | .002 | 1 |
| S2 | 1.2500 | 1.2876 | .038 | 3.01 | 2.0373 | .005 | 1 |
| S3 | 2.5000 | 2.5125 | .012 | .500 | 3.9630 | .019 | 1 |
| S4 | 5.0000 | 4.9912 | -.009 | -.176 | 7.8593 | .007 | 1 |
| S5 | 10.000 | 9.8176 | -.182 | -1.82 | 15.449 | .119 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**Sn 189.989 {478}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:48:20 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.000161 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.114138 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999973 | Status: | OK. |
| Std Error of Est: | 0.000012 | | |
| Predicted MDL: | 0.001652 | | |
| Predicted MQL: | 0.005506 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | .00000 | .000 | .000 | .00016 | .000 | 1 |
| S1 | .00700 | .00680 | -.000 | -2.82 | .00094 | .000 | 1 |
| S2 | 1.2500 | 1.2488 | -.001 | -.093 | .14270 | .001 | 1 |
| S3 | 2.5000 | 2.5113 | .011 | .452 | .28680 | .001 | 1 |
| S4 | 5.0000 | 5.0528 | .053 | 1.06 | .57688 | .002 | 1 |
| S5 | 10.000 | 9.9372 | -.063 | -.628 | 1.1344 | .002 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**Ti 336.121 {100}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:48:20 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.000840 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.566157 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999908 | Status: | OK. |
| Std Error of Est: | 0.000407 | | |
| Predicted MDL: | 0.001629 | | |
| Predicted MQL: | 0.005428 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00001 | -.000 | .000 | .00084 | .001 | 1 |
| S1 | .10000 | .10293 | .003 | 2.93 | .05909 | .001 | 1 |
| S2 | 1.2500 | 1.2850 | .035 | 2.80 | .72801 | .006 | 1 |
| S3 | 2.5000 | 2.5402 | .040 | 1.61 | 1.4383 | .004 | 1 |
| S4 | 5.0000 | 5.0405 | .041 | .811 | 2.8532 | .008 | 1 |
| S5 | 10.000 | 9.8813 | -.119 | -1.19 | 5.5924 | .018 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**Li 670.784 { 50}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:48:20 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | -0.004250 | Re-Slope: | 1.000000 |
| A1 (Gain): | 1.966069 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999869 | Status: | OK. |
| Std Error of Est: | 0.000653 | | |
| Predicted MDL: | 0.001783 | | |
| Predicted MQL: | 0.005942 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00000 | -.000 | .000 | -.00425 | .003 | 1 |
| S5 | 10.000 | 10.142 | .142 | 1.42 | 19.935 | .050 | 1 |
| S4 | 5.0000 | 4.9456 | -.054 | -1.09 | 9.7192 | .012 | 1 |
| S3 | 2.5000 | 2.4497 | -.050 | -2.01 | 4.8121 | .021 | 1 |
| S2 | 1.2500 | 1.2115 | -.039 | -3.08 | 2.3776 | .019 | 1 |
| S1 | .01500 | .01630 | .001 | 8.65 | .02779 | .002 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5





**Y 224.306 {450}***

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | <not fit> | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.000000 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.000000 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.000000 | Status: | Warning Zero Gain |
| Std Error of Est: | 0.000000 | | |
| Predicted MDL: | n/a | | |
| Predicted MQL: | n/a | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|




**Y 360.073 { 94}***


| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | <not fit> | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.000000 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.000000 | Y-int: | 0.000000 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

| | | | | | |
|---|---|---|---|---|---|
| A2 (Curvature): | 0.000000 | | | | |
| n (Exponent): | 1.000000 | | | | |
| Correlation: | 0.000000 | Status: | Warning | Zero Gain | |
| Std Error of Est: | 0.000000 | | | | |
| Predicted MDL: | n/a | | | | |
| Predicted MQL: | n/a | | | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|





**Y 371.030 { 91}***

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | <not fit> | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.000000 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.000000 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.000000 | Status: | Warning Zero Gain |
| Std Error of Est: | 0.000000 | | |
| Predicted MDL: | n/a | | |
| Predicted MQL: | n/a | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|


Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5




**Y 224.306 {150}***

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | <not fit> | Type of Fit: | Linear | Weighting: | 1/Conc |
| A0 (Offset): | 0.000000 | | Re-Slope: | 1.000000 | |
| A1 (Gain): | 0.000000 | | Y-int: | 0.000000 | |
| A2 (Curvature): | 0.000000 | | | | |
| n (Exponent): | 1.000000 | | | | |
| Correlation: | 0.000000 | | Status: | Warning | Zero Gain |
| Std Error of Est: | 0.000000 | | | | |
| Predicted MDL: | n/a | | | | |
| Predicted MQL: | n/a | | | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|





**In 230.606 {446}***

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | <not fit> | Type of Fit: | Linear | Weighting: | 1/Conc |
| A0 (Offset): | 0.000000 | | Re-Slope: | 1.000000 | |
| A1 (Gain): | 0.000000 | | Y-int: | 0.000000 | |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

| | | | | | |
|---|---|---|---|---|---|
| A2 (Curvature): | 0.000000 | | | | |
| n (Exponent): | 1.000000 | | | | |
| Correlation: | 0.000000 | Status: | Warning | Zero Gain | |
| Std Error of Est: | 0.000000 | | | | |
| Predicted MDL: | n/a | | | | |
| Predicted MQL: | n/a | | | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|




**Sr 407.771 { 83}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/25/2024 19:48:20 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.003238 | Re-Slope: | 1.000000 |
| A1 (Gain): | 12.889235 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999821 | Status: | OK. |
| Std Error of Est: | 0.012977 | | |
| Predicted MDL: | 0.000115 | | |
| Predicted MQL: | 0.000383 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00001 | -.000 | .000 | .00305 | .001 | 1 |
| S1 | .10000 | .10958 | .010 | 9.58 | 1.4157 | .008 | 1 |
| S2 | 1.2500 | 1.2879 | .038 | 3.03 | 16.603 | .050 | 1 |
| S3 | 2.5000 | 2.5554 | .055 | 2.22 | 32.940 | .109 | 1 |
| S4 | 5.0000 | 5.0617 | .062 | 1.23 | 65.245 | .170 | 1 |
| S5 | 10.000 | 9.8354 | -.165 | -1.65 | 126.77 | .912 | 1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: S0 Acquired: 10/25/2024 19:21:49 Type: Cal
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: S0 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 | Be2348 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | -.00005 | -.00005 | -.00086 | .00030 | .00051 | .01077 | .03105 | -.00197 |
| Stddev | .00018 | .00009 | .00029 | .00019 | .00047 | .00091 | .00387 | .00098 |
| %RSD | 383.15 | 167.21 | 33.398 | 64.432 | 92.851 | 8.4427 | 12.470 | 49.414 |
| #1 | -.00023 | -.00012 | -.00085 | .00031 | .00006 | .01180 | .03419 | -.00211 |
| #2 | -.00004 | .00005 | -.00058 | .00010 | .00100 | .01044 | .03223 | -.00094 |
| #3 | .00013 | -.00008 | -.00115 | .00048 | .00046 | .01007 | .02672 | -.00288 |

| Elem | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 | Mn2576 | Mg2790 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | .00061 | .00755 | -.00008 | -.00049 | .00085 | .00129 | .00045 | -.00006 |
| Stddev | .00019 | .00012 | .00003 | .00003 | .00061 | .00026 | .00029 | .00019 |
| %RSD | 30.333 | 1.6066 | 43.093 | 5.5136 | 71.678 | 20.019 | 65.696 | 329.18 |
| #1 | .00048 | .00744 | -.00006 | -.00048 | .00034 | .00150 | .00011 | -.00017 |
| #2 | .00053 | .00753 | -.00005 | -.00047 | .00069 | .00100 | .00064 | -.00017 |
| #3 | .00083 | .00768 | -.00012 | -.00052 | .00153 | .00136 | .00059 | .00016 |

| Elem | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | -.00016 | .02691 | -.01079 | -.00005 | .00944 | .05345 | -.00101 | .00339 |
| Stddev | .00024 | .00011 | .00347 | .00025 | .00102 | .00062 | .00001 | .00072 |
| %RSD | 146.82 | .39709 | 32.204 | 510.90 | 10.804 | 1.1654 | 1.2213 | 21.112 |
| #1 | -.00034 | .02698 | -.01144 | .00010 | .01030 | .05412 | -.00100 | .00259 |
| #2 | .00011 | .02679 | -.00703 | -.00034 | .00969 | .05289 | -.00102 | .00363 |
| #3 | -.00025 | .02697 | -.01389 | .00009 | .00831 | .05333 | -.00102 | .00396 |

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | .00039 | .00072 | .01427 | .00016 | .00084 | -.00425 | .00305 |
| Stddev | .00027 | .00014 | .00055 | .00006 | .00092 | .00348 | .00103 |
| %RSD | 68.292 | 19.186 | 3.8436 | 36.046 | 110.15 | 81.815 | 33.645 |
| #1 | .00023 | .00084 | .01434 | .00018 | .00181 | -.00810 | .00246 |
| #2 | .00070 | .00057 | .01479 | .00021 | .00071 | -.00133 | .00424 |
| #3 | .00024 | .00076 | .01370 | .00010 | -.00001 | -.00332 | .00246 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: S0 Acquired: 10/25/2024 19:21:49 Type: Cal
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: S0 Custom ID2: Custom ID3:
Comment:

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 939.45 | 21720. | 2719.3 | 791.92 | 1818.5 |
| Stddev | .89 | 42. | 7.1 | 3.90 | 1.8 |
| %RSD | .09494 | .19430 | .26056 | .49192 | .09893 |
| | | | | | |
| #1 | 940.48 | 21719. | 2721.4 | 792.02 | 1816.8 |
| #2 | 938.96 | 21763. | 2711.4 | 795.76 | 1818.3 |
| #3 | 938.90 | 21679. | 2725.1 | 787.97 | 1820.4 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: S1 Acquired: 10/25/2024 19:26:28 Type: Cal
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: S01 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 | Be2348 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | .00030 | .00178 | .00055 | .00268 | .01280 | .03184 | 1.3672 | .03527 |
| Stddev | .00016 | .00010 | .00038 | .00058 | .00034 | .00073 | .0069 | .00110 |
| %RSD | 54.756 | 5.4865 | 68.816 | 21.667 | 2.6364 | 2.3073 | .50669 | 3.1138 |
| #1 | .00033 | .00186 | .00019 | .00314 | .01255 | .03197 | 1.3639 | .03417 |
| #2 | .00012 | .00180 | .00051 | .00287 | .01266 | .03249 | 1.3626 | .03527 |
| #3 | .00045 | .00167 | .00094 | .00203 | .01318 | .03104 | 1.3752 | .03637 |

| Elem | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 | Mn2576 | Mg2790 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | .01214 | .44986 | .00215 | .03539 | .00696 | .00245 | .00537 | .03606 |
| Stddev | .00014 | .00448 | .00003 | .00028 | .00085 | .00007 | .00040 | .00027 |
| %RSD | 1.1522 | .99570 | 1.4821 | .79210 | 12.204 | 2.9284 | 7.4903 | .75710 |
| #1 | .01208 | .44606 | .00212 | .03541 | .00689 | .00253 | .00578 | .03576 |
| #2 | .01204 | .44872 | .00219 | .03510 | .00785 | .00242 | .00537 | .03613 |
| #3 | .01230 | .45480 | .00215 | .03566 | .00615 | .00240 | .00497 | .03629 |

| Elem | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | .02846 | .03112 | .05368 | .00416 | .18729 | .23877 | -.00055 | .00502 |
| Stddev | .00011 | .00011 | .00322 | .00072 | .00142 | .00389 | .00008 | .00018 |
| %RSD | .37233 | .36516 | 6.0032 | 17.272 | .75557 | 1.6274 | 14.649 | 3.5109 |
| #1 | .02854 | .03103 | .05021 | .00385 | .18627 | .23484 | -.00063 | .00507 |
| #2 | .02850 | .03124 | .05423 | .00365 | .18670 | .23885 | -.00056 | .00516 |
| #3 | .02834 | .03107 | .05659 | .00498 | .18891 | .24261 | -.00047 | .00482 |

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | .01024 | .00344 | .39035 | .00094 | .05909 | .02779 | 1.4157 |
| Stddev | .00017 | .00025 | .00172 | .00019 | .00118 | .00171 | .0080 |
| %RSD | 1.6879 | 7.1468 | .44011 | 20.245 | 1.9927 | 6.1491 | .56369 |
| #1 | .01026 | .00328 | .39045 | .00109 | .05836 | .02606 | 1.4073 |
| #2 | .01041 | .00372 | .38859 | .00100 | .05846 | .02948 | 1.4164 |
| #3 | .01006 | .00331 | .39202 | .00072 | .06045 | .02783 | 1.4232 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: S1 Acquired: 10/25/2024 19:26:28 Type: Cal
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: S01 Custom ID2: Custom ID3:
Comment:

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 936.91 | 21720. | 2687.9 | 791.90 | 1798.8 |
| Stddev | .80 | 60. | 8.1 | 2.34 | 1.6 |
| %RSD | .08508 | .27436 | .30309 | .29612 | .08848 |
| | | | | | |
| #1 | 936.39 | 21719. | 2682.5 | 791.30 | 1799.2 |
| #2 | 937.83 | 21662. | 2697.2 | 789.91 | 1800.2 |
| #3 | 936.52 | 21781. | 2683.8 | 794.49 | 1797.1 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: S2 Acquired: 10/25/2024 19:31:03 Type: Cal
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: S02 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 | Be2348 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | .04657 | .10642 | 1.0199 | .10351 | .26066 | 4.7581 | 15.709 | .88076 |
| Stddev | .00017 | .00048 | .0031 | .00071 | .00099 | .0277 | .024 | .00518 |
| %RSD | .35690 | .44752 | .30367 | .68530 | .38150 | .58258 | .15004 | .58813 |
| #1 | .04655 | .10658 | 1.0175 | .10400 | .26075 | 4.7379 | 15.699 | .88156 |
| #2 | .04641 | .10588 | 1.0188 | .10270 | .25963 | 4.7897 | 15.736 | .88550 |
| #3 | .04674 | .10679 | 1.0234 | .10384 | .26161 | 4.7467 | 15.692 | .87523 |

| Elem | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 | Mn2576 | Mg2790 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1.4834 | 5.1652 | .87600 | .44161 | .78626 | .62143 | 1.2277 | .41771 |
| Stddev | .0026 | .0297 | .00297 | .00028 | .00346 | .00327 | .0011 | .00201 |
| %RSD | .17709 | .57536 | .33918 | .06375 | .44010 | .52677 | .08643 | .48007 |
| #1 | 1.4822 | 5.1315 | .87413 | .44163 | .78347 | .61881 | 1.2281 | .41541 |
| #2 | 1.4815 | 5.1879 | .87445 | .44132 | .79013 | .62510 | 1.2285 | .41910 |
| #3 | 1.4864 | 5.1762 | .87943 | .44188 | .78518 | .62039 | 1.2265 | .41862 |

| Elem | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | .42185 | .14091 | .47390 | .05292 | 10.946 | 1.4236 | .07052 | 1.3203 |
| Stddev | .00088 | .00044 | .00246 | .00058 | .023 | .0069 | .00024 | .0018 |
| %RSD | .20895 | .31073 | .51941 | 1.1039 | .20956 | .48350 | .33454 | .13373 |
| #1 | .42097 | .14056 | .47674 | .05226 | 10.973 | 1.4170 | .07073 | 1.3192 |
| #2 | .42185 | .14079 | .47267 | .05335 | 10.931 | 1.4307 | .07027 | 1.3223 |
| #3 | .42273 | .14140 | .47230 | .05316 | 10.936 | 1.4231 | .07057 | 1.3193 |

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1.2494 | .03812 | 2.0373 | .14270 | .72801 | 2.3776 | 16.603 |
| Stddev | .0045 | .00039 | .0050 | .00065 | .00580 | .0194 | .050 |
| %RSD | .35755 | 1.0283 | .24287 | .45709 | .79687 | .81552 | .30274 |
| #1 | 1.2470 | .03785 | 2.0375 | .14283 | .72205 | 2.3614 | 16.567 |
| #2 | 1.2466 | .03857 | 2.0422 | .14200 | .73364 | 2.3991 | 16.660 |
| #3 | 1.2545 | .03793 | 2.0323 | .14328 | .72833 | 2.3724 | 16.581 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: S2 Acquired: 10/25/2024 19:31:03 Type: Cal
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: S02 Custom ID2: Custom ID3:
Comment:

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 896.18 | 21660. | 2725.5 | 756.51 | 1658.4 |
| Stddev | 1.06 | 34. | 4.9 | 2.22 | .9 |
| %RSD | .11849 | .15467 | .17893 | .29409 | .05617 |
| | | | | | |
| #1 | 895.50 | 21635. | 2726.2 | 753.96 | 1657.9 |
| #2 | 897.40 | 21698. | 2720.2 | 757.52 | 1659.5 |
| #3 | 895.63 | 21647. | 2729.9 | 758.06 | 1657.9 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: S3 Acquired: 10/25/2024 19:35:18 Type: Cal
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: S03 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 | Be2348 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | .09560 | .20875 | 2.0373 | .20927 | .52863 | 9.4283 | 31.264 | 1.7450 |
| Stddev | .00016 | .00118 | .0030 | .00018 | .00197 | .0240 | .116 | .0156 |
| %RSD | .17166 | .56492 | .14785 | .08551 | .37252 | .25434 | .36958 | .89584 |
| #1 | .09541 | .20746 | 2.0343 | .20910 | .53070 | 9.4302 | 31.150 | 1.7540 |
| #2 | .09570 | .20978 | 2.0404 | .20946 | .52677 | 9.4513 | 31.381 | 1.7540 |
| #3 | .09569 | .20902 | 2.0371 | .20926 | .52842 | 9.4034 | 31.263 | 1.7269 |

| Elem | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 | Mn2576 | Mg2790 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 2.9539 | 10.238 | 1.7056 | .88425 | 1.5512 | 1.2216 | 2.3999 | .83868 |
| Stddev | .0046 | .045 | .0038 | .00051 | .0044 | .0052 | .0118 | .00406 |
| %RSD | .15506 | .44002 | .22431 | .05748 | .28504 | .42341 | .49169 | .48441 |
| #1 | 2.9486 | 10.254 | 1.7078 | .88368 | 1.5490 | 1.2255 | 2.3868 | .83873 |
| #2 | 2.9566 | 10.273 | 1.7012 | .88440 | 1.5563 | 1.2237 | 2.4097 | .84272 |
| #3 | 2.9565 | 10.187 | 1.7079 | .88466 | 1.5483 | 1.2158 | 2.4033 | .83459 |

| Elem | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | .84071 | .25556 | .95713 | .10694 | 21.968 | 2.8335 | .14577 | 2.5981 |
| Stddev | .00112 | .00154 | .00405 | .00102 | .115 | .0104 | .00039 | .0082 |
| %RSD | .13290 | .60347 | .42266 | .95273 | .52477 | .36639 | .26594 | .31540 |
| #1 | .83958 | .25734 | .95989 | .10591 | 21.848 | 2.8240 | .14598 | 2.6018 |
| #2 | .84182 | .25475 | .95901 | .10795 | 21.977 | 2.8446 | .14601 | 2.6038 |
| #3 | .84071 | .25460 | .95248 | .10696 | 22.078 | 2.8318 | .14532 | 2.5887 |

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 2.5120 | .07754 | 3.9630 | .28680 | 1.4383 | 4.8121 | 32.940 |
| Stddev | .0025 | .00020 | .0193 | .00076 | .0042 | .0212 | .109 |
| %RSD | .09960 | .25758 | .48617 | .26436 | .29110 | .44031 | .33021 |
| #1 | 2.5109 | .07765 | 3.9774 | .28723 | 1.4403 | 4.8208 | 32.851 |
| #2 | 2.5102 | .07766 | 3.9705 | .28724 | 1.4411 | 4.8276 | 33.061 |
| #3 | 2.5149 | .07731 | 3.9411 | .28592 | 1.4335 | 4.7880 | 32.908 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: S3 Acquired: 10/25/2024 19:35:18 Type: Cal
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: S03 Custom ID2: Custom ID3:
Comment:

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 854.31 | 21236. | 2702.3 | 708.62 | 1569.9 |
| Stddev | .67 | 73. | 8.7 | 2.86 | 2.1 |
| %RSD | .07896 | .34357 | .32336 | .40325 | .13062 |
| | | | | | |
| #1 | 853.91 | 21158. | 2696.8 | 711.22 | 1571.3 |
| #2 | 855.09 | 21304. | 2697.6 | 709.09 | 1567.6 |
| #3 | 853.93 | 21245. | 2712.3 | 705.56 | 1570.9 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: S4 Acquired: 10/25/2024 19:39:32 Type: Cal
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: S04 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 | Be2348 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | .19360 | .40918 | 4.0532 | .43176 | 1.1074 | 18.982 | 62.835 | 3.4189 |
| Stddev | .00088 | .00022 | .0088 | .00049 | .0048 | .043 | .195 | .0120 |
| %RSD | .45634 | .05329 | .21700 | .11285 | .43379 | .22883 | .31083 | .34942 |
| #1 | .19377 | .40937 | 4.0518 | .43121 | 1.1039 | 18.976 | 62.831 | 3.4327 |
| #2 | .19265 | .40895 | 4.0452 | .43193 | 1.1055 | 19.028 | 63.032 | 3.4113 |
| #3 | .19440 | .40923 | 4.0627 | .43215 | 1.1129 | 18.942 | 62.641 | 3.4128 |

| Elem | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 | Mn2576 | Mg2790 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 5.8384 | 20.229 | 3.3594 | 1.7656 | 3.1068 | 2.3768 | 4.7727 | 1.7031 |
| Stddev | .0172 | .044 | .0029 | .0059 | .0081 | .0014 | .0087 | .0042 |
| %RSD | .29484 | .21706 | .08728 | .33355 | .26232 | .05798 | .18225 | .24606 |
| #1 | 5.8437 | 20.255 | 3.3565 | 1.7669 | 3.1083 | 2.3761 | 4.7705 | 1.7028 |
| #2 | 5.8192 | 20.255 | 3.3593 | 1.7592 | 3.1140 | 2.3784 | 4.7824 | 1.7075 |
| #3 | 5.8524 | 20.179 | 3.3624 | 1.7708 | 3.0980 | 2.3760 | 4.7654 | 1.6991 |

| Elem | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1.6706 | .47936 | 1.9107 | .21124 | 45.659 | 5.6961 | .29961 | 5.1643 |
| Stddev | .0070 | .00103 | .0020 | .00090 | .339 | .0076 | .00049 | .0181 |
| %RSD | .41662 | .21406 | .10319 | .42712 | .74162 | .13257 | .16338 | .34979 |
| #1 | 1.6737 | .47887 | 1.9116 | .21225 | 45.271 | 5.6996 | .29931 | 5.1485 |
| #2 | 1.6626 | .48054 | 1.9119 | .21098 | 45.806 | 5.7013 | .29934 | 5.1840 |
| #3 | 1.6754 | .47867 | 1.9084 | .21050 | 45.899 | 5.6874 | .30017 | 5.1604 |

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 5.1957 | .16006 | 7.8593 | .57688 | 2.8532 | 9.7192 | 65.245 |
| Stddev | .0130 | .00079 | .0066 | .00218 | .0078 | .0124 | .170 |
| %RSD | .24972 | .49622 | .08421 | .37708 | .27492 | .12750 | .26013 |
| #1 | 5.1852 | .16002 | 7.8658 | .57726 | 2.8499 | 9.7210 | 65.213 |
| #2 | 5.1916 | .15929 | 7.8594 | .57454 | 2.8621 | 9.7306 | 65.094 |
| #3 | 5.2102 | .16087 | 7.8526 | .57884 | 2.8475 | 9.7060 | 65.429 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: S4 Acquired: 10/25/2024 19:39:32 Type: Cal
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: S04 Custom ID2: Custom ID3:
Comment:

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 778.95 | 20429. | 2604.0 | 624.65 | 1461.1 |
| Stddev | 1.88 | 24. | 7.2 | 4.90 | 3.4 |
| %RSD | .24074 | .11521 | .27696 | .78394 | .23543 |
| | | | | | |
| #1 | 780.07 | 20446. | 2604.0 | 630.19 | 1461.1 |
| #2 | 780.00 | 20402. | 2596.8 | 620.93 | 1464.6 |
| #3 | 776.79 | 20438. | 2611.2 | 622.81 | 1457.8 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: S5 Acquired: 10/25/2024 19:43:55 Type: Cal
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: S05 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 | Be2348 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | .39544 | .78310 | 8.0279 | .94379 | 2.4770 | 38.212 | 122.75 | 6.6718 |
| Stddev | .00029 | .00094 | .0253 | .00123 | .0150 | .071 | .41 | .0394 |
| %RSD | .07297 | .11971 | .31552 | .12987 | .60414 | .18712 | .33580 | .59000 |
| #1 | .39576 | .78207 | 8.0018 | .94443 | 2.4647 | 38.205 | 122.51 | 6.6731 |
| #2 | .39538 | .78331 | 8.0294 | .94238 | 2.4725 | 38.144 | 122.52 | 6.6318 |
| #3 | .39519 | .78391 | 8.0524 | .94456 | 2.4936 | 38.286 | 123.23 | 6.7105 |

| Elem | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 | Mn2576 | Mg2790 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 11.356 | 39.729 | 6.5207 | 3.4755 | 6.1360 | 4.5784 | 9.1996 | 3.4002 |
| Stddev | .033 | .146 | .0064 | .0111 | .0175 | .0095 | .0348 | .0125 |
| %RSD | .28834 | .36814 | .09836 | .31839 | .28458 | .20804 | .37849 | .36764 |
| #1 | 11.323 | 39.725 | 6.5222 | 3.4646 | 6.1256 | 4.5763 | 9.1989 | 3.3964 |
| #2 | 11.359 | 39.586 | 6.5261 | 3.4753 | 6.1263 | 4.5702 | 9.1651 | 3.3901 |
| #3 | 11.388 | 39.878 | 6.5136 | 3.4867 | 6.1562 | 4.5889 | 9.2348 | 3.4142 |

| Elem | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 3.2622 | .94716 | 3.8356 | .41204 | 100.06 | 11.461 | .60922 | 9.9607 |
| Stddev | .0066 | .00251 | .0076 | .00055 | .31 | .019 | .00173 | .0698 |
| %RSD | .20164 | .26474 | .19802 | .13250 | .31194 | .16417 | .28449 | .70109 |
| #1 | 3.2560 | .94915 | 3.8392 | .41147 | 99.808 | 11.443 | .60734 | 9.9091 |
| #2 | 3.2615 | .94434 | 3.8269 | .41210 | 99.964 | 11.460 | .61076 | 9.9329 |
| #3 | 3.2691 | .94798 | 3.8408 | .41256 | 100.41 | 11.480 | .60956 | 10.040 |

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 11.273 | .32584 | 15.449 | 1.1344 | 5.5924 | 19.935 | 126.77 |
| Stddev | .054 | .00249 | .119 | .0024 | .0176 | .050 | .91 |
| %RSD | .48044 | .76527 | .76740 | .21264 | .31456 | .25059 | .71929 |
| #1 | 11.227 | .32310 | 15.373 | 1.1320 | 5.5950 | 19.943 | 126.05 |
| #2 | 11.259 | .32642 | 15.389 | 1.1342 | 5.5736 | 19.882 | 126.48 |
| #3 | 11.333 | .32799 | 15.586 | 1.1368 | 5.6085 | 19.981 | 127.80 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: S5 Acquired: 10/25/2024 19:43:55 Type: Cal
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: S05 Custom ID2: Custom ID3:
Comment:

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 667.39 | 19653. | 2556.4 | 496.60 | 1357.0 |
| Stddev | 3.09 | 19. | 16.1 | 1.49 | 4.4 |
| %RSD | .46329 | .09459 | .63095 | .30008 | .32158 |
| | | | | | |
| #1 | 669.66 | 19646. | 2567.8 | 497.58 | 1361.0 |
| #2 | 668.64 | 19640. | 2563.4 | 497.33 | 1357.7 |
| #3 | 663.87 | 19674. | 2537.9 | 494.88 | 1352.3 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: S6 Acquired: 10/25/2024 19:48:20 Type: Cal
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: S06 Custom ID2: Custom ID3:
Comment:

| Elem | Al3961 | Ca3736 | Fe2598 | Mg2790 | Na8183 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 98.457 | 62.345 | 11.769 | 5.4109 | 10.284 |
| Stddev | .280 | .123 | .028 | .0039 | .024 |
| %RSD | .28397 | .19791 | .23527 | .07250 | .22875 |
| | | | | | |
| #1 | 98.215 | 62.478 | 11.797 | 5.4135 | 10.299 |
| #2 | 98.763 | 62.323 | 11.767 | 5.4129 | 10.297 |
| #3 | 98.394 | 62.234 | 11.742 | 5.4064 | 10.257 |

| Int. Std. | Y_3710 |
|---|---|
| Units | Cts/S |
| Avg | 2519.1 |
| Stddev | 6.0 |
| %RSD | .23917 |
| | |
| #1 | 2514.7 |
| #2 | 2516.7 |
| #3 | 2526.0 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: ICV001 Acquired: 10/25/2024 19:53:06 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: ICV001 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.027522 | 1.012621 | .9770539 | 1.060301 | 1.082634 | 2.266892 |
| Stddev | .009530 | .003661 | .0010421 | .000454 | .003717 | .015689 |
| %RSD | .9275164 | .3615198 | .1066538 | .0428492 | .3432883 | .6921097 |
| | | | | | | |
| #1 | 1.038480 | 1.013927 | .9758542 | 1.060373 | 1.078974 | 2.267780 |
| #2 | 1.022924 | 1.008486 | .9777335 | 1.060714 | 1.086405 | 2.282119 |
| #3 | 1.021163 | 1.015449 | .9775740 | 1.059814 | 1.082523 | 2.250778 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .5071198 | .5295631 | .4798542 | 10.09039 | .5532329 | .4928492 |
| Stddev | .0016305 | .0006842 | .0004852 | .02977 | .0019729 | .0012968 |
| %RSD | .3215275 | .1292075 | .1011233 | .2950235 | .3566098 | .2631238 |
| | | | | | | |
| #1 | .5061404 | .5289477 | .4794387 | 10.09558 | .5509797 | .4916742 |
| #2 | .5090021 | .5302999 | .4797363 | 10.11722 | .5546506 | .4926329 |
| #3 | .5062170 | .5294417 | .4803875 | 10.05836 | .5540684 | .4942406 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .4897321 | 10.92565 | .5283765 | 5.467466 | .5043284 | .2410471 |
| Stddev | .0031313 | .01936 | .0030937 | .102643 | .0010259 | .0005179 |
| %RSD | .6393948 | .1771725 | .5855083 | 1.877335 | .2034160 | .2148402 |
| | | | | | | |
| #1 | .4862026 | 10.93067 | .5251953 | 5.573243 | .5044321 | .2412031 |
| #2 | .4921764 | 10.90428 | .5313745 | 5.460881 | .5032546 | .2414691 |
| #3 | .4908174 | 10.94200 | .5285598 | 5.368275 | .5052985 | .2404692 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 9.988818 | .5217548 | 1.042568 | 9.660322 | F .0046855 | F .0217000 |
| Stddev | .118504 | .0137847 | .002383 | .096421 | .0033416 | .0016765 |
| %RSD | 1.186367 | 2.641993 | .2285802 | .9981086 | 71.31963 | 7.725795 |
| | | | | | | |
| #1 | 9.950156 | .5118138 | 1.044394 | 9.555568 | .0085387 | .0215749 |
| #2 | 10.12182 | .5159595 | 1.043439 | 9.745362 | .0029357 | .0234355 |
| #3 | 9.89447 | .5374910 | 1.039872 | 9.680035 | .0025820 | .0200895 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: ICV001 Acquired: 10/25/2024 19:53:06 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: ICV001 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | F -.000371 | F -.009016 | F .0006600 | F -.000576 | F .0001142 | F .0075500 |
| Stddev | .000170 | .003075 | .0005106 | .001519 | .0017690 | .0010415 |
| %RSD | 45.87240 | 34.10710 | 77.36233 | 263.7712 | 1549.231 | 13.79418 |
| #1 | -.000234 | -.009330 | .0007011 | .001056 | -.001332 | .0064418 |
| #2 | -.000316 | -.005796 | .0011488 | -.001949 | -.000412 | .0076996 |
| #3 | -.000561 | -.011923 | .0001301 | -.000834 | .002087 | .0085085 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | F .0010464 |
| Stddev | .0000428 |
| %RSD | 4.086361 |
| #1 | .0010869 |
| #2 | .0010504 |
| #3 | .0010017 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 934.2899 | 21938.78 | 2694.107 | 797.3218 | 1787.529 |
| Stddev | 1.7454 | 16.26 | 2.987 | 1.8949 | 2.838 |
| %RSD | .1868114 | .0741026 | .1108652 | .2376641 | .1587455 |
| #1 | 936.2428 | 21925.12 | 2694.530 | 795.1889 | 1788.020 |
| #2 | 932.8823 | 21956.76 | 2690.932 | 797.9657 | 1790.089 |
| #3 | 933.7446 | 21934.46 | 2696.860 | 798.8110 | 1784.478 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: ICB001 Acquired: 10/25/2024 19:57:34 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: ICB001 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0025572 | -.003382 | .0002216 | -.002008 | -.001334 | -.096297 | -.000645 |
| Stddev | .0003476 | .003478 | .0030604 | .004100 | .000941 | .006732 | .001535 |
| %RSD | 13.59180 | 102.8383 | 1380.789 | 204.1906 | 70.50620 | 6.991212 | 237.9013 |
| #1 | .0023759 | -.002344 | -.002378 | -.000924 | -.000291 | -.099844 | .000093 |
| #2 | .0023377 | -.000541 | -.000552 | .001441 | -.002117 | -.100514 | -.002409 |
| #3 | .0029579 | -.007261 | .003595 | -.006542 | -.001595 | -.088533 | .000381 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.000079 | -.000059 | -.057125 | -.000813 | .0003131 | .0022612 | -.060906 |
| Stddev | .000006 | .000092 | .021881 | .000307 | .0003495 | .0011862 | .018767 |
| %RSD | 7.331812 | 155.6890 | 38.30372 | 37.73542 | 111.6340 | 52.45939 | 30.81324 |
| #1 | -.000073 | -.000002 | -.035414 | -.000736 | .0006500 | .0033388 | -.071392 |
| #2 | -.000080 | -.000165 | -.079173 | -.001150 | -.000048 | .0024548 | -.039239 |
| #3 | -.000085 | -.000010 | -.056788 | -.000551 | .000337 | .0009901 | -.072086 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.001713 | -.029335 | -.000514 | -.000262 | .2537041 | -.003399 | -.002019 |
| Stddev | .001950 | .067810 | .000180 | .000257 | .1813354 | .005014 | .000918 |
| %RSD | 113.8799 | 231.1552 | 35.02141 | 98.26824 | 71.47513 | 147.5314 | 45.49576 |
| #1 | -.003248 | -.006283 | -.000671 | -.000540 | .1574191 | .001868 | -.001575 |
| #2 | .000482 | .023943 | -.000555 | -.000033 | .1408205 | -.003950 | -.001407 |
| #3 | -.002371 | -.105667 | -.000317 | -.000213 | .4628727 | -.008115 | -.003075 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .4001705 | .0003245 | .0075401 | -.000504 | -.014912 | -.001586 | .0002348 |
| Stddev | .0938398 | .0023851 | .0012208 | .000222 | .001855 | .000124 | .0014843 |
| %RSD | 23.44996 | 734.9367 | 16.19079 | 44.01099 | 12.43821 | 7.818015 | 632.0490 |
| #1 | .4907126 | -.002001 | .0061339 | -.000633 | -.012781 | -.001595 | .0019487 |
| #2 | .4064505 | .000210 | .0083293 | -.000631 | -.015790 | -.001457 | -.000625 |
| #3 | .3033484 | .002765 | .0081570 | -.000248 | -.016165 | -.001705 | -.000619 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: ICB001 Acquired: 10/25/2024 19:57:34 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: ICB001 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | -.000136 | .0087124 | -.000235 |
| Stddev | .001231 | .0012082 | .000048 |
| %RSD | 908.2207 | 13.86791 | 20.56736 |
| | | | |
| #1 | -.001516 | .0096360 | -.000238 |
| #2 | .000262 | .0073450 | -.000282 |
| #3 | .000848 | .0091562 | -.000186 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 954.4878 | 22013.87 | 2691.713 | 804.0112 | 1852.219 |
| Stddev | 1.0781 | 24.37 | 17.326 | 2.5103 | 2.713 |
| %RSD | .1129484 | .1107137 | .6436792 | .3122204 | .1464852 |
| | | | | | |
| #1 | 953.2491 | 21992.31 | 2672.171 | 805.0200 | 1849.093 |
| #2 | 955.0003 | 22040.31 | 2697.771 | 805.8601 | 1853.958 |
| #3 | 955.2141 | 22008.98 | 2705.196 | 801.1534 | 1853.606 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: ICSA001 Acquired: 10/25/2024 20:02:06 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: ICSA001 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0018695 | -.019157 | .0038249 | -.000766 | -.000992 | 235.1652 |
| Stddev | .0014451 | .003722 | .0013401 | .012494 | .002817 | .6068 |
| %RSD | 77.29820 | 19.43046 | 35.03719 | 1631.605 | 283.8865 | .2580395 |
| | | | | | | |
| #1 | .0019738 | -.022876 | .0053704 | -.007109 | .002055 | 234.7077 |
| #2 | .0032596 | -.019163 | .0031190 | -.008815 | -.001530 | 235.8536 |
| #3 | .0003751 | -.015432 | .0029853 | .013627 | -.003503 | 234.9344 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0049219 | .0011989 | .0010532 | 243.0171 | .0503997 | .0013449 |
| Stddev | .0011234 | .0001269 | .0002368 | .7865 | .0006124 | .0006672 |
| %RSD | 22.82413 | 10.58289 | 22.48721 | .3236326 | 1.215085 | 49.60482 |
| | | | | | | |
| #1 | .0037631 | .0013349 | .0013067 | 242.1681 | .0502225 | .0014814 |
| #2 | .0049963 | .0011781 | .0010154 | 243.7208 | .0510812 | .0006201 |
| #3 | .0060062 | .0010837 | .0008375 | 243.1623 | .0498955 | .0019334 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0016232 | 102.3657 | .0083231 | 238.8901 | .0032460 | .0035565 |
| Stddev | .0022753 | .0184 | .0015248 | .8897 | .0004802 | .0003856 |
| %RSD | 140.1728 | .0180012 | 18.31981 | .3724502 | 14.79322 | 10.84086 |
| | | | | | | |
| #1 | .0024977 | 102.3454 | .0083258 | 237.8638 | .0027195 | .0035009 |
| #2 | .0033314 | 102.3705 | .0067970 | 239.3626 | .0036598 | .0032018 |
| #3 | -.000960 | 102.3813 | .0098466 | 239.4439 | .0033587 | .0039668 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .4393055 | -.000638 | .0091891 | .2045891 | .0060049 | F .1091823 |
| Stddev | .2484594 | .007318 | .0006826 | .0700721 | .0047893 | .0015219 |
| %RSD | 56.55731 | 1146.475 | 7.428688 | 34.25018 | 79.75532 | 1.393868 |
| | | | | | | |
| #1 | .7209318 | .002660 | .0085712 | .2705883 | .0113990 | .1108163 |
| #2 | .3458956 | .004450 | .0090741 | .2121256 | .0022517 | .1078053 |
| #3 | .2510892 | -.009025 | .0099219 | .1310533 | .0043641 | .1089254 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: ICSA001 Acquired: 10/25/2024 20:02:06 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: ICSA001 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.000535 | -.007387 | -.001788 | -.003295 | -.000912 | .0075559 |
| Stddev | .001023 | .001533 | .000512 | .000809 | .000978 | .0015899 |
| %RSD | 191.1936 | 20.75107 | 28.63696 | 24.54725 | 107.3275 | 21.04258 |
| #1 | -.000319 | -.008787 | -.001614 | -.002513 | -.001953 | .0088063 |
| #2 | .000363 | -.007625 | -.002365 | -.003242 | -.000011 | .0057665 |
| #3 | -.001649 | -.005749 | -.001386 | -.004128 | -.000771 | .0080947 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | F .1009781 |
| Stddev | .0003030 |
| %RSD | .3000524 |
| #1 | .1013223 |
| #2 | .1008599 |
| #3 | .1007519 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 883.9425 | 20714.87 | 2626.551 | 745.0840 | 1545.288 |
| Stddev | .4403 | 54.72 | 9.861 | 2.3236 | 1.936 |
| %RSD | .0498161 | .2641565 | .3754440 | .3118557 | .1252668 |
| #1 | 884.0874 | 20723.78 | 2635.339 | 742.6324 | 1543.279 |
| #2 | 883.4479 | 20764.59 | 2615.886 | 747.2538 | 1545.445 |
| #3 | 884.2921 | 20656.24 | 2628.427 | 745.3658 | 1547.141 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: ICSAB001 Acquired: 10/25/2024 20:17:06 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: ICSAB001 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0907096 | .0840554 | .0503687 | .0451550 | .5433609 | 244.6560 |
| Stddev | .0025517 | .0030192 | .0049220 | .0052542 | .0089797 | 1.2965 |
| %RSD | 2.813010 | 3.591865 | 9.771961 | 11.63599 | 1.652612 | .5299229 |
| #1 | .0881797 | .0871791 | .0447178 | .0506151 | .5392672 | 243.4945 |
| #2 | .0932825 | .0838341 | .0526684 | .0447155 | .5371575 | 246.0547 |
| #3 | .0906666 | .0811529 | .0537199 | .0401343 | .5536579 | 244.4189 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .5263870 | .5363746 | .9885212 | 254.3390 | .6041611 | .5122291 |
| Stddev | .0020081 | .0056754 | .0003647 | 1.6237 | .0023830 | .0015048 |
| %RSD | .3814871 | 1.058112 | .0368920 | .6383912 | .3944345 | .2937723 |
| #1 | .5250481 | .5299153 | .9884299 | 252.7910 | .6058488 | .5106968 |
| #2 | .5286959 | .5405627 | .9882108 | 256.0290 | .6051994 | .5122859 |
| #3 | .5254169 | .5386458 | .9889228 | 254.1970 | .6014351 | .5137048 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .4955806 | 107.0670 | .5384413 | 248.8652 | 1.031150 | .2065300 |
| Stddev | .0052762 | .6977 | .0022465 | 1.9783 | .001735 | .0014355 |
| %RSD | 1.064640 | .6516435 | .4172197 | .7949399 | .1682488 | .6950601 |
| #1 | .4911471 | 106.6799 | .5360913 | 246.9811 | 1.029173 | .2056751 |
| #2 | .5014162 | 107.8724 | .5405676 | 250.9259 | 1.032420 | .2081873 |
| #3 | .4941785 | 106.6487 | .5386649 | 248.6887 | 1.031857 | .2057276 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .2563065 | .5292307 | .9149360 | .1074534 | F .0147728 | F .1132782 |
| Stddev | .1344694 | .0065368 | .0042249 | .0613625 | .0050780 | .0011127 |
| %RSD | 52.46428 | 1.235143 | .4617721 | 57.10617 | 34.37375 | .9822893 |
| #1 | .1345100 | .5300703 | .9104240 | .1448689 | .0132752 | .1140855 |
| #2 | .4006087 | .5353071 | .9187987 | .0366360 | .0106121 | .1120089 |
| #3 | .2338008 | .5223147 | .9155852 | .1408554 | .0204312 | .1137403 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: ICSAB001 Acquired: 10/25/2024 20:17:06 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: ICSAB001 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.000628 | -.003491 | -.000222 | -.003043 | -.002786 | .0074468 |
| Stddev | .000173 | .001851 | .000765 | .001506 | .002816 | .0005104 |
| %RSD | 27.55755 | 53.02221 | 344.2672 | 49.50152 | 101.0860 | 6.853864 |
| #1 | -.000542 | -.005087 | -.000964 | -.003148 | .000035 | .0074982 |
| #2 | -.000827 | -.001462 | .000563 | -.001487 | -.002796 | .0069126 |
| #3 | -.000515 | -.003924 | -.000266 | -.004494 | -.005597 | .0079295 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | F .1049188 |
| Stddev | .0005900 |
| %RSD | .5623463 |
| #1 | .1044261 |
| #2 | .1055726 |
| #3 | .1047575 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 870.5406 | 20605.29 | 2611.927 | 739.6634 | 1533.881 |
| Stddev | 1.9141 | 54.69 | 19.541 | 2.5592 | 1.727 |
| %RSD | .2198699 | .2654369 | .7481451 | .3459928 | .1126031 |
| #1 | 869.3399 | 20573.84 | 2634.158 | 742.2966 | 1532.055 |
| #2 | 872.7480 | 20573.58 | 2597.467 | 737.1853 | 1534.097 |
| #3 | 869.5340 | 20668.44 | 2604.155 | 739.5084 | 1535.489 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: CCV001 Acquired: 10/25/2024 20:43:46 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV001 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 4.723188 | 4.687119 | 23.28747 | 4.593380 | 4.569419 | 392.3116 |
| Stddev | .013651 | .027745 | .17040 | .042147 | .037939 | .7534 |
| %RSD | .2890292 | .5919397 | .7317025 | .9175554 | .8302723 | .1920466 |
| #1 | 4.713772 | 4.676575 | 23.25671 | 4.570540 | 4.563103 | 391.5979 |
| #2 | 4.716947 | 4.666192 | 23.13455 | 4.567582 | 4.535035 | 392.2375 |
| #3 | 4.738844 | 4.718590 | 23.47115 | 4.642017 | 4.610119 | 393.0993 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 9.617946 | .4914338 | 2.280130 | 389.0695 | 14.67498 | 2.375195 |
| Stddev | .015152 | .0033089 | .016149 | 2.1697 | .02637 | .017504 |
| %RSD | .1575416 | .6733226 | .7082444 | .5576720 | .1796796 | .7369517 |
| #1 | 9.629396 | .4890232 | 2.275748 | 387.7804 | 14.67390 | 2.373029 |
| #2 | 9.623678 | .4900717 | 2.266625 | 387.8536 | 14.70187 | 2.358874 |
| #3 | 9.600764 | .4952063 | 2.298018 | 391.5746 | 14.64917 | 2.393681 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 14.39313 | 399.3526 | 14.23654 | 390.1513 | 2.362968 | 1.200398 |
| Stddev | .04267 | 1.6041 | .01917 | 1.8674 | .018100 | .001589 |
| %RSD | .2964780 | .4016861 | .1346838 | .4786377 | .7659986 | .1323813 |
| #1 | 14.34467 | 398.4573 | 14.22430 | 388.5813 | 2.357386 | 1.200348 |
| #2 | 14.42509 | 398.3960 | 14.22668 | 389.6562 | 2.348316 | 1.202012 |
| #3 | 14.40963 | 401.2046 | 14.25864 | 392.2164 | 2.383201 | 1.198835 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 394.3691 | 2.378819 | 13.89008 | 146.3011 | 4.791506 | 5.028045 |
| Stddev | 1.6165 | .004758 | .07167 | .4234 | .031240 | .032603 |
| %RSD | .4099055 | .1999990 | .5160085 | .2894327 | .6519791 | .6484224 |
| #1 | 393.0047 | 2.379690 | 13.97212 | 146.1511 | 4.773766 | 5.003734 |
| #2 | 393.9481 | 2.383081 | 13.85846 | 145.9731 | 4.773174 | 5.015307 |
| #3 | 396.1545 | 2.373686 | 13.83965 | 146.7791 | 4.827576 | 5.065094 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: CCV001 Acquired: 10/25/2024 20:43:46 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV001 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | F 4.493511 | 4.760410 | 5.013152 | 4.685665 | 4.733165 | 4.997933 |
| Stddev | .034442 | .036156 | .023977 | .029688 | .010005 | .023308 |
| %RSD | .7664794 | .7595167 | .4782883 | .6336004 | .2113861 | .4663597 |
| #1 | 4.484273 | 4.733251 | 4.996048 | 4.684703 | 4.725337 | 4.977789 |
| #2 | 4.464630 | 4.746529 | 5.002849 | 4.656470 | 4.729719 | 4.992548 |
| #3 | 4.531629 | 4.801449 | 5.040559 | 4.715823 | 4.744437 | 5.023463 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | 4.922549 |
| Stddev | .002504 |
| %RSD | .0508637 |
| #1 | 4.922489 |
| #2 | 4.920076 |
| #3 | 4.925082 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 752.5908 | 19833.72 | 2536.918 | 612.4527 | 1390.845 |
| Stddev | 4.8469 | 32.23 | 12.621 | 3.1876 | 9.070 |
| %RSD | .6440334 | .1624836 | .4974902 | .5204720 | .6521024 |
| #1 | 753.7089 | 19811.30 | 2543.931 | 608.7737 | 1390.828 |
| #2 | 756.7809 | 19819.21 | 2544.475 | 614.3920 | 1399.924 |
| #3 | 747.2825 | 19870.65 | 2522.348 | 614.1923 | 1381.785 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: CCB001 Acquired: 10/25/2024 20:47:58 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB001 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.001285 | -.004138 | .0017235 | -.002671 | -.000903 | -.107984 | -.000329 |
| Stddev | .001910 | .002027 | .0021551 | .004888 | .002013 | .003805 | .000671 |
| %RSD | 148.5646 | 48.99495 | 125.0409 | 183.0439 | 222.9847 | 3.523305 | 203.6990 |
| #1 | .000235 | -.005156 | .0013291 | -.000059 | -.001937 | -.108259 | -.000057 |
| #2 | -.000662 | -.005453 | -.000207 | .000357 | .001417 | -.111643 | -.001094 |
| #3 | -.003429 | -.001803 | .004049 | -.008310 | -.002188 | -.104049 | .000162 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.000132 | -.000067 | -.036437 | -.000352 | -.000035 | .0044122 | -.051468 |
| Stddev | .000146 | .000112 | .030456 | .000125 | .000134 | .0057811 | .022471 |
| %RSD | 111.2065 | 167.0989 | 83.58702 | 35.34906 | 379.7829 | 131.0243 | 43.65961 |
| #1 | -.000175 | -.000190 | -.071265 | -.000478 | -.000038 | .0055542 | -.029911 |
| #2 | -.000251 | .000030 | -.014798 | -.000349 | .000100 | .0095370 | -.074753 |
| #3 | .000031 | -.000042 | -.023247 | -.000229 | -.000168 | -.001855 | -.049741 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.001841 | -.019419 | -.000632 | .0011353 | -.050007 | -.007523 | -.002441 |
| Stddev | .000563 | .049646 | .000360 | .0003954 | .189618 | .003738 | .000404 |
| %RSD | 30.59355 | 255.6583 | 56.95481 | 34.82877 | 379.1864 | 49.68041 | 16.54087 |
| #1 | -.001216 | -.059520 | -.000271 | .0013556 | -.219132 | -.004652 | -.002885 |
| #2 | -.001999 | -.034845 | -.000636 | .0013714 | .154982 | -.006168 | -.002097 |
| #3 | -.002309 | .036109 | -.000991 | .0006788 | -.085869 | -.011750 | -.002339 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .3117793 | -.002548 | .0082576 | -.000128 | -.014952 | -.001032 | -.000763 |
| Stddev | .0739640 | .000751 | .0000922 | .000324 | .003530 | .000310 | .000785 |
| %RSD | 23.72319 | 29.46678 | 1.116413 | 252.7261 | 23.61096 | 30.07387 | 102.8738 |
| #1 | .3638326 | -.003296 | .0083081 | -.000345 | -.013925 | -.000738 | .000133 |
| #2 | .2271138 | -.002555 | .0083136 | -.000284 | -.018882 | -.001357 | -.001329 |
| #3 | .3443915 | -.001794 | .0081512 | .000244 | -.012050 | -.001003 | -.001093 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: CCB001 Acquired: 10/25/2024 20:47:58 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB001 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | -.001891 | .0072839 | -.000180 |
| Stddev | .000999 | .0019063 | .000034 |
| %RSD | 52.79735 | 26.17132 | 18.64386 |
| | | | |
| #1 | -.001793 | .0094286 | -.000218 |
| #2 | -.002936 | .0057826 | -.000165 |
| #3 | -.000946 | .0066403 | -.000156 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 932.0830 | 21660.86 | 2624.084 | 794.1828 | 1819.229 |
| Stddev | 2.5687 | 20.87 | 12.595 | 2.5323 | 1.725 |
| %RSD | .2755838 | .0963673 | .4799942 | .3188556 | .0948340 |
| | | | | | |
| #1 | 929.9370 | 21638.84 | 2610.761 | 791.2587 | 1818.963 |
| #2 | 934.9291 | 21663.38 | 2625.696 | 795.6448 | 1821.072 |
| #3 | 931.3830 | 21680.36 | 2635.796 | 795.6448 | 1817.653 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4333-01DLX2 Acquired: 10/25/2024 20:52:32 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBF4 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .2604245 | -.038046 | .5303368 | .0012789 | .0013529 | 228.1817 |
| Stddev | .0063079 | .003162 | .0050585 | .0030008 | .0019330 | .0916 |
| %RSD | 2.422180 | 8.311711 | .9538306 | 234.6402 | 142.8843 | .0401283 |
| #1 | .2543569 | -.039368 | .5355794 | .0033267 | .0019072 | 228.2871 |
| #2 | .2599687 | -.040333 | .5299459 | .0026756 | .0029482 | 228.1369 |
| #3 | .2669480 | -.034437 | .5254851 | -.002166 | -.000797 | 228.1212 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 8.033204 | .0119751 | .0171752 | 109.7186 | .4676901 | .1688979 |
| Stddev | .004642 | .0001088 | .0001785 | .0489 | .0010358 | .0002628 |
| %RSD | .0577865 | .9083294 | 1.039295 | .0445717 | .2214763 | .1555773 |
| #1 | 8.030313 | .0119347 | .0169827 | 109.7573 | .4675645 | .1691046 |
| #2 | 8.038559 | .0118923 | .0173353 | 109.6636 | .4687830 | .1689869 |
| #3 | 8.030742 | .0120983 | .0172074 | 109.7349 | .4667229 | .1686022 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.973814 | 236.6603 | 5.169045 | 67.18852 | .7687710 | -.013274 |
| Stddev | .007875 | .1212 | .008110 | .07258 | .0020885 | .000402 |
| %RSD | .3989709 | .0512275 | .1568925 | .1080201 | .2716670 | 3.031596 |
| #1 | 1.971649 | 236.7010 | 5.169514 | 67.26633 | .7708703 | -.012850 |
| #2 | 1.967248 | 236.7560 | 5.160710 | 67.12267 | .7687494 | -.013651 |
| #3 | 1.982545 | 236.5240 | 5.176909 | 67.17657 | .7666934 | -.013322 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 2.075584 | .4852593 | 1.241744 | 15.44504 | F 13.11621 | .2958382 |
| Stddev | .098883 | .0015987 | .008516 | .08103 | .03221 | .0004665 |
| %RSD | 4.764100 | .3294430 | .6858429 | .5246230 | .2455727 | .1576938 |
| #1 | 1.989572 | .4862214 | 1.251466 | 15.53284 | 13.14392 | .2957035 |
| #2 | 2.183622 | .4861427 | 1.238162 | 15.37314 | 13.12385 | .2963573 |
| #3 | 2.053557 | .4834139 | 1.235602 | 15.42914 | 13.08087 | .2954539 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4333-01DLX2 Acquired: 10/25/2024 20:52:32 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBF4 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.000185 | 1.768606 | 3.798677 | .0182739 | 5.798114 | .1224779 |
| Stddev | .000848 | .009560 | .012885 | .0032104 | .014534 | .0019839 |
| %RSD | 458.2263 | .5405447 | .3392055 | 17.56821 | .2506649 | 1.619798 |
| #1 | -.000545 | 1.779598 | 3.812566 | .0196765 | 5.814842 | .1243077 |
| #2 | .000784 | 1.763992 | 3.787112 | .0146009 | 5.790920 | .1227566 |
| #3 | -.000795 | 1.762228 | 3.796351 | .0205443 | 5.788581 | .1203694 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | 1.184101 |
| Stddev | .001480 |
| %RSD | .1249814 |
| #1 | 1.184612 |
| #2 | 1.185257 |
| #3 | 1.182433 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1040.307 | 24666.99 | 3111.594 | 892.3505 | 1611.499 |
| Stddev | 1.311 | 23.04 | 13.647 | 4.6991 | .721 |
| %RSD | .1260116 | .0934139 | .4385869 | .5265936 | .0447218 |
| #1 | 1039.235 | 24652.61 | 3098.718 | 886.9333 | 1610.794 |
| #2 | 1041.769 | 24693.57 | 3125.900 | 895.3262 | 1611.469 |
| #3 | 1039.918 | 24654.79 | 3110.164 | 894.7921 | 1612.235 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4333-02DLX2 Acquired: 10/25/2024 20:56:53 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBF5 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .4040338 | -.035346 | .9548916 | .0033870 | .0051545 | 183.4544 | 3.427962 |
| Stddev | .0042146 | .003312 | .0035567 | .0034074 | .0021635 | .7884 | .005299 |
| %RSD | 1.043127 | 9.369451 | .3724691 | 100.6016 | 41.97355 | .4297634 | .1545743 |
| #1 | .4013796 | -.033720 | .9511047 | -.000547 | .0056991 | 182.8593 | 3.423992 |
| #2 | .4018283 | -.039156 | .9554084 | .005420 | .0027707 | 184.3486 | 3.433979 |
| #3 | .4088935 | -.033161 | .9581615 | .005288 | .0069938 | 183.1552 | 3.425916 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0111911 | .0270156 | 64.78984 | .4149973 | .1275141 | 3.949254 | 194.6982 |
| Stddev | .0002001 | .0001315 | .44369 | .0008531 | .0008064 | .017682 | .9569 |
| %RSD | 1.788160 | .4867341 | .6848181 | .2055658 | .6324026 | .4477209 | .4914537 |
| #1 | .0112210 | .0268736 | 64.55045 | .4149300 | .1284129 | 3.944276 | 193.7634 |
| #2 | .0113746 | .0271332 | 65.30181 | .4141799 | .1272754 | 3.968891 | 195.6756 |
| #3 | .0109777 | .0270398 | 64.51725 | .4158820 | .1268540 | 3.934595 | 194.6557 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 4.754257 | 47.53615 | .5142145 | -.007029 | 1.335742 | .3649008 | 2.418539 |
| Stddev | .010946 | .40031 | .0006629 | .000223 | .173095 | .0036180 | .006100 |
| %RSD | .2302360 | .8421262 | .1289087 | 3.168216 | 12.95869 | .9915094 | .2522173 |
| #1 | 4.741738 | 47.11640 | .5139050 | -.006885 | 1.248952 | .3679915 | 2.425567 |
| #2 | 4.762024 | 47.91369 | .5137629 | -.007286 | 1.223213 | .3657899 | 2.414615 |
| #3 | 4.759008 | 47.57835 | .5149755 | -.006917 | 1.535062 | .3609212 | 2.415435 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 14.06919 | 8.167718 | .2518728 | .0004844 | 1.863815 | 5.463507 | .0589494 |
| Stddev | .04783 | .013240 | .0022693 | .0008119 | .006146 | .049969 | .0018542 |
| %RSD | .3399813 | .1621041 | .9009524 | 167.5971 | .3297484 | .9146003 | 3.145377 |
| #1 | 14.05128 | 8.182177 | .2495650 | -.000036 | 1.862716 | 5.420976 | .0602112 |
| #2 | 14.12339 | 8.156187 | .2541014 | .001420 | 1.858293 | 5.518541 | .0598165 |
| #3 | 14.03289 | 8.164788 | .2519520 | .000069 | 1.870436 | 5.451005 | .0568206 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4333-02DLX2 Acquired: 10/25/2024 20:56:53 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBF5 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 4.036516 | .0934487 | .5754216 |
| Stddev | .018353 | .0006054 | .0016157 |
| %RSD | .4546620 | .6478398 | .2807853 |
| | | | |
| #1 | 4.019285 | .0929348 | .5743887 |
| #2 | 4.055815 | .0941161 | .5772835 |
| #3 | 4.034447 | .0932953 | .5745925 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1031.074 | 24206.92 | 3041.220 | 872.6220 | 1664.396 |
| Stddev | .297 | 7.12 | 23.956 | 2.6302 | 1.945 |
| %RSD | .0287664 | .0294134 | .7877193 | .3014087 | .1168418 |
| | | | | | |
| #1 | 1031.176 | 24200.01 | 3060.726 | 869.5891 | 1664.024 |
| #2 | 1030.741 | 24206.51 | 3014.480 | 874.2750 | 1662.664 |
| #3 | 1031.307 | 24214.23 | 3048.453 | 874.0020 | 1666.500 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4333-03DLX2 Acquired: 10/25/2024 21:01:14 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBF5D Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .3653609 | -.032406 | .8886946 | .0037368 | .0091070 | 185.1703 | 3.300192 |
| Stddev | .0021205 | .004378 | .0032738 | .0015759 | .0025205 | .6266 | .010478 |
| %RSD | .5803930 | 13.50981 | .3683827 | 42.17191 | 27.67683 | .3383676 | .3175098 |
| #1 | .3674009 | -.032187 | .8914918 | .0024149 | .0118248 | 185.3053 | 3.306373 |
| #2 | .3631681 | -.036890 | .8850939 | .0054807 | .0068463 | 185.7183 | 3.306110 |
| #3 | .3655136 | -.028142 | .8894982 | .0033147 | .0086498 | 184.4872 | 3.288093 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0105972 | .0254240 | 63.59706 | .4109263 | .1226785 | 3.624603 | 207.2121 |
| Stddev | .0000616 | .0003622 | .15390 | .0014074 | .0001258 | .025584 | .7588 |
| %RSD | .5814168 | 1.424747 | .2419901 | .3425031 | .1025148 | .7058340 | .3661919 |
| #1 | .0106461 | .0255024 | 63.55536 | .4120179 | .1226969 | 3.629411 | 207.3070 |
| #2 | .0105280 | .0250290 | 63.76751 | .4114233 | .1225446 | 3.647442 | 207.9191 |
| #3 | .0106177 | .0257406 | 63.46831 | .4093378 | .1227941 | 3.596957 | 206.4104 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 4.291171 | 47.52369 | .5001281 | -.006726 | 1.542160 | .3582455 | 2.598574 |
| Stddev | .024824 | .16297 | .0031777 | .000214 | .396068 | .0062290 | .010316 |
| %RSD | .5784812 | .3429220 | .6353662 | 3.188503 | 25.68271 | 1.738761 | .3969901 |
| #1 | 4.278938 | 47.61967 | .4967397 | -.006496 | 1.683687 | .3571218 | 2.607922 |
| #2 | 4.319737 | 47.61588 | .5006031 | -.006760 | 1.848022 | .3649598 | 2.600294 |
| #3 | 4.274838 | 47.33553 | .5030415 | -.006921 | 1.094769 | .3526547 | 2.587506 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 14.19685 | 8.028634 | .2650200 | .0006717 | 1.854712 | 5.881091 | .1420599 |
| Stddev | .05561 | .020974 | .0027430 | .0005568 | .002843 | .016439 | .0026843 |
| %RSD | .3917302 | .2612435 | 1.035035 | 82.89627 | .1532907 | .2795294 | 1.889524 |
| #1 | 14.13805 | 8.017852 | .2643146 | .0010301 | 1.851430 | 5.882644 | .1401137 |
| #2 | 14.20389 | 8.015244 | .2680469 | .0000302 | 1.856291 | 5.896699 | .1451221 |
| #3 | 14.24860 | 8.052806 | .2626986 | .0009548 | 1.856416 | 5.863930 | .1409439 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4333-03DLX2 Acquired: 10/25/2024 21:01:14 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBF5D Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 4.614371 | .0990085 | .5658940 |
| Stddev | .018669 | .0022520 | .0020895 |
| %RSD | .4045743 | 2.274502 | .3692291 |
| | | | |
| #1 | 4.613812 | .0965630 | .5669085 |
| #2 | 4.633313 | .1009967 | .5672826 |
| #3 | 4.595988 | .0994657 | .5634910 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1019.792 | 23929.92 | 3000.739 | 861.0218 | 1657.180 |
| Stddev | 1.252 | 20.41 | 16.842 | 5.6373 | 2.538 |
| %RSD | .1227629 | .0852765 | .5612690 | .6547274 | .1531433 |
| | | | | | |
| #1 | 1020.836 | 23926.88 | 2996.829 | 856.0780 | 1659.977 |
| #2 | 1020.136 | 23911.21 | 2986.197 | 859.8266 | 1656.541 |
| #3 | 1018.404 | 23951.68 | 3019.193 | 867.1610 | 1655.024 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4333-04DLX2 Acquired: 10/25/2024 21:05:35 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBF5S Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .4723183 | .0605978 | .9936071 | .1530809 | .1627925 | 188.1249 | 6.810427 |
| Stddev | .0155295 | .0015596 | .0050317 | .0061567 | .0026842 | .3048 | .106609 |
| %RSD | 3.287928 | 2.573633 | .5064097 | 4.021865 | 1.648823 | .1620454 | 1.565382 |
| #1 | .4581014 | .0623261 | .9986072 | .1459730 | .1611212 | 188.4455 | 6.700082 |
| #2 | .4888912 | .0592957 | .9936699 | .1565199 | .1658887 | 188.0903 | 6.818339 |
| #3 | .4699623 | .0601715 | .9885443 | .1567499 | .1613677 | 187.8388 | 6.912859 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .1006595 | .1228415 | 65.16457 | .8032281 | 1.125542 | 4.364798 | 197.5450 |
| Stddev | .0019842 | .0008002 | .21705 | .0017992 | .003792 | .012979 | .0354 |
| %RSD | 1.971203 | .6513646 | .3330827 | .2239953 | .3369308 | .2973583 | .0179322 |
| #1 | .0986094 | .1220459 | 65.37902 | .8018053 | 1.121458 | 4.364331 | 197.5206 |
| #2 | .1007985 | .1228325 | 65.16968 | .8026284 | 1.126214 | 4.352058 | 197.5856 |
| #3 | .1025704 | .1236461 | 64.94500 | .8052505 | 1.128953 | 4.378004 | 197.5287 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 5.613940 | 47.97899 | 1.519550 | .0792412 | 1.391566 | 1.222265 | 3.166808 |
| Stddev | .044329 | .14180 | .005846 | .0015247 | .153547 | .024436 | .016120 |
| %RSD | .7896209 | .2955526 | .3847043 | 1.924103 | 11.03408 | 1.999258 | .5090381 |
| #1 | 5.571493 | 48.12758 | 1.512976 | .0777385 | 1.382366 | 1.195151 | 3.148430 |
| #2 | 5.610390 | 47.84513 | 1.521509 | .0791982 | 1.549506 | 1.229060 | 3.178555 |
| #3 | 5.659937 | 47.96426 | 1.524164 | .0807869 | 1.242826 | 1.242585 | 3.173440 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 14.12170 | 8.160309 | .2527464 | .0008697 | 1.877573 | 5.682863 | .0590512 |
| Stddev | .04734 | .005308 | .0011057 | .0003721 | .004024 | .015208 | .0031198 |
| %RSD | .3352636 | .0650525 | .4374711 | 42.77647 | .2143034 | .2676138 | 5.283163 |
| #1 | 14.12088 | 8.155070 | .2538390 | .0011808 | 1.880930 | 5.692713 | .0616767 |
| #2 | 14.16945 | 8.160171 | .2527721 | .0004576 | 1.873113 | 5.665348 | .0556023 |
| #3 | 14.07477 | 8.165685 | .2516281 | .0009709 | 1.878677 | 5.690529 | .0598747 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4333-04DLX2 Acquired: 10/25/2024 21:05:35 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBF5S Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 4.062979 | .0943719 | .5788779 |
| Stddev | .003474 | .0008899 | .0012528 |
| %RSD | .0855010 | .9429948 | .2164181 |
| | | | |
| #1 | 4.066283 | .0944846 | .5803237 |
| #2 | 4.063296 | .0934310 | .5781135 |
| #3 | 4.059357 | .0952001 | .5781964 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1012.146 | 23901.22 | 2980.374 | 859.1484 | 1642.931 |
| Stddev | 1.934 | 27.58 | 11.446 | 1.6664 | 1.213 |
| %RSD | .1910345 | .1154057 | .3840373 | .1939628 | .0738012 |
| | | | | | |
| #1 | 1009.927 | 23925.62 | 2981.105 | 861.0696 | 1641.641 |
| #2 | 1013.471 | 23906.76 | 2991.437 | 858.0940 | 1643.106 |
| #3 | 1013.040 | 23871.29 | 2968.580 | 858.2817 | 1644.047 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4333-02LDLX10 Acquired: 10/25/2024 21:09:52 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBF5L Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0881927 | -.008862 | .2013150 | -.002306 | -.002259 | 41.28166 | .7682945 |
| Stddev | .0033226 | .002235 | .0024603 | .003692 | .000570 | .13726 | .0042517 |
| %RSD | 3.767482 | 25.21750 | 1.222135 | 160.0747 | 25.24421 | .3324940 | .5533966 |
| #1 | .0895467 | -.008825 | .1984787 | -.001866 | -.002703 | 41.43945 | .7729059 |
| #2 | .0844068 | -.011115 | .2025919 | -.006199 | -.001616 | 41.18986 | .7674477 |
| #3 | .0906245 | -.006646 | .2028744 | .001146 | -.002459 | 41.21567 | .7645300 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0026131 | .0051646 | 14.98987 | .0946863 | .0258097 | .9111978 | 45.63999 |
| Stddev | .0001181 | .0000956 | .13851 | .0008829 | .0004091 | .0047211 | .27787 |
| %RSD | 4.519504 | 1.851162 | .9240164 | .9324063 | 1.585082 | .5181152 | .6088369 |
| #1 | .0024773 | .0051402 | 15.13339 | .0944423 | .0256964 | .9125512 | 45.94837 |
| #2 | .0026708 | .0050835 | 14.97924 | .0956655 | .0254692 | .9059479 | 45.40904 |
| #3 | .0026914 | .0052700 | 14.85698 | .0939511 | .0262635 | .9150944 | 45.56258 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.090413 | 10.82226 | .1058952 | -.001199 | .1188876 | .0846302 | .5564980 |
| Stddev | .008120 | .03635 | .0007075 | .000450 | .1140307 | .0063529 | .0020766 |
| %RSD | .7446945 | .3358776 | .6681118 | 37.56107 | 95.91474 | 7.506674 | .3731494 |
| #1 | 1.099746 | 10.84297 | .1054960 | -.001668 | -.008212 | .0795893 | .5541566 |
| #2 | 1.084969 | 10.78029 | .1054775 | -.000770 | .212226 | .0917660 | .5581165 |
| #3 | 1.086522 | 10.84353 | .1067121 | -.001160 | .152649 | .0825353 | .5572210 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 3.285624 | 1.658099 | .0609847 | -.000823 | .3639693 | 1.282280 | .0107636 |
| Stddev | .095341 | .007633 | .0011455 | .000267 | .0083391 | .012249 | .0023133 |
| %RSD | 2.901764 | .4603291 | 1.878395 | 32.44240 | 2.291162 | .9552706 | 21.49206 |
| #1 | 3.385193 | 1.651885 | .0607048 | -.001081 | .3593582 | 1.296106 | .0092954 |
| #2 | 3.195165 | 1.655793 | .0600050 | -.000548 | .3735957 | 1.272783 | .0134303 |
| #3 | 3.276514 | 1.666618 | .0622442 | -.000841 | .3589540 | 1.277950 | .0095652 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4333-02LDLX10 Acquired: 10/25/2024 21:09:52 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBF5L Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | .9256017 | .0252813 | .1308323 |
| Stddev | .0062920 | .0007591 | .0005768 |
| %RSD | .6797785 | 3.002806 | .4408517 |
| | | | |
| #1 | .9327466 | .0256355 | .1314676 |
| #2 | .9231704 | .0244098 | .1306879 |
| #3 | .9208880 | .0257986 | .1303415 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 957.8694 | 22342.33 | 2722.602 | 813.2281 | 1759.084 |
| Stddev | 2.3997 | 38.85 | 18.515 | 2.9183 | 1.850 |
| %RSD | .2505294 | .1738840 | .6800302 | .3588548 | .1051486 |
| | | | | | |
| #1 | 955.3231 | 22384.87 | 2701.320 | 816.2029 | 1756.966 |
| #2 | 958.1961 | 22308.72 | 2734.997 | 813.1116 | 1759.902 |
| #3 | 960.0891 | 22333.40 | 2731.491 | 810.3697 | 1760.383 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: PB164280BL Acquired: 10/25/2024 21:14:18 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: PBS280 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0007872 | -.006221 | -.000674 | -.000903 | -.002546 | -.069125 | -.000287 |
| Stddev | .0039806 | .002269 | .001451 | .002791 | .000932 | .009068 | .000354 |
| %RSD | 505.6710 | 36.46362 | 215.1458 | 308.9808 | 36.59079 | 13.11782 | 123.2427 |
| #1 | .0037796 | -.007218 | .000302 | -.003705 | -.001687 | -.073708 | -.000298 |
| #2 | .0023125 | -.003625 | .000017 | -.000884 | -.003536 | -.058681 | -.000635 |
| #3 | -.003731 | -.007821 | -.002341 | .001878 | -.002414 | -.074987 | .000072 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.000064 | -.000215 | -.053782 | -.001648 | .0002883 | .0017358 | -.060199 |
| Stddev | .000064 | .000028 | .039948 | .001018 | .0004791 | .0017832 | .012733 |
| %RSD | 100.2338 | 12.84072 | 74.27892 | 61.78489 | 166.1867 | 102.7295 | 21.15230 |
| #1 | .000006 | -.000195 | -.052376 | -.002075 | .0007672 | -.000201 | -.074253 |
| #2 | -.000120 | -.000202 | -.094414 | -.000486 | .0002888 | .002100 | -.056916 |
| #3 | -.000078 | -.000246 | -.014555 | -.002382 | -.000191 | .003308 | -.049429 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.001438 | -.058414 | -.000149 | .0006487 | -.126512 | -.003508 | -.002349 |
| Stddev | .000118 | .056916 | .000328 | .0003781 | .171065 | .004991 | .000242 |
| %RSD | 8.186746 | 97.43558 | 219.7177 | 58.28659 | 135.2165 | 142.2500 | 10.32174 |
| #1 | -.001350 | -.086868 | -.000313 | .0005986 | .064554 | -.008538 | -.002119 |
| #2 | -.001572 | -.095491 | -.000363 | .0002982 | -.265445 | -.003431 | -.002327 |
| #3 | -.001392 | .007118 | .000228 | .0010494 | -.178644 | .001443 | -.002602 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .1224234 | -.001475 | .0025286 | -.000407 | -.015508 | .0005205 | -.000740 |
| Stddev | .0348091 | .001021 | .0005959 | .000327 | .005793 | .0003535 | .000794 |
| %RSD | 28.43340 | 69.23647 | 23.56484 | 80.38506 | 37.35615 | 67.91587 | 107.2445 |
| #1 | .1018931 | -.001945 | .0021354 | -.000782 | -.011206 | .0008411 | .000127 |
| #2 | .1626144 | -.000303 | .0022362 | -.000263 | -.022095 | .0001414 | -.000915 |
| #3 | .1027627 | -.002176 | .0032142 | -.000177 | -.013222 | .0005789 | -.001433 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: PB164280BL Acquired: 10/25/2024 21:14:18 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: PBS280 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | .0000624 | .0046282 | -.000300 |
| Stddev | .0009791 | .0023112 | .000103 |
| %RSD | 1570.009 | 49.93831 | 34.37208 |
| | | | |
| #1 | .0000251 | .0070122 | -.000181 |
| #2 | -.000898 | .0023973 | -.000359 |
| #3 | .001060 | .0044751 | -.000360 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 934.6843 | 21680.94 | 2623.146 | 792.9206 | 1817.439 |
| Stddev | .7742 | 28.15 | 19.745 | 1.2817 | 1.556 |
| %RSD | .0828347 | .1298541 | .7527139 | .1616489 | .0856036 |
| | | | | | |
| #1 | 933.9617 | 21649.03 | 2613.739 | 791.4585 | 1815.835 |
| #2 | 934.5897 | 21702.29 | 2609.864 | 793.8509 | 1817.541 |
| #3 | 935.5015 | 21691.48 | 2645.836 | 793.4523 | 1818.941 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: PB164280BS Acquired: 10/25/2024 21:18:50 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: LCS280 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0161721 | .0456461 | .0205662 | .0563212 | .1028081 | F .2748653 |
| Stddev | .0024774 | .0019224 | .0015830 | .0024105 | .0018485 | .0021713 |
| %RSD | 15.31883 | 4.211437 | 7.696998 | 4.279870 | 1.798047 | .7899620 |
| #1 | .0143773 | .0474205 | .0190436 | .0543919 | .1049426 | .2758227 |
| #2 | .0189985 | .0436039 | .0204517 | .0555484 | .1017478 | .2723798 |
| #3 | .0151404 | .0459139 | .0222034 | .0590233 | .1017340 | .2763933 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .4106796 | .0104467 | .0098062 | 10.52954 | .0216419 | .0978825 |
| Stddev | .0013038 | .0001833 | .0000533 | .08136 | .0002790 | .0005713 |
| %RSD | .3174692 | 1.754316 | .5432698 | .7726642 | 1.289418 | .5836453 |
| #1 | .4094369 | .0105793 | .0097450 | 10.43756 | .0219641 | .0973069 |
| #2 | .4105649 | .0102376 | .0098427 | 10.55899 | .0214853 | .0978914 |
| #3 | .4120369 | .0105233 | .0098307 | 10.59207 | .0214763 | .0984493 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0518082 | .1477120 | .0314760 | 9.932416 | .0809368 | .0216769 |
| Stddev | .0030363 | .0269873 | .0003869 | .069601 | .0003614 | .0004787 |
| %RSD | 5.860617 | 18.27021 | 1.229247 | .7007468 | .4464769 | 2.208120 |
| #1 | .0526451 | .1218881 | .0314203 | 9.959097 | .0806658 | .0212522 |
| #2 | .0543382 | .1757289 | .0311199 | 9.853422 | .0807975 | .0215828 |
| #3 | .0484412 | .1455191 | .0318877 | 9.984730 | .0813471 | .0221956 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 9.952940 | .0986622 | .1065281 | 9.729706 | .0157774 | F .0028998 |
| Stddev | .239762 | .0074193 | .0014507 | .222141 | .0013999 | .0011236 |
| %RSD | 2.408956 | 7.519896 | 1.361817 | 2.283125 | 8.873078 | 38.74565 |
| #1 | 9.681621 | .1071142 | .1076359 | 9.976598 | .0171257 | .0018406 |
| #2 | 10.04090 | .0932244 | .1048860 | 9.666512 | .0143310 | .0040782 |
| #3 | 10.13630 | .0956479 | .1070623 | 9.546009 | .0158754 | .0027806 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: PB164280BS Acquired: 10/25/2024 21:18:50 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: LCS280 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | F .0174994 | .1569160 | F .4675699 | .0130207 | .1988775 | .0328808 |
| Stddev | .0004834 | .0074770 | .0035426 | .0011251 | .0018637 | .0016677 |
| %RSD | 2.762163 | 4.764982 | .7576617 | 8.641024 | .9371289 | 5.072004 |
| #1 | .0177841 | .1597377 | .4647655 | .0140649 | .2004833 | .0346096 |
| #2 | .0169413 | .1625716 | .4663931 | .0131681 | .1968338 | .0327510 |
| #3 | .0177728 | .1484388 | .4715512 | .0118292 | .1993155 | .0312818 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .2084698 |
| Stddev | .0003523 |
| %RSD | .1689904 |
| #1 | .2082210 |
| #2 | .2088730 |
| #3 | .2083155 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 937.5334 | 21631.38 | 2636.339 | 785.7601 | 1781.263 |
| Stddev | 1.3256 | 28.39 | 11.939 | 4.0834 | 1.810 |
| %RSD | .1413974 | .1312601 | .4528639 | .5196781 | .1015882 |
| #1 | 936.2394 | 21644.24 | 2645.071 | 784.4268 | 1780.811 |
| #2 | 938.8886 | 21651.07 | 2641.211 | 790.3435 | 1779.722 |
| #3 | 937.4721 | 21598.83 | 2622.734 | 782.5100 | 1783.256 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: PB164280BSD Acquired: 10/25/2024 21:23:20 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: LCSD280 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0089434 | .0220934 | .0112705 | .0294281 | .0521510 | .1742703 | .2130678 |
| Stddev | .0038243 | .0012032 | .0006177 | .0034975 | .0002812 | .0117441 | .0014776 |
| %RSD | 42.76059 | 5.446022 | 5.480938 | 11.88510 | .5392541 | 6.739021 | .6934752 |
| #1 | .0129874 | .0217630 | .0105761 | .0270497 | .0518874 | .1820449 | .2147705 |
| #2 | .0053853 | .0210899 | .0114761 | .0334440 | .0524470 | .1800053 | .2123106 |
| #3 | .0084575 | .0234273 | .0117591 | .0277905 | .0521186 | .1607606 | .2121224 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0054480 | .0050353 | 5.515754 | .0106638 | .0509139 | .0309834 | .0529703 |
| Stddev | .0001853 | .0001457 | .044284 | .0016611 | .0001221 | .0016711 | .0274605 |
| %RSD | 3.401649 | 2.894075 | .8028554 | 15.57670 | .2399222 | 5.393513 | 51.84140 |
| #1 | .0054419 | .0050228 | 5.476339 | .0087519 | .0507864 | .0323818 | .0829264 |
| #2 | .0052658 | .0048963 | 5.563673 | .0114870 | .0509256 | .0291327 | .0469953 |
| #3 | .0056363 | .0051869 | 5.507250 | .0117524 | .0510298 | .0314356 | .0289892 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0160406 | 5.239556 | .0426465 | .0113677 | 5.416370 | .0540299 | .0615730 |
| Stddev | .0010320 | .031240 | .0008081 | .0004859 | .125606 | .0091822 | .0001999 |
| %RSD | 6.433494 | .5962245 | 1.894918 | 4.273942 | 2.319003 | 16.99469 | .3245939 |
| #1 | .0156897 | 5.217821 | .0424824 | .0118772 | 5.519363 | .0567088 | .0615841 |
| #2 | .0152297 | 5.275355 | .0419331 | .0109096 | 5.276436 | .0438062 | .0617670 |
| #3 | .0172022 | 5.225491 | .0435241 | .0113163 | 5.453311 | .0615748 | .0613678 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 5.138155 | .0109417 | .0017502 | .0092688 | .0778393 | .2453368 | .0066459 |
| Stddev | .152093 | .0014862 | .0011738 | .0003503 | .0041988 | .0025619 | .0011340 |
| %RSD | 2.960078 | 13.58268 | 67.06875 | 3.779820 | 5.394254 | 1.044252 | 17.06325 |
| #1 | 5.092404 | .0094987 | .0006122 | .0096652 | .0816604 | .2457590 | .0075506 |
| #2 | 5.307873 | .0124676 | .0016816 | .0091404 | .0785133 | .2476614 | .0053737 |
| #3 | 5.014189 | .0108588 | .0029568 | .0090007 | .0733442 | .2425900 | .0070133 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: PB164280BSD Acquired: 10/25/2024 21:23:20 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: LCSD280 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | .1026885 | .0181323 | .1085037 |
| Stddev | .0015734 | .0012496 | .0002831 |
| %RSD | 1.532259 | 6.891362 | .2609057 |
| | | | |
| #1 | .1043506 | .0186313 | .1085184 |
| #2 | .1012220 | .0167104 | .1087792 |
| #3 | .1024930 | .0190553 | .1082135 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 940.0729 | 21740.11 | 2634.951 | 795.4223 | 1808.343 |
| Stddev | 1.1082 | 47.95 | 15.795 | 2.1355 | 2.572 |
| %RSD | .1178868 | .2205445 | .5994258 | .2684718 | .1422256 |
| | | | | | |
| #1 | 941.1759 | 21685.51 | 2629.450 | 797.3527 | 1805.443 |
| #2 | 940.0832 | 21775.33 | 2622.643 | 795.7859 | 1809.235 |
| #3 | 938.9596 | 21759.49 | 2652.761 | 793.1284 | 1810.350 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-01DLX2 Acquired: 10/25/2024 21:27:51 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB4 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .1339229 | -.031949 | .2655502 | .0005073 | .0006429 | 135.2396 | 1.888160 |
| Stddev | .0124590 | .000339 | .0039268 | .0026957 | .0014011 | .4530 | .001483 |
| %RSD | 9.303075 | 1.060186 | 1.478757 | 531.3833 | 217.9491 | .3349311 | .0785326 |
| #1 | .1469135 | -.032219 | .2692595 | -.001784 | .0004953 | 134.7640 | 1.887681 |
| #2 | .1327810 | -.031569 | .2614371 | .003478 | -.000679 | 135.2888 | 1.886976 |
| #3 | .1220742 | -.032059 | .2659541 | -.000172 | .002112 | 135.6659 | 1.889823 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0085199 | .0136162 | 47.81256 | .2901707 | .1519402 | .9694255 | 238.4938 |
| Stddev | .0001200 | .0000481 | .35875 | .0015209 | .0006338 | .0021318 | 1.6168 |
| %RSD | 1.408980 | .3530319 | .7503357 | .5241429 | .4171600 | .2198992 | .6779097 |
| #1 | .0086584 | .0135622 | 47.45188 | .2887659 | .1512388 | .9709674 | 236.7396 |
| #2 | .0084489 | .0136542 | 47.81642 | .2917859 | .1524720 | .9703162 | 238.8178 |
| #3 | .0084522 | .0136322 | 48.16936 | .2899605 | .1521097 | .9669928 | 239.9241 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 10.35135 | 45.87267 | .4239574 | -.019512 | 1.100318 | .3822973 | .8536440 |
| Stddev | .01162 | .19664 | .0004980 | .000234 | .389424 | .0132893 | .0018252 |
| %RSD | .1122854 | .4286592 | .1174658 | 1.201348 | 35.39192 | 3.476174 | .2138140 |
| #1 | 10.35391 | 45.67597 | .4236759 | -.019334 | 1.476782 | .3672584 | .8515413 |
| #2 | 10.36149 | 46.06925 | .4245324 | -.019425 | .699115 | .3924587 | .8545721 |
| #3 | 10.33866 | 45.87280 | .4236638 | -.019778 | 1.125055 | .3871748 | .8548188 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 29.57717 | 9.687446 | .2731304 | -.000611 | 1.033805 | 5.348944 | .0096568 |
| Stddev | .15438 | .024206 | .0031906 | .000374 | .010338 | .022488 | .0031373 |
| %RSD | .5219601 | .2498679 | 1.168176 | 61.19741 | 1.000008 | .4204213 | 32.48789 |
| #1 | 29.56062 | 9.697336 | .2694475 | -.001041 | 1.030921 | 5.326700 | .0068816 |
| #2 | 29.43172 | 9.659861 | .2748833 | -.000419 | 1.045279 | 5.348463 | .0090280 |
| #3 | 29.73915 | 9.705141 | .2750603 | -.000372 | 1.025215 | 5.371668 | .0130610 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-01DLX2 Acquired: 10/25/2024 21:27:51 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB4 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 3.755696 | .0966103 | .4607725 |
| Stddev | .015668 | .0029697 | .0005663 |
| %RSD | .4171750 | 3.073873 | .1229071 |
| | | | |
| #1 | 3.745490 | .0933034 | .4602087 |
| #2 | 3.747862 | .0974783 | .4607676 |
| #3 | 3.773736 | .0990493 | .4613413 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1040.247 | 24517.52 | 3044.194 | 888.7716 | 1665.286 |
| Stddev | 2.410 | 44.93 | 5.002 | 1.5198 | 1.000 |
| %RSD | .2316549 | .1832712 | .1643257 | .1709949 | .0600649 |
| | | | | | |
| #1 | 1040.699 | 24490.41 | 3049.710 | 888.5951 | 1666.102 |
| #2 | 1042.399 | 24492.77 | 3042.921 | 887.3478 | 1665.586 |
| #3 | 1037.644 | 24569.39 | 3039.951 | 890.3719 | 1664.171 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-02DLX2 Acquired: 10/25/2024 21:32:13 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB5 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.102175 | -.051026 | 3.474336 | .0128052 | .0284433 | 173.1207 |
| Stddev | .011073 | .003518 | .012804 | .0013778 | .0028056 | .8998 |
| %RSD | 1.004673 | 6.894287 | .3685450 | 10.75948 | 9.863797 | .5197763 |
| #1 | 1.092410 | -.049182 | 3.476235 | .0139840 | .0254347 | 172.3248 |
| #2 | 1.114206 | -.055083 | 3.460688 | .0112905 | .0309881 | 172.9402 |
| #3 | 1.099909 | -.048814 | 3.486086 | .0131411 | .0289071 | 174.0971 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 2.947036 | .0113245 | .1036153 | 120.9614 | .3829051 | .2231299 |
| Stddev | .013394 | .0002597 | .0002764 | .5919 | .0019039 | .0012088 |
| %RSD | .4544948 | 2.292877 | .2667357 | .4893093 | .4972235 | .5417636 |
| #1 | 2.936933 | .0113401 | .1036253 | 120.5089 | .3847343 | .2229092 |
| #2 | 2.941946 | .0110574 | .1033341 | 120.7440 | .3830465 | .2220467 |
| #3 | 2.962229 | .0115760 | .1038866 | 121.6312 | .3809344 | .2244339 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 15.83155 | 345.9379 | 7.043363 | 67.93535 | .6351804 | .0152408 |
| Stddev | .09034 | 1.7458 | .048657 | .63810 | .0008379 | .0009585 |
| %RSD | .5706309 | .5046566 | .6908239 | .9392760 | .1319153 | 6.289034 |
| #1 | 15.76042 | 344.2017 | 7.018207 | 67.45808 | .6357038 | .0160866 |
| #2 | 15.80104 | 345.9190 | 7.012434 | 67.68785 | .6342140 | .0154361 |
| #3 | 15.93319 | 347.6931 | 7.099449 | 68.66013 | .6356235 | .0141996 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 2.251234 | .5198928 | 6.577891 | 18.89816 | F 14.06021 | .3825726 |
| Stddev | .143151 | .0055441 | .016353 | .19709 | .03111 | .0028157 |
| %RSD | 6.358780 | 1.066397 | .2485990 | 1.042902 | .2212408 | .7359795 |
| #1 | 2.112172 | .5141098 | 6.594471 | 18.72397 | 14.06469 | .3798753 |
| #2 | 2.398150 | .5251623 | 6.561776 | 18.85843 | 14.02711 | .3823490 |
| #3 | 2.243378 | .5204064 | 6.577426 | 19.11209 | 14.08883 | .3854933 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-02DLX2 Acquired: 10/25/2024 21:32:13 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB5 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0016690 | 11.26570 | 5.403175 | .0371452 | 5.137316 | .1129800 |
| Stddev | .0007194 | .01433 | .039702 | .0029983 | .033721 | .0003776 |
| %RSD | 43.10505 | .1272005 | .7347842 | 8.071713 | .6564017 | .3342294 |
| #1 | .0023907 | 11.25049 | 5.358317 | .0339407 | 5.107031 | .1134057 |
| #2 | .0009520 | 11.26766 | 5.417419 | .0398823 | 5.131262 | .1128486 |
| #3 | .0016642 | 11.27895 | 5.433790 | .0376127 | 5.173654 | .1126855 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .6436886 |
| Stddev | .0037853 |
| %RSD | .5880565 |
| #1 | .6416996 |
| #2 | .6413124 |
| #3 | .6480537 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1021.878 | 24487.78 | 3059.162 | 878.7746 | 1609.495 |
| Stddev | 1.880 | 95.80 | 15.091 | 1.8864 | 2.335 |
| %RSD | .1839357 | .3911959 | .4932910 | .2146678 | .1450872 |
| #1 | 1019.908 | 24378.58 | 3075.414 | 876.8698 | 1608.352 |
| #2 | 1023.652 | 24557.64 | 3056.478 | 880.6421 | 1612.182 |
| #3 | 1022.073 | 24527.11 | 3045.593 | 878.8120 | 1607.952 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-03DLX2 Acquired: 10/25/2024 21:36:31 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB6 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .1919498 | -.044516 | .4012627 | .0023572 | .0033351 | 195.8639 |
| Stddev | .0067822 | .003701 | .0027026 | .0062653 | .0018203 | .8052 |
| %RSD | 3.533326 | 8.312940 | .6735300 | 265.7988 | 54.58038 | .4110900 |
| #1 | .1843857 | -.042524 | .3999762 | -.001292 | .0013442 | 196.0002 |
| #2 | .1939746 | -.042238 | .4043683 | -.001228 | .0049144 | 196.5922 |
| #3 | .1974889 | -.048786 | .3994437 | .009592 | .0037468 | 194.9992 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 3.470801 | .0114056 | .0176513 | 79.91133 | .4167489 | .1784181 |
| Stddev | .012193 | .0000408 | .0002157 | .41008 | .0013571 | .0001564 |
| %RSD | .3512946 | .3577865 | 1.221848 | .5131640 | .3256335 | .0876602 |
| #1 | 3.475572 | .0113913 | .0174624 | 79.81717 | .4157158 | .1785642 |
| #2 | 3.479887 | .0113740 | .0176051 | 80.36030 | .4182859 | .1782531 |
| #3 | 3.456944 | .0114517 | .0178863 | 79.55653 | .4162451 | .1784369 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.475994 | 280.1367 | 7.367538 | 69.14780 | .7722758 | -.020274 |
| Stddev | .008959 | .9798 | .027270 | .62212 | .0029994 | .000173 |
| %RSD | .6070088 | .3497624 | .3701353 | .8996989 | .3883885 | .8536287 |
| #1 | 1.478529 | 279.9484 | 7.364530 | 68.86386 | .7741500 | -.020074 |
| #2 | 1.483412 | 281.1970 | 7.396187 | 69.86123 | .7688164 | -.020378 |
| #3 | 1.466040 | 279.2647 | 7.341897 | 68.71831 | .7738610 | -.020369 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 2.445314 | .4872047 | 1.033374 | 20.17352 | F 15.81204 | .3173751 |
| Stddev | .133248 | .0040384 | .004606 | .03208 | .03314 | .0012549 |
| %RSD | 5.449097 | .8288931 | .4457146 | .1590082 | .2095625 | .3954039 |
| #1 | 2.501595 | .4830064 | 1.038339 | 20.20849 | 15.78411 | .3167125 |
| #2 | 2.541186 | .4910615 | 1.032542 | 20.16661 | 15.80335 | .3188224 |
| #3 | 2.293160 | .4875462 | 1.029241 | 20.14546 | 15.84865 | .3165904 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-03DLX2 Acquired: 10/25/2024 21:36:31 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB6 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.001165 | 1.658264 | 4.732357 | .0117823 | 5.653318 | .1254368 |
| Stddev | .000461 | .003228 | .035528 | .0020157 | .027328 | .0021026 |
| %RSD | 39.59724 | .1946346 | .7507497 | 17.10774 | .4833966 | 1.676192 |
| #1 | -.000857 | 1.654589 | 4.715316 | .0126991 | 5.666947 | .1253521 |
| #2 | -.000942 | 1.660641 | 4.773195 | .0131766 | 5.671151 | .1275804 |
| #3 | -.001695 | 1.659560 | 4.708559 | .0094711 | 5.621856 | .1233779 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .9838074 |
| Stddev | .0031117 |
| %RSD | .3162910 |
| #1 | .9842805 |
| #2 | .9866555 |
| #3 | .9804863 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1065.821 | 25072.77 | 3173.858 | 904.8424 | 1654.423 |
| Stddev | 4.815 | 35.73 | 19.224 | 2.4224 | 4.018 |
| %RSD | .4517624 | .1425107 | .6056856 | .2677129 | .2428451 |
| #1 | 1064.113 | 25113.91 | 3188.057 | 904.2124 | 1652.843 |
| #2 | 1071.258 | 25054.93 | 3151.982 | 902.7972 | 1658.991 |
| #3 | 1062.094 | 25049.47 | 3181.534 | 907.5175 | 1651.436 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-04DLX2 Acquired: 10/25/2024 21:40:52 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB7 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .2628124 | -.016547 | .8590473 | .0044432 | .0079905 | 140.0960 |
| Stddev | .0127625 | .005455 | .0046180 | .0026719 | .0011513 | .2681 |
| %RSD | 4.856116 | 32.96948 | .5375685 | 60.13505 | 14.40871 | .1913438 |
| #1 | .2729949 | -.019712 | .8642254 | .0055495 | .0086979 | 140.2299 |
| #2 | .2484952 | -.019680 | .8575613 | .0063843 | .0066620 | 139.7874 |
| #3 | .2669470 | -.010247 | .8553553 | .0013958 | .0086116 | 140.2708 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 4.902485 | .0079742 | .0345814 | 57.03664 | .3421871 | .1858924 |
| Stddev | .015380 | .0002534 | .0001260 | .04848 | .0007520 | .0005790 |
| %RSD | .3137190 | 3.177891 | .3642645 | .0849959 | .2197491 | .3114941 |
| #1 | 4.914431 | .0076848 | .0346307 | 57.08253 | .3429842 | .1860865 |
| #2 | 4.885132 | .0081560 | .0344382 | 56.98593 | .3414905 | .1852413 |
| #3 | 4.907893 | .0080819 | .0346753 | 57.04146 | .3420865 | .1863495 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 3.804462 | 217.3900 | F 38.84354 | 45.54574 | .5401797 | -.013555 |
| Stddev | .008253 | .7168 | .13437 | .07969 | .0012770 | .000180 |
| %RSD | .2169397 | .3297101 | .3459236 | .1749688 | .2363991 | 1.328978 |
| #1 | 3.809008 | 217.9330 | 38.77036 | 45.63667 | .5404206 | -.013711 |
| #2 | 3.794936 | 216.5776 | 38.76164 | 45.48810 | .5387994 | -.013597 |
| #3 | 3.809444 | 217.6595 | 38.99861 | 45.51243 | .5413190 | -.013358 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.713417 | .3881357 | 2.124913 | 24.12236 | F 12.65629 | .2666065 |
| Stddev | .267235 | .0050062 | .007229 | .07886 | .02504 | .0005271 |
| %RSD | 15.59662 | 1.289813 | .3401817 | .3269002 | .1978646 | .1976890 |
| #1 | 1.420529 | .3844206 | 2.122013 | 24.20493 | 12.63623 | .2671348 |
| #2 | 1.775736 | .3861578 | 2.133141 | 24.11432 | 12.64829 | .2660807 |
| #3 | 1.943986 | .3938287 | 2.119585 | 24.04783 | 12.68436 | .2666040 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-04DLX2 Acquired: 10/25/2024 21:40:52 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB7 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.000771 | 3.319402 | 5.543616 | .0256151 | 4.402115 | .0881171 |
| Stddev | .000297 | .012117 | .011316 | .0020310 | .004407 | .0011601 |
| %RSD | 38.47147 | .3650284 | .2041237 | 7.928892 | .1001121 | 1.316526 |
| | | | | | | |
| #1 | -.000670 | 3.333392 | 5.531810 | .0235522 | 4.405174 | .0878141 |
| #2 | -.001105 | 3.312227 | 5.544671 | .0256804 | 4.397063 | .0871387 |
| #3 | -.000538 | 3.312587 | 5.554367 | .0276126 | 4.404108 | .0893987 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .7295282 |
| Stddev | .0015622 |
| %RSD | .2141360 |
| | |
| #1 | .7307160 |
| #2 | .7277586 |
| #3 | .7301101 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1047.255 | 24523.51 | 3068.150 | 880.8866 | 1693.295 |
| Stddev | 1.655 | 41.89 | 11.127 | 1.6614 | 3.826 |
| %RSD | .1580465 | .1708281 | .3626743 | .1886066 | .2259385 |
| | | | | | |
| #1 | 1046.384 | 24548.82 | 3078.738 | 882.8047 | 1691.571 |
| #2 | 1049.164 | 24546.55 | 3069.160 | 879.9601 | 1697.680 |
| #3 | 1046.218 | 24475.15 | 3056.552 | 879.8951 | 1690.635 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-05DLX2 Acquired: 10/25/2024 21:45:14 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB7D Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .2715946 | -.032172 | .8878214 | .0089043 | .0097216 | 148.0528 |
| Stddev | .0015121 | .003175 | .0025480 | .0049522 | .0017547 | .4767 |
| %RSD | .5567328 | 9.867880 | .2869894 | 55.61563 | 18.04960 | .3219719 |
| #1 | .2722257 | -.029509 | .8872807 | .0048412 | .0099712 | 148.4182 |
| #2 | .2726888 | -.035685 | .8905963 | .0074512 | .0113381 | 148.2265 |
| #3 | .2698692 | -.031321 | .8855872 | .0144204 | .0078554 | 147.5136 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 2.647704 | .0091959 | .0360021 | 60.65235 | .3480986 | .1678993 |
| Stddev | .008162 | .0000712 | .0002706 | .18431 | .0017814 | .0006934 |
| %RSD | .3082605 | .7747282 | .7515647 | .3038759 | .5117538 | .4129890 |
| #1 | 2.656398 | .0092242 | .0357851 | 60.66356 | .3465050 | .1676515 |
| #2 | 2.646509 | .0092487 | .0359158 | 60.83080 | .3477690 | .1673638 |
| #3 | 2.640206 | .0091149 | .0363052 | 60.46270 | .3500218 | .1686825 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 3.888073 | 233.6301 | 8.577599 | 45.33174 | .5145513 | -.009906 |
| Stddev | .010332 | .6507 | .018809 | .36413 | .0005650 | .000309 |
| %RSD | .2657362 | .2785329 | .2192753 | .8032524 | .1098018 | 3.119058 |
| #1 | 3.899696 | 233.9550 | 8.599291 | 45.65835 | .5143164 | -.010053 |
| #2 | 3.879931 | 234.0543 | 8.567678 | 45.39775 | .5151958 | -.009551 |
| #3 | 3.884592 | 232.8808 | 8.565829 | 44.93912 | .5141416 | -.010114 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.491746 | .3971107 | 2.172917 | 25.58042 | F 12.93535 | .2845478 |
| Stddev | .045534 | .0128951 | .011058 | .13576 | .01798 | .0014310 |
| %RSD | 3.052413 | 3.247229 | .5088988 | .5307289 | .1389685 | .5028908 |
| #1 | 1.500615 | .3883739 | 2.183111 | 25.73253 | 12.95532 | .2857930 |
| #2 | 1.532193 | .4119211 | 2.174479 | 25.47155 | 12.92046 | .2848659 |
| #3 | 1.442430 | .3910372 | 2.161161 | 25.53717 | 12.93028 | .2829846 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-05DLX2 Acquired: 10/25/2024 21:45:14 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB7D Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0007711 | 3.586211 | 5.740462 | .0200969 | 4.872992 | .0939670 |
| Stddev | .0004064 | .012610 | .019165 | .0019335 | .011110 | .0012991 |
| %RSD | 52.71115 | .3516277 | .3338549 | 9.620905 | .2279851 | 1.382473 |
| #1 | .0009579 | 3.575402 | 5.761913 | .0214161 | 4.877128 | .0947717 |
| #2 | .0010505 | 3.583165 | 5.734449 | .0178775 | 4.881441 | .0946609 |
| #3 | .0003048 | 3.600064 | 5.725025 | .0209973 | 4.860408 | .0924683 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .5922466 |
| Stddev | .0012006 |
| %RSD | .2027209 |
| #1 | .5934177 |
| #2 | .5923038 |
| #3 | .5910185 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1020.842 | 24159.60 | 3000.620 | 867.5060 | 1659.611 |
| Stddev | 1.052 | 35.41 | 7.190 | 4.6122 | 3.091 |
| %RSD | .1030359 | .1465678 | .2396025 | .5316595 | .1862463 |
| #1 | 1021.125 | 24200.01 | 2995.388 | 864.8061 | 1656.158 |
| #2 | 1021.722 | 24134.01 | 2997.654 | 864.8804 | 1662.120 |
| #3 | 1019.677 | 24144.77 | 3008.818 | 872.8315 | 1660.556 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-06DLX2 Acquired: 10/25/2024 21:49:37 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB7S Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .3417361 | .0661235 | .8940163 | .1411804 | .1563333 | 144.6523 |
| Stddev | .0041819 | .0063009 | .0083560 | .0020113 | .0028812 | .1802 |
| %RSD | 1.223717 | 9.529017 | .9346607 | 1.424621 | 1.843000 | .1245669 |
| #1 | .3372098 | .0592591 | .8915665 | .1431793 | .1596376 | 144.8595 |
| #2 | .3425424 | .0716441 | .8871590 | .1412049 | .1543453 | 144.5325 |
| #3 | .3454562 | .0674673 | .9033234 | .1391569 | .1550170 | 144.5649 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 8.372858 | .0963130 | .1258761 | 58.80829 | .7109524 | 1.138758 |
| Stddev | .009972 | .0004158 | .0004927 | .20636 | .0011964 | .002666 |
| %RSD | .1190975 | .4316947 | .3914231 | .3509098 | .1682857 | .2341252 |
| #1 | 8.369772 | .0967364 | .1260241 | 58.90270 | .7103746 | 1.138779 |
| #2 | 8.364795 | .0959053 | .1253263 | 58.57161 | .7101546 | 1.136082 |
| #3 | 8.384009 | .0962972 | .1262778 | 58.95057 | .7123281 | 1.141414 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 4.195261 | 223.4530 | F 39.09741 | 46.40391 | 1.500086 | .0723879 |
| Stddev | .005549 | .3605 | .06295 | .04715 | .003968 | .0006216 |
| %RSD | .1322775 | .1613364 | .1610138 | .1016040 | .2645119 | .8587201 |
| #1 | 4.189277 | 223.8672 | 39.13257 | 46.45120 | 1.497134 | .0722060 |
| #2 | 4.200238 | 223.2107 | 39.02473 | 46.35691 | 1.498529 | .0718776 |
| #3 | 4.196269 | 223.2810 | 39.13492 | 46.40362 | 1.504597 | .0730802 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.647547 | 1.297654 | 2.829339 | 24.32565 | F 12.61318 | .2702849 |
| Stddev | .113368 | .007587 | .012654 | .01834 | .03777 | .0016858 |
| %RSD | 6.881013 | .5846561 | .4472440 | .0753990 | .2994875 | .6237009 |
| #1 | 1.607554 | 1.305742 | 2.843498 | 24.31248 | 12.59828 | .2715059 |
| #2 | 1.559596 | 1.296523 | 2.825387 | 24.31787 | 12.58513 | .2683615 |
| #3 | 1.775491 | 1.290696 | 2.819134 | 24.34660 | 12.65614 | .2709873 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-06DLX2 Acquired: 10/25/2024 21:49:37 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB7S Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.001300 | 3.303202 | 5.651630 | .0255822 | 4.437923 | .0900446 |
| Stddev | .000226 | .001338 | .008333 | .0009420 | .006299 | .0017941 |
| %RSD | 17.39176 | .0405002 | .1474408 | 3.682249 | .1419440 | 1.992450 |
| #1 | -.001239 | 3.301740 | 5.658576 | .0266206 | 4.437938 | .0918900 |
| #2 | -.001551 | 3.303503 | 5.653923 | .0253434 | 4.431616 | .0899371 |
| #3 | -.001111 | 3.304364 | 5.642390 | .0247825 | 4.444215 | .0883067 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .7264346 |
| Stddev | .0000986 |
| %RSD | .0135690 |
| #1 | .7264560 |
| #2 | .7265206 |
| #3 | .7263270 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1016.608 | 24110.09 | 2982.196 | 868.4060 | 1656.096 |
| Stddev | 1.739 | 35.33 | 5.871 | 4.2637 | .983 |
| %RSD | .1710623 | .1465502 | .1968683 | .4909795 | .0593848 |
| #1 | 1014.929 | 24104.56 | 2977.935 | 863.4888 | 1656.197 |
| #2 | 1018.401 | 24147.86 | 2979.761 | 871.0774 | 1657.025 |
| #3 | 1016.494 | 24077.85 | 2988.893 | 870.6517 | 1655.065 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-04LDLX10 Acquired: 10/25/2024 21:53:54 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB7L Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0614946 | -.005929 | .1822123 | .0030241 | -.001431 | 31.88937 | 1.091816 |
| Stddev | .0023207 | .000816 | .0031463 | .0068265 | .000870 | .09438 | .001825 |
| %RSD | 3.773751 | 13.75733 | 1.726735 | 225.7320 | 60.79195 | .2959694 | .1671659 |
| #1 | .0611318 | -.006079 | .1801117 | .0104499 | -.002421 | 31.86533 | 1.091732 |
| #2 | .0639754 | -.006660 | .1858297 | -.002979 | -.000790 | 31.99345 | 1.093682 |
| #3 | .0593768 | -.005049 | .1806956 | .001601 | -.001082 | 31.80934 | 1.090035 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0018846 | .0067220 | 13.59888 | .0776975 | .0385607 | .8764169 | 51.94087 |
| Stddev | .0000935 | .0001959 | .05802 | .0001488 | .0005493 | .0038798 | .19889 |
| %RSD | 4.960311 | 2.914857 | .4266327 | .1915622 | 1.424574 | .4426893 | .3829114 |
| #1 | .0019038 | .0069072 | 13.54226 | .0775809 | .0380716 | .8724698 | 51.87901 |
| #2 | .0019670 | .0067421 | 13.65820 | .0776465 | .0384555 | .8802257 | 52.16334 |
| #3 | .0017830 | .0065168 | 13.59619 | .0778651 | .0391551 | .8765552 | 51.78027 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 8.973219 | 10.55229 | .1133557 | -.002837 | .2120380 | .0891893 | .4922126 |
| Stddev | .011898 | .02434 | .0012140 | .000224 | .1786348 | .0037515 | .0013871 |
| %RSD | .1325899 | .2306382 | 1.070948 | 7.879717 | 84.24658 | 4.206218 | .2818144 |
| #1 | 8.977555 | 10.54305 | .1122785 | -.003057 | .3699315 | .0899331 | .4937539 |
| #2 | 8.959762 | 10.53392 | .1146712 | -.002610 | .0181451 | .0925132 | .4918190 |
| #3 | 8.982340 | 10.57989 | .1131174 | -.002843 | .2480374 | .0851216 | .4910647 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 5.472505 | 2.617040 | .0632947 | -.000620 | .6592876 | 1.316600 | .0046482 |
| Stddev | .122516 | .010794 | .0006447 | .000270 | .0107198 | .001080 | .0007068 |
| %RSD | 2.238748 | .4124543 | 1.018517 | 43.56217 | 1.625960 | .0819929 | 15.20689 |
| #1 | 5.510178 | 2.608049 | .0639756 | -.000477 | .6469128 | 1.317034 | .0051206 |
| #2 | 5.335577 | 2.629011 | .0626938 | -.000931 | .6652260 | 1.315371 | .0038356 |
| #3 | 5.571760 | 2.614060 | .0632148 | -.000451 | .6657239 | 1.317395 | .0049885 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-04LDLX10 Acquired: 10/25/2024 21:53:54 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB7L Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 1.016735 | .0229260 | .1664525 |
| Stddev | .003468 | .0009443 | .0001352 |
| %RSD | .3411166 | 4.118969 | .0812357 |
| | | | |
| #1 | 1.018203 | .0228158 | .1663087 |
| #2 | 1.019228 | .0220415 | .1665770 |
| #3 | 1.012774 | .0239205 | .1664719 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 960.6333 | 22442.96 | 2737.587 | 819.9891 | 1763.323 |
| Stddev | 2.0534 | 44.36 | 2.330 | 1.8080 | .959 |
| %RSD | .2137588 | .1976737 | .0851049 | .2204874 | .0544113 |
| | | | | | |
| #1 | 961.5713 | 22424.10 | 2735.836 | 818.0842 | 1764.410 |
| #2 | 962.0503 | 22411.15 | 2736.694 | 821.6813 | 1762.963 |
| #3 | 958.2784 | 22493.64 | 2740.231 | 820.2017 | 1762.595 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-07DLX2 Acquired: 10/25/2024 21:58:19 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB8 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .1904255 | -.043350 | .3790094 | .0021748 | .0015288 | 197.2796 |
| Stddev | .0075867 | .003161 | .0052514 | .0040271 | .0033658 | .4342 |
| %RSD | 3.984050 | 7.291735 | 1.385561 | 185.1716 | 220.1664 | .2201021 |
| | | | | | | |
| #1 | .1926978 | -.040575 | .3730927 | .0063169 | .0011461 | 197.3021 |
| #2 | .1966163 | -.042685 | .3831177 | -.001727 | -.001629 | 197.7021 |
| #3 | .1819624 | -.046791 | .3808177 | .001934 | .005070 | 196.8345 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 3.746914 | .0110299 | .0145008 | 86.43375 | .4311722 | .1745529 |
| Stddev | .007321 | .0002623 | .0002261 | .25790 | .0003791 | .0005334 |
| %RSD | .1953899 | 2.377801 | 1.559372 | .2983743 | .0879310 | .3056071 |
| | | | | | | |
| #1 | 3.744006 | .0112354 | .0145971 | 86.51300 | .4315514 | .1748929 |
| #2 | 3.755243 | .0111199 | .0142425 | 86.64272 | .4311723 | .1739381 |
| #3 | 3.741495 | .0107345 | .0146629 | 86.14553 | .4307931 | .1748278 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.325307 | 266.8389 | 9.281151 | 63.10841 | .7309954 | -.017664 |
| Stddev | .009043 | .8170 | .020768 | .24546 | .0009613 | .000690 |
| %RSD | .6823136 | .3061812 | .2237614 | .3889511 | .1315088 | 3.905995 |
| | | | | | | |
| #1 | 1.325166 | 266.7754 | 9.267577 | 63.10649 | .7298912 | -.017482 |
| #2 | 1.334419 | 267.6859 | 9.305058 | 63.35483 | .7316462 | -.018426 |
| #3 | 1.316335 | 266.0555 | 9.270817 | 62.86392 | .7314487 | -.017082 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 2.613348 | .4906252 | .8732641 | 15.75677 | F 13.46036 | .3038797 |
| Stddev | .112320 | .0107114 | .0030619 | .09035 | .02394 | .0025958 |
| %RSD | 4.297946 | 2.183209 | .3506331 | .5734250 | .1778546 | .8542141 |
| | | | | | | |
| #1 | 2.598354 | .4926303 | .8699849 | 15.66111 | 13.48751 | .3062685 |
| #2 | 2.732412 | .4790530 | .8737588 | 15.84066 | 13.45126 | .3042532 |
| #3 | 2.509278 | .5001923 | .8760485 | 15.76854 | 13.44230 | .3011174 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-07DLX2 Acquired: 10/25/2024 21:58:19 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB8 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.001578 | 1.043586 | 4.026941 | .0121615 | 5.134957 | .1206227 |
| Stddev | .000324 | .014026 | .021423 | .0004940 | .014510 | .0008171 |
| %RSD | 20.53667 | 1.343988 | .5319826 | 4.062266 | .2825760 | .6774007 |
| #1 | -.001691 | 1.031691 | 4.019946 | .0124559 | 5.137163 | .1210218 |
| #2 | -.001830 | 1.059052 | 4.050987 | .0115912 | 5.148238 | .1211635 |
| #3 | -.001212 | 1.040015 | 4.009890 | .0124375 | 5.119470 | .1196828 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | 1.017445 |
| Stddev | .003238 |
| %RSD | .3182759 |
| #1 | 1.017292 |
| #2 | 1.020757 |
| #3 | 1.014286 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1043.932 | 24458.55 | 3069.689 | 876.7954 | 1626.549 |
| Stddev | 1.123 | 68.11 | 8.659 | 2.4977 | 1.480 |
| %RSD | .1075944 | .2784771 | .2820834 | .2848676 | .0909849 |
| #1 | 1043.101 | 24493.71 | 3073.343 | 878.4895 | 1624.886 |
| #2 | 1045.210 | 24501.90 | 3059.801 | 877.9697 | 1627.719 |
| #3 | 1043.486 | 24380.05 | 3075.921 | 873.9269 | 1627.044 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-08DLX2 Acquired: 10/25/2024 22:02:42 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB9 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .1766094 | -.040594 | .3245996 | .0081377 | .0048656 | 193.6045 |
| Stddev | .0048446 | .000049 | .0010763 | .0119870 | .0048903 | .1124 |
| %RSD | 2.743104 | .1203665 | .3315645 | 147.3010 | 100.5087 | .0580679 |
| #1 | .1812610 | -.040619 | .3243314 | .0077013 | .0078395 | 193.6921 |
| #2 | .1769749 | -.040537 | .3236829 | .0203369 | .0075359 | 193.6438 |
| #3 | .1715925 | -.040624 | .3257847 | -.003625 | -.000779 | 193.4777 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 3.033857 | .0115386 | .0128440 | 64.10354 | .4219162 | .1467015 |
| Stddev | .000992 | .0002292 | .0002178 | .07970 | .0005510 | .0010086 |
| %RSD | .0326838 | 1.986502 | 1.695547 | .1243306 | .1305982 | .6875186 |
| #1 | 3.034089 | .0117198 | .0128248 | 64.14940 | .4224513 | .1458766 |
| #2 | 3.034713 | .0112809 | .0126364 | 64.14971 | .4219469 | .1464021 |
| #3 | 3.032770 | .0116151 | .0130707 | 64.01151 | .4213506 | .1478260 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.126451 | 256.6969 | 6.256774 | 55.76360 | .6014482 | -.017322 |
| Stddev | .008391 | .4638 | .005115 | .32803 | .0021948 | .000410 |
| %RSD | .7449121 | .1806740 | .0817590 | .5882512 | .3649129 | 2.366636 |
| #1 | 1.127732 | 256.5150 | 6.250867 | 55.88966 | .5999448 | -.017576 |
| #2 | 1.134128 | 257.2241 | 6.259738 | 56.00990 | .6004330 | -.017542 |
| #3 | 1.117494 | 256.3517 | 6.259716 | 55.39124 | .6039668 | -.016849 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.228924 | .4931709 | .8437765 | 22.86744 | F 10.64918 | .3005675 |
| Stddev | .089889 | .0127394 | .0050428 | .11799 | .04667 | .0015321 |
| %RSD | 7.314415 | 2.583161 | .5976450 | .5159889 | .4382810 | .5097430 |
| #1 | 1.166233 | .5058947 | .8483533 | 22.73132 | 10.61145 | .2988993 |
| #2 | 1.331910 | .4804159 | .8446058 | 22.94065 | 10.63472 | .3008915 |
| #3 | 1.188629 | .4932022 | .8383705 | 22.93035 | 10.70138 | .3019117 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-08DLX2 Acquired: 10/25/2024 22:02:42 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB9 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.001233 | 1.524665 | 4.830428 | .0212957 | 4.668423 | .1161378 |
| Stddev | .000760 | .007586 | .016223 | .0035469 | .006401 | .0006692 |
| %RSD | 61.64916 | .4975653 | .3358544 | 16.65563 | .1371088 | .5762233 |
| #1 | -.000356 | 1.520580 | 4.825460 | .0228770 | 4.664838 | .1169091 |
| #2 | -.001703 | 1.519997 | 4.848554 | .0237770 | 4.675813 | .1157115 |
| #3 | -.001640 | 1.533419 | 4.817270 | .0172332 | 4.664617 | .1157928 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .7960489 |
| Stddev | .0006737 |
| %RSD | .0846277 |
| #1 | .7960011 |
| #2 | .7967452 |
| #3 | .7954004 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1034.883 | 24177.47 | 3022.265 | 874.8385 | 1647.237 |
| Stddev | 2.465 | 70.88 | 6.524 | 3.1214 | 3.008 |
| %RSD | .2382391 | .2931720 | .2158527 | .3567938 | .1826261 |
| #1 | 1035.161 | 24217.74 | 3025.517 | 871.3500 | 1648.601 |
| #2 | 1037.197 | 24219.06 | 3014.755 | 875.7981 | 1649.321 |
| #3 | 1032.290 | 24095.63 | 3026.523 | 877.3674 | 1643.788 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-09DLX2 Acquired: 10/25/2024 22:07:03 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBC0 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .1702464 | -.030665 | .4290650 | .0064632 | .0029308 | 109.1528 | 1.446355 |
| Stddev | .0089358 | .003475 | .0052399 | .0067788 | .0004238 | .1357 | .002197 |
| %RSD | 5.248751 | 11.33103 | 1.221245 | 104.8830 | 14.46178 | .1243401 | .1519224 |
| #1 | .1599372 | -.034044 | .4345773 | .0007739 | .0033187 | 109.3028 | 1.448552 |
| #2 | .1750297 | -.030848 | .4284694 | .0139637 | .0029953 | 109.1174 | 1.446356 |
| #3 | .1757724 | -.027102 | .4241483 | .0046521 | .0024784 | 109.0383 | 1.444158 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0067530 | .0148998 | 56.72244 | .2404538 | .1138667 | 1.665400 | 188.6519 |
| Stddev | .0001426 | .0002313 | .08394 | .0007821 | .0003457 | .003389 | .4887 |
| %RSD | 2.112002 | 1.552497 | .1479920 | .3252473 | .3036044 | .2034774 | .2590502 |
| #1 | .0066380 | .0150791 | 56.81043 | .2396315 | .1137562 | 1.665969 | 189.2135 |
| #2 | .0067084 | .0146387 | 56.71365 | .2405417 | .1135896 | 1.661763 | 188.3229 |
| #3 | .0069125 | .0149816 | 56.64323 | .2411882 | .1142541 | 1.668468 | 188.4194 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 5.100118 | 42.46976 | .3203894 | -.011016 | 1.097516 | .3460962 | 1.172619 |
| Stddev | .016742 | .03326 | .0014631 | .000213 | .124201 | .0057007 | .002557 |
| %RSD | .3282728 | .0783212 | .4566707 | 1.934869 | 11.31656 | 1.647137 | .2180337 |
| #1 | 5.105484 | 42.43157 | .3216370 | -.010975 | 1.219135 | .3478578 | 1.169692 |
| #2 | 5.081350 | 42.49242 | .3187790 | -.010826 | .970884 | .3507082 | 1.174417 |
| #3 | 5.113519 | 42.48530 | .3207521 | -.011246 | 1.102530 | .3397227 | 1.173747 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 20.69447 | 8.266822 | .2275710 | -.000238 | 2.121872 | 5.345013 | .0174627 |
| Stddev | .05550 | .002519 | .0001288 | .000687 | .007139 | .011905 | .0008932 |
| %RSD | .2681863 | .0304736 | .0566135 | 288.4774 | .3364307 | .2227232 | 5.114776 |
| #1 | 20.65521 | 8.268585 | .2277004 | -.000146 | 2.121567 | 5.357038 | .0183555 |
| #2 | 20.75796 | 8.263937 | .2274427 | -.000966 | 2.129159 | 5.333232 | .0165692 |
| #3 | 20.67024 | 8.267945 | .2275700 | .000398 | 2.114891 | 5.344770 | .0174633 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-09DLX2 Acquired: 10/25/2024 22:07:03 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBC0 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 3.591928 | .0765070 | .3949479 |
| Stddev | .010014 | .0004683 | .0009776 |
| %RSD | .2787880 | .6121179 | .2475294 |
| | | | |
| #1 | 3.602655 | .0762714 | .3960760 |
| #2 | 3.590302 | .0762033 | .3944185 |
| #3 | 3.582826 | .0770464 | .3943491 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1000.364 | 23621.68 | 2927.534 | 852.3053 | 1677.275 |
| Stddev | 1.570 | 46.67 | 10.897 | .7131 | 4.578 |
| %RSD | .1569895 | .1975620 | .3722181 | .0836730 | .2729361 |
| | | | | | |
| #1 | 999.158 | 23597.92 | 2916.507 | 851.5375 | 1672.286 |
| #2 | 1002.140 | 23675.44 | 2938.296 | 852.9470 | 1681.282 |
| #3 | 999.793 | 23591.66 | 2927.798 | 852.4312 | 1678.257 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-10DLX2 Acquired: 10/25/2024 22:11:28 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBC1 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .1533141 | -.031689 | .4353677 | .0059350 | .0014355 | 140.8059 |
| Stddev | .0037520 | .004846 | .0013217 | .0059646 | .0025686 | .1594 |
| %RSD | 2.447265 | 15.29141 | .3035777 | 100.4999 | 178.9332 | .1131961 |
| #1 | .1537906 | -.031436 | .4349599 | .0127477 | .0039979 | 140.6364 |
| #2 | .1493466 | -.026974 | .4342980 | .0034042 | .0014477 | 140.9528 |
| #3 | .1568050 | -.036656 | .4368452 | .0016530 | -.001139 | 140.8284 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 2.715622 | .0085923 | .0162650 | 52.18143 | .3166815 | .1355248 |
| Stddev | .002627 | .0000613 | .0000829 | .04619 | .0054936 | .0006062 |
| %RSD | .0967446 | .7132147 | .5099573 | .0885225 | 1.734728 | .4472776 |
| #1 | 2.715988 | .0085417 | .0162103 | 52.23449 | .3135712 | .1350026 |
| #2 | 2.718047 | .0086604 | .0163604 | 52.15015 | .3230245 | .1353823 |
| #3 | 2.712831 | .0085747 | .0162242 | 52.15966 | .3134487 | .1361896 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.653146 | 202.3047 | 6.456030 | 47.28140 | .5377484 | -.010338 |
| Stddev | .007323 | .3204 | .011052 | .03461 | .0018247 | .001590 |
| %RSD | .4429577 | .1583895 | .1711933 | .0731926 | .3393270 | 15.38046 |
| #1 | 1.661216 | 202.0301 | 6.445241 | 47.28936 | .5391307 | -.011063 |
| #2 | 1.651298 | 202.6568 | 6.467328 | 47.24350 | .5356801 | -.008515 |
| #3 | 1.646924 | 202.2272 | 6.455523 | 47.31133 | .5384345 | -.011437 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.050710 | .3540495 | 1.090153 | 19.71271 | F 11.56415 | .2350583 |
| Stddev | .179151 | .0071659 | .016959 | .05415 | .02213 | .0011298 |
| %RSD | 17.05047 | 2.023979 | 1.555633 | .2747147 | .1913345 | .4806304 |
| #1 | 1.063175 | .3516097 | 1.076594 | 19.69645 | 11.54088 | .2337996 |
| #2 | 1.223303 | .3484222 | 1.109168 | 19.77313 | 11.56665 | .2359844 |
| #3 | .865652 | .3621167 | 1.084697 | 19.66855 | 11.58492 | .2353910 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-10DLX2 Acquired: 10/25/2024 22:11:28 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBC1 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.001461 | 1.457478 | 7.091680 | .0145815 | 4.793815 | .0900392 |
| Stddev | .000489 | .013473 | .028884 | .0005771 | .011964 | .0012885 |
| %RSD | 33.45407 | .9244091 | .4072910 | 3.957503 | .2495766 | 1.431009 |
| #1 | -.001443 | 1.450453 | 7.080109 | .0147979 | 4.780455 | .0885517 |
| #2 | -.000981 | 1.473012 | 7.070377 | .0139275 | 4.803540 | .0907581 |
| #3 | -.001958 | 1.448970 | 7.124556 | .0150191 | 4.797451 | .0908079 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .5897077 |
| Stddev | .0013391 |
| %RSD | .2270747 |
| #1 | .5888575 |
| #2 | .5912513 |
| #3 | .5890144 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1016.277 | 23709.57 | 2969.290 | 859.4302 | 1666.097 |
| Stddev | .951 | 374.88 | 4.295 | 13.5674 | 2.956 |
| %RSD | .0936068 | 1.581142 | .1446379 | 1.578653 | .1774454 |
| #1 | 1015.302 | 23875.76 | 2967.551 | 868.6390 | 1663.241 |
| #2 | 1017.203 | 23280.32 | 2974.181 | 843.8498 | 1669.144 |
| #3 | 1016.326 | 23972.62 | 2966.137 | 865.8018 | 1665.905 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-11DLX2 Acquired: 10/25/2024 22:15:51 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBC2 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .3547223 | -.026380 | .6919078 | .0068578 | .0052689 | 87.77474 | 1.455015 |
| Stddev | .0047829 | .003602 | .0020863 | .0040831 | .0039402 | .08592 | .003028 |
| %RSD | 1.348347 | 13.65547 | .3015331 | 59.53969 | 74.78206 | .0978843 | .2081378 |
| #1 | .3602360 | -.023359 | .6896657 | .0083645 | .0031528 | 87.80080 | 1.457109 |
| #2 | .3516914 | -.030366 | .6922657 | .0022354 | .0028390 | 87.84462 | 1.456393 |
| #3 | .3522395 | -.025414 | .6937920 | .0099735 | .0098151 | 87.67881 | 1.451542 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0061121 | .0252713 | 28.71706 | .2449791 | .1235648 | 3.645160 | 175.6744 |
| Stddev | .0001495 | .0003345 | .09911 | .0006898 | .0006183 | .009863 | .3162 |
| %RSD | 2.445378 | 1.323501 | .3451128 | .2815689 | .5003663 | .2705722 | .1799982 |
| #1 | .0062736 | .0253060 | 28.72311 | .2442180 | .1236258 | 3.650632 | 175.6936 |
| #2 | .0060840 | .0249208 | 28.81300 | .2455631 | .1241503 | 3.633775 | 175.9805 |
| #3 | .0059786 | .0255870 | 28.61507 | .2451561 | .1229183 | 3.651075 | 175.3490 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 6.195941 | 35.21856 | .2942653 | -.009375 | 1.243654 | .3019831 | 1.568333 |
| Stddev | .011409 | .03466 | .0002538 | .000539 | .312045 | .0033599 | .003170 |
| %RSD | .1841331 | .0984123 | .0862372 | 5.744504 | 25.09096 | 1.112607 | .2021017 |
| #1 | 6.197735 | 35.17855 | .2943557 | -.009592 | .890692 | .3056724 | 1.564710 |
| #2 | 6.206347 | 35.23796 | .2939788 | -.008762 | 1.482865 | .2990989 | 1.570595 |
| #3 | 6.183742 | 35.23918 | .2944615 | -.009771 | 1.357406 | .3011781 | 1.569693 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 15.31999 | 8.085175 | .1963385 | .0004222 | 1.122160 | 6.899551 | .0184614 |
| Stddev | .14484 | .025596 | .0009780 | .0005033 | .008652 | .011942 | .0021021 |
| %RSD | .9454184 | .3165844 | .4980952 | 119.2029 | .7710020 | .1730860 | 11.38648 |
| #1 | 15.19486 | 8.107481 | .1953575 | .0009663 | 1.127468 | 6.910002 | .0177694 |
| #2 | 15.28646 | 8.057229 | .1963447 | -.000027 | 1.112176 | 6.886534 | .0208222 |
| #3 | 15.47865 | 8.090815 | .1973134 | .000327 | 1.126836 | 6.902116 | .0167925 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-11DLX2 Acquired: 10/25/2024 22:15:51 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBC2 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 4.771368 | .0609728 | .4434440 |
| Stddev | .010233 | .0014928 | .0007899 |
| %RSD | .2144575 | 2.448370 | .1781313 |
| | | | |
| #1 | 4.777262 | .0616670 | .4442957 |
| #2 | 4.777289 | .0592593 | .4433008 |
| #3 | 4.759552 | .0619921 | .4427355 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1016.111 | 23986.43 | 2943.194 | 863.3446 | 1698.452 |
| Stddev | .767 | 39.91 | 4.308 | .2340 | 4.729 |
| %RSD | .0754891 | .1663737 | .1463570 | .0271008 | .2784050 |
| | | | | | |
| #1 | 1015.599 | 23982.85 | 2938.377 | 863.1511 | 1694.392 |
| #2 | 1016.993 | 23948.43 | 2946.675 | 863.2781 | 1703.644 |
| #3 | 1015.741 | 24028.00 | 2944.531 | 863.6046 | 1697.321 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: CCV002 Acquired: 10/25/2024 22:20:15 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV002 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 4.740633 | 4.735625 | 23.41366 | 4.584632 | 4.534663 | 393.7157 |
| Stddev | .030073 | .013301 | .08853 | .021966 | .016061 | .3423 |
| %RSD | .6343606 | .2808780 | .3781226 | .4791314 | .3541832 | .0869360 |
| #1 | 4.771563 | 4.723542 | 23.46219 | 4.559448 | 4.521389 | 393.6068 |
| #2 | 4.711498 | 4.733455 | 23.31148 | 4.599839 | 4.530083 | 393.4412 |
| #3 | 4.738839 | 4.749878 | 23.46733 | 4.594609 | 4.552516 | 394.0992 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 9.753403 | .4933936 | 2.294388 | 389.9822 | 14.84081 | 2.381416 |
| Stddev | .035769 | .0026033 | .007770 | .6774 | .03482 | .007975 |
| %RSD | .3667306 | .5276311 | .3386337 | .1737022 | .2346538 | .3348698 |
| #1 | 9.779774 | .4905242 | 2.298373 | 389.2271 | 14.82009 | 2.384923 |
| #2 | 9.712689 | .4940522 | 2.285434 | 390.5365 | 14.82132 | 2.372289 |
| #3 | 9.767745 | .4956043 | 2.299356 | 390.1830 | 14.88102 | 2.387036 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 14.48050 | 400.7752 | 14.47034 | 390.8466 | 2.370996 | 1.190356 |
| Stddev | .03528 | 1.2830 | .02780 | .7849 | .006680 | .005541 |
| %RSD | .2436503 | .3201313 | .1921312 | .2008305 | .2817374 | .4655083 |
| #1 | 14.50893 | 399.3237 | 14.48602 | 390.0482 | 2.377065 | 1.187186 |
| #2 | 14.44102 | 401.2440 | 14.43824 | 391.6173 | 2.363839 | 1.187128 |
| #3 | 14.49156 | 401.7578 | 14.48676 | 390.8744 | 2.372083 | 1.196755 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 396.8973 | 2.387315 | 13.97571 | 148.2976 | 4.817863 | 5.069074 |
| Stddev | .3561 | .004539 | .01569 | .4544 | .014442 | .030806 |
| %RSD | .0897146 | .1901481 | .1122522 | .3064062 | .2997575 | .6077203 |
| #1 | 396.4942 | 2.386753 | 13.96075 | 148.0591 | 4.821159 | 5.039764 |
| #2 | 397.1691 | 2.383084 | 13.99204 | 148.0121 | 4.802058 | 5.066273 |
| #3 | 397.0287 | 2.392110 | 13.97433 | 148.8216 | 4.830372 | 5.101185 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: CCV002 Acquired: 10/25/2024 22:20:15 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV002 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | F 4.479013 | 4.783114 | 5.064407 | 4.721773 | 4.752646 | 4.988912 |
| Stddev | .018630 | .009549 | .029900 | .005600 | .003543 | .006186 |
| %RSD | .4159348 | .1996497 | .5903851 | .1186028 | .0745488 | .1240023 |
| #1 | 4.464480 | 4.778049 | 5.031125 | 4.726176 | 4.755791 | 4.981774 |
| #2 | 4.472544 | 4.777163 | 5.073098 | 4.715470 | 4.748808 | 4.992231 |
| #3 | 4.500015 | 4.794129 | 5.088998 | 4.723674 | 4.753339 | 4.992730 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | 4.962480 |
| Stddev | .009069 |
| %RSD | .1827412 |
| #1 | 4.963347 |
| #2 | 4.953010 |
| #3 | 4.971085 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 758.5341 | 19840.33 | 2520.335 | 611.7626 | 1394.182 |
| Stddev | 2.5880 | 35.61 | 10.021 | .9508 | 6.189 |
| %RSD | .3411796 | .1794957 | .3975990 | .1554212 | .4438802 |
| #1 | 758.9771 | 19833.30 | 2530.701 | 612.6374 | 1390.450 |
| #2 | 760.8719 | 19878.93 | 2519.605 | 610.7506 | 1401.326 |
| #3 | 755.7532 | 19808.76 | 2510.699 | 611.8998 | 1390.771 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: CCB002 Acquired: 10/25/2024 22:24:28 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB002 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0035462 | -.003393 | .0025019 | .0004441 | -.001843 | -.106391 | .0000146 |
| Stddev | .0053656 | .000418 | .0010306 | .0018797 | .001659 | .024149 | .0004579 |
| %RSD | 151.3034 | 12.30830 | 41.19284 | 423.2958 | 90.00348 | 22.69857 | 3137.130 |
| #1 | -.001939 | -.003464 | .0026472 | .0025234 | .000061 | -.129743 | -.000473 |
| #2 | .003795 | -.002944 | .0034520 | -.000057 | -.002979 | -.081517 | .000435 |
| #3 | .008783 | -.003770 | .0014063 | -.001135 | -.002611 | -.107912 | .000082 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.000139 | -.000170 | -.034153 | -.000470 | .0003087 | .0053532 | -.067882 |
| Stddev | .000200 | .000029 | .015167 | .000548 | .0003424 | .0025170 | .018071 |
| %RSD | 143.9728 | 17.26411 | 44.40948 | 116.5078 | 110.9407 | 47.01874 | 26.62170 |
| #1 | -.000208 | -.000203 | -.037191 | -.000505 | -.000060 | .0059595 | -.060679 |
| #2 | .000087 | -.000158 | -.017697 | .000094 | .000368 | .0025884 | -.054523 |
| #3 | -.000295 | -.000148 | -.047572 | -.000999 | .000617 | .0075116 | -.088444 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.001311 | -.110333 | -.000593 | .0004862 | .0875388 | -.003665 | -.002365 |
| Stddev | .000875 | .057719 | .000550 | .0002382 | .0797110 | .008234 | .000523 |
| %RSD | 66.74671 | 52.31381 | 92.70984 | 48.98248 | 91.05792 | 224.6638 | 22.11245 |
| #1 | -.000555 | -.126251 | -.000868 | .0002635 | .1360970 | -.012030 | -.002539 |
| #2 | -.001108 | -.158423 | .000040 | .0004579 | .1309754 | .004431 | -.002779 |
| #3 | -.002269 | -.046325 | -.000951 | .0007373 | -.004456 | -.003395 | -.001777 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .2044133 | -.001685 | .0071507 | -.000243 | -.008386 | -.000774 | .0015620 |
| Stddev | .0290526 | .001849 | .0017628 | .000093 | .001746 | .000401 | .0011490 |
| %RSD | 14.21269 | 109.6827 | 24.65183 | 38.37314 | 20.82200 | 51.86238 | 73.56130 |
| #1 | .2075016 | -.002746 | .0071491 | -.000316 | -.010371 | -.001217 | .0004579 |
| #2 | .1739399 | .000449 | .0089142 | -.000275 | -.007089 | -.000672 | .0027512 |
| #3 | .2317984 | -.002759 | .0053887 | -.000138 | -.007697 | -.000433 | .0014770 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: CCB002 Acquired: 10/25/2024 22:24:28 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB002 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | -.000960 | .0040345 | -.000223 |
| Stddev | .000339 | .0013913 | .000061 |
| %RSD | 35.35453 | 34.48389 | 27.19306 |
| | | | |
| #1 | -.001334 | .0024332 | -.000243 |
| #2 | -.000671 | .0047243 | -.000155 |
| #3 | -.000875 | .0049462 | -.000270 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 945.5665 | 21764.89 | 2629.298 | 796.5413 | 1832.395 |
| Stddev | 2.3928 | 52.32 | 4.648 | 5.0961 | 4.503 |
| %RSD | .2530586 | .2403823 | .1767818 | .6397832 | .2457224 |
| | | | | | |
| #1 | 944.1322 | 21806.65 | 2624.318 | 798.9011 | 1827.208 |
| #2 | 948.3288 | 21781.81 | 2630.054 | 800.0299 | 1834.684 |
| #3 | 944.2384 | 21706.20 | 2633.521 | 790.6930 | 1835.294 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-12DLX2 Acquired: 10/25/2024 22:29:01 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBC3 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .5804179 | -.035051 | 1.672682 | .0067366 | .0088585 | 128.4929 |
| Stddev | .0035201 | .001677 | .002518 | .0031920 | .0026465 | .1433 |
| %RSD | .6064690 | 4.784724 | .1505515 | 47.38312 | 29.87554 | .1115089 |
| #1 | .5776644 | -.033133 | 1.670337 | .0103994 | .0069434 | 128.3705 |
| #2 | .5843840 | -.035775 | 1.675344 | .0052608 | .0077537 | 128.4577 |
| #3 | .5792054 | -.036244 | 1.672365 | .0045495 | .0118784 | 128.6505 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 2.005448 | .0090867 | .0478254 | 40.62365 | .3289832 | .1744567 |
| Stddev | .003770 | .0002899 | .0001376 | .07950 | .0006287 | .0004311 |
| %RSD | .1879977 | 3.190658 | .2876627 | .1956889 | .1911000 | .2471122 |
| #1 | 2.001287 | .0089677 | .0476688 | 40.63534 | .3286090 | .1741693 |
| #2 | 2.006419 | .0094172 | .0479270 | 40.69665 | .3286316 | .1742485 |
| #3 | 2.008637 | .0088752 | .0478803 | 40.53895 | .3297090 | .1749524 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 6.792402 | 234.6043 | 7.383325 | 40.00835 | .4747669 | -.002697 |
| Stddev | .020717 | .5636 | .013068 | .13135 | .0001834 | .000352 |
| %RSD | .3050095 | .2402483 | .1769937 | .3283150 | .0386228 | 13.06083 |
| #1 | 6.777832 | 234.4491 | 7.370164 | 39.85831 | .4749258 | -.002458 |
| #2 | 6.783254 | 234.1345 | 7.383513 | 40.06413 | .4748086 | -.002531 |
| #3 | 6.816118 | 235.2292 | 7.396298 | 40.10261 | .4745662 | -.003101 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.336513 | .3938020 | 3.038458 | 17.99175 | F 10.24174 | .2671247 |
| Stddev | .268222 | .0054880 | .009666 | .08453 | .02330 | .0016714 |
| %RSD | 20.06880 | 1.393581 | .3181353 | .4698413 | .2274920 | .6256947 |
| #1 | 1.645993 | .3910550 | 3.048216 | 17.89487 | 10.21943 | .2670476 |
| #2 | 1.171303 | .3902300 | 3.038270 | 18.05054 | 10.26592 | .2654933 |
| #3 | 1.192243 | .4001210 | 3.028886 | 18.02983 | 10.23986 | .2688334 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-12DLX2 Acquired: 10/25/2024 22:29:01 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBC3 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0007883 | 2.454717 | 6.068154 | .0279829 | 4.797095 | .0835114 |
| Stddev | .0005205 | .014005 | .008728 | .0007396 | .009153 | .0027237 |
| %RSD | 66.03239 | .5705294 | .1438399 | 2.643051 | .1907947 | 3.261521 |
| #1 | .0003013 | 2.439170 | 6.077849 | .0282398 | 4.787129 | .0836067 |
| #2 | .0013369 | 2.458635 | 6.060920 | .0271491 | 4.799033 | .0807412 |
| #3 | .0007268 | 2.466345 | 6.065692 | .0285597 | 4.805124 | .0861862 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .4475417 |
| Stddev | .0011286 |
| %RSD | .2521686 |
| #1 | .4462621 |
| #2 | .4479680 |
| #3 | .4483950 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1055.359 | 24911.20 | 3070.516 | 895.7833 | 1724.031 |
| Stddev | .618 | 21.16 | .787 | .9197 | 2.007 |
| %RSD | .0585704 | .0849274 | .0256268 | .1026680 | .1164340 |
| #1 | 1054.904 | 24935.60 | 3071.171 | 894.8195 | 1724.898 |
| #2 | 1055.112 | 24900.07 | 3069.644 | 895.8790 | 1721.736 |
| #3 | 1056.063 | 24897.94 | 3070.734 | 896.6514 | 1725.459 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-13DLX2 Acquired: 10/25/2024 22:33:22 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBC4 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .3690599 | -.031382 | .8525438 | .0056598 | .0034757 | 121.4647 | 1.833473 |
| Stddev | .0030116 | .003687 | .0031934 | .0062665 | .0009955 | .2833 | .004224 |
| %RSD | .8160134 | 11.74746 | .3745749 | 110.7197 | 28.64281 | .2332050 | .2304075 |
| | | | | | | | |
| #1 | .3678245 | -.030896 | .8537000 | -.000808 | .0028279 | 121.2174 | 1.833851 |
| #2 | .3724927 | -.027962 | .8549981 | .011704 | .0046220 | 121.7737 | 1.837496 |
| #3 | .3668625 | -.035287 | .8489334 | .006083 | .0029772 | 121.4030 | 1.829072 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0082331 | .0295336 | 43.87508 | .2972487 | .1443376 | 3.660660 | 196.4701 |
| Stddev | .0002315 | .0001803 | .13459 | .0016070 | .0011333 | .005846 | .7203 |
| %RSD | 2.811308 | .6105690 | .3067552 | .5406067 | .7851439 | .1596873 | .3666408 |
| | | | | | | | |
| #1 | .0082305 | .0295873 | 43.71969 | .2978827 | .1453277 | 3.660074 | 195.8969 |
| #2 | .0084659 | .0296809 | 43.95076 | .2984420 | .1445835 | 3.666777 | 197.2787 |
| #3 | .0080030 | .0293325 | 43.95480 | .2954215 | .1431015 | 3.655130 | 196.2346 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 6.433352 | 38.12128 | .4636232 | -.010216 | 1.205406 | .3503640 | 1.903281 |
| Stddev | .015963 | .07519 | .0007005 | .000509 | .144777 | .0089017 | .011394 |
| %RSD | .2481226 | .1972288 | .1510974 | 4.981677 | 12.01064 | 2.540688 | .5986443 |
| | | | | | | | |
| #1 | 6.425488 | 38.07320 | .4639255 | -.009880 | 1.368629 | .3459873 | 1.894835 |
| #2 | 6.451721 | 38.20792 | .4641218 | -.009966 | 1.155084 | .3606067 | 1.916240 |
| #3 | 6.422847 | 38.08271 | .4628223 | -.010801 | 1.092505 | .3444980 | 1.898768 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 16.02506 | 9.510875 | .2260750 | -.000597 | 1.587200 | 7.392486 | .0165597 |
| Stddev | .13216 | .028362 | .0016860 | .000807 | .013854 | .014293 | .0008730 |
| %RSD | .8247339 | .2982057 | .7457680 | 135.2620 | .8728787 | .1933512 | 5.271940 |
| | | | | | | | |
| #1 | 16.11544 | 9.499755 | .2277911 | -.001527 | 1.586216 | 7.399860 | .0174987 |
| #2 | 16.08637 | 9.543112 | .2260131 | -.000181 | 1.601520 | 7.401586 | .0164080 |
| #3 | 15.87338 | 9.489757 | .2244208 | -.000082 | 1.573864 | 7.376011 | .0157725 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-13DLX2 Acquired: 10/25/2024 22:33:22 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBC4 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 4.265738 | .0780415 | .4435663 |
| Stddev | .014110 | .0015294 | .0010508 |
| %RSD | .3307717 | 1.959672 | .2369044 |
| | | | |
| #1 | 4.257163 | .0771412 | .4429699 |
| #2 | 4.282023 | .0798074 | .4447796 |
| #3 | 4.258027 | .0771760 | .4429494 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1051.558 | 24912.40 | 3072.758 | 899.0858 | 1723.801 |
| Stddev | 2.764 | 56.75 | 7.583 | 4.9513 | 6.854 |
| %RSD | .2628324 | .2277934 | .2467852 | .5507052 | .3976107 |
| | | | | | |
| #1 | 1051.318 | 24954.72 | 3074.327 | 903.6256 | 1720.114 |
| #2 | 1048.921 | 24847.91 | 3064.513 | 893.8062 | 1719.580 |
| #3 | 1054.433 | 24934.57 | 3079.434 | 899.8255 | 1731.709 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-14DLX2 Acquired: 10/25/2024 22:37:44 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBC5 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .5370197 | -.046266 | 1.045863 | .0039027 | .0099306 | 171.6824 |
| Stddev | .0021546 | .004926 | .000654 | .0062718 | .0022923 | .3582 |
| %RSD | .4012065 | 10.64814 | .0624919 | 160.7042 | 23.08295 | .2086655 |
| #1 | .5351145 | -.041603 | 1.045896 | .0005953 | .0096709 | 171.9060 |
| #2 | .5365868 | -.045776 | 1.045194 | -.000023 | .0077793 | 171.2692 |
| #3 | .5393579 | -.051420 | 1.046500 | .011136 | .0123417 | 171.8720 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 2.511419 | .0115919 | .0401775 | 48.88875 | .4281454 | .1956481 |
| Stddev | .005580 | .0000866 | .0002474 | .06613 | .0011110 | .0009842 |
| %RSD | .2221888 | .7469657 | .6156739 | .1352700 | .2594879 | .5030504 |
| #1 | 2.509856 | .0116340 | .0399810 | 48.95938 | .4293850 | .1964115 |
| #2 | 2.506787 | .0116493 | .0400963 | 48.82830 | .4278119 | .1945373 |
| #3 | 2.517614 | .0114923 | .0404553 | 48.87858 | .4272394 | .1959953 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 4.490057 | 303.3789 | 8.357720 | 50.35789 | .6316054 | -.016280 |
| Stddev | .008382 | .1219 | .033104 | .13621 | .0013336 | .000363 |
| %RSD | .1866778 | .0401806 | .3960868 | .2704916 | .2111390 | 2.230189 |
| #1 | 4.499688 | 303.5132 | 8.356748 | 50.29800 | .6322932 | -.015941 |
| #2 | 4.484413 | 303.2753 | 8.325113 | 50.51379 | .6300683 | -.016235 |
| #3 | 4.486070 | 303.3482 | 8.391299 | 50.26189 | .6324546 | -.016663 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.539327 | .5259889 | 2.415843 | 20.29391 | F 11.16249 | .3365557 |
| Stddev | .254375 | .0027337 | .011497 | .03881 | .00911 | .0004147 |
| %RSD | 16.52507 | .5197319 | .4758921 | .1912199 | .0816046 | .1232215 |
| #1 | 1.248569 | .5239296 | 2.405129 | 20.29823 | 11.15264 | .3361033 |
| #2 | 1.648633 | .5249467 | 2.427989 | 20.25313 | 11.17061 | .3366460 |
| #3 | 1.720779 | .5290904 | 2.414412 | 20.33038 | 11.16421 | .3369179 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-14DLX2 Acquired: 10/25/2024 22:37:44 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBC5 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0006737 | 2.202095 | 4.060580 | .0297600 | 5.329100 | .1138526 |
| Stddev | .0001980 | .004786 | .004444 | .0036078 | .009590 | .0008176 |
| %RSD | 29.38538 | .2173493 | .1094508 | 12.12288 | .1799517 | .7180833 |
| #1 | .0004512 | 2.201074 | 4.055791 | .0295625 | 5.332247 | .1129593 |
| #2 | .0008304 | 2.197901 | 4.064571 | .0262551 | 5.318332 | .1145636 |
| #3 | .0007395 | 2.207309 | 4.061378 | .0334626 | 5.336721 | .1140348 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .5391689 |
| Stddev | .0003350 |
| %RSD | .0621300 |
| #1 | .5392622 |
| #2 | .5387971 |
| #3 | .5394473 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1054.442 | 24888.38 | 3089.851 | 897.7709 | 1653.159 |
| Stddev | .744 | 62.86 | 4.170 | 1.9735 | 3.719 |
| %RSD | .0705179 | .2525578 | .1349490 | .2198263 | .2249337 |
| #1 | 1055.300 | 24819.76 | 3085.268 | 898.8641 | 1649.464 |
| #2 | 1053.992 | 24902.22 | 3090.866 | 895.4926 | 1656.900 |
| #3 | 1054.033 | 24943.17 | 3093.420 | 898.9558 | 1653.113 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-15DLX2 Acquired: 10/25/2024 22:42:05 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBC6 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .4072123 | -.032709 | .7090701 | -.001213 | .0097054 | 95.23086 | 1.544955 |
| Stddev | .0117815 | .001358 | .0064770 | .001604 | .0018782 | .32171 | .003725 |
| %RSD | 2.893207 | 4.153082 | .9134472 | 132.2714 | 19.35221 | .3378242 | .2411182 |
| #1 | .4143327 | -.031298 | .7042357 | .000620 | .0094668 | 94.98697 | 1.544736 |
| #2 | .3936133 | -.034008 | .7065453 | -.001895 | .0116915 | 95.11014 | 1.541344 |
| #3 | .4136910 | -.032823 | .7164292 | -.002362 | .0079579 | 95.59547 | 1.548785 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0068784 | .0294400 | 27.63478 | .2404366 | .1536923 | 3.690923 | 218.5272 |
| Stddev | .0001896 | .0001340 | .11681 | .0004441 | .0004689 | .007574 | .8936 |
| %RSD | 2.756050 | .4551581 | .4226749 | .1847208 | .3050902 | .2052046 | .4089382 |
| #1 | .0066604 | .0295042 | 27.51132 | .2399481 | .1531762 | 3.686339 | 217.7034 |
| #2 | .0069703 | .0292859 | 27.74354 | .2408161 | .1538088 | 3.686764 | 218.4011 |
| #3 | .0070045 | .0295297 | 27.64946 | .2405457 | .1540920 | 3.699665 | 219.4772 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 9.320269 | 35.54309 | .2856346 | -.012836 | 1.217910 | .3654692 | 1.553642 |
| Stddev | .025261 | .12946 | .0005832 | .000336 | .162070 | .0153448 | .001350 |
| %RSD | .2710314 | .3642276 | .2041791 | 2.620444 | 13.30721 | 4.198651 | .0869179 |
| #1 | 9.304363 | 35.41169 | .2857377 | -.013017 | 1.368280 | .3478625 | 1.552104 |
| #2 | 9.307046 | 35.67051 | .2850067 | -.013044 | 1.239205 | .3725510 | 1.554186 |
| #3 | 9.349396 | 35.54707 | .2861594 | -.012448 | 1.046245 | .3759942 | 1.554634 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 21.42451 | 6.806028 | .2380337 | .0022440 | .7398555 | 3.063755 | .0147555 |
| Stddev | .10488 | .014070 | .0011652 | .0007274 | .0057128 | .002335 | .0021543 |
| %RSD | .4895543 | .2067223 | .4894961 | 32.41468 | .7721478 | .0762183 | 14.59984 |
| #1 | 21.35272 | 6.791155 | .2367772 | .0018868 | .7356044 | 3.061553 | .0142621 |
| #2 | 21.37593 | 6.807802 | .2382456 | .0017642 | .7463493 | 3.066204 | .0128907 |
| #3 | 21.54488 | 6.819126 | .2390784 | .0030809 | .7376127 | 3.063510 | .0171136 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-15DLX2 Acquired: 10/25/2024 22:42:05 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBC6 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 4.283000 | .0712211 | .3953130 |
| Stddev | .012937 | .0011344 | .0012763 |
| %RSD | .3020647 | 1.592829 | .3228582 |
| | | | |
| #1 | 4.276318 | .0720832 | .3942562 |
| #2 | 4.274769 | .0716442 | .3949518 |
| #3 | 4.297912 | .0699359 | .3967310 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1039.138 | 24248.20 | 2990.309 | 876.1382 | 1698.327 |
| Stddev | 2.812 | 88.51 | 10.176 | 3.8415 | 2.102 |
| %RSD | .2706513 | .3650344 | .3402950 | .4384590 | .1237741 |
| | | | | | |
| #1 | 1042.385 | 24278.56 | 2998.228 | 879.3387 | 1700.582 |
| #2 | 1037.452 | 24317.54 | 2993.868 | 877.1978 | 1697.977 |
| #3 | 1037.578 | 24148.50 | 2978.832 | 871.8781 | 1696.421 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-16DLX2 Acquired: 10/25/2024 22:46:28 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBC7 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .3074193 | -.027170 | .6151892 | -.000404 | .0090097 | 84.48912 | 1.587264 |
| Stddev | .0029464 | .000768 | .0032210 | .001472 | .0022108 | .10473 | .004964 |
| %RSD | .9584198 | 2.828414 | .5235859 | 364.3712 | 24.53789 | .1239574 | .3127303 |
| #1 | .3059847 | -.027969 | .6154985 | .001044 | .0112215 | 84.43868 | 1.591071 |
| #2 | .3054650 | -.026437 | .6182444 | -.000357 | .0067999 | 84.60953 | 1.589071 |
| #3 | .3108082 | -.027103 | .6118246 | -.001899 | .0090078 | 84.41915 | 1.581649 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0065840 | .0253069 | 25.35499 | .2173418 | .1407014 | 2.996485 | 232.9608 |
| Stddev | .0000986 | .0001005 | .12417 | .0001841 | .0012457 | .008573 | .5605 |
| %RSD | 1.496897 | .3971963 | .4897137 | .0846826 | .8853714 | .2861177 | .2405869 |
| #1 | .0066812 | .0253708 | 25.23086 | .2171755 | .1400166 | 3.003171 | 232.3168 |
| #2 | .0064841 | .0253589 | 25.47919 | .2173103 | .1399484 | 2.999466 | 233.2276 |
| #3 | .0065868 | .0251910 | 25.35491 | .2175396 | .1421393 | 2.986819 | 233.3381 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 10.65555 | 32.23981 | .2613106 | -.015230 | 1.187032 | .3486315 | 1.345506 |
| Stddev | .02905 | .14642 | .0010812 | .000158 | .285754 | .0028254 | .003480 |
| %RSD | .2726259 | .4541579 | .4137464 | 1.035098 | 24.07300 | .8104225 | .2586605 |
| #1 | 10.68211 | 32.20787 | .2606631 | -.015239 | 1.422150 | .3475273 | 1.344765 |
| #2 | 10.66003 | 32.39957 | .2607100 | -.015068 | .868986 | .3518422 | 1.349297 |
| #3 | 10.62453 | 32.11200 | .2625588 | -.015383 | 1.269960 | .3465249 | 1.342455 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 18.84294 | 6.401859 | .2541540 | .0014506 | .8043793 | 4.098059 | .0173982 |
| Stddev | .15756 | .015951 | .0005582 | .0007535 | .0086408 | .013897 | .0018026 |
| %RSD | .8361916 | .2491545 | .2196355 | 51.93943 | 1.074215 | .3391060 | 10.36092 |
| #1 | 18.95516 | 6.391754 | .2538800 | .0009847 | .7946271 | 4.092605 | .0158740 |
| #2 | 18.91085 | 6.393576 | .2547962 | .0010473 | .8110814 | 4.113856 | .0169328 |
| #3 | 18.66281 | 6.420247 | .2537856 | .0023199 | .8074292 | 4.087717 | .0193879 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-16DLX2 Acquired: 10/25/2024 22:46:28 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBC7 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 4.197593 | .0631683 | .3365839 |
| Stddev | .006186 | .0008125 | .0005199 |
| %RSD | .1473618 | 1.286167 | .1544532 |
| | | | |
| #1 | 4.195837 | .0641011 | .3369172 |
| #2 | 4.204467 | .0627885 | .3368497 |
| #3 | 4.192476 | .0626154 | .3359849 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1020.811 | 23967.06 | 2927.650 | 866.4801 | 1707.504 |
| Stddev | .402 | 30.56 | 11.428 | 3.2847 | 1.573 |
| %RSD | .0393765 | .1274932 | .3903527 | .3790826 | .0921068 |
| | | | | | |
| #1 | 1020.504 | 23975.98 | 2930.322 | 865.4019 | 1706.101 |
| #2 | 1020.664 | 23933.03 | 2915.122 | 863.8700 | 1709.204 |
| #3 | 1021.266 | 23992.16 | 2937.505 | 870.1684 | 1707.206 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-17DLX2 Acquired: 10/25/2024 22:50:51 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBC8 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .2400315 | -.028977 | .5186087 | .0052412 | .0074343 | 108.0681 | 1.721533 |
| Stddev | .0041723 | .003724 | .0030623 | .0030397 | .0015524 | .2900 | .005208 |
| %RSD | 1.738214 | 12.85254 | .5904803 | 57.99612 | 20.88110 | .2683700 | .3025441 |
| #1 | .2398242 | -.032497 | .5188684 | .0021237 | .0074858 | 107.7796 | 1.719635 |
| #2 | .2443036 | -.029357 | .5154249 | .0081966 | .0089602 | 108.3596 | 1.727424 |
| #3 | .2359668 | -.025078 | .5215329 | .0054034 | .0058568 | 108.0651 | 1.717540 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0076834 | .0177549 | 36.66396 | .2747314 | .1292114 | 1.964636 | 206.7527 |
| Stddev | .0001606 | .0000518 | .15878 | .0004951 | .0002761 | .008077 | .0992 |
| %RSD | 2.090484 | .2919235 | .4330682 | .1802126 | .2136488 | .4111353 | .0479853 |
| #1 | .0075438 | .0178109 | 36.55649 | .2748816 | .1295295 | 1.959381 | 206.8612 |
| #2 | .0076476 | .0177087 | 36.84633 | .2751341 | .1290702 | 1.973937 | 206.7301 |
| #3 | .0078590 | .0177449 | 36.58904 | .2741786 | .1290345 | 1.960591 | 206.6667 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 6.253382 | 33.64428 | .4068471 | -.012171 | 1.134746 | .3416746 | 1.141071 |
| Stddev | .024637 | .18419 | .0008302 | .000918 | .214436 | .0029326 | .003444 |
| %RSD | .3939844 | .5474624 | .2040486 | 7.540920 | 18.89725 | .8583141 | .3017826 |
| #1 | 6.255858 | 33.72403 | .4065863 | -.012693 | 1.273346 | .3416045 | 1.144827 |
| #2 | 6.276688 | 33.77515 | .4061787 | -.011111 | .887752 | .3387777 | 1.140322 |
| #3 | 6.227600 | 33.43365 | .4077764 | -.012708 | 1.243141 | .3446417 | 1.138063 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 15.43085 | 7.685668 | .2314283 | -.000718 | 1.443818 | 4.339563 | .0103693 |
| Stddev | .09987 | .016373 | .0007442 | .000389 | .004908 | .016267 | .0010161 |
| %RSD | .6472117 | .2130296 | .3215566 | 54.15840 | .3399174 | .3748584 | 9.799462 |
| #1 | 15.53603 | 7.692736 | .2319736 | -.001122 | 1.446668 | 4.343197 | .0092092 |
| #2 | 15.41918 | 7.697320 | .2305805 | -.000685 | 1.438151 | 4.353706 | .0111016 |
| #3 | 15.33732 | 7.666949 | .2317309 | -.000347 | 1.446636 | 4.321786 | .0107971 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-17DLX2 Acquired: 10/25/2024 22:50:51 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBC8 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 4.480584 | .0728332 | .3771125 |
| Stddev | .008781 | .0009577 | .0007402 |
| %RSD | .1959850 | 1.314889 | .1962731 |
| | | | |
| #1 | 4.477814 | .0730708 | .3765662 |
| #2 | 4.490416 | .0717790 | .3779549 |
| #3 | 4.473522 | .0736496 | .3768164 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1014.347 | 23880.01 | 2927.140 | 864.9608 | 1702.708 |
| Stddev | .340 | 118.10 | 15.868 | 2.0842 | 3.076 |
| %RSD | .0335356 | .4945705 | .5421090 | .2409604 | .1806551 |
| | | | | | |
| #1 | 1014.130 | 23942.51 | 2925.682 | 862.9515 | 1699.480 |
| #2 | 1014.739 | 23743.79 | 2912.051 | 864.8183 | 1705.605 |
| #3 | 1014.172 | 23953.74 | 2943.687 | 867.1126 | 1703.039 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-18DLX2 Acquired: 10/25/2024 22:55:14 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBC9 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .1246800 | -.031488 | .3853312 | -.005091 | .0031289 | 134.8379 |
| Stddev | .0039284 | .003325 | .0021128 | .004677 | .0003202 | .4635 |
| %RSD | 3.150817 | 10.55908 | .5482975 | 91.87631 | 10.23487 | .3437544 |
| #1 | .1235323 | -.031544 | .3870767 | .000085 | .0028649 | 135.3728 |
| #2 | .1214532 | -.028135 | .3829824 | -.009015 | .0030367 | 134.5561 |
| #3 | .1290545 | -.034784 | .3859345 | -.006343 | .0034851 | 134.5847 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 2.476991 | .0082182 | .0144913 | 52.68755 | .2711771 | .1255624 |
| Stddev | .004942 | .0000754 | .0002354 | .34538 | .0019975 | .0008198 |
| %RSD | .1994978 | .9169117 | 1.624341 | .6555266 | .7366095 | .6528843 |
| #1 | 2.482678 | .0082225 | .0142734 | 53.06387 | .2712370 | .1247325 |
| #2 | 2.474550 | .0081407 | .0147409 | 52.38504 | .2731440 | .1263717 |
| #3 | 2.473745 | .0082912 | .0144596 | 52.61375 | .2691503 | .1255832 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.278967 | 201.1456 | 6.686819 | 45.53236 | .4248254 | -.014196 |
| Stddev | .007862 | .8837 | .021358 | .28819 | .0013635 | .000491 |
| %RSD | .6147000 | .4393285 | .3193999 | .6329250 | .3209591 | 3.455735 |
| #1 | 1.285497 | 202.1150 | 6.691880 | 45.85788 | .4232520 | -.014736 |
| #2 | 1.270240 | 200.3851 | 6.663386 | 45.30979 | .4255628 | -.014076 |
| #3 | 1.281163 | 200.9367 | 6.705192 | 45.42940 | .4256614 | -.013778 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.283108 | .3355370 | 1.179936 | 25.56227 | F 10.67307 | .2391074 |
| Stddev | .301473 | .0069732 | .002135 | .05773 | .01851 | .0020699 |
| %RSD | 23.49553 | 2.078218 | .1809567 | .2258366 | .1734469 | .8656908 |
| #1 | 1.095083 | .3315308 | 1.178911 | 25.61279 | 10.69387 | .2413102 |
| #2 | 1.123405 | .3314913 | 1.182390 | 25.49935 | 10.65841 | .2372027 |
| #3 | 1.630834 | .3435889 | 1.178506 | 25.57468 | 10.66694 | .2388093 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-18DLX2 Acquired: 10/25/2024 22:55:14 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBC9 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.000128 | 1.962336 | 4.521635 | .0138915 | 4.388298 | .0900111 |
| Stddev | .000602 | .005321 | .030975 | .0010245 | .011801 | .0012602 |
| %RSD | 470.5016 | .2711636 | .6850312 | 7.375013 | .2689240 | 1.400054 |
| #1 | .000273 | 1.965838 | 4.557085 | .0127457 | 4.401917 | .0903083 |
| #2 | -.000820 | 1.956213 | 4.499798 | .0142097 | 4.381092 | .0910961 |
| #3 | .000163 | 1.964957 | 4.508023 | .0147192 | 4.381884 | .0886288 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .6051191 |
| Stddev | .0019839 |
| %RSD | .3278462 |
| #1 | .6074055 |
| #2 | .6038527 |
| #3 | .6040992 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1018.445 | 24127.02 | 2977.344 | 872.4870 | 1670.776 |
| Stddev | .906 | 17.98 | 17.163 | .6480 | .173 |
| %RSD | .0889994 | .0745215 | .5764380 | .0742750 | .0103607 |
| #1 | 1019.122 | 24119.44 | 2959.499 | 872.2006 | 1670.975 |
| #2 | 1017.415 | 24114.08 | 2993.732 | 872.0315 | 1670.685 |
| #3 | 1018.798 | 24147.55 | 2978.800 | 873.2289 | 1670.666 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-19DLX2 Acquired: 10/25/2024 22:59:37 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBD0 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .4644402 | -.030019 | .7872854 | -.003417 | .0023890 | 119.0256 | 2.512293 |
| Stddev | .0090233 | .004281 | .0045919 | .001532 | .0026383 | .2648 | .000905 |
| %RSD | 1.942839 | 14.25975 | .5832574 | 44.82924 | 110.4349 | .2224522 | .0360379 |
| #1 | .4743359 | -.031600 | .7916314 | -.003247 | -.000464 | 119.3301 | 2.511291 |
| #2 | .4623168 | -.033284 | .7824818 | -.005027 | .004740 | 118.8972 | 2.512538 |
| #3 | .4566680 | -.025172 | .7877431 | -.001978 | .002891 | 118.8495 | 2.513051 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0079383 | .0405657 | 38.79267 | .2966354 | .1447761 | 4.003639 | 194.3079 |
| Stddev | .0000865 | .0001496 | .22824 | .0010827 | .0004572 | .019101 | .8276 |
| %RSD | 1.089373 | .3686818 | .5883511 | .3649884 | .3158337 | .4770851 | .4259099 |
| #1 | .0078801 | .0407067 | 39.02872 | .2961858 | .1451068 | 4.024181 | 195.2534 |
| #2 | .0078970 | .0404089 | 38.77613 | .2978705 | .1442543 | 3.986415 | 193.7148 |
| #3 | .0080376 | .0405815 | 38.57315 | .2958500 | .1449672 | 4.000320 | 193.9557 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 6.412168 | 38.59661 | .4769427 | -.010086 | 1.205290 | .3645246 | 2.345052 |
| Stddev | .005830 | .20744 | .0004974 | .000267 | .238680 | .0028622 | .004973 |
| %RSD | .0909231 | .5374666 | .1042898 | 2.645368 | 19.80270 | .7851981 | .2120587 |
| #1 | 6.418850 | 38.56314 | .4772664 | -.009872 | 1.312662 | .3630085 | 2.339314 |
| #2 | 6.408120 | 38.40793 | .4763699 | -.010000 | 1.371425 | .3627393 | 2.348107 |
| #3 | 6.409533 | 38.81875 | .4771917 | -.010385 | .931782 | .3678260 | 2.347736 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 12.22838 | 9.094324 | .2153884 | -.000572 | .8489392 | 7.033572 | .0135939 |
| Stddev | .02305 | .016063 | .0015839 | .000686 | .0064294 | .037128 | .0019742 |
| %RSD | .1884891 | .1766252 | .7353726 | 119.7633 | .7573514 | .5278621 | 14.52293 |
| #1 | 12.24104 | 9.093002 | .2169120 | -.000252 | .8460150 | 7.075048 | .0158054 |
| #2 | 12.20178 | 9.078963 | .2137504 | -.001360 | .8444916 | 7.003439 | .0129672 |
| #3 | 12.24233 | 9.111007 | .2155027 | -.000106 | .8563110 | 7.022229 | .0120091 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-19DLX2 Acquired: 10/25/2024 22:59:37 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBD0 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 4.301866 | .0766063 | .5570521 |
| Stddev | .010929 | .0008371 | .0006361 |
| %RSD | .2540577 | 1.092735 | .1141936 |
| | | | |
| #1 | 4.313808 | .0769497 | .5577866 |
| #2 | 4.299428 | .0756521 | .5566843 |
| #3 | 4.292361 | .0772171 | .5566853 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1030.546 | 24480.78 | 3003.272 | 882.8545 | 1687.474 |
| Stddev | .346 | 70.02 | 17.924 | 2.2030 | 3.428 |
| %RSD | .0335522 | .2860294 | .5968255 | .2495312 | .2031415 |
| | | | | | |
| #1 | 1030.943 | 24417.06 | 2982.728 | 883.0291 | 1686.565 |
| #2 | 1030.308 | 24469.54 | 3011.365 | 880.5694 | 1691.265 |
| #3 | 1030.388 | 24555.74 | 3015.723 | 884.9650 | 1684.593 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-20DLX2 Acquired: 10/25/2024 23:03:58 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBD1 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .4064623 | -.028067 | .7082030 | .0072599 | .0034221 | 108.4728 | 2.064468 |
| Stddev | .0071743 | .003498 | .0035240 | .0018910 | .0014868 | .1329 | .003699 |
| %RSD | 1.765049 | 12.46146 | .4975990 | 26.04705 | 43.44668 | .1225640 | .1791620 |
| #1 | .4129018 | -.025186 | .7103689 | .0054043 | .0040765 | 108.3275 | 2.060213 |
| #2 | .3987293 | -.031959 | .7101034 | .0091844 | .0044694 | 108.5884 | 2.066277 |
| #3 | .4077559 | -.027058 | .7041367 | .0071909 | .0017203 | 108.5026 | 2.066915 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0072685 | .0411176 | 37.81653 | .2925276 | .1430203 | 3.890292 | 196.5073 |
| Stddev | .0002094 | .0002490 | .13531 | .0017207 | .0001742 | .008130 | .5411 |
| %RSD | 2.880850 | .6055063 | .3578041 | .5882074 | .1218118 | .2089690 | .2753820 |
| #1 | .0071723 | .0410988 | 37.66255 | .2908360 | .1429198 | 3.886518 | 196.1129 |
| #2 | .0075087 | .0408785 | 37.91646 | .2924707 | .1429197 | 3.899622 | 197.1243 |
| #3 | .0071245 | .0413754 | 37.87059 | .2942760 | .1432215 | 3.884735 | 196.2848 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 7.080731 | 38.25652 | .4544746 | -.011146 | 1.324350 | .3629911 | 2.311042 |
| Stddev | .017271 | .18340 | .0015118 | .000364 | .223914 | .0062545 | .016384 |
| %RSD | .2439117 | .4794066 | .3326535 | 3.269220 | 16.90744 | 1.723033 | .7089392 |
| #1 | 7.066540 | 38.27743 | .4535557 | -.011338 | 1.566232 | .3701514 | 2.326954 |
| #2 | 7.075691 | 38.42857 | .4536486 | -.011374 | 1.124306 | .3585951 | 2.311950 |
| #3 | 7.099960 | 38.06355 | .4562195 | -.010726 | 1.282512 | .3602267 | 2.294223 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 13.80505 | 8.795238 | .2214539 | -.000183 | 1.193929 | 5.672481 | .0127002 |
| Stddev | .11637 | .015687 | .0005993 | .000187 | .008778 | .024470 | .0006434 |
| %RSD | .8429815 | .1783598 | .2706341 | 102.3743 | .7351968 | .4313803 | 5.066186 |
| #1 | 13.75532 | 8.812044 | .2208015 | .000019 | 1.195413 | 5.649722 | .0128172 |
| #2 | 13.72182 | 8.792685 | .2215801 | -.000218 | 1.201870 | 5.698362 | .0132771 |
| #3 | 13.93803 | 8.780983 | .2219801 | -.000350 | 1.184504 | 5.669359 | .0120063 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-20DLX2 Acquired: 10/25/2024 23:03:58 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBD1 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 4.547266 | .0742563 | .4989897 |
| Stddev | .012781 | .0007067 | .0015108 |
| %RSD | .2810799 | .9517012 | .3027707 |
| #1 | 4.532651 | .0741255 | .4973785 |
| #2 | 4.556354 | .0750193 | .5003746 |
| #3 | 4.552791 | .0736242 | .4992161 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1032.328 | 24192.97 | 2997.551 | 867.0799 | 1691.743 |
| Stddev | .866 | 23.66 | 3.846 | 7.9386 | .947 |
| %RSD | .0838499 | .0977969 | .1282999 | .9155558 | .0559843 |
| #1 | 1032.985 | 24172.94 | 2999.743 | 858.6924 | 1690.715 |
| #2 | 1031.347 | 24219.08 | 2993.111 | 868.0708 | 1691.934 |
| #3 | 1032.653 | 24186.90 | 2999.800 | 874.4766 | 1692.581 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-21DLX2 Acquired: 10/25/2024 23:08:19 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBD2 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.193421 | -.033505 | 2.810465 | .0144056 | .0273116 | 210.9647 |
| Stddev | .008916 | .001302 | .003118 | .0125247 | .0020506 | 1.0446 |
| %RSD | .7471035 | 3.884761 | .1109302 | 86.94281 | 7.508155 | .4951553 |
| #1 | 1.186547 | -.034980 | 2.812949 | .0215156 | .0261976 | 209.7751 |
| #2 | 1.190221 | -.033016 | 2.806966 | .0217572 | .0260592 | 211.7323 |
| #3 | 1.203496 | -.032519 | 2.811479 | -.000056 | .0296781 | 211.3867 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 2.201544 | .0131510 | .0647196 | 37.60245 | .5822642 | .1891553 |
| Stddev | .009086 | .0000567 | .0001360 | .29096 | .0016345 | .0004147 |
| %RSD | .4127026 | .4307357 | .2100982 | .7737735 | .2807131 | .2192526 |
| #1 | 2.191629 | .0131378 | .0648635 | 37.26672 | .5830978 | .1890238 |
| #2 | 2.203530 | .0131021 | .0647019 | 37.75938 | .5833139 | .1896198 |
| #3 | 2.209472 | .0132130 | .0645933 | 37.78125 | .5803810 | .1888222 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 14.01839 | 187.5333 | 5.569360 | 42.76902 | .5436296 | .0189784 |
| Stddev | .04713 | .7102 | .010923 | .17712 | .0020765 | .0004017 |
| %RSD | .3361936 | .3786887 | .1961200 | .4141259 | .3819759 | 2.116543 |
| #1 | 13.97443 | 186.7186 | 5.567048 | 42.65262 | .5438428 | .0187249 |
| #2 | 14.06815 | 187.8601 | 5.559779 | 42.97285 | .5414547 | .0194415 |
| #3 | 14.01258 | 188.0213 | 5.581254 | 42.68159 | .5455913 | .0187687 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 2.210669 | .3074852 | 6.050774 | 14.51841 | F 10.42775 | .2675115 |
| Stddev | .092620 | .0101959 | .020715 | .10617 | .01989 | .0027252 |
| %RSD | 4.189670 | 3.315906 | .3423508 | .7312566 | .1907587 | 1.018730 |
| #1 | 2.314895 | .3153717 | 6.030242 | 14.39615 | 10.44884 | .2645069 |
| #2 | 2.137792 | .2959717 | 6.071667 | 14.58729 | 10.40932 | .2682037 |
| #3 | 2.179320 | .3111124 | 6.050413 | 14.57180 | 10.42508 | .2698238 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-21DLX2 Acquired: 10/25/2024 23:08:19 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBD2 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0065271 | 2.908917 | 5.637115 | .0893122 | 5.277493 | .0775643 |
| Stddev | .0005269 | .025399 | .032606 | .0032177 | .018815 | .0021609 |
| %RSD | 8.072920 | .8731331 | .5784158 | 3.602735 | .3565057 | 2.785943 |
| #1 | .0063452 | 2.935769 | 5.612880 | .0910656 | 5.255853 | .0753196 |
| #2 | .0061153 | 2.885277 | 5.624280 | .0855987 | 5.289982 | .0796303 |
| #3 | .0071209 | 2.905704 | 5.674185 | .0912724 | 5.286643 | .0777430 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .6025976 |
| Stddev | .0024230 |
| %RSD | .4020940 |
| #1 | .5999675 |
| #2 | .6047390 |
| #3 | .6030863 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1010.401 | 23640.12 | 2933.584 | 853.0428 | 1669.205 |
| Stddev | 2.966 | 32.60 | 11.858 | 4.4076 | 2.249 |
| %RSD | .2935523 | .1379074 | .4042139 | .5166924 | .1347224 |
| #1 | 1007.233 | 23653.04 | 2946.939 | 856.9151 | 1666.615 |
| #2 | 1013.112 | 23603.04 | 2929.523 | 848.2464 | 1670.667 |
| #3 | 1010.857 | 23664.28 | 2924.290 | 853.9668 | 1670.332 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-22DLX2 Acquired: 10/25/2024 23:12:41 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBD3 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .5015352 | -.035693 | 2.234131 | .0098636 | .0260693 | 256.9676 |
| Stddev | .0105492 | .000769 | .003822 | .0015288 | .0014113 | .5389 |
| %RSD | 2.103389 | 2.155417 | .1710533 | 15.49951 | 5.413754 | .2097171 |
| #1 | .5088568 | -.034898 | 2.230156 | .0090319 | .0275070 | 256.9576 |
| #2 | .5063055 | -.036434 | 2.234458 | .0116280 | .0260150 | 256.4337 |
| #3 | .4894434 | -.035746 | 2.237779 | .0089310 | .0246859 | 257.5114 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 2.646812 | .0182341 | .0569416 | 53.71456 | .6608878 | .1263484 |
| Stddev | .009025 | .0001048 | .0002956 | .10509 | .0005216 | .0001772 |
| %RSD | .3409839 | .5747561 | .5190358 | .1956519 | .0789201 | .1402481 |
| #1 | 2.652972 | .0182097 | .0566290 | 53.70862 | .6609375 | .1263810 |
| #2 | 2.636453 | .0183489 | .0569793 | 53.61256 | .6603431 | .1261572 |
| #3 | 2.651013 | .0181437 | .0572165 | 53.82250 | .6613827 | .1265071 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 8.305046 | 202.9089 | 4.429277 | 53.80027 | .6651742 | .0024554 |
| Stddev | .022612 | .7470 | .025039 | .11183 | .0020547 | .0000506 |
| %RSD | .2722659 | .3681330 | .5653090 | .2078588 | .3088937 | 2.060118 |
| #1 | 8.297377 | 202.4168 | 4.455682 | 53.74390 | .6630522 | .0024834 |
| #2 | 8.287267 | 202.5414 | 4.405875 | 53.72785 | .6653164 | .0024858 |
| #3 | 8.330495 | 203.7684 | 4.426274 | 53.92907 | .6671542 | .0023970 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.478228 | .3198025 | 7.019785 | 25.64152 | F 11.80130 | .3321694 |
| Stddev | .189056 | .0044328 | .025800 | .08413 | .02597 | .0007958 |
| %RSD | 12.78938 | 1.386117 | .3675286 | .3281079 | .2200730 | .2395896 |
| #1 | 1.687034 | .3197264 | 7.049318 | 25.61368 | 11.77304 | .3328704 |
| #2 | 1.428981 | .3242729 | 7.001635 | 25.73605 | 11.82412 | .3323334 |
| #3 | 1.318668 | .3154082 | 7.008400 | 25.57485 | 11.80672 | .3313043 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4331-22DLX2 Acquired: 10/25/2024 23:12:41 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBD3 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0068199 | 5.356786 | 5.923499 | .1298353 | 5.324457 | .0947766 |
| Stddev | .0000368 | .007128 | .021646 | .0002509 | .013664 | .0003713 |
| %RSD | .5397933 | .1330727 | .3654241 | .1932768 | .2566251 | .3917281 |
| #1 | .0067779 | 5.348995 | 5.925160 | .1301243 | 5.328961 | .0948709 |
| #2 | .0068465 | 5.358381 | 5.901071 | .1297102 | 5.309110 | .0943673 |
| #3 | .0068354 | 5.362981 | 5.944267 | .1296716 | 5.335301 | .0950916 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .6781981 |
| Stddev | .0016378 |
| %RSD | .2414928 |
| #1 | .6797036 |
| #2 | .6764542 |
| #3 | .6784364 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 993.7392 | 23540.32 | 2909.790 | 853.0913 | 1648.495 |
| Stddev | .8674 | 48.71 | 3.184 | 3.2318 | 1.894 |
| %RSD | .0872821 | .2069072 | .1094403 | .3788381 | .1148827 |
| #1 | 994.7274 | 23502.42 | 2910.989 | 849.5666 | 1650.680 |
| #2 | 993.3867 | 23523.27 | 2912.200 | 853.7920 | 1647.339 |
| #3 | 993.1037 | 23595.26 | 2906.180 | 855.9153 | 1647.465 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: PB164276BL Acquired: 10/25/2024 23:17:01 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: PBS276 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.001353 | -.000613 | .0027186 | -.003702 | -.002306 | -.108851 | -.000373 |
| Stddev | .004521 | .002663 | .0019459 | .002013 | .001603 | .006220 | .000546 |
| %RSD | 334.0230 | 434.3761 | 71.57730 | 54.38491 | 69.49963 | 5.714383 | 146.4237 |
| #1 | -.002080 | -.002047 | .0044329 | -.002377 | -.002113 | -.102301 | .000248 |
| #2 | -.005467 | .002459 | .0031193 | -.006018 | -.003997 | -.114678 | -.000586 |
| #3 | .003486 | -.002251 | .0006035 | -.002710 | -.000809 | -.109573 | -.000780 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.000090 | -.000254 | -.043476 | -.000537 | .0000879 | -.000222 | -.049358 |
| Stddev | .000100 | .000026 | .006092 | .000861 | .0004745 | .003624 | .026589 |
| %RSD | 111.1913 | 10.39574 | 14.01131 | 160.2798 | 539.9637 | 1630.762 | 53.86979 |
| #1 | -.000195 | -.000232 | -.036443 | -.001400 | -.000102 | -.003382 | -.078904 |
| #2 | -.000080 | -.000246 | -.046891 | -.000532 | -.000262 | .003735 | -.027355 |
| #3 | .000004 | -.000283 | -.047094 | .000321 | .000628 | -.001020 | -.041816 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.003383 | -.075918 | -.000263 | .0005790 | .0659340 | -.005340 | -.002746 |
| Stddev | .001275 | .055443 | .000401 | .0002866 | .1292418 | .009022 | .000332 |
| %RSD | 37.69742 | 73.03100 | 152.7563 | 49.49242 | 196.0168 | 168.9636 | 12.08985 |
| #1 | -.004137 | -.058281 | -.000048 | .0002607 | .2124837 | .004873 | -.002402 |
| #2 | -.001911 | -.031438 | -.000014 | .0008165 | .0170691 | -.008663 | -.002772 |
| #3 | -.004102 | -.138034 | -.000725 | .0006597 | -.031751 | -.012228 | -.003065 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.045074 | -.000425 | .0015720 | -.000149 | -.008121 | .0001588 | .0002013 |
| Stddev | .088597 | .004232 | .0002780 | .000124 | .002253 | .0004425 | .0001792 |
| %RSD | 196.5570 | 996.5597 | 17.68656 | 83.62936 | 27.74758 | 278.6269 | 89.01505 |
| #1 | -.145259 | -.004035 | .0015476 | -.000215 | -.010362 | .0005659 | .0002249 |
| #2 | .022953 | -.001471 | .0018615 | -.000225 | -.005855 | .0002227 | .0003675 |
| #3 | -.012917 | .004232 | .0013070 | -.000005 | -.008146 | -.000312 | .0000115 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: PB164276BL Acquired: 10/25/2024 23:17:01 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: PBS276 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | -.001144 | .0030479 | -.000254 |
| Stddev | .001548 | .0008940 | .000028 |
| %RSD | 135.3318 | 29.33236 | 11.20134 |
| | | | |
| #1 | -.000844 | .0031571 | -.000287 |
| #2 | -.002819 | .0038822 | -.000237 |
| #3 | .000232 | .0021043 | -.000238 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 941.7433 | 21853.72 | 2639.004 | 802.1754 | 1829.361 |
| Stddev | .7403 | 5.09 | 11.528 | 3.9798 | .321 |
| %RSD | .0786109 | .0232892 | .4368439 | .4961275 | .0175253 |
| | | | | | |
| #1 | 941.9654 | 21856.39 | 2627.679 | 799.8255 | 1829.056 |
| #2 | 940.9174 | 21856.92 | 2638.607 | 799.9302 | 1829.330 |
| #3 | 942.3472 | 21847.85 | 2650.725 | 806.7705 | 1829.695 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: PB164276BS Acquired: 10/25/2024 23:21:34 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: LCS276 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0186848 | .0485142 | .0228427 | .0569819 | .1079871 | .3512615 |
| Stddev | .0032382 | .0008647 | .0018664 | .0014503 | .0032654 | .0090931 |
| %RSD | 17.33081 | 1.782433 | 8.170628 | 2.545152 | 3.023874 | 2.588698 |
| #1 | .0197580 | .0476924 | .0207803 | .0580452 | .1075979 | .3472715 |
| #2 | .0212502 | .0494163 | .0233323 | .0553298 | .1114296 | .3616675 |
| #3 | .0150462 | .0484339 | .0244155 | .0575706 | .1049337 | .3448456 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .4201872 | .0110221 | .0100693 | 11.01803 | .0213830 | .1008147 |
| Stddev | .0001296 | .0001986 | .0001324 | .04687 | .0002876 | .0001738 |
| %RSD | .0308362 | 1.801341 | 1.315127 | .4254103 | 1.344843 | .1723866 |
| #1 | .4202928 | .0111915 | .0099274 | 10.96685 | .0212587 | .1009550 |
| #2 | .4200426 | .0110712 | .0101896 | 11.02834 | .0211786 | .1008689 |
| #3 | .4202262 | .0108036 | .0100908 | 11.05888 | .0217119 | .1006203 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0512005 | .1538018 | .0319522 | 10.37789 | .0841866 | .0220271 |
| Stddev | .0026381 | .0156296 | .0002362 | .11886 | .0003249 | .0007172 |
| %RSD | 5.152480 | 10.16216 | .7392728 | 1.145332 | .3859024 | 3.256012 |
| #1 | .0520285 | .1718080 | .0318423 | 10.45758 | .0841613 | .0228217 |
| #2 | .0482478 | .1437426 | .0322234 | 10.24127 | .0838751 | .0214278 |
| #3 | .0533254 | .1458547 | .0317910 | 10.43481 | .0845234 | .0218317 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 10.62037 | .1102017 | .1091280 | 10.06344 | .0163057 | F .0019448 |
| Stddev | .21882 | .0042519 | .0005976 | .11449 | .0015695 | .0004460 |
| %RSD | 2.060385 | 3.858302 | .5475820 | 1.137722 | 9.625648 | 22.93394 |
| #1 | 10.45719 | .1098483 | .1086889 | 10.14308 | .0173494 | .0021558 |
| #2 | 10.53489 | .1146193 | .1098085 | 9.93223 | .0145007 | .0022461 |
| #3 | 10.86903 | .1061375 | .1088866 | 10.11501 | .0170670 | .0014324 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: PB164276BS Acquired: 10/25/2024 23:21:34 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: LCS276 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | F .0183419 | .1606819 | F .4837228 | .0143458 | .2059465 | .0328764 |
| Stddev | .0004218 | .0018236 | .0010879 | .0005720 | .0023395 | .0010515 |
| %RSD | 2.299918 | 1.134909 | .2248986 | 3.987445 | 1.135990 | 3.198475 |
| #1 | .0185958 | .1585766 | .4831597 | .0139294 | .2079681 | .0321432 |
| #2 | .0178549 | .1617671 | .4849769 | .0141099 | .2064877 | .0324048 |
| #3 | .0185749 | .1617021 | .4830320 | .0149980 | .2033839 | .0340812 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .2141258 |
| Stddev | .0002612 |
| %RSD | .1219925 |
| #1 | .2138362 |
| #2 | .2143436 |
| #3 | .2141976 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 941.4627 | 21857.07 | 2656.919 | 796.6036 | 1787.340 |
| Stddev | 1.1610 | 62.79 | 6.034 | 2.3099 | 1.822 |
| %RSD | .1233219 | .2872551 | .2270911 | .2899744 | .1019141 |
| #1 | 940.2004 | 21786.78 | 2653.337 | 797.9944 | 1787.119 |
| #2 | 942.4848 | 21907.59 | 2653.535 | 793.9371 | 1789.262 |
| #3 | 941.7030 | 21876.84 | 2663.885 | 797.8792 | 1785.640 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: PB164276BSD Acquired: 10/25/2024 23:26:05 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: LCSD276 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0068299 | .0203268 | .0100456 | .0255240 | .0477075 | .0878356 | .2043973 |
| Stddev | .0044562 | .0024239 | .0012753 | .0008909 | .0015681 | .0071344 | .0005323 |
| %RSD | 65.24607 | 11.92455 | 12.69508 | 3.490374 | 3.286854 | 8.122423 | .2604408 |
| #1 | .0029531 | .0180582 | .0108947 | .0254124 | .0468198 | .0918091 | .2048254 |
| #2 | .0116985 | .0200416 | .0085791 | .0246941 | .0495181 | .0920986 | .2045651 |
| #3 | .0058381 | .0228807 | .0106629 | .0264654 | .0467847 | .0795993 | .2038012 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0051651 | .0047472 | 5.230865 | .0101423 | .0480797 | .0250944 | .0299405 |
| Stddev | .0001405 | .0000399 | .023243 | .0006937 | .0003608 | .0038720 | .0093696 |
| %RSD | 2.719500 | .8401638 | .4443434 | 6.839574 | .7503466 | 15.42989 | 31.29395 |
| #1 | .0051105 | .0047922 | 5.204247 | .0099979 | .0479421 | .0280986 | .0403325 |
| #2 | .0053247 | .0047333 | 5.247148 | .0108968 | .0478080 | .0207246 | .0273509 |
| #3 | .0050602 | .0047162 | 5.241200 | .0095322 | .0484891 | .0264600 | .0221381 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0138029 | 4.932454 | .0407075 | .0107823 | 4.885018 | .0426161 | .0513815 |
| Stddev | .0014742 | .077304 | .0006591 | .0004951 | .368083 | .0055806 | .0001242 |
| %RSD | 10.68066 | 1.567252 | 1.619168 | 4.591658 | 7.534946 | 13.09512 | .2416332 |
| #1 | .0140999 | 5.019701 | .0409689 | .0111630 | 5.025547 | .0478202 | .0513413 |
| #2 | .0151060 | 4.905167 | .0411958 | .0102226 | 4.467371 | .0367229 | .0515209 |
| #3 | .0122027 | 4.872495 | .0399578 | .0109612 | 5.162134 | .0433050 | .0512825 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 4.876221 | .0062153 | .0012542 | .0083976 | .0699088 | .2327709 | .0069089 |
| Stddev | .084295 | .0013928 | .0002748 | .0001960 | .0058267 | .0008503 | .0008511 |
| %RSD | 1.728688 | 22.40970 | 21.91283 | 2.333630 | 8.334769 | .3652859 | 12.31917 |
| #1 | 4.781358 | .0075377 | .0015268 | .0085237 | .0723695 | .2317975 | .0068137 |
| #2 | 4.942528 | .0047614 | .0009772 | .0081719 | .0632554 | .2333687 | .0061095 |
| #3 | 4.904778 | .0063468 | .0012588 | .0084973 | .0741016 | .2331466 | .0078037 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: PB164276BSD Acquired: 10/25/2024 23:26:05 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: LCSD276 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | .0973705 | .0157204 | .1033183 |
| Stddev | .0003945 | .0008836 | .0003769 |
| %RSD | .4051451 | 5.620600 | .3647551 |
| | | | |
| #1 | .0974741 | .0147752 | .1037210 |
| #2 | .0969346 | .0158602 | .1032596 |
| #3 | .0977029 | .0165257 | .1029742 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 947.2802 | 21812.96 | 2635.933 | 799.9625 | 1811.399 |
| Stddev | 2.8114 | 30.73 | 7.877 | 1.8358 | .523 |
| %RSD | .2967884 | .1408590 | .2988156 | .2294805 | .0288511 |
| | | | | | |
| #1 | 944.1317 | 21800.74 | 2644.950 | 797.9312 | 1810.997 |
| #2 | 948.1693 | 21790.22 | 2630.393 | 800.4535 | 1811.210 |
| #3 | 949.5396 | 21847.91 | 2632.457 | 801.5029 | 1811.990 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-01DLX2 Acquired: 10/25/2024 23:30:35 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBD4 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .7626565 | -.028802 | 3.806659 | .0399612 | .0695554 | 578.3869 | 1.946560 |
| Stddev | .0068935 | .005281 | .016120 | .0027413 | .0070400 | 1.3732 | .006077 |
| %RSD | .9038772 | 18.33440 | .4234600 | 6.860007 | 10.12140 | .2374252 | .3121726 |
| #1 | .7575390 | -.022865 | 3.803758 | .0425852 | .0776832 | 578.0549 | 1.951977 |
| #2 | .7599353 | -.032975 | 3.792187 | .0371159 | .0653657 | 577.2101 | 1.939989 |
| #3 | .7704953 | -.030566 | 3.824033 | .0401825 | .0656174 | 579.8957 | 1.947714 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0374389 | .0897198 | 33.38226 | 1.621721 | .1169612 | 21.50553 | 144.4458 |
| Stddev | .0003473 | .0005217 | .09817 | .003955 | .0001731 | .04597 | .4461 |
| %RSD | .9275407 | .5814308 | .2940746 | .2438614 | .1479782 | .2137809 | .3088215 |
| #1 | .0378397 | .0895126 | 33.41416 | 1.619724 | .1167845 | 21.49209 | 144.2702 |
| #2 | .0372505 | .0893337 | 33.27211 | 1.619163 | .1171304 | 21.46777 | 144.1142 |
| #3 | .0372266 | .0903133 | 33.46051 | 1.626276 | .1169687 | 21.55673 | 144.9529 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 4.638716 | 75.67240 | .9492961 | .0296551 | 2.434939 | .3435731 | 14.82322 |
| Stddev | .018677 | .25046 | .0038856 | .0004950 | .073542 | .0055697 | .04374 |
| %RSD | .4026390 | .3309839 | .4093122 | 1.669293 | 3.020270 | 1.621114 | .2951105 |
| #1 | 4.653194 | 75.49140 | .9495141 | .0302263 | 2.350420 | .3494864 | 14.78278 |
| #2 | 4.617634 | 75.56756 | .9453061 | .0293519 | 2.470076 | .3384264 | 14.81723 |
| #3 | 4.645321 | 75.95825 | .9530681 | .0293870 | 2.484322 | .3428064 | 14.86966 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 15.79402 | 8.687283 | .5142434 | .0249451 | 6.655645 | 10.46362 | .3403145 |
| Stddev | .03018 | .049294 | .0008696 | .0010111 | .021284 | .03792 | .0023493 |
| %RSD | .1910717 | .5674325 | .1691046 | 4.053445 | .3197960 | .3623923 | .6903291 |
| #1 | 15.76551 | 8.659631 | .5136273 | .0259564 | 6.632005 | 10.42276 | .3383761 |
| #2 | 15.79091 | 8.658021 | .5138647 | .0249449 | 6.661646 | 10.47040 | .3396402 |
| #3 | 15.82562 | 8.744196 | .5152381 | .0239341 | 6.673286 | 10.49768 | .3429272 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-01DLX2 Acquired: 10/25/2024 23:30:35 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBD4 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 5.525737 | .1004156 | .4509206 |
| Stddev | .029112 | .0003847 | .0011324 |
| %RSD | .5268445 | .3830932 | .2511301 |
| | | | |
| #1 | 5.519575 | .1008097 | .4515088 |
| #2 | 5.500200 | .1000411 | .4496151 |
| #3 | 5.557437 | .1003961 | .4516378 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 955.8960 | 22421.50 | 2854.056 | 817.0946 | 1603.054 |
| Stddev | 2.1234 | 33.76 | 5.735 | .7018 | 3.279 |
| %RSD | .2221409 | .1505476 | .2009298 | .0858906 | .2045640 |
| | | | | | |
| #1 | 956.4773 | 22394.40 | 2859.388 | 817.7894 | 1602.531 |
| #2 | 957.6682 | 22410.79 | 2847.990 | 816.3860 | 1606.563 |
| #3 | 953.5424 | 22459.31 | 2854.791 | 817.1084 | 1600.067 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-02DLX2 Acquired: 10/25/2024 23:34:54 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBD5 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .8566869 | -.045592 | 3.689319 | .0212588 | .0286788 | 278.7037 | 2.554711 |
| Stddev | .0038909 | .003400 | .002423 | .0081633 | .0008566 | .8137 | .003223 |
| %RSD | .4541841 | 7.457418 | .0656754 | 38.39973 | 2.986838 | .2919456 | .1261563 |
| #1 | .8522923 | -.047324 | 3.687916 | .0284990 | .0287730 | 278.3872 | 2.551156 |
| #2 | .8580750 | -.041675 | 3.687925 | .0124114 | .0277790 | 279.6280 | 2.557442 |
| #3 | .8596935 | -.047777 | 3.692117 | .0228659 | .0294844 | 278.0958 | 2.555534 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0200756 | .0737470 | 38.33845 | .7170991 | .1378308 | 14.09408 | 316.6257 |
| Stddev | .0002112 | .0000962 | .24917 | .0021487 | .0006123 | .04228 | 1.7299 |
| %RSD | 1.051857 | .1304079 | .6499157 | .2996357 | .4442314 | .2999529 | .5463610 |
| #1 | .0200927 | .0738246 | 38.36619 | .7146182 | .1382909 | 14.05558 | 316.5238 |
| #2 | .0198564 | .0736394 | 38.57258 | .7183639 | .1371359 | 14.13932 | 318.4042 |
| #3 | .0202777 | .0737769 | 38.07657 | .7183153 | .1380658 | 14.08734 | 314.9489 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 4.596218 | 50.65564 | .6379369 | .0073614 | 1.706334 | .3198794 | 10.41542 |
| Stddev | .010808 | .25504 | .0014061 | .0003350 | .206516 | .0128934 | .02208 |
| %RSD | .2351541 | .5034713 | .2204092 | 4.550190 | 12.10292 | 4.030694 | .2120348 |
| #1 | 4.592127 | 50.87222 | .6363243 | .0070803 | 1.908330 | .3344423 | 10.43725 |
| #2 | 4.608475 | 50.72017 | .6385805 | .0072717 | 1.495577 | .3099184 | 10.41591 |
| #3 | 4.588053 | 50.37454 | .6389061 | .0077320 | 1.715096 | .3152776 | 10.39309 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 19.67802 | 9.314636 | .4577678 | .0088271 | 6.850274 | 6.905528 | .5368453 |
| Stddev | .15247 | .019254 | .0020510 | .0005668 | .017467 | .016706 | .0018889 |
| %RSD | .7748462 | .2067113 | .4480530 | 6.420935 | .2549857 | .2419235 | .3518478 |
| #1 | 19.58957 | 9.321659 | .4571918 | .0085428 | 6.842670 | 6.916820 | .5349816 |
| #2 | 19.85408 | 9.292855 | .4600453 | .0084587 | 6.837898 | 6.913426 | .5367959 |
| #3 | 19.59041 | 9.329392 | .4560665 | .0094798 | 6.870254 | 6.886337 | .5387583 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-02DLX2 Acquired: 10/25/2024 23:34:54 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBD5 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 4.647304 | .0842971 | .4312165 |
| Stddev | .013462 | .0012202 | .0012900 |
| %RSD | .2896680 | 1.447474 | .2991600 |
| | | | |
| #1 | 4.645582 | .0830925 | .4309232 |
| #2 | 4.661543 | .0855323 | .4326279 |
| #3 | 4.634786 | .0842666 | .4300983 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 981.6095 | 23199.88 | 2890.841 | 843.6830 | 1653.354 |
| Stddev | 2.4268 | 24.21 | 9.885 | 2.3029 | 1.380 |
| %RSD | .2472220 | .1043484 | .3419583 | .2729522 | .0834423 |
| | | | | | |
| #1 | 978.8598 | 23205.44 | 2884.018 | 842.5769 | 1651.795 |
| #2 | 983.4517 | 23173.37 | 2886.327 | 842.1420 | 1654.417 |
| #3 | 982.5170 | 23220.82 | 2902.177 | 846.3303 | 1653.850 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-03DLX2 Acquired: 10/25/2024 23:39:14 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBD6 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .4740780 | -.030947 | 4.424558 | .0347344 | .0895303 | 643.9924 | 1.656933 |
| Stddev | .0075176 | .003225 | .004763 | .0012480 | .0033507 | .1182 | .004342 |
| %RSD | 1.585726 | 10.41973 | .1076421 | 3.592994 | 3.742514 | .0183572 | .2620405 |
| #1 | .4727583 | -.034662 | 4.429770 | .0346429 | .0901406 | 643.9102 | 1.655356 |
| #2 | .4673076 | -.029305 | 4.423471 | .0360256 | .0925339 | 643.9391 | 1.661843 |
| #3 | .4821680 | -.028873 | 4.420432 | .0335346 | .0859165 | 644.1279 | 1.653600 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0440560 | .0827041 | 29.99091 | 2.202828 | .1189533 | 25.74417 | 129.3664 |
| Stddev | .0004327 | .0004749 | .10181 | .005925 | .0003657 | .04725 | .1719 |
| %RSD | .9821083 | .5741914 | .3394782 | .2689839 | .3074214 | .1835507 | .1328986 |
| #1 | .0437003 | .0826747 | 30.05124 | 2.196525 | .1185498 | 25.71214 | 129.3815 |
| #2 | .0439299 | .0831930 | 29.87336 | 2.203674 | .1192627 | 25.79844 | 129.1875 |
| #3 | .0445376 | .0822446 | 30.04812 | 2.208285 | .1190476 | 25.72193 | 129.5304 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 4.411425 | 106.4840 | 1.252670 | .0421648 | 2.248252 | .3451508 | 17.14880 |
| Stddev | .008109 | .1420 | .001952 | .0007010 | .108392 | .0165474 | .10950 |
| %RSD | .1838278 | .1333267 | .1557996 | 1.662438 | 4.821148 | 4.794265 | .6385409 |
| #1 | 4.404668 | 106.3366 | 1.253078 | .0415566 | 2.136528 | .3260797 | 17.03918 |
| #2 | 4.420418 | 106.4956 | 1.254386 | .0420062 | 2.255255 | .3557041 | 17.14903 |
| #3 | 4.409189 | 106.6199 | 1.250547 | .0429314 | 2.352972 | .3536687 | 17.25819 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 15.79437 | 5.022766 | .6898050 | .0394023 | 7.991650 | 11.24041 | .4104308 |
| Stddev | .07841 | .011339 | .0028141 | .0008674 | .010840 | .03415 | .0032747 |
| %RSD | .4964490 | .2257423 | .4079578 | 2.201333 | .1356457 | .3037906 | .7978680 |
| #1 | 15.77556 | 5.032180 | .6888295 | .0399014 | 7.991315 | 11.22646 | .4106057 |
| #2 | 15.88048 | 5.025938 | .6876084 | .0399048 | 8.002655 | 11.21546 | .4136146 |
| #3 | 15.72708 | 5.010179 | .6929770 | .0384008 | 7.980982 | 11.27933 | .4070722 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-03DLX2 Acquired: 10/25/2024 23:39:14 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBD6 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 5.855726 | .0799731 | .3023523 |
| Stddev | .010443 | .0005257 | .0001531 |
| %RSD | .1783344 | .6573980 | .0506260 |
| | | | |
| #1 | 5.844482 | .0798719 | .3022230 |
| #2 | 5.857576 | .0795053 | .3025213 |
| #3 | 5.865121 | .0805420 | .3023126 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 926.9081 | 21924.47 | 2828.495 | 797.0705 | 1587.359 |
| Stddev | 3.7858 | 59.79 | 7.029 | 3.1274 | 4.789 |
| %RSD | .4084303 | .2726959 | .2485188 | .3923587 | .3016898 |
| | | | | | |
| #1 | 924.9436 | 21979.51 | 2825.304 | 799.8654 | 1582.564 |
| #2 | 924.5084 | 21933.03 | 2836.554 | 797.6535 | 1587.369 |
| #3 | 931.2723 | 21860.86 | 2823.626 | 793.6927 | 1592.142 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-04DLX2 Acquired: 10/25/2024 23:43:33 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBD7 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.062532 | -.037927 | 3.156996 | .0116533 | .0388728 | 353.4977 |
| Stddev | .006089 | .008876 | .004595 | .0085184 | .0024815 | .7945 |
| %RSD | .5731110 | 23.40290 | .1455566 | 73.09801 | 6.383749 | .2247477 |
| #1 | 1.066948 | -.031093 | 3.154391 | .0201155 | .0405535 | 354.1381 |
| #2 | 1.065063 | -.047959 | 3.154295 | .0117646 | .0360226 | 353.7463 |
| #3 | 1.055585 | -.034730 | 3.162302 | .0030799 | .0400422 | 352.6086 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 3.421642 | .0239199 | .0798324 | 48.54522 | .9997852 | .1855387 |
| Stddev | .007150 | .0001737 | .0000525 | .21162 | .0041399 | .0008710 |
| %RSD | .2089586 | .7263038 | .0658108 | .4359207 | .4140746 | .4694488 |
| #1 | 3.427801 | .0237592 | .0797733 | 48.72332 | 1.004201 | .1861167 |
| #2 | 3.423325 | .0238961 | .0798738 | 48.60106 | .999163 | .1845369 |
| #3 | 3.413801 | .0241043 | .0798501 | 48.31128 | .995992 | .1859626 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 14.98010 | 225.2745 | 5.578204 | 61.21359 | .8932996 | .0141355 |
| Stddev | .04505 | .9884 | .008084 | .21746 | .0014941 | .0003015 |
| %RSD | .3007320 | .4387336 | .1449143 | .3552528 | .1672506 | 2.133108 |
| #1 | 15.03197 | 225.7538 | 5.584922 | 61.41189 | .8915856 | .0143885 |
| #2 | 14.95765 | 225.9317 | 5.569233 | 61.24785 | .8939867 | .0142163 |
| #3 | 14.95069 | 224.1378 | 5.580457 | 60.98103 | .8943264 | .0138019 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 4.896570 | .4128654 | 9.138243 | 19.12287 | F 17.25427 | .3795468 |
| Stddev | .227342 | .0034475 | .035713 | .07586 | .01262 | .0006310 |
| %RSD | 4.642891 | .8350281 | .3908090 | .3966815 | .0731464 | .1662636 |
| #1 | 5.111124 | .4167236 | 9.170790 | 19.05714 | 17.24108 | .3795182 |
| #2 | 4.658299 | .4117855 | 9.143898 | 19.10559 | 17.25548 | .3789305 |
| #3 | 4.920285 | .4100871 | 9.100039 | 19.20587 | 17.26623 | .3801916 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-04DLX2 Acquired: 10/25/2024 23:43:33 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBD7 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0142149 | 7.222131 | 6.245345 | .1830128 | 5.926977 | .1038733 |
| Stddev | .0003986 | .021351 | .023487 | .0038595 | .010453 | .0013297 |
| %RSD | 2.803770 | .2956328 | .3760666 | 2.108890 | .1763593 | 1.280115 |
| #1 | .0139467 | 7.214562 | 6.269198 | .1856284 | 5.933939 | .1039970 |
| #2 | .0146728 | 7.246235 | 6.222243 | .1848299 | 5.932034 | .1024861 |
| #3 | .0140251 | 7.205595 | 6.244593 | .1785801 | 5.914957 | .1051368 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .9763073 |
| Stddev | .0010244 |
| %RSD | .1049304 |
| #1 | .9770991 |
| #2 | .9766724 |
| #3 | .9751503 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 998.8782 | 23690.45 | 3002.240 | 859.0096 | 1622.793 |
| Stddev | 2.8569 | 124.68 | 14.315 | 4.7917 | .884 |
| %RSD | .2860098 | .5263053 | .4768147 | .5578220 | .0544661 |
| #1 | 995.5794 | 23621.91 | 2985.875 | 855.1896 | 1623.035 |
| #2 | 1000.503 | 23615.06 | 3008.403 | 857.4531 | 1623.531 |
| #3 | 1000.552 | 23834.37 | 3012.440 | 864.3861 | 1621.814 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-05DLX2 Acquired: 10/25/2024 23:47:51 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBD8 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .5796010 | -.034035 | 5.177779 | .0593465 | .1124260 | 734.2845 | 1.902872 |
| Stddev | .0075991 | .002087 | .011933 | .0027665 | .0052082 | 7.0471 | .004389 |
| %RSD | 1.311086 | 6.132853 | .2304632 | 4.661655 | 4.632584 | .9597294 | .2306621 |
| #1 | .5846282 | -.032555 | 5.167609 | .0603753 | .1108132 | 738.1203 | 1.897817 |
| #2 | .5708591 | -.033128 | 5.174814 | .0614513 | .1082150 | 738.5817 | 1.905087 |
| #3 | .5833156 | -.036423 | 5.190915 | .0562130 | .1182499 | 726.1515 | 1.905713 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0515412 | .0951642 | 34.79357 | 2.088341 | .1260001 | 28.06105 | 154.3322 |
| Stddev | .0001879 | .0003832 | .19055 | .003796 | .0009047 | .05842 | .3760 |
| %RSD | .3646367 | .4026625 | .5476522 | .1817772 | .7180201 | .2081982 | .2436056 |
| #1 | .0513665 | .0955128 | 34.66103 | 2.089617 | .1250943 | 27.99444 | 154.0629 |
| #2 | .0517401 | .0947539 | 35.01193 | 2.091334 | .1260022 | 28.08512 | 154.7617 |
| #3 | .0515170 | .0952260 | 34.70774 | 2.084071 | .1269038 | 28.10360 | 154.1719 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 4.919578 | 122.3862 | 1.136188 | .0468536 | 2.791742 | .3918892 | 19.18139 |
| Stddev | .007683 | .2204 | .001748 | .0006913 | .189819 | .0028134 | .14662 |
| %RSD | .1561643 | .1801152 | .1538592 | 1.475529 | 6.799302 | .7178956 | .7643931 |
| #1 | 4.911238 | 122.1448 | 1.134587 | .0471537 | 2.928048 | .3886684 | 19.31548 |
| #2 | 4.921127 | 122.5768 | 1.135924 | .0473441 | 2.574939 | .3931329 | 19.02483 |
| #3 | 4.926368 | 122.4370 | 1.138053 | .0460629 | 2.872237 | .3938664 | 19.20385 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 18.80738 | 6.379793 | .7992326 | .0450706 | 10.00207 | 10.61083 | .4255630 |
| Stddev | .07103 | .015541 | .0044254 | .0006762 | .00101 | .04484 | .0026334 |
| %RSD | .3776548 | .2436007 | .5537069 | 1.500267 | .0101245 | .4225723 | .6187996 |
| #1 | 18.72539 | 6.375196 | .7990461 | .0449305 | 10.00236 | 10.57298 | .4253333 |
| #2 | 18.85014 | 6.367069 | .8037484 | .0458059 | 10.00095 | 10.66035 | .4283037 |
| #3 | 18.84662 | 6.397114 | .7949034 | .0444755 | 10.00291 | 10.59917 | .4230520 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-05DLX2 Acquired: 10/25/2024 23:47:51 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBD8 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 6.247204 | .0936447 | .3748377 |
| Stddev | .012700 | .0008747 | .0006973 |
| %RSD | .2032835 | .9340489 | .1860198 |
| | | | |
| #1 | 6.233655 | .0926759 | .3740326 |
| #2 | 6.249120 | .0938818 | .3752483 |
| #3 | 6.258836 | .0943764 | .3752322 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 937.6940 | 21927.71 | 2868.953 | 798.5454 | 1565.245 |
| Stddev | 2.8509 | 78.04 | 12.854 | 6.4083 | 1.376 |
| %RSD | .3040364 | .3559171 | .4480510 | .8024977 | .0878796 |
| | | | | | |
| #1 | 935.4974 | 21875.77 | 2875.833 | 791.6916 | 1566.522 |
| #2 | 940.9158 | 21889.91 | 2854.123 | 804.3880 | 1565.425 |
| #3 | 936.6689 | 22017.46 | 2876.903 | 799.5565 | 1563.789 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-06DLX2 Acquired: 10/25/2024 23:52:17 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBD9 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.564870 | -.023958 | 3.493834 | .0093844 | .0355515 | 192.6533 |
| Stddev | .013300 | .021388 | .011963 | .0031869 | .0029002 | .3595 |
| %RSD | .8498961 | 89.27244 | .3424106 | 33.95969 | 8.157665 | .1866086 |
| #1 | 1.554235 | .000610 | 3.480103 | .0092630 | .0379123 | 193.0670 |
| #2 | 1.560592 | -.034064 | 3.499390 | .0062600 | .0323142 | 192.4762 |
| #3 | 1.579782 | -.038420 | 3.502009 | .0126303 | .0364280 | 192.4168 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 2.301150 | .0134603 | .0611009 | 38.46369 | .6071379 | .1522875 |
| Stddev | .001766 | .0001345 | .0000992 | .13881 | .0025361 | .0001935 |
| %RSD | .0767640 | .9995476 | .1623486 | .3608769 | .4177130 | .1270834 |
| #1 | 2.303003 | .0136142 | .0609952 | 38.53959 | .6051005 | .1521673 |
| #2 | 2.300962 | .0134013 | .0611920 | 38.30348 | .6063348 | .1521843 |
| #3 | 2.299485 | .0133653 | .0611154 | 38.54799 | .6099783 | .1525107 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 11.75048 | 203.7090 | 4.552890 | 52.25068 | .6145135 | .0207283 |
| Stddev | .02254 | .7650 | .004830 | .10738 | .0015656 | .0004423 |
| %RSD | .1918432 | .3755535 | .1060870 | .2055128 | .2547738 | 2.133888 |
| #1 | 11.76050 | 204.5775 | 4.548369 | 52.30015 | .6142929 | .0202965 |
| #2 | 11.76627 | 203.4149 | 4.552324 | 52.12748 | .6130699 | .0211804 |
| #3 | 11.72466 | 203.1347 | 4.557979 | 52.32442 | .6161777 | .0207081 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 3.667526 | .3386104 | 5.565277 | 13.72363 | F 13.84254 | .2796656 |
| Stddev | .095885 | .0068185 | .018068 | .09493 | .03909 | .0011926 |
| %RSD | 2.614444 | 2.013674 | .3246564 | .6917593 | .2823929 | .4264413 |
| #1 | 3.710326 | .3462135 | 5.566888 | 13.77093 | 13.81946 | .2802131 |
| #2 | 3.734558 | .3330378 | 5.582486 | 13.78562 | 13.82049 | .2804863 |
| #3 | 3.557695 | .3365799 | 5.546458 | 13.61434 | 13.88767 | .2782976 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-06DLX2 Acquired: 10/25/2024 23:52:17 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBD9 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0080207 | 3.997741 | 6.039745 | .0966016 | 5.257491 | .0698493 |
| Stddev | .0004748 | .010726 | .025848 | .0007022 | .013124 | .0009708 |
| %RSD | 5.919091 | .2683032 | .4279597 | .7268817 | .2496322 | 1.389790 |
| #1 | .0083316 | 3.990306 | 6.025138 | .0972901 | 5.272175 | .0689600 |
| #2 | .0082563 | 3.992879 | 6.024508 | .0966284 | 5.253394 | .0697030 |
| #3 | .0074742 | 4.010037 | 6.069589 | .0958865 | 5.246904 | .0708849 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .7563072 |
| Stddev | .0012622 |
| %RSD | .1668893 |
| #1 | .7577536 |
| #2 | .7557391 |
| #3 | .7554288 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1009.922 | 23657.35 | 2942.768 | 857.3603 | 1674.078 |
| Stddev | 3.081 | 67.54 | 9.978 | 5.4553 | 2.697 |
| %RSD | .3050636 | .2855103 | .3390751 | .6362898 | .1611008 |
| #1 | 1013.336 | 23697.49 | 2947.771 | 857.9273 | 1675.985 |
| #2 | 1009.081 | 23579.37 | 2949.255 | 851.6437 | 1675.256 |
| #3 | 1007.348 | 23695.20 | 2931.278 | 862.5100 | 1670.992 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: CCV003 Acquired: 10/25/2024 23:56:37 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV003 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 4.706348 | 4.705200 | 23.31890 | 4.609472 | 4.566534 | 397.3742 | 9.749340 |
| Stddev | .007341 | .007902 | .08505 | .013786 | .011839 | 1.0419 | .026923 |
| %RSD | .1559907 | .1679387 | .3647136 | .2990757 | .2592460 | .2621866 | .2761516 |
| #1 | 4.703858 | 4.697390 | 23.26544 | 4.622406 | 4.563591 | 396.8382 | 9.718864 |
| #2 | 4.700577 | 4.713190 | 23.27430 | 4.594969 | 4.556444 | 396.7095 | 9.759264 |
| #3 | 4.714611 | 4.705020 | 23.41698 | 4.611040 | 4.579566 | 398.5750 | 9.769892 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .4943553 | 2.286462 | 394.6768 | 14.79197 | 2.378994 | 14.50123 | 404.3989 |
| Stddev | .0033898 | .009085 | 1.8739 | .01054 | .008389 | .01971 | 1.8893 |
| %RSD | .6856927 | .3973211 | .4748016 | .0712582 | .3526154 | .1359059 | .4671803 |
| #1 | .4922950 | 2.280968 | 394.7019 | 14.80335 | 2.371530 | 14.50406 | 404.0526 |
| #2 | .4925033 | 2.281470 | 392.7905 | 14.78253 | 2.377380 | 14.48026 | 402.7067 |
| #3 | .4982676 | 2.296948 | 396.5381 | 14.79004 | 2.388073 | 14.51937 | 406.4373 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 14.37046 | 394.7738 | 2.367176 | 1.204464 | 402.7215 | 2.413144 | 13.95472 |
| Stddev | .05013 | 1.7068 | .006404 | .004445 | 1.1655 | .017859 | .13427 |
| %RSD | .3488251 | .4323364 | .2705350 | .3690132 | .2894120 | .7400885 | .9621965 |
| #1 | 14.31339 | 394.3913 | 2.361390 | 1.203693 | 401.6443 | 2.399557 | 13.83191 |
| #2 | 14.39066 | 393.2907 | 2.366082 | 1.209243 | 402.5614 | 2.406502 | 13.93416 |
| #3 | 14.40735 | 396.6393 | 2.374057 | 1.200455 | 403.9588 | 2.433373 | 14.09808 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 148.7705 | 4.827142 | 5.142330 | 4.517262 | 4.786663 | 5.139181 | 4.693217 |
| Stddev | .4207 | .013908 | .026238 | .014153 | .010739 | .024799 | .007881 |
| %RSD | .2827902 | .2881231 | .5102433 | .3133161 | .2243541 | .4825420 | .1679137 |
| #1 | 148.3550 | 4.816714 | 5.160799 | 4.508513 | 4.782254 | 5.148414 | 4.694646 |
| #2 | 148.7604 | 4.821780 | 5.112296 | 4.509682 | 4.778830 | 5.111091 | 4.684720 |
| #3 | 149.1962 | 4.842934 | 5.153894 | 4.533591 | 4.798905 | 5.158040 | 4.700285 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: CCV003 Acquired: 10/25/2024 23:56:37 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV003 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 4.792837 | 5.126652 | 4.971101 |
| Stddev | .011888 | .022911 | .008540 |
| %RSD | .2480282 | .4468995 | .1718006 |
| | | | |
| #1 | 4.781622 | 5.127176 | 4.961728 |
| #2 | 4.791589 | 5.103483 | 4.973133 |
| #3 | 4.805299 | 5.149296 | 4.978442 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 755.5717 | 19804.33 | 2499.634 | 613.3551 | 1397.836 |
| Stddev | 1.7526 | 25.06 | 14.484 | 6.0335 | 3.039 |
| %RSD | .2319592 | .1265584 | .5794543 | .9836863 | .2174041 |
| | | | | | |
| #1 | 756.7063 | 19829.98 | 2500.563 | 619.3806 | 1400.352 |
| #2 | 756.4556 | 19779.89 | 2513.631 | 613.3709 | 1398.697 |
| #3 | 753.5531 | 19803.13 | 2484.708 | 607.3137 | 1394.459 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: CCB003 Acquired: 10/26/2024 0:00:50 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB003 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.001932 | -.002713 | -.000668 | -.004555 | -.002886 | -.095178 | -.000304 |
| Stddev | .004134 | .002228 | .001826 | .001185 | .001971 | .004974 | .000378 |
| %RSD | 213.9709 | 82.11563 | 273.4314 | 26.01296 | 68.29511 | 5.226303 | 124.4132 |
| #1 | -.000450 | -.005238 | .000850 | -.005639 | -.003225 | -.090932 | .000102 |
| #2 | -.006603 | -.001877 | -.000160 | -.004737 | -.004664 | -.093951 | -.000368 |
| #3 | .001257 | -.001024 | -.002693 | -.003290 | -.000767 | -.100651 | -.000645 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.000039 | -.000049 | -.051142 | -.000883 | .0000981 | .0049121 | -.069213 |
| Stddev | .000061 | .000082 | .017671 | .000787 | .0003107 | .0029573 | .015563 |
| %RSD | 157.1392 | 169.4266 | 34.55333 | 89.20229 | 316.7884 | 60.20426 | 22.48522 |
| #1 | -.000110 | -.000048 | -.071506 | -.001742 | -.000218 | .0081039 | -.057041 |
| #2 | .000001 | .000033 | -.042074 | -.000710 | .000403 | .0022650 | -.086748 |
| #3 | -.000008 | -.000131 | -.039846 | -.000196 | .000109 | .0043675 | -.063851 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.000614 | -.093779 | -.000046 | .0013416 | .0497514 | -.004030 | -.001993 |
| Stddev | .000550 | .047398 | .000396 | .0001077 | .2596015 | .003014 | .000308 |
| %RSD | 89.45985 | 50.54190 | 862.7100 | 8.029304 | 521.7971 | 74.79989 | 15.44410 |
| #1 | -.001151 | -.145882 | -.000437 | .0013501 | .3331297 | -.007337 | -.002177 |
| #2 | -.000640 | -.082237 | -.000056 | .0012299 | -.176587 | -.003317 | -.001638 |
| #3 | -.000053 | -.053219 | .000355 | .0014448 | -.007289 | -.001436 | -.002165 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .1240014 | -.001440 | .0078891 | -.000307 | -.011195 | .0006322 | .0004721 |
| Stddev | .0208651 | .001994 | .0008759 | .000265 | .001531 | .0001182 | .0021463 |
| %RSD | 16.82652 | 138.4636 | 11.10286 | 86.20329 | 13.67543 | 18.70028 | 454.6648 |
| #1 | .1165977 | -.003059 | .0088857 | -.000002 | -.009914 | .0006309 | -.001895 |
| #2 | .1078477 | -.002050 | .0075400 | -.000474 | -.010781 | .0005146 | .001018 |
| #3 | .1475588 | .000788 | .0072415 | -.000446 | -.012891 | .0007511 | .002292 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: CCB003 Acquired: 10/26/2024 0:00:50 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB003 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | -.000323 | .0040298 | -.000269 |
| Stddev | .001528 | .0015456 | .000026 |
| %RSD | 473.3334 | 38.35477 | 9.615813 |
| | | | |
| #1 | .000479 | .0038640 | -.000295 |
| #2 | .000637 | .0025738 | -.000243 |
| #3 | -.002084 | .0056516 | -.000270 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 940.9196 | 21777.70 | 2607.419 | 799.8211 | 1831.536 |
| Stddev | 2.6977 | 47.11 | 5.311 | 1.8788 | 2.120 |
| %RSD | .2867048 | .2163446 | .2036714 | .2348965 | .1157758 |
| | | | | | |
| #1 | 938.4239 | 21729.51 | 2604.689 | 797.6820 | 1829.415 |
| #2 | 940.5532 | 21779.94 | 2613.539 | 801.2033 | 1831.538 |
| #3 | 943.7818 | 21823.66 | 2604.029 | 800.5780 | 1833.656 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-07DLX2 Acquired: 10/26/2024 0:05:22 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE0 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.956925 | -.035660 | 4.103459 | .0187571 | .0477862 | 218.4164 |
| Stddev | .008413 | .004388 | .014426 | .0038446 | .0005790 | .6760 |
| %RSD | .4299178 | 12.30538 | .3515642 | 20.49693 | 1.211576 | .3094986 |
| #1 | 1.948302 | -.033852 | 4.088310 | .0158981 | .0481628 | 218.5214 |
| #2 | 1.965111 | -.032465 | 4.105035 | .0172453 | .0480762 | 217.6940 |
| #3 | 1.957362 | -.040663 | 4.117033 | .0231278 | .0471195 | 219.0337 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 3.170016 | .0159923 | .0725221 | 41.70154 | .6802532 | .2003453 |
| Stddev | .018984 | .0004891 | .0000944 | .01775 | .0036793 | .0004978 |
| %RSD | .5988543 | 3.058177 | .1301524 | .0425698 | .5408762 | .2484741 |
| #1 | 3.179190 | .0154589 | .0724543 | 41.71610 | .6773624 | .1997963 |
| #2 | 3.148188 | .0164197 | .0726299 | 41.70675 | .6843949 | .2007673 |
| #3 | 3.182671 | .0160983 | .0724821 | 41.68177 | .6790023 | .2004723 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 13.69763 | 248.7845 | 5.828430 | 56.00559 | .6750293 | .0238147 |
| Stddev | .05411 | .3911 | .026546 | .26682 | .0024868 | .0000471 |
| %RSD | .3950595 | .1571994 | .4554543 | .4764252 | .3684002 | .1978471 |
| #1 | 13.70529 | 248.6744 | 5.834072 | 55.73145 | .6730729 | .0237603 |
| #2 | 13.64010 | 248.4603 | 5.799517 | 56.26444 | .6741871 | .0238441 |
| #3 | 13.74751 | 249.2189 | 5.851701 | 56.02088 | .6778278 | .0238395 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 2.702125 | .4003714 | 6.199375 | 15.65796 | F 15.06469 | .3337052 |
| Stddev | .192122 | .0053138 | .018462 | .11622 | .02466 | .0011239 |
| %RSD | 7.110045 | 1.327225 | .2978069 | .7422479 | .1636913 | .3367927 |
| #1 | 2.785727 | .4036650 | 6.202459 | 15.76625 | 15.07897 | .3339669 |
| #2 | 2.838281 | .4032079 | 6.216101 | 15.53517 | 15.03622 | .3324735 |
| #3 | 2.482366 | .3942412 | 6.179565 | 15.67247 | 15.07889 | .3346751 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-07DLX2 Acquired: 10/26/2024 0:05:22 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE0 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0085057 | 4.430742 | 4.642643 | .1080599 | 6.061117 | .0828239 |
| Stddev | .0006674 | .001974 | .015150 | .0016468 | .015180 | .0003392 |
| %RSD | 7.846101 | .0445488 | .3263157 | 1.523958 | .2504539 | .4095208 |
| | | | | | | |
| #1 | .0082305 | 4.430318 | 4.625179 | .1074298 | 6.076440 | .0825552 |
| #2 | .0080200 | 4.432893 | 4.652262 | .1068211 | 6.046083 | .0832050 |
| #3 | .0092667 | 4.429015 | 4.650486 | .1099286 | 6.060828 | .0827114 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .7961975 |
| Stddev | .0032111 |
| %RSD | .4033064 |
| | |
| #1 | .7968213 |
| #2 | .7927202 |
| #3 | .7990509 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1016.542 | 24100.66 | 3008.191 | 870.8866 | 1659.404 |
| Stddev | .700 | 18.61 | 5.920 | 1.8549 | 2.169 |
| %RSD | .0688459 | .0772014 | .1968071 | .2129897 | .1306973 |
| | | | | | |
| #1 | 1015.878 | 24090.84 | 3012.569 | 869.8934 | 1661.672 |
| #2 | 1016.476 | 24089.03 | 3001.455 | 869.7397 | 1657.350 |
| #3 | 1017.273 | 24122.12 | 3010.549 | 873.0266 | 1659.191 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-08DLX2 Acquired: 10/26/2024 0:09:41 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE1 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .9928594 | -.031930 | 4.084688 | .0292112 | .0937444 | 461.9161 | 1.954929 |
| Stddev | .0133312 | .001362 | .009918 | .0081729 | .0042161 | 4.9412 | .021101 |
| %RSD | 1.342710 | 4.264470 | .2428104 | 27.97870 | 4.497457 | 1.069709 | 1.079375 |
| #1 | .9857958 | -.030974 | 4.084763 | .0345886 | .0979263 | 467.5016 | 1.979284 |
| #2 | .9845464 | -.031327 | 4.074732 | .0198062 | .0938122 | 458.1148 | 1.942133 |
| #3 | 1.008236 | -.033489 | 4.094568 | .0332388 | .0894949 | 460.1320 | 1.943369 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0364832 | .0785140 | 64.65393 | 1.277549 | .1370078 | 21.47745 | 164.9651 |
| Stddev | .0004411 | .0003672 | .66055 | .002864 | .0006583 | .24599 | 1.6143 |
| %RSD | 1.208907 | .4676864 | 1.021668 | .2241989 | .4804993 | 1.145356 | .9785813 |
| #1 | .0367543 | .0785792 | 65.40582 | 1.274280 | .1377649 | 21.75323 | 166.8227 |
| #2 | .0359742 | .0781186 | 64.16699 | 1.279616 | .1366889 | 21.28064 | 163.9015 |
| #3 | .0367210 | .0788443 | 64.38898 | 1.278751 | .1365697 | 21.39847 | 164.1713 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 4.406374 | 64.83043 | .8541317 | .0364637 | 2.193839 | .2968888 | 15.15434 |
| Stddev | .043981 | .67437 | .0011807 | .0001329 | .260450 | .0016267 | .07921 |
| %RSD | .9981290 | 1.040201 | .1382339 | .3644942 | 11.87189 | .5479266 | .5226929 |
| #1 | 4.456071 | 65.59465 | .8541883 | .0363106 | 2.370956 | .2975620 | 15.19087 |
| #2 | 4.372471 | 64.57770 | .8529238 | .0365490 | 1.894790 | .2950336 | 15.20869 |
| #3 | 4.390580 | 64.31892 | .8552831 | .0365316 | 2.315771 | .2980709 | 15.06345 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 14.26891 | 8.633823 | .4906968 | .0243217 | 8.806342 | 8.013879 | .2761986 |
| Stddev | .13576 | .017110 | .0055063 | .0004046 | .016158 | .087923 | .0030482 |
| %RSD | .9514377 | .1981791 | 1.122138 | 1.663443 | .1834865 | 1.097133 | 1.103639 |
| #1 | 14.36314 | 8.653348 | .4968365 | .0240921 | 8.802987 | 8.111252 | .2781435 |
| #2 | 14.11330 | 8.621445 | .4861963 | .0240841 | 8.792124 | 7.940306 | .2726856 |
| #3 | 14.33030 | 8.626676 | .4890575 | .0247888 | 8.823914 | 7.990080 | .2777669 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-08DLX2 Acquired: 10/26/2024 0:09:41 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE1 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 5.215859 | .1158385 | .4842888 |
| Stddev | .052013 | .0038338 | .0050260 |
| %RSD | .9972016 | 3.309577 | 1.037808 |
| #1 | 5.274503 | .1202652 | .4900463 |
| #2 | 5.175313 | .1136531 | .4807781 |
| #3 | 5.197762 | .1135972 | .4820421 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 953.6543 | 22679.62 | 2830.786 | 816.5977 | 1610.665 |
| Stddev | 1.5430 | 30.87 | 30.799 | 5.6079 | 3.083 |
| %RSD | .1618025 | .1361260 | 1.087992 | .6867384 | .1914330 |
| #1 | 953.2375 | 22690.65 | 2797.119 | 813.2968 | 1609.801 |
| #2 | 955.3630 | 22644.75 | 2857.542 | 813.4235 | 1614.089 |
| #3 | 952.3626 | 22703.47 | 2837.697 | 823.0727 | 1608.107 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-09DLX2 Acquired: 10/26/2024 0:14:00 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE2 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .4528394 | -.036260 | 1.216061 | .0093895 | .0054845 | 202.6768 |
| Stddev | .0015149 | .003650 | .007497 | .0057671 | .0016871 | .4776 |
| %RSD | .3345299 | 10.06723 | .6164930 | 61.42116 | 30.76126 | .2356398 |
| #1 | .4534911 | -.035336 | 1.217721 | .0077453 | .0054846 | 203.0785 |
| #2 | .4539194 | -.033160 | 1.207873 | .0046230 | .0071715 | 202.8031 |
| #3 | .4511078 | -.040284 | 1.222588 | .0158001 | .0037973 | 202.1487 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 3.343887 | .0121079 | .0349267 | 47.75599 | .5614081 | .1584602 |
| Stddev | .001422 | .0003738 | .0000316 | .33066 | .0016310 | .0011789 |
| %RSD | .0425241 | 3.086902 | .0904450 | .6924041 | .2905255 | .7439514 |
| #1 | 3.345099 | .0124671 | .0349456 | 47.99619 | .5595435 | .1597623 |
| #2 | 3.342322 | .0121354 | .0349442 | 47.89292 | .5621109 | .1574655 |
| #3 | 3.344240 | .0117211 | .0348902 | 47.37885 | .5625700 | .1581526 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 4.783479 | 212.7267 | 4.639359 | 59.42112 | .7412861 | -.003496 |
| Stddev | .007088 | .8526 | .005246 | .34488 | .0007673 | .000461 |
| %RSD | .1481784 | .4007870 | .1130728 | .5804034 | .1035048 | 13.19923 |
| #1 | 4.781927 | 213.0340 | 4.635808 | 59.50151 | .7421164 | -.003493 |
| #2 | 4.791214 | 213.3831 | 4.645384 | 59.71870 | .7411387 | -.003036 |
| #3 | 4.777295 | 211.7631 | 4.636884 | 59.04314 | .7406032 | -.003958 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 2.216386 | .4368358 | 2.971085 | 16.65277 | F 12.46441 | .2609504 |
| Stddev | .191148 | .0135698 | .007244 | .13959 | .03294 | .0015895 |
| %RSD | 8.624304 | 3.106377 | .2438206 | .8382384 | .2642676 | .6091077 |
| #1 | 2.255385 | .4245268 | 2.966300 | 16.71481 | 12.50206 | .2620457 |
| #2 | 2.385027 | .4345936 | 2.967536 | 16.75058 | 12.45025 | .2616782 |
| #3 | 2.008747 | .4513870 | 2.979420 | 16.49291 | 12.44091 | .2591274 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-09DLX2 Acquired: 10/26/2024 0:14:00 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE2 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0013598 | 2.405653 | 5.854935 | .0455866 | 4.925145 | .0921717 |
| Stddev | .0006666 | .001944 | .008034 | .0020261 | .015476 | .0009283 |
| %RSD | 49.01821 | .0808046 | .1372111 | 4.444481 | .3142181 | 1.007183 |
| | | | | | | |
| #1 | .0021294 | 2.406436 | 5.846607 | .0458507 | 4.941254 | .0932425 |
| #2 | .0009627 | 2.403440 | 5.862638 | .0474677 | 4.923789 | .0916805 |
| #3 | .0009875 | 2.407084 | 5.855561 | .0434414 | 4.910392 | .0915922 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .8182571 |
| Stddev | .0006916 |
| %RSD | .0845160 |
| | |
| #1 | .8188656 |
| #2 | .8184006 |
| #3 | .8175050 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1033.131 | 24121.28 | 3010.171 | 870.3599 | 1656.279 |
| Stddev | 3.663 | 85.46 | 10.986 | 1.4251 | 2.652 |
| %RSD | .3545739 | .3543081 | .3649578 | .1637357 | .1601114 |
| | | | | | |
| #1 | 1030.583 | 24085.44 | 3003.350 | 869.6250 | 1653.218 |
| #2 | 1037.329 | 24059.57 | 3004.319 | 869.4522 | 1657.876 |
| #3 | 1031.481 | 24218.83 | 3022.844 | 872.0024 | 1657.743 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-10DLX2 Acquired: 10/26/2024 0:18:20 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE3 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .7865317 | -.046189 | 1.832170 | .0086293 | .0150432 | 218.5326 |
| Stddev | .0157477 | .002493 | .003822 | .0064499 | .0022517 | .5168 |
| %RSD | 2.002164 | 5.397913 | .2086189 | 74.74457 | 14.96841 | .2364791 |
| #1 | .7824450 | -.045618 | 1.831021 | .0014828 | .0163134 | 219.0411 |
| #2 | .7732303 | -.044030 | 1.829054 | .0140183 | .0163729 | 218.0079 |
| #3 | .8039199 | -.048918 | 1.836435 | .0103868 | .0124434 | 218.5489 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 3.086305 | .0130916 | .0639960 | 68.08657 | .5793907 | .2471714 |
| Stddev | .006503 | .0000677 | .0004690 | .17387 | .0010420 | .0003771 |
| %RSD | .2107074 | .5170842 | .7329024 | .2553709 | .1798373 | .1525580 |
| #1 | 3.093814 | .0131612 | .0634611 | 68.17530 | .5800735 | .2467911 |
| #2 | 3.082544 | .0130260 | .0643367 | 67.88623 | .5799072 | .2471778 |
| #3 | 3.082556 | .0130878 | .0641903 | 68.19818 | .5781914 | .2475452 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 8.197253 | 265.3943 | 7.216480 | 90.56538 | 1.032054 | -.004142 |
| Stddev | .025934 | .2430 | .015072 | .21970 | .003900 | .000296 |
| %RSD | .3163776 | .0915544 | .2088494 | .2425902 | .3779186 | 7.139342 |
| #1 | 8.223757 | 265.5281 | 7.233838 | 90.59541 | 1.034918 | -.004182 |
| #2 | 8.171929 | 265.1138 | 7.208890 | 90.33221 | 1.027612 | -.004415 |
| #3 | 8.196074 | 265.5410 | 7.206713 | 90.76853 | 1.033631 | -.003828 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 6.496698 | .5014429 | 4.054743 | 19.56185 | F 20.41800 | .3053168 |
| Stddev | .030516 | .0137308 | .011686 | .04518 | .06868 | .0007865 |
| %RSD | .4697175 | 2.738257 | .2881979 | .2309446 | .3363524 | .2575919 |
| #1 | 6.530514 | .4930978 | 4.053264 | 19.55617 | 20.43244 | .3048922 |
| #2 | 6.488368 | .4939406 | 4.043867 | 19.51978 | 20.34325 | .3048338 |
| #3 | 6.471212 | .5172904 | 4.067098 | 19.60960 | 20.47831 | .3062243 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-10DLX2 Acquired: 10/26/2024 0:18:20 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE3 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0023523 | 2.340605 | 3.689089 | .0427867 | 5.424452 | .1120812 |
| Stddev | .0007026 | .009606 | .020726 | .0026508 | .007729 | .0022227 |
| %RSD | 29.87055 | .4103951 | .5618259 | 6.195417 | .1424898 | 1.983100 |
| #1 | .0030361 | 2.332507 | 3.712088 | .0438955 | 5.430196 | .1103211 |
| #2 | .0016322 | 2.338088 | 3.683324 | .0397615 | 5.415664 | .1113435 |
| #3 | .0023886 | 2.351218 | 3.671856 | .0447030 | 5.427496 | .1145789 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | 1.518556 |
| Stddev | .002589 |
| %RSD | .1704694 |
| #1 | 1.521378 |
| #2 | 1.516291 |
| #3 | 1.517998 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1048.292 | 24685.28 | 3063.924 | 886.9696 | 1622.076 |
| Stddev | 2.642 | 28.57 | 13.562 | 2.0618 | 4.113 |
| %RSD | .2520638 | .1157274 | .4426266 | .2324533 | .2535947 |
| #1 | 1045.823 | 24703.03 | 3048.427 | 887.3552 | 1619.783 |
| #2 | 1051.079 | 24700.48 | 3069.725 | 888.8113 | 1626.825 |
| #3 | 1047.975 | 24652.33 | 3073.620 | 884.7422 | 1619.620 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-11DLX2 Acquired: 10/26/2024 0:22:39 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE4 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.067731 | -.026169 | 3.602393 | .0192253 | .0467619 | 298.3147 |
| Stddev | .005707 | .003870 | .005456 | .0049083 | .0040524 | .5667 |
| %RSD | .5345279 | 14.79019 | .1514504 | 25.53065 | 8.666104 | .1899610 |
| #1 | 1.067343 | -.029785 | 3.602975 | .0160147 | .0505078 | 297.7102 |
| #2 | 1.073623 | -.022086 | 3.596670 | .0167857 | .0424603 | 298.3999 |
| #3 | 1.062228 | -.026637 | 3.607535 | .0248755 | .0473177 | 298.8339 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 2.217527 | .0205882 | .0653029 | 37.13435 | .8498562 | .1302871 |
| Stddev | .006153 | .0001769 | .0002062 | .07890 | .0008782 | .0007846 |
| %RSD | .2774584 | .8590368 | .3157070 | .2124657 | .1033329 | .6022248 |
| #1 | 2.219222 | .0205260 | .0653652 | 37.04404 | .8498843 | .1294296 |
| #2 | 2.210705 | .0207878 | .0650728 | 37.18985 | .8489643 | .1309691 |
| #3 | 2.222655 | .0204509 | .0654707 | 37.16917 | .8507200 | .1304626 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 14.33554 | 172.3464 | 4.186650 | 44.97336 | .6597065 | .0212623 |
| Stddev | .01699 | .1609 | .024743 | .19657 | .0020408 | .0005083 |
| %RSD | .1185391 | .0933430 | .5909916 | .4370841 | .3093438 | 2.390371 |
| #1 | 14.33466 | 172.1626 | 4.195718 | 44.83926 | .6575814 | .0215509 |
| #2 | 14.31900 | 172.4617 | 4.158653 | 45.19901 | .6598872 | .0215605 |
| #3 | 14.35296 | 172.4150 | 4.205579 | 44.88181 | .6616509 | .0206754 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.657580 | .2934060 | 8.612628 | 15.69376 | F 11.53840 | .3353326 |
| Stddev | .057723 | .0039447 | .041706 | .03787 | .02398 | .0002408 |
| %RSD | 3.482339 | 1.344446 | .4842380 | .2413251 | .2078645 | .0718020 |
| #1 | 1.703330 | .2977596 | 8.564595 | 15.70536 | 11.51512 | .3355619 |
| #2 | 1.592728 | .2923889 | 8.639641 | 15.65144 | 11.53703 | .3353540 |
| #3 | 1.676683 | .2900694 | 8.633648 | 15.72447 | 11.56303 | .3350818 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-11DLX2 Acquired: 10/26/2024 0:22:39 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE4 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0128020 | 5.114889 | 6.833517 | .1855145 | 5.226508 | .0695515 |
| Stddev | .0008252 | .023543 | .018608 | .0022356 | .007712 | .0016612 |
| %RSD | 6.445549 | .4602758 | .2723008 | 1.205053 | .1475636 | 2.388396 |
| #1 | .0134007 | 5.114063 | 6.814618 | .1860750 | 5.217644 | .0690884 |
| #2 | .0118607 | 5.091770 | 6.834113 | .1830521 | 5.231690 | .0713951 |
| #3 | .0131445 | 5.138834 | 6.851820 | .1874165 | 5.230188 | .0681710 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .4899613 |
| Stddev | .0008738 |
| %RSD | .1783373 |
| #1 | .4900063 |
| #2 | .4890659 |
| #3 | .4908117 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 982.0438 | 23161.95 | 2866.522 | 845.3228 | 1653.097 |
| Stddev | 1.2935 | 46.65 | 6.229 | 3.8238 | 1.316 |
| %RSD | .1317185 | .2014028 | .2172922 | .4523466 | .0795993 |
| #1 | 981.3437 | 23152.06 | 2869.886 | 849.1414 | 1653.704 |
| #2 | 983.5365 | 23121.04 | 2859.335 | 841.4938 | 1654.000 |
| #3 | 981.2511 | 23212.75 | 2870.346 | 845.3331 | 1651.587 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-12DLX2 Acquired: 10/26/2024 0:27:00 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE5 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.500196 | -.074340 | 6.470995 | .0334735 | .0502177 | 279.5015 |
| Stddev | .018176 | .004941 | .021579 | .0084661 | .0024935 | .7660 |
| %RSD | 1.211602 | 6.645927 | .3334781 | 25.29206 | 4.965401 | .2740557 |
| #1 | 1.489064 | -.079448 | 6.464176 | .0251862 | .0521797 | 280.1498 |
| #2 | 1.490353 | -.069586 | 6.453648 | .0331265 | .0474117 | 279.6985 |
| #3 | 1.521171 | -.073986 | 6.495160 | .0421078 | .0510616 | 278.6563 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 4.675184 | .0239102 | .0853311 | 44.28682 | .7007451 | .1823589 |
| Stddev | .013099 | .0002946 | .0004613 | .30097 | .0014115 | .0012216 |
| %RSD | .2801804 | 1.232122 | .5406524 | .6795835 | .2014338 | .6698834 |
| #1 | 4.686615 | .0235745 | .0850386 | 44.63434 | .6995328 | .1812952 |
| #2 | 4.678046 | .0241255 | .0850918 | 44.11431 | .7004078 | .1820884 |
| #3 | 4.660890 | .0240307 | .0858629 | 44.11181 | .7022947 | .1836931 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 20.57293 | 561.9043 | 5.728865 | 51.08886 | .6040343 | .0122963 |
| Stddev | .04976 | 2.7674 | .018156 | .48169 | .0004560 | .0005296 |
| %RSD | .2418936 | .4925001 | .3169177 | .9428542 | .0754879 | 4.306852 |
| #1 | 20.61860 | 564.2582 | 5.739850 | 51.40201 | .6036016 | .0117227 |
| #2 | 20.58030 | 562.5988 | 5.738836 | 51.33037 | .6045105 | .0123994 |
| #3 | 20.51989 | 558.8558 | 5.707908 | 50.53419 | .6039910 | .0127666 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 3.115977 | .3508063 | 13.80133 | 27.36644 | F 10.19774 | .7441558 |
| Stddev | .075501 | .0107556 | .05330 | .19493 | .00037 | .0042778 |
| %RSD | 2.423025 | 3.065954 | .3862164 | .7122982 | .0036688 | .5748536 |
| #1 | 3.090558 | .3449276 | 13.78978 | 27.55558 | 10.19745 | .7480916 |
| #2 | 3.056466 | .3632199 | 13.85946 | 27.37754 | 10.19761 | .7447726 |
| #3 | 3.200907 | .3442712 | 13.75475 | 27.16619 | 10.19816 | .7396030 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-12DLX2 Acquired: 10/26/2024 0:27:00 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE5 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0146784 | 10.21185 | 5.745380 | 1.230003 | 4.673359 | .0979163 |
| Stddev | .0001445 | .00910 | .033410 | .001877 | .015774 | .0017313 |
| %RSD | .9847565 | .0891404 | .5815159 | .1525642 | .3375256 | 1.768166 |
| #1 | .0147812 | 10.22171 | 5.764504 | 1.231022 | 4.689931 | .0996986 |
| #2 | .0147408 | 10.21010 | 5.764835 | 1.227838 | 4.671618 | .0978093 |
| #3 | .0145131 | 10.20376 | 5.706802 | 1.231150 | 4.658527 | .0962409 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .6248523 |
| Stddev | .0019623 |
| %RSD | .3140400 |
| #1 | .6263066 |
| #2 | .6256298 |
| #3 | .6226204 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 967.8385 | 23097.15 | 2902.220 | 828.8132 | 1649.164 |
| Stddev | 3.0497 | 20.56 | 16.451 | 3.0446 | 3.344 |
| %RSD | .3150991 | .0890096 | .5668407 | .3673499 | .2027843 |
| #1 | 964.6831 | 23078.61 | 2888.306 | 828.2931 | 1645.852 |
| #2 | 970.7701 | 23119.26 | 2897.976 | 826.0620 | 1652.539 |
| #3 | 968.0625 | 23093.60 | 2920.377 | 832.0843 | 1649.101 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-13DLX2 Acquired: 10/26/2024 0:31:19 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE6 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .6832611 | -.029621 | 1.877835 | .0098542 | .0223254 | 172.7178 |
| Stddev | .0129210 | .002709 | .006260 | .0052786 | .0015546 | .5469 |
| %RSD | 1.891084 | 9.144220 | .3333633 | 53.56692 | 6.963405 | .3166203 |
| #1 | .6979637 | -.031746 | 1.877099 | .0158814 | .0239842 | 172.1963 |
| #2 | .6781073 | -.030546 | 1.871975 | .0076264 | .0220901 | 172.6702 |
| #3 | .6737124 | -.026571 | 1.884430 | .0060547 | .0209018 | 173.2869 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 2.968244 | .0113263 | .0466461 | 48.25144 | .4950437 | .1542024 |
| Stddev | .003976 | .0001999 | .0001735 | .24570 | .0011797 | .0009449 |
| %RSD | .1339378 | 1.764480 | .3720381 | .5091989 | .2382968 | .6127986 |
| #1 | 2.968530 | .0112757 | .0467429 | 48.04139 | .4936945 | .1531283 |
| #2 | 2.964134 | .0111565 | .0467496 | 48.19132 | .4955556 | .1545732 |
| #3 | 2.972069 | .0115465 | .0464458 | 48.52162 | .4958809 | .1549057 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 7.707144 | 188.8885 | 4.813955 | 45.11365 | .5654800 | .0063108 |
| Stddev | .014652 | .6771 | .005707 | .10650 | .0018041 | .0003336 |
| %RSD | .1901037 | .3584860 | .1185468 | .2360628 | .3190401 | 5.285503 |
| #1 | 7.690281 | 188.3239 | 4.820542 | 45.05269 | .5638944 | .0063204 |
| #2 | 7.716764 | 188.7024 | 4.810816 | 45.05164 | .5674429 | .0066395 |
| #3 | 7.714385 | 189.6393 | 4.810508 | 45.23662 | .5651027 | .0059726 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 2.102454 | .3385288 | 4.103830 | 15.33995 | F 11.63776 | .2499984 |
| Stddev | .242637 | .0065644 | .008220 | .01755 | .02444 | .0008573 |
| %RSD | 11.54067 | 1.939102 | .2002911 | .1144149 | .2100478 | .3429243 |
| #1 | 1.843209 | .3334268 | 4.109417 | 15.35950 | 11.66558 | .2494449 |
| #2 | 2.324092 | .3459346 | 4.107682 | 15.32555 | 11.61970 | .2509860 |
| #3 | 2.140059 | .3362249 | 4.094392 | 15.33479 | 11.62801 | .2495644 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-13DLX2 Acquired: 10/26/2024 0:31:19 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE6 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0036676 | 3.605975 | 5.102851 | .0611460 | 4.719320 | .0751745 |
| Stddev | .0006799 | .008884 | .014553 | .0030464 | .020490 | .0010029 |
| %RSD | 18.53873 | .2463604 | .2851936 | 4.982102 | .4341735 | 1.334070 |
| | | | | | | |
| #1 | .0044470 | 3.614597 | 5.094776 | .0639011 | 4.697988 | .0742045 |
| #2 | .0031965 | 3.596851 | 5.094127 | .0616624 | 4.721122 | .0751118 |
| #3 | .0033592 | 3.606477 | 5.119652 | .0578744 | 4.738849 | .0762073 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .7345684 |
| Stddev | .0006903 |
| %RSD | .0939743 |
| | |
| #1 | .7337863 |
| #2 | .7350925 |
| #3 | .7348265 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1004.986 | 23733.90 | 2955.579 | 856.8904 | 1669.984 |
| Stddev | .443 | 78.46 | 4.513 | 1.6659 | 1.596 |
| %RSD | .0440600 | .3305894 | .1526872 | .1944103 | .0955668 |
| | | | | | |
| #1 | 1005.264 | 23788.24 | 2958.173 | 857.3000 | 1670.921 |
| #2 | 1004.476 | 23643.95 | 2958.196 | 855.0580 | 1670.891 |
| #3 | 1005.220 | 23769.52 | 2950.368 | 858.3134 | 1668.142 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-14DLX2 Acquired: 10/26/2024 0:35:40 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE6D Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .9024323 | -.039146 | 2.570910 | .0125603 | .0205938 | 223.7068 |
| Stddev | .0046876 | .001156 | .007776 | .0048948 | .0035027 | .3270 |
| %RSD | .5194412 | 2.952970 | .3024518 | 38.97041 | 17.00845 | .1461842 |
| #1 | .9007930 | -.039833 | 2.579226 | .0091271 | .0188201 | 223.3850 |
| #2 | .8987845 | -.039793 | 2.563821 | .0181652 | .0183328 | 224.0388 |
| #3 | .9077194 | -.037811 | 2.569682 | .0103886 | .0246286 | 223.6966 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 3.878892 | .0142338 | .0643767 | 65.29429 | .6168740 | .2093016 |
| Stddev | .005157 | .0002529 | .0002594 | .02006 | .0009489 | .0002695 |
| %RSD | .1329523 | 1.776954 | .4029391 | .0307199 | .1538185 | .1287448 |
| #1 | 3.872939 | .0143025 | .0646275 | 65.31132 | .6161878 | .2095211 |
| #2 | 3.881745 | .0139537 | .0643932 | 65.29937 | .6179568 | .2090008 |
| #3 | 3.881992 | .0144454 | .0641095 | 65.27219 | .6164775 | .2093829 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 10.16058 | 239.9924 | 6.318494 | 64.39744 | .7939836 | .0082991 |
| Stddev | .01796 | .1761 | .019477 | .16057 | .0012483 | .0003320 |
| %RSD | .1767483 | .0733932 | .3082490 | .2493376 | .1572195 | 4.000585 |
| #1 | 10.14099 | 240.0750 | 6.296034 | 64.21667 | .7951289 | .0079264 |
| #2 | 10.17626 | 240.1121 | 6.328721 | 64.45210 | .7941690 | .0085634 |
| #3 | 10.16448 | 239.7902 | 6.330728 | 64.52353 | .7926530 | .0084074 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 5.114109 | .4279099 | 5.281973 | 19.60013 | F 17.11864 | .3149409 |
| Stddev | .254605 | .0039292 | .016613 | .07174 | .03522 | .0002129 |
| %RSD | 4.978484 | .9182287 | .3145231 | .3660141 | .2057201 | .0675895 |
| #1 | 5.158913 | .4242771 | 5.263902 | 19.51769 | 17.15879 | .3148236 |
| #2 | 4.840076 | .4273725 | 5.285434 | 19.64839 | 17.10416 | .3151866 |
| #3 | 5.343338 | .4320802 | 5.296583 | 19.63430 | 17.09297 | .3148125 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-14DLX2 Acquired: 10/26/2024 0:35:40 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE6D Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0050066 | 4.846144 | 4.569888 | .0785176 | 5.582406 | .1004112 |
| Stddev | .0005655 | .008730 | .017639 | .0029125 | .011859 | .0022648 |
| %RSD | 11.29558 | .1801476 | .3859792 | 3.709364 | .2124337 | 2.255531 |
| #1 | .0055081 | 4.855871 | 4.553374 | .0775423 | 5.573965 | .1023877 |
| #2 | .0051181 | 4.843575 | 4.588469 | .0762178 | 5.595964 | .0979399 |
| #3 | .0043937 | 4.838987 | 4.567821 | .0817925 | 5.577289 | .1009060 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | 1.138575 |
| Stddev | .001924 |
| %RSD | .1689605 |
| #1 | 1.137384 |
| #2 | 1.140794 |
| #3 | 1.137547 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1030.439 | 24272.54 | 3031.844 | 873.2154 | 1636.117 |
| Stddev | 1.714 | 30.52 | 9.685 | 3.1733 | 1.976 |
| %RSD | .1663059 | .1257507 | .3194314 | .3634045 | .1207719 |
| #1 | 1028.819 | 24303.26 | 3041.375 | 876.5444 | 1635.243 |
| #2 | 1032.233 | 24272.12 | 3022.013 | 872.8767 | 1638.380 |
| #3 | 1030.264 | 24242.22 | 3032.146 | 870.2250 | 1634.729 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-15DLX2 Acquired: 10/26/2024 0:40:00 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE6S Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .7276213 | .0627944 | 1.895033 | .1516572 | .1747623 | 174.1153 |
| Stddev | .0107645 | .0051564 | .003142 | .0076457 | .0026485 | .4732 |
| %RSD | 1.479405 | 8.211624 | .1657988 | 5.041428 | 1.515516 | .2717493 |
| #1 | .7324954 | .0569240 | 1.897388 | .1475234 | .1739981 | 173.5966 |
| #2 | .7152819 | .0648678 | 1.891465 | .1604799 | .1777089 | 174.5233 |
| #3 | .7350866 | .0665914 | 1.896246 | .1469684 | .1725799 | 174.2259 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 6.650547 | .1009150 | .1382310 | 46.63867 | .8894629 | 1.115939 |
| Stddev | .014686 | .0008106 | .0010560 | .11127 | .0039244 | .005405 |
| %RSD | .2208230 | .8032383 | .7639330 | .2385821 | .4412090 | .4843867 |
| #1 | 6.637944 | .1006541 | .1385867 | 46.52047 | .8939732 | 1.114764 |
| #2 | 6.666674 | .1002669 | .1370431 | 46.65412 | .8875869 | 1.111217 |
| #3 | 6.647023 | .1018239 | .1390633 | 46.74140 | .8868286 | 1.121835 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 8.105308 | 186.0888 | 5.764089 | 44.41993 | 1.528889 | .0920325 |
| Stddev | .005066 | .5051 | .026723 | .09925 | .005521 | .0003889 |
| %RSD | .0624993 | .2714093 | .4636078 | .2234271 | .3611165 | .4226171 |
| #1 | 8.099470 | 185.5072 | 5.738167 | 44.48013 | 1.529406 | .0921048 |
| #2 | 8.107911 | 186.4175 | 5.791546 | 44.47428 | 1.523128 | .0916124 |
| #3 | 8.108542 | 186.3416 | 5.762553 | 44.30538 | 1.534134 | .0923801 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 2.200271 | 1.249440 | 4.830343 | 15.07047 | F 11.45662 | .2486962 |
| Stddev | .052292 | .013600 | .017771 | .01818 | .04195 | .0004566 |
| %RSD | 2.376606 | 1.088463 | .3679028 | .1206498 | .3661891 | .1835936 |
| #1 | 2.163250 | 1.238597 | 4.823644 | 15.06049 | 11.44718 | .2481856 |
| #2 | 2.260092 | 1.245022 | 4.850490 | 15.05946 | 11.42019 | .2490653 |
| #3 | 2.177473 | 1.264699 | 4.816896 | 15.09145 | 11.50249 | .2488376 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-15DLX2 Acquired: 10/26/2024 0:40:00 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE6S Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0035895 | 3.571734 | 5.081939 | .0600547 | 4.648209 | .0730995 |
| Stddev | .0005646 | .015107 | .026239 | .0014511 | .011019 | .0015457 |
| %RSD | 15.73042 | .4229484 | .5163248 | 2.416341 | .2370489 | 2.114527 |
| | | | | | | |
| #1 | .0035337 | 3.577429 | 5.072357 | .0616151 | 4.636797 | .0741491 |
| #2 | .0030548 | 3.554608 | 5.061837 | .0598032 | 4.658786 | .0738247 |
| #3 | .0041800 | 3.583166 | 5.111622 | .0587457 | 4.649043 | .0713245 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .7290294 |
| Stddev | .0013165 |
| %RSD | .1805793 |
| | |
| #1 | .7276790 |
| #2 | .7303092 |
| #3 | .7290999 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1005.032 | 23583.29 | 2920.305 | 849.3448 | 1675.658 |
| Stddev | 1.831 | 36.46 | 9.629 | 4.0048 | 6.407 |
| %RSD | .1821795 | .1546128 | .3297233 | .4715144 | .3823413 |
| | | | | | |
| #1 | 1003.194 | 23545.19 | 2929.002 | 850.7895 | 1672.096 |
| #2 | 1006.856 | 23586.80 | 2921.955 | 844.8181 | 1683.054 |
| #3 | 1005.046 | 23617.86 | 2909.958 | 852.4267 | 1671.824 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-13LDLX10 Acquired: 10/26/2024 0:44:17 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE6L Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .1380461 | -.010449 | .3909963 | -.003116 | .0020289 | 38.24627 | .6558866 |
| Stddev | .0053975 | .001707 | .0031897 | .001977 | .0012341 | .09370 | .0002347 |
| %RSD | 3.909917 | 16.33653 | .8157975 | 63.45203 | 60.82443 | .2449857 | .0357916 |
| #1 | .1318798 | -.011201 | .3930295 | -.004226 | .0009178 | 38.15531 | .6556794 |
| #2 | .1403442 | -.011650 | .3873200 | -.000833 | .0018118 | 38.34248 | .6561416 |
| #3 | .1419142 | -.008495 | .3926395 | -.004288 | .0033571 | 38.24101 | .6558387 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0026378 | .0091946 | 10.73430 | .1116139 | .0312145 | 1.740778 | 42.75057 |
| Stddev | .0000454 | .0000426 | .06525 | .0015829 | .0003215 | .009792 | .26603 |
| %RSD | 1.722758 | .4631251 | .6078736 | 1.418185 | 1.029916 | .5624893 | .6222799 |
| #1 | .0026367 | .0091542 | 10.65948 | .1132836 | .0315495 | 1.729568 | 42.46547 |
| #2 | .0025930 | .0091906 | 10.77943 | .1114231 | .0309085 | 1.745111 | 42.99217 |
| #3 | .0026839 | .0092391 | 10.76398 | .1101351 | .0311855 | 1.747657 | 42.79408 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.099010 | 10.01932 | .1156081 | .0019729 | .5461060 | .0750633 | .9367089 |
| Stddev | .004086 | .03707 | .0009971 | .0008157 | .0224338 | .0046305 | .0061549 |
| %RSD | .3718085 | .3699676 | .8624686 | 41.34414 | 4.107951 | 6.168800 | .6570736 |
| #1 | 1.096903 | 9.97675 | .1152873 | .0010509 | .5362786 | .0700188 | .9431707 |
| #2 | 1.096407 | 10.04448 | .1167261 | .0022671 | .5302630 | .0760505 | .9360404 |
| #3 | 1.103720 | 10.03673 | .1148109 | .0026006 | .5717764 | .0791206 | .9309155 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 3.241252 | 2.364159 | .0579418 | .0000440 | .7161407 | 1.171589 | .0156064 |
| Stddev | .137056 | .004889 | .0002302 | .0006640 | .0048880 | .005360 | .0012979 |
| %RSD | 4.228503 | .2067781 | .3972582 | 1510.338 | .6825535 | .4575155 | 8.316298 |
| #1 | 3.225076 | 2.369146 | .0582065 | .0007772 | .7159621 | 1.171047 | .0168905 |
| #2 | 3.385679 | 2.363956 | .0577888 | -.000128 | .7211156 | 1.177199 | .0156336 |
| #3 | 3.113002 | 2.359376 | .0578300 | -.000517 | .7113444 | 1.166520 | .0142951 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-13LDLX10 Acquired: 10/26/2024 0:44:17 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE6L Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 1.049375 | .0184386 | .1639330 |
| Stddev | .006702 | .0004953 | .0002223 |
| %RSD | .6387109 | 2.686210 | .1355907 |
| | | | |
| #1 | 1.043956 | .0178949 | .1636765 |
| #2 | 1.056870 | .0188641 | .1640535 |
| #3 | 1.047300 | .0185567 | .1640690 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 961.6770 | 22343.97 | 2694.084 | 819.2545 | 1785.009 |
| Stddev | 1.6168 | 43.66 | 10.447 | 2.5947 | 4.007 |
| %RSD | .1681218 | .1953978 | .3877830 | .3167114 | .2244550 |
| | | | | | |
| #1 | 962.0560 | 22394.15 | 2697.275 | 817.6450 | 1786.990 |
| #2 | 963.0706 | 22323.11 | 2682.413 | 817.8707 | 1780.398 |
| #3 | 959.9044 | 22314.66 | 2702.562 | 822.2477 | 1787.640 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-16DLX2 Acquired: 10/26/2024 0:48:43 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE7 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .6541163 | -.044381 | 1.986798 | .0135496 | .0252679 | 250.5002 | 2.447613 |
| Stddev | .0115801 | .003479 | .001095 | .0025373 | .0062552 | .3340 | .003913 |
| %RSD | 1.770334 | 7.839943 | .0551085 | 18.72610 | 24.75554 | .1333529 | .1598575 |
| #1 | .6432882 | -.042216 | 1.987966 | .0156072 | .0320325 | 250.1717 | 2.445469 |
| #2 | .6527361 | -.042532 | 1.985795 | .0143272 | .0196930 | 250.4892 | 2.445240 |
| #3 | .6663246 | -.048395 | 1.986634 | .0107145 | .0240782 | 250.8396 | 2.452129 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0206616 | .0541728 | 40.26348 | .6100090 | .1388765 | 9.658363 | 286.0874 |
| Stddev | .0001177 | .0002392 | .13738 | .0011771 | .0010269 | .012590 | 1.0379 |
| %RSD | .5695623 | .4416411 | .3411918 | .1929688 | .7394653 | .1303545 | .3627993 |
| #1 | .0206816 | .0539128 | 40.10502 | .6086534 | .1386284 | 9.645997 | 284.8911 |
| #2 | .0207680 | .0542221 | 40.34904 | .6106008 | .1379964 | 9.657927 | 286.6229 |
| #3 | .0205352 | .0543837 | 40.33638 | .6107728 | .1400048 | 9.671165 | 286.7481 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 5.124945 | 49.59977 | .5926810 | -.000383 | 1.962462 | .3519199 | 6.253573 |
| Stddev | .008994 | .19086 | .0012199 | .000434 | .121165 | .0030654 | .017856 |
| %RSD | .1754955 | .3847920 | .2058251 | 113.4443 | 6.174116 | .8710404 | .2855385 |
| #1 | 5.118974 | 49.39229 | .5930608 | -.000527 | 1.898715 | .3494329 | 6.233005 |
| #2 | 5.120571 | 49.63918 | .5913164 | -.000727 | 2.102193 | .3553446 | 6.265105 |
| #3 | 5.135289 | 49.76785 | .5936658 | .000105 | 1.886479 | .3509823 | 6.262610 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 16.28210 | 8.594686 | .4045203 | .0064375 | 3.238874 | 5.338566 | .1258502 |
| Stddev | .04231 | .020583 | .0009939 | .0002499 | .010498 | .010208 | .0002178 |
| %RSD | .2598590 | .2394880 | .2457087 | 3.882814 | .3241213 | .1912069 | .1730741 |
| #1 | 16.31458 | 8.572409 | .4056376 | .0061521 | 3.227304 | 5.330349 | .1256393 |
| #2 | 16.23425 | 8.612998 | .4037343 | .0065428 | 3.247791 | 5.349993 | .1260743 |
| #3 | 16.29746 | 8.598652 | .4041891 | .0066175 | 3.241525 | 5.335356 | .1258371 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-16DLX2 Acquired: 10/26/2024 0:48:43 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE7 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 4.836355 | .0913760 | .5042805 |
| Stddev | .000855 | .0003244 | .0005868 |
| %RSD | .0176825 | .3549663 | .1163664 |
| | | | |
| #1 | 4.837124 | .0914778 | .5037893 |
| #2 | 4.835434 | .0910130 | .5041219 |
| #3 | 4.836506 | .0916373 | .5049303 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1002.487 | 23603.10 | 2941.038 | 854.1131 | 1660.708 |
| Stddev | 1.117 | 48.54 | 9.969 | 2.9912 | 1.631 |
| %RSD | .1114469 | .2056317 | .3389579 | .3502134 | .0981946 |
| | | | | | |
| #1 | 1002.104 | 23646.01 | 2951.668 | 857.5628 | 1659.229 |
| #2 | 1003.746 | 23612.87 | 2931.898 | 852.2387 | 1662.457 |
| #3 | 1001.612 | 23550.43 | 2939.548 | 852.5379 | 1660.438 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-17DLX2 Acquired: 10/26/2024 0:53:04 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE8 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .9671793 | -.032441 | 1.577520 | .0086271 | .0141878 | 150.4796 |
| Stddev | .0084163 | .006430 | .002623 | .0076037 | .0044201 | .3542 |
| %RSD | .8701901 | 19.81936 | .1662809 | 88.13769 | 31.15448 | .2353607 |
| #1 | .9755211 | -.025019 | 1.576557 | .0131725 | .0150252 | 150.1733 |
| #2 | .9673264 | -.036304 | 1.580489 | .0128598 | .0181292 | 150.3982 |
| #3 | .9586905 | -.036001 | 1.575515 | -.000151 | .0094088 | 150.8674 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 2.278834 | .0101024 | .0436855 | 38.54671 | .4801977 | .2003804 |
| Stddev | .009814 | .0000748 | .0001748 | .05453 | .0018093 | .0007729 |
| %RSD | .4306730 | .7405866 | .4001068 | .1414644 | .3767859 | .3857159 |
| #1 | 2.271659 | .0101273 | .0435631 | 38.53069 | .4822644 | .2012729 |
| #2 | 2.274824 | .0100182 | .0436078 | 38.60746 | .4788993 | .1999327 |
| #3 | 2.290018 | .0101615 | .0438857 | 38.50199 | .4794294 | .1999356 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 8.863782 | 206.1325 | 6.218711 | 42.83217 | .4802981 | -.000214 |
| Stddev | .039014 | .2014 | .029223 | .08573 | .0009292 | .000140 |
| %RSD | .4401511 | .0977050 | .4699226 | .2001643 | .1934602 | 65.40299 |
| #1 | 8.831343 | 206.2162 | 6.192357 | 42.74282 | .4798643 | -.000133 |
| #2 | 8.852931 | 205.9027 | 6.213637 | 42.91376 | .4813649 | -.000133 |
| #3 | 8.907073 | 206.2785 | 6.250139 | 42.83993 | .4796652 | -.000376 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.608592 | .3918376 | 2.855245 | 12.66072 | F 10.89725 | .2337349 |
| Stddev | .266935 | .0134033 | .018063 | .02533 | .02371 | .0005547 |
| %RSD | 16.59434 | 3.420629 | .6326248 | .2000590 | .2175560 | .2373362 |
| #1 | 1.487729 | .3842460 | 2.864974 | 12.63280 | 10.92461 | .2332874 |
| #2 | 1.423465 | .4073135 | 2.866358 | 12.66714 | 10.88303 | .2335618 |
| #3 | 1.914581 | .3839532 | 2.834402 | 12.68223 | 10.88409 | .2343556 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-17DLX2 Acquired: 10/26/2024 0:53:04 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE8 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0021676 | 1.286310 | 5.170860 | .0350377 | 5.231705 | .0830350 |
| Stddev | .0002496 | .008760 | .031219 | .0004662 | .019301 | .0002047 |
| %RSD | 11.51611 | .6809842 | .6037457 | 1.330512 | .3689168 | .2465548 |
| #1 | .0019274 | 1.293885 | 5.170038 | .0355758 | 5.216806 | .0832005 |
| #2 | .0024257 | 1.276717 | 5.140060 | .0347586 | 5.224801 | .0830984 |
| #3 | .0021498 | 1.288326 | 5.202481 | .0347786 | 5.253508 | .0828061 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .6197144 |
| Stddev | .0013853 |
| %RSD | .2235313 |
| #1 | .6184462 |
| #2 | .6195044 |
| #3 | .6211927 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1038.554 | 24512.58 | 3019.757 | 891.2424 | 1684.919 |
| Stddev | .624 | 30.65 | 14.575 | 4.6354 | 3.179 |
| %RSD | .0601137 | .1250478 | .4826495 | .5201095 | .1886914 |
| #1 | 1038.920 | 24492.93 | 3018.614 | 889.0743 | 1682.066 |
| #2 | 1038.908 | 24496.90 | 3034.870 | 888.0883 | 1688.346 |
| #3 | 1037.833 | 24547.90 | 3005.787 | 896.5646 | 1684.344 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-18DLX2 Acquired: 10/26/2024 0:57:24 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE9 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .2970308 | -.044296 | .8026028 | .0036710 | .0097690 | 208.1805 | 1.222890 |
| Stddev | .0046987 | .000875 | .0035771 | .0056119 | .0039540 | .5576 | .001203 |
| %RSD | 1.581904 | 1.975977 | .4456856 | 152.8713 | 40.47527 | .2678623 | .0983796 |
| #1 | .2926645 | -.043416 | .8013577 | .0047044 | .0053489 | 208.5429 | 1.223708 |
| #2 | .3020032 | -.044306 | .7998146 | .0086943 | .0129697 | 208.4603 | 1.223453 |
| #3 | .2964246 | -.045167 | .8066360 | -.002386 | .0109884 | 207.5384 | 1.221508 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0112823 | .0259510 | 43.21186 | .6729794 | .1859141 | 4.144501 | 307.7087 |
| Stddev | .0002893 | .0003405 | .27045 | .0018542 | .0009440 | .004920 | 1.2989 |
| %RSD | 2.564044 | 1.312204 | .6258634 | .2755190 | .5077335 | .1187176 | .4221188 |
| #1 | .0112486 | .0256174 | 43.41111 | .6708837 | .1848746 | 4.141515 | 307.9531 |
| #2 | .0115870 | .0259376 | 43.32049 | .6736476 | .1861499 | 4.150180 | 308.8681 |
| #3 | .0110114 | .0262980 | 42.90399 | .6744068 | .1867178 | 4.141808 | 306.3050 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 5.518307 | 92.35703 | .5017955 | -.015363 | 1.833516 | .6416042 | 2.995047 |
| Stddev | .010462 | .18872 | .0004891 | .000379 | .202023 | .0077955 | .003729 |
| %RSD | .1895830 | .2043422 | .0974673 | 2.467924 | 11.01835 | 1.214995 | .1245090 |
| #1 | 5.523576 | 92.39125 | .5020842 | -.015798 | 2.018259 | .6430171 | 2.993280 |
| #2 | 5.525087 | 92.52631 | .5012308 | -.015184 | 1.617792 | .6331989 | 2.992530 |
| #3 | 5.506258 | 92.15354 | .5020716 | -.015106 | 1.864497 | .6485965 | 2.999331 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 16.53130 | 6.373175 | .3636908 | .0015891 | 2.011476 | 6.994878 | .0739484 |
| Stddev | .13995 | .013047 | .0037033 | .0003070 | .006199 | .048315 | .0012744 |
| %RSD | .8465548 | .2047144 | 1.018267 | 19.32176 | .3081628 | .6907266 | 1.723413 |
| #1 | 16.56206 | 6.376059 | .3594636 | .0013715 | 2.008613 | 7.025971 | .0753060 |
| #2 | 16.65331 | 6.358928 | .3652454 | .0019403 | 2.007226 | 7.019448 | .0727777 |
| #3 | 16.37853 | 6.384539 | .3663635 | .0014554 | 2.018589 | 6.939216 | .0737616 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-18DLX2 Acquired: 10/26/2024 0:57:24 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE9 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 3.553352 | .0891379 | .3162526 |
| Stddev | .008328 | .0013076 | .0006931 |
| %RSD | .2343629 | 1.466895 | .2191543 |
| | | | |
| #1 | 3.551028 | .0902309 | .3164944 |
| #2 | 3.562595 | .0894936 | .3167924 |
| #3 | 3.546434 | .0876893 | .3154710 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 984.1862 | 23122.79 | 2893.854 | 828.5619 | 1644.444 |
| Stddev | 1.1714 | 54.10 | 14.463 | 2.4841 | 1.325 |
| %RSD | .1190193 | .2339862 | .4997679 | .2998056 | .0805904 |
| | | | | | |
| #1 | 982.8358 | 23138.73 | 2886.614 | 829.6975 | 1645.896 |
| #2 | 984.9292 | 23167.13 | 2884.442 | 830.2752 | 1643.299 |
| #3 | 984.7935 | 23062.51 | 2910.507 | 825.7130 | 1644.137 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-19DLX2 Acquired: 10/26/2024 1:01:46 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBF0 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.011377 | -.031443 | 2.468876 | .0178982 | .0303109 | 217.0225 |
| Stddev | .014498 | .002799 | .010800 | .0026720 | .0020668 | .4566 |
| %RSD | 1.433540 | 8.900865 | .4374344 | 14.92858 | 6.818581 | .2103711 |
| #1 | 1.025717 | -.033798 | 2.457621 | .0193786 | .0307462 | 217.5475 |
| #2 | .996725 | -.028349 | 2.469853 | .0195023 | .0280612 | 216.8023 |
| #3 | 1.011689 | -.032183 | 2.479154 | .0148137 | .0321254 | 216.7179 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 2.435007 | .0140614 | .0486139 | 44.59532 | .6526485 | .1547922 |
| Stddev | .007043 | .0000680 | .0002873 | .16551 | .0013824 | .0008220 |
| %RSD | .2892381 | .4837206 | .5909642 | .3711279 | .2118118 | .5310371 |
| #1 | 2.438769 | .0140532 | .0483857 | 44.78621 | .6527171 | .1541517 |
| #2 | 2.439370 | .0139978 | .0485193 | 44.49201 | .6512330 | .1545058 |
| #3 | 2.426882 | .0141331 | .0489365 | 44.50774 | .6539953 | .1557191 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 8.342807 | 193.1368 | 5.055437 | 50.48151 | .6493328 | .0088631 |
| Stddev | .010421 | .4311 | .013962 | .14820 | .0026258 | .0002839 |
| %RSD | .1249055 | .2231847 | .2761687 | .2935763 | .4043816 | 3.202714 |
| #1 | 8.346504 | 193.6050 | 5.041380 | 50.63976 | .6467496 | .0086409 |
| #2 | 8.350874 | 192.7564 | 5.069301 | 50.34598 | .6492497 | .0087657 |
| #3 | 8.331041 | 193.0492 | 5.055630 | 50.45880 | .6519991 | .0091829 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 2.097626 | .3665065 | 4.710900 | 12.51181 | F 13.98259 | .2713750 |
| Stddev | .136844 | .0108556 | .018915 | .06928 | .02175 | .0014339 |
| %RSD | 6.523768 | 2.961915 | .4015203 | .5537306 | .1555763 | .5283964 |
| #1 | 2.109695 | .3724886 | 4.700369 | 12.58746 | 13.99234 | .2729775 |
| #2 | 2.228036 | .3730551 | 4.699595 | 12.45145 | 13.95767 | .2709344 |
| #3 | 1.955147 | .3539758 | 4.732737 | 12.49652 | 13.99777 | .2702131 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-19DLX2 Acquired: 10/26/2024 1:01:46 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBF0 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0071019 | 3.146733 | 5.570494 | .0906152 | 5.782080 | .0738258 |
| Stddev | .0008170 | .019941 | .006990 | .0024973 | .005892 | .0008778 |
| %RSD | 11.50432 | .6336990 | .1254758 | 2.755911 | .1019037 | 1.189005 |
| #1 | .0076601 | 3.154201 | 5.564054 | .0912099 | 5.780957 | .0731555 |
| #2 | .0074814 | 3.124136 | 5.569501 | .0878742 | 5.776829 | .0748194 |
| #3 | .0061641 | 3.161862 | 5.577927 | .0927614 | 5.788452 | .0735026 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .8356356 |
| Stddev | .0013658 |
| %RSD | .1634387 |
| #1 | .8362494 |
| #2 | .8365868 |
| #3 | .8340706 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1009.398 | 23750.53 | 2921.646 | 853.7218 | 1668.519 |
| Stddev | 2.099 | 33.76 | 1.326 | 2.4375 | 3.480 |
| %RSD | .2079108 | .1421437 | .0453801 | .2855112 | .2085552 |
| #1 | 1011.226 | 23725.67 | 2922.144 | 853.6592 | 1668.352 |
| #2 | 1009.861 | 23736.96 | 2920.143 | 856.1901 | 1672.079 |
| #3 | 1007.106 | 23788.97 | 2922.650 | 851.3163 | 1665.125 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-20DLX2 Acquired: 10/26/2024 1:06:07 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBF1 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .7702888 | -.035902 | 2.839461 | .0204319 | .0235092 | 246.0396 | 1.949185 |
| Stddev | .0112467 | .005012 | .002328 | .0035829 | .0001891 | .7068 | .002456 |
| %RSD | 1.460059 | 13.95983 | .0819880 | 17.53569 | .8045573 | .2872800 | .1259880 |
| #1 | .7720491 | -.038976 | 2.837456 | .0224754 | .0232909 | 245.2257 | 1.947499 |
| #2 | .7582658 | -.038611 | 2.838912 | .0162949 | .0236134 | 246.3946 | 1.952003 |
| #3 | .7805516 | -.030119 | 2.842014 | .0225254 | .0236234 | 246.4985 | 1.948055 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0182941 | .0710434 | 39.61541 | .5994094 | .1742653 | 13.72420 | 230.9486 |
| Stddev | .0003497 | .0004530 | .23378 | .0010585 | .0009103 | .01520 | 1.1345 |
| %RSD | 1.911260 | .6377057 | .5901131 | .1765877 | .5223590 | .1107190 | .4912538 |
| #1 | .0179578 | .0705268 | 39.38450 | .5989341 | .1736214 | 13.72565 | 229.6439 |
| #2 | .0186557 | .0713728 | 39.60979 | .5986719 | .1738678 | 13.70833 | 231.4982 |
| #3 | .0182687 | .0712308 | 39.85195 | .6006223 | .1753068 | 13.73862 | 231.7035 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 4.798775 | 50.65401 | .5283877 | .0159818 | 2.129083 | .3939647 | 7.291647 |
| Stddev | .010891 | .32714 | .0010691 | .0005115 | .270764 | .0027015 | .021203 |
| %RSD | .2269606 | .6458365 | .2023282 | 3.200786 | 12.71740 | .6857189 | .2907843 |
| #1 | 4.799382 | 50.34671 | .5279887 | .0156261 | 2.440930 | .3931711 | 7.281654 |
| #2 | 4.787593 | 50.61740 | .5295989 | .0165680 | 1.953749 | .3917489 | 7.277288 |
| #3 | 4.809351 | 50.99791 | .5275755 | .0157512 | 1.992570 | .3969741 | 7.316000 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 22.99606 | 9.115775 | .3428898 | .0077450 | 7.776657 | 6.627062 | .1455536 |
| Stddev | .04088 | .025772 | .0031848 | .0000895 | .017804 | .039597 | .0010091 |
| %RSD | .1777610 | .2827144 | .9288016 | 1.155468 | .2289439 | .5975092 | .6932863 |
| #1 | 23.00311 | 9.088546 | .3393674 | .0078443 | 7.756271 | 6.581342 | .1444026 |
| #2 | 22.95211 | 9.118991 | .3455660 | .0076707 | 7.789153 | 6.650420 | .1459718 |
| #3 | 23.03295 | 9.139787 | .3437360 | .0077200 | 7.784547 | 6.649423 | .1462863 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-20DLX2 Acquired: 10/26/2024 1:06:07 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBF1 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 4.363657 | .0838793 | .3798709 |
| Stddev | .009552 | .0010677 | .0003736 |
| %RSD | .2188905 | 1.272879 | .0983460 |
| | | | |
| #1 | 4.353082 | .0827025 | .3795054 |
| #2 | 4.371658 | .0847860 | .3798553 |
| #3 | 4.366231 | .0841494 | .3802521 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 991.3476 | 23387.26 | 2902.063 | 849.6918 | 1658.851 |
| Stddev | 2.7745 | 39.27 | 9.717 | 4.0051 | 3.964 |
| %RSD | .2798737 | .1679036 | .3348184 | .4713548 | .2389380 |
| | | | | | |
| #1 | 992.4039 | 23342.14 | 2912.127 | 846.2959 | 1662.696 |
| #2 | 988.2000 | 23413.69 | 2901.326 | 854.1085 | 1654.779 |
| #3 | 993.4388 | 23405.96 | 2892.736 | 848.6711 | 1659.078 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-21DLX2 Acquired: 10/26/2024 1:10:27 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBF2 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .6815075 | -.036635 | 1.463071 | .0061472 | .0092706 | 195.4665 |
| Stddev | .0055873 | .004571 | .006441 | .0054184 | .0012239 | .5513 |
| %RSD | .8198502 | 12.47826 | .4402360 | 88.14517 | 13.20171 | .2820364 |
| #1 | .6792642 | -.037907 | 1.465364 | .0021774 | .0082359 | 194.8306 |
| #2 | .6773904 | -.031562 | 1.468052 | .0039440 | .0089542 | 195.7591 |
| #3 | .6878678 | -.040435 | 1.455797 | .0123201 | .0106216 | 195.8099 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 4.954287 | .0118700 | .0420153 | 56.09677 | .5276326 | .1589900 |
| Stddev | .011478 | .0001595 | .0000798 | .02804 | .0009647 | .0007341 |
| %RSD | .2316790 | 1.343542 | .1898958 | .0499799 | .1828391 | .4617393 |
| #1 | 4.941222 | .0120518 | .0420678 | 56.08806 | .5274373 | .1583466 |
| #2 | 4.958888 | .0118047 | .0419235 | 56.12813 | .5267806 | .1588338 |
| #3 | 4.962751 | .0117536 | .0420546 | 56.07412 | .5286801 | .1597897 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 5.875927 | 207.2373 | 4.573540 | 63.98461 | .7551240 | .0024884 |
| Stddev | .022364 | .3847 | .004776 | .11010 | .0028687 | .0004871 |
| %RSD | .3806061 | .1856199 | .1044330 | .1720683 | .3798950 | 19.57446 |
| #1 | 5.850188 | 206.8134 | 4.568062 | 63.88709 | .7531437 | .0024087 |
| #2 | 5.890608 | 207.3345 | 4.576834 | 64.10400 | .7584137 | .0030104 |
| #3 | 5.886986 | 207.5641 | 4.575724 | 63.96272 | .7538146 | .0020461 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 3.363661 | .4385344 | 3.256438 | 15.67781 | F 13.53530 | .2616036 |
| Stddev | .023139 | .0017861 | .024937 | .01432 | .00938 | .0017467 |
| %RSD | .6879124 | .4072831 | .7657811 | .0913259 | .0693028 | .6676792 |
| #1 | 3.347223 | .4399188 | 3.275636 | 15.66195 | 13.53896 | .2609549 |
| #2 | 3.390122 | .4391662 | 3.228253 | 15.68978 | 13.54229 | .2635818 |
| #3 | 3.353639 | .4365183 | 3.265424 | 15.68171 | 13.52464 | .2602740 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-21DLX2 Acquired: 10/26/2024 1:10:27 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBF2 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0022544 | 2.534062 | 5.978379 | .0530197 | 5.603517 | .0887883 |
| Stddev | .0001026 | .008741 | .011376 | .0029326 | .009327 | .0008015 |
| %RSD | 4.551474 | .3449583 | .1902922 | 5.531239 | .1664410 | .9026644 |
| | | | | | | |
| #1 | .0022140 | 2.535320 | 5.986485 | .0556976 | 5.598304 | .0896103 |
| #2 | .0023711 | 2.542106 | 5.965374 | .0534756 | 5.597962 | .0880091 |
| #3 | .0021782 | 2.524759 | 5.983279 | .0498858 | 5.614284 | .0887457 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | 1.105687 |
| Stddev | .002115 |
| %RSD | .1912605 |
| | |
| #1 | 1.103258 |
| #2 | 1.106688 |
| #3 | 1.107115 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1012.569 | 23908.85 | 2956.489 | 865.1988 | 1647.627 |
| Stddev | 2.709 | 89.80 | 5.685 | 4.9320 | 1.731 |
| %RSD | .2675053 | .3755787 | .1922773 | .5700478 | .1050516 |
| | | | | | |
| #1 | 1010.446 | 23886.66 | 2951.486 | 859.8492 | 1647.273 |
| #2 | 1015.620 | 23832.22 | 2955.311 | 869.5652 | 1646.101 |
| #3 | 1011.642 | 24007.65 | 2962.670 | 866.1821 | 1649.507 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-22DLX2 Acquired: 10/26/2024 1:14:47 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBF3 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .7522756 | -.035280 | 3.576200 | .0313718 | .0495144 | 448.3045 | 1.901257 |
| Stddev | .0155042 | .003523 | .015533 | .0061412 | .0043652 | .8246 | .002592 |
| %RSD | 2.060978 | 9.987062 | .4343551 | 19.57551 | 8.816044 | .1839332 | .1363374 |
| #1 | .7429552 | -.034319 | 3.571257 | .0282860 | .0514535 | 448.0382 | 1.901945 |
| #2 | .7436984 | -.039184 | 3.563740 | .0273855 | .0525741 | 449.2293 | 1.903435 |
| #3 | .7701732 | -.032336 | 3.593604 | .0384440 | .0445156 | 447.6459 | 1.898390 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0375729 | .0766605 | 43.10827 | 1.230760 | .1189988 | 20.71630 | 185.1757 |
| Stddev | .0001994 | .0005549 | .20350 | .002827 | .0007755 | .05347 | .3244 |
| %RSD | .5307821 | .7238364 | .4720637 | .2296672 | .6516771 | .2580892 | .1751824 |
| #1 | .0375491 | .0766599 | 43.07904 | 1.233876 | .1198704 | 20.68281 | 185.3355 |
| #2 | .0377832 | .0761060 | 43.32481 | 1.228361 | .1183853 | 20.77796 | 185.3891 |
| #3 | .0373865 | .0772158 | 42.92097 | 1.230042 | .1187406 | 20.68813 | 184.8024 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 4.308508 | 65.60786 | .8294255 | .0292661 | 2.358116 | .3383937 | 11.70269 |
| Stddev | .009039 | .11029 | .0028754 | .0004233 | .279678 | .0037583 | .00623 |
| %RSD | .2097980 | .1681035 | .3466686 | 1.446360 | 11.86024 | 1.110623 | .0532265 |
| #1 | 4.307203 | 65.73401 | .8293498 | .0296586 | 2.680445 | .3419525 | 11.70942 |
| #2 | 4.300192 | 65.52968 | .8265887 | .0293221 | 2.214213 | .3344635 | 11.69712 |
| #3 | 4.318129 | 65.55989 | .8323380 | .0288176 | 2.179691 | .3387649 | 11.70152 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 20.05833 | 6.696337 | .4919489 | .0210979 | 7.417371 | 8.305218 | .3110878 |
| Stddev | .08157 | .013269 | .0016009 | .0005817 | .023393 | .037549 | .0032340 |
| %RSD | .4066656 | .1981476 | .3254112 | 2.757290 | .3153841 | .4521193 | 1.039570 |
| #1 | 20.12619 | 6.689448 | .4920585 | .0207294 | 7.411038 | 8.294961 | .3119484 |
| #2 | 20.08096 | 6.687929 | .4934921 | .0217685 | 7.397796 | 8.346830 | .3075105 |
| #3 | 19.96783 | 6.711633 | .4902960 | .0207957 | 7.443279 | 8.273863 | .3138044 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: P4332-22DLX2 Acquired: 10/26/2024 1:14:47 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBF3 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 5.863810 | .0819181 | .3805137 |
| Stddev | .007774 | .0025346 | .0007706 |
| %RSD | .1325675 | 3.094106 | .2025143 |
| | | | |
| #1 | 5.872277 | .0807530 | .3796322 |
| #2 | 5.862156 | .0848257 | .3808495 |
| #3 | 5.856996 | .0801754 | .3810594 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 959.8707 | 22679.85 | 2870.214 | 822.7388 | 1611.223 |
| Stddev | .9890 | 47.96 | 9.818 | 1.0319 | 2.841 |
| %RSD | .1030390 | .2114644 | .3420645 | .1254258 | .1763524 |
| | | | | | |
| #1 | 958.8623 | 22624.49 | 2868.112 | 821.7814 | 1611.181 |
| #2 | 960.8392 | 22706.12 | 2861.618 | 823.8319 | 1614.085 |
| #3 | 959.9106 | 22708.93 | 2880.913 | 822.6031 | 1608.403 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: PB164278BL Acquired: 10/26/2024 1:19:06 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: PBS278 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0008203 | -.003007 | .0014307 | .0005697 | -.001317 | -.084578 | -.000531 |
| Stddev | .0013421 | .003303 | .0009730 | .0011259 | .000819 | .009381 | .000347 |
| %RSD | 163.6006 | 109.8387 | 68.01145 | 197.6400 | 62.20990 | 11.09162 | 65.25126 |
| #1 | .0003132 | -.001267 | .0024699 | .0018482 | -.000388 | -.083691 | -.000927 |
| #2 | -.000194 | -.006816 | .0012808 | -.000274 | -.001935 | -.075671 | -.000382 |
| #3 | .002342 | -.000938 | .0005413 | .000135 | -.001628 | -.094370 | -.000285 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.000084 | -.000095 | -.034622 | -.000642 | .0001033 | .0047153 | -.044584 |
| Stddev | .000043 | .000124 | .017840 | .000525 | .0001338 | .0022407 | .011229 |
| %RSD | 51.10149 | 130.0297 | 51.52903 | 81.80320 | 129.4988 | 47.51892 | 25.18632 |
| #1 | -.000077 | .000012 | -.053751 | -.000064 | -.000044 | .0023040 | -.032297 |
| #2 | -.000131 | -.000231 | -.031676 | -.001089 | .000137 | .0051088 | -.047143 |
| #3 | -.000045 | -.000066 | -.018438 | -.000773 | .000217 | .0067332 | -.054313 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.001190 | .0008116 | -.000290 | -.000098 | -.156807 | -.009548 | -.001954 |
| Stddev | .000883 | .0431878 | .000618 | .000645 | .253346 | .006727 | .000411 |
| %RSD | 74.21429 | 5321.075 | 213.4418 | 657.9537 | 161.5656 | 70.45150 | 21.03640 |
| #1 | -.000255 | -.045413 | .000422 | .000537 | .081305 | -.005038 | -.001992 |
| #2 | -.001305 | .007716 | -.000697 | -.000078 | -.423040 | -.017280 | -.001525 |
| #3 | -.002011 | .040131 | -.000594 | -.000753 | -.128685 | -.006326 | -.002344 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0986487 | -.001044 | .0010555 | -.000411 | -.009671 | -.000079 | .0034210 |
| Stddev | .1201881 | .001354 | .0003928 | .000298 | .006229 | .000742 | .0010409 |
| %RSD | 121.8345 | 129.6204 | 37.21119 | 72.48886 | 64.41315 | 942.8694 | 30.42688 |
| #1 | -.001903 | .000445 | .0006020 | -.000722 | -.015800 | .000642 | .0030000 |
| #2 | .066087 | -.001379 | .0012807 | -.000128 | -.009867 | -.000840 | .0046064 |
| #3 | .231763 | -.002200 | .0012840 | -.000382 | -.003346 | -.000038 | .0026565 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: PB164278BL Acquired: 10/26/2024 1:19:06 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: PBS278 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | .0007378 | -.001171 | -.000329 |
| Stddev | .0000300 | .001713 | .000018 |
| %RSD | 4.058956 | 146.2570 | 5.467461 |
| | | | |
| #1 | .0007158 | -.000422 | -.000332 |
| #2 | .0007257 | .000040 | -.000346 |
| #3 | .0007719 | -.003131 | -.000310 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 943.7039 | 21876.45 | 2646.039 | 801.6127 | 1830.077 |
| Stddev | .8464 | 100.53 | 6.155 | 7.3513 | 3.046 |
| %RSD | .0896938 | .4595424 | .2326195 | .9170645 | .1664555 |
| | | | | | |
| #1 | 943.9289 | 21862.54 | 2639.011 | 798.6042 | 1833.355 |
| #2 | 944.4150 | 21783.60 | 2648.639 | 796.2428 | 1827.333 |
| #3 | 942.7676 | 21983.21 | 2650.468 | 809.9910 | 1829.542 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: PB164278BS Acquired: 10/26/2024 1:23:38 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: LCS278 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0183492 | .0447510 | .0201110 | .0616385 | .1039391 | .2878519 |
| Stddev | .0026210 | .0012660 | .0043369 | .0015184 | .0011198 | .0119889 |
| %RSD | 14.28387 | 2.829035 | 21.56464 | 2.463391 | 1.077358 | 4.164955 |
| #1 | .0164458 | .0441993 | .0216524 | .0599110 | .1044278 | .3010908 |
| #2 | .0213387 | .0438544 | .0152140 | .0627615 | .1026581 | .2777279 |
| #3 | .0172632 | .0461992 | .0234666 | .0622431 | .1047316 | .2847369 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .4172697 | .0107986 | .0099585 | 10.72162 | .0218879 | .0991789 |
| Stddev | .0011140 | .0001167 | .0000617 | .04321 | .0006653 | .0002435 |
| %RSD | .2669607 | 1.080847 | .6199783 | .4029898 | 3.039703 | .2455281 |
| #1 | .4161220 | .0107842 | .0099362 | 10.77002 | .0211454 | .0989003 |
| #2 | .4173404 | .0106898 | .0099109 | 10.68692 | .0224301 | .0992853 |
| #3 | .4183465 | .0109219 | .0100282 | 10.70793 | .0220881 | .0993511 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0516242 | .1471432 | .0311712 | 10.11829 | .0826920 | .0220393 |
| Stddev | .0031265 | .0317405 | .0015776 | .05648 | .0002001 | .0005146 |
| %RSD | 6.056332 | 21.57120 | 5.061205 | .5581703 | .2419274 | 2.334777 |
| #1 | .0535234 | .1458350 | .0293894 | 10.05430 | .0825734 | .0222800 |
| #2 | .0480156 | .1795176 | .0317334 | 10.13941 | .0825797 | .0223893 |
| #3 | .0533334 | .1160769 | .0323906 | 10.16117 | .0829230 | .0214485 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 10.44069 | .1048505 | .1070877 | 9.878022 | .0174750 | F .0011313 |
| Stddev | .29933 | .0042597 | .0008311 | .028083 | .0024282 | .0013321 |
| %RSD | 2.866909 | 4.062640 | .7761001 | .2842999 | 13.89539 | 117.7481 |
| #1 | 10.50053 | .1089707 | .1074068 | 9.846840 | .0164874 | .0023776 |
| #2 | 10.11597 | .1004638 | .1061444 | 9.885906 | .0202414 | .0012887 |
| #3 | 10.70558 | .1051170 | .1077120 | 9.901321 | .0156961 | -.000272 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: PB164278BS Acquired: 10/26/2024 1:23:38 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: LCS278 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | F .0179161 | .1582734 | F .4760168 | F .0184764 | .1985424 | .0311967 |
| Stddev | .0007074 | .0029262 | .0015625 | .0008273 | .0017229 | .0005981 |
| %RSD | 3.948455 | 1.848819 | .3282526 | 4.477671 | .8677791 | 1.917028 |
| | | | | | | |
| #1 | .0187029 | .1616418 | .4743983 | .0187431 | .2003335 | .0311103 |
| #2 | .0173325 | .1568198 | .4761355 | .0191376 | .1968969 | .0306465 |
| #3 | .0177129 | .1563586 | .4775165 | .0175487 | .1983969 | .0318332 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .2111591 |
| Stddev | .0007114 |
| %RSD | .3369138 |
| | |
| #1 | .2108572 |
| #2 | .2106484 |
| #3 | .2119717 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 940.6819 | 21744.58 | 2632.388 | 796.1726 | 1785.165 |
| Stddev | 1.0141 | 71.37 | 12.216 | 3.3587 | .198 |
| %RSD | .1078057 | .3282267 | .4640465 | .4218546 | .0110931 |
| | | | | | |
| #1 | 941.2754 | 21757.86 | 2644.863 | 799.1652 | 1785.001 |
| #2 | 939.5109 | 21667.49 | 2631.851 | 796.8127 | 1785.108 |
| #3 | 941.2593 | 21808.37 | 2620.450 | 792.5399 | 1785.385 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: PB164278BSD Acquired: 10/26/2024 1:28:08 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: LCSD278 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0082645 | .0215740 | .0113879 | .0238920 | .0490397 | .1025449 | .2057018 |
| Stddev | .0041218 | .0015227 | .0016229 | .0022459 | .0026878 | .0023124 | .0009744 |
| %RSD | 49.87324 | 7.057895 | 14.25128 | 9.400038 | 5.480764 | 2.255017 | .4736950 |
| #1 | .0039268 | .0232816 | .0126350 | .0220220 | .0485057 | .1048854 | .2067017 |
| #2 | .0121295 | .0210829 | .0095530 | .0232711 | .0466590 | .1024876 | .2056484 |
| #3 | .0087371 | .0203574 | .0119758 | .0263830 | .0519543 | .1002617 | .2047551 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0052110 | .0047929 | 5.295138 | .0106619 | .0489138 | .0266941 | .0493862 |
| Stddev | .0000450 | .0000678 | .011815 | .0004050 | .0010731 | .0012455 | .0297329 |
| %RSD | .8640431 | 1.415199 | .2231384 | 3.798381 | 2.193933 | 4.665844 | 60.20497 |
| #1 | .0052548 | .0048646 | 5.308780 | .0102073 | .0489200 | .0253526 | .0367432 |
| #2 | .0051649 | .0047842 | 5.288472 | .0107942 | .0478376 | .0269157 | .0280641 |
| #3 | .0052134 | .0047298 | 5.288161 | .0109841 | .0499838 | .0278139 | .0833511 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0138408 | 4.945901 | .0401424 | .0115198 | 5.283719 | .0463670 | .0530112 |
| Stddev | .0015384 | .076965 | .0000981 | .0001202 | .278040 | .0018617 | .0005585 |
| %RSD | 11.11521 | 1.556142 | .2444507 | 1.043503 | 5.262208 | 4.015176 | 1.053581 |
| #1 | .0121480 | 4.891673 | .0400479 | .0116047 | 5.209472 | .0485167 | .0536027 |
| #2 | .0151536 | 5.033991 | .0402438 | .0113822 | 5.050339 | .0452846 | .0529383 |
| #3 | .0142209 | 4.912038 | .0401355 | .0115724 | 5.591346 | .0452998 | .0524928 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 4.821525 | .0104736 | .0018822 | .0090371 | .0728058 | .2357185 | .0104465 |
| Stddev | .098276 | .0008775 | .0010438 | .0004001 | .0019421 | .0011902 | .0008388 |
| %RSD | 2.038285 | 8.377909 | 55.45757 | 4.427503 | 2.667447 | .5049076 | 8.029753 |
| #1 | 4.855611 | .0098229 | .0006861 | .0087893 | .0716357 | .2369147 | .0113884 |
| #2 | 4.710744 | .0101264 | .0026090 | .0094987 | .0750476 | .2345344 | .0101709 |
| #3 | 4.898221 | .0114716 | .0023514 | .0088233 | .0717341 | .2357064 | .0097801 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: PB164278BSD Acquired: 10/26/2024 1:28:08 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: LCSD278 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | .0986862 | .0174496 | .1037165 |
| Stddev | .0003457 | .0018832 | .0003382 |
| %RSD | .3502679 | 10.79202 | .3260616 |
| | | | |
| #1 | .0984156 | .0196114 | .1041028 |
| #2 | .0985673 | .0165713 | .1034741 |
| #3 | .0990755 | .0161659 | .1035725 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 940.0245 | 21728.60 | 2613.332 | 792.9479 | 1810.095 |
| Stddev | 1.5545 | 39.04 | 12.557 | 1.8830 | 2.495 |
| %RSD | .1653724 | .1796877 | .4805156 | .2374668 | .1378126 |
| | | | | | |
| #1 | 939.8190 | 21732.73 | 2600.532 | 791.4507 | 1807.287 |
| #2 | 941.6716 | 21765.41 | 2613.832 | 795.0619 | 1810.943 |
| #3 | 938.5829 | 21687.65 | 2625.632 | 792.3311 | 1812.055 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: CCV004 Acquired: 10/26/2024 1:32:39 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV004 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 4.703718 | 4.716113 | 23.39527 | 4.596596 | 4.598350 | 392.2322 | 9.659982 |
| Stddev | .022897 | .011679 | .04032 | .006049 | .026021 | 5.7705 | .142395 |
| %RSD | .4867950 | .2476400 | .1723521 | .1315975 | .5658813 | 1.471191 | 1.474068 |
| #1 | 4.727135 | 4.729557 | 23.35015 | 4.589616 | 4.568427 | 394.9079 | 9.730889 |
| #2 | 4.681378 | 4.708471 | 23.40790 | 4.600297 | 4.615672 | 396.1792 | 9.753002 |
| #3 | 4.702641 | 4.710311 | 23.42777 | 4.599876 | 4.610951 | 385.6096 | 9.496055 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .4931371 | 2.292327 | 389.4791 | 14.79731 | 2.388865 | 14.31241 | 398.7023 |
| Stddev | .0060447 | .003059 | 5.9110 | .00867 | .004040 | .17732 | 5.9865 |
| %RSD | 1.225774 | .1334469 | 1.517670 | .0585597 | .1691328 | 1.238948 | 1.501486 |
| #1 | .4984808 | 2.289776 | 392.6979 | 14.79983 | 2.384206 | 14.40171 | 401.5136 |
| #2 | .4943541 | 2.291486 | 393.0821 | 14.78767 | 2.391404 | 14.42733 | 402.7657 |
| #3 | .4865765 | 2.295718 | 382.6573 | 14.80444 | 2.390986 | 14.10819 | 391.8276 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 14.20752 | 389.6089 | 2.373102 | 1.206949 | 398.0245 | 2.381272 | 13.94673 |
| Stddev | .20500 | 4.9367 | .004247 | .004140 | 5.8990 | .015343 | .00772 |
| %RSD | 1.442880 | 1.267102 | .1789834 | .3430364 | 1.482059 | .6443285 | .0553391 |
| #1 | 14.34769 | 391.6414 | 2.371919 | 1.210041 | 401.0749 | 2.386722 | 13.93786 |
| #2 | 14.30263 | 393.2049 | 2.369572 | 1.202245 | 401.7736 | 2.393146 | 13.95045 |
| #3 | 13.97224 | 383.9804 | 2.377816 | 1.208560 | 391.2249 | 2.363948 | 13.95189 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 148.0495 | 4.815720 | 5.111429 | 4.536389 | 4.791775 | 5.121373 | 4.707632 |
| Stddev | 2.1662 | .005306 | .072259 | .011229 | .018501 | .066934 | .008554 |
| %RSD | 1.463160 | .1101742 | 1.413674 | .2475221 | .3860974 | 1.306951 | .1816964 |
| #1 | 148.8731 | 4.811743 | 5.158365 | 4.528779 | 4.800249 | 5.169353 | 4.703975 |
| #2 | 149.6831 | 4.821745 | 5.147704 | 4.531103 | 4.770555 | 5.149856 | 4.701514 |
| #3 | 145.5923 | 4.813673 | 5.028219 | 4.549285 | 4.804521 | 5.044908 | 4.717406 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: CCV004 Acquired: 10/26/2024 1:32:39 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV004 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 4.716425 | 5.055131 | 4.922669 |
| Stddev | .065328 | .081374 | .071878 |
| %RSD | 1.385127 | 1.609722 | 1.460142 |
| | | | |
| #1 | 4.753100 | 5.090600 | 4.956959 |
| #2 | 4.755175 | 5.112751 | 4.970981 |
| #3 | 4.641000 | 4.962044 | 4.840067 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 751.3218 | 19821.41 | 2512.545 | 615.3061 | 1391.089 |
| Stddev | 1.7801 | 10.36 | 31.892 | 1.2437 | 2.682 |
| %RSD | .2369245 | .0522570 | 1.269298 | .2021300 | .1927960 |
| | | | | | |
| #1 | 753.1601 | 19826.54 | 2494.098 | 616.0322 | 1394.032 |
| #2 | 751.1989 | 19809.48 | 2494.168 | 613.8700 | 1390.451 |
| #3 | 749.6064 | 19828.19 | 2549.371 | 616.0162 | 1388.783 |

Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: CCB004 Acquired: 10/26/2024 1:36:50 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB004 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.000935 | -.003066 | .0018992 | .0000769 | -.002127 | -.090724 | -.000048 |
| Stddev | .002031 | .001541 | .0003712 | .0012882 | .000694 | .011531 | .000546 |
| %RSD | 217.2828 | 50.26865 | 19.54533 | 1675.441 | 32.63965 | 12.71038 | 1133.571 |
| #1 | -.001035 | -.001337 | .0020314 | -.001403 | -.002892 | -.098587 | .000582 |
| #2 | -.002913 | -.004295 | .0021862 | .000945 | -.001536 | -.077486 | -.000379 |
| #3 | .001144 | -.003567 | .0014800 | .000689 | -.001953 | -.096097 | -.000347 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.000062 | -.000129 | -.033741 | .0002387 | -.000087 | .0030128 | -.034338 |
| Stddev | .000120 | .000139 | .010341 | .0007339 | .000269 | .0051161 | .008636 |
| %RSD | 191.9551 | 108.0370 | 30.64829 | 307.4124 | 311.1377 | 169.8116 | 25.15070 |
| #1 | -.000098 | -.000037 | -.021817 | .0000983 | .000034 | .0073503 | -.026889 |
| #2 | .000071 | -.000061 | -.040254 | -.000415 | -.000395 | .0043173 | -.043805 |
| #3 | -.000160 | -.000289 | -.039151 | .001033 | .000101 | -.002629 | -.032321 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.001469 | -.030817 | -.000366 | .0014401 | -.060627 | -.008197 | -.002508 |
| Stddev | .000637 | .016585 | .000589 | .0010237 | .082213 | .004056 | .000156 |
| %RSD | 43.36168 | 53.81654 | 160.8739 | 71.08422 | 135.6038 | 49.47426 | 6.217567 |
| #1 | -.000868 | -.048395 | -.000787 | .0025744 | -.076572 | -.009941 | -.002338 |
| #2 | -.002136 | -.028610 | -.000620 | .0011609 | .028390 | -.011089 | -.002644 |
| #3 | -.001403 | -.015446 | .000307 | .0005849 | -.133700 | -.003562 | -.002543 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0885025 | -.000229 | .0065917 | -.000266 | -.013326 | .0007696 | .0001511 |
| Stddev | .0449886 | .003120 | .0003480 | .000145 | .004737 | .0005933 | .0021521 |
| %RSD | 50.83313 | 1360.443 | 5.278726 | 54.59535 | 35.54392 | 77.08901 | 1424.375 |
| #1 | .0369370 | -.003779 | .0068191 | -.000124 | -.007874 | .0012565 | .0024910 |
| #2 | .1088338 | .001007 | .0067649 | -.000414 | -.016426 | .0009436 | -.001743 |
| #3 | .1197368 | .002083 | .0061911 | -.000260 | -.015678 | .0001088 | -.000294 |


Reviewed By:jaswal
On:10/30/2024 6:08:53 AM
Inst Id :P5

Sample Name: CCB004 Acquired: 10/26/2024 1:36:50 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v709) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB004 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | -.000222 | .0031749 | -.000116 |
| Stddev | .001697 | .0015291 | .000082 |
| %RSD | 764.1022 | 48.16081 | 70.25349 |
| | | | |
| #1 | -.000129 | .0047787 | -.000205 |
| #2 | -.001964 | .0017335 | -.000043 |
| #3 | .001427 | .0030127 | -.000101 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 936.7381 | 21569.85 | 2600.319 | 789.4013 | 1823.625 |
| Stddev | 1.8581 | 327.71 | 10.427 | 11.2670 | 1.134 |
| %RSD | .1983550 | 1.519304 | .4010063 | 1.427288 | .0622075 |
| | | | | | |
| #1 | 935.5834 | 21194.70 | 2593.182 | 776.5454 | 1823.027 |
| #2 | 938.8815 | 21714.47 | 2612.286 | 794.1001 | 1824.933 |
| #3 | 935.7495 | 21800.37 | 2595.489 | 797.5584 | 1822.914 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**As 189.042 {479}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:16:26 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.000111 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.034263 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999571 | Status: | OK. |
| Std Error of Est: | 0.000017 | | |
| Predicted MDL: | 0.005195 | | |
| Predicted MQL: | 0.017318 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | .00000 | .000 | .000 | .00011 | .000 | 1 |
| S1 | .01000 | .01035 | .000 | 3.51 | .00047 | .000 | 1 |
| S2 | 1.2500 | 1.1706 | -.079 | -6.35 | .04054 | .000 | 1 |
| S3 | 2.5000 | 2.3958 | -.104 | -4.17 | .08284 | .000 | 1 |
| S4 | 5.0000 | 4.9356 | -.064 | -1.29 | .17051 | .000 | 1 |
| S5 | 10.000 | 10.248 | .248 | 2.48 | .35379 | .001 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**Tl 190.856 {477}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:16:26 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | -0.000296 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.077955 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999736 | Status: | OK. |
| Std Error of Est: | 0.000047 | | |
| Predicted MDL: | 0.003088 | | |
| Predicted MQL: | 0.010294 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00000 | -.000 | .000 | -.00030 | .000 | 1 |
| S1 | .02500 | .02591 | .001 | 3.65 | .00168 | .000 | 1 |
| S2 | 1.2500 | 1.3053 | .055 | 4.42 | .10079 | .000 | 1 |
| S3 | 2.5000 | 2.5961 | .096 | 3.84 | .20074 | .001 | 1 |
| S4 | 5.0000 | 5.0322 | .032 | .643 | .38930 | .000 | 1 |
| S5 | 10.000 | 9.8155 | -.184 | -1.84 | .75951 | .000 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**Pb 220.353 {453}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:16:26 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | -0.000900 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.167382 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999995 | Status: | OK. |
| Std Error of Est: | 0.000019 | | |
| Predicted MDL: | 0.003195 | | |
| Predicted MQL: | 0.010651 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00000 | -.000 | .000 | -.00090 | .000 | 1 |
| S1 | .01000 | .01018 | .000 | 1.77 | .00081 | .000 | 1 |
| S2 | 6.2500 | 6.2659 | .016 | .254 | 1.0476 | .004 | 1 |
| S3 | 12.500 | 12.590 | .090 | .724 | 2.1060 | .006 | 1 |
| S4 | 25.000 | 24.976 | -.024 | -.094 | 4.1787 | .005 | 1 |
| S5 | 50.000 | 49.917 | -.083 | -.166 | 8.3522 | .007 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**Se 196.090 {472}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:16:26 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.000680 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.088880 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.998033 | Status: | OK. |
| Std Error of Est: | 0.000175 | | |
| Predicted MDL: | 0.005015 | | |
| Predicted MQL: | 0.016715 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | .00001 | .000 | .000 | .00068 | .000 | 1 |
| S1 | .03500 | .03269 | -.002 | -6.60 | .00358 | .000 | 1 |
| S2 | 1.2500 | 1.1341 | -.116 | -9.27 | .10127 | .000 | 1 |
| S3 | 2.5000 | 2.2890 | -.211 | -8.44 | .20370 | .001 | 1 |
| S4 | 5.0000 | 4.7543 | -.246 | -4.91 | .42240 | .001 | 1 |
| S5 | 10.000 | 10.575 | .575 | 5.75 | .93889 | .004 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**Sb 206.833 {463}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:16:26 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | -0.000140 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.230651 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.997176 | Status: | OK. |
| Std Error of Est: | 0.000735 | | |
| Predicted MDL: | 0.002371 | | |
| Predicted MQL: | 0.007903 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | .00002 | .000 | .000 | -.00014 | .000 | 1 |
| S1 | .06000 | .05648 | -.004 | -5.86 | .01289 | .001 | 1 |
| S2 | 1.2500 | 1.0929 | -.157 | -12.6 | .26045 | .001 | 1 |
| S3 | 2.5000 | 2.2426 | -.257 | -10.3 | .53415 | .002 | 1 |
| S4 | 5.0000 | 4.7112 | -.289 | -5.78 | 1.1206 | .001 | 1 |
| S5 | 10.000 | 10.707 | .707 | 7.07 | 2.5374 | .013 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**Al 396.152 { 85}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:21:04 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | -0.003309 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.125275 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999936 | Status: | OK. |
| Std Error of Est: | 0.000878 | | |
| Predicted MDL: | 0.014456 | | |
| Predicted MQL: | 0.048188 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00002 | -.000 | .000 | -.00331 | .002 | 1 |
| S1 | .20000 | .21211 | .012 | 6.06 | .02331 | .002 | 1 |
| S2 | 38.750 | 38.181 | -.569 | -1.47 | 4.7856 | .003 | 1 |
| S3 | 77.500 | 79.120 | 1.62 | 2.09 | 9.9202 | .136 | 1 |
| S4 | 155.00 | 155.69 | .690 | .445 | 19.524 | .093 | 1 |
| S5 | 310.00 | 314.83 | 4.83 | 1.56 | 39.484 | .105 | 1 |
| S6 | 800.00 | 793.41 | -6.59 | -.824 | 99.391 | 1.24 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**Ba 493.409 { 68}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:16:26 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.000530 | Re-Slope: | 1.000000 |
| A1 (Gain): | 6.277063 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999824 | Status: | OK. |
| Std Error of Est: | 0.012531 | | |
| Predicted MDL: | 0.000557 | | |
| Predicted MQL: | 0.001858 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00003 | -.000 | .000 | .00036 | .003 | 1 |
| S1 | .20000 | .21953 | .020 | 9.76 | 1.3785 | .006 | 1 |
| S2 | 2.5000 | 2.5151 | .015 | .602 | 15.788 | .054 | 1 |
| S3 | 5.0000 | 5.1941 | .194 | 3.88 | 32.604 | .465 | 1 |
| S4 | 10.000 | 10.040 | .040 | .397 | 63.021 | .418 | 1 |
| S5 | 20.000 | 19.732 | -.268 | -1.34 | 123.86 | 1.39 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**Be 234.861 {144}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:16:26 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | -0.002641 | Re-Slope: | 1.000000 |
| A1 (Gain): | 8.348016 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999757 | Status: | OK. |
| Std Error of Est: | 0.000690 | | |
| Predicted MDL: | 0.000125 | | |
| Predicted MQL: | 0.000416 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00000 | -.000 | .000 | -.00265 | .001 | 1 |
| S1 | .00500 | .00556 | .001 | 11.2 | .04376 | .001 | 1 |
| S2 | .12500 | .12775 | .003 | 2.20 | 1.0621 | .005 | 1 |
| S3 | .25000 | .26159 | .012 | 4.64 | 2.1778 | .012 | 1 |
| S4 | .50000 | .50087 | .001 | .175 | 4.1720 | .012 | 1 |
| S5 | 1.0000 | .98422 | -.016 | -1.58 | 8.2002 | .035 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**Cd 214.438 {457}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:16:26 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.000821 | Re-Slope: | 1.000000 |
| A1 (Gain): | 2.328421 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999913 | Status: | OK. |
| Std Error of Est: | 0.000258 | | |
| Predicted MDL: | 0.000138 | | |
| Predicted MQL: | 0.000460 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00000 | -.000 | .000 | .00082 | .000 | 1 |
| S1 | .00500 | .00555 | .001 | 11.0 | .01376 | .000 | 1 |
| S2 | .62500 | .63669 | .012 | 1.87 | 1.4868 | .002 | 1 |
| S3 | 1.2500 | 1.2783 | .028 | 2.26 | 2.9842 | .009 | 1 |
| S4 | 2.5000 | 2.5152 | .015 | .608 | 5.8712 | .009 | 1 |
| S5 | 5.0000 | 4.9443 | -.056 | -1.11 | 11.541 | .011 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**Ca 373.690 { 90}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:21:04 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.005737 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.082376 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999725 | Status: | OK. |
| Std Error of Est: | 0.006747 | | |
| Predicted MDL: | 0.017571 | | |
| Predicted MQL: | 0.058571 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00115 | -.001 | .000 | .00564 | .002 | 1 |
| S1 | 5.0000 | 5.7237 | .724 | 14.5 | .47724 | .000 | 1 |
| S2 | 62.500 | 64.173 | 1.67 | 2.68 | 5.2921 | .022 | 1 |
| S3 | 125.00 | 131.99 | 6.99 | 5.59 | 10.879 | .154 | 1 |
| S4 | 250.00 | 254.32 | 4.32 | 1.73 | 20.956 | .125 | 1 |
| S5 | 500.00 | 502.55 | 2.55 | .511 | 41.404 | .168 | 1 |
| S6 | 800.00 | 783.73 | -16.3 | -2.03 | 64.567 | .252 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**Cr 267.716 {126}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:16:26 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | -0.000261 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.210503 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999681 | Status: | OK. |
| Std Error of Est: | 0.000157 | | |
| Predicted MDL: | 0.000984 | | |
| Predicted MQL: | 0.003279 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00000 | -.000 | .000 | -.00026 | .000 | 1 |
| S1 | .01000 | .01150 | .002 | 15.0 | .00216 | .000 | 1 |
| S2 | 3.8750 | 4.0600 | .185 | 4.77 | .85530 | .001 | 1 |
| S3 | 7.7500 | 8.0680 | .318 | 4.10 | 1.6999 | .003 | 1 |
| S4 | 15.500 | 15.648 | .148 | .954 | 3.2973 | .005 | 1 |
| S5 | 31.000 | 30.348 | -.652 | -2.10 | 6.3953 | .003 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**Co 228.616 {448}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:16:26 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | -0.000305 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.724041 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999986 | Status: | OK. |
| Std Error of Est: | 0.000101 | | |
| Predicted MDL: | 0.000516 | | |
| Predicted MQL: | 0.001721 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00000 | -.000 | .000 | -.00031 | .000 | 1 |
| S1 | .05000 | .05204 | .002 | 4.08 | .03750 | .000 | 1 |
| S2 | .62500 | .62407 | -.001 | -.149 | .45210 | .000 | 1 |
| S3 | 1.2500 | 1.2605 | .010 | .839 | .91345 | .003 | 1 |
| S4 | 2.5000 | 2.5068 | .007 | .273 | 1.8170 | .002 | 1 |
| S5 | 5.0000 | 4.9816 | -.018 | -.369 | 3.6110 | .003 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**Cu 324.754 {104}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:16:26 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.001820 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.202882 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999958 | Status: | OK. |
| Std Error of Est: | 0.000085 | | |
| Predicted MDL: | 0.004308 | | |
| Predicted MQL: | 0.014360 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00000 | -.000 | .000 | .00182 | .001 | 1 |
| S1 | .02500 | .02464 | -.000 | -1.43 | .00682 | .000 | 1 |
| S2 | 3.7500 | 3.7635 | .013 | .359 | .76487 | .002 | 1 |
| S3 | 7.5000 | 7.6684 | .168 | 2.25 | 1.5566 | .021 | 1 |
| S4 | 15.000 | 14.976 | -.024 | -.157 | 3.0383 | .016 | 1 |
| S5 | 30.000 | 29.842 | -.158 | -.527 | 6.0523 | .013 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**Fe 259.837 {130}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:21:04 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.000407 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.015354 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999371 | Status: | OK. |
| Std Error of Est: | 0.000238 | | |
| Predicted MDL: | 0.026222 | | |
| Predicted MQL: | 0.087407 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00003 | -.000 | .000 | .00041 | .000 | 1 |
| S1 | .10000 | .10966 | .010 | 9.66 | .00209 | .000 | 1 |
| S2 | 37.500 | 40.337 | 2.84 | 7.56 | .61974 | .003 | 1 |
| S3 | 75.000 | 82.188 | 7.19 | 9.58 | 1.2623 | .019 | 1 |
| S4 | 150.00 | 156.40 | 6.40 | 4.27 | 2.4019 | .019 | 1 |
| S5 | 300.00 | 303.49 | 3.49 | 1.16 | 4.6603 | .016 | 1 |
| S6 | 800.00 | 780.07 | -19.9 | -2.49 | 11.978 | .031 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**Mn 257.610 {131}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:16:26 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | -0.000164 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.338173 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999569 | Status: | OK. |
| Std Error of Est: | 0.000353 | | |
| Predicted MDL: | 0.001267 | | |
| Predicted MQL: | 0.004222 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00000 | -.000 | .000 | -.00017 | .000 | 1 |
| S1 | .01500 | .01762 | .003 | 17.5 | .00581 | .001 | 1 |
| S2 | 3.7500 | 3.8940 | .144 | 3.84 | 1.3169 | .004 | 1 |
| S3 | 7.5000 | 7.9489 | .449 | 5.99 | 2.6883 | .034 | 1 |
| S4 | 15.000 | 15.081 | .081 | .541 | 5.1006 | .029 | 1 |
| S5 | 30.000 | 29.323 | -.677 | -2.26 | 9.9177 | .046 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**Mg 279.079 {121}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:21:04 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | -0.000399 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.006540 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999898 | Status: | OK. |
| Std Error of Est: | 0.000326 | | |
| Predicted MDL: | 0.073561 | | |
| Predicted MQL: | 0.245205 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00080 | -.001 | .000 | -.00040 | .000 | 1 |
| S1 | 5.0000 | 5.7535 | .753 | 15.1 | .03723 | .000 | 1 |
| S2 | 62.500 | 61.369 | -1.13 | -1.81 | .40098 | .002 | 1 |
| S3 | 125.00 | 127.75 | 2.75 | 2.20 | .83510 | .011 | 1 |
| S4 | 250.00 | 251.51 | 1.51 | .604 | 1.6446 | .005 | 1 |
| S5 | 500.00 | 505.09 | 5.09 | 1.02 | 3.3030 | .014 | 1 |
| S6 | 800.00 | 791.03 | -8.97 | -1.12 | 5.1732 | .016 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**Ni 231.604 {446}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:16:26 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | -0.000731 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.679492 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999932 | Status: | OK. |
| Std Error of Est: | 0.000189 | | |
| Predicted MDL: | 0.000588 | | |
| Predicted MQL: | 0.001959 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00001 | -.000 | .000 | -.00073 | .000 | 1 |
| S1 | .04000 | .04467 | .005 | 11.7 | .02962 | .001 | 1 |
| S2 | .62500 | .63149 | .006 | 1.04 | .42836 | .001 | 1 |
| S3 | 1.2500 | 1.2691 | .019 | 1.53 | .86161 | .003 | 1 |
| S4 | 2.5000 | 2.5108 | .011 | .432 | 1.7053 | .004 | 1 |
| S5 | 5.0000 | 4.9589 | -.041 | -.821 | 3.3688 | .007 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**Ag 328.068 {103}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:16:26 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.029394 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.386645 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999954 | Status: | OK. |
| Std Error of Est: | 0.000031 | | |
| Predicted MDL: | n/a | | |
| Predicted MQL: | n/a | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00000 | -.000 | .000 | .02939 | .000 | 1 |
| S1 | .01000 | .01058 | .001 | 5.79 | .03347 | .000 | 1 |
| S2 | .31250 | .30726 | -.005 | -1.68 | .14950 | .000 | 1 |
| S3 | .62500 | .62492 | -.000 | -.012 | .27362 | .000 | 1 |
| S4 | 1.2500 | 1.2355 | -.015 | -1.16 | .51229 | .001 | 1 |
| S5 | 2.5000 | 2.5193 | .019 | .771 | 1.0139 | .001 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**Na 818.326 { 41}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:21:04 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | -0.012008 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.013321 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999983 | Status: | OK. |
| Std Error of Est: | 0.000237 | | |
| Predicted MDL: | 0.298043 | | |
| Predicted MQL: | 0.993477 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00006 | -.000 | .000 | -.01201 | .006 | 1 |
| S1 | 5.0000 | 5.0870 | .087 | 1.74 | .05576 | .003 | 1 |
| S2 | 37.500 | 36.754 | -.746 | -1.99 | .47761 | .005 | 1 |
| S3 | 75.000 | 76.421 | 1.42 | 1.90 | 1.0060 | .011 | 1 |
| S4 | 150.00 | 149.48 | -.517 | -.345 | 1.9793 | .008 | 1 |
| S5 | 300.00 | 299.71 | -.293 | -.098 | 3.9805 | .008 | 1 |
| S6 | 800.00 | 800.05 | .047 | .006 | 10.646 | .043 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**V 292.402 {115}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:16:26 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | -0.000844 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.086690 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999660 | Status: | OK. |
| Std Error of Est: | 0.000058 | | |
| Predicted MDL: | 0.010012 | | |
| Predicted MQL: | 0.033375 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00001 | -.000 | .000 | -.00084 | .001 | 1 |
| S1 | .05000 | .05927 | .009 | 18.5 | .00428 | .000 | 1 |
| S2 | .62500 | .63875 | .014 | 2.20 | .05286 | .001 | 1 |
| S3 | 1.2500 | 1.3084 | .058 | 4.67 | .10925 | .001 | 1 |
| S4 | 2.5000 | 2.4983 | -.002 | -.068 | .20907 | .001 | 1 |
| S5 | 5.0000 | 4.9200 | -.080 | -1.60 | .41236 | .001 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**Zn 213.856 {158}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:16:26 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.002192 | Re-Slope: | 1.000000 |
| A1 (Gain): | 3.197077 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.997271 | Status: | OK. |
| Std Error of Est: | 0.016859 | | |
| Predicted MDL: | 0.000433 | | |
| Predicted MQL: | 0.001442 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | .00002 | .000 | .000 | .00224 | .001 | 1 |
| S1 | .06000 | .05696 | -.003 | -5.07 | .18522 | .001 | 1 |
| S2 | 3.7500 | 3.2943 | -.456 | -12.2 | 10.549 | .013 | 1 |
| S3 | 7.5000 | 6.7762 | -.724 | -9.65 | 21.695 | .074 | 1 |
| S4 | 15.000 | 14.158 | -.842 | -5.61 | 45.324 | .201 | 1 |
| S5 | 30.000 | 32.025 | 2.02 | 6.75 | 102.50 | .938 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**K 769.896 { 44}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:16:26 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.071976 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.040195 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999894 | Status: | OK. |
| Std Error of Est: | 0.001209 | | |
| Predicted MDL: | 0.128821 | | |
| Predicted MQL: | 0.429403 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | .00009 | .000 | .000 | .07198 | .004 | 1 |
| S1 | 5.0000 | 5.1439 | .144 | 2.88 | .27873 | .003 | 1 |
| S2 | 37.500 | 35.818 | -1.68 | -4.49 | 1.5117 | .006 | 1 |
| S3 | 75.000 | 74.816 | -.184 | -.246 | 3.0792 | .042 | 1 |
| S4 | 150.00 | 148.73 | -1.27 | -.848 | 6.0501 | .026 | 1 |
| S5 | 300.00 | 302.99 | 2.99 | .998 | 12.251 | .046 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**P 177.495 {490}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:16:26 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | -0.001142 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.059992 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999690 | Status: | OK. |
| Std Error of Est: | 0.000024 | | |
| Predicted MDL: | 0.003409 | | |
| Predicted MQL: | 0.011363 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00000 | -.000 | .000 | -.00114 | .000 | 1 |
| S1 | .01000 | .01259 | .003 | 25.9 | -.00040 | .000 | 1 |
| S2 | 1.2500 | 1.1750 | -.075 | -6.00 | .06659 | .000 | 1 |
| S3 | 2.5000 | 2.4260 | -.074 | -2.96 | .13889 | .001 | 1 |
| S4 | 5.0000 | 4.9673 | -.033 | -.655 | .28583 | .001 | 1 |
| S5 | 10.000 | 10.179 | .179 | 1.79 | .58746 | .002 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**B 249.678 {135}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:16:26 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.009848 | Re-Slope: | 1.000000 |
| A1 (Gain): | 1.044726 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999415 | Status: | OK. |
| Std Error of Est: | 0.000575 | | |
| Predicted MDL: | 0.001130 | | |
| Predicted MQL: | 0.003767 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | .00001 | .000 | .000 | .00986 | .001 | 1 |
| S1 | .01000 | .00055 | -.009 | -94.5 | .01033 | .001 | 1 |
| S2 | 1.2500 | 1.2688 | .019 | 1.51 | 1.2827 | .005 | 1 |
| S3 | 2.5000 | 2.6294 | .129 | 5.18 | 2.6515 | .019 | 1 |
| S4 | 5.0000 | 5.0544 | .054 | 1.09 | 5.0795 | .036 | 1 |
| S5 | 10.000 | 9.8071 | -.193 | -1.93 | 9.8340 | .062 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**Mo 202.030 {467}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:16:26 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | -0.000009 | Re-Slope: | 1.000000 |
| A1 (Gain): | 1.072273 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.998551 | Status: | OK. |
| Std Error of Est: | 0.000969 | | |
| Predicted MDL: | 0.000454 | | |
| Predicted MQL: | 0.001515 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | .00000 | .000 | .000 | -.00001 | .000 | 1 |
| S1 | .01000 | .00931 | -.001 | -6.95 | .00997 | .001 | 1 |
| S2 | 1.2500 | 1.1363 | -.114 | -9.10 | 1.2184 | .002 | 1 |
| S3 | 2.5000 | 2.3257 | -.174 | -6.97 | 2.4938 | .007 | 1 |
| S4 | 5.0000 | 4.7997 | -.200 | -4.01 | 5.1466 | .013 | 1 |
| S5 | 10.000 | 10.489 | .489 | 4.89 | 11.247 | .038 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**S 182.034 {485}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:16:26 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.000312 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.031482 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999457 | Status: | OK. |
| Std Error of Est: | 0.000055 | | |
| Predicted MDL: | 0.006365 | | |
| Predicted MQL: | 0.021218 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | .00001 | .000 | .000 | .00031 | .000 | 1 |
| S1 | .10000 | .09573 | -.004 | -4.27 | .00332 | .000 | 1 |
| S2 | 1.2500 | 1.1536 | -.096 | -7.71 | .03663 | .000 | 1 |
| S3 | 2.5000 | 2.3892 | -.111 | -4.43 | .07554 | .000 | 1 |
| S4 | 5.0000 | 4.9418 | -.058 | -1.16 | .15590 | .001 | 1 |
| S5 | 10.000 | 10.270 | .270 | 2.70 | .32366 | .001 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**Si 251.611 {134}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:16:26 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.010036 | Re-Slope: | 1.000000 |
| A1 (Gain): | 1.703680 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.994837 | Status: | OK. |
| Std Error of Est: | 0.009384 | | |
| Predicted MDL: | 0.000597 | | |
| Predicted MQL: | 0.001989 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00014 | -.000 | .000 | .00980 | .000 | 1 |
| S1 | .10000 | .23868 | .139 | 139. | .41782 | .001 | 1 |
| S2 | 1.2500 | 1.2659 | .016 | 1.27 | 2.2012 | .011 | 1 |
| S3 | 2.5000 | 2.6012 | .101 | 4.05 | 4.5105 | .036 | 1 |
| S4 | 5.0000 | 4.9821 | -.018 | -.357 | 8.6357 | .058 | 1 |
| S5 | 10.000 | 9.7634 | -.237 | -2.37 | 16.919 | .085 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**Sn 189.989 {478}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:16:26 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.000571 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.114850 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999967 | Status: | OK. |
| Std Error of Est: | 0.000013 | | |
| Predicted MDL: | 0.001752 | | |
| Predicted MQL: | 0.005841 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | .00000 | .000 | .000 | .00057 | .000 | 1 |
| S1 | .00700 | .00452 | -.002 | -35.4 | .00109 | .000 | 1 |
| S2 | 1.2500 | 1.2358 | -.014 | -1.14 | .14250 | .000 | 1 |
| S3 | 2.5000 | 2.5084 | .008 | .334 | .28866 | .001 | 1 |
| S4 | 5.0000 | 5.0257 | .026 | .514 | .57777 | .001 | 1 |
| S5 | 10.000 | 9.9826 | -.017 | -.174 | 1.1471 | .002 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**Ti 336.121 {100}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:16:26 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.000431 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.563458 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999858 | Status: | OK. |
| Std Error of Est: | 0.000504 | | |
| Predicted MDL: | 0.001806 | | |
| Predicted MQL: | 0.006019 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00001 | -.000 | .000 | .00042 | .001 | 1 |
| S1 | .10000 | .10784 | .008 | 7.84 | .06117 | .001 | 1 |
| S2 | 1.2500 | 1.2615 | .011 | .916 | .71085 | .003 | 1 |
| S3 | 2.5000 | 2.5885 | .088 | 3.54 | 1.4582 | .019 | 1 |
| S4 | 5.0000 | 5.0126 | .013 | .253 | 2.8234 | .009 | 1 |
| S5 | 10.000 | 9.8796 | -.120 | -1.20 | 5.5644 | .018 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**Li 670.784 { 50}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:16:26 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.016283 | Re-Slope: | 1.000000 |
| A1 (Gain): | 2.104613 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999820 | Status: | OK. |
| Std Error of Est: | 0.000819 | | |
| Predicted MDL: | 0.001888 | | |
| Predicted MQL: | 0.006292 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | .00000 | .000 | .000 | .01628 | .003 | 1 |
| S5 | 10.000 | 10.150 | .150 | 1.50 | 21.377 | .073 | 1 |
| S4 | 5.0000 | 4.9307 | -.069 | -1.39 | 10.393 | .077 | 1 |
| S3 | 2.5000 | 2.4855 | -.014 | -.580 | 5.2473 | .081 | 1 |
| S2 | 1.2500 | 1.1843 | -.066 | -5.26 | 2.5087 | .013 | 1 |
| S1 | .01500 | .01488 | -.000 | -.826 | .04759 | .003 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5





**Y 224.306 {450}***

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | <not fit> | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.000000 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.000000 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.000000 | Status: | Warning Zero Gain |
| Std Error of Est: | 0.000000 | | |
| Predicted MDL: | n/a | | |
| Predicted MQL: | n/a | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|




**Y 360.073 { 94}***


| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | <not fit> | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.000000 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.000000 | Y-int: | 0.000000 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

| | | | | | |
|---|---|---|---|---|---|
| A2 (Curvature): | 0.000000 | | | | |
| n (Exponent): | 1.000000 | | | | |
| Correlation: | 0.000000 | Status: | Warning | Zero Gain | |
| Std Error of Est: | 0.000000 | | | | |
| Predicted MDL: | n/a | | | | |
| Predicted MQL: | n/a | | | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|





**Y 371.030 { 91}***

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | <not fit> | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.000000 | Re-Slope: | 1.000000 |
| A1 (Gain): | 0.000000 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.000000 | Status: | Warning Zero Gain |
| Std Error of Est: | 0.000000 | | |
| Predicted MDL: | n/a | | |
| Predicted MQL: | n/a | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|


Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5




**Y 224.306 {150}***

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | <not fit> | Type of Fit: | Linear | Weighting: | 1/Conc |
| A0 (Offset): | 0.000000 | | Re-Slope: | 1.000000 | |
| A1 (Gain): | 0.000000 | | Y-int: | 0.000000 | |
| A2 (Curvature): | 0.000000 | | | | |
| n (Exponent): | 1.000000 | | | | |
| Correlation: | 0.000000 | | Status: | Warning | Zero Gain |
| Std Error of Est: | 0.000000 | | | | |
| Predicted MDL: | n/a | | | | |
| Predicted MQL: | n/a | | | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|





**In 230.606 {446}***

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | <not fit> | Type of Fit: | Linear | Weighting: | 1/Conc |
| A0 (Offset): | 0.000000 | | Re-Slope: | 1.000000 | |
| A1 (Gain): | 0.000000 | | Y-int: | 0.000000 | |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

| | | | | | |
|---|---|---|---|---|---|
| A2 (Curvature): | 0.000000 | | | | |
| n (Exponent): | 1.000000 | | | | |
| Correlation: | 0.000000 | Status: | Warning | Zero Gain | |
| Std Error of Est: | 0.000000 | | | | |
| Predicted MDL: | n/a | | | | |
| Predicted MQL: | n/a | | | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|




**Sr 407.771 { 83}**

| | | | | | |
|---|---|---|---|---|---|
| Date of Fit: | 10/28/2024 17:16:26 | Type of Fit: | Linear | Weighting: | 1/Conc |

| | | | |
|---|---|---|---|
| A0 (Offset): | 0.004731 | Re-Slope: | 1.000000 |
| A1 (Gain): | 13.282069 | Y-int: | 0.000000 |
| A2 (Curvature): | 0.000000 | | |
| n (Exponent): | 1.000000 | | |
| Correlation: | 0.999763 | Status: | OK. |
| Std Error of Est: | 0.015354 | | |
| Predicted MDL: | 0.000123 | | |
| Predicted MQL: | 0.000409 | | |

| Std. Name | Stated Conc. | Found Conc. | Difference | % Diff. | (S)IR | Std Dev | Emphasis |
|---|---|---|---|---|---|---|---|
| S0 | .00000 | -.00002 | -.000 | .000 | .00453 | .001 | 1 |
| S1 | .10000 | .11050 | .011 | 10.5 | 1.4725 | .000 | 1 |
| S2 | 1.2500 | 1.2714 | .021 | 1.71 | 16.892 | .014 | 1 |
| S3 | 2.5000 | 2.5941 | .094 | 3.76 | 34.460 | .425 | 1 |
| S4 | 5.0000 | 5.0554 | .055 | 1.11 | 67.151 | .299 | 1 |
| S5 | 10.000 | 9.8186 | -.181 | -1.81 | 130.42 | .411 | 1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: S0 Acquired: 10/28/2024 16:50:07 Type: Cal
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: S0 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 | Be2348 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | .00011 | -.00030 | -.00090 | .00068 | -.00014 | -.00331 | .00036 | -.00265 |
| Stddev | .00034 | .00012 | .00021 | .00031 | .00020 | .00152 | .00289 | .00068 |
| %RSD | 305.67 | 39.184 | 23.716 | 45.460 | 145.39 | 45.871 | 796.21 | 25.691 |
| #1 | .00021 | -.00030 | -.00109 | .00065 | .00007 | -.00315 | -.00118 | -.00316 |
| #2 | .00039 | -.00041 | -.00067 | .00039 | -.00032 | -.00188 | .00369 | -.00291 |
| #3 | -.00027 | -.00018 | -.00094 | .00101 | -.00015 | -.00490 | -.00143 | -.00188 |

| Elem | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 | Mn2576 | Mg2790 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | .00082 | .00564 | -.00026 | -.00031 | .00182 | .00041 | -.00017 | -.00040 |
| Stddev | .00013 | .00186 | .00003 | .00029 | .00067 | .00010 | .00043 | .00037 |
| %RSD | 16.136 | 32.877 | 11.192 | 94.247 | 36.589 | 25.128 | 262.01 | 92.256 |
| #1 | .00087 | .00448 | -.00025 | -.00039 | .00142 | .00050 | -.00058 | -.00017 |
| #2 | .00067 | .00778 | -.00024 | .00002 | .00259 | .00041 | .00029 | -.00021 |
| #3 | .00092 | .00466 | -.00029 | -.00054 | .00145 | .00030 | -.00020 | -.00083 |

| Elem | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | -.00073 | .02939 | -.01201 | -.00084 | .00224 | .07198 | -.00114 | .00986 |
| Stddev | .00015 | .00010 | .00650 | .00056 | .00096 | .00442 | .00018 | .00064 |
| %RSD | 20.152 | .32457 | 54.098 | 65.980 | 42.679 | 6.1349 | 15.644 | 6.5092 |
| #1 | -.00087 | .02938 | -.01908 | -.00135 | .00242 | .07699 | -.00127 | .00963 |
| #2 | -.00076 | .02950 | -.01064 | -.00094 | .00121 | .07027 | -.00122 | .01058 |
| #3 | -.00058 | .02931 | -.00630 | -.00024 | .00310 | .06867 | -.00094 | .00936 |

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | -.00001 | .00031 | .00980 | .00057 | .00042 | .01628 | .00453 |
| Stddev | .00007 | .00012 | .00008 | .00014 | .00095 | .00269 | .00101 |
| %RSD | 1079.4 | 39.936 | .77902 | 24.471 | 223.04 | 16.520 | 22.306 |
| #1 | .00000 | .00039 | .00985 | .00046 | .00146 | .01917 | .00511 |
| #2 | -.00008 | .00038 | .00971 | .00053 | -.00039 | .01385 | .00512 |
| #3 | .00006 | .00017 | .00983 | .00073 | .00020 | .01583 | .00336 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: S0 Acquired: 10/28/2024 16:50:07 Type: Cal
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: S0 Custom ID2: Custom ID3:
Comment:

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 894.90 | 21346. | 2440.4 | 788.31 | 1709.5 |
| Stddev | 1.07 | 38. | 10.0 | 1.58 | 1.6 |
| %RSD | .11918 | .17712 | .40875 | .20001 | .09310 |
| | | | | | |
| #1 | 893.77 | 21313. | 2432.0 | 787.44 | 1707.8 |
| #2 | 895.02 | 21387. | 2437.8 | 790.13 | 1709.8 |
| #3 | 895.90 | 21339. | 2451.4 | 787.35 | 1711.0 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: S1 Acquired: 10/28/2024 16:54:42 Type: Cal
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: S01 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 | Be2348 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | .00047 | .00168 | .00081 | .00358 | .01289 | .02331 | 1.3785 | .04376 |
| Stddev | .00019 | .00016 | .00024 | .00017 | .00085 | .00168 | .0064 | .00087 |
| %RSD | 41.360 | 9.4237 | 29.486 | 4.7310 | 6.5805 | 7.2006 | .46426 | 1.9906 |
| #1 | .00049 | .00168 | .00098 | .00363 | .01386 | .02297 | 1.3733 | .04351 |
| #2 | .00026 | .00184 | .00090 | .00373 | .01248 | .02183 | 1.3856 | .04472 |
| #3 | .00065 | .00152 | .00054 | .00340 | .01232 | .02513 | 1.3766 | .04304 |

| Elem | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 | Mn2576 | Mg2790 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | .01376 | .47724 | .00216 | .03750 | .00682 | .00209 | .00581 | .03723 |
| Stddev | .00024 | .00036 | .00010 | .00037 | .00038 | .00035 | .00056 | .00045 |
| %RSD | 1.7384 | .07579 | 4.6341 | .98002 | 5.5848 | 16.797 | 9.6583 | 1.2092 |
| #1 | .01355 | .47760 | .00222 | .03782 | .00667 | .00205 | .00516 | .03751 |
| #2 | .01371 | .47723 | .00223 | .03758 | .00725 | .00176 | .00619 | .03671 |
| #3 | .01402 | .47688 | .00205 | .03710 | .00653 | .00246 | .00607 | .03747 |

| Elem | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | .02962 | .03347 | .05576 | .00428 | .18522 | .27873 | -.00040 | .01033 |
| Stddev | .00061 | .00009 | .00308 | .00043 | .00150 | .00340 | .00020 | .00134 |
| %RSD | 2.0695 | .25523 | 5.5327 | 9.9224 | .80757 | 1.2193 | 50.471 | 12.979 |
| #1 | .03027 | .03339 | .05484 | .00421 | .18364 | .27690 | -.00044 | .00893 |
| #2 | .02904 | .03346 | .05324 | .00474 | .18539 | .27664 | -.00018 | .01160 |
| #3 | .02956 | .03356 | .05920 | .00390 | .18662 | .28265 | -.00058 | .01046 |

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | .00997 | .00332 | .41782 | .00109 | .06117 | .04759 | 1.4725 |
| Stddev | .00054 | .00021 | .00058 | .00011 | .00103 | .00317 | .0003 |
| %RSD | 5.4153 | 6.1712 | .13862 | 10.078 | 1.6912 | 6.6511 | .01684 |
| #1 | .00949 | .00350 | .41716 | .00096 | .06237 | .05114 | 1.4726 |
| #2 | .00986 | .00310 | .41805 | .00116 | .06057 | .04658 | 1.4722 |
| #3 | .01055 | .00338 | .41825 | .00115 | .06059 | .04505 | 1.4726 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: S1 Acquired: 10/28/2024 16:54:42 Type: Cal
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: S01 Custom ID2: Custom ID3:
Comment:

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 897.19 | 21423. | 2461.9 | 791.00 | 1692.7 |
| Stddev | 2.10 | 15. | 8.6 | .60 | 1.2 |
| %RSD | .23437 | .07224 | .34810 | .07591 | .07156 |
| | | | | | |
| #1 | 898.84 | 21414. | 2470.7 | 791.68 | 1692.7 |
| #2 | 897.89 | 21441. | 2461.6 | 790.54 | 1693.9 |
| #3 | 894.82 | 21415. | 2453.5 | 790.79 | 1691.4 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: S2 Acquired: 10/28/2024 16:59:14 Type: Cal
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: S02 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 | Be2348 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | .04054 | .10079 | 1.0476 | .10127 | .26045 | 4.7856 | 15.788 | 1.0621 |
| Stddev | .00044 | .00012 | .0037 | .00029 | .00080 | .0032 | .054 | .0047 |
| %RSD | 1.0773 | .11927 | .35378 | .29092 | .30839 | .06757 | .34044 | .44074 |
| #1 | .04031 | .10078 | 1.0518 | .10099 | .26071 | 4.7820 | 15.746 | 1.0577 |
| #2 | .04104 | .10091 | 1.0463 | .10158 | .25955 | 4.7867 | 15.848 | 1.0617 |
| #3 | .04026 | .10067 | 1.0447 | .10123 | .26110 | 4.7882 | 15.769 | 1.0670 |

| Elem | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 | Mn2576 | Mg2790 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1.4868 | 5.2921 | .85530 | .45210 | .76487 | .61974 | 1.3169 | .40098 |
| Stddev | .0018 | .0223 | .00090 | .00037 | .00161 | .00273 | .0040 | .00155 |
| %RSD | .12105 | .42128 | .10561 | .08184 | .21070 | .44056 | .30299 | .38594 |
| #1 | 1.4889 | 5.2732 | .85469 | .45233 | .76670 | .61751 | 1.3128 | .39952 |
| #2 | 1.4856 | 5.3167 | .85486 | .45229 | .76366 | .62279 | 1.3208 | .40260 |
| #3 | 1.4859 | 5.2863 | .85633 | .45167 | .76426 | .61894 | 1.3171 | .40080 |

| Elem | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | .42836 | .14950 | .47761 | .05286 | 10.549 | 1.5117 | .06659 | 1.2827 |
| Stddev | .00120 | .00013 | .00525 | .00063 | .013 | .0060 | .00032 | .0047 |
| %RSD | .28042 | .08579 | 1.0988 | 1.1957 | .12535 | .39409 | .48001 | .36399 |
| #1 | .42974 | .14949 | .47241 | .05326 | 10.534 | 1.5144 | .06678 | 1.2785 |
| #2 | .42782 | .14937 | .48291 | .05214 | 10.558 | 1.5048 | .06622 | 1.2820 |
| #3 | .42753 | .14963 | .47750 | .05320 | 10.554 | 1.5158 | .06678 | 1.2877 |

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1.2184 | .03663 | 2.2012 | .14250 | .71085 | 2.5087 | 16.892 |
| Stddev | .0019 | .00019 | .0105 | .00050 | .00311 | .0126 | .014 |
| %RSD | .15853 | .51363 | .47719 | .34775 | .43747 | .50334 | .08398 |
| #1 | 1.2161 | .03668 | 2.1891 | .14303 | .71138 | 2.4969 | 16.891 |
| #2 | 1.2196 | .03643 | 2.2071 | .14241 | .70751 | 2.5220 | 16.906 |
| #3 | 1.2193 | .03679 | 2.2075 | .14205 | .71366 | 2.5073 | 16.878 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: S2 Acquired: 10/28/2024 16:59:14 Type: Cal
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: S02 Custom ID2: Custom ID3:
Comment:

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 846.71 | 21067. | 2482.6 | 740.73 | 1539.7 |
| Stddev | 1.21 | 50. | 7.5 | .65 | 1.9 |
| %RSD | .14281 | .23896 | .30027 | .08761 | .12300 |
| | | | | | |
| #1 | 847.39 | 21010. | 2491.2 | 740.33 | 1537.8 |
| #2 | 847.43 | 21104. | 2478.1 | 740.38 | 1541.6 |
| #3 | 845.32 | 21089. | 2478.5 | 741.48 | 1539.8 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: S3 Acquired: 10/28/2024 17:03:32 Type: Cal
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: S03 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 | Be2348 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | .08284 | .20074 | 2.1060 | .20370 | .53415 | 9.9202 | 32.604 | 2.1778 |
| Stddev | .00012 | .00126 | .0060 | .00133 | .00237 | .1365 | .465 | .0118 |
| %RSD | .14199 | .62915 | .28578 | .65135 | .44458 | 1.3759 | 1.4253 | .53943 |
| #1 | .08272 | .20219 | 2.1098 | .20498 | .53680 | 10.075 | 33.131 | 2.1909 |
| #2 | .08286 | .19990 | 2.1091 | .20381 | .53344 | 9.8168 | 32.251 | 2.1741 |
| #3 | .08295 | .20013 | 2.0991 | .20233 | .53221 | 9.8688 | 32.432 | 2.1683 |

| Elem | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 | Mn2576 | Mg2790 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 2.9842 | 10.879 | 1.6999 | .91345 | 1.5566 | 1.2623 | 2.6883 | .83510 |
| Stddev | .0090 | .154 | .0031 | .00279 | .0205 | .0185 | .0344 | .01090 |
| %RSD | .30081 | 1.4178 | .18377 | .30489 | 1.3203 | 1.4669 | 1.2800 | 1.3049 |
| #1 | 2.9916 | 11.054 | 1.6963 | .91556 | 1.5803 | 1.2833 | 2.7276 | .84715 |
| #2 | 2.9868 | 10.765 | 1.7016 | .91449 | 1.5433 | 1.2483 | 2.6636 | .82593 |
| #3 | 2.9742 | 10.817 | 1.7018 | .91029 | 1.5463 | 1.2554 | 2.6738 | .83223 |

| Elem | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | .86161 | .27362 | 1.0060 | .10925 | 21.695 | 3.0792 | .13889 | 2.6515 |
| Stddev | .00257 | .00037 | .0113 | .00099 | .074 | .0418 | .00113 | .0193 |
| %RSD | .29834 | .13383 | 1.1182 | .90364 | .34063 | 1.3574 | .81557 | .72705 |
| #1 | .86349 | .27385 | 1.0184 | .11028 | 21.751 | 3.1272 | .14019 | 2.6737 |
| #2 | .86265 | .27382 | .99637 | .10915 | 21.724 | 3.0515 | .13829 | 2.6417 |
| #3 | .85868 | .27320 | 1.0033 | .10831 | 21.611 | 3.0587 | .13817 | 2.6390 |

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 2.4938 | .07554 | 4.5105 | .28866 | 1.4582 | 5.2473 | 34.460 |
| Stddev | .0067 | .00048 | .0360 | .00107 | .0194 | .0812 | .425 |
| %RSD | .26791 | .63838 | .79815 | .37165 | 1.3300 | 1.5465 | 1.2348 |
| #1 | 2.5011 | .07566 | 4.5516 | .28987 | 1.4804 | 5.3407 | 34.948 |
| #2 | 2.4923 | .07594 | 4.4846 | .28824 | 1.4445 | 5.1941 | 34.168 |
| #3 | 2.4880 | .07500 | 4.4952 | .28786 | 1.4498 | 5.2071 | 34.263 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: S3 Acquired: 10/28/2024 17:03:32 Type: Cal
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: S03 Custom ID2: Custom ID3:
Comment:

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 806.23 | 20497. | 2367.2 | 691.41 | 1463.9 |
| Stddev | 3.13 | 31. | 19.2 | 4.19 | 5.1 |
| %RSD | .38874 | .15223 | .81238 | .60648 | .34622 |
| | | | | | |
| #1 | 803.65 | 20496. | 2345.1 | 687.45 | 1461.4 |
| #2 | 805.32 | 20466. | 2376.2 | 690.97 | 1460.5 |
| #3 | 809.72 | 20528. | 2380.2 | 695.80 | 1469.7 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: S4 Acquired: 10/28/2024 17:07:48 Type: Cal
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: S04 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 | Be2348 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | .17051 | .38930 | 4.1787 | .42240 | 1.1206 | 19.524 | 63.021 | 4.1720 |
| Stddev | .00008 | .00005 | .0051 | .00146 | .0008 | .093 | .418 | .0119 |
| %RSD | .04860 | .01163 | .12144 | .34658 | .06682 | .47501 | .66369 | .28471 |
| #1 | .17059 | .38927 | 4.1792 | .42364 | 1.1214 | 19.438 | 62.664 | 4.1585 |
| #2 | .17043 | .38935 | 4.1733 | .42079 | 1.1204 | 19.623 | 63.481 | 4.1763 |
| #3 | .17050 | .38928 | 4.1834 | .42277 | 1.1199 | 19.511 | 62.917 | 4.1810 |

| Elem | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 | Mn2576 | Mg2790 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 5.8712 | 20.956 | 3.2973 | 1.8170 | 3.0383 | 2.4019 | 5.1006 | 1.6446 |
| Stddev | .0092 | .125 | .0052 | .0017 | .0164 | .0188 | .0294 | .0046 |
| %RSD | .15723 | .59531 | .15761 | .09175 | .54047 | .78089 | .57615 | .28221 |
| #1 | 5.8813 | 20.857 | 3.3025 | 1.8171 | 3.0219 | 2.3915 | 5.0711 | 1.6405 |
| #2 | 5.8632 | 21.096 | 3.2974 | 1.8152 | 3.0548 | 2.4235 | 5.1298 | 1.6496 |
| #3 | 5.8691 | 20.916 | 3.2921 | 1.8186 | 3.0382 | 2.3905 | 5.1009 | 1.6435 |

| Elem | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1.7053 | .51229 | 1.9793 | .20907 | 45.324 | 6.0501 | .28583 | 5.0795 |
| Stddev | .0043 | .00118 | .0080 | .00142 | .201 | .0263 | .00148 | .0365 |
| %RSD | .25473 | .22986 | .40280 | .67998 | .44298 | .43534 | .51939 | .71810 |
| #1 | 1.7094 | .51330 | 1.9753 | .20803 | 45.380 | 6.0202 | .28749 | 5.0377 |
| #2 | 1.7008 | .51100 | 1.9885 | .21069 | 45.491 | 6.0701 | .28463 | 5.0956 |
| #3 | 1.7058 | .51257 | 1.9741 | .20850 | 45.102 | 6.0599 | .28536 | 5.1050 |

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 5.1466 | .15590 | 8.6357 | .57777 | 2.8234 | 10.393 | 67.151 |
| Stddev | .0126 | .00080 | .0576 | .00104 | .0094 | .077 | .299 |
| %RSD | .24540 | .51278 | .66661 | .18061 | .33221 | .74186 | .44470 |
| #1 | 5.1606 | .15670 | 8.5696 | .57884 | 2.8155 | 10.330 | 66.848 |
| #2 | 5.1431 | .15510 | 8.6632 | .57773 | 2.8338 | 10.479 | 67.445 |
| #3 | 5.1360 | .15592 | 8.6745 | .57675 | 2.8210 | 10.371 | 67.159 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: S4 Acquired: 10/28/2024 17:07:48 Type: Cal
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: S04 Custom ID2: Custom ID3:
Comment:

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 739.79 | 20064. | 2380.6 | 612.40 | 1374.2 |
| Stddev | 2.21 | 92. | 8.9 | 3.45 | 3.5 |
| %RSD | .29940 | .46094 | .37555 | .56361 | .25126 |
| | | | | | |
| #1 | 737.43 | 19960. | 2390.6 | 609.72 | 1371.4 |
| #2 | 741.82 | 20137. | 2378.1 | 611.18 | 1378.1 |
| #3 | 740.13 | 20095. | 2373.2 | 616.29 | 1373.1 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: S5 Acquired: 10/28/2024 17:12:00 Type: Cal
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: S05 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 | Be2348 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | .35379 | .75951 | 8.3522 | .93889 | 2.5374 | 39.484 | 123.86 | 8.2002 |
| Stddev | .00098 | .00044 | .0074 | .00399 | .0134 | .105 | 1.39 | .0352 |
| %RSD | .27795 | .05775 | .08841 | .42504 | .52793 | .26471 | 1.1224 | .42952 |
| #1 | .35312 | .75911 | 8.3469 | .93556 | 2.5231 | 39.463 | 123.26 | 8.2156 |
| #2 | .35334 | .75944 | 8.3490 | .93780 | 2.5395 | 39.598 | 125.45 | 8.2251 |
| #3 | .35492 | .75998 | 8.3606 | .94331 | 2.5497 | 39.392 | 122.86 | 8.1599 |

| Elem | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 | Mn2576 | Mg2790 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 11.541 | 41.404 | 6.3953 | 3.6110 | 6.0523 | 4.6603 | 9.9177 | 3.3030 |
| Stddev | .011 | .168 | .0034 | .0026 | .0131 | .0161 | .0464 | .0138 |
| %RSD | .09733 | .40672 | .05361 | .07152 | .21702 | .34465 | .46747 | .41841 |
| #1 | 11.532 | 41.403 | 6.3961 | 3.6080 | 6.0516 | 4.6575 | 9.9064 | 3.3001 |
| #2 | 11.538 | 41.573 | 6.3983 | 3.6125 | 6.0658 | 4.6776 | 9.9687 | 3.3181 |
| #3 | 11.554 | 41.236 | 6.3916 | 3.6124 | 6.0396 | 4.6458 | 9.8781 | 3.2909 |

| Elem | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 3.3688 | 1.0139 | 3.9805 | .41236 | 102.50 | 12.251 | .58746 | 9.8340 |
| Stddev | .0072 | .0009 | .0076 | .00054 | .94 | .046 | .00161 | .0616 |
| %RSD | .21354 | .09032 | .19117 | .13123 | .91543 | .37201 | .27487 | .62656 |
| #1 | 3.3612 | 1.0134 | 3.9754 | .41261 | 101.94 | 12.236 | .58595 | 9.8438 |
| #2 | 3.3697 | 1.0149 | 3.9892 | .41272 | 101.98 | 12.302 | .58916 | 9.8900 |
| #3 | 3.3756 | 1.0133 | 3.9768 | .41173 | 103.59 | 12.214 | .58728 | 9.7680 |

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 11.247 | .32366 | 16.919 | 1.1471 | 5.5644 | 21.377 | 130.42 |
| Stddev | .038 | .00060 | .085 | .0017 | .0183 | .073 | .41 |
| %RSD | .33690 | .18661 | .50282 | .14383 | .32918 | .34220 | .31485 |
| #1 | 11.208 | .32299 | 16.959 | 1.1452 | 5.5505 | 21.407 | 130.09 |
| #2 | 11.250 | .32379 | 16.977 | 1.1484 | 5.5851 | 21.431 | 130.88 |
| #3 | 11.283 | .32418 | 16.822 | 1.1476 | 5.5574 | 21.294 | 130.28 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: S5 Acquired: 10/28/2024 17:12:00 Type: Cal
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: S05 Custom ID2: Custom ID3:
Comment:

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 631.19 | 19415. | 2348.7 | 476.37 | 1271.8 |
| Stddev | 2.42 | 34. | 11.4 | 4.66 | 1.5 |
| %RSD | .38333 | .17642 | .48329 | .97718 | .12054 |
| | | | | | |
| #1 | 633.96 | 19450. | 2345.4 | 480.17 | 1273.6 |
| #2 | 630.12 | 19381. | 2339.4 | 477.76 | 1270.8 |
| #3 | 629.49 | 19414. | 2361.4 | 471.18 | 1271.0 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: S6 Acquired: 10/28/2024 17:16:26 Type: Cal
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: S06 Custom ID2: Custom ID3:
Comment:

| Elem | Al3961 | Ca3736 | Fe2598 | Mg2790 | Na8183 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 99.391 | 64.567 | 11.978 | 5.1732 | 10.646 |
| Stddev | 1.241 | .252 | .031 | .0159 | .043 |
| %RSD | 1.2483 | .39103 | .26080 | .30835 | .39981 |
| | | | | | |
| #1 | 99.955 | 64.385 | 11.957 | 5.1635 | 10.608 |
| #2 | 97.968 | 64.460 | 11.962 | 5.1646 | 10.637 |
| #3 | 100.25 | 64.855 | 12.014 | 5.1916 | 10.692 |

| Int. Std. | Y_3710 |
|---|---|
| Units | Cts/S |
| Avg | 2329.8 |
| Stddev | 7.3 |
| %RSD | .31176 |
| | |
| #1 | 2324.2 |
| #2 | 2338.0 |
| #3 | 2327.2 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: ICV003 Acquired: 10/28/2024 19:08:56 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: ICV003 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.078664 | 1.037446 | .9720514 | 1.081029 | 1.035867 | 2.342887 |
| Stddev | .011770 | .004737 | .0036240 | .012413 | .003482 | .015104 |
| %RSD | 1.091154 | .4566217 | .3728189 | 1.148250 | .3361547 | .6446725 |
| #1 | 1.065420 | 1.035506 | .9696841 | 1.079689 | 1.035546 | 2.333595 |
| #2 | 1.087927 | 1.033985 | .9702468 | 1.094057 | 1.039498 | 2.334751 |
| #3 | 1.082645 | 1.042845 | .9762234 | 1.069340 | 1.032556 | 2.360314 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .5010504 | .5233597 | .4942827 | 9.955398 | .5496429 | .4884985 |
| Stddev | .0015272 | .0016482 | .0006224 | .041153 | .0000826 | .0011275 |
| %RSD | .3048001 | .3149262 | .1259294 | .4133705 | .0150237 | .2308034 |
| #1 | .5006211 | .5223478 | .4935725 | 9.937399 | .5496073 | .4877158 |
| #2 | .5027463 | .5252616 | .4945421 | 10.00248 | .5497374 | .4897908 |
| #3 | .4997838 | .5224697 | .4947335 | 9.92631 | .5495842 | .4879889 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .4810785 | 10.62924 | .5232464 | 5.567925 | .5002298 | .2371295 |
| Stddev | .0030982 | .02330 | .0031212 | .053667 | .0008384 | .0006863 |
| %RSD | .6440070 | .2192127 | .5965060 | .9638673 | .1676004 | .2894296 |
| #1 | .4777708 | 10.61685 | .5217899 | 5.629016 | .4994899 | .2366602 |
| #2 | .4815523 | 10.65612 | .5268296 | 5.528374 | .5011404 | .2379172 |
| #3 | .4839126 | 10.61477 | .5211197 | 5.546384 | .5000590 | .2368111 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 9.513826 | .5288124 | 1.005705 | 9.001118 | F .0040577 | F .0043204 |
| Stddev | .176364 | .0070920 | .003631 | .052636 | .0005397 | .0017096 |
| %RSD | 1.853763 | 1.341110 | .3610237 | .5847770 | 13.30011 | 39.56952 |
| #1 | 9.420758 | .5362592 | 1.002908 | 8.997117 | .0043900 | .0061869 |
| #2 | 9.403491 | .5280396 | 1.004400 | 9.055641 | .0034350 | .0039439 |
| #3 | 9.717229 | .5221386 | 1.009808 | 8.950597 | .0043480 | .0028305 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: ICV003 Acquired: 10/28/2024 19:08:56 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: ICV003 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | F -.000117 | F -.002917 | F .0022244 | F -.003544 | F -.000981 | F -.005330 |
| Stddev | .000650 | .004817 | .0007010 | .000968 | .000981 | .001833 |
| %RSD | 556.9064 | 165.1094 | 31.51304 | 27.31765 | 99.99607 | 34.38548 |
| #1 | .000204 | -.008459 | .0023071 | -.002596 | -.002089 | -.006947 |
| #2 | .000310 | -.000556 | .0014857 | -.004531 | -.000226 | -.005704 |
| #3 | -.000864 | .000263 | .0028804 | -.003506 | -.000627 | -.003339 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | F .0011315 |
| Stddev | .0000890 |
| %RSD | 7.867062 |
| #1 | .0011198 |
| #2 | .0010490 |
| #3 | .0012258 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 884.3386 | 21398.77 | 2438.517 | 786.1499 | 1659.502 |
| Stddev | 2.0046 | 30.82 | 7.601 | 2.1476 | 1.025 |
| %RSD | .2266798 | .1440461 | .3116943 | .2731847 | .0617441 |
| #1 | 884.6459 | 21426.95 | 2435.630 | 788.3443 | 1659.290 |
| #2 | 882.1981 | 21365.85 | 2432.783 | 786.0529 | 1658.600 |
| #3 | 886.1718 | 21403.52 | 2447.138 | 784.0523 | 1660.616 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: ICB003 Acquired: 10/28/2024 19:13:20 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: ICB003 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.001040 | -.001424 | -.002010 | -.001285 | .0015155 | .0098783 | -.000114 |
| Stddev | .003547 | .002972 | .003478 | .002614 | .0013398 | .0062509 | .000707 |
| %RSD | 341.0673 | 208.7232 | 173.0612 | 203.4915 | 88.41181 | 63.27894 | 621.3058 |
| #1 | -.004547 | -.000834 | .001209 | -.002529 | .0028390 | .0031592 | .000651 |
| #2 | .002545 | .001209 | -.001540 | .001719 | .0015475 | .0109544 | -.000743 |
| #3 | -.001117 | -.004647 | -.005699 | -.003044 | .0001599 | .0155213 | -.000248 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0000575 | .0000917 | .0086801 | -.000024 | -.000205 | -.002395 | -.000273 |
| Stddev | .0000316 | .0001253 | .0177688 | .000243 | .000292 | .001845 | .019078 |
| %RSD | 54.87924 | 136.5718 | 204.7059 | 994.2427 | 142.5325 | 77.03291 | 6999.673 |
| #1 | .0000255 | .0000623 | -.004048 | .000240 | -.000451 | -.004221 | -.021526 |
| #2 | .0000584 | .0002291 | .028981 | -.000239 | -.000282 | -.000532 | .005335 |
| #3 | .0000887 | -.000016 | .001108 | -.000074 | .000118 | -.002431 | .015373 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0001418 | -.014514 | .0001511 | -.001029 | -.384958 | .0008381 | -.000502 |
| Stddev | .0010105 | .043638 | .0002473 | .000266 | .111532 | .0097614 | .000137 |
| %RSD | 712.6596 | 300.6518 | 163.6375 | 25.84014 | 28.97259 | 1164.706 | 27.36296 |
| #1 | -.000766 | -.064765 | .0000235 | -.001201 | -.474531 | .0118646 | -.000552 |
| #2 | .001230 | .007383 | .0004362 | -.001162 | -.420309 | -.006699 | -.000608 |
| #3 | -.000039 | .013839 | -.000006 | -.000723 | -.260034 | -.002651 | -.000347 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.090009 | -.000436 | -.005405 | .0000869 | -.001293 | .0004008 | -.000945 |
| Stddev | .120703 | .001183 | .000328 | .0003230 | .002333 | .0004852 | .000687 |
| %RSD | 134.1020 | 271.4998 | 6.076446 | 371.8334 | 180.4091 | 121.0652 | 72.70149 |
| #1 | -.210639 | .000626 | -.005477 | .0002860 | -.003972 | .0009586 | -.000715 |
| #2 | -.090155 | -.001711 | -.005693 | .0002604 | -.000205 | .0000772 | -.000402 |
| #3 | .030768 | -.000222 | -.005047 | -.000286 | .000297 | .0001664 | -.001717 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: ICB003 Acquired: 10/28/2024 19:13:20 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: ICB003 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | .0004787 | -.006673 | -.000083 |
| Stddev | .0023828 | .000841 | .000187 |
| %RSD | 497.7894 | 12.60799 | 224.4955 |
| | | | |
| #1 | -.001672 | -.007393 | .000048 |
| #2 | .000068 | -.006879 | -.000298 |
| #3 | .003040 | -.005748 | -.000001 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 889.8567 | 21419.27 | 2447.550 | 792.1008 | 1697.821 |
| Stddev | 2.9180 | 52.42 | 7.957 | 2.6861 | 1.771 |
| %RSD | .3279195 | .2447098 | .3250889 | .3391145 | .1043254 |
| | | | | | |
| #1 | 887.1446 | 21464.01 | 2440.979 | 794.2672 | 1696.461 |
| #2 | 892.9443 | 21432.19 | 2456.396 | 789.0953 | 1699.824 |
| #3 | 889.4814 | 21361.60 | 2445.275 | 792.9399 | 1697.177 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: ICSA003 Acquired: 10/28/2024 19:17:53 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: ICSA003 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.007846 | -.015988 | -.002151 | .0000019 | -.000077 | 251.3202 |
| Stddev | .006053 | .004647 | .004718 | .0052222 | .003960 | .3831 |
| %RSD | 77.15349 | 29.06759 | 219.3920 | 275274.5 | 5175.119 | .1524223 |
| | | | | | | |
| #1 | -.008327 | -.010752 | .003277 | .0059980 | -.001315 | 251.1984 |
| #2 | -.013644 | -.017588 | -.004452 | -.002443 | -.003269 | 251.0128 |
| #3 | -.001566 | -.019623 | -.005276 | -.003550 | .004355 | 251.7493 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0064597 | .0008621 | -.000232 | 259.4607 | .0523903 | .0004650 |
| Stddev | .0002546 | .0001734 | .000103 | .7244 | .0006775 | .0003441 |
| %RSD | 3.941681 | 20.10843 | 44.52257 | .2791761 | 1.293078 | 73.99192 |
| | | | | | | |
| #1 | .0066360 | .0007514 | -.000327 | 258.7267 | .0526370 | .0002380 |
| #2 | .0065752 | .0010619 | -.000246 | 259.4805 | .0516241 | .0002962 |
| #3 | .0061678 | .0007730 | -.000122 | 260.1750 | .0529098 | .0008609 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.005828 | 108.7115 | .0133048 | 266.7336 | .0053297 | .0021678 |
| Stddev | .004455 | .1873 | .0008298 | 1.2726 | .0006050 | .0006230 |
| %RSD | 76.45038 | .1722688 | 6.236799 | .4771053 | 11.35076 | 28.73916 |
| | | | | | | |
| #1 | -.008528 | 108.6766 | .0142614 | 265.4308 | .0046530 | .0026376 |
| #2 | -.000685 | 108.5441 | .0128730 | 266.7962 | .0055177 | .0014611 |
| #3 | -.008270 | 108.9138 | .0127799 | 267.9737 | .0058183 | .0024048 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .1663788 | .0034444 | .0119702 | -.277285 | .0013684 | F .0934425 |
| Stddev | .0998646 | .0098583 | .0009091 | .091952 | .0046864 | .0010767 |
| %RSD | 60.02245 | 286.2128 | 7.594772 | 33.16168 | 342.4866 | 1.152274 |
| | | | | | | |
| #1 | .2786765 | .0128094 | .0114561 | -.265295 | -.000907 | .0937015 |
| #2 | .0875393 | -.006842 | .0130199 | -.374644 | -.001746 | .0943660 |
| #3 | .1329206 | .004366 | .0114346 | -.191916 | .006758 | .0922598 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: ICSA003 Acquired: 10/28/2024 19:17:53 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: ICSA003 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.001075 | .0008877 | -.000178 | -.006282 | -.002913 | -.002834 |
| Stddev | .000127 | .0044225 | .000122 | .001094 | .001213 | .000803 |
| %RSD | 11.81771 | 498.1654 | 68.27889 | 17.41216 | 41.65848 | 28.31788 |
| | | | | | | |
| #1 | -.000972 | .0056104 | -.000315 | -.007540 | -.001960 | -.003613 |
| #2 | -.001037 | -.003156 | -.000139 | -.005752 | -.004279 | -.002881 |
| #3 | -.001217 | .000209 | -.000081 | -.005554 | -.002500 | -.002009 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | F .1061372 |
| Stddev | .0002736 |
| %RSD | .2577451 |
| | |
| #1 | .1063327 |
| #2 | .1058246 |
| #3 | .1062544 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 828.5441 | 20302.21 | 2428.485 | 746.7120 | 1414.605 |
| Stddev | .4707 | 11.14 | 5.268 | 3.7340 | 1.651 |
| %RSD | .0568113 | .0548747 | .2169103 | .5000650 | .1167121 |
| | | | | | |
| #1 | 828.7971 | 20290.65 | 2430.503 | 742.5824 | 1415.886 |
| #2 | 828.8343 | 20303.08 | 2432.446 | 749.8505 | 1415.187 |
| #3 | 828.0010 | 20312.88 | 2422.507 | 747.7032 | 1412.742 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: ICSAB003 Acquired: 10/28/2024 19:22:21 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: ICSAB003 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0969261 | .0948334 | .0502517 | .0416081 | .5462845 | 249.5636 |
| Stddev | .0071761 | .0080311 | .0010099 | .0048997 | .0065579 | .8182 |
| %RSD | 7.403648 | 8.468686 | 2.009653 | 11.77593 | 1.200451 | .3278544 |
| #1 | .1028121 | .1017717 | .0492458 | .0398476 | .5534621 | 248.6213 |
| #2 | .0889321 | .0860356 | .0502438 | .0471449 | .5406058 | 249.9753 |
| #3 | .0990340 | .0966927 | .0512655 | .0378319 | .5447858 | 250.0942 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .5350161 | .5527466 | 1.048570 | 258.5707 | .6062788 | .5229227 |
| Stddev | .0029268 | .0035255 | .002532 | 1.3317 | .0004927 | .0008015 |
| %RSD | .5470591 | .6378101 | .2414620 | .5150310 | .0812689 | .1532669 |
| #1 | .5317407 | .5489429 | 1.051336 | 257.1215 | .6065506 | .5233595 |
| #2 | .5359324 | .5559047 | 1.048011 | 258.8500 | .6065758 | .5234109 |
| #3 | .5373751 | .5533921 | 1.046365 | 259.7406 | .6057101 | .5219977 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .4871421 | 108.4525 | .5450590 | 266.5091 | 1.046342 | .1946679 |
| Stddev | .0035678 | .7329 | .0040449 | 1.7376 | .003851 | .0009885 |
| %RSD | .7323981 | .6757533 | .7420954 | .6519919 | .3680380 | .5077773 |
| #1 | .4834763 | 107.6915 | .5425961 | 264.7061 | 1.050632 | .1956715 |
| #2 | .4873468 | 108.5126 | .5428536 | 266.6483 | 1.045212 | .1936953 |
| #3 | .4906031 | 109.1535 | .5497272 | 268.1730 | 1.043183 | .1946369 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .2173245 | .5371490 | .8919006 | -.207540 | .0073633 | F .0944911 |
| Stddev | .4240496 | .0126382 | .0050300 | .114396 | .0009737 | .0026937 |
| %RSD | 195.1228 | 2.352828 | .5639581 | 55.12004 | 13.22322 | 2.850719 |
| #1 | .1652306 | .5263941 | .8930022 | -.110189 | .0084303 | .0914144 |
| #2 | .6650143 | .5339841 | .8864111 | -.333537 | .0071366 | .0956344 |
| #3 | -.178271 | .5510689 | .8962884 | -.178894 | .0065229 | .0964246 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: ICSAB003 Acquired: 10/28/2024 19:22:21 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: ICSAB003 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.000893 | -.004659 | .0003407 | -.006749 | -.001405 | -.006569 |
| Stddev | .000396 | .007401 | .0006475 | .001798 | .001845 | .001810 |
| %RSD | 44.36588 | 158.8625 | 190.0611 | 26.64589 | 131.3269 | 27.55791 |
| | | | | | | |
| #1 | -.001346 | -.008556 | .0003323 | -.005637 | -.001076 | -.008631 |
| #2 | -.000610 | -.009297 | .0009923 | -.008824 | -.003392 | -.005831 |
| #3 | -.000723 | .003876 | -.000303 | -.005786 | .000253 | -.005244 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | F .1047886 |
| Stddev | .0002211 |
| %RSD | .2109987 |
| | |
| #1 | .1047140 |
| #2 | .1046145 |
| #3 | .1050374 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 825.1297 | 20285.26 | 2401.580 | 738.1757 | 1421.127 |
| Stddev | 1.5856 | 62.59 | 13.392 | .8239 | 3.528 |
| %RSD | .1921674 | .3085722 | .5576271 | .1116191 | .2482532 |
| | | | | | |
| #1 | 823.3364 | 20213.45 | 2417.043 | 737.2607 | 1417.237 |
| #2 | 826.3459 | 20313.99 | 2393.915 | 738.8589 | 1422.025 |
| #3 | 825.7070 | 20328.33 | 2393.782 | 738.4075 | 1424.119 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: CCV010 Acquired: 10/28/2024 19:26:43 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV010 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 4.941507 | 4.699998 | 24.21311 | 4.601187 | 4.660863 | 400.6474 | 9.879030 |
| Stddev | .024708 | .009939 | .04382 | .020521 | .009593 | 11.1051 | .257614 |
| %RSD | .5000189 | .2114761 | .1809754 | .4460025 | .2058279 | 2.771785 | 2.607689 |
| #1 | 4.961624 | 4.706277 | 24.20449 | 4.600277 | 4.650003 | 388.0423 | 9.585855 |
| #2 | 4.913927 | 4.688538 | 24.17425 | 4.581136 | 4.668184 | 408.9885 | 10.06922 |
| #3 | 4.948970 | 4.705178 | 24.26060 | 4.622148 | 4.664402 | 404.9115 | 9.98201 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .5069454 | 2.449892 | 398.6945 | 15.00056 | 2.455330 | 14.58067 | 402.9704 |
| Stddev | .0143017 | .004988 | 10.6781 | .01685 | .006052 | .37793 | 10.4536 |
| %RSD | 2.821160 | .2035881 | 2.678256 | .1123309 | .2464667 | 2.591994 | 2.594147 |
| #1 | .4908825 | 2.450592 | 386.5841 | 15.02001 | 2.454494 | 14.15342 | 391.0938 |
| #2 | .5182976 | 2.444592 | 406.7559 | 14.99126 | 2.449740 | 14.87127 | 410.7764 |
| #3 | .5116562 | 2.454493 | 402.7434 | 14.99040 | 2.461756 | 14.71732 | 407.0411 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 14.54535 | 406.1419 | 2.442156 | 1.245060 | 394.6330 | 2.429961 | 13.82457 |
| Stddev | .40401 | 11.3610 | .005478 | .004562 | 10.6553 | .060566 | .11279 |
| %RSD | 2.777561 | 2.797309 | .2243061 | .3664103 | 2.700057 | 2.492464 | .8158481 |
| #1 | 14.08815 | 393.2552 | 2.441911 | 1.247211 | 382.4400 | 2.360026 | 13.79808 |
| #2 | 14.85425 | 414.7121 | 2.436805 | 1.239820 | 402.1559 | 2.464751 | 13.94825 |
| #3 | 14.69364 | 410.4583 | 2.447753 | 1.248149 | 399.3031 | 2.465106 | 13.72739 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 150.0326 | 4.861596 | 5.007468 | 4.629596 | 4.929202 | 4.886833 | 4.898249 |
| Stddev | 3.9544 | .013600 | .115198 | .005842 | .015835 | .120164 | .016394 |
| %RSD | 2.635702 | .2797515 | 2.300514 | .1261793 | .3212488 | 2.458938 | .3346885 |
| #1 | 145.5267 | 4.846512 | 4.879715 | 4.634164 | 4.912445 | 4.753330 | 4.891114 |
| #2 | 152.9258 | 4.865353 | 5.103436 | 4.623014 | 4.931243 | 4.986328 | 4.886632 |
| #3 | 151.6453 | 4.872922 | 5.039254 | 4.631609 | 4.943917 | 4.920843 | 4.917002 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: CCV010 Acquired: 10/28/2024 19:26:43 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV010 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 4.856820 | 4.942454 | 4.933512 |
| Stddev | .133413 | .129966 | .137257 |
| %RSD | 2.746918 | 2.629585 | 2.782139 |
| | | | |
| #1 | 4.706009 | 4.793714 | 4.778276 |
| #2 | 4.959446 | 5.034101 | 5.038804 |
| #3 | 4.905005 | 4.999547 | 4.983456 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 713.8864 | 19550.27 | 2349.119 | 599.1166 | 1294.574 |
| Stddev | .2388 | 72.88 | 56.900 | 3.5946 | 2.186 |
| %RSD | .0334503 | .3728014 | 2.422206 | .5999857 | .1688630 |
| | | | | | |
| #1 | 713.6138 | 19519.97 | 2414.196 | 599.7757 | 1294.103 |
| #2 | 714.0587 | 19633.42 | 2308.743 | 595.2381 | 1296.957 |
| #3 | 713.9868 | 19497.42 | 2324.418 | 602.3361 | 1292.662 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: CCB010 Acquired: 10/28/2024 19:30:54 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB010 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0026222 | -.001582 | .0006889 | .0030083 | .0009942 | .0274027 | .0005320 |
| Stddev | .0020682 | .002123 | .0013054 | .0063015 | .0006411 | .0169054 | .0002711 |
| %RSD | 78.87450 | 134.1927 | 189.4918 | 209.4673 | 64.48432 | 61.69233 | 50.94458 |
| #1 | .0020759 | -.001120 | .0021833 | .0047827 | .0014722 | .0090186 | .0003364 |
| #2 | .0049087 | .000272 | -.000229 | -.003990 | .0002657 | .0309107 | .0004183 |
| #3 | .0008820 | -.003899 | .000113 | .008232 | .0012446 | .0422789 | .0008414 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0001041 | .0001656 | .0311601 | .0014152 | -.000004 | -.001634 | -.000563 |
| Stddev | .0000852 | .0000437 | .0261247 | .0005959 | .000100 | .003026 | .039124 |
| %RSD | 81.87680 | 26.36955 | 83.84016 | 42.10776 | 2552.920 | 185.2431 | 6947.329 |
| #1 | .0000155 | .0001195 | .0039462 | .0019360 | -.000120 | -.005087 | -.043771 |
| #2 | .0001855 | .0001711 | .0334955 | .0015443 | .000049 | -.000368 | .032466 |
| #3 | .0001112 | .0002064 | .0560388 | .0007654 | .000059 | .000554 | .009615 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0002256 | -.016944 | .0008738 | -.001537 | -.204550 | .0066502 | .0008807 |
| Stddev | .0007813 | .030146 | .0005646 | .000320 | .015686 | .0026479 | .0001200 |
| %RSD | 346.2639 | 177.9100 | 64.61771 | 20.84346 | 7.668740 | 39.81724 | 13.62638 |
| #1 | -.000154 | -.030366 | .0002719 | -.001352 | -.216074 | .0061707 | .0009386 |
| #2 | -.000293 | -.038049 | .0009577 | -.001352 | -.210889 | .0042748 | .0009608 |
| #3 | .001124 | .017581 | .0013918 | -.001907 | -.186686 | .0095051 | .0007427 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0159429 | .0003882 | .0013004 | .0004358 | .0005818 | .0003588 | -.000562 |
| Stddev | .0276948 | .0021255 | .0005561 | .0001079 | .0050871 | .0009194 | .001292 |
| %RSD | 173.7121 | 547.5092 | 42.76785 | 24.75580 | 874.3535 | 256.2500 | 229.9720 |
| #1 | .0395321 | -.002026 | .0012186 | .0004561 | .0018555 | .0011383 | .000615 |
| #2 | -.014551 | .001978 | .0018928 | .0003192 | .0049110 | -.000655 | -.001945 |
| #3 | .022848 | .001212 | .0007896 | .0005321 | -.005021 | .000593 | -.000356 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: CCB010 Acquired: 10/28/2024 19:30:54 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB010 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | .0002089 | .0002656 | .0001938 |
| Stddev | .0021764 | .0022484 | .0000859 |
| %RSD | 1041.695 | 846.6850 | 44.31430 |
| | | | |
| #1 | .0021737 | -.002323 | .0002236 |
| #2 | .0005836 | .001733 | .0000970 |
| #3 | -.002131 | .001386 | .0002609 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 893.4099 | 21432.94 | 2430.227 | 792.3353 | 1700.180 |
| Stddev | .7819 | 6.16 | 10.708 | 4.3826 | 1.324 |
| %RSD | .0875131 | .0287263 | .4406180 | .5531188 | .0778914 |
| | | | | | |
| #1 | 892.6519 | 21426.11 | 2421.671 | 788.7862 | 1701.171 |
| #2 | 893.3642 | 21434.64 | 2426.775 | 797.2339 | 1698.676 |
| #3 | 894.2136 | 21438.07 | 2442.236 | 790.9856 | 1700.693 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: P4331-04DLX5 Acquired: 10/28/2024 19:35:27 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB7 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .1254107 | -.008545 | .3799615 | -.011442 | .0035574 | 65.08144 | 2.240925 |
| Stddev | .0060888 | .003106 | .0032578 | .001043 | .0045307 | .15704 | .004338 |
| %RSD | 4.855061 | 36.34161 | .8574109 | 9.116426 | 127.3603 | .2412960 | .1935808 |
| #1 | .1200462 | -.012110 | .3798454 | -.012646 | .0007578 | 64.97427 | 2.239465 |
| #2 | .1320287 | -.006425 | .3767634 | -.010862 | .0087846 | 65.26170 | 2.245804 |
| #3 | .1241573 | -.007101 | .3832759 | -.010818 | .0011297 | 65.00834 | 2.237505 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0033856 | .0133477 | 27.67078 | .1592165 | .0792091 | 1.747956 | 102.2759 |
| Stddev | .0002122 | .0000363 | .12119 | .0006946 | .0003167 | .005559 | .2911 |
| %RSD | 6.266875 | .2718685 | .4379591 | .4362355 | .3998092 | .3180184 | .2845806 |
| #1 | .0032222 | .0133896 | 27.53791 | .1599018 | .0788437 | 1.748285 | 101.9974 |
| #2 | .0033091 | .0133274 | 27.69922 | .1585130 | .0793791 | 1.742240 | 102.5780 |
| #3 | .0036254 | .0133262 | 27.77522 | .1592349 | .0794045 | 1.753343 | 102.2521 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 18.36357 | 22.24819 | .2362882 | -.007417 | .4400725 | .1786932 | .9429995 |
| Stddev | .01663 | .15457 | .0014891 | .000258 | .2034620 | .0036327 | .0052095 |
| %RSD | .0905624 | .6947733 | .6301824 | 3.473612 | 46.23374 | 2.032951 | .5524428 |
| #1 | 18.36319 | 22.18215 | .2352572 | -.007585 | .5514657 | .1791783 | .9458338 |
| #2 | 18.38039 | 22.13761 | .2356120 | -.007120 | .2052379 | .1820589 | .9461775 |
| #3 | 18.34714 | 22.42482 | .2379953 | -.007545 | .5635140 | .1748422 | .9369874 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 10.79654 | 5.420046 | .1132857 | -.000954 | 1.411776 | 2.899337 | .0096320 |
| Stddev | .15944 | .010683 | .0009518 | .000612 | .007465 | .010338 | .0005405 |
| %RSD | 1.476749 | .1971100 | .8402212 | 64.15605 | .5287823 | .3565662 | 5.611408 |
| #1 | 10.62538 | 5.419399 | .1128790 | -.000276 | 1.417704 | 2.887672 | .0097973 |
| #2 | 10.94085 | 5.409700 | .1143733 | -.001119 | 1.414232 | 2.907364 | .0090282 |
| #3 | 10.82337 | 5.431038 | .1126047 | -.001467 | 1.403392 | 2.902975 | .0100705 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: P4331-04DLX5 Acquired: 10/28/2024 19:35:27 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB7 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 2.134490 | .0344914 | .3339215 |
| Stddev | .005694 | .0016633 | .0004141 |
| %RSD | .2667807 | 4.822292 | .1240201 |
| | | | |
| #1 | 2.128947 | .0363624 | .3342161 |
| #2 | 2.140325 | .0331804 | .3341002 |
| #3 | 2.134197 | .0339314 | .3334480 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 932.5784 | 22530.37 | 2622.646 | 830.5711 | 1606.345 |
| Stddev | 1.7715 | 41.86 | 8.446 | 4.8277 | .906 |
| %RSD | .1899541 | .1857927 | .3220391 | .5812521 | .0563791 |
| | | | | | |
| #1 | 931.4920 | 22502.49 | 2629.873 | 826.6524 | 1605.324 |
| #2 | 934.6225 | 22510.12 | 2613.362 | 829.0969 | 1607.051 |
| #3 | 931.6205 | 22578.50 | 2624.704 | 835.9640 | 1606.662 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: P4331-05DLX5 Acquired: 10/28/2024 19:39:54 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB7D Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .1251288 | -.017541 | .3877036 | -.003655 | .0063109 | 67.42986 | 1.194813 |
| Stddev | .0068347 | .004178 | .0018661 | .001108 | .0001494 | .08428 | .001273 |
| %RSD | 5.462158 | 23.81833 | .4813090 | 30.32115 | 2.366508 | .1249903 | .1065223 |
| #1 | .1174928 | -.014613 | .3873575 | -.004214 | .0064516 | 67.33782 | 1.193351 |
| #2 | .1306737 | -.022325 | .3897185 | -.002379 | .0061542 | 67.44851 | 1.195674 |
| #3 | .1272200 | -.015683 | .3860348 | -.004373 | .0063270 | 67.50326 | 1.195415 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0041506 | .0137480 | 28.53285 | .1598295 | .0713813 | 1.772181 | 107.2731 |
| Stddev | .0000670 | .0002826 | .09423 | .0005448 | .0005134 | .006625 | .1857 |
| %RSD | 1.613297 | 2.055501 | .3302577 | .3408369 | .7192753 | .3738256 | .1730986 |
| #1 | .0042257 | .0138568 | 28.64111 | .1604577 | .0718327 | 1.768479 | 107.4588 |
| #2 | .0040972 | .0139601 | 28.48816 | .1595433 | .0714884 | 1.768235 | 107.2730 |
| #3 | .0041288 | .0134272 | 28.46927 | .1594875 | .0708227 | 1.779829 | 107.0874 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 3.930572 | 21.68828 | .2231802 | -.005972 | .3074624 | .1839350 | .9582523 |
| Stddev | .005913 | .01251 | .0013788 | .000211 | .1959028 | .0036507 | .0059368 |
| %RSD | .1504468 | .0576962 | .6177990 | 3.540709 | 63.71601 | 1.984773 | .6195469 |
| #1 | 3.925156 | 21.67422 | .2226417 | -.005746 | .4424919 | .1798441 | .9517997 |
| #2 | 3.929679 | 21.69242 | .2247470 | -.006165 | .0827752 | .1868615 | .9634833 |
| #3 | 3.936881 | 21.69819 | .2221520 | -.006006 | .3971200 | .1850994 | .9594739 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 11.26312 | 5.485966 | .1178278 | -.000000 | 1.521465 | 2.942741 | .0092934 |
| Stddev | .07276 | .033123 | .0005449 | .000097 | .008693 | .009645 | .0005192 |
| %RSD | .6460253 | .6037786 | .4624522 | 28432.02 | .5713647 | .3277713 | 5.586432 |
| #1 | 11.23396 | 5.520198 | .1179638 | .000110 | 1.520549 | 2.946896 | .0095930 |
| #2 | 11.20946 | 5.483624 | .1182919 | -.000043 | 1.530579 | 2.949613 | .0095933 |
| #3 | 11.34594 | 5.454076 | .1172278 | -.000068 | 1.513266 | 2.931715 | .0086939 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: P4331-05DLX5 Acquired: 10/28/2024 19:39:54 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB7D Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 2.299695 | .0342090 | .2673877 |
| Stddev | .005800 | .0013619 | .0003484 |
| %RSD | .2522171 | 3.981251 | .1302904 |
| | | | |
| #1 | 2.298385 | .0326454 | .2672085 |
| #2 | 2.306038 | .0348444 | .2677893 |
| #3 | 2.294662 | .0351370 | .2671655 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 929.6522 | 22611.63 | 2638.072 | 833.5511 | 1604.325 |
| Stddev | .6988 | 40.82 | 9.006 | 4.9284 | 2.054 |
| %RSD | .0751638 | .1805229 | .3413995 | .5912527 | .1280473 |
| | | | | | |
| #1 | 930.2760 | 22649.04 | 2631.204 | 837.7840 | 1605.065 |
| #2 | 929.7836 | 22617.76 | 2634.744 | 828.1406 | 1602.004 |
| #3 | 928.8971 | 22568.09 | 2648.269 | 834.7289 | 1605.907 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: P4331-06DLX5 Acquired: 10/28/2024 19:44:18 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB7S Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .1262540 | .0271130 | .3415683 | .0531063 | .0329228 | 53.33832 | 3.629950 |
| Stddev | .0037524 | .0054993 | .0031564 | .0007170 | .0012403 | .24413 | .016665 |
| %RSD | 2.972084 | 20.28289 | .9240824 | 1.350183 | 3.767294 | .4576920 | .4590924 |
| #1 | .1289660 | .0216462 | .3387946 | .0538354 | .0342846 | 53.12951 | 3.616434 |
| #2 | .1278243 | .0326442 | .3409075 | .0524020 | .0318578 | 53.27873 | 3.624847 |
| #3 | .1219715 | .0270487 | .3450028 | .0530816 | .0326260 | 53.60673 | 3.648570 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0427457 | .0510751 | 24.33852 | .2911707 | .4537501 | 1.633446 | 89.16979 |
| Stddev | .0003491 | .0002052 | .11321 | .0007828 | .0011565 | .010299 | .54722 |
| %RSD | .8166104 | .4016681 | .4651288 | .2688439 | .2548782 | .6304799 | .6136838 |
| #1 | .0424514 | .0511069 | 24.24790 | .2919327 | .4524322 | 1.622032 | 88.72307 |
| #2 | .0426544 | .0512626 | 24.30223 | .2903686 | .4542222 | 1.636265 | 89.00614 |
| #3 | .0431314 | .0508560 | 24.46542 | .2912110 | .4545958 | 1.642042 | 89.78017 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 10.85128 | 16.70230 | .5737623 | .0314193 | .1847504 | .5435663 | 1.110601 |
| Stddev | .06802 | .17794 | .0018442 | .0002695 | .2490547 | .0067910 | .005210 |
| %RSD | .6268074 | 1.065344 | .3214259 | .8577292 | 134.8061 | 1.249345 | .4691527 |
| #1 | 10.79639 | 16.49829 | .5752586 | .0311648 | .0032008 | .5361003 | 1.110994 |
| #2 | 10.83009 | 16.82544 | .5743264 | .0317016 | .0823723 | .5452228 | 1.105206 |
| #3 | 10.92737 | 16.78317 | .5717019 | .0313914 | .4686780 | .5493758 | 1.115604 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 8.257223 | 4.658344 | .0956537 | -.001012 | 1.107781 | 2.673450 | .0071896 |
| Stddev | .084527 | .019827 | .0009345 | .000427 | .006250 | .013487 | .0006494 |
| %RSD | 1.023675 | .4256247 | .9769382 | 42.17032 | .5641679 | .5044788 | 9.031941 |
| #1 | 8.244266 | 4.670788 | .0949915 | -.000715 | 1.113439 | 2.664763 | .0074895 |
| #2 | 8.179922 | 4.668764 | .0952470 | -.001502 | 1.101073 | 2.666600 | .0076347 |
| #3 | 8.347480 | 4.635479 | .0967226 | -.000820 | 1.108831 | 2.688987 | .0064444 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: P4331-06DLX5 Acquired: 10/28/2024 19:44:18 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB7S Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 1.833513 | .0242481 | .2290404 |
| Stddev | .011573 | .0012222 | .0010173 |
| %RSD | .6311701 | 5.040182 | .4441577 |
| | | | |
| #1 | 1.820246 | .0254945 | .2283550 |
| #2 | 1.841531 | .0230518 | .2285569 |
| #3 | 1.838762 | .0241979 | .2302093 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 936.5137 | 22658.05 | 2602.798 | 830.9462 | 1627.524 |
| Stddev | 1.0665 | 43.10 | 12.580 | 3.7161 | 2.114 |
| %RSD | .1138785 | .1901994 | .4833148 | .4472079 | .1298933 |
| | | | | | |
| #1 | 937.7435 | 22673.91 | 2615.010 | 834.0973 | 1625.841 |
| #2 | 935.9538 | 22609.27 | 2603.506 | 831.8931 | 1626.835 |
| #3 | 935.8438 | 22690.96 | 2589.880 | 826.8483 | 1629.897 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: P4331-04LDLX25 Acquired: 10/28/2024 19:48:41 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB7L Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0303899 | -.002148 | .0784257 | .0017151 | .0026041 | 13.69453 | .4657802 |
| Stddev | .0010551 | .001064 | .0012113 | .0019133 | .0014164 | .04538 | .0005969 |
| %RSD | 3.471836 | 49.55185 | 1.544468 | 111.5524 | 54.39183 | .3313423 | .1281466 |
| #1 | .0295337 | -.002216 | .0790128 | .0032553 | .0019685 | 13.64940 | .4653231 |
| #2 | .0300673 | -.003177 | .0770327 | -.000427 | .0016168 | 13.69406 | .4664555 |
| #3 | .0315686 | -.001051 | .0792314 | .002317 | .0042269 | 13.74015 | .4655620 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0007643 | .0025392 | 5.827135 | .0335129 | .0156038 | .3678964 | 21.76360 |
| Stddev | .0000760 | .0000762 | .017833 | .0007187 | .0002157 | .0039170 | .00843 |
| %RSD | 9.944716 | 3.000276 | .3060277 | 2.144513 | 1.382229 | 1.064691 | .0387246 |
| #1 | .0008446 | .0024717 | 5.842269 | .0339872 | .0156522 | .3697337 | 21.77128 |
| #2 | .0006934 | .0026218 | 5.831660 | .0326860 | .0157911 | .3705571 | 21.76495 |
| #3 | .0007550 | .0025242 | 5.807476 | .0338656 | .0153680 | .3633986 | 21.75459 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 3.937671 | 4.647003 | .0474939 | -.002263 | -.037506 | .0422338 | .2025165 |
| Stddev | .008307 | .030829 | .0002503 | .000219 | .384637 | .0064882 | .0000348 |
| %RSD | .2109664 | .6634263 | .5271114 | 9.686767 | 1025.530 | 15.36260 | .0171746 |
| #1 | 3.944024 | 4.634484 | .0475117 | -.002495 | -.225735 | .0464907 | .2025038 |
| #2 | 3.940719 | 4.682122 | .0472352 | -.002060 | .404995 | .0454444 | .2024899 |
| #3 | 3.928271 | 4.624402 | .0477349 | -.002233 | -.291777 | .0347662 | .2025559 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 2.244122 | 1.072509 | .0197466 | -.000551 | .2774473 | .6335001 | -.001132 |
| Stddev | .134401 | .002423 | .0009729 | .000090 | .0032010 | .0017773 | .001102 |
| %RSD | 5.989007 | .2259401 | 4.927014 | 16.40650 | 1.153719 | .2805549 | 97.40887 |
| #1 | 2.392587 | 1.071629 | .0208632 | -.000469 | .2754538 | .6320109 | .000080 |
| #2 | 2.130748 | 1.070649 | .0190812 | -.000648 | .2757484 | .6330216 | -.002076 |
| #3 | 2.209030 | 1.075250 | .0192954 | -.000536 | .2811395 | .6354676 | -.001399 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: P4331-04LDLX25 Acquired: 10/28/2024 19:48:41 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB7L Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | .4516013 | .0034312 | .0703134 |
| Stddev | .0007207 | .0011248 | .0001959 |
| %RSD | .1595898 | 32.78286 | .2785641 |
| | | | |
| #1 | .4515897 | .0042879 | .0705299 |
| #2 | .4523278 | .0038484 | .0701484 |
| #3 | .4508865 | .0021574 | .0702620 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 910.3551 | 21775.84 | 2484.144 | 805.2837 | 1681.378 |
| Stddev | .6796 | 2.32 | 5.623 | 2.5712 | 2.369 |
| %RSD | .0746564 | .0106389 | .2263494 | .3192960 | .1408712 |
| | | | | | |
| #1 | 910.9433 | 21778.06 | 2483.171 | 805.9657 | 1681.036 |
| #2 | 909.6111 | 21773.44 | 2490.189 | 802.4402 | 1683.899 |
| #3 | 910.5110 | 21776.01 | 2479.070 | 807.4452 | 1679.199 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: P4331-04ADLREX2 Acquired: 10/28/2024 19:53:10 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB7A Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .2849880 | -.022691 | .8887508 | .1144735 | .1953505 | 144.4283 |
| Stddev | .0085085 | .002429 | .0005773 | .0052835 | .0026562 | .5378 |
| %RSD | 2.985573 | 10.70356 | .0649568 | 4.615520 | 1.359731 | .3723645 |
| #1 | .2940638 | -.021878 | .8893814 | .1121094 | .1983959 | 144.3102 |
| #2 | .2771916 | -.020772 | .8882482 | .1205264 | .1941435 | 145.0154 |
| #3 | .2837086 | -.025422 | .8886229 | .1107849 | .1935120 | 143.9594 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 4.944030 | .0073822 | .0327662 | 60.37106 | .3488211 | .1898290 |
| Stddev | .029250 | .0000867 | .0002052 | .32350 | .0011667 | .0005037 |
| %RSD | .5916272 | 1.174947 | .6263036 | .5358452 | .3344776 | .2653634 |
| #1 | 4.947262 | .0073262 | .0327036 | 60.26337 | .3487541 | .1897990 |
| #2 | 4.971530 | .0074821 | .0325997 | 60.73467 | .3500199 | .1893409 |
| #3 | 4.913298 | .0073382 | .0329955 | 60.11515 | .3476893 | .1903471 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 3.832518 | 221.1044 | F 39.59190 | 48.99461 | .5578277 | -.014730 |
| Stddev | .014334 | .9363 | .21086 | .04686 | .0018832 | .000151 |
| %RSD | .3740194 | .4234629 | .5325797 | .0956406 | .3375915 | 1.023960 |
| #1 | 3.816890 | 220.9286 | 39.57436 | 49.00282 | .5580939 | -.014606 |
| #2 | 3.845055 | 222.1162 | 39.81097 | 49.03683 | .5558256 | -.014898 |
| #3 | 3.835608 | 220.2685 | 39.39035 | 48.94419 | .5595636 | -.014687 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.391997 | .3977601 | 5.019716 | 24.38039 | F 12.86913 | .2446465 |
| Stddev | .266733 | .0122111 | .016835 | .06403 | .02482 | .0018322 |
| %RSD | 19.16192 | 3.069967 | .3353681 | .2626379 | .1928788 | .7489176 |
| #1 | 1.436600 | .4110491 | 5.032072 | 24.40718 | 12.85120 | .2443589 |
| #2 | 1.633617 | .3951975 | 5.026534 | 24.42667 | 12.85873 | .2466056 |
| #3 | 1.105774 | .3870337 | 5.000542 | 24.30731 | 12.89746 | .2429752 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: P4331-04ADLREX2 Acquired: 10/28/2024 19:53:10 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB7A Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.000715 | 3.403300 | 6.365746 | .0224587 | 4.699533 | .0810488 |
| Stddev | .000790 | .002203 | .030462 | .0025244 | .019267 | .0011250 |
| %RSD | 110.4640 | .0647395 | .4785243 | 11.24015 | .4099675 | 1.388016 |
| | | | | | | |
| #1 | .000044 | 3.405251 | 6.348363 | .0219431 | 4.704127 | .0808783 |
| #2 | -.000657 | 3.403738 | 6.400920 | .0202319 | 4.716087 | .0822493 |
| #3 | -.001532 | 3.400911 | 6.347956 | .0252011 | 4.678384 | .0800188 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .7370551 |
| Stddev | .0006081 |
| %RSD | .0825026 |
| | |
| #1 | .7374336 |
| #2 | .7373781 |
| #3 | .7363537 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 978.7773 | 23915.89 | 2803.252 | 871.2782 | 1542.652 |
| Stddev | 1.2535 | 62.88 | 16.413 | 3.8164 | 3.034 |
| %RSD | .1280644 | .2629419 | .5854962 | .4380242 | .1966808 |
| | | | | | |
| #1 | 977.9287 | 23912.65 | 2810.599 | 869.3658 | 1540.334 |
| #2 | 980.2170 | 23854.69 | 2784.449 | 868.7961 | 1546.086 |
| #3 | 978.1863 | 23980.33 | 2814.707 | 875.6727 | 1541.536 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: P4332-13ADLREX2 Acquired: 10/28/2024 19:57:32 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE6A Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .7448430 | -.025914 | 1.920093 | .1394164 | .2166195 | 174.2852 |
| Stddev | .0161302 | .009347 | .001847 | .0074705 | .0015572 | .7199 |
| %RSD | 2.165591 | 36.06708 | .0962132 | 5.358374 | .7188666 | .4130866 |
| | | | | | | |
| #1 | .7443727 | -.016255 | 1.919456 | .1430051 | .2156272 | 173.8710 |
| #2 | .7289530 | -.026575 | 1.918648 | .1308288 | .2184143 | 173.8682 |
| #3 | .7612032 | -.034913 | 1.922174 | .1444153 | .2158171 | 175.1166 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 3.011498 | .0104553 | .0456015 | 49.38189 | 1.426332 | .1557529 |
| Stddev | .021372 | .0000694 | .0004159 | .31109 | .001880 | .0011231 |
| %RSD | .7096737 | .6639377 | .9120316 | .6299767 | .1318058 | .7210483 |
| | | | | | | |
| #1 | 2.996826 | .0105286 | .0455022 | 49.29001 | 1.424827 | .1562681 |
| #2 | 3.001649 | .0103906 | .0452443 | 49.12708 | 1.428440 | .1544647 |
| #3 | 3.036018 | .0104468 | .0460581 | 49.72857 | 1.425730 | .1565258 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 7.700557 | 187.5578 | 4.828051 | 47.68571 | .5746992 | .0041739 |
| Stddev | .040667 | .9983 | .023562 | .25687 | .0024384 | .0005159 |
| %RSD | .5281085 | .5322854 | .4880291 | .5386807 | .4242968 | 12.36042 |
| | | | | | | |
| #1 | 7.670481 | 187.5009 | 4.823278 | 47.52806 | .5754745 | .0046226 |
| #2 | 7.684363 | 186.5892 | 4.807240 | 47.54695 | .5719674 | .0042891 |
| #3 | 7.746826 | 188.5834 | 4.853634 | 47.98212 | .5766558 | .0036102 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 2.120767 | .3522801 | 3.998220 | 14.88627 | F 11.62127 | .2283919 |
| Stddev | .235179 | .0083016 | .010207 | .05340 | .02662 | .0008712 |
| %RSD | 11.08931 | 2.356530 | .2552960 | .3587445 | .2290642 | .3814714 |
| | | | | | | |
| #1 | 1.928511 | .3514505 | 3.994058 | 14.83613 | 11.61126 | .2278305 |
| #2 | 2.382989 | .3444244 | 3.990751 | 14.88024 | 11.60111 | .2279497 |
| #3 | 2.050801 | .3609653 | 4.009850 | 14.94243 | 11.65145 | .2293956 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: P4332-13ADLREX2 Acquired: 10/28/2024 19:57:32 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE6A Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0037586 | 3.701548 | 5.695056 | .0572800 | 4.914430 | .0628846 |
| Stddev | .0003294 | .011864 | .026074 | .0004784 | .020983 | .0015527 |
| %RSD | 8.764096 | .3205224 | .4578378 | .8352593 | .4269758 | 2.469168 |
| #1 | .0034209 | 3.698828 | 5.707777 | .0578260 | 4.897439 | .0646701 |
| #2 | .0037760 | 3.691279 | 5.665063 | .0569342 | 4.907966 | .0618506 |
| #3 | .0040790 | 3.714536 | 5.712328 | .0570798 | 4.937885 | .0621331 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .7352857 |
| Stddev | .0024200 |
| %RSD | .3291169 |
| #1 | .7336510 |
| #2 | .7341404 |
| #3 | .7380657 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 953.1221 | 23396.61 | 2762.570 | 846.8430 | 1551.812 |
| Stddev | 3.8961 | 37.38 | 13.265 | 2.6164 | 4.350 |
| %RSD | .4087693 | .1597567 | .4801842 | .3089570 | .2803256 |
| #1 | 956.4593 | 23354.33 | 2756.068 | 846.3645 | 1552.756 |
| #2 | 954.0662 | 23425.26 | 2777.832 | 849.6655 | 1555.613 |
| #3 | 948.8407 | 23410.24 | 2753.811 | 844.4988 | 1547.068 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: P4333-01DLX2 Acquired: 10/28/2024 20:01:54 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBF4 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .2729041 | -.043165 | .5432346 | -.019846 | .0099203 | 235.7873 |
| Stddev | .0041042 | .008796 | .0028577 | .002203 | .0040038 | .6393 |
| %RSD | 1.503891 | 20.37808 | .5260574 | 11.10289 | 40.35922 | .2711504 |
| #1 | .2776253 | -.052547 | .5465342 | -.022050 | .0145330 | 235.9961 |
| #2 | .2701870 | -.041843 | .5416178 | -.017643 | .0073445 | 236.2962 |
| #3 | .2709000 | -.035105 | .5415518 | -.019844 | .0078835 | 235.0697 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 8.299817 | .0117116 | .0136664 | 113.1166 | .4776223 | .1726616 |
| Stddev | .024830 | .0003350 | .0002009 | .2427 | .0014667 | .0006260 |
| %RSD | .2991611 | 2.860211 | 1.469642 | .2145328 | .3070864 | .3625381 |
| #1 | 8.303660 | .0113252 | .0137776 | 113.0831 | .4790917 | .1729543 |
| #2 | 8.322501 | .0118896 | .0134346 | 113.3743 | .4776168 | .1730875 |
| #3 | 8.273289 | .0119200 | .0137871 | 112.8925 | .4761583 | .1719429 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.998639 | 238.9316 | 5.293501 | 72.36869 | .7964357 | -.015158 |
| Stddev | .010382 | .8052 | .015478 | .49524 | .0023042 | .000068 |
| %RSD | .5194402 | .3369903 | .2923979 | .6843286 | .2893195 | .4503137 |
| #1 | 2.001962 | 239.4343 | 5.293968 | 72.52880 | .7982675 | -.015170 |
| #2 | 2.006952 | 239.3575 | 5.308740 | 72.76406 | .7971912 | -.015219 |
| #3 | 1.987002 | 238.0029 | 5.277794 | 71.81320 | .7938486 | -.015084 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 2.021554 | .5084881 | 1.229870 | 15.53023 | F 13.32171 | .2674178 |
| Stddev | .281525 | .0064346 | .003557 | .16233 | .06640 | .0023839 |
| %RSD | 13.92616 | 1.265429 | .2892388 | 1.045259 | .4984516 | .8914475 |
| #1 | 2.339388 | .5149687 | 1.225930 | 15.39115 | 13.38018 | .2700599 |
| #2 | 1.921738 | .5083951 | 1.230838 | 15.70860 | 13.33544 | .2667656 |
| #3 | 1.803538 | .5021006 | 1.232844 | 15.49093 | 13.24952 | .2654279 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: P4333-01DLX2 Acquired: 10/28/2024 20:01:54 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBF4 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.000365 | 1.830317 | 4.860551 | .0136133 | 6.224903 | .1083885 |
| Stddev | .000466 | .018864 | .020218 | .0019025 | .013143 | .0009075 |
| %RSD | 127.8267 | 1.030630 | .4159604 | 13.97542 | .2111284 | .8372506 |
| #1 | -.000333 | 1.848556 | 4.851090 | .0119960 | 6.235745 | .1079415 |
| #2 | .000085 | 1.810885 | 4.883765 | .0157095 | 6.228679 | .1094328 |
| #3 | -.000846 | 1.831510 | 4.846798 | .0131345 | 6.210286 | .1077913 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | 1.196833 |
| Stddev | .004533 |
| %RSD | .3787581 |
| #1 | 1.201215 |
| #2 | 1.197122 |
| #3 | 1.192162 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 1001.212 | 24519.15 | 2888.943 | 895.1386 | 1501.085 |
| Stddev | 1.725 | 47.60 | 11.408 | 3.1065 | 2.967 |
| %RSD | .1722880 | .1941307 | .3948958 | .3470440 | .1976834 |
| #1 | 1002.903 | 24504.28 | 2895.994 | 897.2244 | 1500.568 |
| #2 | 1001.276 | 24480.76 | 2875.781 | 896.6231 | 1504.277 |
| #3 | 999.455 | 24572.41 | 2895.053 | 891.5684 | 1498.410 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: PB164280BL Acquired: 10/28/2024 20:06:16 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: PBS280 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.000692 | -.000472 | -.000294 | -.001045 | .0006709 | .0168287 | .0006269 |
| Stddev | .002154 | .000991 | .000666 | .001293 | .0011936 | .0125461 | .0004427 |
| %RSD | 311.2460 | 209.7981 | 226.6422 | 123.6944 | 177.9147 | 74.55194 | 70.62033 |
| #1 | .001538 | -.000188 | -.000298 | -.002445 | .0015192 | .0024816 | .0007431 |
| #2 | -.000853 | .000346 | .000374 | .000105 | -.000694 | .0222627 | .0001377 |
| #3 | -.002760 | -.001574 | -.000958 | -.000796 | .001187 | .0257418 | .0009999 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0000010 | .0000024 | .0249557 | .0002660 | -.000272 | -.001412 | -.002348 |
| Stddev | .0000403 | .0000963 | .0085604 | .0008465 | .000248 | .002248 | .015101 |
| %RSD | 4024.880 | 4051.134 | 34.30223 | 318.2123 | 91.22777 | 159.1662 | 643.2011 |
| #1 | .0000070 | -.000043 | .0310804 | -.000702 | -.000133 | -.000165 | -.015006 |
| #2 | .0000380 | -.000063 | .0286124 | .000865 | -.000124 | -.004007 | -.006405 |
| #3 | -.000042 | .000113 | .0151743 | .000636 | -.000559 | -.000065 | .014368 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0003924 | .0196814 | .0001407 | .0001631 | -.072973 | -.003433 | -.000111 |
| Stddev | .0010330 | .0283916 | .0002439 | .0003997 | .133737 | .007239 | .000237 |
| %RSD | 263.2520 | 144.2565 | 173.3910 | 245.1171 | 183.2681 | 210.8985 | 214.1640 |
| #1 | .0004211 | .0052667 | .0001528 | .0000628 | -.148681 | -.011552 | -.000352 |
| #2 | -.000655 | .0523887 | .0003784 | -.000177 | .081443 | -.001097 | -.000102 |
| #3 | .001411 | .0013888 | -.000109 | .000603 | -.151682 | .002351 | .000122 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.096607 | .0003855 | -.003288 | .0000958 | -.000452 | .0022729 | -.001321 |
| Stddev | .054846 | .0014214 | .000443 | .0004568 | .001546 | .0008140 | .001425 |
| %RSD | 56.77188 | 368.7433 | 13.48917 | 476.5730 | 342.2748 | 35.81110 | 107.8871 |
| #1 | -.106096 | -.000813 | -.003152 | -.000422 | .001118 | .0031824 | .000182 |
| #2 | -.037636 | .000014 | -.002928 | .000440 | -.001972 | .0020235 | -.001493 |
| #3 | -.146089 | .001956 | -.003783 | .000269 | -.000502 | .0016128 | -.002652 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: PB164280BL Acquired: 10/28/2024 20:06:16 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: PBS280 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | .0004227 | -.006645 | -.000083 |
| Stddev | .0008440 | .001796 | .000083 |
| %RSD | 199.6621 | 27.03000 | 100.6544 |
| | | | |
| #1 | -.000320 | -.007223 | -.000090 |
| #2 | .000247 | -.004631 | .000004 |
| #3 | .001341 | -.008082 | -.000163 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 892.6408 | 21421.92 | 2417.869 | 795.7486 | 1701.205 |
| Stddev | 1.6256 | 99.90 | 5.068 | 2.8153 | 2.111 |
| %RSD | .1821147 | .4663637 | .2096113 | .3537986 | .1241013 |
| | | | | | |
| #1 | 890.7693 | 21386.10 | 2412.075 | 792.5224 | 1700.177 |
| #2 | 893.7023 | 21534.80 | 2421.479 | 797.0151 | 1703.633 |
| #3 | 893.4509 | 21344.87 | 2420.054 | 797.7082 | 1699.804 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: PB164280BS Acquired: 10/28/2024 20:10:47 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: LCS280 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0248869 | .0531188 | .0205680 | .0695593 | .1072324 | .4003350 |
| Stddev | .0028842 | .0022553 | .0020151 | .0020903 | .0012849 | .0147094 |
| %RSD | 11.58931 | 4.245752 | 9.797302 | 3.005094 | 1.198201 | 3.674280 |
| #1 | .0278670 | .0556053 | .0228374 | .0706542 | .1058017 | .4042224 |
| #2 | .0221092 | .0512052 | .0198782 | .0671490 | .1082879 | .4127104 |
| #3 | .0246845 | .0525459 | .0189883 | .0708747 | .1076077 | .3840724 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .4173073 | .0109793 | .0106845 | 10.84069 | .0225939 | .1010375 |
| Stddev | .0029118 | .0001607 | .0000747 | .10376 | .0005561 | .0001921 |
| %RSD | .6977496 | 1.463257 | .6993602 | .9571086 | 2.461256 | .1901295 |
| #1 | .4165035 | .0110441 | .0106255 | 10.82858 | .0229369 | .1009034 |
| #2 | .4205366 | .0110974 | .0107685 | 10.94997 | .0219523 | .1009514 |
| #3 | .4148819 | .0107963 | .0106594 | 10.74352 | .0228926 | .1012576 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0524318 | .2167206 | .0329084 | 10.85535 | .0853916 | .0213539 |
| Stddev | .0007793 | .0039170 | .0009220 | .06985 | .0004440 | .0002941 |
| %RSD | 1.486320 | 1.807404 | 2.801829 | .6434244 | .5199999 | 1.377164 |
| #1 | .0524366 | .2190475 | .0339420 | 10.88970 | .0849591 | .0211204 |
| #2 | .0532088 | .2189162 | .0321703 | 10.90136 | .0853694 | .0212571 |
| #3 | .0516502 | .2121983 | .0326131 | 10.77498 | .0858463 | .0216841 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 10.15078 | .1184543 | .1060781 | 9.840706 | .0170822 | F -.003396 |
| Stddev | .13611 | .0110800 | .0007120 | .063068 | .0009949 | .001265 |
| %RSD | 1.340879 | 9.353791 | .6711958 | .6408884 | 5.823888 | 37.24656 |
| #1 | 10.00173 | .1280189 | .1065176 | 9.882290 | .0165854 | -.004732 |
| #2 | 10.18212 | .1063130 | .1052567 | 9.871688 | .0164335 | -.002217 |
| #3 | 10.26848 | .1210311 | .1064602 | 9.768139 | .0182276 | -.003240 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: PB164280BS Acquired: 10/28/2024 20:10:47 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: LCS280 Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | F .0186137 | .1758455 | F .4618842 | .0136553 | .2083956 | .0241534 |
| Stddev | .0005541 | .0029194 | .0012934 | .0008716 | .0016285 | .0003393 |
| %RSD | 2.976631 | 1.660231 | .2800305 | 6.382902 | .7814458 | 1.404779 |
| #1 | .0180603 | .1792162 | .4606253 | .0127420 | .2097966 | .0240285 |
| #2 | .0191684 | .1741142 | .4632096 | .0137456 | .2066089 | .0245375 |
| #3 | .0186124 | .1742062 | .4618177 | .0144782 | .2087814 | .0238943 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .2116807 |
| Stddev | .0003203 |
| %RSD | .1512899 |
| #1 | .2116437 |
| #2 | .2120179 |
| #3 | .2113806 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 893.5205 | 21388.27 | 2431.099 | 792.6058 | 1664.469 |
| Stddev | 1.4888 | 13.21 | 16.403 | 2.2407 | .897 |
| %RSD | .1666232 | .0617750 | .6747155 | .2826966 | .0538957 |
| #1 | 892.7319 | 21395.27 | 2441.801 | 790.9599 | 1665.170 |
| #2 | 895.2378 | 21396.51 | 2412.214 | 791.7000 | 1664.779 |
| #3 | 892.5919 | 21373.03 | 2439.281 | 795.1576 | 1663.458 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: PB164280BSD Acquired: 10/28/2024 20:15:17 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: LCSD280 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0077021 | .0253271 | .0095668 | .0313149 | .0555557 | .2080938 | .2204923 |
| Stddev | .0020062 | .0013667 | .0030011 | .0053177 | .0018272 | .0176201 | .0004770 |
| %RSD | 26.04795 | 5.396158 | 31.37017 | 16.98132 | 3.288897 | 8.467379 | .2163492 |
| #1 | .0053915 | .0244521 | .0128541 | .0252270 | .0534820 | .2056631 | .2208534 |
| #2 | .0090014 | .0269020 | .0088729 | .0336656 | .0562562 | .1918152 | .2206721 |
| #3 | .0087135 | .0246272 | .0069734 | .0350521 | .0569290 | .2268030 | .2199515 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0060322 | .0055918 | 5.703537 | .0117626 | .0529595 | .0232786 | .1239332 |
| Stddev | .0001217 | .0002135 | .024392 | .0003414 | .0007240 | .0023852 | .0048775 |
| %RSD | 2.016629 | 3.819015 | .4276621 | 2.902275 | 1.367185 | 10.24644 | 3.935562 |
| #1 | .0060800 | .0058106 | 5.684686 | .0119494 | .0528482 | .0255499 | .1188015 |
| #2 | .0061227 | .0055808 | 5.694839 | .0113686 | .0522975 | .0207938 | .1244893 |
| #3 | .0058939 | .0053839 | 5.731085 | .0119699 | .0537328 | .0234921 | .1285088 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0167790 | 5.797621 | .0452280 | .0111903 | 5.104707 | .0599429 | .0567884 |
| Stddev | .0015736 | .021665 | .0002047 | .0010323 | .311342 | .0075660 | .0011144 |
| %RSD | 9.378414 | .3736889 | .4526420 | 9.224830 | 6.099123 | 12.62194 | 1.962466 |
| #1 | .0157762 | 5.820403 | .0453883 | .0101899 | 4.748837 | .0518956 | .0560590 |
| #2 | .0159681 | 5.795179 | .0452984 | .0122517 | 5.326816 | .0610213 | .0580713 |
| #3 | .0185927 | 5.777279 | .0449974 | .0111293 | 5.238467 | .0669118 | .0562350 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 5.026292 | .0098777 | -.004527 | .0100643 | .0940418 | .2413138 | .0059947 |
| Stddev | .093256 | .0020658 | .000406 | .0003894 | .0032378 | .0013442 | .0017281 |
| %RSD | 1.855362 | 20.91398 | 8.977431 | 3.869164 | 3.442937 | .5570420 | 28.82745 |
| #1 | 5.015542 | .0102657 | -.004959 | .0096509 | .0971281 | .2398395 | .0042219 |
| #2 | 5.124457 | .0117220 | -.004153 | .0101179 | .0943260 | .2424713 | .0076743 |
| #3 | 4.938876 | .0076454 | -.004469 | .0104241 | .0906712 | .2416305 | .0060880 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: PB164280BSD Acquired: 10/28/2024 20:15:17 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: LCSD280 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | .1087490 | .0083151 | .1115204 |
| Stddev | .0011684 | .0012366 | .0003454 |
| %RSD | 1.074405 | 14.87147 | .3097495 |
| | | | |
| #1 | .1074569 | .0090411 | .1117178 |
| #2 | .1097313 | .0068873 | .1117218 |
| #3 | .1090588 | .0090170 | .1111215 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 892.0290 | 21350.05 | 2466.098 | 788.1773 | 1677.082 |
| Stddev | 1.7239 | 308.78 | 4.205 | 12.0722 | 3.582 |
| %RSD | .1932580 | 1.446272 | .1704988 | 1.531665 | .2135970 |
| | | | | | |
| #1 | 892.2658 | 21532.53 | 2468.804 | 792.8571 | 1674.616 |
| #2 | 893.6223 | 20993.53 | 2468.236 | 774.4657 | 1681.191 |
| #3 | 890.1989 | 21524.08 | 2461.254 | 797.2089 | 1675.438 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: CCV011 Acquired: 10/28/2024 20:20:21 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV011 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 5.018454 | 4.744518 | 24.51366 | 4.694102 | 4.696275 | 405.5701 | 10.02058 |
| Stddev | .009402 | .027883 | .13985 | .017256 | .020203 | .9436 | .03658 |
| %RSD | .1873412 | .5876873 | .5704852 | .3676150 | .4302017 | .2326525 | .3650924 |
| #1 | 5.019163 | 4.753281 | 24.54229 | 4.702024 | 4.690100 | 406.6573 | 10.05999 |
| #2 | 5.008718 | 4.713306 | 24.36171 | 4.674307 | 4.679879 | 405.0886 | 10.01403 |
| #3 | 5.027481 | 4.766967 | 24.63697 | 4.705974 | 4.718845 | 404.9644 | 9.98771 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .5114162 | 2.485105 | 403.1088 | 15.09630 | 2.482826 | 14.78656 | 406.9310 |
| Stddev | .0029562 | .010946 | 1.7555 | .00945 | .013707 | .03803 | 2.1438 |
| %RSD | .5780412 | .4404567 | .4355018 | .0626291 | .5520755 | .2572014 | .5268242 |
| #1 | .5146217 | 2.488323 | 405.1305 | 15.08538 | 2.487569 | 14.82991 | 409.4022 |
| #2 | .5087972 | 2.472911 | 402.2262 | 15.10202 | 2.467377 | 14.75883 | 405.8213 |
| #3 | .5108296 | 2.494082 | 401.9697 | 15.10149 | 2.493531 | 14.77093 | 405.5695 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 14.68290 | 409.6602 | 2.469859 | 1.250078 | 399.0665 | 2.449745 | 13.99410 |
| Stddev | .08123 | 1.8596 | .011149 | .007505 | 1.4396 | .022713 | .05409 |
| %RSD | .5532481 | .4539340 | .4513946 | .6003601 | .3607529 | .9271672 | .3865313 |
| #1 | 14.77662 | 411.7756 | 2.474001 | 1.245751 | 400.7278 | 2.466678 | 13.93784 |
| #2 | 14.63278 | 408.2834 | 2.457232 | 1.245739 | 398.2864 | 2.423934 | 14.04572 |
| #3 | 14.63930 | 408.9214 | 2.478344 | 1.258744 | 398.1852 | 2.458624 | 13.99874 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 152.4684 | 4.927316 | 5.016878 | 4.658863 | 5.014476 | 4.899053 | 4.953601 |
| Stddev | .5082 | .022766 | .017466 | .019767 | .025226 | .028465 | .026475 |
| %RSD | .3333321 | .4620272 | .3481365 | .4242855 | .5030628 | .5810289 | .5344631 |
| #1 | 153.0309 | 4.928775 | 5.029481 | 4.657144 | 5.027948 | 4.927490 | 4.957935 |
| #2 | 152.0424 | 4.903855 | 4.996941 | 4.640012 | 4.985374 | 4.870560 | 4.925226 |
| #3 | 152.3318 | 4.949316 | 5.024211 | 4.679434 | 5.030105 | 4.899110 | 4.977641 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: CCV011 Acquired: 10/28/2024 20:20:21 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV011 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 4.918061 | 4.976839 | 5.027856 |
| Stddev | .008134 | .018280 | .014976 |
| %RSD | .1653951 | .3672948 | .2978638 |
| #1 | 4.926453 | 4.997606 | 5.044702 |
| #2 | 4.910212 | 4.969723 | 5.016051 |
| #3 | 4.917517 | 4.963187 | 5.022814 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 713.3372 | 19555.82 | 2357.361 | 593.8635 | 1289.763 |
| Stddev | 1.5148 | 40.45 | 11.699 | 3.6246 | 5.320 |
| %RSD | .2123533 | .2068610 | .4962885 | .6103450 | .4124584 |
| #1 | 713.9241 | 19602.15 | 2344.149 | 597.5525 | 1288.275 |
| #2 | 714.4708 | 19537.87 | 2366.407 | 590.3068 | 1295.669 |
| #3 | 711.6168 | 19527.45 | 2361.529 | 593.7313 | 1285.347 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: CCB011 Acquired: 10/28/2024 20:24:33 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB011 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0010262 | -.000891 | .0018146 | .0042285 | -.002774 | .0686086 | .0008489 |
| Stddev | .0005161 | .001618 | .0013871 | .0014743 | .001447 | .0064980 | .0002838 |
| %RSD | 50.29338 | 181.5400 | 76.43834 | 34.86689 | 52.15195 | 9.471080 | 33.42778 |
| #1 | .0004310 | -.000703 | .0033454 | .0031492 | -.004431 | .0704616 | .0011378 |
| #2 | .0012977 | -.002596 | .0006413 | .0036280 | -.001762 | .0613854 | .0008383 |
| #3 | .0013498 | .000625 | .0014571 | .0059084 | -.002129 | .0739789 | .0005706 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0000239 | .0001179 | .0308645 | .0013955 | -.000247 | .0011080 | .0307219 |
| Stddev | .0000456 | .0001842 | .0135528 | .0007070 | .000077 | .0012637 | .0095261 |
| %RSD | 191.0085 | 156.1632 | 43.91044 | 50.65929 | 31.03653 | 114.0554 | 31.00760 |
| #1 | .0000408 | .0003102 | .0359181 | .0006185 | -.000202 | .0016814 | .0348770 |
| #2 | -.000028 | .0001006 | .0155111 | .0020008 | -.000204 | .0019833 | .0198240 |
| #3 | .000059 | -.000057 | .0411644 | .0015672 | -.000336 | -.000341 | .0374648 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0008474 | -.007742 | .0006118 | .0007225 | -.183051 | .0005232 | .0012483 |
| Stddev | .0007175 | .065018 | .0004137 | .0003353 | .282101 | .0040773 | .0003729 |
| %RSD | 84.66385 | 839.7693 | 67.61494 | 46.41249 | 154.1107 | 779.2354 | 29.87242 |
| #1 | .0003625 | .030561 | .0001832 | .0008004 | -.498242 | .0013545 | .0008712 |
| #2 | .0005083 | .029025 | .0006436 | .0010120 | .045763 | .0041209 | .0012569 |
| #3 | .0016716 | -.082813 | .0010087 | .0003551 | -.096674 | -.003906 | .0016168 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0753384 | -.000105 | .0016362 | .0006020 | -.003840 | .0022496 | -.002784 |
| Stddev | .0959728 | .000962 | .0006745 | .0003572 | .008442 | .0002699 | .001082 |
| %RSD | 127.3890 | 916.4180 | 41.22047 | 59.33215 | 219.8254 | 11.99603 | 38.86593 |
| #1 | -.024672 | -.000721 | .0024149 | .0004725 | -.013589 | .0021796 | -.001997 |
| #2 | .166686 | -.000597 | .0012323 | .0003277 | .001010 | .0020216 | -.002337 |
| #3 | .084001 | .001003 | .0012616 | .0010059 | .001058 | .0025476 | -.004018 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: CCB011 Acquired: 10/28/2024 20:24:33 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB011 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | .0004568 | -.003060 | .0002810 |
| Stddev | .0005530 | .000639 | .0000489 |
| %RSD | 121.0585 | 20.88412 | 17.41492 |
| | | | |
| #1 | .0010818 | -.003730 | .0002743 |
| #2 | .0000313 | -.002994 | .0002358 |
| #3 | .0002573 | -.002457 | .0003329 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 887.4168 | 21272.03 | 2408.802 | 789.8866 | 1691.384 |
| Stddev | 1.7188 | 26.93 | 2.081 | 1.4760 | 4.771 |
| %RSD | .1936813 | .1266138 | .0863846 | .1868571 | .2820838 |
| | | | | | |
| #1 | 885.4391 | 21287.87 | 2407.225 | 791.5753 | 1685.879 |
| #2 | 888.2616 | 21240.93 | 2411.161 | 789.2416 | 1693.963 |
| #3 | 888.5496 | 21287.29 | 2408.021 | 788.8429 | 1694.312 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: P4331-04ADLX2 Acquired: 10/28/2024 21:02:36 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB7A Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .2805403 | -.022761 | .8840731 | .0338921 | .1130097 | 143.9140 |
| Stddev | .0068141 | .007310 | .0026023 | .0031863 | .0023523 | .4274 |
| %RSD | 2.428934 | 32.11802 | .2943547 | 9.401189 | 2.081457 | .2970051 |
| #1 | .2881492 | -.017589 | .8818934 | .0302211 | .1102955 | 144.1989 |
| #2 | .2784711 | -.019568 | .8869542 | .0359399 | .1142785 | 144.1206 |
| #3 | .2750007 | -.031124 | .8833717 | .0355152 | .1144552 | 143.4226 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 4.927041 | .0072105 | .0331471 | 60.78722 | .3410094 | .1890684 |
| Stddev | .022598 | .0001265 | .0002792 | .32217 | .0026239 | .0005420 |
| %RSD | .4586585 | 1.753700 | .8423725 | .5299903 | .7694642 | .2866803 |
| #1 | 4.948204 | .0070821 | .0328483 | 61.03816 | .3423263 | .1884427 |
| #2 | 4.929679 | .0073349 | .0331917 | 60.89959 | .3379878 | .1893926 |
| #3 | 4.903239 | .0072144 | .0334014 | 60.42392 | .3427141 | .1893700 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 3.770063 | 219.5702 | F 39.24515 | 48.67474 | .5548386 | -.013297 |
| Stddev | .007680 | .8521 | .17325 | .25838 | .0004363 | .000482 |
| %RSD | .2037129 | .3880563 | .4414527 | .5308362 | .0786416 | 3.627792 |
| #1 | 3.773838 | 220.3291 | 39.35828 | 48.75536 | .5544480 | -.013261 |
| #2 | 3.775126 | 219.7330 | 39.33147 | 48.88319 | .5553095 | -.013796 |
| #3 | 3.761226 | 218.6485 | 39.04570 | 48.38566 | .5547582 | -.012833 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.546168 | .3949892 | 5.070368 | 24.15372 | F 12.58438 | .2393360 |
| Stddev | .115972 | .0158855 | .012281 | .05968 | .03430 | .0010335 |
| %RSD | 7.500600 | 4.021745 | .2422175 | .2470639 | .2725263 | .4318331 |
| #1 | 1.611985 | .4118696 | 5.061631 | 24.10003 | 12.61596 | .2392397 |
| #2 | 1.412262 | .3927648 | 5.084410 | 24.21797 | 12.54789 | .2383540 |
| #3 | 1.614258 | .3803332 | 5.065063 | 24.14316 | 12.58929 | .2404143 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: P4331-04ADLX2 Acquired: 10/28/2024 21:02:36 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBB7A Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | -.001077 | 3.355119 | 6.506378 | .0243021 | 4.688358 | .0767673 |
| Stddev | .000725 | .013043 | .028501 | .0014717 | .016351 | .0015390 |
| %RSD | 67.36782 | .3887510 | .4380483 | 6.055718 | .3487547 | 2.004821 |
| #1 | -.000921 | 3.340415 | 6.496155 | .0227079 | 4.705522 | .0776259 |
| #2 | -.001867 | 3.365293 | 6.538581 | .0256089 | 4.686589 | .0776855 |
| #3 | -.000442 | 3.359649 | 6.484399 | .0245894 | 4.672964 | .0749905 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .7309388 |
| Stddev | .0024231 |
| %RSD | .3315034 |
| #1 | .7333623 |
| #2 | .7309380 |
| #3 | .7285161 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 970.2315 | 23835.25 | 2815.439 | 867.4824 | 1525.274 |
| Stddev | .3276 | 61.60 | 10.364 | 1.9089 | 3.180 |
| %RSD | .0337693 | .2584309 | .3681215 | .2200488 | .2084988 |
| #1 | 969.8588 | 23802.69 | 2809.291 | 868.4552 | 1522.936 |
| #2 | 970.3615 | 23906.29 | 2809.620 | 865.2830 | 1528.895 |
| #3 | 970.4742 | 23796.76 | 2827.405 | 868.7088 | 1523.991 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: P4332-13ADLX2 Acquired: 10/28/2024 21:06:58 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE6A Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .7316895 | -.030242 | 1.890432 | .0354351 | .1253287 | 173.4903 |
| Stddev | .0072590 | .001709 | .005555 | .0027691 | .0006842 | .0440 |
| %RSD | .9920859 | 5.652781 | .2938663 | 7.814549 | .5459629 | .0253402 |
| #1 | .7368018 | -.031234 | 1.886657 | .0354002 | .1246083 | 173.4415 |
| #2 | .7233808 | -.028268 | 1.887829 | .0326836 | .1254082 | 173.5027 |
| #3 | .7348858 | -.031223 | 1.896811 | .0382214 | .1259698 | 173.5268 |

| Elem | Ba4934 | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 2.982733 | .0104582 | .0448496 | 49.26519 | 1.411382 | .1537619 |
| Stddev | .007233 | .0000511 | .0001371 | .10905 | .004072 | .0006960 |
| %RSD | .2425065 | .4887694 | .3056831 | .2213496 | .2885136 | .4526510 |
| #1 | 2.989866 | .0105139 | .0449942 | 49.34677 | 1.408072 | .1544276 |
| #2 | 2.982930 | .0104473 | .0447216 | 49.30748 | 1.410146 | .1530391 |
| #3 | 2.975403 | .0104134 | .0448329 | 49.14134 | 1.415929 | .1538189 |

| Elem | Cu3247 | Fe2598 | Mn2576 | Mg2790 | Ni2316 | Ag3280 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 7.610567 | 185.5841 | 4.785484 | 47.57253 | .5661109 | .0056445 |
| Stddev | .005132 | .0608 | .003218 | .12625 | .0008915 | .0008732 |
| %RSD | .0674307 | .0327753 | .0672391 | .2653840 | .1574862 | 15.46998 |
| #1 | 7.607691 | 185.6542 | 4.789163 | 47.71314 | .5662206 | .0055023 |
| #2 | 7.607517 | 185.5450 | 4.784092 | 47.53554 | .5651695 | .0048512 |
| #3 | 7.616492 | 185.5532 | 4.783197 | 47.46891 | .5669424 | .0065801 |

| Elem | Na8183 | V_2924 | Zn2138 | K_7698 | P_1774 | B_2496 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 1.957961 | .3496748 | 3.954697 | 14.88305 | F 11.39879 | .2233132 |
| Stddev | .462759 | .0090160 | .012715 | .08597 | .01821 | .0005281 |
| %RSD | 23.63476 | 2.578398 | .3215088 | .5776301 | .1597238 | .2364764 |
| #1 | 2.336480 | .3550367 | 3.952241 | 14.91362 | 11.38105 | .2227964 |
| #2 | 1.442069 | .3392656 | 3.968460 | 14.78597 | 11.39789 | .2232915 |
| #3 | 2.095335 | .3547221 | 3.943389 | 14.94956 | 11.41743 | .2238518 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: P4332-13ADLX2 Acquired: 10/28/2024 21:06:58 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: MYDBE6A Custom ID2: Custom ID3:
Comment:

| Elem | Mo2020 | S_1820 | Si2516 | Sn1899 | Ti3361 | Li6707 |
|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0037536 | 3.619870 | 6.014390 | .0532029 | 4.888036 | .0638215 |
| Stddev | .0006302 | .023942 | .020328 | .0026171 | .005201 | .0012237 |
| %RSD | 16.79011 | .6614037 | .3379962 | 4.918999 | .1063941 | 1.917349 |
| | | | | | | |
| #1 | .0038538 | 3.592434 | 5.990951 | .0555115 | 4.883655 | .0624294 |
| #2 | .0043277 | 3.630643 | 6.025002 | .0537373 | 4.893783 | .0643076 |
| #3 | .0030793 | 3.636533 | 6.027216 | .0503599 | 4.886668 | .0647274 |

| Elem | Sr4077 |
|---|---|
| Units | ppm |
| Avg | .7273469 |
| Stddev | .0004513 |
| %RSD | .0620517 |
| | |
| #1 | .7271201 |
| #2 | .7278666 |
| #3 | .7270540 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 950.3952 | 23252.99 | 2726.149 | 847.9870 | 1546.624 |
| Stddev | 2.8714 | 62.87 | 5.250 | 2.2919 | .256 |
| %RSD | .3021253 | .2703598 | .1925661 | .2702790 | .0165716 |
| | | | | | |
| #1 | 948.5386 | 23257.81 | 2728.148 | 846.6136 | 1546.480 |
| #2 | 953.7025 | 23313.31 | 2730.105 | 846.7146 | 1546.471 |
| #3 | 948.9446 | 23187.85 | 2720.193 | 850.6328 | 1546.920 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: CCV012 Acquired: 10/28/2024 21:11:20 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV012 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 5.059708 | 4.754607 | 24.59974 | 4.701570 | 4.731331 | 406.7932 | 9.996499 |
| Stddev | .012536 | .016583 | .06452 | .015145 | .015302 | .7169 | .035590 |
| %RSD | .2477526 | .3487870 | .2622935 | .3221271 | .3234238 | .1762402 | .3560293 |
| | | | | | | | |
| #1 | 5.046346 | 4.735987 | 24.52785 | 4.706565 | 4.719852 | 406.7535 | 9.992125 |
| #2 | 5.061570 | 4.760044 | 24.61874 | 4.684558 | 4.725437 | 407.5292 | 10.03408 |
| #3 | 5.071209 | 4.767789 | 24.65263 | 4.713586 | 4.748703 | 406.0970 | 9.96330 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .5087233 | 2.486625 | 402.5279 | 15.12990 | 2.488973 | 14.90040 | 405.7926 |
| Stddev | .0019325 | .006193 | 1.6705 | .01642 | .008117 | .02087 | 1.3436 |
| %RSD | .3798702 | .2490387 | .4150096 | .1085577 | .3261242 | .1400936 | .3311116 |
| | | | | | | | |
| #1 | .5093335 | 2.480119 | 402.2204 | 15.14361 | 2.480532 | 14.88943 | 405.8139 |
| #2 | .5102771 | 2.487308 | 404.3308 | 15.13440 | 2.489665 | 14.92448 | 407.1255 |
| #3 | .5065594 | 2.492447 | 401.0324 | 15.11170 | 2.496722 | 14.88730 | 404.4385 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 14.61729 | 408.7825 | 2.474640 | 1.246055 | 399.8836 | 2.465032 | 14.03084 |
| Stddev | .06181 | 1.6954 | .005611 | .004545 | 1.2755 | .016877 | .06926 |
| %RSD | .4228403 | .4147375 | .2267442 | .3647489 | .3189748 | .6846518 | .4936332 |
| | | | | | | | |
| #1 | 14.62790 | 408.2761 | 2.470540 | 1.250026 | 400.2502 | 2.455286 | 14.10054 |
| #2 | 14.67311 | 410.6733 | 2.472346 | 1.247040 | 400.9356 | 2.455290 | 13.96203 |
| #3 | 14.55087 | 407.3980 | 2.481035 | 1.241098 | 398.4649 | 2.484520 | 14.02996 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | 152.8130 | 4.963348 | 5.012584 | 4.688830 | 5.026015 | 4.915279 | 4.977031 |
| Stddev | .5615 | .015257 | .017243 | .005448 | .015304 | .013697 | .014770 |
| %RSD | .3674739 | .3073844 | .3440013 | .1162008 | .3045031 | .2786603 | .2967603 |
| | | | | | | | |
| #1 | 152.8291 | 4.945739 | 5.022719 | 4.686111 | 5.009786 | 4.922758 | 4.966200 |
| #2 | 153.3663 | 4.972582 | 5.022360 | 4.685276 | 5.028073 | 4.923609 | 4.993855 |
| #3 | 152.2435 | 4.971724 | 4.992674 | 4.695103 | 5.040187 | 4.899471 | 4.971038 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: CCV012 Acquired: 10/28/2024 21:11:20 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV012 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | 4.925573 | 4.977623 | 5.042828 |
| Stddev | .013169 | .025030 | .008078 |
| %RSD | .2673531 | .5028462 | .1601880 |
| | | | |
| #1 | 4.924699 | 4.966686 | 5.043373 |
| #2 | 4.939157 | 5.006260 | 5.050620 |
| #3 | 4.912863 | 4.959923 | 5.034491 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 707.9484 | 19420.68 | 2337.760 | 590.6848 | 1280.679 |
| Stddev | 1.2191 | 42.47 | 8.348 | 2.1586 | 3.834 |
| %RSD | .1722087 | .2186590 | .3571101 | .3654424 | .2993642 |
| | | | | | |
| #1 | 709.3541 | 19425.06 | 2339.611 | 588.2529 | 1285.066 |
| #2 | 707.1790 | 19376.19 | 2328.641 | 592.3740 | 1277.974 |
| #3 | 707.3122 | 19460.77 | 2345.028 | 591.4276 | 1278.997 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: CCB012 Acquired: 10/28/2024 21:15:31 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB012 Custom ID2: Custom ID3:
Comment:

| Elem | As1890 | Tl1908 | Pb2203 | Se1960 | Sb2068 | Al3961 | Ba4934 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0041944 | .0019825 | .0030606 | .0013742 | .0020690 | .0943474 | .0008526 |
| Stddev | .0064112 | .0018115 | .0034904 | .0029162 | .0027179 | .0155626 | .0001231 |
| %RSD | 152.8518 | 91.37438 | 114.0424 | 212.2035 | 131.3627 | 16.49497 | 14.44399 |
| #1 | -.001014 | .0022577 | .0064629 | -.000345 | .0047683 | .0893165 | .0007314 |
| #2 | .002242 | .0000492 | .0032306 | -.000274 | .0021060 | .1118031 | .0009776 |
| #3 | .011355 | .0036407 | -.000512 | .004741 | -.000667 | .0819226 | .0008486 |

| Elem | Be2348 | Cd2144 | Ca3736 | Cr2677 | Co2286 | Cu3247 | Fe2598 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0000429 | .0001472 | .0336965 | .0017087 | .0001846 | .0028517 | .0512472 |
| Stddev | .0001856 | .0000395 | .0212860 | .0004083 | .0001513 | .0023847 | .0295077 |
| %RSD | 432.7439 | 26.85637 | 63.16998 | 23.89848 | 81.99924 | 83.62225 | 57.57904 |
| #1 | -.000129 | .0001056 | .0131928 | .0015937 | .0002712 | .0018597 | .0509978 |
| #2 | .000017 | .0001842 | .0556869 | .0021622 | .0002727 | .0055723 | .0218651 |
| #3 | .000240 | .0001517 | .0322096 | .0013701 | .0000098 | .0011232 | .0808788 |

| Elem | Mn2576 | Mg2790 | Ni2316 | Ag3280 | Na8183 | V_2924 | Zn2138 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0015368 | .0748241 | .0004668 | -.000751 | .0703309 | .0124129 | .0018037 |
| Stddev | .0008582 | .0302706 | .0002868 | .000480 | .1143743 | .0037680 | .0002036 |
| %RSD | 55.83936 | 40.45564 | 61.43595 | 63.90824 | 162.6232 | 30.35598 | 11.28943 |
| #1 | .0015106 | .1090004 | .0005951 | -.001099 | .1631504 | .0083300 | .0019804 |
| #2 | .0024078 | .0513885 | .0001383 | -.000950 | -.057442 | .0131521 | .0015810 |
| #3 | .0006921 | .0640833 | .0006672 | -.000203 | .105284 | .0157565 | .0018496 |

| Elem | K_7698 | P_1774 | B_2496 | Mo2020 | S_1820 | Si2516 | Sn1899 |
|---|---|---|---|---|---|---|---|
| Units | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| Avg | .0339034 | .0009821 | .0017260 | .0006684 | -.006059 | .0025694 | -.003234 |
| Stddev | .0581976 | .0026637 | .0011731 | .0002141 | .001273 | .0003433 | .001047 |
| %RSD | 171.6574 | 271.2239 | 67.96837 | 32.02868 | 21.01749 | 13.36084 | 32.37647 |
| #1 | .0548138 | -.001660 | .0005070 | .0008848 | -.004601 | .0029588 | -.002063 |
| #2 | .0787567 | .003667 | .0018239 | .0004568 | -.006954 | .0023106 | -.003559 |
| #3 | -.031860 | .000940 | .0028471 | .0006637 | -.006621 | .0024387 | -.004081 |

Reviewed By:jaswal
On:10/30/2024 8:19:54 AM
Inst Id :P5

Sample Name: CCB012 Acquired: 10/28/2024 21:15:31 Type: Unk
Method: SFAM01.1 INSTRUMENT P5 WITH 6 POINT ICAL(v711) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB012 Custom ID2: Custom ID3:
Comment:

| Elem | Ti3361 | Li6707 | Sr4077 |
|---|---|---|---|
| Units | ppm | ppm | ppm |
| Avg | .0016039 | -.002206 | .0004252 |
| Stddev | .0012917 | .000738 | .0001831 |
| %RSD | 80.53324 | 33.45319 | 43.05548 |
| | | | |
| #1 | .0018915 | -.003039 | .0003999 |
| #2 | .0027276 | -.001940 | .0006195 |
| #3 | .0001927 | -.001637 | .0002561 |

| Int. Std. | Y_2243 | Y_3600 | Y_3710 | Y_2243 | In2306 |
|---|---|---|---|---|---|
| Units | Cts/S | Cts/S | Cts/S | Cts/S | Cts/S |
| Avg | 890.0024 | 21411.25 | 2447.837 | 788.1291 | 1688.442 |
| Stddev | 1.2070 | 33.53 | 5.211 | 3.7715 | 3.774 |
| %RSD | .1356180 | .1565996 | .2128732 | .4785401 | .2234974 |
| | | | | | |
| #1 | 889.6414 | 21403.25 | 2443.746 | 791.7747 | 1684.401 |
| #2 | 891.3488 | 21448.05 | 2453.704 | 788.3695 | 1691.874 |
| #3 | 889.0172 | 21382.44 | 2446.061 | 784.2432 | 1689.051 |

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

# Prep Standard - Chemical Standard Summary

**Order ID :** P4332

**Test :** Metals CLP Full

**Prepbatch ID :** PB164278,

**Sequence ID/Qc Batch ID:** LB133139,LB133180,

**Standard ID :**
MP81119,MP82127,MP82441,MP82442,MP82443,MP82444,MP82445,MP82446,MP82450,MP82451,MP82452,MP82453,MP82455,MP82456,MP82568,MP82589,MP82590,MP82631,MP82632,MP82711,MP82731,

**Chemical ID :**
M4960,M5130,M5192,M5218,M5223,M5288,M5289,M5295,M5296,M5390,M5394,M5429,M5467,M5473,M5498,M5513,M5515,M5519,M5634,M5658,M5697,M5698,M5747,M5748,M5769,M5798,M5799,M5800,M5801,M5802,M5806,M5814,M5815,M5816,M5817,M5818,M5819,M5820,M5875,M5935,M5961,M5962,M5970,M5976,M5978,M5982,M5984,M5990,M5999,M6021,M6023,M6025,M6028,M6030,M6033,M6037,M6040,M6090,W2606,W3112,

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

# Metals STANDARD PREPARATION LOG

| Recipe ID | NAME | NO. | Prep Date | Expiration Date | Prepared By | ScaleID | PipetteID | Supervised By |
|---|---|---|---|---|---|---|---|---|
| 169 | 1:1HNO3 | MP81119 | 06/21/2024 | 04/24/2025 | Al-Terek Isaac | METALS_SCALE_2 (M SC-2) | METALS_PIPETTE_1 (ICP A) | Sarabjit Jaswal 06/21/2024 |

**FROM** 1250.00000ml of M5935 + 1250.00000ml of W2606 = Final Quantity: 2500.000 ml

| Recipe ID | NAME | NO. | Prep Date | Expiration Date | Prepared By | ScaleID | PipetteID | Supervised By |
|---|---|---|---|---|---|---|---|---|
| 170 | 1:1HCL | MP82127 | 09/03/2024 | 02/08/2025 | Janvi Patel | None | None | Sarabjit Jaswal 09/03/2024 |

**FROM** 1250.00000ml of M6040 + 1250.00000ml of W3112 = Final Quantity: 2500.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

# Metals STANDARD PREPARATION LOG

| Recipe ID | NAME | NO. | Prep Date | Expiration Date | Prepared By | ScaleID | PipetteID | Supervised By |
|---|---|---|---|---|---|---|---|---|
| 902 | ICP AES CAL BLK ( SO/ICB/CCB) | MP82441 | 09/23/2024 | 10/30/2024 | Kareem Khairalla | None | None | Sarabjit Jaswal 09/24/2024 |

**FROM** 125.00000ml of M6040 + 2350.00000ml of W3112 + 25.00000ml of M6037 = Final Quantity: 2500.000 ml

| Recipe ID | NAME | NO. | Prep Date | Expiration Date | Prepared By | ScaleID | PipetteID | Supervised By |
|---|---|---|---|---|---|---|---|---|
| 2480 | ICP AES STD 6 ISM01.3 | MP82442 | 09/23/2024 | 10/30/2024 | Kareem Khairalla | None | None | Sarabjit Jaswal 09/24/2024 |

**FROM** 4.00000ml of M5289 + 4.00000ml of M5498 + 4.00000ml of M5515 + 4.00000ml of M5769 + 4.00000ml of M5806 + 30.00000ml of MP82441 = Final Quantity: 50.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

# Metals STANDARD PREPARATION LOG

| Recipe ID | NAME | NO. | Prep Date | Expiration Date | Prepared By | ScaleID | PipetteID | Supervised By |
|---|---|---|---|---|---|---|---|---|
| 1004 | ICPAES ISM01.2 (S5) | MP82443 | 09/23/2024 | 10/30/2024 | Kareem Khairalla | None | None | Sarabjit Jaswal 09/24/2024 |

**FROM** 0.25000ml of M5798 + 0.50000ml of M5429 + 0.50000ml of M5473 + 0.50000ml of M5815 + 0.50000ml of M5817 + 12.50000ml of M5519 + 12.50000ml of M5698 + 12.50000ml of M5806 + 12.50000ml of M5819 + 13.75000ml of M5697 + 14.50000ml of M5515 + 14.50000ml of M5658 + 14.50000ml of M6033 + 2.00000ml of M5513 + 22.50000ml of M5498 + 22.50000ml of M5769 + 5.00000ml of M5296 + 5.00000ml of M5394 + 5.00000ml of M5802 + 5.00000ml of M5818 + 5.00000ml of M5875 + 303.50000ml of MP82441 = Final Quantity: 500.000 ml

| Recipe ID | NAME | NO. | Prep Date | Expiration Date | Prepared By | ScaleID | PipetteID | Supervised By |
|---|---|---|---|---|---|---|---|---|
| 1005 | ICPAES ISM01.2(S4) | MP82444 | 09/23/2024 | 10/30/2024 | Kareem Khairalla | None | None | Sarabjit Jaswal 09/24/2024 |

**FROM** 250.00000ml of MP82441 + 250.00000ml of MP82443 = Final Quantity: 500.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

# Metals STANDARD PREPARATION LOG

| Recipe ID | NAME | NO. | Prep Date | Expiration Date | Prepared By | ScaleID | PipetteID | Supervised By |
|---|---|---|---|---|---|---|---|---|
| 1007 | ICPAES ISM01.2(S3) | MP82445 | 09/23/2024 | 10/30/2024 | Kareem Khairalla | None | None | Sarabjit Jaswal 09/24/2024 |

**FROM** 25.00000ml of MP82443 + 75.00000ml of MP82441 = Final Quantity: 100.000 ml

| Recipe ID | NAME | NO. | Prep Date | Expiration Date | Prepared By | ScaleID | PipetteID | Supervised By |
|---|---|---|---|---|---|---|---|---|
| 1008 | ICPAES ISM01.2(S2) | MP82446 | 09/23/2024 | 10/30/2024 | Kareem Khairalla | None | None | Sarabjit Jaswal 09/24/2024 |

**FROM** 12.50000ml of MP82443 + 87.50000ml of MP82441 = Final Quantity: 100.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

# Metals STANDARD PREPARATION LOG

| Recipe ID | NAME | NO. | Prep Date | Expiration Date | Prepared By | ScaleID | PipetteID | Supervised By |
|---|---|---|---|---|---|---|---|---|
| 2054 | ICV-ICPAES | MP82450 | 09/23/2024 | 10/30/2024 | Kareem Khairalla | None | None | Sarabjit Jaswal 09/24/2024 |

**FROM** 0.50000ml of M5218 + 0.50000ml of M5816 + 0.50000ml of M5820 + 0.50000ml of M5970 + 0.50000ml of M5982 + 10.00000ml of M5295 + 87.50000ml of MP82441 = Final Quantity: 100.000 ml

| Recipe ID | NAME | NO. | Prep Date | Expiration Date | Prepared By | ScaleID | PipetteID | Supervised By |
|---|---|---|---|---|---|---|---|---|
| 904 | ICP AES ICSA SOLN | MP82451 | 09/23/2024 | 10/30/2024 | Kareem Khairalla | None | None | Sarabjit Jaswal 09/24/2024 |

**FROM** 25.00000ml of M5130 + 225.00000ml of MP82441 = Final Quantity: 250.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

# Metals STANDARD PREPARATION LOG

| Recipe ID | NAME | NO. | Prep Date | Expiration Date | Prepared By | ScaleID | PipetteID | Supervised By |
|---|---|---|---|---|---|---|---|---|
| 905 | ICP AES ICSAB SOLN | MP82452 | 09/23/2024 | 10/30/2024 | Kareem Khairalla | None | None | Sarabjit Jaswal 09/24/2024 |

**FROM** 25.00000ml of M5130 + 25.00000ml of M5223 + 200.00000ml of MP82441 = Final Quantity: 250.000 ml

| Recipe ID | NAME | NO. | Prep Date | Expiration Date | Prepared By | ScaleID | PipetteID | Supervised By |
|---|---|---|---|---|---|---|---|---|
| 1119 | ICPAES ISM01.2(CCV) | MP82453 | 09/23/2024 | 10/30/2024 | Kareem Khairalla | None | None | Sarabjit Jaswal 09/24/2024 |

**FROM** 0.75000ml of M5498 + 0.75000ml of M5769 + 1.22500ml of M6033 + 1.25000ml of M5515 + 1.25000ml of M5806 + 19.77500ml of MP82441 + 25.00000ml of MP82443 = Final Quantity: 50.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

# Metals STANDARD PREPARATION LOG

| Recipe ID | NAME | NO. | Prep Date | Expiration Date | Prepared By | ScaleID | PipetteID | Supervised By |
|---|---|---|---|---|---|---|---|---|
| 919 | ICP AES INTERNAL STD | MP82455 | 09/23/2024 | 10/30/2024 | Kareem Khairalla | None | None | Sarabjit Jaswal 09/24/2024 |

**FROM** 1.00000ml of M5984 + 10.00000ml of M4960 + 1969.00000ml of W3112 + 20.00000ml of M6037 = Final Quantity: 2000.000 ml

| Recipe ID | NAME | NO. | Prep Date | Expiration Date | Prepared By | ScaleID | PipetteID | Supervised By |
|---|---|---|---|---|---|---|---|---|
| 903 | ICP AES RINSE SOLN | MP82456 | 09/23/2024 | 10/30/2024 | Kareem Khairalla | None | None | Sarabjit Jaswal 09/24/2024 |

**FROM** 200.00000ml of M6037 + 9800.00000ml of W3112 = Final Quantity: 10000.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

# Metals STANDARD PREPARATION LOG

| Recipe ID | NAME | NO. | Prep Date | Expiration Date | Prepared By | ScaleID | PipetteID | Supervised By |
|---|---|---|---|---|---|---|---|---|
| 1122 | ICPMS CALIB BLANK(S0/ICB/CCB) | MP82568 | 09/28/2024 | 10/31/2024 | Sarabjit Jaswal | None | None | Mohan Bera 09/30/2024 |

**FROM** 25.00000ml of M6040 + 4925.00000ml of W3112 + 50.00000ml of M6037 = Final Quantity: 5000.000 ml

| Recipe ID | NAME | NO. | Prep Date | Expiration Date | Prepared By | ScaleID | PipetteID | Supervised By |
|---|---|---|---|---|---|---|---|---|
| 3747 | SB 10PPM | MP82589 | 09/28/2024 | 10/31/2024 | Sarabjit Jaswal | None | None | Mohan Bera 09/30/2024 |

**FROM** 0.10000ml of M5802 + 9.90000ml of MP82568 = Final Quantity: 10.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

# Metals STANDARD PREPARATION LOG

| Recipe ID | NAME | NO. | Prep Date | Expiration Date | Prepared By | ScaleID | PipetteID | Supervised By |
|---|---|---|---|---|---|---|---|---|
| 1883 | SE 10PPM | MP82590 | 09/28/2024 | 10/31/2024 | Sarabjit Jaswal | None | None | Mohan Bera 09/30/2024 |

**FROM** 0.10000ml of M5962 + 9.90000ml of MP82568 = Final Quantity: 10.000 ml

| Recipe ID | NAME | NO. | Prep Date | Expiration Date | Prepared By | ScaleID | PipetteID | Supervised By |
|---|---|---|---|---|---|---|---|---|
| 994 | ICPAES ISM01.2 S1 (CONC.) | MP82631 | 10/02/2024 | 10/23/2024 | Kareem Khairalla | None | None | Sarabjit Jaswal 10/02/2024 |

**FROM** 0.02000ml of M5815 + 0.03000ml of M5429 + 0.10000ml of M5798 + 0.10000ml of M6028 + 0.14000ml of M5799 + 0.20000ml of M5473 + 0.20000ml of M5515 + 0.20000ml of M5658 + 0.20000ml of M5801 + 0.20000ml of M5817 + 0.20000ml of M5976 + 0.20000ml of M6025 + 0.20000ml of M6030 + 0.30000ml of M5698 + 0.40000ml of M6033 + 0.50000ml of M5697 + 0.50000ml of M6023 + 0.70000ml of M5962 + 0.80000ml of M5961 + 1.00000ml of M5800 + 1.00000ml of M6021 + 1.20000ml of M5802 + 1.20000ml of M5819 + 10.00000ml of M5498 + 10.00000ml of M5519 + 10.00000ml of M5769 + 10.00000ml of M5806 + 10.00000ml of M5818 + 2.00000ml of M5978 + 4.00000ml of M5390 + 34.24000ml of MP82441 = Final Quantity: 100.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

# Metals STANDARD PREPARATION LOG

| Recipe ID | NAME | NO. | Prep Date | Expiration Date | Prepared By | ScaleID | PipetteID | Supervised By |
|---|---|---|---|---|---|---|---|---|
| 1003 | ICPAES ISM01.2 S1 | MP82632 | 10/02/2024 | 10/30/2024 | Kareem Khairalla | None | None | Sarabjit Jaswal 10/02/2024 |

**FROM** 0.50000ml of MP82631 + 87.50000ml of MP82441 = Final Quantity: 100.000 ml

| Recipe ID | NAME | NO. | Prep Date | Expiration Date | Prepared By | ScaleID | PipetteID | Supervised By |
|---|---|---|---|---|---|---|---|---|
| 2950 | ICP AES S1/CRI STOCK STD | MP82711 | 10/07/2024 | 10/30/2024 | Kareem Khairalla | None | None | Sarabjit Jaswal 10/07/2024 |

**FROM** 0.00300ml of M6028 + 0.03000ml of M5798 + 0.05000ml of M5515 + 0.05000ml of M5658 + 0.05000ml of M6030 + 0.05000ml of M6033 + 0.06000ml of M5747 + 0.10000ml of M5697 + 0.10000ml of M5698 + 0.10000ml of M5801 + 0.10000ml of M5820 + 0.10000ml of M5962 + 0.10000ml of M5970 + 0.10000ml of M5982 + 0.15000ml of M5800 + 0.20000ml of M5748 + 0.20000ml of M5799 + 0.20000ml of M5819 + 0.20000ml of M6021 + 0.20000ml of M6023 + 0.25000ml of M5467 + 0.25000ml of M5802 + 0.50000ml of M5390 + 0.50000ml of M5814 + 1.00000ml of M5192 + 1.00000ml of M5288 + 1.00000ml of M5498 + 1.00000ml of M5769 + 1.00000ml of M5806 + 1.00000ml of M5978 + 2.00000ml of M5816 + 2.00000ml of M5818 + 77.68000ml of MP82441 = Final Quantity: 100.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

# Metals STANDARD PREPARATION LOG

| Recipe ID | NAME | NO. | Prep Date | Expiration Date | Prepared By | ScaleID | PipetteID | Supervised By |
|---|---|---|---|---|---|---|---|---|
| 921 | ICPAES SPIKE SOL#6 | MP82731 | 10/04/2024 | 10/30/2024 | Sarabjit Jaswal | METALS_SCALE_2 (M SC-2) | METALS_PIPETTE_3 (A) | Mohan Bera 10/08/2024 |

**FROM** 2.50000ml of M5962 + 50.00000ml of M5990 + 50.00000ml of M5999 + 147.50000ml of MP82441 = Final Quantity: 250.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

# CHEMICAL RECEIPT LOG BOOK

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Inorganic Ventures | CGIN10-5 / INDIUM 1 x 500 ml | 100721 | 10/07/2024 | 10/09/2021 / jaswal | 10/08/2021 / jaswal | M4960 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| EPA | PART A / ICSA ( ICP ) STOCK SOLN | ICSA-1211 | 11/19/2024 | 05/20/2024 / jaswal | 04/20/2021 / bin | M5130 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 57042 / Mo, 1000 PPM, 125 ml | 051722 | 05/17/2025 | 07/01/2022 / bin | 06/17/2022 / jaswal | M5192 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Inorganic Ventures | CHEM-QC-4 / CHEM-QC-4, Second Source, 1000 ug/ml, B, Mo, Si, Sn, Ti | S2-MEB711674 | 11/02/2026 | 07/01/2022 / bin | 09/10/2021 / bin | M5218 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| EPA | PART B / ICSAB ( ICP ) STOCK SOLN | ICSB-0710 | 11/19/2024 | 05/20/2024 / jaswal | 04/20/2021 / bin | M5223 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 58119 / K, 10000 PPM, 500 ml | 071122 | 07/11/2025 | 09/01/2022 / jaswal | 07/21/2022 / jaswal | M5288 |

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

# CHEMICAL RECEIPT LOG BOOK

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 58113 / Aluminum (Al) 10,000PPM | 070622 | 07/06/2025 | 09/02/2022 / jaswal | 07/12/2022 / jaswal | M5289 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| EPA | ICV-1 / ICV ( ICP/ICPMS ) STOCK SOLN | ICV-1014 | 02/05/2025 | 08/07/2024 / jaswal | 02/20/2020 / bin | M5295 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Inorganic Ventures | Z9651Q / CHEM-CLP-4/.25L | S2-MEB711673 | 11/02/2026 | 09/19/2022 / jaswal | 08/20/2022 / jaswal | M5296 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 57056 / Ba, 1000 PPM, 125 ml | 072122 | 07/21/2025 | 08/07/2024 / jaswal | 09/18/2022 / bin | M5390 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Inorganic Ventures | CLPP-CAL-3 / CLP CAL SOLUTION #3, 125mL | T2-MEB714159 | 01/13/2027 | 11/28/2022 / bin | 09/19/2022 / bin | M5394 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 57103 / Li, 10000 PPM, 125 ml | 070622 | 07/06/2025 | 01/30/2023 / bin | 01/26/2023 / bin | M5429 |

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

# CHEMICAL RECEIPT LOG BOOK

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 57058 / Cerium, 1000PPM, 100ML | 020623 | 02/06/2026 | 03/06/2023 / bin | 03/01/2023 / bin | M5467 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 57138 / Sr, 10000 PPM, 125 ml | 082922 | 08/29/2025 | 03/16/2023 / jaswal | 03/16/2023 / jaswal | M5473 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 58120 / Ca, 10000 PPM, 500 ml | 031523 | 03/15/2026 | 08/15/2023 / jaswal | 03/17/2023 / bin | M5498 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 57182 / Pb, 10000 PPM, 125 ml | 061522 | 06/15/2025 | 03/19/2023 / bin | 03/17/2023 / bin | M5513 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 58126 / Fe, 10000 PPM, 500 ml | 092122 | 09/21/2025 | 08/01/2024 / Jaswal | 03/17/2023 / bin | M5515 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 57119 / Potassium (K) 10,000PPM | 120822 | 12/08/2025 | 01/08/2024 / bin | 03/17/2023 / bin | M5519 |

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

# CHEMICAL RECEIPT LOG BOOK

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| PCI Scientific Supply, Inc. | 1403 / Hydrogen Peroxide, 30% 1 gal | 820803 | 02/03/2025 | 04/18/2024 / jaswal | 08/03/2022 / Al-Terek | M5634 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 58024 / Chromium, Cr, 500 ml, 1000 PPM | 060523 | 06/05/2026 | 08/28/2023 / jaswal | 08/25/2023 / jaswal | M5658 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 58029 / Cu, 1000 PPM, 500 ml | 102523 | 10/25/2026 | 04/03/2024 / jaswal | 10/27/2023 / jaswal | M5697 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 58025 / Mn, 1000 PPM, 500 ml | 102623 | 10/26/2026 | 04/18/2024 / jaswal | 10/27/2023 / jaswal | M5698 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | / Lead (Pb) 1000PPM | 100923 | 10/09/2026 | 05/20/2024 / Jaswal | 12/20/2023 / jaswal | M5747 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | / Nickel (Ni) 1000PPM | 091223 | 09/12/2026 | 01/02/2024 / bin | 12/20/2023 / jaswal | M5748 |

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

# CHEMICAL RECEIPT LOG BOOK

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 58112 / Mg, 10000 PPM, 500 ml | 091823 | 09/18/2026 | 05/24/2024 / Jaswal | 01/03/2024 / bin | M5769 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 57004 / Be, 1000 PPM, 125 ml | 102523 | 10/25/2026 | 02/09/2024 / bin | 02/09/2024 / bin | M5798 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 57050 / Sn, 1000 PPM, 125 ml | 071123 | 07/11/2026 | 02/09/2024 / bin | 02/09/2024 / bin | M5799 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 57027 / CO, 1000 PPM, 125 ml | 091923 | 09/19/2026 | 05/31/2024 / bin | 02/09/2024 / bin | M5800 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 57033 / As, 1000 PPM, 125 ml | 111323 | 11/13/2026 | 02/09/2024 / bin | 02/09/2024 / bin | M5801 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 57051 / Sb, 1000 PPM, 125 ml | 120523 | 12/05/2026 | 08/07/2024 / jaswal | 01/03/2024 / jaswal | M5802 |

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

# CHEMICAL RECEIPT LOG BOOK

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 58111 / Na, 10000 PPM, 500 ml | 122223 | 12/22/2026 | 08/01/2024 / Jaswal | 01/03/2024 / jaswal | M5806 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 57005 / B, 1000 PPM, 125 ml | 071123 | 07/11/2026 | 03/26/2024 / Sohil | 01/03/2024 / jaswal | M5814 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 57115 / P, 10000 PPM, 125 ml | 041723 | 04/17/2026 | 05/21/2024 / Jaswal | 02/09/2024 / jaswal | M5815 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 57016 / S, 1000 PPM, 125 ml | 122923 | 12/29/2026 | 05/20/2024 / Jaswal | 02/09/2024 / jaswal | M5816 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 57116 / S, 10000 PPM, 125 ml | 071123 | 07/11/2026 | 03/01/2024 / jaswal | 02/09/2024 / jaswal | M5817 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 57014 / Si, 1000 PPM, 125 ml | 122023 | 12/20/2026 | 03/06/2024 / jaswal | 02/09/2024 / jaswal | M5818 |

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

# CHEMICAL RECEIPT LOG BOOK

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 58030 / Zinc, Zn, 500 ml, 1000 PPM | 111623 | 11/16/2026 | 03/20/2024 / jaswal | 02/09/2024 / jaswal | M5819 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 57015 / P, 1000 PPM, 125 ml | 091123 | 09/11/2026 | 05/01/2024 / jaswal | 02/09/2024 / jaswal | M5820 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Inorganic Ventures | CLPP-CAL-1 / CLP CAL SOLUTION #1, 125mL | T2-MEB714417 | 01/27/2027 | 04/19/2024 / jaswal | 02/22/2024 / jaswal | M5875 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Seidler Chemical | BA-9598-34 / Nitric Acid, Instra-Analyzed (cs/4x2.5L) | 24D1062002 | 12/08/2024 | 06/21/2024 / Al-Terek | 06/07/2024 / Al-Terek | M5935 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 57028 / Ni, 1000 PPM, 125 ml | 041124 | 04/11/2027 | 07/02/2024 / Jaswal | 06/11/2024 / Jaswal | M5961 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 57034 / Se, 1000 PPM, 125 ml | 060624 | 06/06/2027 | 07/02/2024 / Jaswal | 06/14/2024 / Jaswal | M5962 |

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

# CHEMICAL RECEIPT LOG BOOK

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 57003 / Li, 1000 PPM, 125 ml | 061224 | 06/21/2027 | 07/01/2024 / Jaswal | 07/01/2024 / Jaswal | M5970 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Inorganic Ventures | CGMO1-1 / MOLYBDENUM 125mL 1000ug/mL | T2-MO720876 | 07/17/2027 | 08/07/2024 / jaswal | 02/22/2024 / Jaswal | M5976 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Inorganic Ventures | CGTI1-1 / TITANIUM 125mL 1000ug/mL | T2-TI719972 | 06/17/2027 | 08/07/2024 / jaswal | 02/22/2024 / Jaswal | M5978 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 57038 / Sr, 1000 PPM, 125 ml | 031524 | 03/15/2027 | 07/01/2024 / Jaswal | 06/11/2024 / Jaswal | M5982 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Inorganic Ventures | CGY10-1 / YTTRIUM 125mL 10,000ug/mL | V2-Y740548 | 02/20/2029 | 08/05/2024 / kareem | 06/14/2024 / Jaswal | M5984 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Inorganic Ventures | CLPP-SPK-5 / CLP Spike Standard 5 | V2-MEB742037 | 03/12/2029 | 10/04/2024 / Jaswal | 02/22/2024 / Jaswal | M5990 |

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

# CHEMICAL RECEIPT LOG BOOK

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Inorganic Ventures | CLPP-SPK-1 / SOIL/WATER SPIKE SOLN 1, 125mL | T2-MEB721963 | 07/27/2027 | 09/04/2024 / Jaswal | 02/22/2024 / kareem | M5999 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 57023 / V, 1000 PPM, 125 ml | 062424 | 06/24/2027 | 09/28/2024 / jaswal | 08/05/2024 / Jaswal | M6021 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 57081 / Tl, 1000 PPM, 125 ml | 0624724 | 06/27/2027 | 08/05/2024 / kareem | 08/05/2024 / Jaswal | M6023 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 57082 / Pb, 1000 PPM, 125 ml | 061224 | 06/12/2027 | 08/05/2024 / Jaswal | 08/05/2024 / Jaswal | M6025 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 57048 / Cd, 1000 PPM, 125 ml | 070124 | 07/01/2027 | 08/05/2024 / kareem | 01/25/2019 / Jaswal | M6028 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 57047 / Ag, 1000 PPM, 125 ml | 122823 | 12/28/2026 | 08/05/2024 / kareem | 08/05/2024 / Jaswal | M6030 |

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

# CHEMICAL RECEIPT LOG BOOK

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Absolute Standards, Inc. | 58113 / Al, 10000 PPM, 500 ml | 011623 | 01/16/2026 | 08/07/2024 / Jaswal | 01/03/2024 / Jaswal | M6033 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Seidler Chemical | BA-9598-34 / Nitric Acid, Instra-Analyzed (cs/4x2.5L) | 24D1062002 | 02/02/2025 | 08/24/2024 / Janvi | 08/01/2024 / Janvi | M6037 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Seidler Chemical | BA-9530-33 / Hydrochloric Acid, Instra-Analyzed (cs/6x2.5L) | 24D1562005 | 02/08/2025 | 08/09/2024 / jaswal | 08/01/2024 / Janvi | M6040 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Seidler Chemical | BA-9598-34 / Nitric Acid, Instra-Analyzed (cs/4x2.5L) | 24D1062002 | 03/25/2029 | 10/18/2024 / Janvi | 09/10/2024 / Janvi | M6090 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Seidler Chemical | DIW / DI Water | Daily Lab-Certified | 10/24/2024 | 10/24/2019 / apatel | 10/24/2019 / apatel | W2606 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---|---|---|---|---|---|---|
| Seidler Chemical | DIW / DI Water | Daily Lab-Certified | 07/03/2029 | 07/03/2024 / Iwona | 07/03/2024 / Iwona | W3112 |

INORGANIC VENTURES™

Refine your results. Redefine your industry.

# Certificate of Analysis

R: 02/22/24 M5986 M5987, M5988, M5989-M5990

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

## 1.0 ACCREDITATION / REGISTRATION

**INORGANIC VENTURES** is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).

ACCREDITED Testing Laboratory Certificate 883.01 ACCREDITED Reference Material Producer Certificate 883.02

## 2.0 PRODUCT DESCRIPTION

| | |
|---|---|
| Product Code: | Multi Analyte Custom Grade Solution |
| Catalog Number: | CLPP-SPK-5 |
| Lot Number: | V2-MEB742037 |
| Matrix: | 5% (v/v) HNO3 |
| Value / Analyte(s): | 100 µg/mL ea: Antimony, |
| | 50 µg/mL ea: Selenium, Cadmium, Thallium, |
| | 40 µg/mL ea: Arsenic, |
| | 20 µg/mL ea: Lead |

## 3.0 CERTIFIED VALUES AND UNCERTAINTIES

| ANALYTE | CERTIFIED VALUE | ANALYTE | CERTIFIED VALUE |
|---|---|---|---|
| Antimony, Sb | 100.0 ± 0.7 µg/mL | Arsenic, As | 40.00 ± 0.26 µg/mL |
| Cadmium, Cd | 49.99 ± 0.22 µg/mL | Lead, Pb | 19.99 ± 0.09 µg/mL |
| Selenium, Se | 50.00 ± 0.23 µg/mL | Thallium, Tl | 50.00 ± 0.22 µg/mL |

**Density:** 1.025 g/mL (measured at 20 ± 4 °C)

**Assay Information:**

| ANALYTE | METHOD | NIST SRM# | SRM LOT# |
|---|---|---|---|
| As | ICP Assay | 3103a | 100818 |
| Cd | ICP Assay | 3108 | 130116 |
| Cd | EDTA | 928 | 928 |
| Cd | Calculated | | See Sec. 4.2 |
| Pb | ICP Assay | 3128 | 101026 |
| Pb | EDTA | 928 | 928 |
| Pb | Calculated | | See Sec. 4.2 |
| Sb | ICP Assay | 3102a | 140911 |
| Se | ICP Assay | 3149 | 100901 |
| Se | Calculated | | See Sec. 4.2 |
| Tl | ICP Assay | 3158 | 151215 |
| Tl | Calculated | | See Sec. 4.2 |

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

### Characterization of CRM/RM by Two or More Methods

**Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:**

$X_{CRM/RM} = \Sigma(w_i)(X_i)$

$X_i$ = mean of Assay Method i with standard uncertainty $u_{char\ i}$

$w_i$ = the weighting factors for each method calculated using the inverse square of the variance:

$w_i = (1/u_{char\ i})^2 / (\Sigma(1/(u_{char\ i})^2)$

**CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{1/2}$**

k = coverage factor = 2

$u_{char} = [\Sigma((w_i)^2\,(u_{char\ i})^2)]^{1/2}$ where $u_{char\ i}$ are the errors from each characterization method

$u_{bb}$ = bottle to bottle homogeneity standard uncertainty

$u_{lts}$ = long term stability standard uncertainty (storage)

$u_{ts}$ = transport stability standard uncertainty

### Characterization of CRM/RM by One Method

**Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:**

$X_{CRM/RM} = (X_a)\,(u_{char\ a})$

$X_a$ = mean of Assay Method A with

$u_{char\ a}$ = the standard uncertainty of characterization Method A

**CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char\ a} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{1/2}$**

k = coverage factor = 2

$u_{char\ a}$ = the errors from characterization

$u_{bb}$ = bottle to bottle homogeneity standard uncertainty

$u_{lts}$ = long term stability standard uncertainty (storage)

$u_{ts}$ = transport stability standard uncertainty

## 4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

### 4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

### 4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

### 4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

## 5.0 TRACE METALLIC IMPURITIES (TMI ) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

N/A

## 6.0 INTENDED USE

**6.1** This standard is intended for the calibration of analytical instruments and validation of analytical methods as appropriate. This CRM may be used in connection with EPA Methods 6010, 6020 (all versions), Standard Methods 3120 B and USP <232> / ICH Q3D.

**6.2** For products attaining traceability through Inorganic Ventures' Primary Certified Reference Materials (PCRM™) see the Limited License to Use PCRM™ in the Inorganic Ventures Terms and Conditions of Sale, https://www.inorganicventures.com/terms-and-conditions-sale. The Terms and Conditions contain information on the use of materials traceable to PCRM™ certified reference materials. This Limited License agreement is especially pertinent for laboratories accredited under ISO:17034.

## 7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

### 7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit **www.inorganicventures.com/TCT**

## 8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

## 9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

## 10.0 QUALITY STANDARD DOCUMENTATION

### 10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

### 10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

### 10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

## 11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

**11.1 Certification Issue Date**

March 12, 2024

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

**11.2 Lot Expiration Date**

**- March 12, 2029**

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

**11.3 Period of Validity**

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

## 12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

**Certificate Approved By:**

Joseph Burns
Custom VS Manager



**Certifying Officer:**

Paul Gaines
Chairman / Senior Technical Director



**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

***Certified Reference Material CRM***

R 8/5/24

M6028

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com


## CERTIFIED WEIGHT REPORT:

| | | | | | |
|---|---|---|---|---|---|
| **Part Number:** | **57048** | | **Lot #** | | |
| **Lot Number:** | **070124** | **Solvent:** | 24002546 | Nitric Acid | |
| **Description:** | **Cadmium (Cd)** | 2% | 40.0 (mL) | Nitric Acid | |
| **Expiration Date:** | 070127 | | | | |
| **Recommended Storage:** | Ambient (20 °C) | | | | |
| **Nominal Concentration (µg/mL):** | **1000** | | | | |
| **NIST Test Number:** | 6UTB | 5E-05 | Balance Uncertainty | | |
| **Weight shown below was diluted to (mL):** | 2000.07 | 0.100 | Flask Uncertainty | | |

Aleah O'Brady

| | | |
|---|---|---|
| Formulated By: | Aleah O'Brady | 070124 |
| Reviewed By: | Pedro L. Rentas | 070124 |

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Cadmium nitrate tetrahydrate (Cd) | IN024 | CDM092021A1 | 1000 | 99.999 | 0.10 | 36.5 | 5.4797 | 5.4804 | **1000.1** | **2.0** | 10022-68-1 | 0.01 mg/m3 | orl-rat 60.2mg/kg | 3108 |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | T | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

M5296 OP: 09/19/2022 BH

INORGANIC VENTURES™
Refine your results. Redefine your industry.

# Certificate of Analysis

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

## 1.0 ACCREDITATION / REGISTRATION

**INORGANIC VENTURES** is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).

ACCREDITED Testing Laboratory Certificate 883.01
ACCREDITED Reference Material Producer Certificate 883.02

## 2.0 PRODUCT DESCRIPTION

| | |
|---|---|
| Product Code: | Multi Analyte Custom Grade Solution |
| Catalog Number: | CHEM-CLP-4 |
| Lot Number: | S2-MEB711673 |
| Matrix: | 3% (v/v) HNO3<br>3% (v/v) HF |
| Value / Analyte(s): | 1 000 µg/mL ea:<br>Boron, Molybdenum,<br>Silicon, Tin,<br>Titanium |

## 3.0 CERTIFIED VALUES AND UNCERTAINTIES

| ANALYTE | CERTIFIED VALUE | ANALYTE | CERTIFIED VALUE |
|---|---|---|---|
| **Boron, B** | **1 000 ± 6 µg/mL** | **Molybdenum, Mo** | **1 000 ± 6 µg/mL** |
| **Silicon, Si** | **1 000 ± 7 µg/mL** | **Tin, Sn** | **1 000 ± 6 µg/mL** |
| **Titanium, Ti** | **1 000 ± 7 µg/mL** | | |

**Density:** 1.030 g/mL (measured at 20 ± 4 ºC)

### Assay Information:

| ANALYTE | METHOD | NIST SRM# | SRM LOT# |
|---|---|---|---|
| B | ICP Assay | 3107 | 110830 |
| Mo | ICP Assay | 3134 | 130418 |
| Si | ICP Assay | 3150 | 130912 |
| Sn | ICP Assay | 3161a | 140917 |
| Ti | ICP Assay | 3162a | 130925 |

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

### Characterization of CRM/RM by Two or More Methods

**Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:**

$X_{CRM/RM} = \Sigma(w_i)(X_i)$

$X_i$ = mean of Assay Method i with standard uncertainty $u_{char\ i}$

$w_i$ = the weighting factors for each method calculated using the inverse square of the variance:

$w_i = (1/u_{char\ i})^2 / (\Sigma(1/(u_{char\ i})^2)$

**CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$**

k = coverage factor = 2

$u_{char} = [\Sigma((w_i)^2\,(u_{char\ i})^2)]^{½}$ where $u_{char\ i}$ are the errors from each characterization method

$u_{bb}$ = bottle to bottle homogeneity standard uncertainty

$u_{lts}$ = long term stability standard uncertainty (storage)

$u_{ts}$ = transport stability standard uncertainty

### Characterization of CRM/RM by One Method

**Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:**

$X_{CRM/RM} = (X_a)\,(u_{char\ a})$

$X_a$ = mean of Assay Method A with

$u_{char\ a}$ = the standard uncertainty of characterization Method A

**CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char\ a} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$**

k = coverage factor = 2

$u_{char\ a}$ = the errors from characterization

$u_{bb}$ = bottle to bottle homogeneity standard uncertainty

$u_{lts}$ = long term stability standard uncertainty (storage)

$u_{ts}$ = transport stability standard uncertainty

## 4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

### 4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

### 4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

### 4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

## 5.0 TRACE METALLIC IMPURITIES (TMI ) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

N/A

## 6.0 INTENDED USE

- For the calibration of analytical instruments and validation of analytical methods as appropriate.

## 7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

### 7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit **www.inorganicventures.com/TCT**

**HF Note:** This standard should not be prepared or stored in glass.

## 8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

## 9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

## 10.0 QUALITY STANDARD DOCUMENTATION

### 10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

### 10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

### 10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

## 11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

### 11.1 Certification Issue Date

November 02, 2021

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

### 11.2 Lot Expiration Date

- **November 02, 2026**

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

### 11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

## 12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

**Certificate Approved By:**

Michael Booth
Director, Quality Control



**Certifying Officer:**

Paul Gaines
Chairman / Senior Technical Director



INORGANIC VENTURES™
Refine your results. Redefine your industry.

# Certificate of Analysis

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

## 1.0 ACCREDITATION / REGISTRATION

**INORGANIC VENTURES** is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).

ACCREDITED Testing Laboratory Certificate 883.01
ACCREDITED Reference Material Producer Certificate 883.02

## 2.0 PRODUCT DESCRIPTION

| | |
|---|---|
| Product Code: | Multi Analyte Custom Grade Solution |
| Catalog Number: | CLPP-CAL-1 |
| Lot Number: | T2-MEB714417 |
| Matrix: | 5% (v/v) HNO3 |
| Value / Analyte(s): | 5 000 µg/mL ea:<br>Calcium, Potassium,<br>Magnesium, Sodium,<br>2 000 µg/mL ea:<br>Aluminum, Barium,<br>1 000 µg/mL ea:<br>Iron,<br>500 µg/mL ea:<br>Nickel, Vanadium,<br>Zinc, Cobalt,<br>Manganese,<br>250 µg/mL ea:<br>Silver, Copper,<br>200 µg/mL ea:<br>Chromium,<br>50 µg/mL ea:<br>Beryllium |

## 3.0 CERTIFIED VALUES AND UNCERTAINTIES

| ANALYTE | CERTIFIED VALUE | ANALYTE | CERTIFIED VALUE |
|---|---|---|---|
| **Aluminum, Al** | **2 000 ± 7 µg/mL** | **Barium, Ba** | **2 000 ± 9 µg/mL** |
| **Beryllium, Be** | **50.00 ± 0.26 µg/mL** | **Calcium, Ca** | **5 000 ± 22 µg/mL** |
| **Chromium, Cr** | **200.0 ± 1.0 µg/mL** | **Cobalt, Co** | **500.0 ± 2.4 µg/mL** |
| **Copper, Cu** | **250.0 ± 1.0 µg/mL** | **Iron, Fe** | **1 000 ± 4 µg/mL** |
| **Magnesium, Mg** | **5 000 ± 20 µg/mL** | **Manganese, Mn** | **500.0 ± 2.0 µg/mL** |
| **Nickel, Ni** | **500.0 ± 2.2 µg/mL** | **Potassium, K** | **5 000 ± 19 µg/mL** |
| **Silver, Ag** | **250.0 ± 1.1 µg/mL** | **Sodium, Na** | **5 000 ± 18 µg/mL** |
| **Vanadium, V** | **499.7 ± 2.2 µg/mL** | **Zinc, Zn** | **500.0 ± 2.2 µg/mL** |

**Density:** 1.118 g/mL (measured at 20 ± 4 ºC)

## Assay Information:

| ANALYTE | METHOD | NIST SRM# | SRM LOT# |
|---|---|---|---|
| Ag | ICP Assay | 3151 | 160729 |
| Ag | Volhard | 999c | 999c |
| Al | ICP Assay | 3101a | 140903 |
| Al | EDTA | 928 | 928 |
| Ba | ICP Assay | 3104a | 140909 |
| Ba | Gravimetric | | See Sec. 4.2 |
| Be | ICP Assay | 3105a | 090514 |
| Be | Calculated | | See Sec. 4.2 |
| Ca | ICP Assay | 3109a | 130213 |
| Ca | EDTA | 928 | 928 |
| Co | ICP Assay | 3113 | 190630 |
| Co | EDTA | 928 | 928 |
| Cr | ICP Assay | 3112a | 170630 |
| Cr | Calculated | | See Sec. 4.2 |
| Cu | ICP Assay | 3114 | 121207 |
| Cu | EDTA | 928 | 928 |
| Fe | ICP Assay | 3126a | 140812 |
| Fe | EDTA | 928 | 928 |
| K | ICP Assay | 3141a | 140813 |
| K | Gravimetric | | See Sec. 4.2 |
| Mg | ICP Assay | 3131a | 140110 |
| Mg | EDTA | 928 | 928 |
| Mn | ICP Assay | 3132 | 050429 |
| Mn | EDTA | 928 | 928 |
| Na | ICP Assay | 3152a | 120715 |
| Na | Gravimetric | | See Sec. 4.2 |
| Ni | ICP Assay | 3136 | 120619 |
| Ni | EDTA | 928 | 928 |
| V | IC Assay | 3165 | 160906 |
| V | EDTA | 928 | 928 |
| Zn | ICP Assay | 3168a | 120629 |
| Zn | EDTA | 928 | 928 |

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

**Characterization of CRM/RM by Two or More Methods**

**Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:**

$X_{CRM/RM} = \Sigma(w_i)(X_i)$

$X_i$ = mean of Assay Method i with standard uncertainty $u_{char\ i}$

$w_i$ = the weighting factors for each method calculated using the inverse square of the variance:

$w_i = (1/u_{char\ i})^2 / (\Sigma(1/(u_{char\ i})^2)$

**CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$**

k = coverage factor = 2

$u_{char} = [\Sigma((w_i)^2\,(u_{char\ i})^2)]^{½}$ where $u_{char\ i}$ are the errors from each characterization method

$u_{bb}$ = bottle to bottle homogeneity standard uncertainty

$u_{lts}$ = long term stability standard uncertainty (storage)

$u_{ts}$ = transport stability standard uncertainty

**Characterization of CRM/RM by One Method**

**Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:**

$X_{CRM/RM} = (X_a)\,(u_{char\ a})$

$X_a$ = mean of Assay Method A with

$u_{char\ a}$ = the standard uncertainty of characterization Method A

**CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char\ a} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$**

k = coverage factor = 2

$u_{char\ a}$ = the errors from characterization

$u_{bb}$ = bottle to bottle homogeneity standard uncertainty

$u_{lts}$ = long term stability standard uncertainty (storage)

$u_{ts}$ = transport stability standard uncertainty

## 4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

### 4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

### 4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

### 4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

## 5.0 TRACE METALLIC IMPURITIES (TMI ) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

N/A

## 6.0 INTENDED USE

- For the calibration of analytical instruments and validation of analytical methods as appropriate.

## 7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

### 7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit **www.inorganicventures.com/TCT**

**Note**: This solution contains Silver (Ag), please refer to our Sample Preparation Guide for more information.

https://www.inorganicventures.com/sample-preparation-guide/samples-containing-silver

## 8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

## 9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

## 10.0 QUALITY STANDARD DOCUMENTATION

### 10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

### 10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

### 10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

## 11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

### 11.1 Certification Issue Date

January 27, 2022

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

### 11.2 Lot Expiration Date

- **January 27, 2027**

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

### 11.3 Period of Validity


- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

## 12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

**Certificate Approved By:**

Thomas Kozikowski
Manager, Quality Control



**Certifying Officer:**

Paul Gaines
Chairman / Senior Technical Director



INORGANIC VENTURES™
Refine your results. Redefine your industry.

# Certificate of Analysis

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

## 1.0 ACCREDITATION / REGISTRATION

**INORGANIC VENTURES** is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).

ACCREDITED Testing Laboratory Certificate 883.01
ACCREDITED Reference Material Producer Certificate 883.02

## 2.0 PRODUCT DESCRIPTION

| | |
|---|---|
| Product Code: | Multi Analyte Custom Grade Solution |
| Catalog Number: | CLPP-CAL-3 |
| Lot Number: | T2-MEB714159 |
| Matrix: | 7% (v/v) HNO3 |
| Value / Analyte(s): | 1 000 µg/mL ea:<br>Arsenic, Lead,<br>Selenium, Thallium,<br><br>500 µg/mL ea:<br>Cadmium |

## 3.0 CERTIFIED VALUES AND UNCERTAINTIES

| ANALYTE | CERTIFIED VALUE | ANALYTE | CERTIFIED VALUE |
|---|---|---|---|
| **Arsenic, As** | **1 000 ± 8 µg/mL** | **Cadmium, Cd** | **500.0 ± 2.1 µg/mL** |
| **Lead, Pb** | **1 000 ± 5 µg/mL** | **Selenium, Se** | **1 000 ± 8 µg/mL** |
| **Thallium, Tl** | **1 000 ± 7 µg/mL** | | |

**Density:** 1.043 g/mL (measured at 20 ± 4 ºC)

### Assay Information:

| ANALYTE | METHOD | NIST SRM# | SRM LOT# |
|---|---|---|---|
| As | ICP Assay | 3103a | 100818 |
| Cd | ICP Assay | 3108 | 130116 |
| Cd | EDTA | 928 | 928 |
| Pb | ICP Assay | 3128 | 101026 |
| Pb | EDTA | 928 | 928 |
| Se | ICP Assay | 3149 | 100901 |
| Tl | ICP Assay | 3158 | 151215 |

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

### Characterization of CRM/RM by Two or More Methods

**Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:**

$X_{CRM/RM} = \Sigma(w_i)(X_i)$

$X_i$ = mean of Assay Method i with standard uncertainty $u_{char\ i}$

$w_i$ = the weighting factors for each method calculated using the inverse square of the variance:

$w_i = (1/u_{char\ i})^2 / (\Sigma(1/(u_{char\ i})^2)$

**CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$**

k = coverage factor = 2

$u_{char} = [\Sigma((w_i)^2\,(u_{char\ i})^2)]^{½}$ where $u_{char\ i}$ are the errors from each characterization method

$u_{bb}$ = bottle to bottle homogeneity standard uncertainty

$u_{lts}$ = long term stability standard uncertainty (storage)

$u_{ts}$ = transport stability standard uncertainty

### Characterization of CRM/RM by One Method

**Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:**

$X_{CRM/RM} = (X_a)\,(u_{char\ a})$

$X_a$ = mean of Assay Method A with

$u_{char\ a}$ = the standard uncertainty of characterization Method A

**CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char\ a} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$**

k = coverage factor = 2

$u_{char\ a}$ = the errors from characterization

$u_{bb}$ = bottle to bottle homogeneity standard uncertainty

$u_{lts}$ = long term stability standard uncertainty (storage)

$u_{ts}$ = transport stability standard uncertainty

## 4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

### 4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

### 4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

### 4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

## 5.0 TRACE METALLIC IMPURITIES (TMI ) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

N/A

## 6.0 INTENDED USE

- For the calibration of analytical instruments and validation of analytical methods as appropriate.

## 7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

### 7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit **www.inorganicventures.com/TCT**

## 8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

## 9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

## 10.0 QUALITY STANDARD DOCUMENTATION

### 10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

### 10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

### 10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

## 11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

### 11.1 Certification Issue Date

January 13, 2022

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

### 11.2 Lot Expiration Date

- **January 13, 2027**

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

### 11.3 Period of Validity


- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

## 12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

**Certificate Approved By:**

Thomas Kozikowski
Manager, Quality Control



**Certifying Officer:**

Paul Gaines
Chairman / Senior Technical Director



**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

***Certified Reference Material CRM***

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

R: 8/5/24

CERTIFIED WEIGHT REPORT:

**Part Number:** 57182
**Lot Number:** 110923
**Description:** Lead (Pb)

**Expiration Date:** 110926
**Recommended Storage:** Ambient (20 °C)
**Nominal Concentration (µg/mL):** 10000
**NIST Test Number:** 6UTB


**Weight shown below was diluted to (mL):** 2000.02 0.058 Flask Uncertainty

| | | Lot # | |
|---|---|---|---|
| **Solvent:** | 24002546 | | Nitric Acid |
| | 2% | 40.0 (mL) | Nitric Acid |

5E-05 Balance Uncertainty

| | | |
|---|---|---|
| Formulated By: | Lawence Barry | 110923 |
| Reviewed By: | Pedro L. Rentas | 110923 |

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Lead(II) nitrate (Pb) | IN029 | PBD122016A1 | 10000 | 99.999 | 0.10 | 62.5 | 32.0006 | 32.0040 | **10001.1** | **20.0** | 10099-74-8 | 0.05 mg/m3 | intrvns-rat 93 mg/kg | 3128 |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | T | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T)= Target analyte

**Physical Characterization:**

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

***Certified Reference Material CRM***

M4960 R: 10/08/21 BH

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

**Part Number:** 58149
**Lot Number:** 100721
**Description:** Indium (In)

**Expiration Date:** 100724
**Recommended Storage:** Ambient (20 °C)
**Nominal Concentration (µg/mL):** 10000
**NIST Test Number:** 6UTB


**Weight shown below was diluted to (mL):** 500.06 0.058 Flask Uncertainty

| | Lot # | | |
|---|---|---|---|
| **Solvent:** | 20370011 | Nitric Acid | |
| 5% | 25.0 (mL) | Nitric Acid | |
| | | 5E-05 | Balance Uncertainty |

Giovanni Esposito

| | | |
|---|---|---|
| Formulated By: | Giovanni Esposito | 100721 |
| Reviewed By: | Pedro L. Rentas | 100721 |

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Indium Oxide (In) | IN086 | W1096A | 10000 | 99.999 | 0.10 | 82.6 | 6.05408 | 6.05441 | **10000.6** | **20.1** | 1312-43-2 | NA | NA | 3124a |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectroscopy (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | T | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T)= Target analyte

**Physical Characterization:**

**Certified by:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**QUALITY ASSURANCE TECHNICAL SUPPORT LABORATORY**
***"An ISO 9001:2015 Certified Program"***

**Instructions for QATS Reference Material: *ICP-AES ICS***

## QATS LABORATORY INORGANIC REFERENCE MATERIAL INTERFERENCE CHECK SAMPLE SET FOR ICP-AES (ICSA WITH ICSB)

**NOTE:** These instructions are for advisory purposes only. If any apparent conflict exists between these instructions and the analytical protocol or your contract, disregard these instructions.

***APPLICATION:*** For use with the CLP SFAM01.0 SOW and revisions.

***CAUTION:*** Read instructions carefully before opening bottle(s) and proceeding with the analyses.

Contains Heavy Metals
**HAZARDOUS MATERIAL**

Safety Data Sheets
Available Upon Request

### (A) *SAMPLE DESCRIPTION*

Enclosed is a set of one (1) or more bottles of Aqueous Reference Material, each composed of metals at various concentrations and prepared with nitrate salts and oxy-acids of the respective elements in a 5% nitric acid matrix. **For the reference material source in reporting ICSA and ICSAB mixture use "USEPA". For the reference material lot number for the ICSA use "ICSA-1211" and for the ICSAB mixture use "ICSA-1211+ICSB-0710".**

***CAUTION:*** The bottle(s) should be protected from light during storage to ensure the stability of silver which is contained in the ICSB solution. The bottle(s) should be stored at room temperature. **Do not allow the solution(s) to freeze.**

### (B) *BREAKAGE OR MISSING ITEMS*

Check the contents of the shipment carefully for any broken, leaking, or missing items. Check that the seal is intact on each bottle. Refer to the enclosed chain of custody record. Report any problems to Mr. Keith Strout, APTIM Federal Services, LLC, at (702) 895-8722. If requested, return the chain-of-custody record with appropriate annotations and signatures to the address provided below.

**QUALITY ASSURANCE TECHNICAL SUPPORT LABORATORY**
**APTIM Federal Services, LLC**
**2700 Chandler Avenue - Building C**
**Las Vegas, NV 89120**

### (C) *ANALYSIS OF SAMPLES*

The interference check sample set is to be used to verify inter-element and background correction factors of inductively-coupled plasma (ICP) spectrometers. This reference material set consists of two (2) concentrated solutions. The ICSA solution contains the four (4) interferent elements: Al, Ca, Fe, and Mg. The ICSB solution contains the analytes: Ag, As, Sb, Ba, Be,



*The Quality Assurance Technical Support (QATS) contract is operated by APTIM Federal Services, LLC.*

Cd, Co, Cr, Cu, Mn, Ni, Pb, Tl, Se, V, and Zn. This instruction sheet provides the nominal values for ICP-AES Part A and Part B target analytes when diluted as directed.

Using Class "A" glassware, preparation and analysis must be performed according to the following instructions:

**ICSA-1211, Interferents:** Pipet 10 mL of the ICSA solution into a 100 mL volumetric flask and dilute to volume with 2% v/v $HNO_3$. Analyze this ICSA solution by ICP-AES.

**ICSB-0710, Analytes, mixed with ICSA-1211, Interferents:** Pipet 10 mL of the ICSA solution and 10 mL of the ICSB solution into a 100 mL volumetric flask and dilute to volume with 2% v/v $HNO_3$. Analyze this ICSAB solution by ICP-AES.

## (D) *"CERTIFIED VALUE" CONCENTRATIONS OF QATS ICP-AES ICS SOLUTION(S)*

The "Certified Value" concentrations of the elements, listed in Table 1 below, were derived from statistically pooled analysis results from the following sources, if available: QATS Laboratory, CLP laboratories, Quarterly Blind (QB)/Proficiency Testing (PT) events, CLP pre-award events, and external referee laboratories.

**Table 1. "CERTIFIED VALUES" FOR INTERFERENCE CHECK SAMPLE ICP-AES ICSA-1211, AND ICSA-1211 MIXED WITH ICSB-0710**

| Element | CRQL | Part A (µg/L) | Low Limit (µg/L) | High Limit (µg/L) | Part A +Part B (µg/L) | Low Limit (µg/L) | High Limit (µg/L) |
|---|---|---|---|---|---|---|---|
| Al | 200 | 255000 | 216000 | 294000 | 247000 | 209000 | 285000 |
| Sb | 60 | (0.0) | -60.0 | 60.0 | 618 | 525 | 711 |
| As | 10 | (0.0) | -10.0 | 10.0 | 104 | 88.4 | 120 |
| Ba | 200 | (6.0) | -194 | 206 | (537) | 337 | 737 |
| Be | 5.0 | (0.0) | -5.0 | 5.0 | 495 | 420 | 570 |
| Cd | 5.0 | (1.0) | -4.0 | 6.0 | 972 | 826 | 1120 |
| Ca | 5000 | 245000 | 208000 | 282000 | 235000 | 199000 | 271000 |
| Cr | 10 | (52.0) | 42.0 | 62.0 | 542 | 460 | 624 |
| Co | 50 | (0.0) | -50.0 | 50.0 | 476 | 404 | 548 |
| Cu | 25 | (2.0) | -23.0 | 27.0 | 511 | 434 | 588 |
| Fe | 100 | 101000 | 85600 | 116500 | 99300 | 84400 | 114500 |
| Pb | 10 | (0.0) | -10.0 | 10.0 | (49.0) | 39.0 | 59.0 |
| Mg | 5000 | 255000 | 216000 | 294000 | 248000 | 210000 | 286000 |
| Mn | 15 | (7.0) | -8.0 | 22.0 | 507 | 430 | 584 |
| Ni | 40 | (2.0) | -38.0 | 42.0 | 954 | 810 | 1100 |
| Se | 35 | (0.0) | -35.0 | 35.0 | (46.0) | 11.0 | 81.0 |
| Ag | 10 | (0.0) | -10.0 | 10.0 | 201 | 170 | 232 |
| Tl | 25 | (0.0) | -25.0 | 25.0 | (108) | 83.0 | 133 |
| V | 50 | (0.0) | -50.0 | 50.0 | 491 | 417 | 565 |
| Zn | 60 | (0.0) | -60.0 | 60.0 | 952 | 809 | 1095 |

ICSA M5126 M5127 M5128 M5129 M5130

ICSB M5219 M5220 M5221 M5222 M5223

The acceptance ranges for all analytes in parentheses in the above table were determined using the listed certified value ± 1 times the associated CLP SOW CRQL. The acceptance ranges for all other analytes were determined using the certified value ± 15 percent of the listed certified value.

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

***Certified Reference Material CRM***

M5192 R: 06/17/22

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:


**Part Number:** 57042
**Lot Number:** 051722
**Description:** Molybdenum (Mo)

| | Lot # | Solvent: | |
|---|---|---|---|
| | MKBQ8597V | Ammonium hydroxide | |
| | 0.5% | 15.0 (mL) | Ammonium hydroxide |

**Expiration Date:** 051725
**Recommended Storage:** Ambient (20 °C)
**Nominal Concentration (µg/mL):** 1000
**NIST Test Number:** 6UTB 5E-05 Balance Uncertainty
**Volume shown below was diluted to (mL):** 3000.41 0.058 Flask Uncertainty

| | | |
|---|---|---|
| Formulated By: | Lawrence Barry | 051722 |
| Reviewed By: | Pedro L. Rentas | 051722 |

| Compound | Part Number | Lot Number | Dilution Factor | Initial Vol. (mL) | Uncertainty Pipette (mL) | Nominal Conc. (µg/mL) | Initial Conc. (µg/mL) | Final Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Ammonium molybdate (Mo) | 58142 | 022222 | 0.1000 | 300.0 | 0.084 | 1000 | 10001.0 | **1000.0** | **2.1** | 13106-76-8 | 5 mg(Mo)/m3 | orl-rat 333 mg/kg | 3134 |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectroscopy (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | T | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T)= Target analyte

**Physical Characterization:**

**Certified by:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

INORGANIC VENTURES™
Refine your results. Redefine your industry.

# Certificate of Analysis

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

## 1.0 ACCREDITATION / REGISTRATION

**INORGANIC VENTURES** is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).

ACCREDITED
Testing Laboratory
Certificate 883.01

ACCREDITED
Reference Material Producer
Certificate 883.02

## 2.0 PRODUCT DESCRIPTION

| | |
|---|---|
| Product Code: | Multi Analyte Custom Grade Solution |
| Catalog Number: | CHEM-QC-4 |
| Lot Number: | S2-MEB711674 |
| Matrix: | 3% (v/v) HNO3<br>3% (v/v) HF |
| Value / Analyte(s): | 1 000 µg/mL ea:<br>Boron, Molybdenum,<br>Silicon, Tin,<br>Titanium |

**Second Source**: Whenever possible, this solution was manufactured from a second set of concentrates in our manufacturing facility.

## 3.0 CERTIFIED VALUES AND UNCERTAINTIES

| ANALYTE | CERTIFIED VALUE | ANALYTE | CERTIFIED VALUE |
|---|---|---|---|
| **Boron, B** | **1 000 ± 7 µg/mL** | **Molybdenum, Mo** | **1 000 ± 5 µg/mL** |
| **Silicon, Si** | **1 000 ± 7 µg/mL** | **Tin, Sn** | **1 000 ± 5 µg/mL** |
| **Titanium, Ti** | **1 001 ± 6 µg/mL** | | |

**Density:** 1.032 g/mL (measured at 20 ± 4 ºC)

### Assay Information:

| ANALYTE | METHOD | NIST SRM# | SRM LOT# |
|---|---|---|---|
| B | ICP Assay | 3107 | 110830 |
| Mo | ICP Assay | 3134 | 130418 |
| Si | ICP Assay | 3150 | 130912 |
| Sn | ICP Assay | 3161a | 140917 |
| Ti | ICP Assay | 3162a | 130925 |

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

### Characterization of CRM/RM by Two or More Methods

**Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:**

$X_{CRM/RM} = \Sigma(w_i)(X_i)$

$X_i$ = mean of Assay Method i with standard uncertainty $u_{char\ i}$

$w_i$ = the weighting factors for each method calculated using the inverse square of the variance:

$w_i = (1/u_{char\ i})^2 / (\Sigma(1/(u_{char\ i})^2)$

**CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$**

k = coverage factor = 2

$u_{char} = [\Sigma((w_i)^2\,(u_{char\ i})^2)]^{½}$ where $u_{char\ i}$ are the errors from each characterization method

$u_{bb}$ = bottle to bottle homogeneity standard uncertainty

$u_{lts}$ = long term stability standard uncertainty (storage)

$u_{ts}$ = transport stability standard uncertainty

### Characterization of CRM/RM by One Method

**Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:**

$X_{CRM/RM} = (X_a)\,(u_{char\ a})$

$X_a$ = mean of Assay Method A with

$u_{char\ a}$ = the standard uncertainty of characterization Method A

**CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char\ a} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$**

k = coverage factor = 2

$u_{char\ a}$ = the errors from characterization

$u_{bb}$ = bottle to bottle homogeneity standard uncertainty

$u_{lts}$ = long term stability standard uncertainty (storage)

$u_{ts}$ = transport stability standard uncertainty

## 4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

### 4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

### 4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

### 4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

## 5.0 TRACE METALLIC IMPURITIES (TMI ) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

N/A

## 6.0 INTENDED USE

- For the calibration of analytical instruments and validation of analytical methods as appropriate.

## 7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

### 7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit **www.inorganicventures.com/TCT**

**HF Note:** This standard should not be prepared or stored in glass.

## 8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

## 9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

## 10.0 QUALITY STANDARD DOCUMENTATION

### 10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

### 10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

### 10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

## 11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

### 11.1 Certification Issue Date

November 02, 2021

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

### 11.2 Lot Expiration Date

- **November 02, 2026**

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

### 11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

## 12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

**Certificate Approved By:**

Michael Booth
Director, Quality Control



**Certifying Officer:**

Paul Gaines
Chairman / Senior Technical Director



**QUALITY ASSURANCE TECHNICAL SUPPORT LABORATORY**
***"An ISO 9001:2015 Certified Program"***

**Instructions for QATS Reference Material: *ICP-AES ICS***

## QATS LABORATORY INORGANIC REFERENCE MATERIAL INTERFERENCE CHECK SAMPLE SET FOR ICP-AES (ICSA WITH ICSB)

**NOTE:** These instructions are for advisory purposes only. If any apparent conflict exists between these instructions and the analytical protocol or your contract, disregard these instructions.

***APPLICATION:*** For use with the CLP SFAM01.0 SOW and revisions.

***CAUTION:*** Read instructions carefully before opening bottle(s) and proceeding with the analyses.

Contains Heavy Metals
**HAZARDOUS MATERIAL**

Safety Data Sheets
Available Upon Request

### (A) *SAMPLE DESCRIPTION*

Enclosed is a set of one (1) or more bottles of Aqueous Reference Material, each composed of metals at various concentrations and prepared with nitrate salts and oxy-acids of the respective elements in a 5% nitric acid matrix. **For the reference material source in reporting ICSA and ICSAB mixture use "USEPA". For the reference material lot number for the ICSA use "ICSA-1211" and for the ICSAB mixture use "ICSA-1211+ICSB-0710".**

***CAUTION:*** The bottle(s) should be protected from light during storage to ensure the stability of silver which is contained in the ICSB solution. The bottle(s) should be stored at room temperature. **Do not allow the solution(s) to freeze.**

### (B) *BREAKAGE OR MISSING ITEMS*

Check the contents of the shipment carefully for any broken, leaking, or missing items. Check that the seal is intact on each bottle. Refer to the enclosed chain of custody record. Report any problems to Mr. Keith Strout, APTIM Federal Services, LLC, at (702) 895-8722. If requested, return the chain-of-custody record with appropriate annotations and signatures to the address provided below.

**QUALITY ASSURANCE TECHNICAL SUPPORT LABORATORY**
**APTIM Federal Services, LLC**
**2700 Chandler Avenue - Building C**
**Las Vegas, NV 89120**

### (C) *ANALYSIS OF SAMPLES*

The interference check sample set is to be used to verify inter-element and background correction factors of inductively-coupled plasma (ICP) spectrometers. This reference material set consists of two (2) concentrated solutions. The ICSA solution contains the four (4) interferent elements: Al, Ca, Fe, and Mg. The ICSB solution contains the analytes: Ag, As, Sb, Ba, Be,



*The Quality Assurance Technical Support (QATS) contract is operated by APTIM Federal Services, LLC.*

Cd, Co, Cr, Cu, Mn, Ni, Pb, Tl, Se, V, and Zn. This instruction sheet provides the nominal values for ICP-AES Part A and Part B target analytes when diluted as directed.

Using Class "A" glassware, preparation and analysis must be performed according to the following instructions:

**ICSA-1211, Interferents:** Pipet 10 mL of the ICSA solution into a 100 mL volumetric flask and dilute to volume with 2% v/v $HNO_3$. Analyze this ICSA solution by ICP-AES.

**ICSB-0710, Analytes, mixed with ICSA-1211, Interferents:** Pipet 10 mL of the ICSA solution and 10 mL of the ICSB solution into a 100 mL volumetric flask and dilute to volume with 2% v/v $HNO_3$. Analyze this ICSAB solution by ICP-AES.

## (D) *"CERTIFIED VALUE" CONCENTRATIONS OF QATS ICP-AES ICS SOLUTION(S)*

The "Certified Value" concentrations of the elements, listed in Table 1 below, were derived from statistically pooled analysis results from the following sources, if available: QATS Laboratory, CLP laboratories, Quarterly Blind (QB)/Proficiency Testing (PT) events, CLP pre-award events, and external referee laboratories.

**Table 1. "CERTIFIED VALUES" FOR INTERFERENCE CHECK SAMPLE ICP-AES ICSA-1211, AND ICSA-1211 MIXED WITH ICSB-0710**

| Element | CRQL | Part A (µg/L) | Low Limit (µg/L) | High Limit (µg/L) | Part A +Part B (µg/L) | Low Limit (µg/L) | High Limit (µg/L) |
|---|---|---|---|---|---|---|---|
| Al | 200 | 255000 | 216000 | 294000 | 247000 | 209000 | 285000 |
| Sb | 60 | (0.0) | -60.0 | 60.0 | 618 | 525 | 711 |
| As | 10 | (0.0) | -10.0 | 10.0 | 104 | 88.4 | 120 |
| Ba | 200 | (6.0) | -194 | 206 | (537) | 337 | 737 |
| Be | 5.0 | (0.0) | -5.0 | 5.0 | 495 | 420 | 570 |
| Cd | 5.0 | (1.0) | -4.0 | 6.0 | 972 | 826 | 1120 |
| Ca | 5000 | 245000 | 208000 | 282000 | 235000 | 199000 | 271000 |
| Cr | 10 | (52.0) | 42.0 | 62.0 | 542 | 460 | 624 |
| Co | 50 | (0.0) | -50.0 | 50.0 | 476 | 404 | 548 |
| Cu | 25 | (2.0) | -23.0 | 27.0 | 511 | 434 | 588 |
| Fe | 100 | 101000 | 85600 | 116500 | 99300 | 84400 | 114500 |
| Pb | 10 | (0.0) | -10.0 | 10.0 | (49.0) | 39.0 | 59.0 |
| Mg | 5000 | 255000 | 216000 | 294000 | 248000 | 210000 | 286000 |
| Mn | 15 | (7.0) | -8.0 | 22.0 | 507 | 430 | 584 |
| Ni | 40 | (2.0) | -38.0 | 42.0 | 954 | 810 | 1100 |
| Se | 35 | (0.0) | -35.0 | 35.0 | (46.0) | 11.0 | 81.0 |
| Ag | 10 | (0.0) | -10.0 | 10.0 | 201 | 170 | 232 |
| Tl | 25 | (0.0) | -25.0 | 25.0 | (108) | 83.0 | 133 |
| V | 50 | (0.0) | -50.0 | 50.0 | 491 | 417 | 565 |
| Zn | 60 | (0.0) | -60.0 | 60.0 | 952 | 809 | 1095 |

ICSA M5126 M5127 M5128 M5129 M5130

ICSB M5219 M5220 M5221 M5222 M5223

The acceptance ranges for all analytes in parentheses in the above table were determined using the listed certified value ± 1 times the associated CLP SOW CRQL. The acceptance ranges for all other analytes were determined using the certified value ± 15 percent of the listed certified value.

V15200 R: 04/24/22 (BP)

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

***Certified Reference Material CRM***

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:


**Part Number:** 58119
**Lot Number:** 071122
**Description:** Potassium (K)

**Expiration Date:** 071125
**Recommended Storage:** Ambient (20 °C)
**Nominal Concentration (µg/mL):** 10000
**NIST Test Number:** 6UTB
**Weight shown below was diluted to (mL):** 2000.02

| | | Lot # | |
|---|---|---|---|
| **Solvent:** | 20510011 | | Nitric Acid |
| 2% | 40.0 (mL) | | Nitric Acid |
| | 5E-05 | Balance Uncertainty | |
| | 0.058 | Flask Uncertainty | |

| | | |
|---|---|---|
| Formulated By: | Lawrence Barry | 071122 |
| Reviewed By: | Pedro L. Rentas | 071122 |

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Potassium nitrate (K) | IN034 | KD022021A1 | 10000 | 99.999 | 0.10 | 37.6 | 53.1925 | 53.1934 | **10000.2** | **20.0** | 7757-79-1 | 5 mg/m3 | orl-rat 3015 mg/kg | 3141a |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

**Trace Metals Verification by ICP-MS (µg/mL)**

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | T | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T)= Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

**Certified by:**



* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

M5289 R: 07/12/22 (BH)

**Certified Reference Material CRM**


ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

| | | | | | |
|---|---|---|---|---|---|
| **Part Number:** | **58113** | | | **Lot #** | |
| **Lot Number:** | **070622** | | **Solvent:** | 20370011 | Nitric Acid |
| **Description:** | **Aluminum (Al)** | | | | |
| | | | 2% | 40.0 (mL) | Nitric Acid |
| **Expiration Date:** | 070625 | | | | |
| **Recommended Storage:** | Ambient (20 °C) | | | | |
| **Nominal Concentration (µg/mL):** | **10000** | | | | |
| **NIST Test Number:** | 6UTB | 5E-05 | Balance Uncertainty | | |
| **Weight shown below was diluted to (mL):** | 2000.02 | 0.058 | Flask Uncertainty | | |

| | | |
|---|---|---|
| Formulated By: | Lawrence Barry | 070622 |
| Reviewed By: | Pedro L. Rentas | 070622 |

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | **Actual Conc. (µg/mL)** | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Aluminum nitrate nonahydrate (Al) | IN022 | ALD012021A1 | 10000 | 99.999 | 0.10 | 7.10 | 281.6956 | 281.6977 | **10000.1** | **20.0** | 7784-27-2 | 2 mg/m3 | orl-rat 3671 mg/kg | 3101a |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectroscopy (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | T | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T)= Target analyte

**Physical Characterization:**

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

## QATS LABORATORY INORGANIC REFERENCE MATERIAL INITIAL CALIBRATION VERIFICATION SOLUTIONS (ICV1, ICV5, AND ICV6)

**NOTE:** These instructions are for advisory purposes only. If any apparent conflict exists between these instructions and the analytical protocol or your contract, disregard these instructions.

***APPLICATION:*** For use with the CLP SFAM01.0 SOW and revisions.

***CAUTION:*** Read instructions carefully before opening bottle(s) and proceeding with the analyses.

Contains Metals in Dilute Acidic or Cyanide in Basic Aqueous Solutions
**HAZARDOUS MATERIAL**

Safety Data Sheets Available Upon Request

M5291
M5292
M5293
M5294
M5295

### (A) *SAMPLE DESCRIPTION*

Enclosed is a set of one (1) or more Aqueous Inorganic Reference Materials containing various analyte concentrations. ICV1 and ICV5 are in a matrix of dilute nitric acid. ICV6 is in a matrix of dilute basic solution. **For the reference material source in reporting ICVs use "USEPA". For the reference material lot number for the ICV1, ICV5, and ICV6 solutions use "ICV1-1014", "ICV5-0415", and "ICV6-0400", respectively.**

### (B) *BREAKAGE OR MISSING ITEMS*

Check the contents of the shipment carefully for any broken, leaking, or missing items. Check that the seal is intact on each bottle. Refer to the enclosed chain of custody record. Report any problems to Mr. Keith Strout, APTIM Federal Services, LLC, at (702) 895-8722. If requested, return the chain-of-custody record with appropriate annotations and signatures to the address provided below.

**QUALITY ASSURANCE TECHNICAL SUPPORT LABORATORY**
**APTIM Federal Services, LLC**
**2700 Chandler Avenue - Building C**
**Las Vegas, NV 89120**

### (C) *ANALYSIS OF SAMPLES*

The Initial Calibration Verification Solutions (ICVs) are to be used to evaluate the accuracy of the initial calibrations of ICP, AA, and Cyanide colorimetric instruments, and are to be used with the CLP SOWs and revisions. The values for each element in the ICVs are listed below in µg/L (ppb) for the resulting solution(s) after the dilution of the concentrate(s) according to the following instructions. Use Class 'A' glassware to prepare the solution(s).

**ICV1-1014** For ICP-AES analysis, use a 10-fold dilution by pipetting 10 mL of the ICV1 concentrate into a 100 mL volumetric flask and dilute to volume with 2% (v/v) nitric acid.



*The Quality Assurance Technical Support (QATS) contract is operated by APTIM Federal Services, LLC.*

**ICV1-1014** For ICP-MS analysis, use a 50-fold dilution by pipetting 2 mL of the ICV1 concentrate into a 100 mL volumetric flask and dilute to volume with 1% (v/v) nitric acid.

**ICV5-0415** For the cold vapor analysis of mercury by AA, use a 100-fold dilution by pipetting 1 mL of the ICV5 concentrate into a 100 mL volumetric flask and dilute to volume with 2% (v/v) nitric acid. The ICV5 concentrate is prepared in 0.05% (w/v) $K_2Cr_2O_7$ and 5% (v/v) nitric acid.

**ICV6-0400** For the analysis of cyanide, use a 100-fold dilution by pipetting 1 mL of the ICV6 concentrate into a 100 mL volumetric flask and dilute to volume with Type II water. Distill this solution along with the samples before analysis. The cyanide concentrate is prepared from $K_3Fe(CN)_6$, Type II water, and 0.1 % sodium hydroxide, and will decompose rapidly if exposed to light.

**NOTE:** USE TYPE II WATER AND HIGH-PURITY ACIDS FOR ALL DILUTIONS.

## (D) *CERTIFIED CONCENTRATIONS OF QATS ICV1, ICV5, AND ICV6 SOLUTIONS*

| ICV1-1014 | | |
|---|---|---|
| **Element** | **Concentration (µg/L) (after 10-fold dilution)** | **Concentration (µg/L) (after 50-fold dilution)** |
| **Al** | 2500 | 500 |
| **Sb** | 1000 | 200 |
| **As** | 1000 | 200 |
| **Ba** | 520 | 100 |
| **Be** | 510 | 100 |
| **Cd** | 510 | 100 |
| **Ca** | 10000 | 2000 |
| **Cr** | 520 | 100 |
| **Co** | 520 | 100 |
| **Cu** | 510 | 100 |
| **Fe** | 10000 | 2000 |
| **Pb** | 1000 | 200 |
| **Mg** | 6000 | 1200 |
| **Mn** | 520 | 100 |
| **Ni** | 530 | 110 |
| **K** | 9900 | 2000 |
| **Se** | 1000 | 200 |
| **Ag** | 250 | 50 |
| **Na** | 10000 | 2000 |
| **Tl** | 1000 | 210 |
| **V** | 500 | 100 |
| **Zn** | 1000 | 200 |

| ICV5-0415 | | ICV6-0400 | |
|---|---|---|---|
| **Element** | **Concentration (µg/L) (after 100-fold dilution)** | **Analyte** | **Concentration (µg/L) (after 100-fold dilution)** |
| **Hg** | 4.0 | **$CN^-$** | 99 |

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

R: 09/08/22 (BH)

*Certified Reference Material CRM*

M5387 . M5389 . M5390 . M5391 . M5392

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com


## CERTIFIED WEIGHT REPORT:

| | | Lot # | | |
|---|---|---|---|---|
| **Part Number:** | **57056** | **Solvent:** | 20510011 | Nitric Acid |
| **Lot Number:** | **072122** | | | |
| **Description:** | **Barium (Ba)** | 2% | 40.0 (mL) | Nitric Acid |
| **Expiration Date:** | 072125 | | | |
| **Recommended Storage:** | Ambient (20 °C) | | | |
| **Nominal Concentration (µg/mL):** | **1000** | | | |
| **NIST Test Number:** | 6UTB | 5E-05 | Balance Uncertainty | |
| **Weight shown below was diluted to (mL):** | 2000.02 | 0.058 | Flask Uncertainty | |

Giovanni Esposito

| | | |
|---|---|---|
| Formulated By: | Giovanni Esposito | 072122 |
| Reviewed By: | Pedro L. Rentas | 072122 |

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Barium nitrate (Ba) | IN023 | BAD022019A1 | 1000 | 99.999 | 0.10 | 52.3 | 3.82417 | 3.82426 | **1000.0** | **2.0** | 10022-31-8 | 0.5 mg/m3 | orl-rat 355 mg/kg | 3104a |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | T | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T)= Target analyte

**Physical Characterization:**

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

*Certified Reference Material CRM*

M5429 R1 01/26/23 BH

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

**Part Number:** 57103
**Lot Number:** 070622
**Description:** Lithium (Li)


**Expiration Date:** 070625
**Recommended Storage:** Ambient (20 °C)
**Nominal Concentration (µg/mL):** 10000
**NIST Test Number:** 6UTB
**Weight shown below was diluted to (mL):** 1000.12

| | Lot # | | |
|---|---|---|---|
| **Solvent:** | 20510011 | Nitric Acid | |
| 2% | 20.0 (mL) | Nitric Acid | |

5E-05 Balance Uncertainty
0.058 Flask Uncertainty

| | | |
|---|---|---|
| Formulated By: | Lawrence Barry | 070622 |
| Reviewed By: | Pedro L. Rentas | 070622 |

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Lithium nitrate (Li) | IN019 | LIZ042018A1 | 10000 | 99.999 | 0.10 | 10.0 | 100.0134 | 100.0173 | **10000.4** | **20.0** | 7790-69-4 | 5 mg/m3 | orl-rat 1426 mg/kg | NA |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectroscopy (ICP-MS):**

## Trace Metals Verification by ICP-MS (µg/mL)

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | T | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T)= Target analyte

**Physical Characterization:**

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

***Certified Reference Material CRM***

M5467 R: 03/01/23 (LA)

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

## CERTIFIED WEIGHT REPORT:

**Part Number:** 57058
**Lot Number:** 020623
**Description:** Cerium (Ce)

**Expiration Date:** 020626
**Recommended Storage:** Ambient (20 °C)
**Nominal Concentration (µg/mL):** 1000
**NIST Test Number:** 6UTB


**Weight shown below was diluted to (mL):** 1000.12 0.058 Flask Uncertainty

| | | Lot # | |
|---|---|---|---|
| **Solvent:** | 21110221 | Nitric Acid | |
| 2% | 20.0 (mL) | Nitric Acid | |

5E-05 Balance Uncertainty

| | | |
|---|---|---|
| Formulated By: | Lawrence Barry | 020623 |
| Reviewed By: | Pedro L. Rentas | 020623 |

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Cerium nitrate hexahydrate (Ce) | IN146 | Z512CEB1 | 1000 | 99.999 | 0.10 | 32.8 | 3.04919 | 3.04921 | **1000.0** | **2.0** | 10294-41-4 | NA | NA | NA |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectroscopy (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | T | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T)= Target analyte

**Physical Characterization:**

**Certified by:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

***Certified Reference Material CRM***

IN5497 - IN5498 R: 03/17/23 BH

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

**Part Number:** 58120
**Lot Number:** 031523
**Description:** Calcium (Ca)


**Expiration Date:** 031526
**Recommended Storage:** Ambient (20 °C)
**Nominal Concentration (µg/mL):** 10000
**NIST Test Number:** 6UTB
**Weight shown below was diluted to (mL):** 3000.41 ± 0.058 Flask Uncertainty

| | Lot # | | |
|---|---|---|---|
| **Solvent:** | 21110221 | Nitric Acid | |
| 2% | 60.0 (mL) | Nitric Acid | |
| | 5E-05 | Balance Uncertainty | |

Giovanni Esposito
Formulated By: Giovanni Esposito 031523

Pedro Rentas
Reviewed By: Pedro L. Rentas 031523

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Calcium carbonate (Ca) | IN014 | CAD072022A1 | 10000 | 99.999 | 0.10 | 39.9 | 75.1990 | 75.2093 | **10001.4** | **20.0** | 471-34-1 | 5 mg/m3 | orl-rat >2000mg/kg | 3109a |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | T | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

**Certified by:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.



* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

***Certified Reference Material CRM***

MS513 R:03/17/23 BE

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

**Part Number:** 57182
**Lot Number:** 061522
**Description:** Lead (Pb)

**Expiration Date:** 061525
**Recommended Storage:** Ambient (20 °C)
**Nominal Concentration (µg/mL):** 10000
**NIST Test Number:** 6UTB
**Weight shown below was diluted to (mL):** 2000.02


| | Lot # | | |
|---|---|---|---|
| **Solvent:** | 20510011 | Nitric Acid | |
| 2% | 40.0 (mL) | Nitric Acid | |

5E-05 Balance Uncertainty
0.058 Flask Uncertainty

Giovanni Esposito

| | | |
|---|---|---|
| Formulated By: | Giovanni Esposito | 061522 |
| Reviewed By: | Pedro L. Rentas | 061522 |

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Lead(II) nitrate (Pb) | IN029 | PBD122016A1 | 10000 | 99.999 | 0.10 | 62.5 | 32.0006 | 32.0041 | **10001.1** | **20.0** | 10099-74-8 | 0.05 mg/m3 | Intrvns-rat 93 mg/kg | 3128 |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | T | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T)= Target analyte

**Physical Characterization:**

Certified by:

**Homogeneity: No heterogeneity was observed in the preparation of this standard.**

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

***Certified Reference Material CRM***

M5514 - M5515 R: 03/17/22

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

**Part Number:** 58126
**Lot Number:** 092122
**Description:** Iron (Fe)

**Expiration Date:** 092125
**Recommended Storage:** Ambient (20 °C)
**Nominal Concentration (µg/mL):** 10000
**NIST Test Number:** 6UTB
**Weight shown below was diluted to (mL):** 5000.1 ± 0.12 Flask Uncertainty

| | Lot # | | |
|---|---|---|---|
| **Solvent:** | 20510011 | Nitric Acid | |
| 7.0% | 350.0 (mL) | Nitric Acid | |

5E-05 Balance Uncertainty


Giovanni Esposito

Formulated By: Giovanni Esposito 092122

Pedro Rentas

Reviewed By: Pedro L. Rentas 092122

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Iron (Fe) | IN346 | 2224912-500 | 10000 | 99.995 | 0.10 | 100.0 | 50.0034 | 50.0111 | **10001.5** | **20.0** | 7439-89-6 | 5 mg/m3 | orl-rat 7500mg/kg | 3126a |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.10 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.10 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.05 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.10 | Ge | <0.10 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.05 |
| B | <0.02 | Cu | <0.10 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T)= Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

*Certified Reference Material CRM*

M519. M520 (BH) R:03/17/23

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

**Part Number:** 58119
**Lot Number:** 120822
**Description:** Potassium (K)

**Expiration Date:** 120825
**Recommended Storage:** Ambient (20 °C)
**Nominal Concentration (µg/mL):** 10000
**NIST Test Number:** 6UTB
**Weight shown below was diluted to (mL):** 3000.4


| Lot # | | |
|---|---|---|
| **Solvent:** 20510011 | | Nitric Acid |
| 2% | 60.0 (mL) | Nitric Acid |

5E-05 Balance Uncertainty
0.06 Flask Uncertainty

Giovanni Esposito

| | | |
|---|---|---|
| Formulated By: | Giovanni Esposito | 120822 |
| Reviewed By: | Pedro L. Rentas | 120822 |

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Potassium nitrate (K) | IN034 | KD022021A1 | 10000 | 99.999 | 0.10 | 37.6 | 79.7990 | 79.8075 | **10001.1** | **20.0** | 7757-79-1 | 5 mg/m3 | orl-rat 3015 mg/kg | 3141a |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

## Trace Metals Verification by ICP-MS (µg/mL)

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | T | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

**Certified by:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

# CORCO CHEMICAL CORPORATION

Manufacturers of ACS Reagents and Semiconductor Grade Chemicals

## CERTIFICATE OF ANALYSIS

**Date: 8/3/2022** MS631 MS632 MS633 MS634 **Lot No 820803**

**Hydrogen Peroxide, ACS**
Reagent Grade

| TEST | MAXIMUM LIMITS | RESULT |
|---|---|---|
| Appearance | Colorless and free from suspended matter or sediment | Pass |
| Assay | 29-32% | 31.4% |
| Color (APHA) | 10 | 5 |
| Residue after Evaporation | 0.002% | .0001% |
| Titratable Acid | 0.0006 meq/g | < .0006 meq/g |
| Chloride (Cl) | 2 ppm | < 1 ppm |
| Nitrate ($NO_3$) | 2 ppm | < 1 ppm |
| Phosphate | 2 ppm | < 1 ppm |
| Sulfate ($SO_4$) | 5 ppm | < .5 ppm |
| Ammonium ($NH_4$) | 5 ppm | < 1 ppm |
| Heavy Metals (as Pb) | 1 ppm | < .1 ppm |
| Iron (Fe) | 0.5 ppm | < .1 ppm |
| Sodium Stannate | 200 – 300 ppb | Pass |

***Our Hydrogen Peroxide is considered un-stabilized because it is very slightly stabilized with Sodium Stannate, 500 ppb maximum, just for safety purposes.

**Date of MFG: 8/2022**
**Retest date: 8/2024**

Gina M. Rambo
**Office Manager**

CORCO CHEMICAL CORPORATION. 299 CEDAR LANE. FAIRLESS HILLS, PA 19030. 215-295-5006. FAX 215-295-0781

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

*Certified Reference Material CRM*

M5658 R ! 8/25/23


ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

| | | Lot # | Solvent: | |
|---|---|---|---|---|
| **Part Number:** | **58024** | 21110221 | Nitric Acid | |
| **Lot Number:** | **060523** | | | |
| **Description:** | **Chromium (Cr)** | | | |
| | | 2.0% | 40.0 (mL) | Nitric Acid |
| **Expiration Date:** | 060526 | | | |
| **Recommended Storage:** | Ambient (20 °C) | | | |
| **Nominal Concentration (µg/mL):** | **1000** | | | |
| **NIST Test Number:** | 6UTB | 5E-05 | Balance Uncertainty | |
| **Volume shown below was diluted to (mL):** | 2000.02 | 0.058 | Flask Uncertainty | |

| | | |
|---|---|---|
| Formulated By: | Lawrence Barry | 060523 |
| Reviewed By: | Pedro L. Rentas | 060523 |

| Compound | Part Number | Lot Number | Dilution Factor | Initial Vol. (mL) | Uncertainty Pipette (mL) | Nominal Conc. (µg/mL) | Initial Conc. (µg/mL) | Final Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Chromium(III) nitrate nonahydrate (Cr) | 58124 | 071122 | 0.1000 | 200.0 | 0.084 | 1000 | 10000.1 | **1000.0** | **2.2** | 7789-02-8 | 0.5 mg(Cr)/m3 | orl-rat 3250 mg/kg | 3112a |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | T | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T)= Target analyte

**Physical Characterization:**

**Certified by:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

***Certified Reference Material CRM***

M5697 R: 10/27/23


ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

| | | Lot # | Solvent: | |
|---|---|---|---|---|
| **Part Number:** | **58029** | 24002546 | Nitric Acid | |
| **Lot Number:** | **102523** | | | |
| **Description:** | **Copper (Cu)** | | | |
| | | 2.0% | 40.0 (mL) | Nitric Acid |
| **Expiration Date:** | 102526 | | | |
| **Recommended Storage:** | Ambient (20 °C) | | | |
| **Nominal Concentration (µg/mL):** | **1000** | | | |
| **NIST Test Number:** | 6UTB | 5E-05 | Balance Uncertainty | |
| **Volume shown below was diluted to (mL):** | 2000.02 | 0.058 | Flask Uncertainty | |

| | | |
|---|---|---|
| Formulated By: | Benson Chan | 102523 |
| Reviewed By: | Pedro L. Rentas | 102523 |

| Compound | Part Number | Lot Number | Dilution Factor | Initial Vol. (mL) | Uncertainty Pipette (mL) | Nominal Conc. (µg/mL) | Initial Conc. (µg/mL) | Final Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Copper(II) nitrate trihydrate (Cu) | 58129 | 100223 | 0.1000 | 200.0 | 0.084 | 1000 | 10000.1 | **1000.0** | **2.2** | 10031-43-3 | 1 mg/m3 | orl-rat 794 mg/kg | 3114 |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

**Trace Metals Verification by ICP-MS (µg/mL)**

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | T | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

**Certified by:**

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

***Certified Reference Material CRM***

M5648 R: 10/27/23


ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

| | | Lot # | Solvent: | |
|---|---|---|---|---|
| **Part Number:** | **58025** | 24002546 | Nitric Acid | |
| **Lot Number:** | **102623** | | | |
| **Description:** | **Manganese (Mn)** | | | |
| | | 2.0% | 60.0 (mL) | Nitric Acid |
| **Expiration Date:** | 102626 | | | |
| **Recommended Storage:** | Ambient (20 °C) | | | |
| **Nominal Concentration (µg/mL):** | **1000** | | | |
| **NIST Test Number:** | 6UTB | 5E-05 | Balance Uncertainty | |
| **Volume shown below was diluted to (mL):** | 3000.41 | 0.058 | Flask Uncertainty | |

| | | |
|---|---|---|
| Formulated By: | Benson Chan | 102623 |
| Reviewed By: | Pedro L. Rentas | 102623 |

| Compound | Part Number | Lot Number | Dilution Factor | Initial Vol. (mL) | Uncertainty Pipette (mL) | Nominal Conc. (µg/mL) | Initial Conc. (µg/mL) | Final Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Manganese(II) nitrate tetrahydrate (Mn) | 58125 | 071123 | 0.1000 | 300.0 | 0.084 | 1000 | 10000.1 | **1000.0** | **2.1** | 20694-39-7 | 5 mg/m3 | orl-rat >300mg/kg | 3132 |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | T | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

**Certified by:**

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

*Certified Reference Material CRM*

R: 12/20/23 M5747

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

**Part Number:** 57082
**Lot Number:** 100923
**Description:** Lead (Pb)

**Expiration Date:** 100926
**Recommended Storage:** Ambient (20 °C)
**Nominal Concentration (µg/mL):** 1000
**NIST Test Number:** 6UTB


**Weight shown below was diluted to (mL):** 3000.41 0.06 Flask Uncertainty

| | Lot # | | |
|---|---|---|---|
| **Solvent:** | 24002546 | Nitric Acid | |
| 2% | 60.0 (mL) | Nitric Acid | |

5E-05 Balance Uncertainty

| | | |
|---|---|---|
| Formulated By: | Lawrence Barry | 100923 |
| Reviewed By: | Pedro L. Rentas | 100923 |

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Lead(II) nitrate (Pb) | IN029 | PBD122016A1 | 1000 | 99.999 | 0.10 | 62.5 | 4.80071 | 4.80077 | **1000.0** | **2.0** | 10099-74-8 | 0.05 mg/m3 | intrvns-rat 93 mg/kg | 3128 |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | T | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T)= Target analyte

**Physical Characterization:**

**Certified by:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

*Certified Reference Material CRM*

R: 12/20/23 M5748


ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

**CERTIFIED WEIGHT REPORT:**

| | | Lot # | Solvent: | |
|---|---|---|---|---|
| **Part Number:** | **57028** | 24002546 | Nitric Acid | |
| **Lot Number:** | **091223** | | | |
| **Description:** | **Nickel (Ni)** | | | |
| | | 2.0% | 40.0 (mL) | Nitric Acid |
| **Expiration Date:** | 091226 | | | |
| **Recommended Storage:** | Ambient (20 °C) | | | |
| **Nominal Concentration (µg/mL):** | **1000** | | | |
| **NIST Test Number:** | 6UTB | 5E-05 | Balance Uncertainty | |
| **Volume shown below was diluted to (mL):** | 2000.02 | 0.058 | Flask Uncertainty | |

| | | |
|---|---|---|
| Formulated By: | Lawrence Barry | 091223 |
| Reviewed By: | Pedro L. Rentas | 091223 |

| Compound | Part Number | Lot Number | Dilution Factor | Initial Vol. (mL) | Uncertainty Pipette (mL) | Nominal Conc. (µg/mL) | Initial Conc. (µg/mL) | Final Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Nickel(II) nitrate hexahydrate (Ni) | 58128 | 062023 | 0.1000 | 200.0 | 0.084 | 1000 | 10000.4 | **1000.0** | **2.2** | 13478-00-7 | 1 mg/m3 | orl-rat 1620 mg/kg | 3136 |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectroscopy (ICP-MS):**

**Trace Metals Verification by ICP-MS (µg/mL)**

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | T | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

**Certified by:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

M5768 M5769 (BP) R:1/3/24

*Certified Reference Material CRM*

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

**Part Number:** 58112
**Lot Number:** 091823
**Description:** Magnesium (Mg)

**Expiration Date:** 091826
**Recommended Storage:** Ambient (20 °C)
**Nominal Concentration (µg/mL):** 10000
**NIST Test Number:** 6UTB

M5768, M5769 (BP) R: 1/3/24


**Weight shown below was diluted to (mL):** 2000.02 0.058 Flask Uncertainty

| | Lot # | | |
|---|---|---|---|
| **Solvent:** | 24002546 | Nitric Acid | |
| | 2% | 40.0 (mL) | Nitric Acid |
| | | 5E-05 | Balance Uncertainty |

Formulated By: Lawrence Barry 091823

Reviewed By: Pedro L. Rentas 091823

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Magnesium nitrate hexahydrate (Mg) | IN030 | MGD052023A1 | 10000 | 99.999 | 0.10 | 8.51 | 234.9118 | 234.9126 | **10000.0** | **20.0** | 13446-18-9 | NA | ori-rat 5440 mg/kg | 3131a |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | T | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

*Certified Reference Material CRM*

R: 02/09/24 M5798


ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

| | | Lot # | Solvent: | |
|---|---|---|---|---|
| **Part Number:** | **57004** | 24002546 | Nitric Acid | |
| **Lot Number:** | **102523** | | | |
| **Description:** | **Beryllium (Be)** | 2.0% | 40.0 (mL) | Nitric Acid |
| **Expiration Date:** | 102526 | | | |
| **Recommended Storage:** | Ambient (20 °C) | | | |
| **Nominal Concentration (µg/mL):** | **1000** | | | |
| **NIST Test Number:** | 6UTB | 5E-05 | Balance Uncertainty | |
| **Volume shown below was diluted to (mL):** | 2000.02 | 0.058 | Flask Uncertainty | |

| | | |
|---|---|---|
| Formulated By: | Benson Chan | 102523 |
| Reviewed By: | Pedro L. Rentas | 102523 |

| Compound | Part Number | Lot Number | Dilution Factor | Initial Vol. (mL) | Uncertainty Pipette (mL) | Nominal Conc. (µg/mL) | Initial Conc. (µg/mL) | Final Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Beryllium nitrate (Be) | 58104 | 091423 | 0.1000 | 200.0 | 0.084 | 1000 | 10001.5 | **1000.0** | **2.2** | 13597-99-4 | 0.2ug/m3 | intrvns-rat 3.16mg/kg | NA |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | T | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

**Certified by:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

## *Certified Reference Material CRM*

R? 02/09/24 IV15799

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

**CERTIFIED WEIGHT REPORT:**

**Part Number:** 57050
**Lot Number:** 071123
**Description:** Tin (Sn)


**Expiration Date:** 071126
**Recommended Storage:** Ambient (20 °C)
**Nominal Concentration (µg/mL):** 1000
**NIST Test Number:** 6UTB
**Weight shown below was diluted to (mL):** 499.93

| | Lot # | |
|---|---|---|
| **Solvents:** | 21110221 | Nitric Acid |
| | 22D0562008 | Hydrochloric acid |
| 2% | 10.0 | Nitric Acid |
| 6% | 30.0 | Hydrochloric acid |
| | (mL) | |

5E-05 Balance Uncertainty
0.058 Flask Uncertainty

| | | |
|---|---|---|
| Formulated By: | Benson Chan | 071123 |
| Reviewed By: | Pedro L. Rentas | 071123 |

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Ammonium hexafluorostannate(IV) (Sn) | IN010 | SND042023A1 | 1000 | 99.999 | 0.10 | 44.2 | 1.13107 | 1.13286 | **1001.6** | **2.0** | 16919-24-7 | 7 mg/m3 | NA | 3161a |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <500 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | T | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

*Certified Reference Material CRM*

R: 02/09/24 IM5800 BH


ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

| | | Lot # | Solvent: | | |
|---|---|---|---|---|---|
| **Part Number:** | **57027** | 24002546 | Nitric Acid | | |
| **Lot Number:** | **091923** | | | | |
| **Description:** | **Cobalt (Co)** | 2.0% | 40.0 (mL) | Nitric Acid | |
| **Expiration Date:** | 091926 | | | | |
| **Recommended Storage:** | Ambient (20 °C) | | | | |
| **Nominal Concentration (µg/mL):** | **1000** | | | | |
| **NIST Test Number:** | 6UTB | 5E-05 | Balance Uncertainty | | |
| **Volume shown below was diluted to (mL):** | 2000.02 | 0.058 | Flask Uncertainty | | |

| | | |
|---|---|---|
| Formulated By: | Lawrence Barry | 091923 |
| Reviewed By: | Pedro L. Rentas | 091923 |

| Compound | Part Number | Lot Number | Dilution Factor | Initial Vol. (mL) | Uncertainty Pipette (mL) | Nominal Conc. (µg/mL) | Initial Conc. (µg/mL) | Final Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Cobalt(II) nitrate hexahydrate (Co) | 58127 | 050923 | 0.1000 | 200.0 | 0.084 | 1000 | 10000.0 | **1000.0** | **2.2** | 10026-22-9 | 0.02 mg/m3 | orl-rat 691 mg/kg | 3113 |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectroscopy (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | T | Gé | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T)= Target analyte

**Physical Characterization:**

**Certified by:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

*Certified Reference Material CRM*

R: 02/09/24 IM5801 BH


ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED **WEIGHT** REPORT:

| | | Lot # | Solvent: | | |
|---|---|---|---|---|---|
| **Part Number:** | **57033** | 24002546 | Nitric Acid | | |
| **Lot Number:** | **111323** | | | | |
| **Description:** | **Arsenic (As)** | 2.0% | 80.0 (mL) | Nitric Acid | |
| **Expiration Date:** | 111326 | | | | |
| **Recommended Storage:** | Ambient (20 °C) | | | | |
| **Nominal Concentration (µg/mL):** | **1000** | | | | |
| **NIST Test Number:** | 6UTB | 5E-05 | Balance Uncertainty | | |
| **Volume shown below was diluted to (mL):** | 4000.0 | 0.06 | Flask Uncertainty | | |

| | | |
|---|---|---|
| Formulated By: | Lawrence Barry | 111323 |
| Reviewed By: | Pedro L. Rentas | 111323 |

| Compound | Part Number | Lot Number | Dilution Factor | Initial Vol. (mL) | Uncertainty Pipette (mL) | Nominal Conc. (µg/mL) | Initial Conc. (µg/mL) | Final Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Arsenic (As) | 58133 | 020522 | 0.1000 | 400.0 | 0.084 | 1000 | 10001.0 | **1000.0** | **2.0** | 7440-38-2 | 0.5 mg/m3 | orl-rat 500 mg/kg | 3103a |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

**Trace Metals Verification by ICP-MS (µg/mL)**

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | T | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge* | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

**Certified by:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

*Certified Reference Material CRM*

A: 02/09/24 M.5814


ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

**CERTIFIED WEIGHT REPORT:**

| | | | | | |
|---|---|---|---|---|---|
| **Part Number:** | **57005** | | **Solvent:** | MKBQ8597V | Ammonium hydroxide |
| **Lot Number:** | **071123** | | | | |
| **Description:** | **Boron (B)** | | 2.0% | 40.0 (mL) | Ammonium hydroxide |
| **Expiration Date:** | 071126 | | | | |
| **Recommended Storage:** | Ambient (20 °C) | | | | |
| **Nominal Concentration (µg/mL):** | **1000** | | | | |
| **NIST Test Number:** | 6UTB | 5E-05 | Balance Uncertainty | | |
| **Weight shown below was diluted to (mL):** | 1999.48 | 0.058 | Flask Uncertainty | | |

| | | |
|---|---|---|
| Formulated By: | Benson Chan | 071123 |
| Reviewed By: | Pedro L. Rentas | 071123 |

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Boric acid (B) | IN018 | BV092016A1 | 1000 | 99.9999 | 0.10 | 17.3 | 11.55772 | 11.56201 | **1000.4** | **2.0** | 10043-35-3 | 2 mg/m3 | orl-rat 2660 mg/kg | 3107 |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectroscopy (ICP-MS):**

**Trace Metals Verification by ICP-MS (µg/mL)**

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | T | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

*Certified Reference Material CRM*

R1 02/09/24. M58165


ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

| | | | Lot # | |
|---|---|---|---|---|
| **Part Number:** | **57115** | **Solvent:** | 21110221 | Nitric Acid |
| **Lot Number:** | **041723** | | | |
| **Description:** | **Phosphorous (P)** | 2% | 40.0 (mL) | Nitric Acid |
| **Expiration Date:** | 041726 | | | |
| **Recommended Storage:** | Ambient (20 °C) | | | |
| **Nominal Concentration (µg/mL):** | **10000** | | | |
| **NIST Test Number:** | 6UTB | 5E-05 | Balance Uncertainty | |
| **Weight shown below was diluted to (mL):** | 2000.02 | 0.058 | Flask Uncertainty | |

| | | |
|---|---|---|
| Formulated By: | Lawrence Barry | 041723 |
| Reviewed By: | Pedro L. Rentas | 041723 |

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Ammonium dihydrogen phosphate (P) | IN008 | PV082019A1 | 10000 | 99.999 | 0.10 | 27.5 | 72.7287 | 72.7289 | **10000.0** | **20.0** | 7722-76-1 | 5 mg/m3 | orl-rat >2000mg/kg | 3186 |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectroscopy (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | T | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T)= Target analyte

**Physical Characterization:**

**Certified by:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

*Certified Reference Material CRM*

R: 02/09/24 M5816


ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

| | | | | |
|---|---|---|---|---|
| **Part Number:** | **57016** | **Solvent:** | **Lot #** 122923 | ASTM Type 1 Water |
| **Lot Number:** | **122923** | | | |
| **Description:** | **Sulfur (S)** | | | |
| **Expiration Date:** | 122926 | | | |
| **Recommended Storage:** | Ambient (20 °C) | | | |
| **Nominal Concentration (µg/mL):** | **1000** | | | |
| **NIST Test Number:** | 6UTB | 5E-05 | Balance Uncertainty | |
| **Weight shown below was diluted to (mL):** | 4000.0 | 0.06 | Flask Uncertainty | |

| | | |
|---|---|---|
| Formulated By: | Benson Chan | 122923 |
| Reviewed By: | Pedro L. Rentas | 122923 |

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Ammonium sulfate (S) | IN117 | SLBR7225V | 1000 | 99.9 | 0.10 | 24.3 | 16.4979 | 16.4980 | **1000.0** | **2.0** | 7783-20-2 | NA | orl-rat 4250mg/kg | 3181 |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | T | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:



* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

*Certified Reference Material CRM*

R: 02/09/24 M5817

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:


**Part Number:** 57116
**Lot Number:** 071123
**Description:** Sulfur (S)

**Lot #**
**Solvent:** 071123 ASTM Type 1 Water

**Expiration Date:** 071126
**Recommended Storage:** Ambient (20 °C)
**Nominal Concentration (µg/mL):** 10000
**NIST Test Number:** 6UTB 5E-05 Balance Uncertainty
**Weight shown below was diluted to (mL):** 1999.48 0.058 Flask Uncertainty

| | | |
|---|---|---|
| Formulated By: | Lawrence Barry | 071123 |
| Reviewed By: | Pedro L. Rentas | 071123 |

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Ammonium sulfate (S) | IN117 | SLBR7225V | 10000 | 99.9 | 0.10 | 24.3 | 82.4675 | 82.4682 | **10000.1** | **20.0** | 7783-20-2 | NA | orl-rat 4250mg/kg | 3181 |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

**Trace Metals Verification by ICP-MS (µg/mL)**

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | T | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T)= Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:



* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

*Certified Reference Material CRM*

R: 02/09/24 M.5818

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

## CERTIFIED WEIGHT REPORT:

**Part Number:** 57014
**Lot Number:** 122023
**Description:** Silicon (Si)

**Expiration Date:** 122026
**Recommended Storage:** Ambient (20 °C)
**Nominal Concentration (µg/mL):** 1000
**NIST Test Number:** 6UTB
**Weight shown below was diluted to (mL):** 1999.48 ± 0.058 Flask Uncertainty

**Solvent:** 24002546 Nitric Acid

2% 40.0 (mL) Nitric Acid

5E-05 Balance Uncertainty


Aleah O'Brady

Formulated By: Aleah O'Brady 122023

Pedro Rentas

Reviewed By: Pedro L. Rentas 122023

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Ammonium hexafluorosilicate (Si) | IN009 | SID082022A1 | 1000 | 99.999 | 0.10 | 14.4 | 13.8854 | 13.8855 | **1000.0** | **2.0** | 16919-19-0 | 2.5 mg/m3 | orl-mus 70 mg/kg | NA |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | T | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

*Certified Reference Material CRM*

R: 02/09/24 M5819

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

**Part Number:** 58030
**Lot Number:** 111623
**Description:** Zinc (Zn)

**Expiration Date:** 111626
**Recommended Storage:** Ambient (20 °C)
**Nominal Concentration (µg/mL):** 1000
**NIST Test Number:** 6UTB


**Weight shown below was diluted to (mL):** 3000.4 0.06 Flask Uncertainty

| | | Lot # | | |
|---|---|---|---|---|
| **Solvent:** | 24002546 | Nitric Acid | | |
| | 2% | 60.0 (mL) | Nitric Acid | |

5E-05 Balance Uncertainty

| | | |
|---|---|---|
| Formulated By: | Benson Chan | 111623 |
| Reviewed By: | Pedro L. Rentas | 111623 |

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Zinc nitrate hexahydrate (Zn) | IN016 | ZNE032021A1 | 1000 | 99.999 | 0.10 | 24.3 | 12.3475 | 12.3502 | **1000.2** | **2.0** | 10196-18-6 | 1 mg/m3 | orl-rat 1190mg/kg | 3168 |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | T |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

*Certified Reference Material CRM*

R: 02/09/24 M5820


ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

| | | | | | |
|---|---|---|---|---|---|
| **Part Number:** | **57015** | | **Lot #** | | |
| **Lot Number:** | **091123** | **Solvent:** | 24002546 | Nitric Acid | |
| **Description:** | **Phosphorous (P)** | | | | |
| | | 2% | 40.0 (mL) | Nitric Acid | |
| **Expiration Date:** | 091126 | | | | |
| **Recommended Storage:** | Ambient (20 °C) | | | | |
| **Nominal Concentration (µg/mL):** | **1000** | | | | |
| **NIST Test Number:** | 6UTB | 5E-05 | Balance Uncertainty | | |
| **Weight shown below was diluted to (mL):** | 2000.02 | 0.058 | Flask Uncertainty | | |

| | | |
|---|---|---|
| Formulated By: | Lawrence Barry | 091123 |
| Reviewed By: | Pedro L. Rentas | 091123 |

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Ammonium dihydrogen phosphate (P) | IN008 | PV082019A1 | 1000 | 99.999 | 0.10 | 27.5 | 7.2729 | 7.2730 | **1000.0** | **2.0** | 7722-76-1 | 5 mg/m3 | orl-rat >2000mg/k | 3186 |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | T | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

**Certified by:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

***Certified Reference Material CRM***

M5961 R: 6/11/24


ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

| | | | Lot # | |
|---|---|---|---|---|
| **Part Number:** | **57028** | **Solvent:** | 24002546 | Nitric Acid |
| **Lot Number:** | **041124** | | | |
| **Description:** | **Nickel (Ni)** | | | |
| | | 2% | 5.0 (mL) | Nitric Acid |
| **Expiration Date:** | 041127 | | | |
| **Recommended Storage:** | Ambient (20 °C) | | | |
| **Nominal Concentration (µg/mL):** | **1000** | | | |
| **NIST Test Number:** | 6UTB | 5E-05 | Balance Uncertainty | |
| **Weight shown below was diluted to (mL):** | 249.85 | 0.002 | Flask Uncertainty | |

| | | |
|---|---|---|
| Formulated By: | Brian Geddes | 041124 |
| Reviewed By: | Pedro L. Rentas | 041124 |

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Nickel(II) nitrate hexahydrate (Ni) | IN033 | NIM052023A1 | 1000 | 99.999 | 0.10 | 20.2 | 1.2369 | 1.2369 | **1000.0** | **2.0** | 13478-00-7 | 1 mg/m3 | orl-rat 1620 mg/kg | 3136 |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | T | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

***Certified Reference Material CRM***

M5962 R! 06/14/24.


ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

| | | Lot # | Solvent: | |
|---|---|---|---|---|
| **Part Number:** | **57034** | 24002546 | Nitric Acid | |
| **Lot Number:** | **060624** | | | |
| **Description:** | **Selenium (Se)** | | | |
| | | 2.0% | 40.0 (mL) | Nitric Acid |
| **Expiration Date:** | 060627 | | | |
| **Recommended Storage:** | Ambient (20 °C) | | | |
| **Nominal Concentration (µg/mL):** | **1000** | | | |
| **NIST Test Number:** | 6UTB | 5E-05 | Balance Uncertainty | |
| **Volume shown below was diluted to (mL):** | 2000.07 | 0.100 | Flask Uncertainty | |

| | | |
|---|---|---|
| Formulated By: | Benson Chan | 060624 |
| Reviewed By: | Pedro L. Rentas | 060624 |

| Compound | Part Number | Lot Number | Dilution Factor | Initial Vol. (mL) | Uncertainty Pipette (mL) | Nominal Conc. (µg/mL) | Initial Conc. (µg/mL) | Final Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Selenium (Se) | 58134 | 071223 | 0.1000 | 200.0 | 0.084 | 1000 | 10002.5 | **1000.0** | **2.2** | 7782-49-2 | 0.2 mg/m3 | orl-rat 6700 mg/kg | 3149 |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | T | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

**Certified by:**



* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

***Certified Reference Material CRM***

M5970, M5971 R: 7/01/24

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com


CERTIFIED WEIGHT REPORT:

| | | Lot # | Solvent: |
|---|---|---|---|
| **Part Number:** | **57003** | 24002546 | Nitric Acid |
| **Lot Number:** | **062124** | | |
| **Description:** | **Lithium (Li)** | | |
| | | 2.0% | 5.0 (mL) Nitric Acid |
| **Expiration Date:** | 062127 | | |
| **Recommended Storage:** | Ambient (20 °C) | | |
| **Nominal Concentration (µg/mL):** | **1000** | | |
| **NIST Test Number:** | 6UTB | 5E-05 Balance Uncertainty | |
| **Volume shown below was diluted to (mL):** | 250.11 | 0.016 Flask Uncertainty | |

Giovanni Esposito
Formulated By: Giovanni Esposito 062124

Pedro Rentas
Reviewed By: Pedro L. Rentas 062124

| Compound | Part Number | Lot Number | Dilution Factor | Initial Vol. (mL) | Uncertainty Pipette (mL) | Nominal Conc. (µg/mL) | Initial Conc. (µg/mL) | Final Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Lithium nitrate (Li) | 58103 | 070622 | 0.1000 | 25.0 | 0.004 | 1000 | 10000.4 | **1000.0** | **2.0** | 7790-69-4 | 5 mg/m3 | orl-rat 1426 mg/kg | NA |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

Trace Metals Verification by ICP-MS (µg/mL)

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | T | Ni | <0.02 | Pr | <0.02 | Sc | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

**Certified by:**

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

INORGANIC VENTURES
Refine your results. Redefine your industry.

# Certificate of Analysis

M5976, M5977
R: 02/22/24

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

## 1.0 ACCREDITATION / REGISTRATION

**INORGANIC VENTURES** is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).

ACCREDITED Testing Laboratory Certificate 883.01
ACCREDITED Reference Material Producer Certificate 883.02

## 2.0 PRODUCT DESCRIPTION

| | |
|---|---|
| Product Code: | Single Analyte Custom Grade Solution |
| Catalog Number: | CGMO1 |
| Lot Number: | T2-MO720876 |
| Matrix: | H2O<br>tr. NH4OH |
| Value / Analyte(s): | 1 000 µg/mL ea:<br>Molybdenum |
| Starting Material: | Ammonium Molybdate |
| Starting Material Lot#: | 2361 |
| Starting Material Purity: | 99.9893% |

## 3.0 CERTIFIED VALUES AND UNCERTAINTIES

**Certified Value:** 998 ± 7 µg/mL

**Density:** 1.000 g/mL (measured at 20 ± 4 °C)

**Assay Information:**

**Assay Method #1** **998 ± 4 µg/mL**
ICP Assay NIST SRM 3134 Lot Number: 130418

- The Calculated Value is a value calculated from the weight of a starting material that has been certified directly vs. a National Institute of Standards and Technology (NIST) SRM/RM. See Sec 4.2 for balance traceability.

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

### Characterization of CRM/RM by Two or More Methods

**Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:**

$X_{CRM/RM} = \Sigma(w_i)(X_i)$

$X_i$ = mean of Assay Method i with standard uncertainty $u_{char\ i}$

$w_i$ = the weighting factors for each method calculated using the inverse square of the variance.

$w_i = (1/u_{char\ i})^2 / (\Sigma(1/(u_{char\ i})^2)$

**CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$**

k = coverage factor = 2

$u_{char} = [\Sigma((w_i)^2\,(u_{char\ i})^2)]^{½}$ where $u_{char\ i}$ are the errors from each characterization method

$u_{bb}$ = bottle to bottle homogeneity standard uncertainty

$u_{lts}$ = long term stability standard uncertainty (storage)

$u_{ts}$ = transport stability standard uncertainty

### Characterization of CRM/RM by One Method

**Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:**

$X_{CRM/RM} = (X_a)\,(u_{char\ a})$

$X_a$ = mean of Assay Method A with

$u_{char\ a}$ = the standard uncertainty of characterization Method A

**CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char\ a} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$**

k = coverage factor = 2

$u_{char\ a}$ = the errors from characterization

$u_{bb}$ = bottle to bottle homogeneity standard uncertainty

$u_{lts}$ = long term stability standard uncertainty (storage)

$u_{ts}$ = transport stability standard uncertainty

## 4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

### 4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

### 4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

### 4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

## 5.0 TRACE METALLIC IMPURITIES (TMI ) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

CRM/RMs are tested for trace metallic impurities by Axial ICP-OES and ICP-MS. The result from the most sensitive method for each element, is reported below. Solutions tested by ICP-MS were analyzed in an ULPA-Filtered Clean Room. An ULPA-Filter is 99.9985% efficient for the removal of particles down to 0.3 µm.

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| M | Ag | < | 0.000590 | M | Eu | < | 0.000300 | M | Na | | 0.000879 | M | Se | < | 0.008000 | M | Zn | | 0.000598 |
| M | Al | | 0.000563 | M | Fe | < | 0.006500 | M | Nb | < | 0.029000 | i | Si | < | | M | Zr | < | 0.001800 |
| M | As | < | 0.002100 | M | Ga | < | 0.000300 | i | Nd | < | | M | Sm | < | 0.000300 | | | | |
| M | Au | < | 0.000300 | M | Gd | < | 0.000300 | M | Ni | < | 0.008000 | M | Sn | < | 0.008900 | | | | |
| M | B | < | 0.003300 | M | Ge | < | 0.000300 | M | Os | < | 0.000590 | M | Sr | | 0.000175 | | | | |
| M | Ba | | 0.001689 | M | Hf | < | 0.001800 | i | P | < | | M | Ta | < | 0.004200 | | | | |
| M | Be | < | 0.000890 | M | Hg | < | 0.003300 | M | Pb | < | 0.000300 | M | Tb | < | 0.000300 | | | | |
| M | Bi | < | 0.000890 | M | Ho | < | 0.000300 | M | Pd | < | 0.001800 | M | Te | < | 0.021000 | | | | |
| O | Ca | | 0.006334 | M | In | < | 0.032000 | M | Pr | < | 0.013000 | M | Th | < | 0.000300 | | | | |
| O | Cd | < | 0.026000 | M | Ir | < | 0.000300 | M | Pt | < | 0.000300 | O | Tl | < | 0.032000 | | | | |
| M | Ce | < | 0.008300 | M | K | | 0.130213 | M | Rb | | 0.004575 | M | Tl | | 0.001266 | | | | |
| M | Co | | 0.000598 | M | La | < | 0.000300 | M | Re | < | 0.000300 | M | Tm | < | 0.000300 | | | | |
| M | Cr | | 0.000527 | O | Li | | 0.000059 | M | Rh | < | 0.000300 | M | U | < | 0.005300 | | | | |
| M | Cs | | 0.000527 | M | Lu | < | 0.000300 | M | Ru | < | 0.079000 | M | V | < | 0.000890 | | | | |
| M | Cu | | 0.002252 | M | Mg | | 0.000563 | i | S | < | | M | W | | 0.087982 | | | | |
| M | Dy | < | 0.000300 | M | Mn | < | 0.005900 | M | Sb | | 0.001513 | M | Y | < | 0.000300 | | | | |
| M | Er | < | 0.000300 | s | Mo | < | | M | Sc | < | 0.001200 | M | Yb | < | 0.000300 | | | | |

M - Checked by ICP-MS  O - Checked by ICP-OES  i - Spectral Interference
n - Not Checked For  s - Solution Standard Element

## 6.0 INTENDED USE

- For the calibration of analytical instruments and validation of analytical methods as appropriate.

## 7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

### 7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit **www.inorganicventures.com/TCT**

**Atomic Weight; Valence; Coordination Number; Chemical Form in Solution -** 95.94 +6 6,7,8,9 [MoO4]-2(chemical form as received)

**Chemical Compatibility -**Mo is received in a NH4OH matrix giving the operator the option of using HCl or HF to stabilize acidic solutions. The [MoO4]-2 is soluble in concentrated HCl [MoOCl5]-2, dilute HF / HNO3 [MoOF5]-2 and basic media [MoO4]-2. Stable at ppm levels with some metals provided it is fluorinated. Do not mix with Alkaline or Rare Earths when HF is present. Stable with most inorganic anions provided it is in the [MoO4]-2 chemical form.

**Stability -** 2-100 ppb levels stable (alone or mixed with all other metals that are at comparable levels) as the [MoOF5]-2 for months in 1% HNO3 / LDPE container. 1-10,000 ppm single element solutions as the [MoO4]-2 chemically stable for years in 1% NH4OH in a LDPE container.

**Mo Containing Samples (Preparation and Solution) -**Metal (Soluble in HF / HNO3 or hot dilute HCl); Oxide (soluble in HF or NH4OH) ; Organic Matrices (Dry ash at 450EC in Pt0 and dissolve oxide with HF or HCl ).

**Atomic Spectroscopic Information (ICP-OES D.L.s are given as radial/axial view):**

| **Technique/Line** | **Estimated D.L.** | **Order** | **Interferences** (underlined indicates severe) |
|---|---|---|---|
| ICP-MS 95 amu | 3 ppt | n/a | 40Ar39K16O,79Br1 6O,190Os2+,190Pt 2+ |
| ICP-OES 202.030 nm | 0.008 / 0.0002 µg/mL | 1 | Os, Hf |
| ICP-OES 203.844 nm | 0.012 / 0.002 µg/mL | 1 | |
| ICP-OES 204.598 nm | 0.012 / 0.001 µg/mL | 1 | Ir, Ta |

## 8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

## 9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

## 10.0 QUALITY STANDARD DOCUMENTATION

### 10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

### 10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

### 10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02



## 11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

**11.1 Certification Issue Date**

July 17, 2022

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

**11.2 Lot Expiration Date**

**- July 17, 2027**

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

**11.3 Period of Validity**

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

## 12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

**Certificate Prepared By:**

Uyen Truong
Supervisor, Product Documentation



**Certificate Approved By:**

Michael Booth
Director, Technical



**Certifying Officer:**

Paul Gaines
Chairman / Senior Technical Director



M5978, M5979

INORGANIC VENTURES
Refine your results. Redefine your industry.

# Certificate of Analysis

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

R: 2/22/24

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

## 1.0 ACCREDITATION / REGISTRATION

**INORGANIC VENTURES** is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).

ACCREDITED Testing Laboratory Certificate 883.01 ACCREDITED Reference Material Producer Certificate 883.02

## 2.0 PRODUCT DESCRIPTION

| | |
|---|---|
| Product Code: | Single Analyte Custom Grade Solution |
| Catalog Number: | CGTI1 |
| Lot Number: | T2-TI719972 |
| Matrix: | 2% (v/v) $HNO_3$<br>tr. HF |
| Value / Analyte(s): | 1 000 µg/mL ea:<br>Titanium |
| Starting Material: | Ti Metal |
| Starting Material Lot#: | 2094 |
| Starting Material Purity: | 99.9975% |

## 3.0 CERTIFIED VALUES AND UNCERTAINTIES

**Certified Value:** 1002 ± 5 µg/mL

**Density:** 1.012 g/mL (measured at 20 ± 4 °C)

**Assay Information:**

**Assay Method #1** **1002 ± 4 µg/mL**
ICP Assay NIST SRM 3162a Lot Number: 130925

- The Calculated Value is a value calculated from the weight of a starting material that has been certified directly vs. a National Institute of Standards and Technology (NIST) SRM/RM. See Sec 4.2 for balance traceability.

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

### Characterization of CRM/RM by Two or More Methods

**Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:**

$X_{CRM/RM} = \Sigma(w_i)(X_i)$

$X_i$ = mean of Assay Method i with standard uncertainty $u_{char\ i}$

$w_i$ = the weighting factors for each method calculated using the inverse square of the variance

$w_i = (1/u_{char\ i}^2) / (\Sigma(1/u_{char\ i}^2))$

**CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\ (u^2_{char} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$**

k = coverage factor = 2

$u_{char} = [\Sigma(w_i)^2\ (u_{char\ i})^2]^{½}$ where $u_{char\ i}$ are the errors from each characterization method

$u_{bb}$ = bottle to bottle homogeneity standard uncertainty

$u_{lts}$ = long term stability standard uncertainty (storage)

$u_{ts}$ = transport stability standard uncertainty

### Characterization of CRM/RM by One Method

**Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:**

$X_{CRM/RM} = (X_a)\ (u_{char\ a})$

$X_a$ = mean of Assay Method A with

$u_{char\ a}$ = the standard uncertainty of characterization Method A

**CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\ (u^2_{char\ a} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$**

k = coverage factor = 2

$u_{char\ a}$ = the errors from characterization

$u_{bb}$ = bottle to bottle homogeneity standard uncertainty

$u_{lts}$ = long term stability standard uncertainty (storage)

$u_{ts}$ = transport stability standard uncertainty

## 4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

### 4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

### 4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

### 4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

## 5.0 TRACE METALLIC IMPURITIES (TMI ) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

CRM/RMs are tested for trace metallic impurities by Axial ICP-OES and ICP-MS. The result from the most sensitive method for each element, is reported below. Solutions tested by ICP-MS were analyzed in an ULPA-Filtered Clean Room. An ULPA-Filter is 99.9985% efficient for the removal of particles down to 0.3 µm.

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| M | Ag | < | 0.000536 | M | Eu | < | 0.000268 | O | Na | < | 0.032670 | M | Se | | 0.001204 | O | Zn | < | 0.003267 |
| O | Al | | 0.000872 | O | Fe | | 0.003225 | O | Nb | < | 0.043560 | O | Si | | 0.004735 | O | Zr | < | 0.043560 |
| M | As | < | 0.008586 | M | Ga | < | 0.000268 | M | Nd | < | 0.000268 | M | Sm | < | 0.000268 | | | | |
| M | Au | < | 0.004577 | M | Gd | < | 0.000268 | O | Ni | < | 0.010890 | M | Sn | | 0.000096 | | | | |
| O | B | < | 0.008929 | M | Ge | < | 0.002146 | M | Os | < | 0.000269 | O | Sr | | 0.000096 | | | | |
| M | Ba | < | 0.002683 | M | Hf | | 0.002161 | O | P | < | 0.054450 | M | Ta | | 0.010560 | | | | |
| M | Be | < | 0.005366 | M | Hg | < | 0.003231 | M | Pb | < | 0.001073 | M | Tb | < | 0.000268 | | | | |
| M | Bi | < | 0.001609 | M | Ho | < | 0.000268 | M | Pd | < | 0.000268 | M | Te | < | 0.001341 | | | | |
| O | Ca | | 0.000676 | M | In | < | 0.002683 | M | Pr | < | 0.000268 | M | Th | < | 0.053663 | | | | |
| M | Cd | < | 0.000268 | M | Ir | < | 0.000269 | M | Pt | < | 0.000536 | s | Ti | < | | | | | |
| M | Ce | < | 0.000268 | M | K | | 0.001172 | M | Rb | < | 0.000268 | M | Tl | < | 0.000268 | | | | |
| M | Co | < | 0.004293 | M | La | < | 0.000268 | M | Re | < | 0.000268 | M | Tm | < | 0.000268 | | | | |
| M | Cr | | 0.000752 | O | Li | < | 0.027225 | M | Rh | < | 0.000268 | M | U | < | 0.000268 | | | | |
| M | Cs | < | 0.000268 | M | Lu | < | 0.000268 | M | Ru | < | 0.000269 | M | V | < | 0.019855 | | | | |
| O | Cu | < | 0.010890 | O | Mg | < | 0.005445 | i | S | < | | M | W | | 0.000473 | | | | |
| M | Dy | < | 0.000268 | O | Mn | < | 0.003267 | M | Sb | < | 0.006976 | M | Y | < | 0.002146 | | | | |
| M | Er | < | 0.000268 | M | Mo | | 0.000774 | O | Sc | < | 0.004900 | M | Yb | < | 0.000536 | | | | |

M - Checked by ICP-MS  O - Checked by ICP-OES  i - Spectral Interference
n - Not Checked For  s - Solution Standard Element

## 6.0 INTENDED USE

- For the calibration of analytical instruments and validation of analytical methods as appropriate.

## 7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

### 7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit **www.inorganicventures.com/TCT**

**Atomic Weight; Valence; Coordination Number; Chemical Form in Solution -** 47.87 +4 6 Ti(F)6-2

**Chemical Compatibility -** Soluble in concentrated HCl, HF, H3PO4 H2SO4 and HNO3. Avoid neutral to basic media. Unstable at ppm levels with metals that would pull F- away (i.e. Do not mix with Alkaline or Rare Earths or high levels of transition elements unless they are fluorinated). Stable with most inorganic anions with a tendency to hydrolyze forming the hydrated oxide in all dilute acids except HF.

**Stability -** 2-100 ppb levels stable (Alone or mixed with all other metals) as the Ti(F)6-2 for months in 1% HNO3 / LDPE container. 1-10,000 ppm single element solutions as the Ti(F)6-2 chemically stable for years in 2-5% HNO3 / trace HF in an LDPE container.

**Ti Containing Samples (Preparation and Solution) -** Metal (Soluble in H2O / HF caution -powder reacts violently); Oxide - low temperature history anatase or rutile (Dissolved by heating in 1:1:1 H2O / HF / H2SO4); Oxide - high temperature history (~800EC) brookite (fuse in Pt0 with K2S2O7); Ores ( fuse in Pt0 with KF + K2S2O7 - no KF if silica not present); Organic Matrices (Dry ash at 450EC in Pt0 and dissolve by heating with 1:1:1 H2O / HF / H2SO4 or fuse ash with pyrosulfate if oxide is as plastic pigment and likely in brookite crystalline form).

**Atomic Spectroscopic Information (ICP-OES D.L.s are given as radial/axial view):**

| Technique/Line | Estimated D.L. | Order | Interferences (underlined indicates severe) |
|---|---|---|---|
| ICP-MS 48 amu | 14 ppt | N/A | 32S16O, 32S14N, 14N16O18O, 14N17N2, 36Ar12C, 48Ca, [96X=2 (where X = Zr, Mo, Ru)] |
| ICP-OES 323.452 nm | 0.0054 / 0.00092 µg/mL | 1 | Ce, Ar, Ni |
| ICP-OES 334.941 nm | 0.0038 / 0.000028 µg/mL | 1 | Nb, Ta, Cr, U |
| ICP-OES 336.121 nm | 0.0053 / 0.000034 µg/mL | 1 | W, Mo, Co |

**HF Note:** This standard should not be prepared or stored in glass.

## 8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

## 9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

## 10.0 QUALITY STANDARD DOCUMENTATION

### 10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

### 10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

**10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"**

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

## 11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

**11.1 Certification Issue Date**

June 17, 2022

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

**11.2 Lot Expiration Date**

**- June 17, 2027**

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

**11.3 Period of Validity**

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

## 12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

**Certificate Approved By:**

Thomas Kozikowski
Manager, Quality Control



**Certifying Officer:**

Paul Gaines
Chairman / Senior Technical Director



**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

***Certified Reference Material CRM***

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com


45982 R: 6/11/24

CERTIFIED WEIGHT REPORT:

| | | | | | |
|---|---|---|---|---|---|
| **Part Number:** | **57038** | | **Lot #** | | |
| **Lot Number:** | **031524** | **Solvent:** | 24002546 | Nitric Acid | |
| **Description:** | **Strontium (Sr)** | | | | |
| | | 2% | 40.0 (mL) | Nitric Acid | |
| **Expiration Date:** | 031527 | | | | |
| **Recommended Storage:** | Ambient (20 °C) | | | | |
| **Nominal Concentration (µg/mL):** | **1000** | | | | |
| **NIST Test Number:** | 6UTB | 5E-05 | Balance Uncertainty | | |
| **Weight shown below was diluted to (mL):** | 2000.07 | 0.100 | Flask Uncertainty | | |

| | | |
|---|---|---|
| Formulated By: | Benson Chan | 031524 |
| Reviewed By: | Pedro L. Rentas | 031524 |

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Strontium nitrate (Sr) | IN017 | SRZ022018A1 | 1000 | 99.997 | 0.10 | 41.2 | 4.85470 | 4.85502 | **1000.1** | **2.0** | 10042-76-9 | NA | orl-rat >2000mg/kg | 3153a |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | T | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

INORGANIC VENTURES™
Refine your results. Redefine your industry.

# Certificate of Analysis

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

MS984
R:6/14/24

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

## 1.0 ACCREDITATION / REGISTRATION

**INORGANIC VENTURES** is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).

ACCREDITED Testing Laboratory Certificate 883.01
ACCREDITED Reference Material Producer Certificate 883.02

## 2.0 PRODUCT DESCRIPTION

| | |
|---|---|
| Product Code: | Single Analyte Custom Grade Solution |
| Catalog Number: | CGY10 |
| Lot Number: | V2-Y740548 |
| Matrix: | 2% (v/v) HNO3 |
| Value / Analyte(s): | 10 000 µg/mL ea:<br>Yttrium |
| Starting Material: | Yttrium Oxide |
| Starting Material Lot#: | 2661 and 06230520YL |
| Starting Material Purity: | 99.9984% |

## 3.0 CERTIFIED VALUES AND UNCERTAINTIES

**Certified Value:** 10000 ± 30 µg/mL

**Density:** 1.032 g/mL (measured at 20 ± 4 °C)

**Assay Information:**

| | |
|---|---|
| **Assay Method #1** | **10011 ± 25 µg/mL**<br>EDTA NIST SRM 928 Lot Number: 928 |
| **Assay Method #2** | **9997 ± 50 µg/mL**<br>ICP Assay NIST SRM 3167a Lot Number: 190730 |
| **Assay Method #3** | **9984 ± 31 µg/mL**<br>Calculated NIST SRM Lot Number: See Sec. 4.2 |

- The Calculated Value is a value calculated from the weight of a starting material that has been certified directly vs. a National Institute of Standards and Technology (NIST) SRM/RM. See Sec 4.2 for balance traceability.

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

### Characterization of CRM/RM by Two or More Methods

**Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:**

$X_{CRM/RM} = \Sigma(w_i)(X_i)$

$X_i$ = mean of Assay Method i with standard uncertainty $u_{char\ i}$

$w_i$ = the weighting factors for each method calculated using the inverse square of the variance:

$w_i = (1/u_{char\ i})^2 / (\Sigma(1/(u_{char\ i})^2)$

CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\ (u^2_{char} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$

k = coverage factor = 2

$u_{char} = [\Sigma((w_i)^2\ (u_{char\ i})^2)]^{½}$ where $u_{char\ i}$ are the errors from each characterization method

$u_{bb}$ = bottle to bottle homogeneity standard uncertainty

$u_{lts}$ = long term stability standard uncertainty (storage)

$u_{ts}$ = transport stability standard uncertainty

### Characterization of CRM/RM by One Method

**Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:**

$X_{CRM/RM} = (X_a)\ (u_{char\ a})$

$X_a$ = mean of Assay Method A with

$u_{char\ a}$ = the standard uncertainty of characterization Method A

CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\ (u^2_{char\ a} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$

k = coverage factor = 2

$u_{char\ a}$ = the errors from characterization

$u_{bb}$ = bottle to bottle homogeneity standard uncertainty

$u_{lts}$ = long term stability standard uncertainty (storage)

$u_{ts}$ = transport stability standard uncertainty

## 4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

### 4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

### 4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

### 4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

## 5.0 TRACE METALLIC IMPURITIES (TMI ) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

CRM/RMs are tested for trace metallic impurities by Axial ICP-OES and ICP-MS. The result from the most sensitive method for each element, is reported below. Solutions tested by ICP-MS were analyzed in an ULPA-Filtered Clean Room. An ULPA-Filter is 99.9985% efficient for the removal of particles down to 0.3 µm.

| | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| M | Ag | < | 0.004600 | M | Eu | | 0.009037 | M | Na | | 0.086360 | M | Se | < | 0.005200 | M | Zn | | 0.030125 |
| M | Al | | 0.014862 | O | Fe | | 0.002410 | M | Nb | < | 0.000570 | O | Si | | 0.024100 | O | Zr | < | 0.002600 |
| M | As | < | 0.003500 | M | Ga | < | 0.000570 | M | Nd | | 0.000923 | M | Sm | | 0.000461 | | | | |
| M | Au | < | 0.001700 | M | Gd | < | 0.003500 | M | Ni | < | 0.005700 | M | Sn | < | 0.002300 | | | | |
| O | B | | 0.002209 | M | Ge | < | 0.005200 | M | Os | < | 0.001200 | M | Sr | < | 0.004600 | | | | |
| O | Ba | < | 0.002500 | M | Hf | < | 0.000570 | n | P | < | | M | Ta | < | 0.000570 | | | | |
| O | Be | < | 0.001400 | M | Hg | < | 0.000570 | M | Pb | | 0.005020 | M | Tb | | 0.001044 | | | | |
| M | Bi | < | 0.003500 | M | Ho | | 0.009037 | M | Pd | < | 0.005100 | M | Te | < | 0.002300 | | | | |
| O | Ca | | 0.009841 | M | In | < | 0.002300 | M | Pr | < | 0.002300 | M | Th | < | 0.000570 | | | | |
| M | Cd | < | 0.000570 | M | Ir | < | 0.000570 | M | Pt | < | 0.000570 | M | Ti | < | 0.003500 | | | | |
| M | Ce | < | 0.002300 | O | K | | 0.018677 | M | Rb | < | 0.000570 | M | Tl | < | 0.000570 | | | | |
| M | Co | < | 0.000570 | M | La | | 0.000461 | M | Re | < | 0.000570 | M | Tm | < | 0.003500 | | | | |
| M | Cr | < | 0.004000 | O | Li | < | 0.009300 | M | Rh | < | 0.008000 | M | U | < | 0.000570 | | | | |
| M | Cs | < | 0.000570 | M | Lu | | 0.000582 | M | Ru | < | 0.000570 | M | V | | 0.001265 | | | | |
| M | Cu | | 0.002610 | O | Mg | | 0.001486 | n | S | < | | M | W | < | 0.002300 | | | | |
| M | Dy | | 0.003815 | M | Mn | | 0.000582 | M | Sb | | 0.005422 | s | Y | < | | | | | |
| M | Er | | 0.003615 | M | Mo | < | 0.005700 | M | Sc | < | 0.001200 | M | Yb | | 0.001827 | | | | |

M - Checked by ICP-MS  O - Checked by ICP-OES  i - Spectral Interference
n - Not Checked For  s - Solution Standard Element

## 6.0 INTENDED USE

**6.1** This standard is intended for the calibration of analytical instruments and validation of analytical methods as appropriate. This CRM may be used in connection with EPA Methods 6010, 6020 (all versions), Standard Methods 3120 B and USP <232> / ICH Q3D.

**6.2** For products attaining traceability through Inorganic Ventures' Primary Certified Reference Materials (PCRM™) see the Limited License to Use PCRM™ in the Inorganic Ventures Terms and Conditions of Sale, https://www.inorganicventures.com/terms-and-conditions-sale. The Terms and Conditions contain information on the use of materials traceable to PCRM™ certified reference materials. This Limited License agreement is especially pertinent for laboratories accredited under ISO:17034.

## 7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

### 7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit **www.inorganicventures.com/TCT**

**Atomic Weight; Valence; Coordination Number; Chemical Form in Solution** - 88.91 +3 6 Y(OH)(H2O)x+2

**Chemical Compatibility** -Soluble in HCl, H2SO4 and HNO3. Avoid HF, H3PO4 and neutral to basic media. Stable with most metals and inorganic anions forming an insoluble carbonate, oxide, oxalate, and fluoride. Avoid mixing with elements / solutions containing moderate amounts of fluoride.

**Stability** - 2-100 ppb levels stable for months in 1% HNO3 / LDPE container. 1-10,000 ppm solutions chemically stable for years in 2-5% HNO3 / LDPE container.

**Y Containing Samples (Preparation and Solution)** - Metal (Soluble in acids); Oxide (Dissolve by heating in H2O/ HNO3); Ores (Carbonate fusion in Pt0 followed by HCl dissolution); Organic Matrices (Dry ash and dissolve in 1:1 H2O / HCl or HNO3).

**Atomic Spectroscopic Information (ICP-OES D.L.s are given as radial/axial view):**

| **Technique/Line** | **Estimated D.L.** | **Order** | **Interferences** (underlined indicates severe) |
|---|---|---|---|
| ICP-MS 89 amu | 0.8 ppt | N/A | 73Ge16O, 178Hf+2 |
| ICP-OES 360.073 nm | 0.005 / 0.000036 µg/mL | 1 | Ce, Th |
| ICP-OES 371.030 nm | 0.004 / 0.00007 µg/mL | 1 | Ce |
| ICP-OES 377.433 nm | 0.005 / 0.0009 µg/mL | 1 | Ta, Th |

## 8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

## 9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

## 10.0 QUALITY STANDARD DOCUMENTATION

### 10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

### 10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

**10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"**

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

## 11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

**11.1 Certification Issue Date**

February 20, 2024

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

**11.2 Lot Expiration Date**

**- February 20, 2029**

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

**11.3 Period of Validity**

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

## 12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

**Certificate Prepared By:**

Uyen Truong
Custom Processing Supervisor



**Certificate Approved By:**

Muzzammil Khan
Stock Laboratory Supervisor



**Certifying Officer:**

Paul Gaines
Chairman / Senior Technical Director



INORGANIC VENTURES™
Refine your results. Redefine your industry.

# Certificate of Analysis

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

R: 2/22/2024
M5999

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

## 1.0 ACCREDITATION / REGISTRATION

**INORGANIC VENTURES** is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).

ACCREDITED Testing Laboratory Certificate 883.01 ACCREDITED Reference Material Producer Certificate 883.02

## 2.0 PRODUCT DESCRIPTION

| | |
|---|---|
| Product Code: | Multi Analyte Custom Grade Solution |
| Catalog Number: | CLPP-SPK-1 |
| Lot Number: | T2-MEB721963 |
| Matrix: | 7% (v/v) HNO3 |
| Value / Analyte(s): | 2 000 µg/mL ea: Aluminum, Barium,<br>1 000 µg/mL ea: Iron,<br>500 µg/mL ea: Manganese, Nickel, Vanadium, Zinc, Cobalt,<br>250 µg/mL ea: Copper,<br>200 µg/mL ea: Chromium,<br>50 µg/mL ea: Beryllium, Silver |

## 3.0 CERTIFIED VALUES AND UNCERTAINTIES

| ANALYTE | CERTIFIED VALUE | ANALYTE | CERTIFIED VALUE |
|---|---|---|---|
| Aluminum, Al | 2 000 ± 7 µg/mL | Barium, Ba | 2 000 ± 9 µg/mL |
| Beryllium, Be | 50.00 ± 0.26 µg/mL | Chromium, Cr | 200.0 ± 1.1 µg/mL |
| Cobalt, Co | 500.0 ± 2.4 µg/mL | Copper, Cu | 250.0 ± 1.0 µg/mL |
| Iron, Fe | 1 000 ± 4 µg/mL | Manganese, Mn | 500.0 ± 2.0 µg/mL |
| Nickel, Ni | 500.0 ± 2.2 µg/mL | Silver, Ag | 50.00 ± 0.22 µg/mL |
| Vanadium, V | 500.0 ± 2.2 µg/mL | Zinc, Zn | 500.0 ± 2.2 µg/mL |

**Density:** 1.070 g/mL (measured at 20 ± 4 °C)

**Assay Information:**

| ANALYTE | METHOD | NIST SRM# | SRM LOT# |
|---|---|---|---|
| Ag | ICP Assay | 3151 | 160729 |
| Ag | Volhard | 999c | 999c |
| Ag | Calculated | | See Sec. 4.2 |
| Al | ICP Assay | 3101a | 140903 |
| Al | EDTA | 928 | 928 |
| Ba | ICP Assay | 3104a | 140909 |
| Ba | Gravimetric | | See Sec. 4.2 |
| Be | ICP Assay | 3105a | 090514 |
| Be | Calculated | | See Sec. 4.2 |
| Co | ICP Assay | 3113 | 190630 |
| Co | EDTA | 928 | 928 |
| Cr | ICP Assay | 3112a | 170630 |
| Cu | ICP Assay | 3114 | 121207 |
| Cu | EDTA | 928 | 928 |
| Fe | ICP Assay | 3126a | 140812 |
| Fe | EDTA | 928 | 928 |
| Mn | ICP Assay | 3132 | 050429 |
| Mn | EDTA | 928 | 928 |
| Ni | ICP Assay | 3136 | 120619 |
| Ni | EDTA | 928 | 928 |
| V | IC Assay | 3165 | 160906 |
| V | EDTA | 928 | 928 |
| Zn | ICP Assay | 3168a | 120629 |
| Zn | EDTA | 928 | 928 |

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

### Characterization of CRM/RM by Two or More Methods

**Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:**

$X_{CRM/RM} = \Sigma(w_i)\,(X_i)$

$X_i$ = mean of Assay Method i with standard uncertainty $u_{char\ i}$

$w_i$ = the weighting factors for each method calculated using the inverse square of the variance:

$w_i = (1/u_{char\ i})^2 / (\Sigma(1/(u_{char\ i})^2)$

**CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{1/2}$**

k = coverage factor = 2

$u_{char} = [\Sigma((w_i)^2\,(u_{char\ i})^2)]^{1/2}$ where $u_{char\ i}$ are the errors from each characterization method

$u_{bb}$ = bottle to bottle homogeneity standard uncertainty

$u_{lts}$ = long term stability standard uncertainty (storage)

$u_{ts}$ = transport stability standard uncertainty

### Characterization of CRM/RM by One Method

**Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:**

$X_{CRM/RM} = (X_a)\,(u_{char\ a})$

$X_a$ = mean of Assay Method A with

$u_{char\ a}$ = the standard uncertainty of characterization Method A

**CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char\ a} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{1/2}$**

k = coverage factor = 2

$u_{char\ a}$ = the errors from characterization

$u_{bb}$ = bottle to bottle homogeneity standard uncertainty

$u_{lts}$ = long term stability standard uncertainty (storage)

$u_{ts}$ = transport stability standard uncertainty

## 4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

### 4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

### 4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

### 4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

## 5.0 TRACE METALLIC IMPURITIES (TMI ) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

N/A

## 6.0 INTENDED USE

- For the calibration of analytical instruments and validation of analytical methods as appropriate.

## 7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

### 7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit **www.inorganicventures.com/TCT**

**Note**: This solution contains Silver (Ag), please refer to our Sample Preparation Guide for more information.

https://www.inorganicventures.com/sample-preparation-guide/samples-containing-silver

## 8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

## 9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

## 10.0 QUALITY STANDARD DOCUMENTATION

### 10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

### 10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

### 10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

## 11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

### 11.1 Certification Issue Date

July 27, 2022

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

### 11.2 Lot Expiration Date

**- July 27, 2027**

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

### 11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

## 12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

**Certificate Approved By:**

Thomas Kozikowski
Manager, Quality Control



**Certifying Officer:**

Paul Gaines
Chairman / Senior Technical Director



**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

***Certified Reference Material CRM***

R: 01/03/24 M6033

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:


| | | | | | |
|---|---|---|---|---|---|
| **Part Number:** | **58113** | | **Solvent:** | 20510011 | Nitric Acid |
| **Lot Number:** | **011623** | | | | |
| **Description:** | **Aluminum (Al)** | | | | |
| | | | 2% | 40.0 (mL) | Nitric Acid |
| **Expiration Date:** | 011626 | | | | |
| **Recommended Storage:** | Ambient (20 °C) | | | | |
| **Nominal Concentration (µg/mL):** | **10000** | | | | |
| **NIST Test Number:** | 6UTB | 5E-05 | Balance Uncertainty | | |
| **Weight shown below was diluted to (mL):** | 2000.02 | 0.058 | Flask Uncertainty | | |

Lot #

Giovanni Esposito

| | | |
|---|---|---|
| Formulated By: | Giovanni Esposito | 011623 |
| Reviewed By: | Pedro L. Rentas | 011623 |

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Aluminum nitrate nonahydrate (Al) | IN022 | ALM112021A1 | 10000 | 99.999 | 0.10 | 7.30 | 273.9779 | 274.0078 | **10001.1** | **20.0** | 7784-27-2 | 2 mg/m3 | orl-rat 3671 mg/kg | 3101a |



Nitric Acid 69%
CMOS

Recv date: 1. 1. – 08/01/2023

M6034, M6037
M6035, M6038,
M6036,

avantor™ | J.T.Baker®

Material No.: 9606-03
Batch No.: 24D1062002
Manufactured Date: 2024-03-26
Retest Date: 2029-03-25
Revision No.: 0

# Certificate of Analysis

| Test | Specification | Result |
|---|---|---|
| Assay ($HNO_3$) | 69.0 – 70.0 % | 69.7 % |
| Appearance | Passes Test | Passes Test |
| Color (APHA) | ≤ 10 | 5 |
| Residue after Ignition | ≤ 2 ppm | 1 ppm |
| Chloride (Cl) | ≤ 0.08 ppm | < 0.03 ppm |
| Phosphate ($PO_4$) | ≤ 0.10 ppm | < 0.03 ppm |
| Sulfate ($SO_4$) | ≤ 0.2 ppm | < 0.2 ppm |
| Trace Impurities – Aluminum (Al) | ≤ 40.0 ppb | < 1.0 ppb |
| Arsenic and Antimony (as As) | ≤ 5.0 ppb | < 2.0 ppb |
| Trace Impurities – Barium (Ba) | ≤ 10.0 ppb | < 1.0 ppb |
| Trace Impurities – Beryllium (Be) | ≤ 10.0 ppb | < 1.0 ppb |
| Trace Impurities – Bismuth (Bi) | ≤ 20.0 ppb | < 10.0 ppb |
| Trace Impurities – Boron (B) | ≤ 10.0 ppb | < 5.0 ppb |
| Trace Impurities – Cadmium (Cd) | ≤ 50 ppb | < 1 ppb |
| Trace Impurities – Calcium (Ca) | ≤ 50.0 ppb | 2.3 ppb |
| Trace Impurities – Chromium (Cr) | ≤ 30.0 ppb | < 1.0 ppb |
| Trace Impurities – Cobalt (Co) | ≤ 10.0 ppb | < 1.0 ppb |
| Trace Impurities – Copper (Cu) | ≤ 10.0 ppb | < 1.0 ppb |
| Trace Impurities – Gallium (Ga) | ≤ 10.0 ppb | < 1.0 ppb |
| Trace Impurities – Germanium (Ge) | ≤ 20 ppb | < 10 ppb |
| Trace Impurities – Gold (Au) | ≤ 20 ppb | < 5 ppb |
| Heavy Metals (as Pb) | ≤ 100 ppb | 100 ppb |
| Trace Impurities – Iron (Fe) | ≤ 40.0 ppb | < 1.0 ppb |
| Trace Impurities – Lead (Pb) | ≤ 20.0 ppb | < 10.0 ppb |
| Trace Impurities – Lithium (Li) | ≤ 10.0 ppb | < 1.0 ppb |
| Trace Impurities – Magnesium (Mg) | ≤ 20 ppb | < 1 ppb |
| Trace Impurities – Manganese (Mn) | ≤ 10.0 ppb | < 1.0 ppb |
| Trace Impurities – Nickel (Ni) | ≤ 20.0 ppb | < 5.0 ppb |

>>> Continued on page 2 >>>

Nitric Acid 69%
CMOS

avantor™ | J.T.Baker®

Material No.: 9606-03
Batch No.: 24D1062002

| Test | Specification | Result |
|---|---|---|
| Trace Impurities – Niobium (Nb) | ≤ 50.0 ppb | < 1.0 ppb |
| Trace Impurities – Potassium (K) | ≤ 50 ppb | 16 ppb |
| Trace Impurities – Silicon (Si) | ≤ 50 ppb | < 10 ppb |
| Trace Impurities – Silver (Ag) | ≤ 20.0 ppb | < 1.0 ppb |
| Trace Impurities – Sodium (Na) | ≤ 150.0 ppb | < 5.0 ppb |
| Trace Impurities – Strontium (Sr) | ≤ 30.0 ppb | < 1.0 ppb |
| Trace Impurities – Tantalum (Ta) | ≤ 10.0 ppb | < 5.0 ppb |
| Trace Impurities – Thallium (Tl) | ≤ 10.0 ppb | < 5.0 ppb |
| Trace Impurities – Tin (Sn) | ≤ 20.0 ppb | < 10.0 ppb |
| Trace Impurities – Titanium (Ti) | ≤ 10.0 ppb | < 1.0 ppb |
| Trace Impurities – Vanadium (V) | ≤ 10.0 ppb | < 1.0 ppb |
| Trace Impurities – Zinc (Zn) | ≤ 20.0 ppb | < 1.0 ppb |
| Trace Impurities – Zirconium (Zr) | ≤ 10.0 ppb | < 1.0 ppb |
| Particle Count – 0.5 µm and greater | ≤ 60 par/ml | 10 par/ml |
| Particle Count – 1.0 µm and greater | ≤ 10 par/ml | 3 par/ml |

>>> Continued on page 3 >>>

Nitric Acid 69%
CMOS

avantor™ | J.T.Baker®

Material No.: 9606-03
Batch No.: 24D1062002

| Test | Specification | Result |
|---|---|---|

For Microelectronic Use

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC

J Croak

Jamie Croak
Director Quality Operations, Bioscience Production

Hydrochloric Acid, 36.5-38.0%
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis

avantor™ | J.T.Baker®

Received — 08/01/2024
paper
M6039
M6040

Material No.: 9530-33
Batch No.: 24D1562005
Manufactured Date: 2024-03-18
Retest Date: 2029-03-17
Revision No.: 0

# Certificate of Analysis

| Test | Specification | Result |
|---|---|---|
| ACS - Assay (as HCl) (by acid-base titrn) | 36.5 - 38.0 % | 37.6 % |
| ACS - Color (APHA) | ≤ 10 | 5 |
| ACS - Residue after Ignition | ≤ 3 ppm | < 1 ppm |
| ACS - Specific Gravity at 60°/60°F | 1.185 - 1.192 | 1.192 |
| ACS - Bromide (Br) | ≤ 0.005 % | < 0.005 % |
| ACS - Extractable Organic Substances | ≤ 5 ppm | < 1 ppm |
| ACS - Free Chlorine (as $Cl_2$) | ≤ 0.5 ppm | < 0.5 ppm |
| Phosphate ($PO_4$) | ≤ 0.05 ppm | 0.03 ppm |
| Sulfate ($SO_4$) | ≤ 0.5 ppm | < 0.3 ppm |
| Sulfite ($SO_3$) | ≤ 0.8 ppm | 0.3 ppm |
| Ammonium ($NH_4$) | ≤ 3 ppm | < 1 ppm |
| Trace Impurities - Arsenic (As) | ≤ 0.010 ppm | < 0.003 ppm |
| Trace Impurities - Aluminum (Al) | ≤ 10.0 ppb | < 5.0 ppb |
| Arsenic and Antimony (as As) | ≤ 5.0 ppb | < 3.0 ppb |
| Trace Impurities - Barium (Ba) | ≤ 1.0 ppb | < 1.0 ppb |
| Trace Impurities - Beryllium (Be) | ≤ 1.0 ppb | < 1.0 ppb |
| Trace Impurities - Bismuth (Bi) | ≤ 10.0 ppb | < 10.0 ppb |
| Trace Impurities - Boron (B) | ≤ 20.0 ppb | 2.2 ppb |
| Trace Impurities - Cadmium (Cd) | ≤ 1.0 ppb | < 1.0 ppb |
| Trace Impurities - Calcium (Ca) | ≤ 50.0 ppb | 31.0 ppb |
| Trace Impurities - Chromium (Cr) | ≤ 1.0 ppb | 0.5 ppb |
| Trace Impurities - Cobalt (Co) | ≤ 1.0 ppb | 0.2 ppb |
| Trace Impurities - Copper (Cu) | ≤ 1.0 ppb | < 0.1 ppb |
| Trace Impurities - Gallium (Ga) | ≤ 1.0 ppb | < 0.2 ppb |
| Trace Impurities - Germanium (Ge) | ≤ 3.0 ppb | < 2.0 ppb |
| Trace Impurities - Gold (Au) | ≤ 4.0 ppb | < 0.2 ppb |
| Heavy Metals (as Pb) | ≤ 100 ppb | < 50 ppb |
| Trace Impurities - Iron (Fe) | ≤ 15 ppb | 3 ppb |

>>> Continued on page 2 >>>

Hydrochloric Acid, 36.5–38.0%
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis

avantor™ | J.T.Baker®

Material No.: 9530-33
Batch No.: 24D1562005

| Test | Specification | Result |
|---|---|---|
| Trace Impurities – Lead (Pb) | ≤ 1.0 ppb | < 0.2 ppb |
| Trace Impurities – Lithium (Li) | ≤ 1.0 ppb | < 0.1 ppb |
| Trace Impurities – Magnesium (Mg) | ≤ 10.0 ppb | 2.2 ppb |
| Trace Impurities – Manganese (Mn) | ≤ 1.0 ppb | < 0.2 ppb |
| Trace Impurities – Mercury (Hg) | ≤ 0.5 ppb | < 0.1 ppb |
| Trace Impurities – Molybdenum (Mo) | ≤ 10.0 ppb | < 5.0 ppb |
| Trace Impurities – Nickel (Ni) | ≤ 4.0 ppb | 0.2 ppb |
| Trace Impurities – Niobium (Nb) | ≤ 1.0 ppb | < 0.2 ppb |
| Trace Impurities – Potassium (K) | ≤ 9.0 ppb | < 1.0 ppb |
| Trace Impurities – Selenium (Se), For Information Only | | < 1.0 ppb |
| Trace Impurities – Silicon (Si) | ≤ 100.0 ppb | < 10.0 ppb |
| Trace Impurities – Silver (Ag) | ≤ 1.0 ppb | < 0.3 ppb |
| Trace Impurities – Sodium (Na) | ≤ 100.0 ppb | 2.0 ppb |
| Trace Impurities – Strontium (Sr) | ≤ 1.0 ppb | < 0.2 ppb |
| Trace Impurities – Tantalum (Ta) | ≤ 1.0 ppb | < 0.9 ppb |
| Trace Impurities – Thallium (Tl) | ≤ 5.0 ppb | < 2.0 ppb |
| Trace Impurities – Tin (Sn) | ≤ 5.0 ppb | < 0.4 ppb |
| Trace Impurities – Titanium (Ti) | ≤ 1.0 ppb | 0.2 ppb |
| Trace Impurities – Vanadium (V) | ≤ 1.0 ppb | < 0.2 ppb |
| Trace Impurities – Zinc (Zn) | ≤ 5.0 ppb | < 0.2 ppb |
| Trace Impurities – Zirconium (Zr) | ≤ 1.0 ppb | < 0.1 ppb |

>>> Continued on page 3 >>>

Hydrochloric Acid, 36.5-38.0%
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis

avantor™ | J.T.Baker®

Material No.: 9530-33
Batch No.: 24D1562005

| Test | Specification | Result |
|---|---|---|

For Laboratory,Research,or Manufacturing Use
Product Information (not specifications):
Appearance (clear, fuming liquid)
Meets ACS Specifications
Storage Condition: Store below 25 °C.

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC

Jamie Croak
Director Quality Operations, Bioscience Production

Nitric Acid 69%
CMOS

avantor™ | J.T.Baker®

R: 9/10/24

Material No.: 9606-03
Batch No.: 24D1062002
Manufactured Date: 2024-03-26
Retest Date: 2029-03-25
Revision No.: 0

# Certificate of Analysis

M6088, M6089, M6090, M6091, M6092, M6093

| Test | Specification | Result |
|---|---|---|
| Assay ($HNO_3$) | 69.0 – 70.0 % | 69.7 % |
| Appearance | Passes Test | Passes Test |
| Color (APHA) | ≤ 10 | 5 |
| Residue after Ignition | ≤ 2 ppm | 1 ppm |
| Chloride (Cl) | ≤ 0.08 ppm | < 0.03 ppm |
| Phosphate ($PO_4$) | ≤ 0.10 ppm | < 0.03 ppm |
| Sulfate ($SO_4$) | ≤ 0.2 ppm | < 0.2 ppm |
| Trace Impurities – Aluminum (Al) | ≤ 40.0 ppb | < 1.0 ppb |
| Arsenic and Antimony (as As) | ≤ 5.0 ppb | < 2.0 ppb |
| Trace Impurities – Barium (Ba) | ≤ 10.0 ppb | < 1.0 ppb |
| Trace Impurities – Beryllium (Be) | ≤ 10.0 ppb | < 1.0 ppb |
| Trace Impurities – Bismuth (Bi) | ≤ 20.0 ppb | < 10.0 ppb |
| Trace Impurities – Boron (B) | ≤ 10.0 ppb | < 5.0 ppb |
| Trace Impurities – Cadmium (Cd) | ≤ 50 ppb | < 1 ppb |
| Trace Impurities – Calcium (Ca) | ≤ 50.0 ppb | 2.3 ppb |
| Trace Impurities – Chromium (Cr) | ≤ 30.0 ppb | < 1.0 ppb |
| Trace Impurities – Cobalt (Co) | ≤ 10.0 ppb | < 1.0 ppb |
| Trace Impurities – Copper (Cu) | ≤ 10.0 ppb | < 1.0 ppb |
| Trace Impurities – Gallium (Ga) | ≤ 10.0 ppb | < 1.0 ppb |
| Trace Impurities – Germanium (Ge) | ≤ 20 ppb | < 10 ppb |
| Trace Impurities – Gold (Au) | ≤ 20 ppb | < 5 ppb |
| Heavy Metals (as Pb) | ≤ 100 ppb | 100 ppb |
| Trace Impurities – Iron (Fe) | ≤ 40.0 ppb | < 1.0 ppb |
| Trace Impurities – Lead (Pb) | ≤ 20.0 ppb | < 10.0 ppb |
| Trace Impurities – Lithium (Li) | ≤ 10.0 ppb | < 1.0 ppb |
| Trace Impurities – Magnesium (Mg) | ≤ 20 ppb | < 1 ppb |
| Trace Impurities – Manganese (Mn) | ≤ 10.0 ppb | < 1.0 ppb |
| Trace Impurities – Nickel (Ni) | ≤ 20.0 ppb | < 5.0 ppb |

>>> Continued on page 2 >>>

Nitric Acid 69%
CMOS

avantor™ | J.T.Baker®

Material No.: 9606-03
Batch No.: 24D1062002

| Test | Specification | Result |
|---|---|---|
| Trace Impurities – Niobium (Nb) | ≤ 50.0 ppb | < 1.0 ppb |
| Trace Impurities – Potassium (K) | ≤ 50 ppb | 16 ppb |
| Trace Impurities – Silicon (Si) | ≤ 50 ppb | < 10 ppb |
| Trace Impurities – Silver (Ag) | ≤ 20.0 ppb | < 1.0 ppb |
| Trace Impurities – Sodium (Na) | ≤ 150.0 ppb | < 5.0 ppb |
| Trace Impurities – Strontium (Sr) | ≤ 30.0 ppb | < 1.0 ppb |
| Trace Impurities – Tantalum (Ta) | ≤ 10.0 ppb | < 5.0 ppb |
| Trace Impurities – Thallium (Tl) | ≤ 10.0 ppb | < 5.0 ppb |
| Trace Impurities – Tin (Sn) | ≤ 20.0 ppb | < 10.0 ppb |
| Trace Impurities – Titanium (Ti) | ≤ 10.0 ppb | < 1.0 ppb |
| Trace Impurities – Vanadium (V) | ≤ 10.0 ppb | < 1.0 ppb |
| Trace Impurities – Zinc (Zn) | ≤ 20.0 ppb | < 1.0 ppb |
| Trace Impurities – Zirconium (Zr) | ≤ 10.0 ppb | < 1.0 ppb |
| Particle Count – 0.5 µm and greater | ≤ 60 par/ml | 10 par/ml |
| Particle Count – 1.0 µm and greater | ≤ 10 par/ml | 3 par/ml |

>>> Continued on page 3 >>>

Nitric Acid 69%
CMOS

avantor™ | J.T.Baker®

Material No.: 9606-03
Batch No.: 24D1062002

| Test | Specification | Result |
|---|---|---|

For Microelectronic Use

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC

Jamie Croak
Director Quality Operations, Bioscience Production

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

*Certified Reference Material CRM*

R: 01/03/24 M5806, M5807

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

**Part Number:** 58111
**Lot Number:** 122223
**Description:** Sodium (Na)

**Expiration Date:** 122226
**Recommended Storage:** Ambient (20 °C)
**Nominal Concentration (µg/mL):** 10000
**NIST Test Number:** 6UTB

**Weight shown below was diluted to (mL):** 3000.4 0.06 Flask Uncertainty


| | Lot # | | |
|---|---|---|---|
| **Solvent:** | 24002546 | Nitric Acid | |
| 2% | 60.0 (mL) | Nitric Acid | |

5E-05 Balance Uncertainty

Aleah O'Brady

| | | |
|---|---|---|
| Formulated By: | Aleah O'Brady | 122223 |
| Reviewed By: | Pedro L. Rentas | 122223 |

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Sodium nitrate (Na) | IN036 | NAV012015I1 | 10000 | 99.999 | 0.10 | 26.9 | 111.5406 | 111.5479 | **10000.7** | **20.0** | 7631-99-4 | 5 mg/m3 | orl-rat 3430 mg/kg | 3152a |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

**Trace Metals Verification by ICP-MS (µg/mL)**

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | T | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

**Certified by:**



* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

*Certified Reference Material CRM*

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com


R: 01/03/24 M5802, M5803

CERTIFIED WEIGHT REPORT:

| | | Lot # | Solvent: | |
|---|---|---|---|---|
| **Part Number:** | **57051** | 24002546 | Nitric Acid | |
| **Lot Number:** | **120523** | | | |
| **Description:** | **Antimony (Sb)** | | | |
| | | 2.0% | 60.0 (mL) | Nitric Acid |
| **Expiration Date:** | 120526 | | | |
| **Recommended Storage:** | Ambient (20 °C) | | | |
| **Nominal Concentration (µg/mL):** | **1000** | | | |
| **NIST Test Number:** | 6UTB | 5E-05 | Balance Uncertainty | |
| **Volume shown below was diluted to (mL):** | 3000.41 | 0.058 | Flask Uncertainty | |

| | | |
|---|---|---|
| Formulated By: | Lawrence Barry | 120523 |
| Reviewed By: | Pedro L. Rentas | 120523 |

| Compound | Part Number | Lot Number | Dilution Factor | Initial Vol. (mL) | Uncertainty Pipette (mL) | Nominal Conc. (µg/mL) | Initial Conc. (µg/mL) | Final Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Antimony (Sb) | 58151 | 100923 | 0.1000 | 300.0 | 0.084 | 1000 | 10001.4 | **1000.0** | 2.1 | 7440-36-0 | 0.5 mg/m3 | orl-rat 7000 mg/kg | 3102a |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | T | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

**Certified by:**

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

***Certified Reference Material CRM***

M6030

R: 8/5/24


ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

| | | | | | |
|---|---|---|---|---|---|
| **Part Number:** | **57047** | | **Lot #** | | |
| **Lot Number:** | **122823** | **Solvent:** | 24002546 | Nitric Acid | |
| **Description:** | **Silver (Ag)** | 2% | 80.0 (mL) | Nitric Acid | |
| **Expiration Date:** | 122826 | | | | |
| **Recommended Storage:** | Ambient (20 °C) | | | | |
| **Nominal Concentration (µg/mL):** | **1000** | | | | |
| **NIST Test Number:** | 6UTB | 5E-05 | Balance Uncertainty | | |
| **Weight shown below was diluted to (mL):** | 4000.30 | 0.058 | Flask Uncertainty | | |

| | | |
|---|---|---|
| Formulated By: | Benson Chan | 122823 |
| Reviewed By: | Pedro L. Rentas | 122823 |

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Silver nitrate (Ag) | IN035 | J0612AGA1 | 1000.0 | 99.9999 | 0.10 | 63.7 | 6.27992 | 6.27998 | **1000.0** | **2.0** | 7761-88-8 | 10 ug/m3 | NA | 3151 |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | T | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T)= Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

**Certified by:**

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

***Certified Reference Material CRM***

R: 03/16/23 M5473, M5474, M5475, M5476

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

**Part Number:** 56138
**Lot Number:** 082922
**Description:** Strontium (Sr)


**Expiration Date:** 082925
**Recommended Storage:** Ambient (20 °C)
**Nominal Concentration (µg/mL):** 10000
**NIST Test Number:** 6UTB
**Weight shown below was diluted to (mL):** 1000.12

| | Lot # | | |
|---|---|---|---|
| **Solvent:** | 20510011 | Nitric Acid | |
| 2% | 20.0 (mL) | Nitric Acid | |

5E-05 Balance Uncertainty
0.058 Flask Uncertainty

| | | |
|---|---|---|
| Formulated By: | Lawrence Barry | 082922 |
| Reviewed By: | Pedro L. Rentas | 082922 |

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Strontium nitrate (Sr) | IN017 | SRZ022018A1 | 10000 | 99.997 | 0.10 | 41.2 | 24.2756 | 24.2758 | **10000.1** | **20.0** | 10042-76-9 | NA | orl-rat >2000mg/kg | 3153a |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectroscopy (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | T | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T)= Target analyte

**Physical Characterization:**

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

***Certified Reference Material CRM***

R ! 8/5/24

M6023

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com


CERTIFIED WEIGHT REPORT:

| | | | | | |
|---|---|---|---|---|---|
| **Part Number:** | **57081** | | **Lot #** | | |
| **Lot Number:** | **062724** | **Solvent:** | 24002546 | Nitric Acid | |
| **Description:** | **Thallium (Tl)** | | | | |
| | | 2% | 40.0 (mL) | Nitric Acid | |
| **Expiration Date:** | 062727 | | | | |
| **Recommended Storage:** | Ambient (20 °C) | | | | |
| **Nominal Concentration (µg/mL):** | **1000** | | | | |
| **NIST Test Number:** | 6UTB | 5E-05 | Balance Uncertainty | | |
| **Weight shown below was diluted to (mL):** | 2000.1 | 0.10 | Flask Uncertainty | | |

Aleah O'Brady

| | | |
|---|---|---|
| Formulated By: | Aleah O'Brady | 062724 |
| Reviewed By: | Pedro L. Rentas | 062724 |

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Thallium nitrate (Tl) | IN037 | BCCF4399 | 1000 | 99.999 | 0.10 | 77.0 | 2.5975 | 2.5977 | **1000.1** | **2.0** | 10102-45-1 | 0.1 mg/m3 | orl-mus 15mg/kg | 3158 |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | T | V | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**Absolute Standards, Inc.**
800-368-1131
www.absolutestandards.com

***Certified Reference Material CRM***

M6021

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

Bc. 8/5/24

CERTIFIED WEIGHT REPORT:

| | | Lot # | Solvent: | |
|---|---|---|---|---|
| **Part Number:** | **57023** | | | |
| **Lot Number:** | **062424** | 24002546 | Nitric Acid | |
| **Description:** | **Vanadium (V)** | | | |
| | | 2.0% | 40.0 (mL) | Nitric Acid |
| **Expiration Date:** | 062427 | | | |
| **Recommended Storage:** | Ambient (20 °C) | | | |
| **Nominal Concentration (µg/mL):** | **1000** | | | |
| **NIST Test Number:** | 6UTB | 5E-05 | Balance Uncertainty | |
| **Volume shown below was diluted to (mL):** | 2000.3 | 0.06 | Flask Uncertainty | |


Aleah O'Brady

| Formulated By: | Aleah O'Brady | 062424 |
|---|---|---|

Pedro Rentas

| Reviewed By: | Pedro L. Rentas | 062424 |
|---|---|---|

| Compound | Part Number | Lot Number | Dilution Factor | Initial Vol. (mL) | Uncertainty Pipette (mL) | Nominal Conc. (µg/mL) | Initial Conc. (µg/mL) | Final Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Ammonium metavanadate (V) | 58123 | 021224 | 0.1000 | 200.0 | 0.084 | 1000 | 10000.3 | **1000.0** | **2.2** | 7803-55-6 | 0.05 mg/m3 | orl-rat 58.1mg/kg | 3165 |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

**Trace Metals Verification by ICP-MS (µg/mL)**

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2 | Tb | <0.02 | W | <0.02 |
| Sb | <0.02 | Ca | <0.2 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U | <0.02 |
| As | <0.2 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V | T |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2 | Hg | <0.2 | P | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K | <0.2 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

**Certified by:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

Alliance TECHNICAL GROUP

**Soil/Sludge Metals Preparation Sheet**

PB164278

**SOP ID :** M3050B-Digestion-20, MSFAM01.1-Trace Metals-2

**SDG No :** MYDBD4

**Matrix :** SOIL

**Pippete ID:** ICP A

**Balance ID :** M SC-2

**Filter paper ID :** N/A

**pH Strip ID :** N/A

**Hood ID :** #3

**Block ID:** 1. HOT BLOCK #2 2. N/A

**Start Digest Date:** 10/21/2024 **Time :** 09:30 **Temp :** 97 °C

**End Digest Date:** 10/21/2024 **Time :** 12:30 **Temp :** 97 °C

**Digestion tube ID:** M6054

**Block thermometer ID:** MET-DIG. #2

**Dig Technician Signature:** JGP

**Supervisor Signature:**

**Temp :** 1. 95°C 2. N/A

| Standared Name | MLS USED | STD REF. # FROM LOG |
|---|---|---|
| LCSS | 1.00 | MP82711 |
| LCSSD | 0.50 | MP82711 |
| Spike Sol 6 | 2.00 | MP82731 |
| N/A | N/A | N/A |
| N/A | N/A | N/A |

| Chemical Used | ML/SAMPLE USED | Lot Number |
|---|---|---|
| 1:1 HNO3 | 10.00 | MP81119 |
| 1:1 HCL | 5.00 | MP82127 |
| Conc. HNO3 | 5.00 | M6090 |
| 30% H2O2 | 3.00 | M5634 |
| N/A | N/A | N/A |
| N/A | N/A | N/A |
| N/A | N/A | N/A |
| N/A | N/A | N/A |
| N/A | N/A | N/A |
| N/A | N/A | N/A |

**Extraction Conformance/Non-Conformance Comments:**

HOT BLOCK #2 Cell #34 Temp.: 97 C

| Date / Time | Prepped Sample Relinquished By/Location | Received By/Location |
|---|---|---|
| 10/21/24 12:40 | JGP / Met dig | |
| | Preparation Group | Analysis Group |

Alliance TECHNICAL GROUP

**Soil/Sludge Metals Preparation Sheet**

**PB164278**

| Lab Sample ID | Client Sample ID | pH | Initial Weight (g) | Final Vol (ml) | Color Before | Color After | Texture | Artifact | Comment | Prep Pos |
|---|---|---|---|---|---|---|---|---|---|---|
| P4332-01 | MYDBD4 | N/A | 1.15 | 100 | Brown | Yellow | Medium | N/A | N/A | 1 |
| P4332-02 | MYDBD5 | N/A | 1.12 | 100 | Brown | Yellow | Medium | N/A | N/A | 2 |
| P4332-03 | MYDBD6 | N/A | 1.23 | 100 | Brown | Yellow | Medium | N/A | N/A | 3 |
| P4332-04 | MYDBD7 | N/A | 1.38 | 100 | Brown | Yellow | Medium | N/A | N/A | 4 |
| P4332-05 | MYDBD8 | N/A | 1.41 | 100 | Brown | Yellow | Medium | N/A | N/A | 5 |
| P4332-06 | MYDBD9 | N/A | 1.19 | 100 | Brown | Yellow | Medium | N/A | N/A | 6 |
| P4332-07 | MYDBE0 | N/A | 1.26 | 100 | Brown | Yellow | Medium | N/A | N/A | 7 |
| P4332-08 | MYDBE1 | N/A | 1.24 | 100 | Brown | Yellow | Medium | N/A | N/A | 8 |
| P4332-09 | MYDBE2 | N/A | 1.22 | 100 | Brown | Yellow | Medium | N/A | N/A | 9 |
| P4332-10 | MYDBE3 | N/A | 1.46 | 100 | Brown | Yellow | Medium | N/A | N/A | 10 |
| P4332-11 | MYDBE4 | N/A | 1.08 | 100 | Brown | Yellow | Medium | N/A | N/A | 11 |
| P4332-12 | MYDBE5 | N/A | 1.30 | 100 | Brown | Yellow | Medium | N/A | N/A | 12 |
| P4332-13 | MYDBE6 | N/A | 1.15 | 100 | Brown | Yellow | Medium | N/A | N/A | 13 |
| P4332-14 | MYDBE6D | N/A | 1.49 | 100 | Brown | Yellow | Medium | N/A | N/A | 15 |
| P4332-15 | MYDBE6S | N/A | 1.41 | 100 | Brown | Yellow | Medium | N/A | MP82731 | 29 |
| P4332-16 | MYDBE7 | N/A | 1.19 | 100 | Brown | Yellow | Medium | N/A | N/A | 17 |
| P4332-17 | MYDBE8 | N/A | 1.21 | 100 | Brown | Yellow | Medium | N/A | N/A | 18 |
| P4332-18 | MYDBE9 | N/A | 1.40 | 100 | Brown | Yellow | Medium | N/A | N/A | 19 |
| P4332-19 | MYDBF0 | N/A | 1.18 | 100 | Brown | Yellow | Medium | N/A | N/A | 20 |
| P4332-20 | MYDBF1 | N/A | 1.31 | 100 | Brown | Yellow | Medium | N/A | N/A | 21 |
| P4332-21 | MYDBF2 | N/A | 1.25 | 100 | Brown | Yellow | Medium | N/A | N/A | 22 |
| P4332-22 | MYDBF3 | N/A | 1.31 | 100 | Brown | Yellow | Medium | N/A | N/A | 23 |
| PB164278BL | PBS278 | N/A | 1.00 | 100 | Colorless | Colorless | Fine | N/A | N/A | 24 |
| PB164278BS | LCS278 | N/A | 1.00 | 100 | Colorless | Colorless | Fine | N/A | MP82711 | 27 |
| PB164278BSD | LCSD278 | N/A | 1.00 | 100 | Colorless | Colorless | Fine | N/A | MP82711 | 28 |

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

**Instrument ID:** P5

## Daily Analysis Runlog For Sequence/QCBatch ID # LB133139

| | | | |
|---|---|---|---|
| Review By | Mohan Bera | Review On | 10/29/2024 7:18:23 AM |
| Supervise By | Sarabjit Jaswal | Supervise On | 10/30/2024 6:08:53 AM |

| STD. NAME | STD REF.# |
|---|---|
| ICAL Standard | MP82441,MP82632,MP82446,MP82445,MP82444,MP82443,MP82442 |
| ICV Standard | MP82450 |
| CCV Standard | MP82453 |
| ICSA Standard | MP82451,MP82452 |
| CRI Standard | |
| LCS Standard | MP82711 |
| Chk Standard | MP82455,MP82456 |

| Sr# | SampleId | ClientID | QcType | Date | Comment | Operator | Status |
|---|---|---|---|---|---|---|---|
| 1 | S0 | S0 | CAL1 | 10/25/24 19:21 | | Kareem | OK |
| 2 | S1 | S01 | CAL2 | 10/25/24 19:26 | | Kareem | OK |
| 3 | S2 | S02 | CAL3 | 10/25/24 19:31 | | Kareem | OK |
| 4 | S3 | S03 | CAL4 | 10/25/24 19:35 | | Kareem | OK |
| 5 | S4 | S04 | CAL5 | 10/25/24 19:39 | | Kareem | OK |
| 6 | S5 | S05 | CAL6 | 10/25/24 19:43 | | Kareem | OK |
| 7 | S6 | S06 | CAL7 | 10/25/24 19:48 | | Kareem | OK |
| 8 | ICV001 | ICV001 | ICV | 10/25/24 19:53 | | Kareem | OK |
| 9 | ICB001 | ICB001 | ICB | 10/25/24 19:57 | | Kareem | OK |
| 10 | ICSA001 | ICSA001 | ICSA | 10/25/24 20:02 | | Kareem | OK |
| 11 | ICSAB001 | ICSAB001 | ICSAB | 10/25/24 20:17 | Inst. paused for review | Kareem | OK |
| 12 | CCV001 | CCV001 | CCV | 10/25/24 20:43 | Inst. paused for review | Kareem | OK |
| 13 | CCB001 | CCB001 | CCB | 10/25/24 20:47 | | Kareem | OK |
| 14 | P4333-01DL | MYDBF4 | SAM | 10/25/24 20:52 | NOT USE | Kareem | Not Ok |
| 15 | P4333-02DL | MYDBF5 | SAM | 10/25/24 20:56 | | Kareem | OK |
| 16 | P4333-03DL | MYDBF5D | DUP | 10/25/24 21:01 | | Kareem | OK |
| 17 | P4333-04DL | MYDBF5S | MS | 10/25/24 21:05 | | Kareem | OK |
| 18 | P4333-02LDL | MYDBF5L | SD | 10/25/24 21:09 | | Kareem | OK |

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

**Instrument ID:** P5

## Daily Analysis Runlog For Sequence/QCBatch ID # LB133139

| | | | |
|---|---|---|---|
| Review By | Mohan Bera | Review On | 10/29/2024 7:18:23 AM |
| Supervise By | Sarabjit Jaswal | Supervise On | 10/30/2024 6:08:53 AM |

| STD. NAME | STD REF.# |
|---|---|
| ICAL Standard | MP82441,MP82632,MP82446,MP82445,MP82444,MP82443,MP82442 |
| ICV Standard | MP82450 |
| CCV Standard | MP82453 |
| ICSA Standard | MP82451,MP82452 |
| CRI Standard | |
| LCS Standard | MP82711 |
| Chk Standard | MP82455,MP82456 |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 19 | PB164280BL | PBS280 | MB | 10/25/24 21:14 | NOT USE | Kareem | Not Ok |
| 20 | PB164280BS | LCS280 | LCS | 10/25/24 21:18 | NOT USE | Kareem | Not Ok |
| 21 | PB164280BSD | LCSD280 | LCSD | 10/25/24 21:23 | NOT USE | Kareem | Not Ok |
| 22 | P4331-01DL | MYDBB4 | SAM | 10/25/24 21:27 | | Kareem | OK |
| 23 | P4331-02DL | MYDBB5 | SAM | 10/25/24 21:32 | | Kareem | OK |
| 24 | P4331-03DL | MYDBB6 | SAM | 10/25/24 21:36 | | Kareem | OK |
| 25 | P4331-04DL | MYDBB7 | SAM | 10/25/24 21:40 | Mn high | Kareem | Dilution |
| 26 | P4331-05DL | MYDBB7D | DUP | 10/25/24 21:45 | Mn high | Kareem | Dilution |
| 27 | P4331-06DL | MYDBB7S | MS | 10/25/24 21:49 | Mn high, MS fail for Zn (2124.91 ppb), Sb,Se (Below RL) | Kareem | Dilution |
| 28 | P4331-04LDL | MYDBB7L | SD | 10/25/24 21:53 | Mn high | Kareem | Dilution |
| 29 | P4331-07DL | MYDBB8 | SAM | 10/25/24 21:58 | | Kareem | OK |
| 30 | P4331-08DL | MYDBB9 | SAM | 10/25/24 22:02 | | Kareem | OK |
| 31 | P4331-09DL | MYDBC0 | SAM | 10/25/24 22:07 | | Kareem | OK |
| 32 | P4331-10DL | MYDBC1 | SAM | 10/25/24 22:11 | | Kareem | OK |
| 33 | P4331-11DL | MYDBC2 | SAM | 10/25/24 22:15 | | Kareem | OK |
| 34 | CCV002 | CCV002 | CCV | 10/25/24 22:20 | | Kareem | OK |
| 35 | CCB002 | CCB002 | CCB | 10/25/24 22:24 | | Kareem | OK |
| 36 | P4331-12DL | MYDBC3 | SAM | 10/25/24 22:29 | | Kareem | OK |
| 37 | P4331-13DL | MYDBC4 | SAM | 10/25/24 22:33 | | Kareem | OK |

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

**Instrument ID:** P5

## Daily Analysis Runlog For Sequence/QCBatch ID # LB133139

| | | | |
|---|---|---|---|
| Review By | Mohan Bera | Review On | 10/29/2024 7:18:23 AM |
| Supervise By | Sarabjit Jaswal | Supervise On | 10/30/2024 6:08:53 AM |

| STD. NAME | STD REF.# |
|---|---|
| ICAL Standard | MP82441,MP82632,MP82446,MP82445,MP82444,MP82443,MP82442 |
| ICV Standard | MP82450 |
| CCV Standard | MP82453 |
| ICSA Standard | MP82451,MP82452 |
| CRI Standard | |
| LCS Standard | MP82711 |
| Chk Standard | MP82455,MP82456 |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 38 | P4331-14DL | MYDBC5 | SAM | 10/25/24 22:37 | | Kareem | OK |
| 39 | P4331-15DL | MYDBC6 | SAM | 10/25/24 22:42 | | Kareem | OK |
| 40 | P4331-16DL | MYDBC7 | SAM | 10/25/24 22:46 | | Kareem | OK |
| 41 | P4331-17DL | MYDBC8 | SAM | 10/25/24 22:50 | | Kareem | OK |
| 42 | P4331-18DL | MYDBC9 | SAM | 10/25/24 22:55 | | Kareem | OK |
| 43 | P4331-19DL | MYDBD0 | SAM | 10/25/24 22:59 | | Kareem | OK |
| 44 | P4331-20DL | MYDBD1 | SAM | 10/25/24 23:03 | | Kareem | OK |
| 45 | P4331-21DL | MYDBD2 | SAM | 10/25/24 23:08 | | Kareem | OK |
| 46 | P4331-22DL | MYDBD3 | SAM | 10/25/24 23:12 | | Kareem | OK |
| 47 | PB164276BL | PBS276 | MB | 10/25/24 23:17 | | Kareem | OK |
| 48 | PB164276BS | LCS276 | LCS | 10/25/24 23:21 | | Kareem | OK |
| 49 | PB164276BSD | LCSD276 | LCSD | 10/25/24 23:26 | | Kareem | OK |
| 50 | P4332-01DL | MYDBD4 | SAM | 10/25/24 23:30 | | Kareem | OK |
| 51 | P4332-02DL | MYDBD5 | SAM | 10/25/24 23:34 | | Kareem | OK |
| 52 | P4332-03DL | MYDBD6 | SAM | 10/25/24 23:39 | | Kareem | OK |
| 53 | P4332-04DL | MYDBD7 | SAM | 10/25/24 23:43 | | Kareem | OK |
| 54 | P4332-05DL | MYDBD8 | SAM | 10/25/24 23:47 | | Kareem | OK |
| 55 | P4332-06DL | MYDBD9 | SAM | 10/25/24 23:52 | | Kareem | OK |
| 56 | CCV003 | CCV003 | CCV | 10/25/24 23:56 | | Kareem | OK |
| 57 | CCB003 | CCB003 | CCB | 10/26/24 | | Kareem | OK |

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

**Instrument ID:** P5

## Daily Analysis Runlog For Sequence/QCBatch ID # LB133139

| | | | |
|---|---|---|---|
| Review By | Mohan Bera | Review On | 10/29/2024 7:18:23 AM |
| Supervise By | Sarabjit Jaswal | Supervise On | 10/30/2024 6:08:53 AM |

| STD. NAME | STD REF.# |
|---|---|
| ICAL Standard | MP82441,MP82632,MP82446,MP82445,MP82444,MP82443,MP82442 |
| ICV Standard | MP82450 |
| CCV Standard | MP82453 |
| ICSA Standard | MP82451,MP82452 |
| CRI Standard | |
| LCS Standard | MP82711 |
| Chk Standard | MP82455,MP82456 |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 58 | P4332-07DL | MYDBE0 | SAM | 10/26/24 00:05 | | Kareem | OK |
| 59 | P4332-08DL | MYDBE1 | SAM | 10/26/24 00:09 | | Kareem | OK |
| 60 | P4332-09DL | MYDBE2 | SAM | 10/26/24 00:14 | | Kareem | OK |
| 61 | P4332-10DL | MYDBE3 | SAM | 10/26/24 00:18 | | Kareem | OK |
| 62 | P4332-11DL | MYDBE4 | SAM | 10/26/24 00:22 | | Kareem | OK |
| 63 | P4332-12DL | MYDBE5 | SAM | 10/26/24 00:27 | | Kareem | OK |
| 64 | P4332-13DL | MYDBE6 | SAM | 10/26/24 00:31 | | Kareem | OK |
| 65 | P4332-14DL | MYDBE6D | DUP | 10/26/24 00:35 | | Kareem | OK |
| 66 | P4332-15DL | MYDBE6S | MS | 10/26/24 00:40 | MS fail for Cr (495.04 ppb), Sb,Se (Below RL) | Kareem | OK |
| 67 | P4332-13LDL | MYDBE6L | SD | 10/26/24 00:44 | | Kareem | OK |
| 68 | P4332-16DL | MYDBE7 | SAM | 10/26/24 00:48 | | Kareem | OK |
| 69 | P4332-17DL | MYDBE8 | SAM | 10/26/24 00:53 | | Kareem | OK |
| 70 | P4332-18DL | MYDBE9 | SAM | 10/26/24 00:57 | | Kareem | OK |
| 71 | P4332-19DL | MYDBF0 | SAM | 10/26/24 01:01 | | Kareem | OK |
| 72 | P4332-20DL | MYDBF1 | SAM | 10/26/24 01:06 | | Kareem | OK |
| 73 | P4332-21DL | MYDBF2 | SAM | 10/26/24 01:10 | | Kareem | OK |
| 74 | P4332-22DL | MYDBF3 | SAM | 10/26/24 01:14 | | Kareem | OK |
| 75 | PB164278BL | PBS278 | MB | 10/26/24 01:19 | | Kareem | OK |
| 76 | PB164278BS | LCS278 | LCS | 10/26/24 01:23 | | Kareem | OK |

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

**Instrument ID:** P5

## Daily Analysis Runlog For Sequence/QCBatch ID # LB133139

| | | | |
|---|---|---|---|
| Review By | Mohan Bera | Review On | 10/29/2024 7:18:23 AM |
| Supervise By | Sarabjit Jaswal | Supervise On | 10/30/2024 6:08:53 AM |

| STD. NAME | STD REF.# |
|---|---|
| ICAL Standard | MP82441,MP82632,MP82446,MP82445,MP82444,MP82443,MP82442 |
| ICV Standard | MP82450 |
| CCV Standard | MP82453 |
| ICSA Standard | MP82451,MP82452 |
| CRI Standard | |
| LCS Standard | MP82711 |
| Chk Standard | MP82455,MP82456 |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 77 | PB164278BSD | LCSD278 | LCSD | 10/26/24 01:28 | | Kareem | OK |
| 78 | CCV004 | CCV004 | CCV | 10/26/24 01:32 | | Kareem | OK |
| 79 | CCB004 | CCB004 | CCB | 10/26/24 01:36 | | Kareem | OK |

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

**Instrument ID:** P5

## Daily Analysis Runlog For Sequence/QCBatch ID # LB133180

| | | | |
|---|---|---|---|
| Review By | Mohan Bera | Review On | 10/29/2024 7:20:56 AM |
| Supervise By | Sarabjit Jaswal | Supervise On | 10/30/2024 8:19:54 AM |

| STD. NAME | STD REF.# |
|---|---|
| ICAL Standard | MP82441,MP82632,MP82446,MP82445,MP82444,MP82443,MP82442 |
| ICV Standard | MP82450 |
| CCV Standard | MP82453 |
| ICSA Standard | MP82451,MP82452 |
| CRI Standard | |
| LCS Standard | |
| Chk Standard | MP82455,MP82456 |

| Sr# | SampleId | ClientID | QcType | Date | Comment | Operator | Status |
|---|---|---|---|---|---|---|---|
| 1 | S0 | S0 | CAL1 | 10/28/24 16:50 | | Kareem | OK |
| 2 | S1 | S01 | CAL2 | 10/28/24 16:54 | | Kareem | OK |
| 3 | S2 | S02 | CAL3 | 10/28/24 16:59 | | Kareem | OK |
| 4 | S3 | S03 | CAL4 | 10/28/24 17:03 | | Kareem | OK |
| 5 | S4 | S04 | CAL5 | 10/28/24 17:07 | | Kareem | OK |
| 6 | S5 | S05 | CAL6 | 10/28/24 17:12 | | Kareem | OK |
| 7 | S6 | S06 | CAL7 | 10/28/24 17:16 | | Kareem | OK |
| 8 | ICV003 | ICV003 | ICV | 10/28/24 19:08 | Inst. paused for calibration review | Kareem | OK |
| 9 | ICB003 | ICB003 | ICB | 10/28/24 19:13 | | Kareem | OK |
| 10 | ICSA003 | ICSA003 | ICSA | 10/28/24 19:17 | | Kareem | OK |
| 11 | ICSAB003 | ICSAB003 | ICSAB | 10/28/24 19:22 | | Kareem | OK |
| 12 | CCV010 | CCV010 | CCV | 10/28/24 19:26 | | Kareem | OK |
| 13 | CCB010 | CCB010 | CCB | 10/28/24 19:30 | | Kareem | OK |
| 14 | P4331-04DL | MYDBB7 | SAM | 10/28/24 19:35 | 5x for Mn | Kareem | Confirms |
| 15 | P4331-05DL | MYDBB7D | DUP | 10/28/24 19:39 | 5x for Mn | Kareem | Confirms |
| 16 | P4331-06DL | MYDBB7S | MS | 10/28/24 19:44 | 5x for Mn | Kareem | Confirms |
| 17 | P4331-04LDL | MYDBB7L | SD | 10/28/24 19:48 | 25x for Mn | Kareem | Confirms |
| 18 | P4331-04ADLRE | MYDBB7A | PS | 10/28/24 19:53 | NOT USE | Kareem | Not Ok |

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

**Instrument ID:** P5

## Daily Analysis Runlog For Sequence/QCBatch ID # LB133180

| | | | |
|---|---|---|---|
| Review By | Mohan Bera | Review On | 10/29/2024 7:20:56 AM |
| Supervise By | Sarabjit Jaswal | Supervise On | 10/30/2024 8:19:54 AM |

| STD. NAME | STD REF.# |
|---|---|
| ICAL Standard | MP82441,MP82632,MP82446,MP82445,MP82444,MP82443,MP82442 |
| ICV Standard | MP82450 |
| CCV Standard | MP82453 |
| ICSA Standard | MP82451,MP82452 |
| CRI Standard | |
| LCS Standard | |
| Chk Standard | MP82455,MP82456 |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 19 | P4332-13ADLRE | MYDBE6A | PS | 10/28/24 19:57 | NOT USE | Kareem | Not Ok |
| 20 | P4333-01DL | MYDBF4 | SAM | 10/28/24 20:01 | | Kareem | OK |
| 21 | PB164280BL | PBS280 | MB | 10/28/24 20:06 | | Kareem | OK |
| 22 | PB164280BS | LCS280 | LCS | 10/28/24 20:10 | | Kareem | OK |
| 23 | PB164280BSD | LCSD280 | LCSD | 10/28/24 20:15 | | Kareem | OK |
| 24 | CCV011 | CCV011 | CCV | 10/28/24 20:20 | | Kareem | OK |
| 25 | CCB011 | CCB011 | CCB | 10/28/24 20:24 | | Kareem | OK |
| 26 | P4331-04ADL | MYDBB7A | PS | 10/28/24 21:02 | PS For Zn,Sb,Se - 0.043 -M5819 , 0.12 - MP82589 , 0.07-MP82590 | Kareem | OK |
| 27 | P4332-13ADL | MYDBE6A | PS | 10/28/24 21:06 | PS for Cr - 0.01-M5658,Sb-0.12-MP82589,Se-0.07-MP82590 | Kareem | OK |
| 28 | CCV012 | CCV012 | CCV | 10/28/24 21:11 | | Kareem | OK |
| 29 | CCB012 | CCB012 | CCB | 10/28/24 21:15 | | Kareem | OK |