

Initial Calibration Report for SequenceID : FC100224AL

AreaCount

Parameter Range	FC067312.D	FC067313.D	FC067314.D	FC067315.D	FC067316.D	
Aliphatic C9-C12	36157754.000	18468554.000	7796622.000	3912320.000	2066528.000	
Aliphatic C12-C16	24671572.000	12642565.000	5319639.000	2676246.000	1382016.000	
Aliphatic C16-C21	36539622.000	18852548.000	8005327.000	4100822.000	2096729.000	
Aliphatic C21-C28	47235980.000	24590379.000	10215208.000	5219473.000	2697991.000	
Aliphatic C28-C40	57341685.000	29822245.000	12674884.000	6440179.000	3544258.000	
Aliphatic EPH	201946613.000	104376291.000	44011680.000	22349040.000	11787522.000	

AVG Response Factor

Parameter Range	AVG RF	% RSD				
Aliphatic C9-C12	128354.4879996	5.284				
Aliphatic C12-C16	130957.677	4.567				
Aliphatic C16-C21	131476.1019996	5.732				
Aliphatic C21-C28	126823.664	5.15				
Aliphatic C28-C40	105215.848333	8.211				
Aliphatic EPH	121110.9372216	6.036				

Concentration

Parameter Range	FC067312.D	FC067313.D	FC067314.D	FC067315.D	FC067316.D	
Aliphatic C9-C12	300.000	150.000	60.000	30.000	15.000	
Aliphatic C12-C16	200.000	100.000	40.000	20.000	10.000	
Aliphatic C16-C21	300.000	150.000	60.000	30.000	15.000	
Aliphatic C21-C28	400.000	200.000	80.000	40.000	20.000	
Aliphatic C28-C40	600.000	300.000	120.000	60.000	30.000	
Aliphatic EPH	1800.000	900.000	360.000	180.000	90.000	

Response Factor

Parameter Range	FC067312.D	FC067313.D	FC067314.D	FC067315.D	FC067316.D	
Aliphatic C9-C12	120525.846666	123123.693333	129943.700000	130410.666666	137768.533333	
Aliphatic C12-C16	123357.860000	126425.650000	132990.975000	133812.300000	138201.600000	
Aliphatic C16-C21	121798.740000	125683.653333	133422.116666	136694.066666	139781.933333	

Initial Calibration Report for SequenceID : FC100224AL

Aliphatic C21-C28	118089.950000	122951.895000	127690.100000	130486.825000	134899.550000	
Aliphatic C28-C40	95569.475000	99407.483333	105624.033333	107336.316666	118141.933333	
Aliphatic EPH	112192.562777	115973.656666	122254.666666	124161.333333	130972.466666	

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\F100224AL\
 Data File : FC067312.D
 Signal(s) : FID1A.ch
 Acq On : 30 Sep 2024 10:32
 Operator : YP/AJ
 Sample : 100 PPM ALIPHATIC HC STD1
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :
 100 PPM ALIPHATIC HC STD1

Integration File: autoint1.e
 Quant Time: Oct 01 09:09:41 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 100224.M
 Quant Title : GC Extractables
 QLast Update : Tue Oct 01 09:07:31 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.507	14031279	90.846 ug/ml
Spiked Amount 50.000		Recovery =	181.69%
12) S 1-chlorooctadecane (S...	12.944	10549566	91.667 ug/ml
Spiked Amount 50.000		Recovery =	183.33%
Target Compounds			
1) T n-Nonane (C9)	3.274	11861469	92.598 ug/ml
2) T n-Decane (C10)	4.341	12068578	92.595 ug/ml
3) T A~Naphthalene (C11.7)	5.920	13362934	92.860 ug/ml
4) T n-Dodecane (C12)	6.359	12227707	93.059 ug/ml
5) T A~2-methylnaphthalene...	6.977	13024556	93.287 ug/ml
6) T n-Tetradecane (C14)	8.152	12180763	93.109 ug/ml
7) T n-Hexadecane (C16)	9.752	12490809	92.415 ug/ml
8) T n-Octadecane (C18)	11.195	12572452	91.327 ug/ml
10) T n-Eicosane (C20)	12.501	12084501	91.351 ug/ml
11) T n-Heneicosane (C21)	13.112	11882669	91.183 ug/ml
13) T n-Docosane (C22)	13.698	11869877	91.916 ug/ml
14) T n-Tetracosane (C24)	14.799	11932581	92.694 ug/ml
15) T n-Hexacosane (C26)	15.819	11803866	93.014 ug/ml
16) T n-Octacosane (C28)	16.768	11629656	92.309 ug/ml
17) T n-Tricontane (C30)	17.655	11716937	91.007 ug/ml
18) T n-Dotriacontane (C32)	18.486	11186042	89.566 ug/ml
19) T n-Tetratriacontane (C34)	19.267	9833987	89.675 ug/ml
20) T n-Hexatriacontane (C36)	20.005	8551618	89.685 ug/ml
21) T n-Octatriacontane (C38)	20.730	8143888	91.977 ug/ml
22) T n-Tetracontane (C40)	21.618	7909213	91.385 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC100224AL\
Data File : FC067312.D
Signal(s) : FID1A.ch
Acq On : 30 Sep 2024 10:32
Operator : YP/AJ
Sample : 100 PPM ALIPHATIC HC STD1
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :
100 PPM ALIPHATIC HC STD1

Integration File: autoint1.e
Quant Time: Oct 01 09:09:41 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 100224.M
Quant Title : GC Extractables
QLast Update : Tue Oct 01 09:07:31 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.274 min
Delta R.T.: 0.003 min
Response: 11861469
Conc: 92.60 ug/ml

Instrument :
FID_C
ClientSampleId :
100 PPM ALIPHATIC HC STD1




#2 n-Decane (C10)

R.T.: 4.341 min
Delta R.T.: 0.004 min
Response: 12068578
Conc: 92.59 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 5.920 min
Delta R.T.: 0.005 min
Response: 13362934
Conc: 92.86 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.359 min
Delta R.T.: 0.005 min
Response: 12227707
Conc: 93.06 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 6.977 min
Delta R.T.: 0.007 min
Response: 13024556
Conc: 93.29 ug/ml

Instrument :
FID_C
ClientSampleId :
100 PPM ALIPHATIC HC STD1




#6 n-Tetradecane (C14)

R.T.: 8.152 min
Delta R.T.: 0.006 min
Response: 12180763
Conc: 93.11 ug/ml




#7 n-Hexadecane (C16)

R.T.: 9.752 min
Delta R.T.: 0.007 min
Response: 12490809
Conc: 92.42 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.195 min
Delta R.T.: 0.008 min
Response: 12572452
Conc: 91.33 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.507 min
Delta R.T.: 0.010 min
Response: 14031279
Conc: 90.85 ug/ml

Instrument :
FID_C
ClientSampleId :
100 PPM ALIPHATIC HC STD1




#10 n-Eicosane (C20)

R.T.: 12.501 min
Delta R.T.: 0.007 min
Response: 12084501
Conc: 91.35 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.112 min
Delta R.T.: 0.007 min
Response: 11882669
Conc: 91.18 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 12.944 min
Delta R.T.: 0.008 min
Response: 10549566
Conc: 91.67 ug/ml



#13 n-Docosane (C22)


R.T.: 13.698 min
Delta R.T.: 0.007 min
Response: 11869877
Conc: 91.92 ug/ml

Instrument :
FID_C
ClientSampleId :
100 PPM ALIPHATIC HC STD1




#14 n-Tetracosane (C24)

R.T.: 14.799 min
Delta R.T.: 0.007 min
Response: 11932581
Conc: 92.69 ug/ml




#15 n-Hexacosane (C26)

R.T.: 15.819 min
Delta R.T.: 0.007 min
Response: 11803866
Conc: 93.01 ug/ml



#16 n-Octacosane (C28)


R.T.: 16.768 min
Delta R.T.: 0.008 min
Response: 11629656
Conc: 92.31 ug/ml



#17 n-Tricontane (C30)


R.T.: 17.655 min
Delta R.T.: 0.009 min
Response: 11716937
Conc: 91.01 ug/ml

Instrument :
FID_C
ClientSampleId :
100 PPM ALIPHATIC HC STD1




#18 n-Dotriacontane (C32)

R.T.: 18.486 min
Delta R.T.: 0.008 min
Response: 11186042
Conc: 89.57 ug/ml




#19 n-Tetratriacontane (C34)

R.T.: 19.267 min
Delta R.T.: 0.007 min
Response: 9833987
Conc: 89.67 ug/ml



#20 n-Hexatriacontane (C36)

R.T.: 20.005 min
Delta R.T.: 0.006 min
Response: 8551618
Conc: 89.68 ug/ml



#21 n-Octatriacontane (C38)


R.T.: 20.730 min
Delta R.T.: 0.007 min
Response: 8143888
Conc: 91.98 ug/ml

Instrument :

FID_C

ClientSampleId :

100 PPM ALIPHATIC HC STD1



#22 n-Tetracontane (C40)

R.T.: 21.618 min
Delta R.T.: 0.011 min
Response: 7909213
Conc: 91.39 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC100224AL\
Data File : FC067312.D
Signal(s) : FID1A.ch
Acq On : 30 Sep 2024 10:32
Sample : 100 PPM ALIPHATIC HC STD1
Misc :
ALS Vial : 11 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 100224.M
Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.274	3.245	3.348	BB	1383198	11861469	84.54%	4.690%
2	4.341	4.285	4.422	BB	1311158	12068578	86.01%	4.772%
3	5.920	5.853	6.020	BB	1395892	13362934	95.24%	5.284%
4	6.359	6.287	6.433	BB	1182095	12227707	87.15%	4.835%
5	6.977	6.923	7.092	BV	1262404	13024556	92.83%	5.150%
6	8.152	8.078	8.242	BB	1106375	12180763	86.81%	4.816%
7	9.752	9.705	9.847	BB	1075584	12490809	89.02%	4.939%
8	11.195	11.142	11.283	BB	1062471	12572452	89.60%	4.971%
9	11.507	11.430	11.585	BB	1222706	14031279	100.00%	5.548%
10	12.501	12.433	12.570	BB	971541	12084501	86.13%	4.778%
11	12.944	12.852	13.015	BB	876626	10549566	75.19%	4.171%
12	13.112	13.042	13.187	BB	943769	11882669	84.69%	4.698%
13	13.698	13.658	13.773	VB	931064	11869877	84.60%	4.693%
14	14.799	14.697	14.887	BB	947814	11932581	85.04%	4.718%
15	15.819	15.732	15.903	BB	851235	11803866	84.13%	4.667%
16	16.768	16.677	16.872	BB	807852	11629656	82.88%	4.598%
17	17.655	17.572	17.730	PB	806791	11716937	83.51%	4.633%
18	18.486	18.410	18.555	BV	761825	11186042	79.72%	4.423%
19	19.267	19.210	19.367	BB	643849	9833987	70.09%	3.888%
20	20.005	19.948	20.100	BB	565289	8551618	60.95%	3.381%
21	20.730	20.588	20.838	BV	454057	8143888	58.04%	3.220%
22	21.618	21.518	21.740	BB	326286	7909213	56.37%	3.127%
Sum of corrected areas:						252914944		

Aliphatic EPH 100224.M Tue Oct 01 09:20:12 2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC100224AL\
 Data File : FC067313.D
 Signal(s) : FID1A.ch
 Acq On : 30 Sep 2024 11:10
 Operator : YP/AJ
 Sample : 50 PPM ALIPHATIC HC STD2
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :
 50 PPM ALIPHATIC HC STD2

Integration File: autoint1.e
 Quant Time: Oct 01 09:10:44 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 100224.M
 Quant Title : GC Extractables
 QLast Update : Tue Oct 01 09:07:31 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.501	7231579	49.067 ug/ml
Spiked Amount 50.000		Recovery =	98.13%
12) S 1-chlorooctadecane (S...	12.939	5426500	49.202 ug/ml
Spiked Amount 50.000		Recovery =	98.40%
Target Compounds			
1) T n-Nonane (C9)	3.272	6059731	49.124 ug/ml
2) T n-Decane (C10)	4.338	6163543	49.107 ug/ml
3) T A~Naphthalene (C11.7)	5.917	6821781	49.160 ug/ml
4) T n-Dodecane (C12)	6.355	6245280	49.239 ug/ml
5) T A~2-methylnaphthalene...	6.972	6641948	49.224 ug/ml
6) T n-Tetradecane (C14)	8.149	6219770	49.240 ug/ml
7) T n-Hexadecane (C16)	9.748	6422795	49.393 ug/ml
8) T n-Octadecane (C18)	11.188	6493088	49.304 ug/ml
10) T n-Eicosane (C20)	12.497	6235508	49.267 ug/ml
11) T n-Heneicosane (C21)	13.107	6123952	49.160 ug/ml
13) T n-Docosane (C22)	13.693	6132673	49.489 ug/ml
14) T n-Tetracosane (C24)	14.795	6211203	50.079 ug/ml
15) T n-Hexacosane (C26)	15.814	6151165	50.225 ug/ml
16) T n-Octacosane (C28)	16.763	6095338	50.316 ug/ml
17) T n-Tricontane (C30)	17.650	6178045	50.245 ug/ml
18) T n-Dotriacontane (C32)	18.481	5889852	49.755 ug/ml
19) T n-Tetratriacontane (C34)	19.263	5143313	49.454 ug/ml
20) T n-Hexatriacontane (C36)	20.001	4380994	48.444 ug/ml
21) T n-Octatriacontane (C38)	20.724	4146667	48.790 ug/ml
22) T n-Tetracontane (C40)	21.611	4083374	49.304 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC100224AL\
Data File : FC067313.D
Signal(s) : FID1A.ch
Acq On : 30 Sep 2024 11:10
Operator : YP/AJ
Sample : 50 PPM ALIPHATIC HC STD2
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :
50 PPM ALIPHATIC HC STD2

Integration File: autoint1.e
Quant Time: Oct 01 09:10:44 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 100224.M
Quant Title : GC Extractables
QLast Update : Tue Oct 01 09:07:31 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.272 min
Delta R.T.: 0.001 min
Response: 6059731
Conc: 49.12 ug/ml

Instrument : FID_C
ClientSampleId : 50 PPM ALIPHATIC HC STD2




#2 n-Decane (C10)

R.T.: 4.338 min
Delta R.T.: 0.001 min
Response: 6163543
Conc: 49.11 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 5.917 min
Delta R.T.: 0.002 min
Response: 6821781
Conc: 49.16 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.355 min
Delta R.T.: 0.002 min
Response: 6245280
Conc: 49.24 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 6.972 min
Delta R.T.: 0.002 min
Response: 6641948
Conc: 49.22 ug/ml

Instrument :
FID_C
ClientSampleId :
50 PPM ALIPHATIC HC STD2




#6 n-Tetradecane (C14)

R.T.: 8.149 min
Delta R.T.: 0.002 min
Response: 6219770
Conc: 49.24 ug/ml




#7 n-Hexadecane (C16)

R.T.: 9.748 min
Delta R.T.: 0.003 min
Response: 6422795
Conc: 49.39 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.188 min
Delta R.T.: 0.002 min
Response: 6493088
Conc: 49.30 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.501 min
Delta R.T.: 0.004 min
Response: 7231579
Conc: 49.07 ug/ml

Instrument :
FID_C
ClientSampleId :
50 PPM ALIPHATIC HC STD2




#10 n-Eicosane (C20)

R.T.: 12.497 min
Delta R.T.: 0.003 min
Response: 6235508
Conc: 49.27 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.107 min
Delta R.T.: 0.003 min
Response: 6123952
Conc: 49.16 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 12.939 min
Delta R.T.: 0.003 min
Response: 5426500
Conc: 49.20 ug/ml



#13 n-Docosane (C22)


R.T.: 13.693 min
Delta R.T.: 0.003 min
Response: 6132673
Conc: 49.49 ug/ml

Instrument :
FID_C
ClientSampleId :
50 PPM ALIPHATIC HC STD2




#14 n-Tetracosane (C24)

R.T.: 14.795 min
Delta R.T.: 0.003 min
Response: 6211203
Conc: 50.08 ug/ml




#15 n-Hexacosane (C26)

R.T.: 15.814 min
Delta R.T.: 0.002 min
Response: 6151165
Conc: 50.23 ug/ml



#16 n-Octacosane (C28)


R.T.: 16.763 min
Delta R.T.: 0.004 min
Response: 6095338
Conc: 50.32 ug/ml



#17 n-Tricontane (C30)


R.T.: 17.650 min
Delta R.T.: 0.004 min
Response: 6178045
Conc: 50.25 ug/ml

Instrument :
FID_C
ClientSampleId :
50 PPM ALIPHATIC HC STD2




#18 n-Dotriacontane (C32)

R.T.: 18.481 min
Delta R.T.: 0.003 min
Response: 5889852
Conc: 49.76 ug/ml




#19 n-Tetratriacontane (C34)

R.T.: 19.263 min
Delta R.T.: 0.003 min
Response: 5143313
Conc: 49.45 ug/ml



#20 n-Hexatriacontane (C36)


R.T.: 20.001 min
Delta R.T.: 0.002 min
Response: 4380994
Conc: 48.44 ug/ml



#21 n-Octatriacontane (C38)

R.T.: 20.724 min
Delta R.T.: 0.001 min
Response: 4146667
Conc: 48.79 ug/ml

Instrument :
FID_C
ClientSampleId :
50 PPM ALIPHATIC HC STD2



#22 n-Tetracontane (C40)

R.T.: 21.611 min
Delta R.T.: 0.004 min
Response: 4083374
Conc: 49.30 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC100224AL\
Data File : FC067313.D
Signal(s) : FID1A.ch
Acq On : 30 Sep 2024 11:10
Sample : 50 PPM ALIPHATIC HC STD2
Misc :
ALS Vial : 12 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 100224.M
Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.272	3.245	3.342	BB	711248	6059731	83.80%	4.644%
2	4.338	4.285	4.415	BB	654161	6163543	85.23%	4.723%
3	5.917	5.855	6.015	BB	727635	6821781	94.33%	5.227%
4	6.355	6.299	6.437	BB	629757	6245280	86.36%	4.786%
5	6.972	6.924	7.092	BV	663765	6641948	91.85%	5.090%
6	8.149	8.007	8.227	BB	582329	6219770	86.01%	4.766%
7	9.748	9.702	9.844	BB	565794	6422795	88.82%	4.922%
8	11.189	11.075	11.285	BB	532485	6493088	89.79%	4.976%
9	11.501	11.434	11.570	BB	661071	7231579	100.00%	5.542%
10	12.497	12.455	12.569	BB	514506	6235508	86.23%	4.778%
11	12.939	12.847	13.012	BB	454745	5426500	75.04%	4.158%
12	13.107	13.064	13.177	BB	490056	6123952	84.68%	4.693%
13	13.693	13.658	13.770	VB	476110	6132673	84.80%	4.699%
14	14.795	14.720	14.874	BB	473209	6211203	85.89%	4.760%
15	15.814	15.744	15.897	BB	466583	6151165	85.06%	4.714%
16	16.763	16.692	16.860	BB	430820	6095338	84.29%	4.671%
17	17.650	17.574	17.734	PB	438958	6178045	85.43%	4.734%
18	18.481	18.407	18.545	BV	399853	5889852	81.45%	4.513%
19	19.263	19.197	19.362	BB	356265	5143313	71.12%	3.941%
20	20.001	19.952	20.040	PV	308867	4380994	60.58%	3.357%
21	20.724	20.594	20.807	BB	242057	4146667	57.34%	3.178%
22	21.611	21.512	21.752	BB	176788	4083374	56.47%	3.129%
Sum of corrected areas:						130498098		

Aliphatic EPH 100224.M Tue Oct 01 09:20:55 2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC100224AL\
 Data File : FC067314.D
 Signal(s) : FID1A.ch
 Acq On : 30 Sep 2024 11:48
 Operator : YP/AJ
 Sample : 20 PPM ALIPHATIC HC STD3
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :
 20 PPM ALIPHATIC HC STD3

Integration File: autoint1.e
 Quant Time: Oct 01 09:08:18 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 100224.M
 Quant Title : GC Extractables
 QLast Update : Tue Oct 01 09:07:31 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.497	3089013	20.000 ug/ml
Spiked Amount 50.000		Recovery =	40.00%
12) S 1-chlorooctadecane (S...	12.936	2301706	20.000 ug/ml
Spiked Amount 50.000		Recovery =	40.00%
Target Compounds			
1) T n-Nonane (C9)	3.271	2561935	20.000 ug/ml
2) T n-Decane (C10)	4.337	2606750	20.000 ug/ml
3) T A~Naphthalene (C11.7)	5.915	2878074	20.000 ug/ml
4) T n-Dodecane (C12)	6.353	2627937	20.000 ug/ml
5) T A~2-methylnaphthalene...	6.970	2792361	20.000 ug/ml
6) T n-Tetradecane (C14)	8.146	2616449	20.000 ug/ml
7) T n-Hexadecane (C16)	9.745	2703190	20.000 ug/ml
8) T n-Octadecane (C18)	11.186	2753269	20.000 ug/ml
10) T n-Eicosane (C20)	12.493	2645737	20.000 ug/ml
11) T n-Heneicosane (C21)	13.105	2606321	20.000 ug/ml
13) T n-Docosane (C22)	13.690	2582773	20.000 ug/ml
14) T n-Tetracosane (C24)	14.792	2574621	20.000 ug/ml
15) T n-Hexacosane (C26)	15.813	2538087	20.000 ug/ml
16) T n-Octacosane (C28)	16.760	2519727	20.000 ug/ml
17) T n-Tricontane (C30)	17.646	2574944	20.000 ug/ml
18) T n-Dotriacontane (C32)	18.478	2497831	20.000 ug/ml
19) T n-Tetratriacontane (C34)	19.260	2193263	20.000 ug/ml
20) T n-Hexatriacontane (C36)	19.999	1907034	20.000 ug/ml
21) T n-Octatriacontane (C38)	20.723	1770855	20.000 ug/ml
22) T n-Tetracontane (C40)	21.608	1730957	20.000 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC100224AL\
Data File : FC067314.D
Signal(s) : FID1A.ch
Acq On : 30 Sep 2024 11:48
Operator : YP/AJ
Sample : 20 PPM ALIPHATIC HC STD3
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :
20 PPM ALIPHATIC HC STD3

Integration File: autoint1.e
Quant Time: Oct 01 09:08:18 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 100224.M
Quant Title : GC Extractables
QLast Update : Tue Oct 01 09:07:31 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.271 min
Delta R.T.: 0.000 min
Response: 2561935
Conc: 20.00 ug/ml

Instrument :
FID_C
ClientSampleId :
20 PPM ALIPHATIC HC STD3




#2 n-Decane (C10)

R.T.: 4.337 min
Delta R.T.: 0.000 min
Response: 2606750
Conc: 20.00 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 5.915 min
Delta R.T.: 0.000 min
Response: 2878074
Conc: 20.00 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.353 min
Delta R.T.: 0.000 min
Response: 2627937
Conc: 20.00 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 6.970 min
Delta R.T.: 0.000 min
Response: 2792361
Conc: 20.00 ug/ml

Instrument :
FID_C
ClientSampleId :
20 PPM ALIPHATIC HC STD3




#6 n-Tetradecane (C14)

R.T.: 8.146 min
Delta R.T.: 0.000 min
Response: 2616449
Conc: 20.00 ug/ml




#7 n-Hexadecane (C16)

R.T.: 9.745 min
Delta R.T.: 0.000 min
Response: 2703190
Conc: 20.00 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.186 min
Delta R.T.: 0.000 min
Response: 2753269
Conc: 20.00 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.497 min
Delta R.T.: 0.000 min
Response: 3089013
Conc: 20.00 ug/ml

Instrument :
FID_C
ClientSampleId :
20 PPM ALIPHATIC HC STD3




#10 n-Eicosane (C20)

R.T.: 12.493 min
Delta R.T.: 0.000 min
Response: 2645737
Conc: 20.00 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.105 min
Delta R.T.: 0.000 min
Response: 2606321
Conc: 20.00 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 12.936 min
Delta R.T.: 0.000 min
Response: 2301706
Conc: 20.00 ug/ml



#13 n-Docosane (C22)


R.T.: 13.690 min
Delta R.T.: 0.000 min
Response: 2582773
Conc: 20.00 ug/ml

Instrument :
FID_C
ClientSampleId :
20 PPM ALIPHATIC HC STD3




#14 n-Tetracosane (C24)

R.T.: 14.792 min
Delta R.T.: 0.000 min
Response: 2574621
Conc: 20.00 ug/ml




#15 n-Hexacosane (C26)

R.T.: 15.813 min
Delta R.T.: 0.000 min
Response: 2538087
Conc: 20.00 ug/ml



#16 n-Octacosane (C28)


R.T.: 16.760 min
Delta R.T.: 0.000 min
Response: 2519727
Conc: 20.00 ug/ml



#17 n-Tricontane (C30)


R.T.: 17.646 min
Delta R.T.: 0.000 min
Response: 2574944
Conc: 20.00 ug/ml

Instrument :
FID_C
ClientSampleId :
20 PPM ALIPHATIC HC STD3




#18 n-Dotriacontane (C32)

R.T.: 18.478 min
Delta R.T.: 0.000 min
Response: 2497831
Conc: 20.00 ug/ml




#19 n-Tetratriacontane (C34)

R.T.: 19.260 min
Delta R.T.: 0.000 min
Response: 2193263
Conc: 20.00 ug/ml



#20 n-Hexatriacontane (C36)


R.T.: 19.999 min
Delta R.T.: 0.000 min
Response: 1907034
Conc: 20.00 ug/ml



#21 n-Octatriacontane (C38)

R.T.: 20.723 min
Delta R.T.: 0.000 min
Response: 1770855
Conc: 20.00 ug/ml

Instrument :
FID_C
ClientSampleId :
20 PPM ALIPHATIC HC STD3



#22 n-Tetracontane (C40)

R.T.: 21.608 min
Delta R.T.: 0.000 min
Response: 1730957
Conc: 20.00 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC100224AL\
 Data File : FC067314.D
 Signal(s) : FID1A.ch
 Acq On : 30 Sep 2024 11:48
 Sample : 20 PPM ALIPHATIC HC STD3
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 100224.M
 Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.271	3.245	3.330	BB	301355	2561935	82.94%	4.652%
2	4.337	4.285	4.402	BB	276151	2606750	84.39%	4.733%
3	5.915	5.860	6.010	BB	306302	2878074	93.17%	5.226%
4	6.353	6.295	6.402	BB	256127	2627937	85.07%	4.772%
5	6.970	6.923	7.080	BB	272068	2792361	90.40%	5.070%
6	8.146	8.080	8.228	BB	246166	2616449	84.70%	4.751%
7	9.745	9.688	9.835	BB	229678	2703190	87.51%	4.908%
8	11.186	11.125	11.267	BB	220672	2753269	89.13%	4.999%
9	11.497	11.442	11.565	BB	280480	3089013	100.00%	5.609%
10	12.493	12.435	12.562	BB	214435	2645737	85.65%	4.804%
11	12.936	12.868	12.995	BB	185389	2301706	74.51%	4.179%
12	13.105	13.037	13.182	BB	199408	2606321	84.37%	4.732%
13	13.690	13.625	13.763	BB	199133	2582773	83.61%	4.690%
14	14.792	14.730	14.867	BB	192816	2574621	83.35%	4.675%
15	15.813	15.747	15.885	BB	175714	2538087	82.16%	4.609%
16	16.760	16.677	16.857	BB	174965	2519727	81.57%	4.575%
17	17.646	17.577	17.725	BB	180572	2574944	83.36%	4.676%
18	18.478	18.415	18.560	BB	168215	2497831	80.86%	4.536%
19	19.260	19.208	19.323	BB	149736	2193263	71.00%	3.982%
20	19.999	19.937	20.077	VB	124156	1907034	61.74%	3.463%
21	20.723	20.642	20.797	BB	100926	1770855	57.33%	3.215%
22	21.608	21.527	21.727	BB	68950	1730957	56.04%	3.143%
Sum of corrected areas:							55072832	

Aliphatic EPH 100224.M Tue Oct 01 09:21:20 2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC100224AL\
 Data File : FC067315.D
 Signal(s) : FID1A.ch
 Acq On : 30 Sep 2024 12:47
 Operator : YP/AJ
 Sample : 10 PPM ALIPHATIC HC STD4
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :
 10 PPM ALIPHATIC HC STD4

Integration File: autoint1.e
 Quant Time: Oct 01 09:11:43 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 100224.M
 Quant Title : GC Extractables
 QLast Update : Tue Oct 01 09:07:31 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.496	1571986	10.733 ug/ml
Spiked Amount 50.000		Recovery =	21.47%
12) S 1-chlorooctadecane (S...	12.936	1173605	10.698 ug/ml
Spiked Amount 50.000		Recovery =	21.40%
Target Compounds			
1) T n-Nonane (C9)	3.270	1286606	10.491 ug/ml
2) T n-Decane (C10)	4.336	1306831	10.474 ug/ml
3) T A~Naphthalene (C11.7)	5.915	1437407	10.417 ug/ml
4) T n-Dodecane (C12)	6.353	1318883	10.451 ug/ml
5) T A~2-methylnaphthalene...	6.970	1392618	10.375 ug/ml
6) T n-Tetradecane (C14)	8.146	1308417	10.411 ug/ml
7) T n-Hexadecane (C16)	9.745	1367829	10.562 ug/ml
8) T n-Octadecane (C18)	11.185	1404957	10.718 ug/ml
10) T n-Eicosane (C20)	12.493	1359651	10.795 ug/ml
11) T n-Heneicosane (C21)	13.104	1336214	10.787 ug/ml
13) T n-Docosane (C22)	13.689	1324859	10.728 ug/ml
14) T n-Tetracosane (C24)	14.791	1318090	10.622 ug/ml
15) T n-Hexacosane (C26)	15.811	1292438	10.537 ug/ml
16) T n-Octacosane (C28)	16.761	1284086	10.578 ug/ml
17) T n-Tricontane (C30)	17.647	1321139	10.727 ug/ml
18) T n-Dotriacontane (C32)	18.478	1282377	10.851 ug/ml
19) T n-Tetratriacontane (C34)	19.261	1119659	10.805 ug/ml
20) T n-Hexatriacontane (C36)	20.000	974156	10.885 ug/ml
21) T n-Octatriacontane (C38)	20.724	893961	10.604 ug/ml
22) T n-Tetracontane (C40)	21.611	848887	10.298 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC100224AL\
Data File : FC067315.D
Signal(s) : FID1A.ch
Acq On : 30 Sep 2024 12:47
Operator : YP/AJ
Sample : 10 PPM ALIPHATIC HC STD4
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :
10 PPM ALIPHATIC HC STD4

Integration File: autoint1.e
Quant Time: Oct 01 09:11:43 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 100224.M
Quant Title : GC Extractables
QLast Update : Tue Oct 01 09:07:31 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.270 min
Delta R.T.: -0.001 min
Response: 1286606
Conc: 10.49 ug/ml

Instrument :
FID_C
ClientSampleId :
10 PPM ALIPHATIC HC STD4




#2 n-Decane (C10)

R.T.: 4.336 min
Delta R.T.: -0.001 min
Response: 1306831
Conc: 10.47 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 5.915 min
Delta R.T.: 0.000 min
Response: 1437407
Conc: 10.42 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.353 min
Delta R.T.: 0.000 min
Response: 1318883
Conc: 10.45 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 6.970 min
Delta R.T.: 0.000 min
Response: 1392618
Conc: 10.37 ug/ml

Instrument :
FID_C
ClientSampleId :
10 PPM ALIPHATIC HC STD4




#6 n-Tetradecane (C14)

R.T.: 8.146 min
Delta R.T.: 0.000 min
Response: 1308417
Conc: 10.41 ug/ml




#7 n-Hexadecane (C16)

R.T.: 9.745 min
Delta R.T.: 0.000 min
Response: 1367829
Conc: 10.56 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.185 min
Delta R.T.: -0.001 min
Response: 1404957
Conc: 10.72 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.496 min
Delta R.T.: -0.001 min
Response: 1571986
Conc: 10.73 ug/ml

Instrument :
FID_C
ClientSampleId :
10 PPM ALIPHATIC HC STD4




#10 n-Eicosane (C20)

R.T.: 12.493 min
Delta R.T.: 0.000 min
Response: 1359651
Conc: 10.80 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.104 min
Delta R.T.: 0.000 min
Response: 1336214
Conc: 10.79 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 12.936 min
Delta R.T.: 0.000 min
Response: 1173605
Conc: 10.70 ug/ml



#13 n-Docosane (C22)


R.T.: 13.689 min
Delta R.T.: -0.001 min
Response: 1324859
Conc: 10.73 ug/ml

Instrument :
FID_C
ClientSampleId :
10 PPM ALIPHATIC HC STD4




#14 n-Tetracosane (C24)

R.T.: 14.791 min
Delta R.T.: 0.000 min
Response: 1318090
Conc: 10.62 ug/ml




#15 n-Hexacosane (C26)

R.T.: 15.811 min
Delta R.T.: -0.002 min
Response: 1292438
Conc: 10.54 ug/ml



#16 n-Octacosane (C28)


R.T.: 16.761 min
Delta R.T.: 0.000 min
Response: 1284086
Conc: 10.58 ug/ml



#17 n-Tricontane (C30)


R.T.: 17.647 min
Delta R.T.: 0.000 min
Response: 1321139
Conc: 10.73 ug/ml

Instrument :
FID_C
ClientSampleId :
10 PPM ALIPHATIC HC STD4




#18 n-Dotriacontane (C32)

R.T.: 18.478 min
Delta R.T.: 0.000 min
Response: 1282377
Conc: 10.85 ug/ml




#19 n-Tetatriacontane (C34)

R.T.: 19.261 min
Delta R.T.: 0.002 min
Response: 1119659
Conc: 10.81 ug/ml



#20 n-Hexatriacontane (C36)


R.T.: 20.000 min
Delta R.T.: 0.000 min
Response: 974156
Conc: 10.88 ug/ml



#21 n-Octatriacontane (C38)

R.T.: 20.724 min
Delta R.T.: 0.001 min
Response: 893961
Conc: 10.60 ug/ml

Instrument :
FID_C
ClientSampleId :
10 PPM ALIPHATIC HC STD4



#22 n-Tetracontane (C40)

R.T.: 21.611 min
Delta R.T.: 0.003 min
Response: 848887
Conc: 10.30 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC100224AL\
Data File : FC067315.D
Signal(s) : FID1A.ch
Acq On : 30 Sep 2024 12:47
Sample : 10 PPM ALIPHATIC HC STD4
Misc :
ALS Vial : 14 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 100224.M
Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.270	3.245	3.324	BB	149654	1286606	81.85%	4.607%
2	4.336	4.280	4.397	BB	143345	1306831	83.13%	4.680%
3	5.915	5.857	5.994	BB	152594	1437407	91.44%	5.147%
4	6.353	6.300	6.407	BB	129992	1318883	83.90%	4.723%
5	6.970	6.910	7.075	BB	132847	1392618	88.59%	4.987%
6	8.146	8.090	8.224	BB	118854	1308417	83.23%	4.686%
7	9.745	9.684	9.834	BB	118309	1367829	87.01%	4.898%
8	11.185	11.120	11.262	BB	115074	1404957	89.37%	5.031%
9	11.496	11.437	11.554	BB	139977	1571986	100.00%	5.629%
10	12.493	12.432	12.549	BB	111570	1359651	86.49%	4.869%
11	12.936	12.869	12.992	BB	94987	1173605	74.66%	4.203%
12	13.104	13.047	13.170	BB	108646	1336214	85.00%	4.785%
13	13.689	13.629	13.762	BB	103488	1324859	84.28%	4.744%
14	14.791	14.724	14.870	BB	99895	1318090	83.85%	4.720%
15	15.811	15.744	15.875	BB	95486	1292438	82.22%	4.628%
16	16.761	16.702	16.837	BB	90915	1284086	81.69%	4.598%
17	17.647	17.582	17.715	BB	90874	1321139	84.04%	4.731%
18	18.478	18.407	18.547	BB	85034	1282377	81.58%	4.592%
19	19.261	19.189	19.334	BB	76227	1119659	71.23%	4.010%
20	20.000	19.955	20.082	BB	63358	974156	61.97%	3.489%
21	20.724	20.650	20.802	BB	47317	893961	56.87%	3.201%
22	21.611	21.534	21.697	BB	37257	848887	54.00%	3.040%
Sum of corrected areas:							27924656	

Aliphatic EPH 100224.M Tue Oct 01 09:21:38 2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC100224AL\
 Data File : FC067316.D
 Signal(s) : FID1A.ch
 Acq On : 30 Sep 2024 13:35
 Operator : YP/AJ
 Sample : 5 PPM ALIPHATIC HC STD5
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :
 5 PPM ALIPHATIC HC STD5

Integration File: autoint1.e
 Quant Time: Oct 01 09:12:40 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 100224.M
 Quant Title : GC Extractables
 QLast Update : Tue Oct 01 09:07:31 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.496	821094	5.505 ug/ml
Spiked Amount 50.000		Recovery =	11.01%
12) S 1-chlorooctadecane (S...	12.936	597484	5.353 ug/ml
Spiked Amount 50.000		Recovery =	10.71%
Target Compounds			
1) T n-Nonane (C9)	3.271	686146	5.527 ug/ml
2) T n-Decane (C10)	4.336	688670	5.455 ug/ml
3) T A~Naphthalene (C11.7)	5.915	757843	5.435 ug/ml
4) T n-Dodecane (C12)	6.352	691712	5.420 ug/ml
5) T A~2-methylnaphthalene...	6.970	719915	5.313 ug/ml
6) T n-Tetradecane (C14)	8.146	680596	5.360 ug/ml
7) T n-Hexadecane (C16)	9.745	701420	5.341 ug/ml
8) T n-Octadecane (C18)	11.185	721326	5.406 ug/ml
10) T n-Eicosane (C20)	12.493	695208	5.412 ug/ml
11) T n-Heneicosane (C21)	13.105	680195	5.385 ug/ml
13) T n-Docosane (C22)	13.690	677301	5.386 ug/ml
14) T n-Tetracosane (C24)	14.792	676857	5.371 ug/ml
15) T n-Hexacosane (C26)	15.811	666097	5.359 ug/ml
16) T n-Octacosane (C28)	16.759	677736	5.503 ug/ml
17) T n-Tricontane (C30)	17.647	712654	5.683 ug/ml
18) T n-Dotriacontane (C32)	18.478	709265	5.876 ug/ml
19) T n-Tetratriacontane (C34)	19.260	617762	5.844 ug/ml
20) T n-Hexatriacontane (C36)	20.000	533422	5.831 ug/ml
21) T n-Octatriacontane (C38)	20.724	480941	5.620 ug/ml
22) T n-Tetracontane (C40)	21.612	490214	5.903 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC100224AL\
Data File : FC067316.D
Signal(s) : FID1A.ch
Acq On : 30 Sep 2024 13:35
Operator : YP/AJ
Sample : 5 PPM ALIPHATIC HC STD5
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :
5 PPM ALIPHATIC HC STD5

Integration File: autoint1.e
Quant Time: Oct 01 09:12:40 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 100224.M
Quant Title : GC Extractables
QLast Update : Tue Oct 01 09:07:31 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.271 min
Delta R.T.: 0.000 min
Response: 686146
Conc: 5.53 ug/ml

Instrument :
FID_C
ClientSampleId :
5 PPM ALIPHATIC HC STD5




#2 n-Decane (C10)

R.T.: 4.336 min
Delta R.T.: 0.000 min
Response: 688670
Conc: 5.46 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 5.915 min
Delta R.T.: 0.000 min
Response: 757843
Conc: 5.44 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.352 min
Delta R.T.: 0.000 min
Response: 691712
Conc: 5.42 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 6.970 min
Delta R.T.: 0.000 min
Response: 719915
Conc: 5.31 ug/ml

Instrument :
FID_C
ClientSampleId :
5 PPM ALIPHATIC HC STD5




#6 n-Tetradecane (C14)

R.T.: 8.146 min
Delta R.T.: 0.000 min
Response: 680596
Conc: 5.36 ug/ml




#7 n-Hexadecane (C16)

R.T.: 9.745 min
Delta R.T.: 0.000 min
Response: 701420
Conc: 5.34 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.185 min
Delta R.T.: -0.001 min
Response: 721326
Conc: 5.41 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.496 min
Delta R.T.: -0.001 min
Response: 821094
Conc: 5.51 ug/ml

Instrument :
FID_C
ClientSampleId :
5 PPM ALIPHATIC HC STD5




#10 n-Eicosane (C20)

R.T.: 12.493 min
Delta R.T.: 0.000 min
Response: 695208
Conc: 5.41 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.105 min
Delta R.T.: 0.000 min
Response: 680195
Conc: 5.39 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 12.936 min
Delta R.T.: 0.000 min
Response: 597484
Conc: 5.35 ug/ml



#13 n-Docosane (C22)


R.T.: 13.690 min
Delta R.T.: 0.000 min
Response: 677301
Conc: 5.39 ug/ml

Instrument :
FID_C
ClientSampleId :
5 PPM ALIPHATIC HC STD5




#14 n-Tetracosane (C24)

R.T.: 14.792 min
Delta R.T.: 0.000 min
Response: 676857
Conc: 5.37 ug/ml




#15 n-Hexacosane (C26)

R.T.: 15.811 min
Delta R.T.: -0.002 min
Response: 666097
Conc: 5.36 ug/ml



#16 n-Octacosane (C28)


R.T.: 16.759 min
Delta R.T.: 0.000 min
Response: 677736
Conc: 5.50 ug/ml



#17 n-Tricontane (C30)


R.T.: 17.647 min
Delta R.T.: 0.000 min
Response: 712654
Conc: 5.68 ug/ml

Instrument :
FID_C
ClientSampleId :
5 PPM ALIPHATIC HC STD5




#18 n-Dotriacontane (C32)

R.T.: 18.478 min
Delta R.T.: 0.000 min
Response: 709265
Conc: 5.88 ug/ml




#19 n-Tetratriacontane (C34)

R.T.: 19.260 min
Delta R.T.: 0.000 min
Response: 617762
Conc: 5.84 ug/ml



#20 n-Hexatriacontane (C36)


R.T.: 20.000 min
Delta R.T.: 0.000 min
Response: 533422
Conc: 5.83 ug/ml



#21 n-Octatriacontane (C38)

R.T.: 20.724 min
Delta R.T.: 0.000 min
Response: 480941
Conc: 5.62 ug/ml

Instrument :
FID_C
ClientSampleId :
5 PPM ALIPHATIC HC STD5



#22 n-Tetracontane (C40)

R.T.: 21.612 min
Delta R.T.: 0.004 min
Response: 490214
Conc: 5.90 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC100224AL\
Data File : FC067316.D
Signal(s) : FID1A.ch
Acq On : 30 Sep 2024 13:35
Sample : 5 PPM ALIPHATIC HC STD5
Misc :
ALS Vial : 15 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 100224.M
Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.271	3.245	3.325	BB	78681	686146	83.56%	4.673%
2	4.336	4.289	4.399	BB	72152	688670	83.87%	4.690%
3	5.915	5.865	5.997	BB	76027	757843	92.30%	5.161%
4	6.352	6.297	6.414	BB	66053	691712	84.24%	4.711%
5	6.970	6.910	7.054	BB	65101	719915	87.68%	4.903%
6	8.146	8.090	8.217	BB	60011	680596	82.89%	4.635%
7	9.745	9.692	9.827	BB	59283	701420	85.42%	4.777%
8	11.185	11.125	11.264	BB	58904	721326	87.85%	4.912%
9	11.496	11.437	11.552	BB	72136	821094	100.00%	5.592%
10	12.493	12.434	12.547	BB	56965	695208	84.67%	4.735%
11	12.936	12.872	12.990	BB	50290	597484	72.77%	4.069%
12	13.105	13.045	13.164	BB	54789	680195	82.84%	4.632%
13	13.690	13.630	13.754	BB	51352	677301	82.49%	4.613%
14	14.792	14.737	14.859	BB	51124	676857	82.43%	4.610%
15	15.811	15.755	15.872	BB	46744	666097	81.12%	4.536%
16	16.759	16.702	16.829	BB	47167	677736	82.54%	4.616%
17	17.647	17.487	17.707	BB	48207	712654	86.79%	4.853%
18	18.478	18.412	18.545	BB	46869	709265	86.38%	4.830%
19	19.260	19.217	19.322	BB	39937	617762	75.24%	4.207%
20	20.000	19.929	20.085	BB	33595	533422	64.96%	3.633%
21	20.724	20.657	20.792	BB	26905	480941	58.57%	3.275%
22	21.612	21.532	21.724	BB	19525	490214	59.70%	3.338%
Sum of corrected areas:							14683859	

Aliphatic EPH 100224.M Tue Oct 01 09:21:54 2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC100224AL\
 Data File : FC067317.D
 Signal(s) : FID1A.ch
 Acq On : 30 Sep 2024 14:29
 Operator : YP/AJ
 Sample : 20 PPM ALIPHATIC HC STD ICV
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :
 20 PPM ALIPHATIC HC STD ICV

Integration File: autoint1.e
 Quant Time: Oct 01 09:15:12 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 100224.M
 Quant Title : GC Extractables
 QLast Update : Tue Oct 01 09:13:32 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.498	2856514	18.773 ug/ml
Spiked Amount 50.000		Recovery =	37.55%
12) S 1-chlorooctadecane (S...	12.936	2133568	18.849 ug/ml
Spiked Amount 50.000		Recovery =	37.70%
Target Compounds			
1) T n-Nonane (C9)	3.270	2407553	18.993 ug/ml
2) T n-Decane (C10)	4.336	2442213	18.999 ug/ml
3) T A~Naphthalene (C11.7)	5.915	2689038	18.956 ug/ml
4) T n-Dodecane (C12)	6.353	2456420	18.930 ug/ml
5) T A~2-methylnaphthalene...	6.970	2597570	18.934 ug/ml
6) T n-Tetradecane (C14)	8.146	2450775	19.028 ug/ml
7) T n-Hexadecane (C16)	9.746	2523898	18.960 ug/ml
8) T n-Octadecane (C18)	11.186	2573183	18.976 ug/ml
10) T n-Eicosane (C20)	12.494	2485014	19.032 ug/ml
11) T n-Heneicosane (C21)	13.105	2426455	18.919 ug/ml
13) T n-Docosane (C22)	13.691	2465913	19.312 ug/ml
14) T n-Tetracosane (C24)	14.792	2609769	20.406 ug/ml
15) T n-Hexacosane (C26)	15.813	2600091	20.622 ug/ml
16) T n-Octacosane (C28)	16.762	2654837	21.132 ug/ml
17) T n-Tricontane (C30)	17.647	2708550	21.025 ug/ml
18) T n-Dotriacontane (C32)	18.478	2596492	20.784 ug/ml
19) T n-Tetratriacontane (C34)	19.261	2217081	20.289 ug/ml
20) T n-Hexatriacontane (C36)	20.000	1805047	19.097 ug/ml
21) T n-Octatriacontane (C38)	20.724	1666956	19.008 ug/ml
22) T n-Tetracontane (C40)	21.608	1643254	19.097 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC100224AL\
Data File : FC067317.D
Signal(s) : FID1A.ch
Acq On : 30 Sep 2024 14:29
Operator : YP/AJ
Sample : 20 PPM ALIPHATIC HC STD ICV
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :
20 PPM ALIPHATIC HC STD ICV

Integration File: autoint1.e
Quant Time: Oct 01 09:15:12 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 100224.M
Quant Title : GC Extractables
QLast Update : Tue Oct 01 09:13:32 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um





#1 n-Nonane (C9)


R.T.: 3.270 min
Delta R.T.: 0.000 min
Response: 2407553
Conc: 18.99 ug/ml

Instrument :

FID_C


ClientSampleId :

20 PPM ALIPHATIC HC STD ICV




#2 n-Decane (C10)

R.T.: 4.336 min
Delta R.T.: 0.000 min
Response: 2442213
Conc: 19.00 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 5.915 min
Delta R.T.: 0.000 min
Response: 2689038
Conc: 18.96 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.353 min
Delta R.T.: 0.000 min
Response: 2456420
Conc: 18.93 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 6.970 min
Delta R.T.: 0.000 min
Response: 2597570
Conc: 18.93 ug/ml

Instrument :
FID_C
ClientSampleId :
20 PPM ALIPHATIC HC STD ICV




#6 n-Tetradecane (C14)

R.T.: 8.146 min
Delta R.T.: 0.000 min
Response: 2450775
Conc: 19.03 ug/ml




#7 n-Hexadecane (C16)

R.T.: 9.746 min
Delta R.T.: 0.000 min
Response: 2523898
Conc: 18.96 ug/ml



#8 n-Octadecane (C18)

R.T.: 11.186 min
Delta R.T.: 0.000 min
Response: 2573183
Conc: 18.98 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.498 min
Delta R.T.: 0.000 min
Response: 2856514
Conc: 18.77 ug/ml

Instrument :

FID_C


ClientSampleId :

20 PPM ALIPHATIC HC STD ICV




#10 n-Eicosane (C20)

R.T.: 12.494 min
Delta R.T.: 0.000 min
Response: 2485014
Conc: 19.03 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.105 min
Delta R.T.: 0.000 min
Response: 2426455
Conc: 18.92 ug/ml



#12 1-chlorooctadecane (SURR)

R.T.: 12.936 min
Delta R.T.: 0.000 min
Response: 2133568
Conc: 18.85 ug/ml



#13 n-Docosane (C22)


R.T.: 13.691 min
Delta R.T.: 0.000 min
Response: 2465913
Conc: 19.31 ug/ml

Instrument :

FID_C


ClientSampleId :

20 PPM ALIPHATIC HC STD ICV




#14 n-Tetracosane (C24)

R.T.: 14.792 min
Delta R.T.: 0.000 min
Response: 2609769
Conc: 20.41 ug/ml




#15 n-Hexacosane (C26)

R.T.: 15.813 min
Delta R.T.: 0.000 min
Response: 2600091
Conc: 20.62 ug/ml



#16 n-Octacosane (C28)

R.T.: 16.762 min
Delta R.T.: 0.002 min
Response: 2654837
Conc: 21.13 ug/ml



#17 n-Tricontane (C30)


R.T.: 17.647 min
Delta R.T.: 0.000 min
Response: 2708550
Conc: 21.03 ug/ml

Instrument :

FID_C


ClientSampleId :

20 PPM ALIPHATIC HC STD ICV




#18 n-Dotriacontane (C32)

R.T.: 18.478 min
Delta R.T.: 0.000 min
Response: 2596492
Conc: 20.78 ug/ml




#19 n-Tetatriacontane (C34)

R.T.: 19.261 min
Delta R.T.: 0.001 min
Response: 2217081
Conc: 20.29 ug/ml



#20 n-Hexatriacontane (C36)

R.T.: 20.000 min
Delta R.T.: 0.000 min
Response: 1805047
Conc: 19.10 ug/ml



#21 n-Octatriacontane (C38)


R.T.: 20.724 min
Delta R.T.: 0.000 min
Response: 1666956
Conc: 19.01 ug/ml

Instrument :

FID_C

ClientSampleId :

20 PPM ALIPHATIC HC STD ICV



#22 n-Tetracontane (C40)

R.T.: 21.608 min
Delta R.T.: 0.000 min
Response: 1643254
Conc: 19.10 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC100224AL\
Data File : FC067317.D
Signal(s) : FID1A.ch
Acq On : 30 Sep 2024 14:29
Sample : 20 PPM ALIPHATIC HC STD ICV
Misc :
ALS Vial : 16 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 100224.M
Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.270	3.245	3.329	BB	288931	2407553	84.28%	4.542%
2	4.336	4.290	4.407	BB	261348	2442213	85.50%	4.607%
3	5.915	5.860	6.014	BB	287508	2689038	94.14%	5.073%
4	6.353	6.297	6.399	BB	245767	2456420	85.99%	4.634%
5	6.970	6.924	7.065	BB	249458	2597570	90.93%	4.900%
6	8.146	8.084	8.232	BB	228794	2450775	85.80%	4.623%
7	9.746	9.709	9.839	BB	216843	2523898	88.36%	4.761%
8	11.186	11.137	11.269	BB	220536	2573183	90.08%	4.854%
9	11.498	11.437	11.562	BB	258215	2856514	100.00%	5.389%
10	12.494	12.455	12.559	BB	207733	2485014	86.99%	4.688%
11	12.936	12.869	12.995	BB	173785	2133568	74.69%	4.025%
12	13.105	13.067	13.172	BB	202480	2426455	84.94%	4.577%
13	13.691	13.660	13.752	VB	195897	2465913	86.33%	4.652%
14	14.792	14.689	14.865	BB	201649	2609769	91.36%	4.923%
15	15.813	15.772	15.887	BB	189215	2600091	91.02%	4.905%
16	16.762	16.622	16.844	BB	184812	2654837	92.94%	5.008%
17	17.647	17.575	17.719	BB	189586	2708550	94.82%	5.109%
18	18.478	18.415	18.547	BV	176605	2596492	90.90%	4.898%
19	19.261	19.200	19.370	BB	146116	2217081	77.61%	4.182%
20	20.000	19.944	20.039	BV	119921	1805047	63.19%	3.405%
21	20.724	20.652	20.790	BB	93568	1666956	58.36%	3.145%
22	21.608	21.527	21.725	BB	65123	1643254	57.53%	3.100%
Sum of corrected areas:							53010189	

Aliphatic EPH 100224.M Tue Oct 01 09:22:28 2024