

Initial Calibration Report for SequenceID : FD093024AR

AreaCount

Parameter Range	FD048398.D	FD048399.D	FD048400.D	FD048401.D	FD048402.D	
Aromatic C10-C12	34648059.000	18252378.000	7283031.000	3571721.000	1884983.000	
Aromatic C12-C16	52772389.000	27987173.000	11349711.000	5750614.000	3099577.000	
Aromatic C16-C21	67557629.000	35880273.000	14451391.000	7136049.000	3726042.000	
Aromatic C21-C36	141518244.000	74756685.000	30035782.000	14897193.000	7697046.000	
Aromatic EPH	296496321.000	156876509.000	63119915.000	31355577.000	16407648.000	

AVG Response Factor

Parameter Range	AVG RF	% RSD				
Aromatic C10-C12	180984.84	3.098				
Aromatic C12-C16	189995.313333	5.829				
Aromatic C16-C21	178728.23	3.52				
Aromatic C21-C36	165360.7497772	3.04				
Aromatic EPH	174173.0715554	3.596				

Concentration

Parameter Range	FD048398.D	FD048399.D	FD048400.D	FD048401.D	FD048402.D	
Aromatic C10-C12	200.000	100.000	40.000	20.000	10.000	
Aromatic C12-C16	300.000	150.000	60.000	30.000	15.000	
Aromatic C16-C21	400.000	200.000	80.000	40.000	20.000	
Aromatic C21-C36	900.000	450.000	180.000	90.000	45.000	
Aromatic EPH	1800.000	900.000	360.000	180.000	90.000	

Response Factor

Parameter Range	FD048398.D	FD048399.D	FD048400.D	FD048401.D	FD048402.D	
Aromatic C10-C12	173240.295000	182523.780000	182075.775000	178586.050000	188498.300000	
Aromatic C12-C16	175907.963333	186581.153333	189161.850000	191687.133333	206638.466666	
Aromatic C16-C21	168894.072500	179401.365000	180642.387500	178401.225000	186302.100000	
Aromatic C21-C36	157242.493333	166125.966666	166865.455555	165524.366666	171045.466666	
Aromatic EPH	164720.178333	174307.232222	175333.097222	174197.650000	182307.200000	

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD093024AR\
 Data File : FD048398.D
 Signal(s) : FID2B.ch
 Acq On : 30 Sep 2024 10:32
 Operator : YP/AJ
 Sample : 100 PPM AROMATIC HC STD1
 Misc :
 ALS Vial : 61 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 100 PPM AROMATIC HC STD1

Integration File: autoint1.e
 Quant Time: Sep 30 12:32:39 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 093024.M
 Quant Title : GC Extractables
 QLast Update : Mon Sep 30 12:29:39 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.387	15133598	96.497 ug/ml
Spiked Amount 50.000		Recovery =	192.99%
6) S 2-Fluorobiphenyl (SURR)	8.238	10225240	98.366 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	196.73%#
11) S ortho-Terphenyl (SURR)	11.276	17090754	95.957 ug/ml
Spiked Amount 50.000		Recovery =	191.91%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.207	16849228	97.651 ug/ml
2) T Naphthalene (C11.7)	5.727	17798831	97.384 ug/ml
3) T 2-Methylnaphthalene (...)	6.776	17826888	97.043 ug/ml
5) T Acenaphthylene (C15.06)	8.042	17456164	95.975 ug/ml
7) T Acenaphthene (C15.5)	8.339	17489337	96.084 ug/ml
8) T Fluorene (C16.55)	9.117	17164502	96.742 ug/ml
9) T Phenanthrene (C19.36)	10.505	17038003	97.268 ug/ml
10) T Anthracene (C19.43)	10.582	16550190	96.030 ug/ml
12) T Fluoranthene (C21.85)	12.312	16931938	96.606 ug/ml
13) T Pyrene (C20.8)	12.605	16804934	96.504 ug/ml
14) T Benzo[a]anthracene (C...	14.474	16142668	98.545 ug/ml
15) T Chrysene (C27.41)	14.521	16511891	94.840 ug/ml
16) T benzo[b]fluoranthene ...	16.024	16340653	97.826 ug/ml
17) T Bnezo[k]fluoranthene ...	16.062	15204824	95.933 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.403	15774557	97.005 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.769	14738374	104.652 ug/ml
20) T Dibenz[a,h]anthracene...	17.808	14680138	92.545 ug/ml
21) T Benzo[g,h,i]perylene ...	18.026	15193201	96.345 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD093024AR\
Data File : FD048398.D
Signal(s) : FID2B.ch
Acq On : 30 Sep 2024 10:32
Operator : YP/AJ
Sample : 100 PPM AROMATIC HC STD1
Misc :
ALS Vial : 61 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
100 PPM AROMATIC HC STD1

Integration File: autoint1.e
Quant Time: Sep 30 12:32:39 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 093024.M
Quant Title : GC Extractables
QLast Update : Mon Sep 30 12:29:39 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm





#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 4.207 min
Delta R.T.: 0.000 min
Response: 16849228
Conc: 97.65 ug/ml

Instrument :

FID_D


ClientSampleId :

100 PPM AROMATIC HC STD1




#2 Naphthalene (C11.7)

R.T.: 5.727 min
Delta R.T.: 0.000 min
Response: 17798831
Conc: 97.38 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 6.776 min
Delta R.T.: 0.000 min
Response: 17826888
Conc: 97.04 ug/ml



#4 2-Bromonaphthalene (SURR)


R.T.: 7.387 min
Delta R.T.: 0.000 min
Response: 15133598
Conc: 96.50 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.042 min
Delta R.T.: 0.000 min
Response: 17456164
Conc: 95.98 ug/ml

Instrument :
FID_D
ClientSampleId :
100 PPM AROMATIC HC STD1




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.238 min
Delta R.T.: 0.000 min
Response: 10225240
Conc: 98.37 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.339 min
Delta R.T.: 0.000 min
Response: 17489337
Conc: 96.08 ug/ml



#8 Fluorene (C16.55)

R.T.: 9.117 min
Delta R.T.: 0.000 min
Response: 17164502
Conc: 96.74 ug/ml



#9 Phenanthrene (C19.36)


R.T.: 10.505 min
Delta R.T.: 0.000 min
Response: 17038003
Conc: 97.27 ug/ml

Instrument :

FID_D


ClientSampleId :

100 PPM AROMATIC HC STD1




#10 Anthracene (C19.43)

R.T.: 10.582 min
Delta R.T.: 0.000 min
Response: 16550190
Conc: 96.03 ug/ml




#11 ortho-Terphenyl (SURR)

R.T.: 11.276 min
Delta R.T.: 0.000 min
Response: 17090754
Conc: 95.96 ug/ml



#12 Fluoranthene (C21.85)

R.T.: 12.312 min
Delta R.T.: 0.000 min
Response: 16931938
Conc: 96.61 ug/ml



#13 Pyrene (C20.8)


R.T.: 12.605 min
Delta R.T.: 0.000 min
Response: 16804934
Conc: 96.50 ug/ml

Instrument :

FID_D


ClientSampleId :

100 PPM AROMATIC HC STD1




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.474 min
Delta R.T.: 0.000 min
Response: 16142668
Conc: 98.54 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.521 min
Delta R.T.: 0.000 min
Response: 16511891
Conc: 94.84 ug/ml



#16 benzo[b]fluoranthene (C30.41)


R.T.: 16.024 min
Delta R.T.: 0.000 min
Response: 16340653
Conc: 97.83 ug/ml



#17 Bnezo[k]fluoranthene (C30.14)


R.T.: 16.062 min
Delta R.T.: 0.000 min
Response: 15204824
Conc: 95.93 ug/ml

Instrument :
FID_D
ClientSampleId :
100 PPM AROMATIC HC STD1




#18 Benzo[a]pyrene (C31.34)

R.T.: 16.403 min
Delta R.T.: 0.000 min
Response: 15774557
Conc: 97.01 ug/ml




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.769 min
Delta R.T.: 0.000 min
Response: 14738374
Conc: 104.65 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.808 min
Delta R.T.: 0.000 min
Response: 14680138
Conc: 92.54 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 18.026 min
Delta R.T.: 0.000 min
Response: 15193201
Conc: 96.34 ug/ml

Instrument :

FID_D

ClientSampleId :

100 PPM AROMATIC HC STD1

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD093024AR\
Data File : FD048398.D
Signal(s) : FID2B.ch
Acq On : 30 Sep 2024 10:32
Sample : 100 PPM AROMATIC HC STD1
Misc :
ALS Vial : 61 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 093024.M
Title : GC Extractables

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.207	4.164	4.263	BV	1915723	16808820	94.42%	4.964%
2	5.727	5.664	5.941	BB	1872447	17729732	99.59%	5.236%
3	6.776	6.735	6.897	VV	1717584	17802071	100.00%	5.257%
4	7.387	7.288	7.492	BV	1560603	15119127	84.93%	4.465%
5	8.042	8.003	8.198	PB	1635352	17444290	97.99%	5.152%
6	8.238	8.198	8.300	BV	1016626	10212063	57.36%	3.016%
7	8.339	8.300	8.481	VB	1641134	17443576	97.99%	5.152%
8	9.117	8.988	9.261	BV	1531823	17126947	96.21%	5.058%
9	10.505	10.421	10.543	BV	1397756	17035396	95.69%	5.031%
10	10.582	10.543	10.784	VB	1374690	16525531	92.83%	4.880%
11	11.276	11.074	11.371	BB	1486072	17092393	96.01%	5.048%
12	12.312	12.268	12.458	VV	1302464	16901440	94.94%	4.991%
13	12.605	12.558	12.638	BV	1285020	16803834	94.39%	4.963%
14	14.474	14.301	14.492	BV	1097241	16141236	90.67%	4.767%
15	14.521	14.492	14.674	VV	1228449	16510593	92.75%	4.876%
16	16.024	15.971	16.039	BV	1003738	16339021	91.78%	4.825%
17	16.062	16.039	16.184	VB	1128407	15185368	85.30%	4.485%
18	16.403	16.291	16.464	BV	1053085	15772391	88.60%	4.658%
19	17.769	17.701	17.782	BV	822737	14738374	82.79%	4.353%
20	17.808	17.782	17.968	VV	969287	14680138	82.46%	4.335%
21	18.026	17.968	18.184	VV	801967	15193201	85.35%	4.487%
Sum of corrected areas:						338605545		

Aromatic EPH 093024.M Tue Oct 01 01:47:33 2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD093024AR\
 Data File : FD048399.D
 Signal(s) : FID2B.ch
 Acq On : 30 Sep 2024 11:10
 Operator : YP/AJ
 Sample : 50 PPM AROMATIC HC STD2
 Misc :
 ALS Vial : 62 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 50 PPM AROMATIC HC STD2

Integration File: autoint1.e
 Quant Time: Sep 30 12:34:15 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 093024.M
 Quant Title : GC Extractables
 QLast Update : Mon Sep 30 12:29:39 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.383	8053284	50.892 ug/ml
Spiked Amount 50.000		Recovery =	101.78%
6) S 2-Fluorobiphenyl (SURR)	8.233	5363905	51.056 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	102.11%
11) S ortho-Terphenyl (SURR)	11.270	9118209	50.790 ug/ml
Spiked Amount 50.000		Recovery =	101.58%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.204	8896963	51.031 ug/ml
2) T Naphthalene (C11.7)	5.723	9355415	50.785 ug/ml
3) T 2-Methylnaphthalene (...)	6.771	9401412	50.779 ug/ml
5) T Acenaphthylene (C15.06)	8.037	9277174	50.667 ug/ml
7) T Acenaphthene (C15.5)	8.333	9308587	50.754 ug/ml
8) T Fluorene (C16.55)	9.111	9110768	50.892 ug/ml
9) T Phenanthrene (C19.36)	10.498	9022332	50.995 ug/ml
10) T Anthracene (C19.43)	10.574	8792165	50.672 ug/ml
12) T Fluoranthene (C21.85)	12.304	9031075	51.008 ug/ml
13) T Pyrene (C20.8)	12.597	8955008	50.941 ug/ml
14) T Benzo[a]anthracene (C...	14.466	8534836	51.382 ug/ml
15) T Chrysene (C27.41)	14.509	8851759	50.558 ug/ml
16) T benzo[b]fluoranthene ...	16.013	8576544	50.889 ug/ml
17) T Bnezo[k]fluoranthene ...	16.048	8089512	50.688 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.390	8357472	50.921 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.754	7322210	51.311 ug/ml
20) T Dibenz[a,h]anthracene...	17.793	8013212	50.343 ug/ml
21) T Benzo[g,h,i]perylene ...	18.008	7980065	50.401 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD093024AR\
Data File : FD048399.D
Signal(s) : FID2B.ch
Acq On : 30 Sep 2024 11:10
Operator : YP/AJ
Sample : 50 PPM AROMATIC HC STD2
Misc :
ALS Vial : 62 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
50 PPM AROMATIC HC STD2

Integration File: autoint1.e
Quant Time: Sep 30 12:34:15 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 093024.M
Quant Title : GC Extractables
QLast Update : Mon Sep 30 12:29:39 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 4.204 min
Delta R.T.: 0.000 min
Response: 8896963
Conc: 51.03 ug/ml

Instrument :
FID_D
ClientSampleId :
50 PPM AROMATIC HC STD2




#2 Naphthalene (C11.7)

R.T.: 5.723 min
Delta R.T.: 0.000 min
Response: 9355415
Conc: 50.78 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 6.771 min
Delta R.T.: 0.000 min
Response: 9401412
Conc: 50.78 ug/ml



#4 2-Bromonaphthalene (SURR)


R.T.: 7.383 min
Delta R.T.: 0.000 min
Response: 8053284
Conc: 50.89 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.037 min
Delta R.T.: 0.000 min
Response: 9277174
Conc: 50.67 ug/ml

Instrument :
FID_D
ClientSampleId :
50 PPM AROMATIC HC STD2




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.233 min
Delta R.T.: 0.000 min
Response: 5363905
Conc: 51.06 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.333 min
Delta R.T.: 0.000 min
Response: 9308587
Conc: 50.75 ug/ml



#8 Flouorene (C16.55)


R.T.: 9.111 min
Delta R.T.: 0.000 min
Response: 9110768
Conc: 50.89 ug/ml



#9 Phenanthrene (C19.36)


R.T.: 10.498 min
Delta R.T.: 0.000 min
Response: 9022332
Conc: 51.00 ug/ml

Instrument :
FID_D
ClientSampleId :
50 PPM AROMATIC HC STD2




#10 Anthracene (C19.43)

R.T.: 10.574 min
Delta R.T.: 0.000 min
Response: 8792165
Conc: 50.67 ug/ml




#11 ortho-Terphenyl (SURR)

R.T.: 11.270 min
Delta R.T.: 0.000 min
Response: 9118209
Conc: 50.79 ug/ml



#12 Fluoranthene (C21.85)


R.T.: 12.304 min
Delta R.T.: 0.000 min
Response: 9031075
Conc: 51.01 ug/ml



#13 Pyrene (C20.8)


R.T.: 12.597 min
Delta R.T.: 0.000 min
Response: 8955008
Conc: 50.94 ug/ml

Instrument :
FID_D
ClientSampleId :
50 PPM AROMATIC HC STD2




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.466 min
Delta R.T.: 0.000 min
Response: 8534836
Conc: 51.38 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.509 min
Delta R.T.: 0.000 min
Response: 8851759
Conc: 50.56 ug/ml



#16 benzo[b]fluoranthene (C30.41)


R.T.: 16.013 min
Delta R.T.: 0.000 min
Response: 8576544
Conc: 50.89 ug/ml



#17 Bnezo[k]fluoranthene (C30.14)


R.T.: 16.048 min
Delta R.T.: 0.000 min
Response: 8089512
Conc: 50.69 ug/ml

Instrument :
FID_D
ClientSampleId :
50 PPM AROMATIC HC STD2




#18 Benzo[a]pyrene (C31.34)

R.T.: 16.390 min
Delta R.T.: 0.000 min
Response: 8357472
Conc: 50.92 ug/ml




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.754 min
Delta R.T.: 0.000 min
Response: 7322210
Conc: 51.31 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.793 min
Delta R.T.: 0.000 min
Response: 8013212
Conc: 50.34 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 18.008 min
Delta R.T.: 0.000 min
Response: 7980065
Conc: 50.40 ug/ml

Instrument :
FID_D
ClientSampleId :
50 PPM AROMATIC HC STD2

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD093024AR\
Data File : FD048399.D
Signal(s) : FID2B.ch
Acq On : 30 Sep 2024 11:10
Sample : 50 PPM AROMATIC HC STD2
Misc :
ALS Vial : 62 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 093024.M
Title : GC Extractables

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.204	4.138	4.265	BV	1045239	8844267	94.06%	4.936%
2	5.723	5.658	5.891	BV	1020976	9343668	99.37%	5.215%
3	6.771	6.738	6.904	VV	960640	9403190	100.00%	5.248%
4	7.383	7.275	7.528	PB	837974	8028291	85.38%	4.480%
5	8.037	7.981	8.168	VB	944306	9271271	98.60%	5.174%
6	8.233	8.178	8.300	BV	539343	5360312	57.01%	2.991%
7	8.333	8.300	8.481	VB	915788	9306766	98.97%	5.194%
8	9.111	9.021	9.244	BV	895204	9076333	96.52%	5.065%
9	10.498	10.398	10.544	BV	844446	9014676	95.87%	5.031%
10	10.574	10.544	10.781	VB	797965	8775430	93.32%	4.897%
11	11.270	11.184	11.371	BV	872834	9112859	96.91%	5.086%
12	12.304	12.263	12.434	PB	812257	8998589	95.70%	5.022%
13	12.597	12.558	12.643	BV	778213	8954963	95.23%	4.998%
14	14.466	14.318	14.485	BV	683059	8526273	90.67%	4.758%
15	14.509	14.485	14.668	VB	714287	8844035	94.05%	4.936%
16	16.013	15.971	16.029	BV	624297	8576544	91.21%	4.786%
17	16.048	16.029	16.112	VV	674122	8089512	86.03%	4.515%
18	16.390	16.204	16.471	BV	618316	8343619	88.73%	4.656%
19	17.754	17.701	17.769	BV	530824	7322210	77.87%	4.086%
20	17.793	17.769	17.964	VV	549809	8013212	85.22%	4.472%
21	18.008	17.964	18.201	VBA	525536	7980065	84.87%	4.454%
Sum of corrected areas:						179186086		

Aromatic EPH 093024.M Tue Oct 01 01:48:30 2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD093024AR\
 Data File : FD048400.D
 Signal(s) : FID2B.ch
 Acq On : 30 Sep 2024 11:48
 Operator : YP/AJ
 Sample : 20 PPM AROMATIC HC STD3
 Misc :
 ALS Vial : 63 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 20 PPM AROMATIC HC STD3

Integration File: autoint1.e
 Quant Time: Sep 30 12:30:02 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 093024.M
 Quant Title : GC Extractables
 QLast Update : Mon Sep 30 12:29:39 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.382	3246497	20.000 ug/ml
Spiked Amount 50.000		Recovery =	40.00%
6) S 2-Fluorobiphenyl (SURR)	8.232	2113006	20.000 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	40.00%
11) S ortho-Terphenyl (SURR)	11.267	3706162	20.000 ug/ml
Spiked Amount 50.000		Recovery =	40.00%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.204	3531993	20.000 ug/ml
2) T Naphthalene (C11.7)	5.722	3751038	20.000 ug/ml
3) T 2-Methylnaphthalene (...)	6.769	3782649	20.000 ug/ml
5) T Acenaphthylene (C15.06)	8.034	3784046	20.000 ug/ml
7) T Acenaphthene (C15.5)	8.328	3783016	20.000 ug/ml
8) T Fluorene (C16.55)	9.107	3664123	20.000 ug/ml
9) T Phenanthrene (C19.36)	10.494	3599000	20.000 ug/ml
10) T Anthracene (C19.43)	10.569	3583756	20.000 ug/ml
12) T Fluoranthene (C21.85)	12.298	3624323	20.000 ug/ml
13) T Pyrene (C20.8)	12.591	3604512	20.000 ug/ml
14) T Benzo[a]anthracene (C...	14.460	3323894	20.000 ug/ml
15) T Chrysene (C27.41)	14.501	3661741	20.000 ug/ml
16) T benzo[b]fluoranthene ...	16.005	3413368	20.000 ug/ml
17) T Bnezo[k]fluoranthene ...	16.037	3298832	20.000 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.380	3349724	20.000 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.743	2685595	20.000 ug/ml
20) T Dibenz[a,h]anthracene...	17.784	3409082	20.000 ug/ml
21) T Benzo[g,h,i]perylene ...	17.993	3269223	20.000 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD093024AR\
Data File : FD048400.D
Signal(s) : FID2B.ch
Acq On : 30 Sep 2024 11:48
Operator : YP/AJ
Sample : 20 PPM AROMATIC HC STD3
Misc :
ALS Vial : 63 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD3

Integration File: autoint1.e
Quant Time: Sep 30 12:30:02 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 093024.M
Quant Title : GC Extractables
QLast Update : Mon Sep 30 12:29:39 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 4.204 min
Delta R.T.: 0.000 min
Response: 3531993
Conc: 20.00 ug/ml

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD3




#2 Naphthalene (C11.7)

R.T.: 5.722 min
Delta R.T.: 0.000 min
Response: 3751038
Conc: 20.00 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 6.769 min
Delta R.T.: 0.000 min
Response: 3782649
Conc: 20.00 ug/ml



#4 2-Bromonaphthalene (SURR)


R.T.: 7.382 min
Delta R.T.: 0.000 min
Response: 3246497
Conc: 20.00 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.034 min
Delta R.T.: 0.000 min
Response: 3784046
Conc: 20.00 ug/ml

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD3




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.232 min
Delta R.T.: 0.000 min
Response: 2113006
Conc: 20.00 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.328 min
Delta R.T.: 0.000 min
Response: 3783016
Conc: 20.00 ug/ml



#8 Flouorene (C16.55)


R.T.: 9.107 min
Delta R.T.: 0.000 min
Response: 3664123
Conc: 20.00 ug/ml



#9 Phenanthrene (C19.36)


R.T.: 10.494 min
Delta R.T.: 0.000 min
Response: 3599000
Conc: 20.00 ug/ml

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD3




#10 Anthracene (C19.43)

R.T.: 10.569 min
Delta R.T.: 0.000 min
Response: 3583756
Conc: 20.00 ug/ml




#11 ortho-Terphenyl (SURRE)

R.T.: 11.267 min
Delta R.T.: 0.000 min
Response: 3706162
Conc: 20.00 ug/ml



#12 Fluoranthene (C21.85)


R.T.: 12.298 min
Delta R.T.: 0.000 min
Response: 3624323
Conc: 20.00 ug/ml



#13 Pyrene (C20.8)


R.T.: 12.591 min
Delta R.T.: 0.000 min
Response: 3604512
Conc: 20.00 ug/ml

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD3




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.460 min
Delta R.T.: 0.000 min
Response: 3323894
Conc: 20.00 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.501 min
Delta R.T.: 0.000 min
Response: 3661741
Conc: 20.00 ug/ml



#16 benzo[b]fluoranthene (C30.41)


R.T.: 16.005 min
Delta R.T.: 0.000 min
Response: 3413368
Conc: 20.00 ug/ml



#17 Bnezo[k]fluoranthene (C30.14)


R.T.: 16.037 min
Delta R.T.: 0.000 min
Response: 3298832
Conc: 20.00 ug/ml

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD3




#18 Benzo[a]pyrene (C31.34)

R.T.: 16.380 min
Delta R.T.: 0.000 min
Response: 3349724
Conc: 20.00 ug/ml




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.743 min
Delta R.T.: 0.000 min
Response: 2685595
Conc: 20.00 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.784 min
Delta R.T.: 0.000 min
Response: 3409082
Conc: 20.00 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 17.993 min
Delta R.T.: 0.000 min
Response: 3269223
Conc: 20.00 ug/ml

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD3

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD093024AR\
Data File : FD048400.D
Signal(s) : FID2B.ch
Acq On : 30 Sep 2024 11:48
Sample : 20 PPM AROMATIC HC STD3
Misc :
ALS Vial : 63 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 093024.M
Title : GC Extractables

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.204	4.151	4.266	BV	400376	3537815	93.04%	4.912%
2	5.722	5.581	5.888	BV	369307	3754770	98.74%	5.213%
3	6.769	6.739	6.911	VB	364360	3783797	99.50%	5.253%
4	7.382	7.114	7.574	BB	313593	3296950	86.70%	4.577%
5	8.034	7.984	8.204	BB	379343	3765462	99.02%	5.228%
6	8.232	8.204	8.300	BV	193436	2116292	55.65%	2.938%
7	8.328	8.300	8.468	VB	378708	3802634	100.00%	5.279%
8	9.107	9.038	9.264	BB	327878	3643058	95.80%	5.058%
9	10.494	10.401	10.544	BV	335819	3590326	94.42%	4.985%
10	10.569	10.544	10.798	VB	289199	3544937	93.22%	4.921%
11	11.267	11.181	11.384	BB	345260	3694652	97.16%	5.129%
12	12.298	12.263	12.444	PB	312362	3617732	95.14%	5.023%
13	12.591	12.531	12.657	BV	303618	3561567	93.66%	4.945%
14	14.460	14.388	14.479	BV	292456	3322945	87.39%	4.613%
15	14.501	14.479	14.684	VB	276578	3655582	96.13%	5.075%
16	16.005	15.971	16.021	BV	284955	3413368	89.76%	4.739%
17	16.037	16.021	16.115	VV	275555	3298832	86.75%	4.580%
18	16.380	16.284	16.478	BV	253350	3265182	85.87%	4.533%
19	17.743	17.701	17.763	BV	209613	2685595	70.62%	3.728%
20	17.784	17.763	17.961	VV	171664	3409082	89.65%	4.733%
21	17.993	17.961	18.201	VBA	216275	3269223	85.97%	4.539%
Sum of corrected areas:						72029803		

Aromatic EPH 093024.M Tue Oct 01 01:49:11 2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD093024AR\
 Data File : FD048401.D
 Signal(s) : FID2B.ch
 Acq On : 30 Sep 2024 12:47
 Operator : YP/AJ
 Sample : 10 PPM AROMATIC HC STD4
 Misc :
 ALS Vial : 64 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 10 PPM AROMATIC HC STD4

Integration File: autoint1.e
 Quant Time: Sep 30 13:23:11 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 093024.M
 Quant Title : GC Extractables
 QLast Update : Mon Sep 30 13:23:03 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.381	1605451	10.109 ug/ml
Spiked Amount 50.000		Recovery =	20.22%
6) S 2-Fluorobiphenyl (SURR)	8.233	1016463	9.754 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	19.51%
11) S ortho-Terphenyl (SURR)	11.265	1833921	10.161 ug/ml
Spiked Amount 50.000		Recovery =	20.32%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.202	1731147	9.947 ug/ml
2) T Naphthalene (C11.7)	5.721	1840574	9.994 ug/ml
3) T 2-Methylnaphthalene (...)	6.768	1908614	10.230 ug/ml
5) T Acenaphthylene (C15.06)	8.033	1960832	10.522 ug/ml
7) T Acenaphthene (C15.5)	8.326	1881168	10.191 ug/ml
8) T Fluorene (C16.55)	9.107	1798234	10.034 ug/ml
9) T Phenanthrene (C19.36)	10.493	1754425	9.937 ug/ml
10) T Anthracene (C19.43)	10.570	1840011	10.447 ug/ml
12) T Fluoranthene (C21.85)	12.298	1804434	10.143 ug/ml
13) T Pyrene (C20.8)	12.590	1743379	9.938 ug/ml
14) T Benzo[a]anthracene (C...	14.458	1549123	9.486 ug/ml
15) T Chrysene (C27.41)	14.499	1921102	10.712 ug/ml
16) T benzo[b]fluoranthene ...	16.003	1647278	9.830 ug/ml
17) T Bnezo[k]fluoranthene ...	16.034	1761068	10.756 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.384	1649795	10.039 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.747	1182778	8.659 ug/ml
20) T Dibenz[a,h]anthracene...	17.791	1747599	10.717 ug/ml
21) T Benzo[g,h,i]perylene ...	17.994	1634016	10.238 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD093024AR\
Data File : FD048401.D
Signal(s) : FID2B.ch
Acq On : 30 Sep 2024 12:47
Operator : YP/AJ
Sample : 10 PPM AROMATIC HC STD4
Misc :
ALS Vial : 64 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
10 PPM AROMATIC HC STD4

Integration File: autoint1.e
Quant Time: Sep 30 13:23:11 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 093024.M
Quant Title : GC Extractables
QLast Update : Mon Sep 30 13:23:03 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 4.202 min
Delta R.T.: 0.000 min
Response: 1731147
Conc: 9.95 ug/ml

Instrument :
FID_D
ClientSampleId :
10 PPM AROMATIC HC STD4




#2 Naphthalene (C11.7)

R.T.: 5.721 min
Delta R.T.: 0.000 min
Response: 1840574
Conc: 9.99 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 6.768 min
Delta R.T.: 0.000 min
Response: 1908614
Conc: 10.23 ug/ml



#4 2-Bromonaphthalene (SURR)


R.T.: 7.381 min
Delta R.T.: 0.000 min
Response: 1605451
Conc: 10.11 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.033 min
Delta R.T.: 0.000 min
Response: 1960832
Conc: 10.52 ug/ml

Instrument :
FID_D
ClientSampleId :
10 PPM AROMATIC HC STD4




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.233 min
Delta R.T.: 0.000 min
Response: 1016463
Conc: 9.75 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.326 min
Delta R.T.: 0.000 min
Response: 1881168
Conc: 10.19 ug/ml



#8 Flouorene (C16.55)


R.T.: 9.107 min
Delta R.T.: 0.000 min
Response: 1798234
Conc: 10.03 ug/ml



#9 Phenanthrene (C19.36)


R.T.: 10.493 min
Delta R.T.: 0.000 min
Response: 1754425
Conc: 9.94 ug/ml

Instrument :
FID_D
ClientSampleId :
10 PPM AROMATIC HC STD4




#10 Anthracene (C19.43)

R.T.: 10.570 min
Delta R.T.: 0.000 min
Response: 1840011
Conc: 10.45 ug/ml




#11 ortho-Terphenyl (SURR)

R.T.: 11.265 min
Delta R.T.: 0.000 min
Response: 1833921
Conc: 10.16 ug/ml



#12 Fluoranthene (C21.85)


R.T.: 12.298 min
Delta R.T.: 0.000 min
Response: 1804434
Conc: 10.14 ug/ml



#13 Pyrene (C20.8)


R.T.: 12.590 min
Delta R.T.: 0.000 min
Response: 1743379
Conc: 9.94 ug/ml

Instrument :
FID_D
ClientSampleId :
10 PPM AROMATIC HC STD4




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.458 min
Delta R.T.: 0.000 min
Response: 1549123
Conc: 9.49 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.499 min
Delta R.T.: 0.000 min
Response: 1921102
Conc: 10.71 ug/ml



#16 benzo[b]fluoranthene (C30.41)


R.T.: 16.003 min
Delta R.T.: 0.000 min
Response: 1647278
Conc: 9.83 ug/ml



#17 Bnezo[k]fluoranthene (C30.14)


R.T.: 16.034 min
Delta R.T.: 0.000 min
Response: 1761068
Conc: 10.76 ug/ml

Instrument :
FID_D
ClientSampleId :
10 PPM AROMATIC HC STD4




#18 Benzo[a]pyrene (C31.34)

R.T.: 16.384 min
Delta R.T.: 0.000 min
Response: 1649795
Conc: 10.04 ug/ml




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.747 min
Delta R.T.: 0.000 min
Response: 1182778
Conc: 8.66 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.791 min
Delta R.T.: 0.000 min
Response: 1747599
Conc: 10.72 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 17.994 min

Delta R.T.: 0.000 min

Response: 1634016

Conc: 10.24 ug/ml

Instrument :

FID_D

ClientSampleId :

10 PPM AROMATIC HC STD4

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD093024AR\
Data File : FD048401.D
Signal(s) : FID2B.ch
Acq On : 30 Sep 2024 12:47
Sample : 10 PPM AROMATIC HC STD4
Misc :
ALS Vial : 64 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 093024.M
Title : GC Extractables

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.202	4.138	4.263	BV	195850	1727884	88.39%	4.846%
2	5.721	5.631	5.941	BB	169208	1881784	96.26%	5.278%
3	6.768	6.740	6.918	VB	165020	1866265	95.46%	5.234%
4	7.381	7.356	7.488	VV	144807	1606006	82.15%	4.504%
5	8.033	8.011	8.178	BB	173492	1954924	100.00%	5.483%
6	8.233	8.191	8.301	BV	81005	1014853	51.91%	2.846%
7	8.326	8.301	8.414	VB	178121	1880303	96.18%	5.274%
8	9.107	9.034	9.224	BV	145407	1763617	90.21%	4.947%
9	10.493	10.404	10.543	BV	157368	1740277	89.02%	4.881%
10	10.570	10.543	10.764	VB	119507	1763147	90.19%	4.945%
11	11.265	11.188	11.371	BB	166999	1838895	94.06%	5.158%
12	12.298	12.268	12.454	VB	142765	1797355	91.94%	5.041%
13	12.590	12.531	12.731	BB	144505	1794544	91.80%	5.033%
14	14.458	14.381	14.479	BV	131788	1551742	79.38%	4.352%
15	14.499	14.479	14.698	VB	126126	1922381	98.34%	5.392%
16	16.003	15.971	16.019	BV	143982	1646846	84.24%	4.619%
17	16.034	16.019	16.188	VB	113857	1748508	89.44%	4.904%
18	16.384	16.301	16.491	BV	97799	1590023	81.33%	4.460%
19	17.747	17.701	17.770	BV	85150	1182778	60.50%	3.317%
20	17.791	17.770	17.964	VV	64132	1747599	89.39%	4.902%
21	17.994	17.964	18.201	VBA	88993	1634016	83.58%	4.583%
Sum of corrected areas:							35653748	

Aromatic EPH 093024.M Tue Oct 01 01:49:52 2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD093024AR\
 Data File : FD048402.D
 Signal(s) : FID2B.ch
 Acq On : 30 Sep 2024 13:35
 Operator : YP/AJ
 Sample : 5 PPM AROMATIC HC STD5
 Misc :
 ALS Vial : 65 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 5 PPM AROMATIC HC STD5

Integration File: autoint1.e
 Quant Time: Sep 30 14:16:46 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 093024.M
 Quant Title : GC Extractables
 QLast Update : Mon Sep 30 14:16:33 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.384	962842	5.815 ug/ml
Spiked Amount 50.000		Recovery =	11.63%
6) S 2-Fluorobiphenyl (SURR)	8.239	508479	4.903 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	9.81%
11) S ortho-Terphenyl (SURR)	11.266	990050	5.381 ug/ml
Spiked Amount 50.000		Recovery =	10.76%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.204	900690	5.139 ug/ml
2) T Naphthalene (C11.7)	5.725	984293	5.272 ug/ml
3) T 2-Methylnaphthalene (...)	6.772	993261	5.256 ug/ml
5) T Acenaphthylene (C15.06)	8.035	1069085	5.573 ug/ml
7) T Acenaphthene (C15.5)	8.328	1037231	5.483 ug/ml
8) T Fluorene (C16.55)	9.111	932385	5.161 ug/ml
9) T Phenanthrene (C19.36)	10.497	899656	5.076 ug/ml
10) T Anthracene (C19.43)	10.575	925856	5.203 ug/ml
12) T Fluoranthene (C21.85)	12.301	963834	5.329 ug/ml
13) T Pyrene (C20.8)	12.593	968145	5.407 ug/ml
14) T Benzo[a]anthracene (C...	14.464	729221	4.563 ug/ml
15) T Chrysene (C27.41)	14.502	1076419	5.771 ug/ml
16) T benzo[b]fluoranthene ...	16.008	811870	4.875 ug/ml
17) T Bnezo[k]fluoranthene ...	16.040	969266	5.710 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.393	799268	4.890 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.760	556571	4.231 ug/ml
20) T Dibenz[a,h]anthracene...	17.806	921954	5.510 ug/ml
21) T Benzo[g,h,i]perylene ...	18.001	868643	5.348 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD093024AR\
Data File : FD048402.D
Signal(s) : FID2B.ch
Acq On : 30 Sep 2024 13:35
Operator : YP/AJ
Sample : 5 PPM AROMATIC HC STD5
Misc :
ALS Vial : 65 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
5 PPM AROMATIC HC STD5

Integration File: autoint1.e
Quant Time: Sep 30 14:16:46 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 093024.M
Quant Title : GC Extractables
QLast Update : Mon Sep 30 14:16:33 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 4.204 min
Delta R.T.: 0.000 min
Response: 900690
Conc: 5.14 ug/ml

Instrument :
FID_D
ClientSampleId :
5 PPM AROMATIC HC STD5




#2 Naphthalene (C11.7)

R.T.: 5.725 min
Delta R.T.: 0.000 min
Response: 984293
Conc: 5.27 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 6.772 min
Delta R.T.: 0.000 min
Response: 993261
Conc: 5.26 ug/ml



#4 2-Bromonaphthalene (SURR)


R.T.: 7.384 min
Delta R.T.: 0.000 min
Response: 962842
Conc: 5.82 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.035 min
Delta R.T.: 0.000 min
Response: 1069085
Conc: 5.57 ug/ml

Instrument :
FID_D
ClientSampleId :
5 PPM AROMATIC HC STD5




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.239 min
Delta R.T.: 0.000 min
Response: 508479
Conc: 4.90 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.328 min
Delta R.T.: 0.000 min
Response: 1037231
Conc: 5.48 ug/ml



#8 Flouorene (C16.55)


R.T.: 9.111 min
Delta R.T.: 0.000 min
Response: 932385
Conc: 5.16 ug/ml



#9 Phenanthrene (C19.36)


R.T.: 10.497 min
Delta R.T.: 0.000 min
Response: 899656
Conc: 5.08 ug/ml

Instrument :
FID_D
ClientSampleId :
5 PPM AROMATIC HC STD5




#10 Anthracene (C19.43)

R.T.: 10.575 min
Delta R.T.: 0.000 min
Response: 925856
Conc: 5.20 ug/ml




#11 ortho-Terphenyl (SURR)

R.T.: 11.266 min
Delta R.T.: 0.000 min
Response: 990050
Conc: 5.38 ug/ml



#12 Fluoranthene (C21.85)


R.T.: 12.301 min
Delta R.T.: 0.000 min
Response: 963834
Conc: 5.33 ug/ml



#13 Pyrene (C20.8)


R.T.: 12.593 min
Delta R.T.: 0.000 min
Response: 968145
Conc: 5.41 ug/ml

Instrument :
FID_D
ClientSampleId :
5 PPM AROMATIC HC STD5




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.464 min
Delta R.T.: 0.000 min
Response: 729221
Conc: 4.56 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.502 min
Delta R.T.: 0.000 min
Response: 1076419
Conc: 5.77 ug/ml



#16 benzo[b]fluoranthene (C30.41)


R.T.: 16.008 min
Delta R.T.: 0.000 min
Response: 811870
Conc: 4.87 ug/ml



#17 Bnezo[k]fluoranthene (C30.14)


R.T.: 16.040 min
Delta R.T.: 0.000 min
Response: 969266
Conc: 5.71 ug/ml

Instrument :
FID_D
ClientSampleId :
5 PPM AROMATIC HC STD5




#18 Benzo[a]pyrene (C31.34)

R.T.: 16.393 min
Delta R.T.: 0.000 min
Response: 799268
Conc: 4.89 ug/ml




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.760 min
Delta R.T.: 0.000 min
Response: 556571
Conc: 4.23 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.806 min
Delta R.T.: 0.000 min
Response: 921954
Conc: 5.51 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 18.001 min
Delta R.T.: 0.000 min
Response: 868643
Conc: 5.35 ug/ml

Instrument :

FID_D

ClientSampleId :

5 PPM AROMATIC HC STD5

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD093024AR\
Data File : FD048402.D
Signal(s) : FID2B.ch
Acq On : 30 Sep 2024 13:35
Sample : 5 PPM AROMATIC HC STD5
Misc :
ALS Vial : 65 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 093024.M
Title : GC Extractables

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.204	4.144	4.262	BV	97231	900690	83.67%	4.797%
2	5.725	5.668	5.911	BB	77378	984293	91.44%	5.242%
3	6.772	6.745	6.958	PB	74354	993261	92.27%	5.290%
4	7.384	7.208	7.561	PB	69110	962842	89.45%	5.128%
5	8.035	8.011	8.201	VB	86238	1069085	99.32%	5.693%
6	8.239	8.204	8.304	BV	33580	508479	47.24%	2.708%
7	8.328	8.304	8.438	VB	95153	1037231	96.36%	5.524%
8	9.111	9.034	9.281	BB	66500	932385	86.62%	4.965%
9	10.497	10.428	10.550	BV	72885	899656	83.58%	4.791%
10	10.575	10.550	10.754	VB	52531	925856	86.01%	4.931%
11	11.266	11.178	11.351	BB	87312	990050	91.98%	5.273%
12	12.301	12.268	12.478	VV	64148	963834	89.54%	5.133%
13	12.593	12.538	12.758	BB	67056	968145	89.94%	5.156%
14	14.464	14.384	14.483	BV	56526	729221	67.75%	3.884%
15	14.502	14.483	14.684	VB	61254	1076419	100.00%	5.733%
16	16.008	15.971	16.024	BV	67889	811870	75.42%	4.324%
17	16.040	16.024	16.188	VB	51872	969266	90.05%	5.162%
18	16.393	16.314	16.498	BV	42523	799268	74.25%	4.257%
19	17.760	17.701	17.784	BV	34912	529921	49.23%	2.822%
20	17.806	17.784	17.968	VV	28206	877691	81.54%	4.674%
21	18.001	17.968	18.201	VBA	39468	847929	78.77%	4.516%
Sum of corrected areas:						18777392		

Aromatic EPH 093024.M Tue Oct 01 01:50:24 2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD093024AR\
 Data File : FD048403.D
 Signal(s) : FID2B.ch
 Acq On : 30 Sep 2024 14:29
 Operator : YP/AJ
 Sample : 20 PPM AROMATIC HC STD ICV
 Misc :
 ALS Vial : 66 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 20 PPM AROMATIC HC STD ICV

Integration File: autoint1.e
 Quant Time: Sep 30 17:02:16 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 093024.M
 Quant Title : GC Extractables
 QLast Update : Mon Sep 30 14:17:34 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.381	3368404	20.345 ug/ml
Spiked Amount 50.000		Recovery =	40.69%
6) S 2-Fluorobiphenyl (SURR)	8.232	2141410	20.649 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	41.30%
11) S ortho-Terphenyl (SURR)	11.266	3698580	20.101 ug/ml
Spiked Amount 50.000		Recovery =	40.20%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.201	3521081	20.091 ug/ml
2) T Naphthalene (C11.7)	5.720	3788301	20.289 ug/ml
3) T 2-Methylnaphthalene (...)	6.767	3802093	20.118 ug/ml
5) T Acenaphthylene (C15.06)	8.033	3842612	20.030 ug/ml
7) T Acenaphthene (C15.5)	8.328	3785313	20.012 ug/ml
8) T Fluorene (C16.55)	9.106	3658929	20.252 ug/ml
9) T Phenanthrene (C19.36)	10.493	3597204	20.297 ug/ml
10) T Anthracene (C19.43)	10.569	3532678	19.853 ug/ml
12) T Fluoranthene (C21.85)	12.298	3625812	20.046 ug/ml
13) T Pyrene (C20.8)	12.590	3567943	19.925 ug/ml
14) T Benzo[a]anthracene (C...	14.459	3346833	20.942 ug/ml
15) T Chrysene (C27.41)	14.500	3657712	19.610 ug/ml
16) T benzo[b]fluoranthene ...	16.006	3457542	20.761 ug/ml
17) T Bnezo[k]fluoranthene ...	16.036	3379645	19.910 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.381	3303676	20.213 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.744	2730501	20.758 ug/ml
20) T Dibenz[a,h]anthracene...	17.785	3415613	20.412 ug/ml
21) T Benzo[g,h,i]perylene ...	17.994	3278515	20.185 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD093024AR\
Data File : FD048403.D
Signal(s) : FID2B.ch
Acq On : 30 Sep 2024 14:29
Operator : YP/AJ
Sample : 20 PPM AROMATIC HC STD ICV
Misc :
ALS Vial : 66 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD ICV

Integration File: autoint1.e
Quant Time: Sep 30 17:02:16 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 093024.M
Quant Title : GC Extractables
QLast Update : Mon Sep 30 14:17:34 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 4.201 min
Delta R.T.: -0.003 min
Response: 3521081
Conc: 20.09 ug/ml

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD ICV




#2 Naphthalene (C11.7)

R.T.: 5.720 min
Delta R.T.: -0.004 min
Response: 3788301
Conc: 20.29 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 6.767 min
Delta R.T.: -0.005 min
Response: 3802093
Conc: 20.12 ug/ml



#4 2-Bromonaphthalene (SURR)

R.T.: 7.381 min
Delta R.T.: -0.004 min
Response: 3368404
Conc: 20.34 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.033 min
Delta R.T.: -0.002 min
Response: 3842612
Conc: 20.03 ug/ml

Instrument :

FID_D


ClientSampleId :

20 PPM AROMATIC HC STD ICV




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.232 min
Delta R.T.: -0.007 min
Response: 2141410
Conc: 20.65 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.328 min
Delta R.T.: 0.000 min
Response: 3785313
Conc: 20.01 ug/ml



#8 Fluorene (C16.55)

R.T.: 9.106 min
Delta R.T.: -0.005 min
Response: 3658929
Conc: 20.25 ug/ml



#9 Phenanthrene (C19.36)


R.T.: 10.493 min
Delta R.T.: -0.004 min
Response: 3597204
Conc: 20.30 ug/ml

Instrument :

FID_D


ClientSampleId :

20 PPM AROMATIC HC STD ICV




#10 Anthracene (C19.43)

R.T.: 10.569 min
Delta R.T.: -0.006 min
Response: 3532678
Conc: 19.85 ug/ml




#11 ortho-Terphenyl (SURR)

R.T.: 11.266 min
Delta R.T.: 0.000 min
Response: 3698580
Conc: 20.10 ug/ml



#12 Fluoranthene (C21.85)

R.T.: 12.298 min
Delta R.T.: -0.004 min
Response: 3625812
Conc: 20.05 ug/ml



#13 Pyrene (C20.8)


R.T.: 12.590 min
Delta R.T.: -0.004 min
Response: 3567943
Conc: 19.93 ug/ml

Instrument :

FID_D


ClientSampleId :

20 PPM AROMATIC HC STD ICV




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.459 min
Delta R.T.: -0.005 min
Response: 3346833
Conc: 20.94 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.500 min
Delta R.T.: -0.002 min
Response: 3657712
Conc: 19.61 ug/ml



#16 benzo[b]fluoranthene (C30.41)

R.T.: 16.006 min
Delta R.T.: -0.002 min
Response: 3457542
Conc: 20.76 ug/ml



#17 Bnezo[k]fluoranthene (C30.14)


R.T.: 16.036 min
Delta R.T.: -0.004 min
Response: 3379645
Conc: 19.91 ug/ml

Instrument :

FID_D


ClientSampleId :

20 PPM AROMATIC HC STD ICV




#18 Benzo[a]pyrene (C31.34)

R.T.: 16.381 min
Delta R.T.: -0.012 min
Response: 3303676
Conc: 20.21 ug/ml




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.744 min
Delta R.T.: -0.016 min
Response: 2730501
Conc: 20.76 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.785 min
Delta R.T.: -0.022 min
Response: 3415613
Conc: 20.41 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 17.994 min
Delta R.T.: -0.007 min
Response: 3278515
Conc: 20.18 ug/ml

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD ICV

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD093024AR\
Data File : FD048403.D
Signal(s) : FID2B.ch
Acq On : 30 Sep 2024 14:29
Sample : 20 PPM AROMATIC HC STD ICV
Misc :
ALS Vial : 66 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 093024.M
Title : GC Extractables

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.201	4.085	4.265	BV	411728	3521081	91.63%	4.857%
2	5.720	5.618	5.928	BB	370028	3788301	98.59%	5.225%
3	6.767	6.741	6.961	VB	359837	3802093	98.95%	5.244%
4	7.381	7.191	7.588	BB	318926	3368404	87.66%	4.646%
5	8.033	8.008	8.205	PV	376973	3842612	100.00%	5.300%
6	8.232	8.205	8.301	PV	192929	2141410	55.73%	2.954%
7	8.328	8.301	8.468	VB	377334	3785313	98.51%	5.221%
8	9.106	9.018	9.265	BB	320863	3658929	95.22%	5.047%
9	10.493	10.401	10.545	BV	339349	3597204	93.61%	4.962%
10	10.569	10.545	10.761	VB	281554	3532678	91.93%	4.873%
11	11.266	11.161	11.368	BB	349437	3698580	96.25%	5.101%
12	12.298	12.268	12.441	PB	319741	3625812	94.36%	5.001%
13	12.590	12.548	12.653	PV	318445	3567943	92.85%	4.921%
14	14.459	14.365	14.479	BV	290579	3346833	87.10%	4.616%
15	14.500	14.479	14.685	VB	276082	3657712	95.19%	5.045%
16	16.006	15.971	16.021	BV	290942	3457542	89.98%	4.769%
17	16.036	16.021	16.188	VB	275149	3379645	87.95%	4.662%
18	16.381	16.278	16.478	BV	237513	3303676	85.97%	4.557%
19	17.744	17.701	17.764	BV	214980	2730501	71.06%	3.766%
20	17.785	17.764	17.961	VV	185327	3415613	88.89%	4.711%
21	17.994	17.961	18.201	VBA	215211	3278515	85.32%	4.522%
Sum of corrected areas:							72500396	

Aromatic EPH 093024.M Tue Oct 01 01:51:11 2024