

Prep Standard - Chemical Standard Summary

Order ID: Test:	P4385 Cyanide,F	Hexavalent Chromium, Paint Filter, Percent Solids, pH, Trivalent Chromium
Prepbatch ID :	PB164052,	PB164122,
Sequence ID/Qc Ba	tch ID:	LB132883,LB132887,LB132919,LB132925,LB133018,

Standard ID :

WP107791,WP107796,WP108008,WP108075,WP108076,WP108640,WP108645,WP108658,WP108659,WP109068,WP109549,WP110035,WP110092,WP110103,WP110108,WP110182,WP110183,WP110184,WP110185,WP110186,WP1 10187,WP110188,WP110189,WP110191,WP110192,

Chemical ID :

E3657,E3788,M5211,M5673,M5878,M5929,M5947,M5954,W2202,W2511,W2606,W2651,W2652,W2668,W2699,W288 2,W2979,W3001,W3005,W3011,W3019,W3058,W3071,W3072,W3093,W3094,W3107,W3112,W3113,W3138,W3139, W3142,



Recipe ID 126	<u>NAME</u> 5N sulfuric acid	<u>NO.</u> WP107791	Prep Date 05/07/2024		<u>Prepared</u> <u>By</u> Niha Farheen Shaik	<u>ScaleID</u> None	<u>PipetteID</u> None	Supervised By Iwona Zarych 05/07/2024
FROM	140.00000ml of M5211 + 860.00000r	nl of W2606	i = Final Quai	ntity: 1.000 L	<u> </u>			

Recipe				Expiration	Prepared			Supervised By
<u>ID</u>	NAME	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	PipettelD	Iwona Zarych
1836	HNO3 Hex-Chrome, 5M	WP107796	05/07/2024	10/24/2024	Rubina Mughal	None	None	2
								05/07/2024
FROM	320.00000ml of M5878 + 680.00000	ml of W2606	6 = Final Qua	ntity: 1000.000	ml			



Recipe ID 190	NAME HEX CHROME PHOSPHATE BUFFER	<u>NO.</u> WP108008	Prep Date 05/20/2024		<u>Prepared</u> <u>By</u> Rubina Mughal	ScaleID WETCHEM_S CALE_5 (WC	<u>PipetteID</u> None	Supervised By Iwona Zarych 05/20/2024
<u>FROM</u>	0.84500L of W2606 + 68.04000gram	of W2699 +	- 87.09000gra	m of W2511 =	Final Quantity:	SC-5) 1.000 L		

<u>Recipe</u>				Expiration	<u>Prepared</u>			Supervised By
<u>ID</u>	NAME	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	PipettelD	lwona Zarych
3214		WP108075	05/22/2024	10/24/2024	Rubina Mughal	WETCHEM_S	None	
	2.5M(51%W/V)					CALE_5 (WC SC-5)		05/24/2024
FROM	500.00000ml of W2606 + 510.00000	gram of W3	001 = Final G	antity: 1000.0	000 ml	30-3)		



FROM 1000.00000ml of M5673 + 1000.00000ml of W2606 = Final Quantity: 2000.000 ml	upervised By Iwona Zarych 05/24/2024	PipetteID None	<u>ScaleID</u> None	<u>Prepared</u> <u>By</u> Rubina Mughal		Prep Date 05/22/2024	<u>NO.</u> WP108076	NAME Sulfuric Acid, 50% (v/v)	Recipe ID 1714
				00 ml	uantity: 2000.0	306 = Final Q	00ml of W26	1000.00000ml of M5673 + 1000.000	<u>FROM</u>

Recip	NAME	NO	Bron Data	Expiration Date	Prepared By	ScalolD	<u>PipetteID</u>	Supervised By
<u>ID</u>		<u>NO.</u>	Prep Date		<u>By</u>	<u>ScaleID</u>		Iwona Zarych
11	Sodium hydroxide absorbing solution 0.25 N	<u>WP108640</u>	07/05/2024	01/05/2025	Rubina Mughal	WETCHEM_S CALE_4 (WC		07/08/2024
EDON	I 21.00000L of W3112 + 210.00000gra	I	i – Final Qua	l	1	SC-4)		
FROM	21.00000E 01 W3112 + 210.00000gr			nuty. 21.000 L				



Recipe ID 3354	NAME Hexchrome Cleaning Solution	<u>NO.</u> WP108645	Prep Date 07/05/2024		<u>Prepared</u> <u>By</u> Rubina Mughal	<u>ScaleID</u> None	<u>PipetteID</u> None	Supervised By Iwona Zarych 07/08/2024
<u>FROM</u>	182.00000ml of M5947 + 727.00000	ml of W3112	2 + 91.00000m	nl of M5954 = F	Final Quantity: 1	000.000 ml		
Pacino				Expiration	Propared			

Recipe				Expiration	Prepared			Supervised By
<u>ID</u>	NAME	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	PipetteID	Iwona Zarych
1993		WP108658	07/09/2024	01/09/2025	Rubina Mughal	WETCHEM_S	None	
	STOCK STD 1, 50PPM					CALE_5 (WC SC-5)		07/09/2024
FROM	0.14140gram of W2651 + 1000.0000	0ml of W31	12 = Final Qu	antity: 1000.00	0 ml	30-3)		



<u>Recipe</u> <u>ID</u> 1994	NAME HEXAVALENTCHROMIUM STOCK STD 2, 50PPM	<u>NO.</u> WP108659	Prep Date 07/09/2024	Expiration Date 01/09/2025	<u>Prepared</u> <u>By</u> Rubina Mughal	CALE_5 (WC	<u>PipetteID</u> None	Supervised By Iwona Zarych 07/09/2024
<u>FROM</u>	0.14140gram of W2652 + 1000.0000	0ml of W31	12 = Final Qu	antity: 1000.00	0 ml	SC-5)		

<u>Recipe</u> <u>ID</u> 607	NAME PYRIDINE-BARBITURIC ACID	<u>NO.</u> WP109068	<u>Prep Date</u> 08/06/2024		Prepared By Niha Farheen	_	<u>PipetteID</u> None	Supervised By Iwona Zarych
FROM	145.00000ml of W3112 + 15.00000g	ram of W28	82 + 15.00000) 0ml of M5929 +	Shaik 75.00000ml of	CALE_5 (WC <u>SC-5)</u> W3019 = Final	Quantity: 250.	08/07/2024 000
	ml							



Recipe ID 3371	NAME Cyanide LCS Spike Solution, 5PPM	<u>NO.</u> WP109549	Prep Date 09/06/2024	Expiration Date 01/05/2025	<u>Prepared</u> <u>By</u> Niha Farheen Shaik	<u>ScaleID</u> None	PipettelD WETCHEM_P IPETTE_3	Supervised By Iwona Zarych 09/06/2024
<u>FROM</u>	1.00000ml of W3138 + 199.00000ml	of WP1086	40 = Final Qu	uantity: 200.000) ml		' (WC) '	
				Fundantian	Durant			

<u>Recipe</u>				Expiration	Prepared			Supervised By
ID	NAME	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	PipetteID	Iwona Zarych
3850		WP110035	10/03/2024	11/30/2024	Rubina Mughal	None	WETCHEM_P	
	solution, 5PPM						IPETTE_3 (WC)	10/04/2024
FROM	1.00000ml of W3142 + 199.00000ml	of WP10864	40 = Final Qu	antity: 200.000) ml		(000)	



Recipe ID 148	NAME hexchrome digestion fluid	<u>NO.</u> WP110092	Prep Date 10/08/2024		<u>Prepared</u> <u>By</u> Rubina Mughal	CALE_4 (WC	<u>PipetteID</u> None	Supervised By Iwona Zarych 10/08/2024
<u>FROM</u>	120.00000gram of W3058 + 4.00000	L of W3112	+ 80.00000gr	am of W3113	Final Quantity	SC-4)		10/00/2024
Pacipa				Expiration	Propared			Supervised By

Recipe				Expiration	Prepared			Supervised By
ID	NAME	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	PipettelD	Iwona Zarych
539	CN BUFFER	<u>WP110103</u>	10/08/2024	04/08/2025	Rubina Mughal	WETCHEM_S	None	-
						CALE_5 (WC		10/08/2024
FROM	138.00000gram of W2668 + 862.000	00ml of W3 [.]	112 = Final Q	uantity: 1000.0	00 ml	SC-5)		
	-							



Recipe ID 114	NAME hexavalent chromium color reagent	<u>NO.</u> WP110108	Prep Date 10/09/2024	Expiration Date 10/16/2024	Prepared By Rubina Mughal	ScaleID WETCHEM_S CALE_5 (WC	<u>PipetteID</u> None	Supervised By Iwona Zarych 10/09/2024
FROM	0.25000gram of W2979 + 50.00000n	nl of E3788	= Final Quan	tity: 50.000 ml		SC-5)		
Basing				Expiration	Bronarad			Supervised By

Recipe				Expiration	Prepared			Supervised By
<u>ID</u>	NAME	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	PipettelD	lwona Zarych
3456	Cyanide Intermediate Working Std, 5PPM	<u>WP110182</u>	10/14/2024	10/15/2024	Rubina Mughal	None	WETCHEM_P IPETTE_3	10/15/2024
FROM	0.25000ml of W3142 + 49.75000ml c	I of WP10864) = Final Qua	ntity: 50 000 r	<u>ı l</u> nl		(WC) ⁻	
				anaty: 00.000 1				



Recipe ID 4	NAME Calibation standard 500 ppb	<u>NO.</u> WP110183	Prep Date 10/14/2024		<u>Prepared</u> <u>By</u> Rubina Mughal	<u>ScaleID</u> None	PipettelD WETCHEM_P IPETTE_3	Supervised By Iwona Zarych 10/15/2024
FROM	45.00000ml of WP108640 + 5.00000	ml of WP11	0182 = Final	Quantity: 50.00)0 ml		' (WC) '	
								a : 15

Recipe				Expiration	Prepared			Supervised By
<u>ID</u>	NAME	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	PipettelD	Iwona Zarych
3761	Calibration-CCV CN Standard 250	WP110184	10/14/2024	10/15/2024	Rubina Mughal	None	WETCHEM_P	
	ppb						IPETTE_3	10/15/2024
FROM	2.50000ml of WP110182 + 47.50000	ml of WP10	8640 = Final	Quantity: 50.00)0 ml		(WC)	



Recipe ID 6	NAME Calibration Standard 100 ppb	<u>NO.</u> WP110185	Prep Date 10/14/2024		<u>Prepared</u> <u>By</u> Rubina Mughal	<u>ScaleID</u> None	PipettelD WETCHEM_P IPETTE_3	Supervised By Iwona Zarych 10/15/2024
FROM	1.00000ml of WP110182 + 49.00000	ml of WP10	8640 = Final	Quantity: 50.00	00 ml		(WC)	

Recipe				Expiration	Prepared			Supervised By
ID	NAME	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	PipettelD	Iwona Zarych
7	Calibration Standard 50 ppb	WP110186	10/14/2024	10/15/2024	Rubina Mughal	None	WETCHEM_P	2
							IPETTE_3	10/15/2024
FROM	0.50000ml of WP110182 + 49.50000	ml of WP10	8640 = Final	Quantity: 50.00)0 ml		(WC)	



Recipe ID 8	NAME Calibration Standard 10 ppb	<u>NO.</u> WP110187	Prep Date 10/14/2024		<u>Prepared</u> <u>By</u> Rubina Mughal	<u>ScaleID</u> None	PipettelD WETCHEM_F IPETTE_3	Supervised By Iwona Zarych 10/15/2024
FROM	1.00000ml of WP110183 + 49.00000	ml of WP10	8640 = Final	Quantity: 50.00	00 ml		(WC)	

Recipe ID 9	NAME Calibration Standard 5 ppb	<u>NO.</u> WP110188	Prep Date 10/14/2024	Expiration Date 10/15/2024	<u>Prepared</u> <u>By</u> Rubina Mughal	<u>ScaleID</u> None	PipettelD WETCHEM_P IPETTE_3	Supervised By Iwona Zarych 10/15/2024
<u>FROM</u>	0.50000ml of WP110183 + 49.50000	ml of WP10	8640 = Final	Quantity: 50.00	00 ml		(WC) '	



Recipe ID 167	NAME	<u>NO.</u> WP110189	Prep Date 10/14/2024	<u>Prepared</u> <u>By</u> Rubina Mughal	<u>ScaleID</u> None	<u>PipetteID</u> None	Supervised By Iwona Zarych 10/15/2024
FROM	50.00000ml of WP108640 = Final Q	uantity: 50.0	00 ml				

<u>Recipe</u> <u>ID</u>	NAME	<u>NO.</u>	Prep Date	Expiration Date	<u>Prepared</u> <u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u> Iwona Zarych
1582	Chloramine T solution, 0.014M	<u>WP110191</u>	10/14/2024		Rubina Mughal	WETCHEM_S CALE_5 (WC	Glass Pipette-A	10/15/2024
<u>FROM</u>	0.08000gram of W3139 + 20.00000n	nl of W3112	= Final Quan	tity: 20.000 ml		SC-5)		



<u>Recipe</u> <u>ID</u> 1649	NAME Cyanide LOD LOQ Spike Std, 100ppb	<u>NO.</u> WP110192	Prep Date 10/14/2024		<u>Prepared</u> <u>By</u> Rubina Mughal	<u>ScaleID</u> None	PipetteID WETCHEM_P IPETTE_3	Supervised By Iwona Zarych 10/15/2024
<u>FROM</u>	1.00000ml of WP109549 + 49.00000	ml of WP10	8640 = Final	Quantity: 50.00	00 ml		(WC)	



Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	PC19510-5 / Sodium Hydroxide Pellets 2.5 Kg, Pk of 4	23B1556310	12/31/2025	12/04/2023 / Rajesh	12/01/2023 / Rajesh	E3657
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9254-03 / Acetone, Ultra Resi (cs/4x4L)	23H1462005	04/01/2025	08/13/2024 / Rajesh	08/13/2024 / Rajesh	E3788
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9673-33 / Sulfuric Acid, Instra-Analyzed (cs/6c2.5L)	22D0862014	01/20/2025	08/22/2022 /	04/26/2022 / mohan	M5211
Supplier	ItemCode / ItemName	Lot #	Expiration	Date Opened /	Received Date /	Chemtech

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9673-33 / Sulfuric Acid, Instra-Analyzed (cs/6c2.5L)	23D2462010	03/20/2028	09/21/2023 / mohan	09/05/2023 / mohan	M5673

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9598-34 / Nitric Acid, Instra-Analyzed (cs/4x2.5L)	2310662003	10/28/2024	05/02/2024 / Al-Terek	04/26/2024 / Al-Terek	M5878

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9530-33 / Hydrochloric Acid, Instra-Analyzed (cs/6x2.5L)	22G2862015	12/08/2024	06/24/2024 / Al-Terek	06/07/2024 / Al-Terek	M5929



Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9530-33 / Hydrochloric Acid, Instra-Analyzed (cs/6x2.5L)	22G2862015	12/27/2024	06/27/2024 / Al-Terek	06/23/2024 / Al-Terek	M5947
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9598-34 / Nitric Acid, Instra-Analyzed (cs/4x2.5L)	24D1062002	01/02/2025	07/01/2024 / Al-Terek	06/25/2024 / Al-Terek	M5954
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AA14125-36 / LEAD (II) CHROMATE, ACS, 500G	U19B018	01/23/2027	01/23/2017 / apatel	01/23/2017 / apatel	W2202
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	J3252-1 / POTAS PHOSPHATE, DIBASIC PWD, ACS, 500G	0000207436	04/29/2025	05/22/2019 / AMANDEEP	03/21/2019 / apatel	W2511
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	DIW / DI Water	Daily Lab-Certified	10/24/2024	10/24/2019 / apatel	10/24/2019 / apatel	W2606

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AA13450-36 / Potassium Dichromate, 500g(NEW)	T15F019	01/24/2030	01/24/2020 / apatel	01/24/2020 / apatel	W2651



Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	P188-500 / Potassium Dichromate, 500g(new-2nd lot)	194664	01/24/2030	01/24/2020 / apatel	01/24/2020 / apatel	W2652
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	J3818-5 / SODIUM PHOSPHATE, MONOBAS/HYD, CRYS, ACS, 2.5 KG	0000225799	12/03/2025	04/05/2021 / Alexander	02/10/2020 / apatel	W2668
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	J3246-1 / POTAS PHOSPHATE, MONO, CRYS, ACS, 500G	04/2019-20	04/23/2025	04/23/2020 / apatel	03/11/2020 / apatel	W2699
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	EM-BX0035-3 / Barbituric Acid, 100 gms	1.00132.0100	04/30/2025	12/07/2021 /	11/30/2021 / apatel	W2882
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Supplier PCI Scientific Supply, Inc.	ItemCode / ItemName 31390 / 1,5-Diphenylcarbazide	Lot #				
PCI Scientific	31390 /		Date	Opened By 12/09/2022 /	Received By 12/09/2022 /	Lot #



Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL13850-1 / Buffer Solution, PH2 (500ml)	4212E45	12/31/2024	01/31/2023 / Iwona	01/31/2023 / Iwona	W3005
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
EPA	/ ICV-CN	ICV6-400	12/31/2024	01/03/2024 / Iwona	02/20/2020 / Iwona	W3011
		-	-	*	*	

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
SIGMA ALDRICH	270970-1L / Pyridine 1L	SHBQ2113	04/03/2028	04/03/2023 / Iwona	04/03/2023 / Iwona	W3019

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
 Scientific ly, Inc.	EM-SX0395-3 / SODIUM CARBONATE ANHYDR 2.5KG	2023012653	10/19/2028	09/03/2024 / jignesh	10/19/2023 / Iwona	W3058
	2.5KG			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL14455-3 / buffer solution pH 7 yellow	4308H30	07/31/2025	01/02/2024 / JIGNESH	12/06/2023 / Iwona	W3071

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL14940-1 / Buffer Solution, PH12 (500ml)	2310P21	04/30/2025	01/02/2024 / JIGNESH	12/07/2023 / Iwona	W3072



Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	566002 / BUFFER PH 7.00 GREEN 1PINT PK6	44001f99	12/31/2025	04/03/2024 / jignesh	04/02/2024 / jignesh	W3093
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	1601-1 / PH 10.01 BUFFER,COLOR CD 475ML	4310g83	03/31/2025	04/03/2024 / jignesh	04/02/2024 / jignesh	W3094
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL14055-3 / PH 4 BUFFER SOLUTION	AL14055-3	02/27/2026	09/05/2024 / jignesh	05/13/2024 / jignesh	W3107

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	DIW / DI Water	Daily Lab-Certified	07/03/2029	07/03/2024 / Iwona	07/03/2024 / Iwona	W3112

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	PC19510-7 / Sodium Hydroxide Pellets 12 Kg	23B1556310	12/31/2025	07/08/2024 / Iwona	07/08/2024 / Iwona	W3113

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	LC135457 / Cyanide Standard, 1000 PPM, Second Source	44080060	01/30/2025	09/06/2024 / Iwona	08/28/2024 / Iwona	W3138



Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	JTE494-6 / CHLORAMINE-T BAKER 250GM	10239484	09/09/2029	09/09/2024 / Iwona	09/09/2024 / Iwona	W3139
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #

Certificate of analysis

Product No.	14125
Product:	Lead(II) chromate, ACS, 98%
Lot No.:	U19B018

Test	Limits	Results
Assay	98.0 % min	99.3 %
Soluble matter	0.15 % max	< 0.02 %
Carbon compounds	0.01 % max	< 0.01 %

Traceable to NIST? Yes

This document has been electronically generated and does not require a signature.

Order our products online www.alfa.com





Subject to Vadodara Jurisdiction

CHAMPA PURIE-CHEM INDUSTRIES

ISO 9001 : 2015 CERTIFIED COMPANY

Importers Exporters Manufacturers & Marketing of Fine Chemicals & Pharmaceuticals

262-263, G.I.D.C. Estate, Makarpura, Vadodara - 390 010. Gujarat - INDIA. Phone: (F) +91-285-2833314 / 2843723 Fax : (F) +91-285-2838038 E-mail : info@cpcindia.com Web : www.cpcindia.com

CERTIFICATE OF ANALYSIS

PRODUCT	: POTASSIUM PHOSPHATE MONC	BÁSIC Anhy ACS
CERTIFICATE NO Date of receipt of sample Batch No. /Lot No. Mfg. Date : April-2019	: 29.04.2019 : 04/2019-20	DATE 13-05-2019 Quantity : 1000 KGS.
1. Characteristic	: A White powder	•
2. Identification	: Positive	
	RESULT OBTAINED	LIMITS
3. Clearity and colour of sc	olution : 10% solution is clear an	d colourless
4. Assay (on dry basis)	· 99,35%	Min.99.00%
5. PH (5% solution)	4.28	4.1-4.5
6. Loss on Drying	0.06%	Max 0.2%
7. Heavy Metals	0.0004%	Max.0.001%
8. iron	0.001%	Max 0.002%
9. Sulphate	0.0015%	Max. 0.003%
10. Chloride	0.0005%	Max.0.001%
11. insoluble Matter	0.002%	Max. 0.01%
12. Sodium	0.0038%	Max. 0.005%
The sample does comply w	vith specification as per Above.	B

.

.

Analysed by J.A.PATHAK

Quality Control Department

ThermoFisher SCIENTIFIC

Certificate of Analysis

Product No.:	13450
--------------	-------

Product: Potassium dichromate, ACS, 99.0% min

Lot No.: T15F019

Test	Limits	Results
_		
Appearance	Orange-red crystals	Orange-red crystals
Identification	To Pass	Passes
Purity	99.0 % min	99.67 %
Insoluble matter	0.005 % max	0.004 %
Loss on drying	0.05 % max	0.03 %
Chloride	0.001 % max	< 0.001 %
Sulfate	0.005 % max	< 0.005 %
Iron	0.001 % max	< 0.001 %
Calcium	0.003 % max	0.0012 %
Sodium	0.02 % max	0.0047 %

Order our products online alfa.com

This document has been electronically generated and does not require a signature.

This is to certify that units of the lot number above were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the purchaser, formulator or those performing further manufacturing to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The above information is the actual analytical results obtained.

Potassium Phosphate, Dibasic, Powder BAKER ANALYZED® A.C.S. Reagent

(dipotassium hydrogen phosphate)





Material No.: 3252-01 Batch No.: 0000207436 Manufactured Date: 2018/05/01 Retest Date: 2025/04/29 Revision No: 1

Certificate of Analysis

Meets ACS Reagent Chemical Requirements,

Test	Specification	Result
Assay (K2HPO4) (by acidimetry)	>= 98.0 %	99.2
nsoluble Matter	<= 0.01 %	< 0.01
oss on Drying at 105°C	<= 1.0 %	< 1.0
H of 5% Solution at 25℃	8.5 - 9.6	9.1
hloride (Cl)	<= 0.003 %	< 0.003
luoride (F)	<= 0.001 %	< 0.001
itrogen Compounds (as N)	<= 0.001 %	< 0.001
ulfate (SO4)	<= 0.005 %	< 0.005
race Impurities – Iron (Fe)	<= 0.001 %	< 0.001
odium (Na)	<= 0.05 %	< 0.05
race Impurities – Arsenic (As)	<= 1.000 ppm	< 1.000
race Impurities – ACS – Heavy Metals (as Pb)	<= 5 ppm	< 5
race Impurities – Lead (Pb)	<= 5.000 ppm	< 5.000
Color (APHA), For Information Only		5

For Laboratory, Research or Manufacturing Use Meets Reagent Specifications for testing USP/NF monographs

Country of Origin:USPackaging Site:Paris Mfg Ctr & DC

Phillipsburg, NJ 9001:2015, FSSC22000 Paris, KY 9001:2008 Mexico City, Mexico 9001:2008 Gliwice, Poland 9001:2015, 13485:2012 Selangor, Malaysia 9001:2008 Dehradun, India, 9001:2008, 14001:2004, 13485:2003 Mumbai, India, 9001:2015, 17025:2005 Panoli, India 9001:2015

ames Techie

Jamie Ethier Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700 Avantor Performance Materials, LLC 100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700

RICCA CHEMICAL COMPANY®

W³07/ Mc 12/6/23 Certificate of Analysis 12

1490 Lammers Pike Batesville, IN 47006 http://www.riccachemical.com 1-888-GO-RICCA customerservice@riccachemical.com

Buffer, Reference Standard, pH 7.00 ± 0.01 at 25°C (Color Coded Yellow)

Lot Number: 4308H30

Product Number: 1551

Manufacture Date: AUG 09, 2023 Expiration Date: JUL 2025

The certified value for this product is confirmed in independent testing by a second qualified chemist. The NIST traceable pH value is certified to ± 0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05 .

°C pH	0 7.12	5 7.09	$\begin{array}{c} 10 \\ 7.06 \end{array}$	15 7.04	20 7.02	$\begin{array}{c} 25 \\ 7.00 \end{array}$	30 6.99	35 6.98	$\begin{array}{c} 40 \\ 6.98 \end{array}$	45 6.97	50 6.97	

Name	CAS#	Grade	
Water	7732-18-5	ACS/ASTM/USP/I	RP
Sodium Phosphate Dibasic	7558-79-4	ACS	
Potassium Dihydrogen Phosphate	7778-77-0	ACS	
Preservative	Proprietary		
Yellow Dye	Proprietary	1111 B. Luce	
Sodium Hydroxide	1310-73-2	Reagent	
Test	Specification	Result	
Appearance	Yellow liquid	Passed	*Not a certified value
Test	Certified Value	Uncertainty	NIST SRM#
pH at 25°C (Method: SQCP027, SQCP033)	7.002	0.02	186-I-g, 186-II-g, 191d
Specification	Re	ference	
Commercial Buffer Solutions	AS	TM (D 1293 B)	
Buffer A	ASTM (D 5464)		
Buffer A	ASTM (D 5128)		

per industributions were periorined in our Batesvine, in laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.02) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1551-2.5	10 L Cubitainer®	24 months
1551-5	20 L Cubitainer®	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Foul Brandon

Paul Brandon (08/09/2023) Production Manager This document is designed to comply with ISO Guide 31 "Reference Materials --Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

W2918 1e. 06/06/22 W3001 exp. 06/06/27 Chem-Impex International, Inc.

Tel: (630) 766-2112 E-mail: sales@chemimpex.com Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191

Fax: (630) 766-2218 Web site: www.chemimpex.com Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191

Certificate of Analysis					
Catalogue Number	01237				
Product	Magnesium chloride hexahydrate				
Lot Number	002251-03319				
	Magnesium chloride•6H2O				
CAS Number	7791-18-6				
Molecular Formula	MgCl ₂ •6H ₂ O				
Molecular Weight	203.3				
Appearance	Colorless crystals, very deliquescent				
Heavy Metals	< 5 ppm				
Anion	Nitrate : < 0.001% Phosphate : < 5 ppm Sulfate : < 0.002%				
Cation	Ammonium : < 0.002% Barium : < 0.005% Calcium : 0.0006% Iron : < 5 ppm Manganese : 1.8 ppm Potassium : 0.0006% Sodium : 0.0008% Strontium : 0.0015%				
Insoluble material	0.0025%				
Assay by titration	100.29%				
Grade	ACS reagent				
Storage	Store at RT				
Country of Origin	India				

Certificate of Analysis

Catalog Number: 01237

Lot Number: 002251-03319

Remarks

See material safety data sheet for additional information

For laboratory use only

The foregoing is a copy of the Certificate of Analysis as provided by our supplier

A litumer.

Bala Kumar Quality Control Manager

Sigma-Aldrich

W3019 Rec 4/3/23

3050 Spruce Street, Saint Louis, MO 63103, USA Website: www.sigmaaldrich.com Email USA: techserv@sial.com Outside USA: eurtechserv@sial.com

Product Name: Pyridine - anhydrous, 99.8%

Product Number:	270970
Batch Number:	SHBQ2113
Brand:	SIAL
CAS Number:	110-86-1
MDL Number:	MFCD00011732
Formula:	C5H5N
Formula Weight:	79.10 g/mol
Quality Release Date:	15 DEC 2022

Certificate of Analysis

Test	Specification	Result	
Appearance (Color)	Colorless	Colorless	
Appearance (Form)	Liquid	Liquid	
Infrared Spectrum	Conforms to Structure	Conforms	
Purity (GC)	> 99.75 %	99.99 %	
Water (by Karl Fischer)	_ < 0.003 %	0.002 %	
Residue on Evaporation	_ 	< 0.0001 %	


Larry Coers, Director Quality Control Sheboygan Falls, WI US

Z

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.



Certificate Of Analysis



Date of Release: 1/27/2023

Name: Sodium Carbonate, Anhydrous

Powder, ACS

Item No: **SX0395 All Sizes** Lot / Batch No: **2023012653** Country of Origin: India

ltem	Specifications	Analysis
Assay (calculated on dried substance)	99.5% min.	100.2%
Calcium (Ca)	0.03% max.	0.004%
Chloride (Cl)	0.001% max.	<0.001%
Color	White	Passes Test
Form	Powder	Passes Test
Heavy metals (by ICP-OES)	5 ppm max.	<5 ppm
Insoluble Matter	0.01% max.	0.003%
Iron (Fe)	5 ppm max.	<5 ppm
Loss on heating at 285C	1.0% max.	0.1%
Magnesium (Mg)	0.005% max.	0.0008%
Phosphate (PO4)	0.001% max.	<0.001%
Potassium (K)	0.005% max.	0.003%
Silica (SiO2)	0.005% max.	<0.005%
Sulfur compounds (as SO4)	0.003% max.	<0.003%

Joe Schoellkopff

Quality Control Manager

This document has been produced electronically and is valid without a signature.

EMD Millipore is a division of Merck KGaA, Darmstadt, Germany

EMD Millipore Corporation

400 Summit Drive Burlington, MA 01803 U.S.A.

RICCA CHEMICAL COMPANY[®] W^{3,072} M^c. (2/01/23) Certificate of Analysis

1841 Broad Street Pocomoke City, MD 21851 http://www.riccachemical.com 1-888-GO-RICCA customerservice@riccachemical.com

Buffer, Reference Standard, pH 12.00 ± 0.01 at $25^{\circ}C$

Lot Number: 2310P21	Product Number: 1615	Manufacture Date: OCT 24, 2023
Lot Humper: 20101 21	110ddet Number, 1015	Expiration Date: APR 2025

The certified value for this product is confirmed in independent testing by a second qualified chemist.

°C	15	20	25	30	35	40
pН	12.35	12.17	11.99	11.78	11.62	11.46

Name	CAS#	Grade	
Water	7732-18-5	ACS/ASTM/USP/EP	
Potassium Chloride	7447-40-7	ACS	6.00
Sodium Hydroxide	1310-73-2	Reagent	
Test	Specification	Result	
Appearance	Colorless liquid	Passed *Not a certified va	alue

		• • • • • • • • • • • • • • • • • • •	
Test	Certified Value	Uncertainty	NIST SRM#
pH at 25°C (Method: SQCP027, SQCP033)		0.02	186-I-g, 186-II-g, 191d

pH measurements were performed in our Pocomoke City, MD laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.01) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1615-1	4 L natural poly	18 months
1615-16	500 mL clear PET-G	18 months
1615-32	1 L natural poly	18 months
1615-5	20 L Cubitainer®	18 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)

nron Jrauers

Sharon Travers (10/24/2023) Operations Manager This document is designed to comply with ISO Guide 31 "Reference Materials --Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.



Certificate of Analysis

1 Reagent Lane		
Fair Lawn, NJ 07410		
201.796.7100 tel	Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System	
201.796.1329 fax	Standard ISO9001:2015 by SAI Global Certificate Number CERT – 0120632	

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the final formulator and end user to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

Catalog Number	P188	Quality Test / Release Date	08/12/2019
Lot Number	194664		
Description	POTASSIUM DICHROMATE, A.C.S.		
Country of Origin	United States	Suggested Retest Date	Aug/2024
Chemical Origin	Inorganic-non animal		
BSE/TSE Comment	No animal products are used as starting raw material ingredients, or used in processing, including lubricants, processing aids, or any other material that might migrate to the finished product.		
Chemical Comment			

N/A			
Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	Fine, orange-red crystals
ASSAY	%	>= 99	99.2
CALCIUM	%	<= 0.003	<0.003
CHLORIDE	%	<= 0.001	<0.001
LOSS ON DRYING @ 105 C	%	<= 0.05	<0.05
SULFATE (SO4)	%	<= 0.005	<0.005
INSOLUBLE MATTER	%	<= 0.005	0.003
IRON (Fe)	%	<= 0.001	<0.001
SODIUM (Na)	%	<= 0.02	<0.02
IDENTIFICATION	PASS/FAIL	= PASS TEST	PASS TEST

Ierisa Bailig- Wyche

Quality Assurance Specialist - Certificate of Analysis Fair Lawn

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of this catalog number listed above. If there are any questions with this certificate, please call at (800) 227-6701. *Based on suggested storage condition.



Certificate of Analysis

Sodium Hydroxide (Pellets)

Material: Grade: Batch Number: 0583 ACS GRADE 23B1556310

 Manufacture Date:
 12/14/2022

 Expiration Date:
 12/31/2025

Storage: Room Temperature

Pellets

TEST	SPECIFICATION	ANALYSIS	DISPOSITION
Calcium	<= 0.005 %	<0.005 %	PASS
Chloride	<= 0.005 %	0.002 %	PASS
Heavy Metals	<= 0.002 %	<0.002 %	PASS
Iron	<= 0.001 %	<0.001 %	PASS
Magnesium	<= 0.002 %	<0.002 %	PASS
Mercury	<= 0.1 ppm	<0.1 ppm	PASS
Nickel	<= 0.001 %	<0.001 %	PASS
Nitrogen Compounds	<= 0.001 %	<0.001 %	PASS
Phosphate	<= 0.001 %	<0.001 %	PASS
Potassium	<= 0.02 %	<0.02 %	PASS
Purity	>= 97.0 %	99.2 %	PASS
Sodium Carbonate	<= 1.0 %	0.5 %	PASS
Sulfate	<= 0.003 %	<0.003 %	PASS

Internal ID #: 710

Signature

Additional Information

Analysis may have been rounded to significant digits in specification limits.

This document has been electronically produced and is valid without a signature.

We certify that this batch conforms to the specifications listed.

Leona Edwardson, Quality Control Sr. Manager - Solon VWR Chemicals, LLC. 28600 Fountain Parkway, Solon OH 44139 USA Product meets analytical specifications of the grades listed.

VWR International LLC, Radnor Corporate Center, Suite 200, 100 Matsonford Road, Radnor, PA 19087, USA

Date Printed:

Acetone

BAKER RESI-ANALYZED® Reagent For Organic Residue Analysis

(Vavantor"



Material No.: 9254-03 Batch No.: 23H1462005 Manufactured Date: 2023-07-26 Expiration Date: 2026-07-25 Revision No.: 0


Certificate of Analysis

Test	Specification	Result	
Assay ((CH3)2CO) (by GC, corrected for water)		Result	- 73
Color (APHA)	≥ 99.4 %	99.7 %	
Residue after Evaporation	≤ 10	5	
	≤ 1.0 ppm	0.3 ppm	
Substances Reducing Permanganate	Passes Test	Passes Test	
Titrable Acid (µeq/g)	≤ 0.3	0.1	
Titrable Base (µeq/g)	≤ 0.6		
Water (H2O)	≤ 0.5 %	< 0.1	
FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)		0.3 %	
ECD Sensitive Impurities (as Heptachlor Epoxide) Single Peak (pg/mL)	≤ 5	< 1	
(pg/mL)	≤ 10	1	

For Laboratory,Research,or Manufacturing Use MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: USA Packaging Site: Philipsburg Mfg Ctr & DC

Recd. by RP on 8/13/24 E 3788





2

QUALITY ASSURANCE TECHNICAL SUPPORT LABORATORY "An ISO 9001:2015 Certified Program"

R: 02/20

Instructions for QATS Reference Material: Inorganic ICV Solutions

For ICP-MS use: dilute the ICV1 concentrate 50-fold with 1% (v/v) nitric acid; pipet 2 mL of the concentrate into a 100 mL volumetric flask and dilute to volume with 1% (v/v) nitric acid. $\[mu]{301}$

ICV5-0415For the cold vapor analysis of mercury by AA: dilute the ICV5 concentrate 100-fold
with 2% (v/v) nitric acid; pipet 1 mL of the concentrate into a 100 mL volumetric flask
and dilute to volume with 2% (v/v) nitric acid. The ICV5 concentrate is prepared in
0.05% (w/v) K2Cr2O7 and 5% (v/v) nitric acid.& 3013
& 3014
& 3015

ICV6-0400 For the analysis of cyanide: dilute the ICV6 concentrate 100-fold with Type II water; pipet 1 mL of the concentrate into a 100 mL volumetric flask and dilute to volume with Type II water. Distill this solution along with the samples before analysis. The cyanide concentrate is prepared from K₃Fe(CN)₆, Type II water, and 0.1 % sodium hydroxide, and will decompose rapidly if exposed to light.

NOTE: USE TYPE II WATER AND HIGH-PURITY ACIDS FOR ALL DILUTIONS.

(D) CERTIFIED CONCENTRATIONS OF QATS ICV1, ICV5, AND ICV6 SOLUTIONS

ICV1-1014			
Element	* Concentration (µg/L) (after 10-fold dilution)	Concentration (µg/L) (after 50-fold dilution)	
AI	2520	504	
Sb	1010	202	
As	997	199	
Ba	518	104	
Be	514	103	
Cd	514	103	
Ca	10000	2000	
Cr	517	103	
Co	521	104	
Cu	505	101	
Fe	10100	2020	
Pb	1030	206	
Mg	5990	1198	
Mn	524	105	
Ni	525	105	
K	9940	1988	
Se	1030	206	
Ag	252	50	
Na	10100	2020	
ТІ	1040	208	
V	504	101	
Zn	1010	202	

ICV5-0415		ICV6-0400	
Element	Concentration (µg/L) (after-100-fold dilution)	Analyte	Concentration (µg/L) (after 100-fold dilution)
Hg	4.0	CN [.]	99

ICV 1, 5, 6.docx

۲. ۱

Sulfuric Acid

MEZICE ME

Avantor



Material No.: 9673-33 Batch No.: 22D0862014 Manufactured Date: 2022-02-23 Retest Date: 2027-02-22 Revision No.: 0

Certificate of Analysis

Test	Specification Resu	
ACS – Assay (H2SO4)	95.0 - 98.0 %	96.5 %
Appearance	Passes Test	Passes Test
ACS – Color (APHA)	≤ 10	5
ACS – Residue after Ignition	≤ 3 ppm	< 1 ppm
ACS – Substances Reducing Permanganate (as SO2)	≤ 2 ppm	< 2 ppm
Ammonium (NH4)	≤ 1 ppm	< 1 ppm
Chloride (Cl)	\leq 0.1 ppm	< 0.1 ppm
Nitrate (NO3)	\leq 0.2 ppm	< 0.1 ppm
Phosphate (PO4)	\leq 0.5 ppm	< 0.1 ppm
Trace Impurities – Aluminum (Al)	≤ 30.0 ppb	1.7 ppb
Arsenic and Antimony (as As)	\leq 4.0 ppb	< 2.0 ppb
Trace Impurities – Boron (B)	≤ 10.0 ppb	< 5.0 ppb
Trace Impurities - Cadmium (Cd)	\leq 2.0 ppb	< 0.3 ppb
Trace Impurities – Chromium (Cr)	\leq 6.0 ppb	< 0.4 ppb
Trace Impurities - Cobalt (Co)	\leq 0.5 ppb	< 0.3 ppb
Trace Impurities – Copper (Cu)	≤ 1.0 ppb	< 0.1 ppb
Trace Impurities – Gold (Au)	≤ 10.0 ppb	< 0.2 ppb
Heavy Metals (as Pb)	≤ 500.0 ppb	< 100.0 ppb
Trace Impurities – Iron (Fe)	≤ 50.0 ppb	2.0 ppb
Trace Impurities – Lead (Pb)	\leq 0.5 ppb	< 0.5 ppb
Trace Impurities – Magnesium (Mg)	≤ 7.0 ppb	0.6 ppb
Trace Impurities – Manganese (Mn)	\leq 1.0 ppb	< 0.4 ppb
Trace Impurities – Mercury (Hg)	\leq 0.5 ppb	< 0.1 ppb
Trace Impurities – Nickel (Ni)	\leq 2.0 ppb	< 0.3 ppb
Trace Impurities – Potassium (K)	\leq 500.0 ppb	< 2.0 ppb
Trace Impurities – Selenium (Se)	\leq 50.0 ppb	12.1 ppb
Trace Impurities – Silicon (Si)	≤ 100.0 ppb	4.4 ppb
Trace Impurities – Silver (Ag)	≤ 1.0 ppb	< 0.3 ppb

>>> Continued on page 2 >>>

Sulfuric Acid BAKER INSTRA-ANALYZED® Reagent For Trace Metal Analysis Low Selenium





Material No.: 9673-33 Batch No.: 22D0862014

Test	Specification	Result
Trace Impurities – Sodium (Na)	\leq 500.0 ppb	6.2 ppb
Trace Impurities – Strontium (Sr)	≤ 5.0 ppb	< 0.2 ppb
Trace Impurities – Tin (Sn)	≤ 5.0 ppb	< 0.8 ppb
Trace Impurities – Zinc (Zn)	≤ 5.0 ppb	0.6 ppb

For Laboratory, Research, or Manufacturing Use

Country of Origin: USA Packaging Site: Phillipsburg Mfg Ctr & DC

James Techie

C10 200 1700

Jamie Ethier Vice President Global Quality Sulfuric Acid BAKER INSTRA-ANALYZED® Reagent For Trace Metal Analysis

Low Selenium

MS693-





Material No.: 9673-33 Batch No.: 23D2462010 Manufactured Date: 2023-03-22 Retest Date: 2028-03-20 Revision No.: 0

Certificate of Analysis

Test	Specification	Result
ACS – Assay (H2SO4)	95.0 - 98.0 %	96.1 %
Appearance	Passes Test	Passes Test
ACS – Color (APHA)	≤ 10	5
ACS – Residue after Ignition	≤ 3 ppm	< 1 ppm
ACS – Substances Reducing Permanganate (as SO2)	≤ 2 ppm	< 2 ppm
Ammonium (NH4)	≤ 1 ppm	1 ppm
Chloride (Cl)	≤ 0.1 ppm	< 0.1 ppm
Nitrate (NO3)	≤ 0.2 ppm	< 0.1 ppm
Phosphate (PO4)	≤ 0.5 ppm	< 0.1 ppm
Trace Impurities – Aluminum (AI)	≤ 30.0 ppb	< 5.0 ppb
Arsenic and Antimony (as As)	≤ 4.0 ppb	< 2.0 ppb
Trace Impurities – Boron (B)	≤ 10.0 ppb	8.5 ppb
Trace Impurities – Cadmium (Cd)	≤ 2.0 ppb	< 0.3 ppb
Trace Impurities – Chromium (Cr)	≤ 6.0 ppb	< 0.4 ppb
Trace Impurities - Cobalt (Co)	≤ 0.5 ppb	< 0.3 ppb
Trace Impurities – Copper (Cu)	≤ 1.0 ppb	< 0.1 ppb
Trace Impurities – Gold (Au)	≤ 10.0 ppb	0.5 ppb
Heavy Metals (as Pb)	≤ 500.0 ppb	< 100.0 ppb
Trace Impurities - Iron (Fe)	≤ 50.0 ppb	1.3 ppb
Trace Impurities - Lead (Pb)	≤ 0.5 ppb	< 0.5 ppb
Trace Impurities – Magnesium (Mg)	≤ 7.0 ppb	0.8 ppb
Trace Impurities – Manganese (Mn)	≤ 1.0 ppb	< 0.4 ppb
Trace Impurities – Mercury (Hg)	≤ 0.5 ppb	< 0.1 ppb
Trace Impurities – Nickel (Ni)	≤ 2.0 ppb	0.3 ppb
Trace Impurities – Potassium (K)	≤ 500.0 ppb	< 2.0 ppb
Trace Impurities – Selenium (Se)	≤ 50.0 ppb	< 0.1 ppb
Trace Impurities – Silicon (Si)	≤ 100.0 ppb	31.5 ppb
Trace Impurities – Silver (Ag)	≤ 1.0 ppb	< 0.3 ppb

>>> Continued on page 2 >>>

Sulfuric Acid BAKER INSTRA-ANALYZED® Reagent For Trace Metal Analysis Low Selenium






Material No.: 9673-33 Batch No.: 23D2462010

Test	Specification	Result
Trace Impurities – Sodium (Na)	≤ 500.0 ppb	5.4 ppb
Trace Impurities – Strontium (Sr)	≤ 5.0 ppb	< 0.2 ppb
Trace Impurities – Tin (Sn)	≤ 5.0 ppb	< 0.8 ppb
Trace Impurities – Zinc (Zn)	≤ 5.0 ppb	0.4 ppb

For Laboratory, Research, or Manufacturing Use

Country of Origin: USA Packaging Site: Phillipsburg Mfg Ctr & DC



Jamie Ethier Vice President Global Quality Hydrochloric Acid, 36.5-38.0% BAKER INSTRA-ANALYZED® Reagent For Trace Metal Analysis





MS947 MS948 MS949 MS950 MS951 MS952

Material No.: 9530-33 Batch No.: 22G2862015 Manufactured Date: 2022-06-15 Retest Date: 2027-06-14 Revision No.: 0

Certificate of Analysis

Test	Specification	Result
ACS – Assay (as HCI) (by acid-base titrn)	36.5 - 38.0 %	
ACS – Color (APHA)	≤ 10	37.9 %
ACS – Residue after Ignition	≤ 3 ppm	5
ACS - Specific Gravity at 60°/60°F	1.185 – 1.192	< 1 ppm
ACS – Bromide (Br)	≤ 0.005 %	1.191
ACS – Extractable Organic Substances	≤ 5 ppm	< 0.005 %
ACS – Free Chlorine (as Cl2)	≤ 5 ppm ≤ 0.5 ppm	< 1 ppm
Phosphate (PO4)		< 0.5 ppm
Sulfate (SO4)	≤ 0.05 ppm	< 0.03 ppm
Sulfite (SO ₃)	≤ 0.5 ppm	< 0.3 ppm
Ammonium (NH4)	≤ 0.8 ppm	0.3 ppm
Trace Impurities - Arsenic (As)	≤ 3 ppm	< 1 ppm
Trace Impurities – Aluminum (Al)	≤ 0.010 ppm	< 0.003 ppm
Arsenic and Antimony (as As)	≤ 10.0 ppb	1.3 ppb
Trace Impurities – Barium (Ba)	≤ 5.0 ppb	< 3.0 ppb
Trace Impurities – Beryllium (Be)	≤ 1.0 ppb	0.2 ppb
Trace Impurities - Bismuth (Bi)	≤ 1.0 ppb	< 0.2 ppb
	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Boron (B)	≤ 20.0 ppb	< 5.0 ppb
Trace Impurities - Cadmium (Cd)	≤ 1.0 ppb	< 0.3 ppb
Trace Impurities - Calcium (Ca)	≤ 50.0 ppb	163.0 ppb
Trace Impurities - Chromium (Cr)	≤ 1.0 ppb	0.7 ppb
Trace Impurities - Cobalt (Co)	≤ 1.0 ppb	< 0.3 ppb
Trace Impurities – Copper (Cu)	≤ 1.0 ppb	< 0.1 ppb
Trace Impurities – Gallium (Ga) –	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities ~ Germanium (Ge)	≤ 3.0 ppb	< 2.0 ppb
Trace Impurities - Gold (Au)	≤ 4.0 ppb	0.6 ррb
Heavy Metals (as Pb)	≤ 100 ppb	< 50 ppb
Trace Impurities - Iron (Fe)	≤ 15 ppb	6 ppb

>>> Continued on page 2 >>>

Hydrochloric Acid, 36.5-38.0% BAKER INSTRA-ANALYZED® Reagent For Trace Metal Analysis





Material No.: 9530-33 Batch No.: 22G2862015

Test	Specification	Pocult
Trace Impurities - Lead (Pb)	≤ 1.0 ppb	Result
Trace Impurities - Lithium (Li)	.,	< 0.5 ppb
Trace Impurities - Magnesium (Mg)	≤ 1.0 ppb	< 0.2 ppb
	≤ 10.0 ppb	2.9 ррb
Trace Impurities – Manganese (Mn)	≤ 1.0 ppb	< 0.4 ppb
Trace Impurities – Mercury (Hg) –	≤ 0.5 ppb	0.1 ppb
Trace Impurities – Molybdenum (Mo)	≤ 10.0 ppb	< 3.0 ppb
Trace Impurities – Nickel (Ni)	≤ 4.0 ppb	< 0.3 ppb
Trace Impurities – Niobium (Nb)	≤ 1.0 ppb	0.8 ppb
Trace Impurities – Potassium (K)	≤ 9.0 ppb	< 2.0 ppb
Trace Impurities – Selenium (Se), For Information Only		< 1.0 ppb
Trace Impurities – Silicon (Si)	≤ 100.0 ppb	< 10.0 ppb
Trace Impurities – Silver (Ag)	≤ 1.0 ppb	0.5 ppb
Trace Impurities – Sodium (Na)	≤ 100.0 ppb	2.3 ppb
Trace Impurities – Strontium (Sr)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Tantalum (Ta)	≤ 1.0 ppb	.,
Trace Impurities - Thallium (TI)	≤ 5.0 ppb	1.6 ppb
Trace Impurities - Tin (Sn)		< 2.0 ppb
Trace Impurities – Titanium (Ti)	≤ 5.0 ppb	4.0 ppb
	≤ 1.0 ppb	1.5 ppb
Trace Impurities – Vanadium (V)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Zinc (Zn)	≤ 5.0 ppb	0.8 ppb
Trace Impurities – Zirconium (Zr)	≤ 1.0 ppb	0.3 ppb

Hydrochloric Acid, 36.5-38.0% BAKER INSTRA-ANALYZED® Reagent For Trace Metal Analysis






Material No.: 9530-33 Batch No.: 22G2862015

Test	Specification	Result	

For Laboratory,Research,or Manufacturing Use Product Information (not specifications): Appearance (clear, fuming liquid) Meets ACS Specifications Storage Condition: Store below 25 °C.

Country of Origin: USA Packaging Site: Phillipsburg Mfg Ctr & DC



.....

Jamie Ethier Vice President Global Quality Nitric Acid 69% CMOS





MS 934 MS 935 MS956 MS 957 MS 958

Material No.: 9606-03 Batch No.: 24D1062002 Manufactured Date: 2024-03-26 Retest Date: 2029-03-25 Revision No.: 0

Certificate of Analysis

Test	Specification	Result
Assay (HNO3)	69.0 - 70.0 %	69.7 %
Appearance	Passes Test	Passes Test
Color (APHA)	≤ 10	5
Residue after Ignition	≤ 2 ppm	
Chloride (Cl)	≤ 0.08 ppm	1 ppm < 0.03 ppm
Phosphate (PO4)	≤ 0.10 ppm	< 0.03 ppm
Sulfate (SO4)	≤ 0.2 ppm	< 0.05 ppm < 0.2 ppm
Trace Impurities – Aluminum (AI)	≤ 40.0 ppb	
Arsenic and Antimony (as As)	≤ 5.0 ppb	< 1.0 ppb
Trace Impurities – Barium (Ba)	≤ 10.0 ppb	< 2.0 ppb
Trace Impurities – Beryllium (Be)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Bismuth (Bi)	≤ 20.0 ppb	< 1.0 ppb
Trace Impurities - Boron (B)	≤ 10.0 ppb	< 10.0 ppb
Trace Impurities – Cadmium (Cd)	≤ 50 ppb	< 5.0 ppb
Trace Impurities - Calcium (Ca)	≤ 50.0 ppb	< 1 ppb
Trace Impurities – Chromium (Cr)	≤ 30.0 ppb	2.3 ppb
Trace Impurities - Cobalt (Co)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Copper (Cu)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Gallium (Ga)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Germanium (Ge)	≤ 20 ppb	< 1.0 ppb
Trace Impurities - Gold (Au)	≤ 20 ppb	< 10 ppb
Heavy Metals (as Pb)	≤ 100 ppb	< 5 ppb
Trace Impurities - Iron (Fe)	≤ 40.0 ppb	100 ppb
Trace Impurities - Lead (Pb)	≤ 20.0 ppb	< 1.0 ppb
Trace Impurities – Lithium (Li)	≤ 10.0 ppb	< 10.0 ppb
Trace Impurities – Magnesium (Mg)	≤ 20 ppb	< 1.0 ppb
Trace Impurities - Manganese (Mn)	≤ 10.0 ppb	< 1 ppb
Trace Impurities - Nickel (Ni)	≤ 20.0 ppb	< 1.0 ppb
•	- 20.0 hbp	< 5.0 ppb

>>> Continued on page 2 >>>

For questions on this Certificate of Analysis please contact Technical Services at 855 282 6867 or ±1 610 386 1700





Material No.: 9606-03 Batch No.: 24D1062002

Test	Specification	Result
Trace Impurities – Niobium (Nb)	≤ 50.0 ppb	< 1.0 ppb
Trace Impurities – Potassium (K)	≤ 50 ppb	16 ppb
Trace Impurities – Silicon (Si)	≤ 50 ppb	< 10 ppb
Trace Impurities – Silver (Ag)	≤ 20.0 ppb	< 1.0 ppb
Trace Impurities – Sodium (Na)	≤ 150.0 ppb	< 5.0 ppb
Trace Impurities ~ Strontium (Sr)	≤ 30.0 ppb	< 1.0 ppb
Trace Impurities – Tantalum (Ta)	≤ 10.0 ppb	< 5.0 ppb
Trace Impurities – Thallium (TI)	≤ 10.0 ppb	< 5.0 ppb
Trace Impurities – Tin (Sn)	≤ 20.0 ppb	< 10.0 ppb
Trace Impurities - Titanium (Ti)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Vanadium (V)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Zinc (Zn)	≤ 20.0 ppb	< 1.0 ppb
Trace Impurities – Zirconium (Zr)	≤ 10.0 ppb	< 1.0 ppb
Particle Count - 0.5 µm and greater	≤ 60 par/ml	10 par/ml
Particle Count – 1.0 µm and greater	≤ 10 par/ml	3 par/mi

Nitric Acid 69% CMOS





Material No.: 9606-03 Batch No.: 24D1062002

Tect			
Test	Specification	Result	

For Microelectronic Use

Country of Origin: USA Packaging Site: Phillipsburg Mfg Ctr & DC





Certificate of Analysis

1.00132.0000 Barbituric acid for analysis EMSURE® N020065932

	Spec. Values	3	Batch Values	
		A /		24
Assay (acidimetric)	≥ 99	%	99.6	%
Identity (IR-spectrum)	passes test		passes test	
Chloride (Cl)	≤ 40	ppm	≤ 40	ppm
Heavy metals (as Pb)	≤ 50	ppm	≤ 50	ppm
Fe (Iron)	≤ 10	ppm	≤ 10	ppm
Sulfated ash	≤ 0.1	%	≤ 0.1	%
Loss on Drying (105 °C)	≤ 0.1	%	≤ 0.1	%
Suitability as reagent (for cyanide determination)	passes test		passes test	

Date of release (DD.MM.YYYY) 17.04.2020 Minimum shelf life (DD.MM.YYYY) 30.04.2025

Ioannis Chartomatsidis

Responsible laboratory manager quality control

This document has been produced electronically and is valid without a signature.

Sodium Phosphate, Monobasic, Monohydrate, Crystal BAKER ANALYZED® A.C.S. Reagent

(sodium dihydrogen phosphate, monohydrate)





Material No.: 3818-05 Batch No.: 0000225799 Manufactured Date: 2018/12/05 Retest Date: 2025/12/03 Revision No: 1

Certificate of Analysis

Meets ACS Reagent Chemical Requirements,

Test	Specification	Result
Assay (NaH2PO4 · H2O)	98.0 - 102.0 %	99.5
oH of 5% Solution at 25℃	4.1 - 4.5	4.3
nsoluble Matter	<= 0.01 %	< 0.01
Chloride (Cl)	<= 5 ppm	< 5
ACS – Sulfate (SO4)	<= 0.003 %	< 0.003
Calcium (Ca)	<= 0.005 %	<0.005
Potassium (K)	<= 0.01 %	< 0.01
leavy Metals (as Pb)	<= 0.001 %	< 0.001
Frace Impurities – Iron (Fe)	<= 0.001 %	< 0.001

For Laboratory, Research or Manufacturing Use Meets Reagent Specifications for testing USP/NF monographs

Country of Origin:	IN
Packaging Site:	Paris Mfg Ctr & DC

James Techie

Jamie Ethier Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700 Avantor Performance Materials, LLC 100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700



W2979

lec: 12/08/22


exp. 12/08/27

Product Name: 1,5-Diphenylcarbazide - ACS reagent

Product Number:	259225
Batch Number:	MKCR6636
Brand:	SIAL
CAS Number:	140-22-7
MDL Number:	MFCD00003013
Formula:	C13H14N4O
Formula Weight:	242.28 g/mol
Quality Release Date:	02 JUN 2022

3050 Spruce Street, Saint Louis, MO 63103, USA Website: www.sigmaaldrich.com Email USA: techserv@sial.com Outside USA: eurtechserv@sial.com

Certificate of Analysis



Test	Specification	Result
Appearance (Color)	Conforms to Requirements	Pink
Off-White to Pink, Light Purple or Tan	·	
Appearance (Form)	Powder or Chunks	Powder
Melting Point	173.0 - 176.0 °C	173.0 °C
Infrared Spectrum	Conforms to Structure	Conforms
Residue on ignition (Ash)	<u><</u> 0.05 %	0.01 %
15 minutes, 800 Degrees Celsius		
Solubility	Pass	Pass
Sensitivity Test	Pass	Pass
Meets ACS Requirements	Current ACS Specification	Conforms

Z

Larry Coers, Director Quality Control Milwaukee, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.



	RI			W3	005		ec.	1/31/ 12	23			Batesy //www.ricca 1-88	Lammers Pik ville, IN 4700 achemical.com 88-GO-RICCA achemical.com
	. D. C								.S				
Buffer Lot Nu	mber:	4212E	E45	P	roduct	Numb	er: 149	3)EC 20, 2022 æ: DEC 2024
THE IND	L Haceap	e for this le pH val	product is ue is certi	s confirme fied to ±0	ed in indej .01 at 25 °	pendent t °C only. A	esting by a 11 other pl	a second q H values a	ualified of the state of the st	chemist. orresponding temper			
°C pH	10 1.93	15 1.98	20 1.98	$\begin{array}{c} 25 \\ 2.00 \end{array}$	30 2.01	$\begin{array}{c} 35\\ 2.03\end{array}$	$\begin{array}{c} 40\\ 2.03\end{array}$	$\begin{array}{c} 45\\ 2.04\end{array}$	$50 \\ 2.04$				
Name	ni lok			35.5		CA	AS#	Tr'in T	10	Grade		100	and the second
Water						77	32-18-5	100001		ACS/ASTM/US	SP/EP		
Potassi Hydroc	*******			u tu bee			47-40-7	SI WITE DE		ACS			
*********						/0	47-01-0			ACS	111210		
Test		11-21		<u> 1815</u>			and the second second	cificatio		Result			
Appeara	ance						Colo	orless li	quid	Passed		*Not a c	ertified value.
Test			2012				Cert	ified Va	lue	Uncertain	ty i	NIST SRM#	0-1-4-1-5
comparisor Standard F a normal d before first weights cer regularly w	ements v o Nationa as. The un deference istributio use and i tified tra ith a the	were perfo al Institut ncertainty Material, on. Volume recalibrat ceable to rmometer	ormed in o te of Stand y is calcula , and the etric glass ted regula the NIST	our Batesy dards and ated from uncertain sware com rly in acco national	ville, IN la Technolo the uncer ty of the r plies with ordance w mass stan	tainty of neasurem Class A ith ASTM dard. The	the measu ent proces tolerance I E 542 an ermometer	D/IEC 1700 I Reference urement v ss. The un requirem Id NIST P rs and ten	ce Materi ariation : acertainty ents of A rocedure aperature	0.02 ditation (ANAB Cert ial as indicated above from sample to samp y is multiplied by k= STM E 288 and NIS NBSIR 74-461. Bala e probes are calibrat to master document on and testing histor	ificate l e via ar ole, the 2, corre T Circu ances a ed befo	unbroken cha uncertainty in esponding to 95 llar 434; it is ca re calibrated re re first use and	are certified in of the NIST % coverage in librated gularly with recalibrated
Part Nu					and the second s	The second second	age Typ				_	opened Cont	
1493-1 1493-16 1493-32 1493-5 ecommer	•01115= 				500 1 L	natural mL nat natural Cubita	ural pol poly	У.		24 month 24 month 24 month 24 month 24 month	ns ns		

Foul Brandon

Paul Brandon (12/20/2022) Production Manager This Certificate of Analysis is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

RICCA CHEMICAL COMPANY[®] 3^{003} 0^{001} Certificate of Analysis 0^{010}

1490 Lammers Pike Batesville, IN 47006 http://www.riccachemical.com 1-888-GO-RICCA customerservice@riccachemical.com

Manufacture Date: JAN 08, 2024

Expiration Date: DEC 2025

Buffer, Reference Standard, pH 7.00 ± 0.01 at 25°C (Color Coded Yellow)

Product Number: 1551

°C pH	0 7.12	5 7.09	10 7.06	15 7.04	20 7.02	25 7.00	30 6.99	35 6.98	40 6.98	45 6.97	50 6.97	
Name						CA	S#		1.15	Grade		
Water						77	32-18-5			ACS/AS	STM/USP/I	ξP
Sodiun	n Phosp	hate Di	basic			758	58-79-4	-		ACS		
Potass	ium Dił	nydrogen	n Phospi	hate		77	78-77-0			ACS		
Preserv	vative					Pro	prietar	У				
Yellow	Dye				•		prietar					
Sodium	n Hydro	xide					.0-73-2	· .				
Test						1.1	Spec	ification	1	Re	sult	
Appear	ance				LEC.		Yell	ow liqui	d	Pas	ssed	*Not a certified value
<u>Fest</u>	Sec.				54-		Cert	ified Va	lue	Un	certainty	NIST SRM#
pH at 2	5°C (M	ethod: S	QCP02	7, SQCP	033)		7.004	4		0.0	2	186-I-g, 186-II-g, 191d
Specific	ation		1			J.	- 21	- 11	Refe	rence		
Comme	rcial Bu	ffer Sol	utions						ASTN	A (D 1293	B)	
Buffer A										A (D 5464		
Buffer A	1								ASTN	4 (D 5128		

a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1551-1	4 L natural poly	24 months
1551-1CT	4 L Cubitainer®	24 months
1551-2.5	10 L Cubitainer®	24 months
1551-5	20 L Cubitainer®	24 months
Decommonded Steven 1500	2000 (F00) - 000T)	

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Lot Number: 4401F99

Paul Drondon

Paul Brandon (01/08/2024) Production Manager This document is designed to comply with ISO Guide 31 "Reference Materials --Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

RICCA CHEMICAL COMPANY°

1490 Lammers Pike Batesville, IN 47006 http://www.riccachemical.com 1-888-GO-RICCA customerservice@riccachemical.com

Certificate of Analysis

Buffer, Reference Standard, pH 10.00 ± 0.01 at 25°C (Color Coded Blue)

The cer	umber: tified valu	e for this	product is	confirme	d in inder	Numbe	sting by a	- socord a	ualified o]	facture Date: OCT 09, 2023 Expiration Date: MAR 2025 res are accurate to ± 0.05.		
°C pH	0 10.31	5 10.23	10 10.17	15 10.11	20 10.05	25 10.00	30 9.95	35 9.91	40 9.87	50 9.81	res are accurate to ± 0.05 .		
Name						CA	S#			Grade			
Water						773	32-18-5			ACS/ASTM/USP/	EP		
Sodiur	n Carbo	nate				497	-19-8			ACS	T		
Sodiur	n Bicarl	oonate				144-55-8				ACS			
Sodiur	n Hydro	xide				10000 C 11 11 1				Reagent			
Preser	vative						prietary	v		Intragent			
Blue D	ye						prietary	· ·			· · · ·		
Test							Spec	ification		Result			
Appear	ance						Blue	e liquid		Passed	*Not a certified value.		
Test					1.1.1	120	Cert	ified Val	ue	Uncertainty	NIST SRM#		
pH at 2	25°C (M	ethod: S	QCP02	7, SQCI	2 033)		10.00)3		0.02	186-I-g, 186-II-g, 191d		
Specific	ation			1.2					Refe	rence			
Comme	rcial Bu	ffer Sol	utions			ASTM (D 1293 B)							
Buffer (ASTM (D 5464)							
Buffer (7							•		A (D 5128)			
comparis Standard a normal	ons. The u l Referenc distributi	incertaint e Materia on. Volum	y is calcul l, and the netric glas	lated from uncertain sware con	the unce ty of the provide	rtainty of measurem h Class A	the meas ent proce	d Reference urement v ss. The ur	ce Mater ariation certaint	from sample to sample, y is multiplied by k=2, or STM F 288 and NICT (cate L2387.02) and are certified ia an unbroken chain of the uncertainty in the NIST corresponding to 95% coverage in Circular 434; it is calibrated ses are calibrated regularly with		

before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured. Part Number

I di ti tullibel	Size / Package Type	Shelf Life (Unopened Container)
1601-16	500 mL natural poly	18 months
1601-5	20 L Cubitainer®	18 months
Person and ad Steven 1500		

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Fand Brandon 1

F

Paul Brandon (10/09/2023) Production Manager This document is designed to comply with ISO Guide 31 "Reference Materials --Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

RICCA CHEMICAL COMPANY

Certificate of Analysis

1490 Lammers Pike Batesville, IN 47006 http://www.riccachemical.com 1-888-GO-RICCA customerservice@riccachemical.com

Buffer, Reference Standard, pH 4.00 ± 0.01 at 25°C (Color Coded Red)

Product Number: 1501

Manufacture Date: MAR 09, 2024 Expiration Date: FEB 2026

The certified value for this product is confirmed in independent testing by a second qualified chemist. The NIST Traceable pH value is certified to ± 0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05 .

							-			^	0 1	
°C	0	5	10	15	20	25	30	35	40	45	50	
$_{\rm pH}$	4.00	4.00	4.00	4.00	4.00	4.00	4.01	4.02	4.03	4.04	4.06	

Name	CAS#	Grade	
Water	7732-18-5	7732-18-5 ACS/ASTM/USP/E	
Potassium Acid Phthalate	877-24-7	Buffer	
Preservative	Proprietary	Commercial	••
Red Dye	Proprietary	rietary Purified	
Test	Specification	Result	
Appearance	Red liquid	Passed	*Not a certified value
Test	Certified Value	Uncertainty	NIST SRM#
pH at 25°C (Method: SQCP027, SQCP033)	4.000	0.02	185i, 186-I-g, 186-II-g
Specification	Re	ference	
Commercial Buffer Solutions	AS	TM (D 1293 B)	
Buffer B	AS'	ГМ (D 5464)	

Buffer B

pH measurements were performed in our Batesville, IN laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.02) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

ASTM (D 5128)

Part Number	Shelf Life (Unopened Container)			
1501-2.5	10 L Cubitainer®	24 months		
1501-32	1 L natural poly	24 months		
1501-5	20 L Cubitainer®	24 months		

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Foul Brandon

Paul Brandon (03/09/2024) Production Manager This document is designed to comply with ISO Guide 31 "Reference Materials --Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.



Certificate of Analysis



Sodium Hydroxide (Pellets)

Material:0583Grade:ACS GRADEBatch Number:23B1556310

Chemical Formula:	NaOH	Manufactu	ire Date:	12/14/2022
Molecular Weight:	40	Expiration	Date:	12/31/2025
CAS #:	1310-73-2			
Appearance:		Storage:	Room Tempe	rature

Pellets

TEST	SPECIFICATION	ANALYSIS	DISPOSITION
Calcium	<= 0.005 %	<0.005 %	PASS
Chloride	<= 0.005 %	0.002 %	PASS
Heavy Metals	<= 0.002 %	<0.002 %	PASS
Iron	<= 0.001 %	<0.001 %	PASS
Magnesium	<= 0.002 %	<0.002 %	PASS
Mercury	<= 0.1 ppm	<0.1 ppm	PASS
Nickel	<= 0.001 %	<0.001 %	PASS
Nitrogen Compounds	<= 0.001 %	<0.001 %	PASS
Phosphate	<= 0.001 %	<0.001 %	PASS
Potassium	<= 0.02 %	<0.02 %	PASS
Purity	>= 97.0 %	99.2 %	PASS
Sodium Carbonate	<= 1.0 %	0.5 %	PASS
Sulfate	<= 0.003 %	<0.003 %	PASS

Internal ID #: 710

Signature	Additional Information
We certify that this batch conforms to the specifications listed.	Analysis may have been rounded to significant digits in specification limits.
This document has been electronically produced and is valid without a signature.	Product meets analytical specifications of the grades listed.
Leona Edwardson, Quality Control Sr. Manager - Solon VWR Chemicals, LLC. 28600 Fountain Parkway, Solon OH 44139 USA	



Certificate of Analysis



Sodium Hydroxide (Pellets)

Material:0583Grade:ACS GRADEBatch Number:23B1556310

 Chemical Formula:
 NaOH
 Manufacture Date:
 12/14/2022

 Molecular Weight:
 40
 Expiration Date:
 12/31/2025

 CAS #:
 1310-73-2
 Storage:
 Room Temperature

Spec Set: 0583ACS

Internal ID #: 710

Signature	Additional Information
We certify that this batch conforms to the specifications listed.	Analysis may have been rounded to significant digits in specification limits.
This document has been electronically produced and is valid without a signature.	Product meets analytical specifications of the grades listed.
Leona Edwardson, Quality Control Sr. Manager - Solon VWR Chemicals, LLC. 28600 Fountain Parkway, Solon OH 44139 USA	



Part of TCP Analytical Group

Jackson's Pointe Commerce Park- Building 1000 1010 Jackson's Pointe Court, Zelienople, PA 16063

Certificate of Analysis

Cyanide Standard 1000 ppm (1ml = 1mg CN)

Product Code:	LC13545		Manufacture Date: August 01, 2024	
Lot Number:	44080060		Expiration Date: January 30, 2025	
Test		Specification	Result	
Appearance (cla	arity)	clear solution	clear solution	
Appearance (co	blor)	colorless	colorless	
Concentration (CN)	0.990 - 1.010mg/mL	1.008mg/mL	
Concentration (CN)	990 - 1,010ppm	1,008ppm	
Traceable to NI	ST SRM	Report	999b	

Intended Use - Product is intended for use in manufacturing procedures and laboratory procedures and protocols.

Storage Information - Unless noted on the product label, store the product under normal lab conditions in its tightly closed, original container. Do not pipet directly from the container or return unused portions to the container.

Instructions for Handling and Use - Please refer to the associated product label and Safety Data Sheet (SDS) for information regarding safety and handling of this product.

Preparation - All products are manufactured and tested according to established, documented procedures and methodology. Production documentation records manufacturing data, raw material traceability and testing history on a per lot basis. Balances, thermometers, and glassware are calibrated before first use and on a regular schedule with references traceable to NIST standards.

The suffix of the product code may differ from what is on your product label. The suffix will designate the size and be associated with a numeric digit(s). Visit LabChem.com for more information

Suffix	1	2	3/35/36/365	4/4C	5	6	7	8	9	20	44	200	246	486
Size	500mL or g	1L or 1kg	2.5L/2.5L Coated/6x2.5L/6x2.5L Coated	4L	20L	10L	125mL	25g	100g	20x20mL	4x4L	200L	24x6mL	48x6mL

Michael Montelsons

Michael Monteleone Chemistry Supervisor - Quality Control



W3139 Received on 9/9/24 by IZ

Product No.:

A12044

Product: Chloramine-T trihydrate, 98%

Lot No.: 10239484

Appearance: Melting Point: Assay (lodometric titration): Identification (FTIR): White powder 166°C(dec) 100.5% Conforms

Order our products online thermofisher.com/chemicals

This document has been electronically generated and does not require a signature.

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

RICCA CHEMICAL COMPANY®

Certificate of Analysis

Cyanide Standard, 1000 ppm CN

Lot Number: 1405J81

Product Number: 2543

Manufacture Date: MAY 20, 2024

Expiration Date: NOV 2024

This standard is prepared using accurate volumetric techniques from material that has been assayed against Silver Nitrate solution certified traceable to NIST Standard Reference Material 999. The certified value reported is the prepared value based upon the method of preparation of the material The uncertainty in the prepared value is the combined uncertainty based on the stability of the assayed Potassium Cyanide, and the uncertainty ir the mass and volume measurements.

Use 0.16% (w/v) (0.04 N) Sodium Hydroxide or 0.225 % (w/v) (0.04 N) Potassium Hydroxide to make dilutions of this standard. Restandardize weekly if extreme accuracy is required.

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Potassium Cyanide	151-50-8	ACS
Sodium Hydroxide	1310-73-2	Reagent

Test	Specification	Result
Appearance	Colorless liquid	Passed
Cyanide (CN)	995-1005 ppm	1000 ppm

Specification	Reference		
Stock Standard Cyanide Solution	APHA (4500-CN- F)		
Stock Cyanide Solution	APHA (4500-CN- E)		
Stock Cyanide Solution	APHA (4500-CN- K)		
Stock Cyanide Solution	APHA (4500-CN- H)		
Cyanide Reference Solution (1000 mg/L)	EPA (SW-846) (7.3.3.2)		
Cyanide Calibration Stock Solution (1,000 mg/L CN-)	EPA (SW-846) (9213)		
Stock Cyanide Solution	EPA (335.3)		
Stock Cyanide Solution	EPA (335.2)		
Cyanide Solution Stock	ASTM (D 4282)		
Simple Cyanide Solution, Stock (1.0 g/L CN)	ASTM (D 4374)		

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
2543-16	500 mL amber poly	6 months
2543-4	120 mL amber poly	6 months

Recommended Storage: 2°C - 8°C (36°F - 46°F)

Al

Heidi J Green (05/20/2024) Operations Manager

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.