

Initial Calibration Report for SequenceID : FE100824AL

AreaCount

Parameter Range	FE050535.D	FE050536.D	FE050537.D	FE050538.D	FE050539.D	
Aliphatic C9-C12	40745791.000	21072572.000	8517410.000	4337343.000	2274924.000	
Aliphatic C12-C16	27735737.000	14244783.000	5792628.000	2930237.000	1531373.000	
Aliphatic C16-C21	40974621.000	21203318.000	8666410.000	4379658.000	2304599.000	
Aliphatic C21-C28	52777882.000	27581000.000	11356069.000	5708818.000	3125067.000	
Aliphatic C28-C40	72232829.000	38094965.000	16699677.000	8422068.000	4938401.000	
Aliphatic EPH	234466860.000	122196638.000	51032194.000	25778124.000	14174364.000	

AVG Response Factor

Parameter Range	AVG RF	% RSD				
Aliphatic C9-C12	142899.9299998	4.087				
Aliphatic C12-C16	145118.273	3.694				
Aliphatic C16-C21	144401.2446664	4.356				
Aliphatic C21-C28	142154.8735	6.306				
Aliphatic C28-C40	138303.281333	12.24				
Aliphatic EPH	141698.847333	7.212				

Concentration

Parameter Range	FE050535.D	FE050536.D	FE050537.D	FE050538.D	FE050539.D	
Aliphatic C9-C12	300.000	150.000	60.000	30.000	15.000	
Aliphatic C12-C16	200.000	100.000	40.000	20.000	10.000	
Aliphatic C16-C21	300.000	150.000	60.000	30.000	15.000	
Aliphatic C21-C28	400.000	200.000	80.000	40.000	20.000	
Aliphatic C28-C40	600.000	300.000	120.000	60.000	30.000	
Aliphatic EPH	1800.000	900.000	360.000	180.000	90.000	

Response Factor

Parameter Range	FE050535.D	FE050536.D	FE050537.D	FE050538.D	FE050539.D	
Aliphatic C9-C12	135819.303333	140483.813333	141956.833333	144578.100000	151661.600000	
Aliphatic C12-C16	138678.685000	142447.830000	144815.700000	146511.850000	153137.300000	
Aliphatic C16-C21	136582.070000	141355.453333	144440.166666	145988.600000	153639.933333	

Initial Calibration Report for SequenceID : FE100824AL

Aliphatic C21-C28	131944.705000	137905.000000	141950.862500	142720.450000	156253.350000	
Aliphatic C28-C40	120388.048333	126983.216666	139163.975000	140367.800000	164613.366666	
Aliphatic EPH	130259.366666	135774.042222	141756.094444	143211.800000	157492.933333	

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE100824AL\
 Data File : FE050535.D
 Signal(s) : FID1B.ch
 Acq On : 07 Oct 2024 14:06
 Operator : YP\AJ
 Sample : 100 PPM ALIPHATIC HC STD1
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 100 PPM ALIPHATIC HC STD1

Integration File: autoint1.e
 Quant Time: Oct 07 15:50:00 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 100824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 07 15:49:51 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.874	14935989	97.121 ug/ml
Spiked Amount 50.000		Recovery =	194.24%
12) S 1-chlorooctadecane (S...	13.307	11405346	97.767 ug/ml
Spiked Amount 50.000		Recovery =	195.53%
Target Compounds			
1) T n-Nonane (C9)	3.256	13375492	97.682 ug/ml
2) T n-Decane (C10)	4.508	13622130	97.695 ug/ml
3) T A~Naphthalene (C11.7)	6.217	14355926	100.128 ug/ml
4) T n-Dodecane (C12)	6.676	13748169	97.991 ug/ml
5) T A~2-methylnaphthalene...	7.315	13570374	100.663 ug/ml
6) T n-Tetradecane (C14)	8.504	13662645	97.909 ug/ml
7) T n-Hexadecane (C16)	10.111	14073092	97.764 ug/ml
8) T n-Octadecane (C18)	11.554	14160630	97.396 ug/ml
10) T n-Eicosane (C20)	12.861	13543211	97.115 ug/ml
11) T n-Heneicosane (C21)	13.472	13270780	97.090 ug/ml
13) T n-Docosane (C22)	14.058	13205478	96.773 ug/ml
14) T n-Tetracosane (C24)	15.160	13226380	96.742 ug/ml
15) T n-Hexacosane (C26)	16.179	13147754	96.576 ug/ml
16) T n-Octacosane (C28)	17.129	13198270	95.311 ug/ml
17) T n-Tricontane (C30)	18.016	13716170	92.688 ug/ml
18) T n-Dotriacontane (C32)	18.847	13640074	91.715 ug/ml
19) T n-Tetratriacontane (C34)	19.629	12565721	92.262 ug/ml
20) T n-Hexatriacontane (C36)	20.368	11275380	94.013 ug/ml
21) T n-Octatriacontane (C38)	21.094	10872225	93.405 ug/ml
22) T n-Tetracontane (C40)	21.983	10163259	92.882 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE100824AL\
Data File : FE050535.D
Signal(s) : FID1B.ch
Acq On : 07 Oct 2024 14:06
Operator : YP\AJ
Sample : 100 PPM ALIPHATIC HC STD1
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :
100 PPM ALIPHATIC HC STD1

Integration File: autoint1.e
Quant Time: Oct 07 15:50:00 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 100824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 07 15:49:51 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.256 min
Delta R.T.: 0.000 min
Response: 13375492
Conc: 97.68 ug/ml

Instrument :
FID_E
ClientSampleId :
100 PPM ALIPHATIC HC STD1




#2 n-Decane (C10)

R.T.: 4.508 min
Delta R.T.: 0.000 min
Response: 13622130
Conc: 97.70 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 6.217 min
Delta R.T.: 0.000 min
Response: 14355926
Conc: 100.13 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.676 min
Delta R.T.: 0.000 min
Response: 13748169
Conc: 97.99 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 7.315 min
Delta R.T.: 0.000 min
Response: 13570374
Conc: 100.66 ug/ml

Instrument :
FID_E
ClientSampleId :
100 PPM ALIPHATIC HC STD1




#6 n-Tetradecane (C14)

R.T.: 8.504 min
Delta R.T.: 0.000 min
Response: 13662645
Conc: 97.91 ug/ml




#7 n-Hexadecane (C16)

R.T.: 10.111 min
Delta R.T.: 0.000 min
Response: 14073092
Conc: 97.76 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.554 min
Delta R.T.: 0.000 min
Response: 14160630
Conc: 97.40 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.874 min
Delta R.T.: 0.000 min
Response: 14935989
Conc: 97.12 ug/ml

Instrument :
FID_E
ClientSampleId :
100 PPM ALIPHATIC HC STD1




#10 n-Eicosane (C20)

R.T.: 12.861 min
Delta R.T.: 0.000 min
Response: 13543211
Conc: 97.12 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.472 min
Delta R.T.: 0.000 min
Response: 13270780
Conc: 97.09 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 13.307 min
Delta R.T.: 0.000 min
Response: 11405346
Conc: 97.77 ug/ml



#13 n-Docosane (C22)


R.T.: 14.058 min
Delta R.T.: 0.000 min
Response: 13205478
Conc: 96.77 ug/ml

Instrument :
FID_E
ClientSampleId :
100 PPM ALIPHATIC HC STD1




#14 n-Tetracosane (C24)

R.T.: 15.160 min
Delta R.T.: 0.000 min
Response: 13226380
Conc: 96.74 ug/ml




#15 n-Hexacosane (C26)

R.T.: 16.179 min
Delta R.T.: 0.000 min
Response: 13147754
Conc: 96.58 ug/ml



#16 n-Octacosane (C28)


R.T.: 17.129 min
Delta R.T.: 0.000 min
Response: 13198270
Conc: 95.31 ug/ml



#17 n-Tricontane (C30)


R.T.: 18.016 min
Delta R.T.: 0.000 min
Response: 13716170
Conc: 92.69 ug/ml

Instrument :
FID_E
ClientSampleId :
100 PPM ALIPHATIC HC STD1




#18 n-Dotriacontane (C32)

R.T.: 18.847 min
Delta R.T.: 0.000 min
Response: 13640074
Conc: 91.72 ug/ml




#19 n-Tetratriacontane (C34)

R.T.: 19.629 min
Delta R.T.: 0.000 min
Response: 12565721
Conc: 92.26 ug/ml



#20 n-Hexatriacontane (C36)

R.T.: 20.368 min
Delta R.T.: 0.000 min
Response: 11275380
Conc: 94.01 ug/ml



#21 n-Octatriacontane (C38)


R.T.: 21.094 min
Delta R.T.: 0.000 min
Response: 10872225
Conc: 93.40 ug/ml

Instrument :

FID_E

ClientSampleId :

100 PPM ALIPHATIC HC STD1



#22 n-Tetracontane (C40)

R.T.: 21.983 min
Delta R.T.: 0.000 min
Response: 10163259
Conc: 92.88 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE100824AL\
Data File : FE050535.D
Signal(s) : FID1B.ch
Acq On : 07 Oct 2024 14:06
Sample : 100 PPM ALIPHATIC HC STD1
Misc :
ALS Vial : 11 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 100824.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.256	3.218	3.371	BB	1324173	13375492	89.55%	4.632%
2	4.508	4.468	4.628	BB	1334655	13622130	91.20%	4.718%
3	6.217	6.181	6.461	BB	1389687	14355926	96.12%	4.972%
4	6.676	6.638	6.798	BB	1369652	13748169	92.05%	4.762%
5	7.315	7.278	7.488	PV	1264853	13570374	90.86%	4.700%
6	8.504	8.434	8.618	BB	1252011	13662645	91.47%	4.732%
7	10.111	10.074	10.221	BB	1234885	14073092	94.22%	4.874%
8	11.554	11.510	11.624	PV	1196443	14160630	94.81%	4.904%
9	11.874	11.821	11.978	BV	1305138	14935989	100.00%	5.173%
10	12.861	12.778	12.944	BB	1141004	13543211	90.68%	4.691%
11	13.307	13.228	13.391	BV	945279	11405346	76.36%	3.950%
12	13.472	13.428	13.561	PB	1054961	13270780	88.85%	4.596%
13	14.058	14.021	14.158	VB	1044935	13205478	88.41%	4.574%
14	15.160	15.071	15.258	BB	1007834	13226380	88.55%	4.581%
15	16.179	16.084	16.278	BB	960164	13147754	88.03%	4.554%
16	17.129	17.051	17.231	BB	966376	13198270	88.37%	4.571%
17	18.016	17.928	18.094	PB	987186	13716170	91.83%	4.750%
18	18.847	18.801	18.921	BB	942433	13640074	91.32%	4.724%
19	19.629	19.561	19.714	BB	849738	12565721	84.13%	4.352%
20	20.368	20.321	20.409	BBA	745438	11275380	75.49%	3.905%
21	21.094	21.021	21.199	BBA	598100	10872225	72.79%	3.765%
22	21.983	21.861	22.099	BBA	399118	10163259	68.05%	3.520%
Sum of corrected areas:						288734494		

Aliphatic EPH 100824.M Mon Oct 07 16:35:00 2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE100824AL\
 Data File : FE050536.D
 Signal(s) : FID1B.ch
 Acq On : 07 Oct 2024 14:36
 Operator : YP\AJ
 Sample : 50 PPM ALIPHATIC HC STD2
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 50 PPM ALIPHATIC HC STD2

Integration File: autoint1.e
 Quant Time: Oct 07 15:51:39 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 100824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 07 15:51:32 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.869	7668467	49.909 ug/ml
Spiked Amount 50.000		Recovery =	99.82%
12) S 1-chlorooctadecane (S...	13.302	5839164	50.036 ug/ml
Spiked Amount 50.000		Recovery =	100.07%
Target Compounds			
1) T n-Nonane (C9)	3.254	6949960	50.501 ug/ml
2) T n-Decane (C10)	4.505	7054723	50.395 ug/ml
3) T A~Naphthalene (C11.7)	6.215	7328645	50.738 ug/ml
4) T n-Dodecane (C12)	6.673	7067889	50.251 ug/ml
5) T A~2-methylnaphthalene...	7.311	6885410	50.712 ug/ml
6) T n-Tetradecane (C14)	8.500	6999728	50.107 ug/ml
7) T n-Hexadecane (C16)	10.106	7245055	50.220 ug/ml
8) T n-Octadecane (C18)	11.549	7346700	50.352 ug/ml
10) T n-Eicosane (C20)	12.857	7008593	50.171 ug/ml
11) T n-Heneicosane (C21)	13.467	6848025	50.067 ug/ml
13) T n-Docosane (C22)	14.053	6831662	50.043 ug/ml
14) T n-Tetracosane (C24)	15.155	6893925	50.282 ug/ml
15) T n-Hexacosane (C26)	16.174	6879086	50.352 ug/ml
16) T n-Octacosane (C28)	17.123	6976327	50.252 ug/ml
17) T n-Tricontane (C30)	18.011	7324087	49.661 ug/ml
18) T n-Dotriacontane (C32)	18.842	7246744	49.144 ug/ml
19) T n-Tetratriacontane (C34)	19.624	6582481	48.875 ug/ml
20) T n-Hexatriacontane (C36)	20.364	5833635	49.085 ug/ml
21) T n-Octatriacontane (C38)	21.090	5653192	49.036 ug/ml
22) T n-Tetracontane (C40)	21.980	5454826	49.901 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE100824AL\
Data File : FE050536.D
Signal(s) : FID1B.ch
Acq On : 07 Oct 2024 14:36
Operator : YP\AJ
Sample : 50 PPM ALIPHATIC HC STD2
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :
50 PPM ALIPHATIC HC STD2

Integration File: autoint1.e
Quant Time: Oct 07 15:51:39 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 100824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 07 15:51:32 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.254 min
Delta R.T.: 0.000 min
Response: 6949960
Conc: 50.50 ug/ml

Instrument :
FID_E
ClientSampleId :
50 PPM ALIPHATIC HC STD2




#2 n-Decane (C10)

R.T.: 4.505 min
Delta R.T.: 0.000 min
Response: 7054723
Conc: 50.40 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 6.215 min
Delta R.T.: 0.000 min
Response: 7328645
Conc: 50.74 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.673 min
Delta R.T.: 0.000 min
Response: 7067889
Conc: 50.25 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 7.311 min
Delta R.T.: 0.000 min
Response: 6885410
Conc: 50.71 ug/ml

Instrument :
FID_E
ClientSampleId :
50 PPM ALIPHATIC HC STD2




#6 n-Tetradecane (C14)

R.T.: 8.500 min
Delta R.T.: 0.000 min
Response: 6999728
Conc: 50.11 ug/ml




#7 n-Hexadecane (C16)

R.T.: 10.106 min
Delta R.T.: 0.000 min
Response: 7245055
Conc: 50.22 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.549 min
Delta R.T.: 0.000 min
Response: 7346700
Conc: 50.35 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.869 min
Delta R.T.: 0.000 min
Response: 7668467
Conc: 49.91 ug/ml

Instrument :
FID_E
ClientSampleId :
50 PPM ALIPHATIC HC STD2




#10 n-Eicosane (C20)

R.T.: 12.857 min
Delta R.T.: 0.000 min
Response: 7008593
Conc: 50.17 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.467 min
Delta R.T.: 0.000 min
Response: 6848025
Conc: 50.07 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 13.302 min
Delta R.T.: 0.000 min
Response: 5839164
Conc: 50.04 ug/ml



#13 n-Docosane (C22)


R.T.: 14.053 min
Delta R.T.: 0.000 min
Response: 6831662
Conc: 50.04 ug/ml

Instrument :
FID_E
ClientSampleId :
50 PPM ALIPHATIC HC STD2




#14 n-Tetracosane (C24)

R.T.: 15.155 min
Delta R.T.: 0.000 min
Response: 6893925
Conc: 50.28 ug/ml




#15 n-Hexacosane (C26)

R.T.: 16.174 min
Delta R.T.: 0.000 min
Response: 6879086
Conc: 50.35 ug/ml



#16 n-Octacosane (C28)


R.T.: 17.123 min
Delta R.T.: 0.000 min
Response: 6976327
Conc: 50.25 ug/ml



#17 n-Tricontane (C30)


R.T.: 18.011 min
Delta R.T.: 0.000 min
Response: 7324087
Conc: 49.66 ug/ml

Instrument :
FID_E
ClientSampleId :
50 PPM ALIPHATIC HC STD2




#18 n-Dotriacontane (C32)

R.T.: 18.842 min
Delta R.T.: 0.000 min
Response: 7246744
Conc: 49.14 ug/ml




#19 n-Tetratriacontane (C34)

R.T.: 19.624 min
Delta R.T.: 0.000 min
Response: 6582481
Conc: 48.87 ug/ml



#20 n-Hexatriacontane (C36)


R.T.: 20.364 min
Delta R.T.: 0.000 min
Response: 5833635
Conc: 49.09 ug/ml



#21 n-Octatriacontane (C38)

R.T.: 21.090 min
Delta R.T.: 0.000 min
Response: 5653192
Conc: 49.04 ug/ml

Instrument :
FID_E
ClientSampleId :
50 PPM ALIPHATIC HC STD2



#22 n-Tetracontane (C40)

R.T.: 21.980 min
Delta R.T.: 0.000 min
Response: 5454826
Conc: 49.90 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE100824AL\
Data File : FE050536.D
Signal(s) : FID1B.ch
Acq On : 07 Oct 2024 14:36
Sample : 50 PPM ALIPHATIC HC STD2
Misc :
ALS Vial : 12 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 100824.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.254	3.221	3.371	BB	696678	6949960	90.63%	4.636%
2	4.505	4.468	4.618	BB	709894	7054723	92.00%	4.706%
3	6.215	6.178	6.424	BB	680238	7328645	95.57%	4.888%
4	6.673	6.634	6.764	BB	704403	7067889	92.17%	4.714%
5	7.311	7.278	7.488	PV	637269	6885410	89.79%	4.593%
6	8.500	8.384	8.581	BB	683389	6999728	91.28%	4.669%
7	10.106	10.068	10.214	BB	676338	7245055	94.48%	4.833%
8	11.549	11.508	11.671	VB	636950	7346700	95.80%	4.900%
9	11.869	11.824	11.961	BB	709474	7668467	100.00%	5.115%
10	12.857	12.774	12.931	BB	601442	7008593	91.39%	4.675%
11	13.302	13.228	13.394	BB	488293	5839164	76.15%	3.895%
12	13.467	13.428	13.551	BB	574970	6848025	89.30%	4.568%
13	14.053	14.018	14.138	VB	559199	6831662	89.09%	4.557%
14	15.155	15.068	15.234	BB	545336	6893925	89.90%	4.598%
15	16.174	16.088	16.258	BB	536276	6879086	89.71%	4.589%
16	17.123	17.051	17.221	BB	528256	6976327	90.97%	4.653%
17	18.011	17.927	18.094	PB	529796	7324087	95.51%	4.885%
18	18.842	18.801	18.904	BB	503954	7246744	94.50%	4.834%
19	19.624	19.561	19.708	BB	466127	6582481	85.84%	4.391%
20	20.364	20.321	20.409	BBA	415446	5833635	76.07%	3.891%
21	21.090	21.021	21.199	BBA	318153	5653192	73.72%	3.771%
22	21.980	21.878	22.099	BBA	231697	5454826	71.13%	3.639%
Sum of corrected areas:						149918324		

Aliphatic EPH 100824.M Mon Oct 07 16:35:43 2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE100824AL\
 Data File : FE050537.D
 Signal(s) : FID1B.ch
 Acq On : 07 Oct 2024 15:06
 Operator : YP\AJ
 Sample : 20 PPM ALIPHATIC HC STD3
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 20 PPM ALIPHATIC HC STD3

Integration File: autoint1.e
 Quant Time: Oct 07 15:48:35 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 100824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 07 15:48:28 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.865	3164300	20.000 ug/ml
Spiked Amount 50.000		Recovery =	40.00%
12) S 1-chlorooctadecane (S...	13.300	2385261	20.000 ug/ml
Spiked Amount 50.000		Recovery =	40.00%
Target Compounds			
1) T n-Nonane (C9)	3.252	2802051	20.000 ug/ml
2) T n-Decane (C10)	4.503	2852963	20.000 ug/ml
3) T A~Naphthalene (C11.7)	6.214	2863853	20.000 ug/ml
4) T n-Dodecane (C12)	6.671	2862396	20.000 ug/ml
5) T A~2-methylnaphthalene...	7.310	2678310	20.000 ug/ml
6) T n-Tetradecane (C14)	8.498	2849272	20.000 ug/ml
7) T n-Hexadecane (C16)	10.103	2943356	20.000 ug/ml
8) T n-Octadecane (C18)	11.546	2983567	20.000 ug/ml
10) T n-Eicosane (C20)	12.853	2869562	20.000 ug/ml
11) T n-Heneicosane (C21)	13.465	2813281	20.000 ug/ml
13) T n-Docosane (C22)	14.050	2817220	20.000 ug/ml
14) T n-Tetracosane (C24)	15.151	2823423	20.000 ug/ml
15) T n-Hexacosane (C26)	16.171	2816031	20.000 ug/ml
16) T n-Octacosane (C28)	17.120	2899395	20.000 ug/ml
17) T n-Tricontane (C30)	18.007	3176058	20.000 ug/ml
18) T n-Dotriacontane (C32)	18.840	3220879	20.000 ug/ml
19) T n-Tetratriacontane (C34)	19.621	2934710	20.000 ug/ml
20) T n-Hexatriacontane (C36)	20.361	2542299	20.000 ug/ml
21) T n-Octatriacontane (C38)	21.086	2481528	20.000 ug/ml
22) T n-Tetracontane (C40)	21.974	2344203	20.000 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE100824AL\
Data File : FE050537.D
Signal(s) : FID1B.ch
Acq On : 07 Oct 2024 15:06
Operator : YP\AJ
Sample : 20 PPM ALIPHATIC HC STD3
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :
20 PPM ALIPHATIC HC STD3

Integration File: autoint1.e
Quant Time: Oct 07 15:48:35 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 100824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 07 15:48:28 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.252 min
Delta R.T.: 0.000 min
Response: 2802051
Conc: 20.00 ug/ml

Instrument :
FID_E
ClientSampleId :
20 PPM ALIPHATIC HC STD3




#2 n-Decane (C10)

R.T.: 4.503 min
Delta R.T.: 0.000 min
Response: 2852963
Conc: 20.00 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 6.214 min
Delta R.T.: 0.000 min
Response: 2863853
Conc: 20.00 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.671 min
Delta R.T.: 0.000 min
Response: 2862396
Conc: 20.00 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 7.310 min
Delta R.T.: 0.000 min
Response: 2678310
Conc: 20.00 ug/ml

Instrument :
FID_E
ClientSampleId :
20 PPM ALIPHATIC HC STD3




#6 n-Tetradecane (C14)

R.T.: 8.498 min
Delta R.T.: 0.000 min
Response: 2849272
Conc: 20.00 ug/ml




#7 n-Hexadecane (C16)

R.T.: 10.103 min
Delta R.T.: 0.000 min
Response: 2943356
Conc: 20.00 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.546 min
Delta R.T.: 0.000 min
Response: 2983567
Conc: 20.00 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.865 min
Delta R.T.: 0.000 min
Response: 3164300
Conc: 20.00 ug/ml

Instrument :
FID_E
ClientSampleId :
20 PPM ALIPHATIC HC STD3




#10 n-Eicosane (C20)

R.T.: 12.853 min
Delta R.T.: 0.000 min
Response: 2869562
Conc: 20.00 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.465 min
Delta R.T.: 0.000 min
Response: 2813281
Conc: 20.00 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 13.300 min
Delta R.T.: 0.000 min
Response: 2385261
Conc: 20.00 ug/ml



#13 n-Docosane (C22)


R.T.: 14.050 min
Delta R.T.: 0.000 min
Response: 2817220
Conc: 20.00 ug/ml

Instrument :
FID_E
ClientSampleId :
20 PPM ALIPHATIC HC STD3




#14 n-Tetracosane (C24)

R.T.: 15.151 min
Delta R.T.: 0.000 min
Response: 2823423
Conc: 20.00 ug/ml




#15 n-Hexacosane (C26)

R.T.: 16.171 min
Delta R.T.: 0.000 min
Response: 2816031
Conc: 20.00 ug/ml



#16 n-Octacosane (C28)


R.T.: 17.120 min
Delta R.T.: 0.000 min
Response: 2899395
Conc: 20.00 ug/ml



#17 n-Tricontane (C30)


R.T.: 18.007 min
Delta R.T.: 0.000 min
Response: 3176058
Conc: 20.00 ug/ml

Instrument :
FID_E
ClientSampleId :
20 PPM ALIPHATIC HC STD3




#18 n-Dotriacontane (C32)

R.T.: 18.840 min
Delta R.T.: 0.000 min
Response: 3220879
Conc: 20.00 ug/ml




#19 n-Tetatriacontane (C34)

R.T.: 19.621 min
Delta R.T.: 0.000 min
Response: 2934710
Conc: 20.00 ug/ml



#20 n-Hexatriacontane (C36)


R.T.: 20.361 min
Delta R.T.: 0.000 min
Response: 2542299
Conc: 20.00 ug/ml



#21 n-Octatriacontane (C38)

R.T.: 21.086 min
Delta R.T.: 0.000 min
Response: 2481528
Conc: 20.00 ug/ml

Instrument :
FID_E
ClientSampleId :
20 PPM ALIPHATIC HC STD3



#22 n-Tetracontane (C40)

R.T.: 21.974 min
Delta R.T.: 0.000 min
Response: 2344203
Conc: 20.00 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE100824AL\
Data File : FE050537.D
Signal(s) : FID1B.ch
Acq On : 07 Oct 2024 15:06
Sample : 20 PPM ALIPHATIC HC STD3
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 100824.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.252	3.221	3.348	BB	278890	2802051	87.00%	4.510%
2	4.503	4.461	4.598	BB	285202	2852963	88.58%	4.592%
3	6.214	6.188	6.374	BB	253669	2863853	88.92%	4.610%
4	6.671	6.638	6.741	BB	287721	2862396	88.87%	4.608%
5	7.310	7.278	7.464	BB	228423	2678310	83.15%	4.311%
6	8.498	8.464	8.588	BB	266356	2849272	88.46%	4.586%
7	10.103	10.064	10.191	BB	266110	2943356	91.38%	4.738%
8	11.546	11.504	11.628	BB	258038	2983567	92.63%	4.803%
9	11.865	11.821	11.944	BB	292339	3164300	98.24%	5.094%
10	12.853	12.814	12.934	BB	239829	2869562	89.09%	4.619%
11	13.300	13.261	13.391	BB	206276	2385261	74.06%	3.840%
12	13.465	13.424	13.548	BB	235274	2813281	87.35%	4.528%
13	14.050	13.958	14.124	BB	234213	2817220	87.47%	4.535%
14	15.151	15.078	15.241	BB	223761	2823423	87.66%	4.545%
15	16.171	16.074	16.258	BB	223622	2816031	87.43%	4.533%
16	17.120	17.051	17.198	BB	216983	2899395	90.02%	4.667%
17	18.007	17.944	18.098	BB	235301	3176058	98.61%	5.112%
18	18.840	18.801	18.901	BB	226230	3220879	100.00%	5.185%
19	19.621	19.561	19.708	BB	201438	2934710	91.12%	4.724%
20	20.361	20.321	20.409	BBA	182901	2542299	78.93%	4.092%
21	21.086	21.021	21.199	BBA	142625	2481528	77.05%	3.994%
22	21.974	21.861	22.099	BBA	99090	2344203	72.78%	3.773%
Sum of corrected areas:							62123918	

Aliphatic EPH 100824.M Mon Oct 07 16:36:17 2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE100824AL\
 Data File : FE050538.D
 Signal(s) : FID1B.ch
 Acq On : 07 Oct 2024 15:37
 Operator : YP\AJ
 Sample : 10 PPM ALIPHATIC HC STD4
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 10 PPM ALIPHATIC HC STD4

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 10/08/2024
 Supervised By :Ankita Jodhani 10/08/2024

Integration File: autoint1.e
 Quant Time: Oct 07 16:03:16 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 100824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 07 16:03:08 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.864	1598249	10.299 ug/ml
Spiked Amount 50.000		Recovery =	20.60%
12) S 1-chlorooctadecane (S...	13.298	1184740	10.114 ug/ml
Spiked Amount 50.000		Recovery =	20.23%
Target Compounds			
1) T n-Nonane (C9)	3.253	1429353	10.287 ug/ml
2) T n-Decane (C10)	4.503	1451977	10.277 ug/ml
3) T A~Naphthalene (C11.7)	6.215	1409508	9.818 ug/ml
4) T n-Dodecane (C12)	6.670	1456013	10.262 ug/ml
5) T A~2-methylnaphthalene...	7.311	1303112	9.695 ug/ml
6) T n-Tetradecane (C14)	8.497	1444120	10.251 ug/ml
7) T n-Hexadecane (C16)	10.103	1486117	10.224 ug/ml
8) T n-Octadecane (C18)	11.544	1509351	10.256 ug/ml
10) T n-Eicosane (C20)	12.852	1447741	10.270 ug/ml
11) T n-Heneicosane (C21)	13.463	1422566	10.297 ug/ml
13) T n-Docosane (C22)	14.049	1407717	10.232 ug/ml
14) T n-Tetracosane (C24)	15.149	1417214	10.250 ug/ml
15) T n-Hexacosane (C26)	16.170	1413994	10.260 ug/ml
16) T n-Octacosane (C28)	17.118	1469893	10.435 ug/ml
17) T n-Tricontane (C30)	18.006	1614246	10.693 ug/ml
18) T n-Dotriacontane (C32)	18.837	1666044	10.943 ug/ml
19) T n-Tetratriacontane (C34)	19.621	1525013	10.961 ug/ml
20) T n-Hexatriacontane (C36)	20.359	1301715	10.698 ug/ml
21) T n-Octatriacontane (C38)	21.086	1173667	10.191 ug/mlm
22) T n-Tetracontane (C40)	21.971	1141383	10.327 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE100824AL\
Data File : FE050538.D
Signal(s) : FID1B.ch
Acq On : 07 Oct 2024 15:37
Operator : YP\AJ
Sample : 10 PPM ALIPHATIC HC STD4
Misc :
ALS Vial : 14 Sample Multiplier: 1


Instrument :
FID_E
ClientSampleId :
10 PPM ALIPHATIC HC STD4


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 10/08/2024
Supervised By :Ankita Jodhani 10/08/2024

Integration File: autoint1.e
Quant Time: Oct 07 16:03:16 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 100824.
Quant Title : GC Extractables
QLast Update : Mon Oct 07 16:03:08 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)

R.T.: 3.253 min
Delta R.T.: 0.000 min
Response: 1429353
Conc: 10.29 ug/ml

Instrument :
FID_E
ClientSampleId :
10 PPM ALIPHATIC HC STD4


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 10/08/2024
Supervised By :Ankita Jodhani 10/08/2024




#2 n-Decane (C10)

R.T.: 4.503 min
Delta R.T.: 0.000 min
Response: 1451977
Conc: 10.28 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 6.215 min
Delta R.T.: 0.000 min
Response: 1409508
Conc: 9.82 ug/ml



#4 n-Dodecane (C12)

R.T.: 6.670 min
Delta R.T.: 0.000 min
Response: 1456013
Conc: 10.26 ug/ml




#5 A~2-methylnaphthalene (C12.89)

R.T.: 7.311 min
Delta R.T.: 0.000 min
Response: 1303112
Conc: 9.70 ug/ml

Instrument :
FID_E
ClientSampleId :
10 PPM ALIPHATIC HC STD4


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 10/08/2024
Supervised By :Ankita Jodhani 10/08/2024




#6 n-Tetradecane (C14)

R.T.: 8.497 min
Delta R.T.: 0.000 min
Response: 1444120
Conc: 10.25 ug/ml




#7 n-Hexadecane (C16)

R.T.: 10.103 min
Delta R.T.: 0.000 min
Response: 1486117
Conc: 10.22 ug/ml



#8 n-Octadecane (C18)

R.T.: 11.544 min
Delta R.T.: 0.000 min
Response: 1509351
Conc: 10.26 ug/ml




#9 ortho-Terphenyl (SURR)

R.T.: 11.864 min
Delta R.T.: 0.000 min
Response: 1598249
Conc: 10.30 ug/ml

Instrument :
FID_E
ClientSampleId :
10 PPM ALIPHATIC HC STD4


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 10/08/2024
Supervised By :Ankita Jodhani 10/08/2024




#10 n-Eicosane (C20)

R.T.: 12.852 min
Delta R.T.: 0.000 min
Response: 1447741
Conc: 10.27 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.463 min
Delta R.T.: 0.000 min
Response: 1422566
Conc: 10.30 ug/ml



#12 1-chlorooctadecane (SURR)

R.T.: 13.298 min
Delta R.T.: 0.000 min
Response: 1184740
Conc: 10.11 ug/ml




#13 n-Docosane (C22)

R.T.: 14.049 min
Delta R.T.: 0.000 min
Response: 1407717
Conc: 10.23 ug/ml

Instrument :
FID_E
ClientSampleId :
10 PPM ALIPHATIC HC STD4


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 10/08/2024
Supervised By :Ankita Jodhani 10/08/2024




#14 n-Tetracosane (C24)

R.T.: 15.149 min
Delta R.T.: 0.000 min
Response: 1417214
Conc: 10.25 ug/ml




#15 n-Hexacosane (C26)

R.T.: 16.170 min
Delta R.T.: 0.000 min
Response: 1413994
Conc: 10.26 ug/ml



#16 n-Octacosane (C28)

R.T.: 17.118 min
Delta R.T.: 0.000 min
Response: 1469893
Conc: 10.43 ug/ml




#17 n-Tricontane (C30)

R.T.: 18.006 min
Delta R.T.: 0.000 min
Response: 1614246
Conc: 10.69 ug/ml

Instrument :
FID_E
ClientSampleId :
10 PPM ALIPHATIC HC STD4


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 10/08/2024
Supervised By :Ankita Jodhani 10/08/2024




#18 n-Dotriacontane (C32)

R.T.: 18.837 min
Delta R.T.: 0.000 min
Response: 1666044
Conc: 10.94 ug/ml




#19 n-Tetratriacontane (C34)

R.T.: 19.621 min
Delta R.T.: 0.000 min
Response: 1525013
Conc: 10.96 ug/ml



#20 n-Hexatriacontane (C36)

R.T.: 20.359 min
Delta R.T.: 0.000 min
Response: 1301715
Conc: 10.70 ug/ml




#21 n-Octatriacontane (C38)

R.T.: 21.086 min
Delta R.T.: 0.000 min
Response: 1173667
Conc: 10.19 ug/ml

Instrument :
FID_E
ClientSampleId :
10 PPM ALIPHATIC HC STD4

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 10/08/2024
Supervised By :Ankita Jodhani 10/08/2024



#22 n-Tetracontane (C40)

R.T.: 21.971 min
Delta R.T.: 0.000 min
Response: 1141383
Conc: 10.33 ug/ml

rters

Instrument :
FID_E
LabSampleId :
10 PPM ALIPHATIC HC STD4
Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE100824
Data File : FE050538.D
Signal(s) : FID1B.ch
Acq On : 07 Oct 2024 15:37
Sample : 10 PPM ALIPHATIC HC STD4
Misc :
ALS Vial : 14 Sample Multiplier: 1

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/08/2024
Supervised By :Ankita Jodhani 10/08/2024

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 100824.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.253	3.221	3.331	BB	141842	1429353	85.79%	4.574%
2	4.503	4.464	4.581	BB	143204	1451977	87.15%	4.647%
3	6.215	6.174	6.358	BB	116535	1409508	84.60%	4.511%
4	6.670	6.634	6.748	BB	145347	1456013	87.39%	4.660%
5	7.311	7.278	7.464	BB	101321	1303112	78.22%	4.170%
6	8.497	8.461	8.578	BB	135582	1444120	86.68%	4.621%
7	10.103	10.061	10.188	BB	130078	1486117	89.20%	4.756%
8	11.544	11.508	11.614	BB	130433	1509351	90.59%	4.830%
9	11.864	11.831	11.944	BB	145215	1598249	95.93%	5.115%
10	12.852	12.814	12.924	BB	122059	1447741	86.90%	4.633%
11	13.298	13.261	13.368	BB	93873	1184740	71.11%	3.791%
12	13.463	13.428	13.534	BB	115675	1422566	85.39%	4.553%
13	14.049	14.014	14.124	BB	111578	1407717	84.49%	4.505%
14	15.149	15.064	15.224	BB	110566	1417214	85.06%	4.535%
15	16.170	16.104	16.241	BB	108964	1413994	84.87%	4.525%
16	17.118	17.051	17.191	BB	105302	1469893	88.23%	4.704%
17	18.006	17.928	18.054	BB	116031	1614246	96.89%	5.166%
18	18.837	18.801	18.894	BB	119499	1666044	100.00%	5.332%
19	19.621	19.561	19.698	BB	102286	1525013	91.53%	4.880%
20	20.359	20.321	20.409	BBA	88720	1301715	78.13%	4.166%
21	21.086	21.021	21.138	BB	67480	1147945	68.90%	3.674%
22	21.971	21.861	22.051	BV	45313	1141383	68.51%	3.653%
Sum of corrected areas:						31248008		

Aliphatic EPH 100824.M Mon Oct 07 16:36:37 2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE100824AL\
 Data File : FE050539.D
 Signal(s) : FID1B.ch
 Acq On : 07 Oct 2024 16:07
 Operator : YP\AJ
 Sample : 5 PPM ALIPHATIC HC STD5
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 5 PPM ALIPHATIC HC STD5

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 10/08/2024
 Supervised By :Ankita Jodhani 10/08/2024

Integration File: autoint1.e
 Quant Time: Oct 07 16:31:29 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 100824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 07 16:31:21 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.863	837545	5.312 ug/ml
Spiked Amount 50.000		Recovery =	10.62%
12) S 1-chlorooctadecane (S...	13.298	614466	5.194 ug/ml
Spiked Amount 50.000		Recovery =	10.39%
Target Compounds			
1) T n-Nonane (C9)	3.254	753304	5.332 ug/ml
2) T n-Decane (C10)	4.503	761079	5.305 ug/ml
3) T A~Naphthalene (C11.7)	6.217	703385	4.919 ug/ml
4) T n-Dodecane (C12)	6.670	760541	5.284 ug/ml
5) T A~2-methylnaphthalene...	7.313	623807	4.709 ug/ml
6) T n-Tetradecane (C14)	8.496	759193	5.307 ug/ml
7) T n-Hexadecane (C16)	10.102	772180	5.247 ug/ml
8) T n-Octadecane (C18)	11.544	790974	5.295 ug/ml
10) T n-Eicosane (C20)	12.852	765738	5.340 ug/ml
11) T n-Heneicosane (C21)	13.463	747887	5.326 ug/ml
13) T n-Docosane (C22)	14.048	755779	5.387 ug/ml
14) T n-Tetracosane (C24)	15.150	766754	5.427 ug/ml
15) T n-Hexacosane (C26)	16.169	761614	5.412 ug/ml
16) T n-Octacosane (C28)	17.117	840920	5.747 ug/ml
17) T n-Tricontane (C30)	18.004	955708	6.011 ug/ml
18) T n-Dotriacontane (C32)	18.837	1007931	6.217 ug/ml
19) T n-Tetratriacontane (C34)	19.619	889564	6.056 ug/ml
20) T n-Hexatriacontane (C36)	20.358	736787	5.810 ug/ml
21) T n-Octatriacontane (C38)	21.084	775038	6.268 ug/ml
22) T n-Tetracontane (C40)	21.969	573373	5.145 ug/mlm

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE100824AL\
Data File : FE050539.D
Signal(s) : FID1B.ch
Acq On : 07 Oct 2024 16:07
Operator : YP\AJ
Sample : 5 PPM ALIPHATIC HC STD5
Misc :
ALS Vial : 15 Sample Multiplier: 1


Instrument :
FID_E
ClientSampleId :
5 PPM ALIPHATIC HC STD5


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 10/08/2024
Supervised By :Ankita Jodhani 10/08/2024

Integration File: autoint1.e
Quant Time: Oct 07 16:31:29 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 100824.
Quant Title : GC Extractables
QLast Update : Mon Oct 07 16:31:21 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)

R.T.: 3.254 min
Delta R.T.: 0.000 min
Response: 753304
Conc: 5.33 ug/ml

Instrument :
FID_E
ClientSampleId :
5 PPM ALIPHATIC HC STD5


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 10/08/2024
Supervised By :Ankita Jodhani 10/08/2024




#2 n-Decane (C10)

R.T.: 4.503 min
Delta R.T.: 0.000 min
Response: 761079
Conc: 5.30 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 6.217 min
Delta R.T.: 0.000 min
Response: 703385
Conc: 4.92 ug/ml



#4 n-Dodecane (C12)

R.T.: 6.670 min
Delta R.T.: 0.000 min
Response: 760541
Conc: 5.28 ug/ml




#5 A~2-methylnaphthalene (C12.89)

R.T.: 7.313 min
Delta R.T.: 0.000 min
Response: 623807
Conc: 4.71 ug/ml

Instrument :
FID_E
ClientSampleId :
5 PPM ALIPHATIC HC STD5


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 10/08/2024
Supervised By :Ankita Jodhani 10/08/2024




#6 n-Tetradecane (C14)

R.T.: 8.496 min
Delta R.T.: 0.000 min
Response: 759193
Conc: 5.31 ug/ml




#7 n-Hexadecane (C16)

R.T.: 10.102 min
Delta R.T.: 0.000 min
Response: 772180
Conc: 5.25 ug/ml



#8 n-Octadecane (C18)

R.T.: 11.544 min
Delta R.T.: 0.000 min
Response: 790974
Conc: 5.30 ug/ml




#9 ortho-Terphenyl (SURR)

R.T.: 11.863 min
Delta R.T.: 0.000 min
Response: 837545
Conc: 5.31 ug/ml

Instrument :
FID_E
ClientSampleId :
5 PPM ALIPHATIC HC STD5


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 10/08/2024
Supervised By :Ankita Jodhani 10/08/2024




#10 n-Eicosane (C20)

R.T.: 12.852 min
Delta R.T.: 0.000 min
Response: 765738
Conc: 5.34 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.463 min
Delta R.T.: 0.000 min
Response: 747887
Conc: 5.33 ug/ml



#12 1-chlorooctadecane (SURR)

R.T.: 13.298 min
Delta R.T.: 0.000 min
Response: 614466
Conc: 5.19 ug/ml




#13 n-Docosane (C22)

R.T.: 14.048 min
Delta R.T.: 0.000 min
Response: 755779
Conc: 5.39 ug/ml

Instrument :
FID_E
ClientSampleId :
5 PPM ALIPHATIC HC STD5


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 10/08/2024
Supervised By :Ankita Jodhani 10/08/2024




#14 n-Tetracosane (C24)

R.T.: 15.150 min
Delta R.T.: 0.000 min
Response: 766754
Conc: 5.43 ug/ml




#15 n-Hexacosane (C26)

R.T.: 16.169 min
Delta R.T.: 0.000 min
Response: 761614
Conc: 5.41 ug/ml



#16 n-Octacosane (C28)

R.T.: 17.117 min
Delta R.T.: 0.000 min
Response: 840920
Conc: 5.75 ug/ml




#17 n-Tricontane (C30)

R.T.: 18.004 min
Delta R.T.: 0.000 min
Response: 955708
Conc: 6.01 ug/ml

Instrument :
FID_E
ClientSampleId :
5 PPM ALIPHATIC HC STD5


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 10/08/2024
Supervised By :Ankita Jodhani 10/08/2024




#18 n-Dotriacontane (C32)

R.T.: 18.837 min
Delta R.T.: 0.000 min
Response: 1007931
Conc: 6.22 ug/ml




#19 n-Tetratriacontane (C34)

R.T.: 19.619 min
Delta R.T.: 0.000 min
Response: 889564
Conc: 6.06 ug/ml



#20 n-Hexatriacontane (C36)

R.T.: 20.358 min
Delta R.T.: 0.000 min
Response: 736787
Conc: 5.81 ug/ml




#21 n-Octatriacontane (C38)

R.T.: 21.084 min
Delta R.T.: 0.000 min
Response: 775038
Conc: 6.27 ug/ml

Instrument :
FID_E
ClientSampleId :
5 PPM ALIPHATIC HC STD5

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 10/08/2024
Supervised By :Ankita Jodhani 10/08/2024



#22 n-Tetracontane (C40)

R.T.: 21.969 min
Delta R.T.: 0.000 min
Response: 573373
Conc: 5.14 ug/ml m

rtres

Instrument :
FID_E
LabSampleId :
5 PPM ALIPHATIC HC STD5
Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/08/2024
Supervised By :Ankita Jodhani 10/08/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE100824
Data File : FE050539.D
Signal(s) : FID1B.ch
Acq On : 07 Oct 2024 16:07
Sample : 5 PPM ALIPHATIC HC STD5
Misc :
ALS Vial : 15 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 100824.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.254	3.224	3.328	BB	73662	753304	74.74%	4.447%
2	4.503	4.461	4.571	BB	73626	761079	75.51%	4.493%
3	6.217	6.191	6.344	BB	52188	703385	69.78%	4.152%
4	6.670	6.631	6.738	BB	72076	760541	75.46%	4.490%
5	7.313	7.281	7.441	BB	42388	623807	61.89%	3.683%
6	8.496	8.458	8.591	BB	68361	759193	75.32%	4.482%
7	10.102	10.071	10.188	BB	66932	772180	76.61%	4.559%
8	11.544	11.451	11.624	BB	66625	790974	78.47%	4.670%
9	11.863	11.828	11.941	BB	74273	837545	83.10%	4.945%
10	12.852	12.814	12.934	BB	63313	765738	75.97%	4.521%
11	13.298	13.258	13.381	BB	48212	614466	60.96%	3.628%
12	13.463	13.428	13.544	BB	58070	747887	74.20%	4.415%
13	14.048	13.974	14.124	BB	59898	755779	74.98%	4.462%
14	15.150	15.064	15.228	BB	59559	766754	76.07%	4.527%
15	16.169	16.131	16.244	BB	57691	761614	75.56%	4.496%
16	17.117	17.051	17.198	BB	61897	840920	83.43%	4.964%
17	18.004	17.788	18.054	BB	70215	955708	94.82%	5.642%
18	18.837	18.801	18.908	BB	71875	1007931	100.00%	5.950%
19	19.619	19.561	19.674	BB	61617	889564	88.26%	5.252%
20	20.358	20.321	20.409	BBA	50235	736787	73.10%	4.350%
21	21.084	21.021	21.199	BBA	39404	775038	76.89%	4.575%
22	21.970	21.861	22.031	BB	24838	558694	55.43%	3.298%
Sum of corrected areas:							16938887	

Aliphatic EPH 100824.M Mon Oct 07 16:37:05 2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE100824AL\
 Data File : FE050540.D
 Signal(s) : FID1B.ch
 Acq On : 07 Oct 2024 16:37
 Operator : YP\AJ
 Sample : 20 PPM ALIPHATIC HC STD ICV
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 20 PPM ALIPHATIC HC STD ICV

Integration File: autoint1.e
 Quant Time: Oct 07 17:01:08 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 100824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 07 16:32:18 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.865	2942962	18.667 ug/ml
Spiked Amount 50.000		Recovery =	37.33%
12) S 1-chlorooctadecane (S...	13.299	2228627	18.840 ug/ml
Spiked Amount 50.000		Recovery =	37.68%
Target Compounds			
1) T n-Nonane (C9)	3.253	2689462	19.035 ug/ml
2) T n-Decane (C10)	4.503	2733520	19.052 ug/ml
3) T A~Naphthalene (C11.7)	6.214	2714676	18.985 ug/ml
4) T n-Dodecane (C12)	6.670	2741257	19.045 ug/ml
5) T A~2-methylnaphthalene...	7.310	2535659	19.140 ug/ml
6) T n-Tetradecane (C14)	8.497	2716479	18.987 ug/ml
7) T n-Hexadecane (C16)	10.103	2790671	18.962 ug/ml
8) T n-Octadecane (C18)	11.544	2821757	18.891 ug/ml
10) T n-Eicosane (C20)	12.852	2729389	19.033 ug/ml
11) T n-Heneicosane (C21)	13.464	2653621	18.896 ug/ml
13) T n-Docosane (C22)	14.049	2698315	19.233 ug/ml
14) T n-Tetracosane (C24)	15.151	2823967	19.989 ug/ml
15) T n-Hexacosane (C26)	16.170	2863872	20.352 ug/ml
16) T n-Octacosane (C28)	17.118	2984657	20.397 ug/ml
17) T n-Tricontane (C30)	18.005	3160183	19.875 ug/ml
18) T n-Dotriacontane (C32)	18.837	3132221	19.321 ug/ml
19) T n-Tetratriacontane (C34)	19.619	2741344	18.662 ug/ml
20) T n-Hexatriacontane (C36)	20.359	2393312	18.873 ug/ml
21) T n-Octatriacontane (C38)	21.084	2140081	17.308 ug/ml
22) T n-Tetracontane (C40)	21.972	2032080	18.249 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE100824AL\
Data File : FE050540.D
Signal(s) : FID1B.ch
Acq On : 07 Oct 2024 16:37
Operator : YP\AJ
Sample : 20 PPM ALIPHATIC HC STD ICV
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :
20 PPM ALIPHATIC HC STD ICV

Integration File: autoint1.e
Quant Time: Oct 07 17:01:08 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 100824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 07 16:32:18 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um





#1 n-Nonane (C9)


R.T.: 3.253 min
Delta R.T.: -0.001 min
Response: 2689462
Conc: 19.03 ug/ml

Instrument :

FID_E


ClientSampleId :

20 PPM ALIPHATIC HC STD ICV




#2 n-Decane (C10)

R.T.: 4.503 min
Delta R.T.: 0.000 min
Response: 2733520
Conc: 19.05 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 6.214 min
Delta R.T.: -0.003 min
Response: 2714676
Conc: 18.99 ug/ml



#4 n-Dodecane (C12)

R.T.: 6.670 min
Delta R.T.: 0.000 min
Response: 2741257
Conc: 19.05 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 7.310 min
Delta R.T.: -0.003 min
Response: 2535659
Conc: 19.14 ug/ml

Instrument :

FID_E


ClientSampleId :

20 PPM ALIPHATIC HC STD ICV




#6 n-Tetradecane (C14)

R.T.: 8.497 min
Delta R.T.: 0.000 min
Response: 2716479
Conc: 18.99 ug/ml




#7 n-Hexadecane (C16)

R.T.: 10.103 min
Delta R.T.: 0.000 min
Response: 2790671
Conc: 18.96 ug/ml



#8 n-Octadecane (C18)

R.T.: 11.544 min
Delta R.T.: 0.000 min
Response: 2821757
Conc: 18.89 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.865 min
Delta R.T.: 0.001 min
Response: 2942962
Conc: 18.67 ug/ml

Instrument :

FID_E


ClientSampleId :

20 PPM ALIPHATIC HC STD ICV




#10 n-Eicosane (C20)

R.T.: 12.852 min
Delta R.T.: 0.000 min
Response: 2729389
Conc: 19.03 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.464 min
Delta R.T.: 0.001 min
Response: 2653621
Conc: 18.90 ug/ml



#12 1-chlorooctadecane (SURR)

R.T.: 13.299 min
Delta R.T.: 0.000 min
Response: 2228627
Conc: 18.84 ug/ml



#13 n-Docosane (C22)


R.T.: 14.049 min
Delta R.T.: 0.001 min
Response: 2698315
Conc: 19.23 ug/ml

Instrument :

FID_E


ClientSampleId :

20 PPM ALIPHATIC HC STD ICV




#14 n-Tetracosane (C24)

R.T.: 15.151 min
Delta R.T.: 0.000 min
Response: 2823967
Conc: 19.99 ug/ml




#15 n-Hexacosane (C26)

R.T.: 16.170 min
Delta R.T.: 0.000 min
Response: 2863872
Conc: 20.35 ug/ml



#16 n-Octacosane (C28)

R.T.: 17.118 min
Delta R.T.: 0.000 min
Response: 2984657
Conc: 20.40 ug/ml



#17 n-Tricontane (C30)


R.T.: 18.005 min
Delta R.T.: 0.000 min
Response: 3160183
Conc: 19.88 ug/ml

Instrument :

FID_E


ClientSampleId :

20 PPM ALIPHATIC HC STD ICV




#18 n-Dotriacontane (C32)

R.T.: 18.837 min
Delta R.T.: 0.000 min
Response: 3132221
Conc: 19.32 ug/ml




#19 n-Tetatriacontane (C34)

R.T.: 19.619 min
Delta R.T.: 0.000 min
Response: 2741344
Conc: 18.66 ug/ml



#20 n-Hexatriacontane (C36)

R.T.: 20.359 min
Delta R.T.: 0.000 min
Response: 2393312
Conc: 18.87 ug/ml



#21 n-Octatriacontane (C38)


R.T.: 21.084 min
Delta R.T.: 0.000 min
Response: 2140081
Conc: 17.31 ug/ml

Instrument :

FID_E

ClientSampleId :

20 PPM ALIPHATIC HC STD ICV



#22 n-Tetracontane (C40)

R.T.: 21.972 min
Delta R.T.: 0.003 min
Response: 2032080
Conc: 18.25 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE100824AL\
Data File : FE050540.D
Signal(s) : FID1B.ch
Acq On : 07 Oct 2024 16:37
Sample : 20 PPM ALIPHATIC HC STD ICV
Misc :
ALS Vial : 16 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 100824.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.253	3.218	3.344	BB	267501	2689462	85.10%	4.538%
2	4.503	4.461	4.594	BB	270567	2733520	86.50%	4.612%
3	6.214	6.188	6.371	BB	236720	2714676	85.90%	4.580%
4	6.670	6.634	6.758	BB	272468	2741257	86.74%	4.625%
5	7.310	7.274	7.471	BB	208837	2535659	80.24%	4.278%
6	8.497	8.461	8.591	BB	258171	2716479	85.96%	4.583%
7	10.103	10.068	10.201	BB	252751	2790671	88.31%	4.709%
8	11.544	11.508	11.628	BB	255454	2821757	89.29%	4.761%
9	11.865	11.814	11.938	BB	276376	2942962	93.13%	4.966%
10	12.852	12.774	12.931	BB	237336	2729389	86.37%	4.605%
11	13.299	13.248	13.384	BB	192003	2228627	70.52%	3.760%
12	13.464	13.428	13.544	BB	218379	2653621	83.97%	4.477%
13	14.049	14.019	14.121	VB	220938	2698315	85.38%	4.553%
14	15.151	15.088	15.228	BB	225510	2823967	89.36%	4.765%
15	16.170	16.018	16.248	BB	220922	2863872	90.62%	4.832%
16	17.118	17.054	17.191	BB	221073	2984657	94.45%	5.036%
17	18.005	17.918	18.052	PV	237213	3160183	100.00%	5.332%
18	18.837	18.801	18.898	BB	222662	3132221	99.12%	5.285%
19	19.619	19.561	19.668	BV	184014	2741344	86.75%	4.625%
20	20.359	20.321	20.409	BBA	159661	2393312	75.73%	4.038%
21	21.084	21.021	21.141	BV	128474	2140081	67.72%	3.611%
22	21.972	21.861	22.099	BBA	86878	2032080	64.30%	3.429%
Sum of corrected areas:							59268111	

Aliphatic EPH 100824.M Mon Oct 07 17:02:35 2024