

## Report of Analysis

Client:	Scheideler Excavating Co. Inc.	Date Collected:	10/11/24
Project:	Robbinsville	Date Received:	10/11/24
Client Sample ID:	PIBLK-PS027904.D	SDG No.:	P4385
Lab Sample ID:	I.BLK-PS027904.D	Matrix:	WATER
Analytical Method:	SW8151A	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type:		Test:	Herbicide
GPC Factor :	1.0	PH :	
Prep Method :	SW3510C	Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PS027904.D	1		10/11/24	PS101124

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
1918-00-9	DICAMBA	0.42	U	0.42	2.00	ug/L
120-36-5	DICHLORPROP	0.43	U	0.43	2.00	ug/L
94-75-7	2,4-D	0.49	U	0.49	2.00	ug/L
93-72-1	2,4,5-TP (Silvex)	0.45	U	0.45	2.00	ug/L
93-76-5	2,4,5-T	0.50	U	0.50	2.00	ug/L
94-82-6	2,4-DB	0.57	U	0.57	2.00	ug/L
88-85-7	DINOSEB	0.55	U	0.55	2.00	ug/L
<b>SURROGATES</b>						
19719-28-9	2,4-DCAA	520		70 (39) - 130 (175)	104%	SPK: 500

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit