

CALIBRATION VERIFICATION SUMMARY

Contract: SCHE03

Lab Code: CHEM Case No.: P4385 SAS No.: P4385 SDG NO.: P4385

GC Column: ZB-MR2 ID: 0.32 (mm) Initi. Calib. Date(s): 09/23/2024 09/23/2024

Client Sample No.: CCAL01 Date Analyzed: 10/11/2024

Lab Sample No.: PSTDCCC050 Data File : PL092330.D Time Analyzed: 11:54

COMPOUND	RT	RT WINDOW		CALC AMOUNT(ng)	NOM AMOUNT(ng)	%D
		FROM	TO			
4,4'-DDD	6.710	6.614	6.814	53.460	50.000	6.9
4,4'-DDE	6.194	6.097	6.297	52.750	50.000	5.5
4,4'-DDT	7.026	6.928	7.128	52.610	50.000	5.2
Aldrin	5.259	5.163	5.363	51.260	50.000	2.5
alpha-BHC	3.996	3.899	4.099	52.740	50.000	5.5
alpha-Chlordane	6.019	5.924	6.124	51.550	50.000	3.1
beta-BHC	4.525	4.429	4.629	51.990	50.000	4.0
Decachlorobiphenyl	9.059	8.960	9.160	55.090	50.000	10.2
delta-BHC	4.773	4.677	4.877	52.840	50.000	5.7
Dieldrin	6.346	6.249	6.449	51.740	50.000	3.5
Endosulfan I	6.071	5.975	6.175	54.100	50.000	8.2
Endosulfan II	6.796	6.698	6.898	50.260	50.000	0.5
Endosulfan sulfate	7.161	7.063	7.263	51.970	50.000	3.9
Endrin	6.576	6.479	6.679	51.260	50.000	2.5
Endrin aldehyde	6.926	6.828	7.028	51.670	50.000	3.3
Endrin ketone	7.646	7.548	7.748	52.510	50.000	5.0
gamma-BHC (Lindane)	4.328	4.232	4.432	51.140	50.000	2.3
gamma-Chlordane	5.940	5.845	6.045	51.870	50.000	3.7
Heptachlor	4.917	4.820	5.020	52.270	50.000	4.5
Heptachlor epoxide	5.684	5.589	5.789	53.130	50.000	6.3
Methoxychlor	7.502	7.404	7.604	54.430	50.000	8.9
Tetrachloro-m-xylene	3.540	3.444	3.644	52.510	50.000	5.0

CALIBRATION VERIFICATION SUMMARY

Contract: SCHE03

Lab Code: CHEM Case No.: P4385 SAS No.: P4385 SDG NO.: P4385

GC Column: ZB-MR1 ID: 0.32 (mm) Initi. Calib. Date(s): 09/23/2024 09/23/2024

Client Sample No.: CCAL01 Date Analyzed: 10/11/2024

Lab Sample No.: PSTDCCC050 Data File : PL092330.D Time Analyzed: 11:54

COMPOUND	RT	RT WINDOW		CALC AMOUNT(ng)	NOM AMOUNT(ng)	%D
		FROM	TO			
4,4'-DDD	5.791	5.696	5.896	58.370	50.000	16.7
4,4'-DDE	5.234	5.141	5.341	56.900	50.000	13.8
4,4'-DDT	6.041	5.946	6.146	54.730	50.000	9.5
Aldrin	4.229	4.135	4.335	54.360	50.000	8.7
alpha-BHC	3.281	3.186	3.386	54.900	50.000	9.8
alpha-Chlordane	5.046	4.952	5.152	54.300	50.000	8.6
beta-BHC	3.910	3.815	4.015	53.590	50.000	7.2
Decachlorobiphenyl	7.919	7.823	8.023	53.150	50.000	6.3
delta-BHC	4.138	4.045	4.245	55.480	50.000	11.0
Dieldrin	5.367	5.272	5.472	55.180	50.000	10.4
Endosulfan I	5.102	5.008	5.208	48.570	50.000	-2.9
Endosulfan II	5.938	5.842	6.042	55.090	50.000	10.2
Endosulfan sulfate	6.340	6.244	6.444	54.710	50.000	9.4
Endrin	5.642	5.548	5.748	54.170	50.000	8.3
Endrin aldehyde	6.117	6.022	6.222	54.520	50.000	9.0
Endrin ketone	6.844	6.750	6.950	56.540	50.000	13.1
gamma-BHC (Lindane)	3.611	3.516	3.716	54.380	50.000	8.8
gamma-Chlordane	4.982	4.888	5.088	54.910	50.000	9.8
Heptachlor	3.950	3.855	4.055	53.910	50.000	7.8
Heptachlor epoxide	4.732	4.638	4.838	53.980	50.000	8.0
Methoxychlor	6.616	6.521	6.721	54.680	50.000	9.4
Tetrachloro-m-xylene	2.778	2.682	2.882	53.400	50.000	6.8