

CALIBRATION VERIFICATION SUMMARY

Contract: SCHE03

Lab Code: CHEM Case No.: P4385 SAS No.: P4385 SDG NO.: P4385

GC Column: ZB-MR2 ID: 0.32 (mm) Initi. Calib. Date(s): 09/23/2024 09/23/2024

Client Sample No.: CCAL02 Date Analyzed: 10/11/2024

Lab Sample No.: PSTDCCC050 Data File : PL092347.D Time Analyzed: 17:48

COMPOUND	RT	RT WINDOW		CALC AMOUNT(ng)	NOM AMOUNT(ng)	%D
		FROM	TO			
4,4'-DDD	6.714	6.614	6.814	50.090	50.000	0.2
4,4'-DDE	6.198	6.097	6.297	49.040	50.000	-1.9
4,4'-DDT	7.029	6.928	7.128	46.250	50.000	-7.5
Aldrin	5.263	5.163	5.363	48.640	50.000	-2.7
alpha-BHC	4.000	3.899	4.099	50.680	50.000	1.4
alpha-Chlordane	6.025	5.924	6.124	48.780	50.000	-2.4
beta-BHC	4.530	4.429	4.629	49.240	50.000	-1.5
Decachlorobiphenyl	9.062	8.960	9.160	48.480	50.000	-3.0
delta-BHC	4.777	4.677	4.877	50.290	50.000	0.6
Dieldrin	6.351	6.249	6.449	47.990	50.000	-4.0
Endosulfan I	6.076	5.975	6.175	48.510	50.000	-3.0
Endosulfan II	6.800	6.698	6.898	45.520	50.000	-9.0
Endosulfan sulfate	7.164	7.063	7.263	47.180	50.000	-5.6
Endrin	6.579	6.479	6.679	46.970	50.000	-6.1
Endrin aldehyde	6.931	6.828	7.028	46.650	50.000	-6.7
Endrin ketone	7.649	7.548	7.748	47.620	50.000	-4.8
gamma-BHC (Lindane)	4.332	4.232	4.432	48.830	50.000	-2.3
gamma-Chlordane	5.945	5.845	6.045	47.960	50.000	-4.1
Heptachlor	4.922	4.820	5.020	49.860	50.000	-0.3
Heptachlor epoxide	5.690	5.589	5.789	49.360	50.000	-1.3
Methoxychlor	7.505	7.404	7.604	48.210	50.000	-3.6
Tetrachloro-m-xylene	3.544	3.444	3.644	50.410	50.000	0.8

CALIBRATION VERIFICATION SUMMARY

Contract: SCHE03

Lab Code: CHEM Case No.: P4385 SAS No.: P4385 SDG NO.: P4385

GC Column: ZB-MR1 ID: 0.32 (mm) Initi. Calib. Date(s): 09/23/2024 09/23/2024

Client Sample No.: CCAL02 Date Analyzed: 10/11/2024

Lab Sample No.: PSTDCCC050 Data File : PL092347.D Time Analyzed: 17:48

COMPOUND	RT	RT WINDOW		CALC AMOUNT(ng)	NOM AMOUNT(ng)	%D
		FROM	TO			
4,4'-DDD	5.793	5.696	5.896	56.110	50.000	12.2
4,4'-DDE	5.236	5.141	5.341	52.770	50.000	5.5
4,4'-DDT	6.044	5.946	6.146	47.860	50.000	-4.3
Aldrin	4.230	4.135	4.335	51.730	50.000	3.5
alpha-BHC	3.282	3.186	3.386	52.640	50.000	5.3
alpha-Chlordane	5.048	4.952	5.152	50.970	50.000	1.9
beta-BHC	3.911	3.815	4.015	50.680	50.000	1.4
Decachlorobiphenyl	7.921	7.823	8.023	45.400	50.000	-9.2
delta-BHC	4.141	4.045	4.245	53.940	50.000	7.9
Dieldrin	5.369	5.272	5.472	50.980	50.000	2.0
Endosulfan I	5.104	5.008	5.208	50.400	50.000	0.8
Endosulfan II	5.940	5.842	6.042	50.720	50.000	1.4
Endosulfan sulfate	6.342	6.244	6.444	49.690	50.000	-0.6
Endrin	5.645	5.548	5.748	50.020	50.000	0.0
Endrin aldehyde	6.119	6.022	6.222	49.550	50.000	-0.9
Endrin ketone	6.848	6.750	6.950	49.250	50.000	-1.5
gamma-BHC (Lindane)	3.612	3.516	3.716	51.940	50.000	3.9
gamma-Chlordane	4.984	4.888	5.088	51.480	50.000	3.0
Heptachlor	3.951	3.855	4.055	50.810	50.000	1.6
Heptachlor epoxide	4.735	4.638	4.838	51.060	50.000	2.1
Methoxychlor	6.618	6.521	6.721	47.490	50.000	-5.0
Tetrachloro-m-xylene	2.779	2.682	2.882	52.200	50.000	4.4