

Report of Analysis

Client:	Scheideler Excavating Co. Inc.	Date Collected:	10/10/24
Project:	Robbinsville	Date Received:	10/10/24
Client Sample ID:	SP-5	SDG No.:	P4385
Lab Sample ID:	P4385-10	Matrix:	SOIL
Analytical Method:	SW8081	% Solid:	93.4
Sample Wt/Vol:	30.01	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Test:	Pesticide-TCL
GPC Factor :	1.0	PH :	
Prep Method :	SW3541B	Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL092339.D	1	10/11/24 09:00	10/11/24 15:11	PB164067

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
319-84-6	alpha-BHC	0.19	U	0.19	1.80	ug/kg
319-85-7	beta-BHC	0.52	U	0.52	1.80	ug/kg
319-86-8	delta-BHC	0.50	U	0.50	1.80	ug/kg
58-89-9	gamma-BHC (Lindane)	0.20	U	0.20	1.80	ug/kg
76-44-8	Heptachlor	0.18	U	0.18	1.80	ug/kg
309-00-2	Aldrin	0.15	U	0.15	1.80	ug/kg
1024-57-3	Heptachlor epoxide	0.25	U	0.25	1.80	ug/kg
959-98-8	Endosulfan I	0.18	U	0.18	1.80	ug/kg
60-57-1	Dieldrin	0.16	U	0.16	1.80	ug/kg
72-55-9	4,4-DDE	8.20		0.14	1.80	ug/kg
72-20-8	Endrin	0.17	U	0.17	1.80	ug/kg
33213-65-9	Endosulfan II	0.32	U	0.32	1.80	ug/kg
72-54-8	4,4-DDD	0.73	J	0.20	1.80	ug/kg
1031-07-8	Endosulfan Sulfate	0.14	U	0.14	1.80	ug/kg
50-29-3	4,4-DDT	5.40		0.18	1.80	ug/kg
72-43-5	Methoxychlor	0.41	U	0.41	1.80	ug/kg
53494-70-5	Endrin ketone	0.24	U	0.24	1.80	ug/kg
7421-93-4	Endrin aldehyde	0.42	U	0.42	1.80	ug/kg
5103-71-9	alpha-Chlordane	0.18	U	0.18	1.80	ug/kg
5103-74-2	gamma-Chlordane	0.20	U	0.20	1.80	ug/kg
8001-35-2	Toxaphene	5.60	U	5.60	35.3	ug/kg
SURROGATES						
2051-24-3	Decachlorobiphenyl	13.3		30 (10) - 150 (148)	67%	SPK: 20
877-09-8	Tetrachloro-m-xylene	12.6		30 (10) - 150 (159)	63%	SPK: 20

Report of Analysis

Client:	Scheideler Excavating Co. Inc.		Date Collected:	10/10/24	
Project:	Robbinsville		Date Received:	10/10/24	
Client Sample ID:	SP-5		SDG No.:	P4385	
Lab Sample ID:	P4385-10		Matrix:	SOIL	
Analytical Method:	SW8081		% Solid:	93.4	Decanted:
Sample Wt/Vol:	30.01	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	Pesticide-TCL	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL092339.D	1	10/11/24 09:00	10/11/24 15:11	PB164067

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit