

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Report of Analysis

Client: Portal Partners Tri-Venture Date Collected: 10/10/24 10:00 Project: Amtrak Sawtooth Bridges 2024 Date Received: 10/11/24 Client Sample ID: WB-301-TOP SDG No.: P4397 Lab Sample ID: P4397-01 Matrix: SOIL % Solid: 63.3

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weig	ht) Prep Date	Date Ana.	Ana Met.
Hexavalent Chromium	0.12	U	1	0.12	0.62	mg/Kg	10/15/24 14:20	10/16/24 10:30	7196A
Trivalent Chromium	193		1	0.79	0.79	mg/Kg		10/16/24 15:55	6010D

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits