

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-20

SDG No : N/A

Start Digest Date: 10/21/2024 Time : 13:30 Temp : N/A

Matrix : SOIL

End Digest Date: 10/21/2024 Time : 15:00 Temp : N/A

Pipette ID : N/A

Balance ID : WC SC-4

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1,MC-2

Filter paper ID : N/A

Prep Technician Signature: NF

Weigh By : NF

pH Meter ID : N/A

Supervisor Signature: 12

Standardized Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP108640
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
10/21/2024, 15:10	NF(WC)	NF
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
P4397-06	WB-301-BOT	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4397-06DUP	WB-301-BOTDUP	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4430-01	VNJ-209	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
P4443-05	OG-315-HR-502-COMP-29	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
P4443-10	OG-315-HR-502-COMP-30	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
P4458-02	280517	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4460-04	WB-303-BOT	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
P4467-04	TP-1	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
P4468-04	ETGI-329	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
P4468-06	ETGI-345	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
PB164265BL	PBS265	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A