

PESTICIDE CALIBRATION VERIFICATION SUMMARY

Contract: **PORT06**

Lab Code: **CHEM** Case No.: **P4397** SAS No.: **P4397** SDG NO.: **P4397**

GC Column: **ZB-MR2** ID: **0.32** (mm) Initi. Calib. Date(s): **10/21/2024** **10/21/2024**

Client Sample No. (PEM): **PEM - PL092495.D** Date Analyzed: **10/21/2024**

Lab Sample No.(PEM): **PEM** Time Analyzed: **12:33**

PEM COMPOUND	RT	RT WINDOW		CALC	NOM	%D
		FROM	TO	AMOUNT(ng)	AMOUNT(ng)	
Decachlorobiphenyl	9.056	8.960	9.160	19.690	20.000	-1.6
Tetrachloro-m-xylene	3.539	3.490	3.590	19.690	20.000	-1.6
alpha-BHC	3.995	3.940	4.050	10.390	10.000	3.9
beta-BHC	4.525	4.470	4.580	9.750	10.000	-2.5
gamma-BHC (Lindane)	4.327	4.280	4.380	9.890	10.000	-1.1
Endrin	6.575	6.500	6.650	44.220	50.000	-11.6
4,4'-DDT	7.025	6.950	7.100	91.010	100.000	-9.0
Methoxychlor	7.501	7.430	7.570	222.860	250.000	-10.9

GC Column: **ZB-MR1** ID: **0.32** (mm) Initi. Calib. Date(s): **10/21/2024** **10/21/2024**

Client Sample No. (PEM): **PEM - PL092495.D** Date Analyzed: **10/21/2024**

Lab Sample No.(PEM): **PEM** Time Analyzed: **12:33**

PEM COMPOUND	RT	RT WINDOW		CALC	NOM	%D
		FROM	TO	AMOUNT(ng)	AMOUNT(ng)	
Decachlorobiphenyl	7.918	7.820	8.020	19.360	20.000	-3.2
Tetrachloro-m-xylene	2.777	2.730	2.830	19.090	20.000	-4.6
alpha-BHC	3.280	3.230	3.330	9.580	10.000	-4.2
beta-BHC	3.910	3.860	3.960	11.410	10.000	14.1
gamma-BHC (Lindane)	3.610	3.560	3.660	9.570	10.000	-4.3
Endrin	5.642	5.570	5.710	45.220	50.000	-9.6
4,4'-DDT	6.041	5.970	6.110	97.030	100.000	-3.0
Methoxychlor	6.616	6.550	6.690	226.150	250.000	-9.5