

Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	
Project:	Amtrak Sawtooth Bridges 2024	Date Received:	
Client Sample ID:	PB164315BS	SDG No.:	P4397
Lab Sample ID:	PB164315BS	Matrix:	TCLP
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	TCLP BNA
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF139994.D	1	10/22/24 10:30	10/24/24 11:49	PB164315

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
110-86-1	Pyridine	38.8		1.60	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	45.3		0.84	5.00	ug/L
95-48-7	2-Methylphenol	46.6		1.10	5.00	ug/L
65794-96-9	3+4-Methylphenols	44.2		1.20	10.0	ug/L
67-72-1	Hexachloroethane	45.5		1.00	5.00	ug/L
98-95-3	Nitrobenzene	43.6		1.30	5.00	ug/L
87-68-3	Hexachlorobutadiene	45.3		1.30	5.00	ug/L
88-06-2	2,4,6-Trichlorophenol	50.9		0.89	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	49.7		1.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	54.7		1.50	5.00	ug/L
118-74-1	Hexachlorobenzene	49.6		1.10	5.00	ug/L
87-86-5	Pentachlorophenol	99.2	E	1.90	10.0	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	126		15 (10) - 110 (139)	84%	SPK: 150
13127-88-3	Phenol-d6	123		15 (10) - 110 (134)	82%	SPK: 150
4165-60-0	Nitrobenzene-d5	93.4		30 (49) - 130 (133)	93%	SPK: 100
321-60-8	2-Fluorobiphenyl	93.4		30 (52) - 130 (132)	93%	SPK: 100
118-79-6	2,4,6-Tribromophenol	158		15 (44) - 110 (137)	105%	SPK: 150
1718-51-0	Terphenyl-d14	107		30 (48) - 130 (125)	107%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	144000	6.892			
1146-65-2	Naphthalene-d8	567000	8.175			
15067-26-2	Acenaphthene-d10	302000	9.928			
1517-22-2	Phenanthrene-d10	536000	11.416			
1719-03-5	Chrysene-d12	261000	14.051			
1520-96-3	Perylene-d12	283000	15.527			

Report of Analysis

Client:	Portal Partners Tri-Venture		Date Collected:		
Project:	Amtrak Sawtooth Bridges 2024		Date Received:		
Client Sample ID:	PB164315BS		SDG No.:	P4397	
Lab Sample ID:	PB164315BS		Matrix:	TCLP	
Analytical Method:	SW8270		% Solid:	0	
Sample Wt/Vol:	1000	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	TCLP BNA	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :	SW3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF139994.D	1	10/22/24 10:30	10/24/24 11:49	PB164315

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products