

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102424\
 Data File : BF140002.D
 Acq On : 24 Oct 2024 15:44
 Operator : RC/JU
 Sample : PB164261TB
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB164261TB

Quant Time: Oct 24 16:17:27 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF101824.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 18 15:07:50 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.887	152	152409	20.000	ng	0.00
21) Naphthalene-d8	8.169	136	588451	20.000	ng	0.00
39) Acenaphthene-d10	9.922	164	328828	20.000	ng	0.00
64) Phenanthrene-d10	11.410	188	603559	20.000	ng	0.00
76) Chrysene-d12	14.051	240	330965	20.000	ng	0.00
86) Perylene-d12	15.527	264	294008	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.516	112	1290384	132.543	ng	0.02
7) Phenol-d6	6.510	99	1614638	128.053	ng	0.00
23) Nitrobenzene-d5	7.445	82	1042581	98.196	ng	0.00
42) 2,4,6-Tribromophenol	10.716	330	482295	156.805	ng	0.00
45) 2-Fluorobiphenyl	9.245	172	1901605	95.575	ng	0.00
79) Terphenyl-d14	12.998	244	2051645	101.011	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102424\
Data File : BF140002.D
Acq On : 24 Oct 2024 15:44
Operator : RC/JU
Sample : PB164261TB
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB164261TB

Quant Time: Oct 24 16:17:27 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF101824.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 18 15:07:50 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.887 min Scan# 816
Delta R.T. -0.005 min
Lab File: BF140002.D
Acq: 24 Oct 2024 15:44




Instrument :
BNA_F
ClientSampleId :
PB164261TB

Tgt Ion:152 Resp: 152409
Ion Ratio Lower Upper
152 100
150 157.3 130.2 195.2
115 63.7 51.4 77.2



#5
2-Fluorophenol
Concen: 132.543 ng
RT: 5.516 min Scan# 582
Delta R.T. 0.018 min
Lab File: BF140002.D
Acq: 24 Oct 2024 15:44

Tgt Ion:112 Resp: 1290384
Ion Ratio Lower Upper
112 100
64 62.1 53.0 79.6
63 32.2 27.0 40.4









#7
Phenol-d6
Concen: 128.053 ng
RT: 6.510 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF140002.D
Acq: 24 Oct 2024 15:44




Instrument :
BNA_F
ClientSampleId :
PB164261TB

Tgt Ion: 99 Resp: 1614638
Ion Ratio Lower Upper
99 100
42 18.7 16.7 25.1
71 34.4 27.7 41.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.169 min Scan# 1033
Delta R.T. -0.006 min
Lab File: BF140002.D
Acq: 24 Oct 2024 15:44

Tgt Ion: 136 Resp: 588451
Ion Ratio Lower Upper
136 100
137 10.8 8.6 12.8
54 9.4 8.4 12.6
68 6.3 5.1 7.7









#23
Nitrobenzene-d5
Concen: 98.196 ng
RT: 7.445 min Scan# 911
Delta R.T. -0.006 min
Lab File: BF140002.D
Acq: 24 Oct 2024 15:44




Instrument :
BNA_F
ClientSampleId :
PB164261TB

Tgt Ion: 82 Resp: 1042581
Ion Ratio Lower Upper
82 100
128 43.1 33.4 50.0
54 56.4 47.8 71.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.922 min Scan# 1331
Delta R.T. -0.005 min
Lab File: BF140002.D
Acq: 24 Oct 2024 15:44


Tgt Ion:164 Resp: 328828
Ion Ratio Lower Upper
164 100
162 101.0 81.0 121.4
160 44.9 35.4 53.0








#42
2,4,6-Tribromophenol
Concen: 156.805 ng
RT: 10.716 min Scan# 1466
Delta R.T. 0.000 min
Lab File: BF140002.D
Acq: 24 Oct 2024 15:44

Instrument :
BNA_F
ClientSampleId :
PB164261TB






Tgt Ion:330 Resp: 482295
Ion Ratio Lower Upper
330 100
332 96.3 78.1 117.1
141 27.1 26.6 39.8



#45
2-Fluorobiphenyl
Concen: 95.575 ng
RT: 9.245 min Scan# 1216
Delta R.T. -0.006 min
Lab File: BF140002.D
Acq: 24 Oct 2024 15:44

Tgt Ion:172 Resp: 1901605
Ion Ratio Lower Upper
172 100
171 36.0 28.6 43.0
170 24.1 19.1 28.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.410 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF140002.D
Acq: 24 Oct 2024 15:44




Instrument :
BNA_F
ClientSampleId :
PB164261TB

Tgt Ion:188 Resp: 603559
Ion Ratio Lower Upper
188 100
94 9.9 7.9 11.9
80 10.6 9.0 13.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.051 min Scan# 2033
Delta R.T. 0.000 min
Lab File: BF140002.D
Acq: 24 Oct 2024 15:44

Tgt Ion:240 Resp: 330965
Ion Ratio Lower Upper
240 100
120 10.6 9.4 14.2
236 26.0 20.9 31.3









#79
 Terphenyl-d14
 Concen: 101.011 ng
 RT: 12.998 min Scan# 1854
 Delta R.T. 0.000 min
 Lab File: BF140002.D
 Acq: 24 Oct 2024 15:44

Instrument :
 BNA_F
 ClientSampleId :
 PB164261TB

Tgt Ion:244 Resp: 2051645
 Ion Ratio Lower Upper
 244 100
 212 6.7 5.7 8.5
 122 10.3 8.6 13.0



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.527 min Scan# 2284
 Delta R.T. 0.000 min
 Lab File: BF140002.D
 Acq: 24 Oct 2024 15:44

Tgt Ion:264 Resp: 294008
 Ion Ratio Lower Upper
 264 100
 260 23.4 19.4 29.2
 265 21.3 17.4 26.0

