

SOP ID : M9030B-Sulfide-12

SDG No : N/A

Matrix : SOIL

Pipette ID : WC

Balance ID : WC SC-4

Hood ID : HOOD#1

Block ID : MC-1,MC-2

Weigh By : RM

Start Digest Date: 10/22/2024 Time : 09:20 Temp : N/A

End Digest Date: 10/22/2024 Time : 10:50 Temp : N/A

Digestion tube ID : M5595

Block Thermometer ID : N/A

Filter paper ID : N/A

Prep Technician Signature: RM

pH Meter ID : N/A

Supervisor Signature: 12

Standardized Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.5M ZINC ACETATE	5.0ML	WP108780
FORMALDEHYDE	2.0ML	W2725
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

10/22/2024
RM

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
P4397-06	WB-301-BOT	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
P4397-06DUP	WB-301-BOTDUP	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
P4430-01	VNJ-209	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
P4443-05	OG-315-HR-502-COMP-29	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4443-10	OG-315-HR-502-COMP-30	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
P4458-02	280517	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
P4460-04	WB-303-BOT	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
P4467-04	TP-1	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
P4468-04	ETGI-329	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
P4468-06	ETGI-345	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
P4472-04	BP-F-28	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
P4472-08	BP-F-6	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
PB164267BL	PBS267	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A