

Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	
Project:	Amtrak Sawtooth Bridges 2024	Date Received:	
Client Sample ID:	PB164368BS	SDG No.:	P4460
Lab Sample ID:	PB164368BS	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH
Prep Method :	SW3510		

Prep Date :	Date Analyzed :	Prep Batch ID
10/23/24 09:49	10/24/24 12:12	PB164368

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	176		1	5.76	30.0	ug/l	FC067518.D
Aliphatic C12-C16	Aliphatic C12-C16	159		1	3.61	20.0	ug/l	FC067518.D
Aliphatic C16-C21	Aliphatic C16-C21	281		1	5.14	30.0	ug/l	FC067518.D
Aliphatic C21-C28	Aliphatic C21-C28	391		1	8.97	40.0	ug/l	FC067518.D
Aliphatic C28-C40	Aliphatic C28-C40	692		1	17.0	60.0	ug/l	FC067518.D
Aromatic C10-C12	Aromatic C10-C12	174		1	3.32	20.0	ug/l	FD048580.D
Aromatic C12-C16	Aromatic C12-C16	292		1	3.69	30.0	ug/l	FD048580.D
Aromatic C16-C21	Aromatic C16-C21	610		1	12.7	50.0	ug/l	FD048580.D
Aromatic C21-C36	Aromatic C21-C36	922		1	25.2	80.0	ug/l	FD048580.D
Total AliphaticEPH	Total AliphaticEPH	1700			40.5	180	ug/l	
Total AromaticEPH	Total AromaticEPH	2000			44.9	180	ug/l	
Total EPH	Total EPH	3700			85.4	360	ug/l	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	
Project:	Amtrak Sawtooth Bridges 2024	Date Received:	
Client Sample ID:	PB164368BS	SDG No.:	P4460
Lab Sample ID:	PB164368BS	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH
Prep Method :	SW3510		

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FC067518.D	1	10/23/24	10/24/24	PB164368

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C12	Aliphatic C9-C12	176		5.76	30.0	ug/l
Aliphatic C12-C16	Aliphatic C12-C16	159		3.61	20.0	ug/l
Aliphatic C16-C21	Aliphatic C16-C21	281		5.14	30.0	ug/l
Aliphatic C21-C28	Aliphatic C21-C28	391		8.97	40.0	ug/l
Aliphatic C28-C40	Aliphatic C28-C40	692		17.0	60.0	ug/l
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	36.0		40 - 140	72%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	0.00		40 - 140	0%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	PB164368BS	Acq On:	24 Oct 2024 12:12
Client Sample ID:	PB164368BS	Operator:	YP/AJ
Data file:	FC067518.D	Misc:	
Instrument:	FID_C	ALS Vial:	12
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.174	6.454	11984962	88.47	300	ug/ml
Aliphatic C12-C16	6.455	9.844	10505663	79.781	200	ug/ml
Aliphatic C16-C21	9.845	13.202	17882463	140.547	300	ug/ml
Aliphatic C21-C28	13.203	16.857	23510623	195.774	400	ug/ml
Aliphatic C28-C40	16.858	21.703	35024970	346.462	600	ug/ml
Aliphatic EPH	3.174	21.703	98908681	851.034		ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0		ug/ml
1-chlorooctadecane (SURR)	12.935	12.935	3890871	36.03		ug/ml
Aliphatic C9-C28	3.174	16.857	63883711	504.572	1200	ug/ml