

## Report of Analysis

|                    |                              |                    |          |
|--------------------|------------------------------|--------------------|----------|
| Client:            | Portal Partners Tri-Venture  | Date Collected:    | 10/21/24 |
| Project:           | Amtrak Sawtooth Bridges 2024 | Date Received:     | 10/21/24 |
| Client Sample ID:  | PIBLK-PO107312.D             | SDG No.:           | P4460    |
| Lab Sample ID:     | I.BLK-PO107312.D             | Matrix:            | WATER    |
| Analytical Method: | SW8082A                      | % Solid:           | 0        |
| Sample Wt/Vol:     | 1000 Units: mL               | Decanted:          |          |
| Soil Aliquot Vol:  | uL                           | Final Vol:         | 10000 uL |
| Extraction Type:   |                              | Test:              | PCB      |
| GPC Factor :       | 1.0                          | Injection Volume : |          |
| Prep Method :      | 5030                         |                    |          |

|                   |           |           |               |               |
|-------------------|-----------|-----------|---------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed | Prep Batch ID |
| PO107312.D        | 1         |           | 10/21/24      | PO102124      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL                 | LOQ / CRQL | Units   |
|-------------------|----------------------|-------|-----------|---------------------|------------|---------|
| <b>TARGETS</b>    |                      |       |           |                     |            |         |
| 12674-11-2        | Aroclor-1016         | 0.15  | U         | 0.15                | 0.50       | ug/L    |
| 11104-28-2        | Aroclor-1221         | 0.23  | U         | 0.23                | 0.50       | ug/L    |
| 11141-16-5        | Aroclor-1232         | 0.37  | U         | 0.37                | 0.50       | ug/L    |
| 53469-21-9        | Aroclor-1242         | 0.16  | U         | 0.16                | 0.50       | ug/L    |
| 12672-29-6        | Aroclor-1248         | 0.12  | U         | 0.12                | 0.50       | ug/L    |
| 11097-69-1        | Aroclor-1254         | 0.11  | U         | 0.11                | 0.50       | ug/L    |
| 11096-82-5        | Aroclor-1260         | 0.15  | U         | 0.15                | 0.50       | ug/L    |
| 37324-23-5        | Aroclor-1262         | 0.14  | U         | 0.14                | 0.50       | ug/L    |
| 11100-14-4        | Aroclor-1268         | 0.12  | U         | 0.12                | 0.50       | ug/L    |
| <b>SURROGATES</b> |                      |       |           |                     |            |         |
| 877-09-8          | Tetrachloro-m-xylene | 24.2  |           | 70 (60) - 130 (140) | 121%       | SPK: 20 |
| 2051-24-3         | Decachlorobiphenyl   | 27.2  | *         | 70 (60) - 130 (140) | 136%       | SPK: 20 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit