

Cover Page

Order ID : P4460

Project ID : Amtrak Sawtooth Bridges 2024

Client : Portal Partners Tri-Venture

Lab Sample Number

P4460-02
P4460-03
P4460-04
P4460-05
P4460-06

Client Sample Number

WB-303-TOP
WB-303-BOT
WB-303-BOT
TB-10182024
WB-303-SW

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 10/29/2024

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10 U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as "12 B".
E	Indicates the analyte 's concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: P4460

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: MAYUR DESAI

Date: 10/29/2024

LAB CHRONICLE

OrderID:	P4460	OrderDate:	10/18/2024 3:24:00 PM
Client:	Portal Partners Tri-Venture	Project:	Amtrak Sawtooth Bridges 2024
Contact:	Joseph Krupansky	Location:	K51,VOA Ref. #2 Soil,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P4460-02	WB-303-TOP	SOIL	PCB	8082A	10/18/24	10/21/24	10/21/24	10/18/24
			EPH	NJEPH		10/22/24	10/23/24	
P4460-03	WB-303-BOT	SOIL	PCB	8082A	10/18/24	10/21/24	10/21/24	10/18/24
			EPH	NJEPH		10/22/24	10/23/24	
P4460-03DL	WB-303-BOTDL	Solid	EPH	NJEPH	10/18/24	10/22/24	10/23/24	10/18/24
P4460-04	WB-303-BOT	TCLP	TCLP Pesticide	8081B	10/18/24	10/22/24	10/24/24	10/18/24
P4460-06	WB-303-SW	WATER	PCB	8082A	10/18/24	10/23/24	10/23/24	10/18/24
			EPH	NJEPH		10/23/24	10/24/24	



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: P4460

Order ID: P4460

Client: Portal Partners Tri-Venture

Project ID: Amtrak Sawtooth Bridges 2024

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
-----------	-----------	--------	-----------	---------------	---	-----	-----	-------

Client ID :

Total Concentration: 0.000



QC SUMMARY

Surrogate Summary

SDG No.: **P4460**

Client: **Portal Partners Tri-Venture**

Analytical Method: **8081B**

Lab Sample ID	Client ID	Parameter	Column	Spike	Result	Rec	Qual	Limits	
								Low	High
I.BLK-PL092494.D	PIBLK-PL092494.D	Decachlorobiphenyl	1	20	21.5	107		30 (43)	150 (140)
		Tetrachloro-m-xylene	1	20	22.0	110		30 (77)	150 (126)
		Decachlorobiphenyl	2	20	21.4	107		30 (43)	150 (140)
		Tetrachloro-m-xylene	2	20	20.0	100		30 (77)	150 (126)
I.BLK-PL092589.D	PIBLK-PL092589.D	Decachlorobiphenyl	1	20	21.0	105		30 (43)	150 (140)
		Tetrachloro-m-xylene	1	20	20.0	100		30 (77)	150 (126)
		Decachlorobiphenyl	2	20	23.3	116		30 (43)	150 (140)
		Tetrachloro-m-xylene	2	20	21.0	105		30 (77)	150 (126)
PB164360BL	PB164360BL	Decachlorobiphenyl	1	20	19.8	99		30 (43)	150 (140)
		Tetrachloro-m-xylene	1	20	18.6	93		30 (77)	150 (126)
		Decachlorobiphenyl	2	20	21.0	105		30 (43)	150 (140)
		Tetrachloro-m-xylene	2	20	19.5	98		30 (77)	150 (126)
PB164261TB	PB164261TB	Decachlorobiphenyl	1	20	19.9	100		30 (43)	150 (140)
		Tetrachloro-m-xylene	1	20	18.3	91		30 (77)	150 (126)
		Decachlorobiphenyl	2	20	21.6	108		30 (43)	150 (140)
		Tetrachloro-m-xylene	2	20	19.1	96		30 (77)	150 (126)
P4397-06MS	WB-301-BOTMS	Decachlorobiphenyl	1	20	19.4	97		30 (43)	150 (140)
		Tetrachloro-m-xylene	1	20	15.9	80		30 (77)	150 (126)
		Decachlorobiphenyl	2	20	20.9	105		30 (43)	150 (140)
		Tetrachloro-m-xylene	2	20	16.3	82		30 (77)	150 (126)
P4397-06MSD	WB-301-BOTMSD	Decachlorobiphenyl	1	20	19.9	100		30 (43)	150 (140)
		Tetrachloro-m-xylene	1	20	16.5	83		30 (77)	150 (126)
		Decachlorobiphenyl	2	20	21.6	108		30 (43)	150 (140)
		Tetrachloro-m-xylene	2	20	16.5	83		30 (77)	150 (126)
P4460-04	WB-303-BOT	Decachlorobiphenyl	1	20	21.0	105		30 (43)	150 (140)
		Tetrachloro-m-xylene	1	20	18.5	93		30 (77)	150 (126)
		Decachlorobiphenyl	2	20	23.3	117		30 (43)	150 (140)
		Tetrachloro-m-xylene	2	20	19.5	98		30 (77)	150 (126)
I.BLK-PL092612.D	PIBLK-PL092612.D	Decachlorobiphenyl	1	20	22.3	111		30 (43)	150 (140)
		Tetrachloro-m-xylene	1	20	21.4	107		30 (77)	150 (126)
		Decachlorobiphenyl	2	20	23.4	117		30 (43)	150 (140)
		Tetrachloro-m-xylene	2	20	22.1	111		30 (77)	150 (126)
I.BLK-PL092637.D	PIBLK-PL092637.D	Decachlorobiphenyl	1	20	22.1	110		30 (43)	150 (140)
		Tetrachloro-m-xylene	1	20	19.9	100		30 (77)	150 (126)
		Decachlorobiphenyl	2	20	24.4	122		30 (43)	150 (140)
		Tetrachloro-m-xylene	2	20	21.6	108		30 (77)	150 (126)
PB164360BS	PB164360BS	Decachlorobiphenyl	1	20	17.7	88		30 (43)	150 (140)
		Tetrachloro-m-xylene	1	20	15.7	79		30 (77)	150 (126)
		Decachlorobiphenyl	2	20	19.5	97		30 (43)	150 (140)
		Tetrachloro-m-xylene	2	20	16.3	81		30 (77)	150 (126)
I.BLK-PL092649.D	PIBLK-PL092649.D	Decachlorobiphenyl	1	20	21.2	106		30 (43)	150 (140)

() = LABORATORY INHOUSE LIMIT

Surrogate Summary

SDG No.: P4460

Client: Portal Partners Tri-Venture

Analytical Method: 8081B

Lab Sample ID	Client ID	Parameter	Column	Spike	Result	Rec	Qual	Limits	
								Low	High
I.BLK-PL092649.D	PIBLK-PL092649.D	Tetrachloro-m-xylene	1	20	20.0	100		30 (77)	150 (126)
		Decachlorobiphenyl	2	20	22.2	111		30 (43)	150 (140)
		Tetrachloro-m-xylene	2	20	21.4	107		30 (77)	150 (126)

Matrix Spike/Matrix Spike Duplicate Summary

SW-846

SDG No.: P4460

Client: Portal Partners Tri-Venture

Analytical Method: 8081B

DataFile : PL092606.D

Lab Sample ID:	Parameter	Spike	Sample Result	Result	Units	Rec Qual	RPD Qual	Low	Limits High	RPD
Client Sample ID:	WB-301-BOTMS									
P4397-06MS	gamma-BHC (Lindane)	5	0	4.80	ug/L	96		30 (60)	150 (152)	
	Heptachlor	5	0	5.20	ug/L	104		30 (56)	150 (147)	
	Heptachlor epoxide	5	0	5.00	ug/L	100		30 (77)	150 (143)	
	Endrin	5	0	4.80	ug/L	96		30 (76)	150 (144)	
	Methoxychlor	5	0	5.20	ug/L	104		30 (70)	150 (142)	

Matrix Spike/Matrix Spike Duplicate Summary

SW-846

SDG No.: P4460

Client: Portal Partners Tri-Venture

Analytical Method: 8081B

DataFile : PL092607.D

Lab Sample ID:	Parameter	Spike	Sample Result	Result	Units	Rec	Rec Qual	RPD	RPD Qual	Low	Limits High	RPD
Client Sample ID:	WB-301-BOTMSD											
P4397-06MSD	gamma-BHC (Lindane)	5	0	4.90	ug/L	98		2		30 (60)	150 (152)	20 (20)
	Heptachlor	5	0	5.30	ug/L	106		2		30 (56)	150 (147)	20 (20)
	Heptachlor epoxide	5	0	5.10	ug/L	102		2		30 (77)	150 (143)	20 (20)
	Endrin	5	0	5.00	ug/L	100		4		30 (76)	150 (144)	20 (20)
	Methoxychlor	5	0	5.30	ug/L	106		2		30 (70)	150 (142)	20 (20)

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: P4460

Client: Portal Partners Tri-Venture

Analytical Method: **8081B** **Datafile :** PL092642.D

Lab Sample ID	Parameter	Spike	Result	Units	Rec	RPD	Qual	RPD		Limits	
								Qual	Low	High	RPD
PB164360BS	gamma-BHC (Lindane)	0.5	0.47	ug/L	93				40 (82)	140 (129)	
	Heptachlor	0.5	0.48	ug/L	95				40 (79)	140 (127)	
	Heptachlor epoxide	0.5	0.49	ug/L	98				40 (81)	140 (124)	
	Endrin	0.5	0.46	ug/L	93				40 (81)	140 (128)	
	Methoxychlor	0.5	0.52	ug/L	103				40 (78)	140 (108)	

4C

PESTICIDE METHOD BLANK SUMMARY

EPA SAMPLE NO.

PB164360BL

Lab Name: CHEMTECH

Contract: PORT06

Lab Code: CHEM Case No.: P4460

SAS No.: P4460 SDG NO.: P4460

Lab Sample ID: PB164360BL

Lab File ID: PL092602.D

Matrix: (soil/water) water

Extraction: (Type) _____

Sulfur Cleanup: (Y/N) N

Date Extracted: 10/22/2024

Date Analyzed (1): 10/24/2024

Date Analyzed (2): 10/24/2024

Time Analyzed (1): 13:09

Time Analyzed (2): 13:09

Instrument ID (1): ECD_L

Instrument ID (2): ECD_L

GC Column (1): ZB-MR2 ID: 0.32 (mm)

GC Column (2): ZB-MR1 ID: 0.32 (mm)

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED 1	DATE ANALYZED 2
PB164261TB	PB164261TB	PL092604.D	10/24/2024	10/24/2024
WB-301-BOTMS	P4397-06MS	PL092606.D	10/24/2024	10/24/2024
WB-301-BOTMSD	P4397-06MSD	PL092607.D	10/24/2024	10/24/2024
WB-303-BOT	P4460-04	PL092608.D	10/24/2024	10/24/2024
PB164360BS	PB164360BS	PL092642.D	10/25/2024	10/25/2024

COMMENTS: _____



SAMPLE DATA

Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	10/18/24
Project:	Amtrak Sawtooth Bridges 2024	Date Received:	10/18/24
Client Sample ID:	WB-303-BOT	SDG No.:	P4460
Lab Sample ID:	P4460-04	Matrix:	TCLP
Analytical Method:	SW8081	% Solid:	0
Sample Wt/Vol:	100	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type:		Test:	TCLP Pesticide
GPC Factor :	1.0	PH :	
Prep Method :	SW3541B	Decanted:	
		Final Vol:	10000
		Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL092608.D	1	10/22/24 10:10	10/24/24 14:30	PB164360

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
58-89-9	gamma-BHC (Lindane)	0.049	U	0.049	0.50	ug/L
76-44-8	Heptachlor	0.054	U	0.054	0.50	ug/L
1024-57-3	Heptachlor epoxide	0.090	U	0.090	0.50	ug/L
72-20-8	Endrin	0.043	U	0.043	0.50	ug/L
72-43-5	Methoxychlor	0.11	U	0.11	0.50	ug/L
8001-35-2	Toxaphene	1.50	U	1.50	10.0	ug/L
57-74-9	Chlordane	0.82	U	0.82	5.00	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	23.3		30 (43) - 150 (140)	117%	SPK: 20
877-09-8	Tetrachloro-m-xylene	19.5		30 (77) - 150 (126)	98%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102424\
 Data File : PL092608.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 24 Oct 2024 14:30
 Operator : AR\AJ
 Sample : P4460-04
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 WB-303-BOT

Manual Integrations
APPROVED

Reviewed By : Abdul Mirza 10/25/2024
 Supervised By : Ankita Jodhani 10/28/2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 25 02:18:58 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 21 17:09:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.539	2.777	49824379	54183647	18.496m	19.508m
28) SA Decachlor...	9.057	7.918	42641777	61406519	20.994	23.304

Target Compounds

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102424\
Data File : PL092608.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Oct 2024 14:30
Operator : AR\AJ
Sample : P4460-04
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :

ECD_L

ClientSampleId :

WB-303-BOT



Manual Integrations**APPROVED**


Reviewed By :Abdul Mirza 10/25/2024

Supervised By :Ankita Jodhani 10/28/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 25 02:18:58 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 17:09:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene

R.T.: 3.539 min
Delta R.T.: 0.000 min
Response: 49824379
Conc: 18.50 ng/ml

Instrument :
ECD_L
ClientSampleId :
WB-303-BOT


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 10/25/2024
Supervised By :Ankita Jodhani 10/28/2024




#1 Tetrachloro-m-xylene

R.T.: 2.777 min
Delta R.T.: 0.000 min
Response: 54183647
Conc: 19.51 ng/ml m



#28 Decachlorobiphenyl

R.T.: 9.057 min
Delta R.T.: 0.002 min
Response: 42641777
Conc: 20.99 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.918 min
Delta R.T.: 0.000 min
Response: 61406519
Conc: 23.30 ng/ml

Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	
Project:	Amtrak Sawtooth Bridges 2024	Date Received:	10/22/24
Client Sample ID:	PB164261TB	SDG No.:	P4460
Lab Sample ID:	PB164261TB	Matrix:	TCLP
Analytical Method:	SW8081	% Solid:	0 Decanted:
Sample Wt/Vol:	100 Units: mL	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	TCLP Pesticide
Extraction Type:		Injection Volume :	
GPC Factor :	1.0 PH :		
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL092604.D	1	10/22/24 10:10	10/24/24 13:36	PB164360

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
58-89-9	gamma-BHC (Lindane)	0.049	U	0.049	0.50	ug/L
76-44-8	Heptachlor	0.054	U	0.054	0.50	ug/L
1024-57-3	Heptachlor epoxide	0.090	U	0.090	0.50	ug/L
72-20-8	Endrin	0.043	U	0.043	0.50	ug/L
72-43-5	Methoxychlor	0.11	U	0.11	0.50	ug/L
8001-35-2	Toxaphene	1.50	U	1.50	10.0	ug/L
57-74-9	Chlordane	0.82	U	0.82	5.00	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	21.6		30 (43) - 150 (140)	108%	SPK: 20
877-09-8	Tetrachloro-m-xylene	19.1		30 (77) - 150 (126)	96%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102424\
Data File : PL092604.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Oct 2024 13:36
Operator : AR\AJ
Sample : PB164261TB
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PB164261TB

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 25 02:15:34 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 17:09:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.541	2.779	49274453	53074312	18.292	19.109
28)	SA Decachlor...	9.056	7.918	40501733	56815075	19.940	21.562

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102424\
Data File : PL092604.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Oct 2024 13:36
Operator : AR\AJ
Sample : PB164261TB
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PB164261TB

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 25 02:15:34 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 17:09:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.541 min
Delta R.T.: 0.003 min
Response: 49274453
Conc: 18.29 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB164261TB




#1 Tetrachloro-m-xylene

R.T.: 2.779 min
Delta R.T.: 0.002 min
Response: 53074312
Conc: 19.11 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.056 min
Delta R.T.: 0.000 min
Response: 40501733
Conc: 19.94 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.918 min
Delta R.T.: 0.000 min
Response: 56815075
Conc: 21.56 ng/ml



CALIBRATION SUMMARY

GC Column: ZB-MR2 ID: 0.32 (mm)

[illegible]

GC Column: ZB-MR1 ID: 0.32 (mm)

[illegible]



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CALIBRATION FACTOR OF INITIAL CALIBRATION

Contract: PORT06

Lab Code: CHEM Case No.: P4460 SAS No.: P4460 SDG NO.: P4460

Instrument ID: ECD_L

Calibration Date(s): 10/21/2024 10/21/2024

Calibration Times: 13:00 13:53

GC Column: ZB-MR2 ID: 0.32 (mm)

LAB FILE ID:		CF 100 =	<u>PL092497.D</u>	CF 075 =	<u>PL092498.D</u>		
CF 050 =		<u>PL092499.D</u>	CF 025 =	<u>PL092500.D</u>	CF 005 =	<u>PL092501.D</u>	
COMPOUND	CF 100	CF 075	CF 050	CF 025	CF 005	CF	% RSD
Decachlorobiphenyl	1893630000	1911900000	1968460000	2071700000	2310050000	2031150000	8
Endrin	2580620000	2625010000	2734790000	2924540000	3253750000	2823740000	10
gamma-BHC (Lindane)	3651940000	3672710000	3751070000	3836830000	4321280000	3846770000	7
Heptachlor	3266860000	3307900000	3429100000	3569740000	4155000000	3545720000	10
Heptachlor epoxide	3004670000	3040630000	3248410000	3443240000	3866730000	3320740000	11
Methoxychlor	1148350000	1158380000	1214430000	1185540000	1181850000	1177710000	2
Tetrachloro-m-xylene	2537390000	2552890000	2586960000	2724730000	3067200000	2693840000	8



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CALIBRATION FACTOR OF INITIAL CALIBRATION

Contract: PORT06

Lab Code: CHEM Case No.: P4460 SAS No.: P4460 SDG NO.: P4460

Instrument ID: ECD_L

Calibration Date(s): 10/21/2024 10/21/2024

Calibration Times: 13:00 13:53

GC Column: ZB-MR1 ID: 0.32 (mm)

LAB FILE ID:		CF 100 =	<u>PL092497.D</u>	CF 075 =	<u>PL092498.D</u>		
CF 050 =		<u>PL092499.D</u>	CF 025 =	<u>PL092500.D</u>	CF 005 =	<u>PL092501.D</u>	
COMPOUND	CF 100	CF 075	CF 050	CF 025	CF 005	CF	% RSD
Decachlorobiphenyl	2533020000	2508980000	2598990000	2640650000	2893220000	2634970000	6
Endrin	3096230000	3113840000	3236910000	3364340000	3563230000	3274910000	6
gamma-BHC (Lindane)	4098710000	4055410000	4107080000	4122620000	4206290000	4118020000	1
Heptachlor	3908940000	3891170000	3959270000	3983440000	4335990000	4015760000	5
Heptachlor epoxide	3409250000	3412120000	3473550000	3502030000	3820750000	3523540000	5
Methoxychlor	1383990000	1380180000	1398790000	1408970000	1517400000	1417870000	4
Tetrachloro-m-xylene	2710240000	2704020000	2735270000	2751220000	2986460000	2777440000	4



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

INITIAL CALIBRATION OF MULTICOMPONENT ANALYTES

Contract: PORT06

Lab Code: CHEM Case No.: P4460 SAS No.: P4460 SDG NO.: P4460

Instrument ID: ECD_L Date(s) Analyzed: 10/21/2024 10/21/2024

GC Column: ZB-MR2 ID: 0.32 (mm)

COMPOUND	AMOUNT (ng)	PEAK	RT	RT WINDOW		CALIBRATION FACTOR
				FROM	TO	
Chlordane	500	1	4.70	4.60	4.80	131573000
		2	5.23	5.13	5.33	132167000
		3	5.94	5.84	6.04	463083000
		4	6.02	5.92	6.12	554260000
		5	6.87	6.77	6.97	113944000
Toxaphene	500	1	6.24	6.14	6.34	26646900
		2	6.44	6.34	6.54	15596100
		3	7.06	6.96	7.16	86692500
		4	7.15	7.05	7.25	69480900
		5	7.94	7.84	8.04	48743400



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

INITIAL CALIBRATION OF MULTICOMPONENT ANALYTES

Contract: PORT06

Lab Code: CHEM Case No.: P4460 SAS No.: P4460 SDG NO.: P4460

Instrument ID: ECD_L Date(s) Analyzed: 10/21/2024 10/21/2024

GC Column: ZB-MR1 ID: 0.32 (mm)

COMPOUND	AMOUNT (ng)	PEAK	RT	RT WINDOW		CALIBRATION FACTOR
				FROM	TO	
Chlordane	500	1	3.78	3.68	3.88	116522000
		2	4.35	4.25	4.45	143580000
		3	4.98	4.88	5.08	384632000
		4	5.05	4.95	5.15	372850000
		5	5.94	5.84	6.04	146962000
Toxaphene	500	1	5.01	4.91	5.11	24468000
		2	5.33	5.23	5.43	24010200
		3	6.61	6.51	6.71	70676500
		4	6.73	6.63	6.83	82521800
		5	7.05	6.95	7.15	83166000

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102124\
 Data File : PL092497.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 Oct 2024 13:00
 Operator : AR\AJ
 Sample : PSTDICC100
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC100

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 21 16:48:10 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 21 16:43:52 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.539	2.777	253.7E6	271.0E6	99.033	99.540
28)	SA Decachlor...	9.056	7.917	189.4E6	253.3E6	98.062	98.715
Target Compounds							
2)	A alpha-BHC	3.995	3.280	388.1E6	428.2E6	98.672	100.263
3)	MA gamma-BHC...	4.327	3.610	365.2E6	409.9E6	98.661	99.898
4)	MA Heptachlor	4.916	3.949	326.7E6	390.9E6	97.577	99.360
5)	MB Aldrin	5.257	4.229	335.8E6	390.3E6	97.534	99.769
6)	B beta-BHC	4.525	3.910	147.3E6	163.7E6	98.397	98.732
7)	B delta-BHC	4.772	4.139	352.6E6	411.6E6	98.344	100.086
8)	B Heptachlo...	5.684	4.731	300.5E6	340.9E6	96.102	99.066
9)	A Endosulfan I	6.069	5.101	275.9E6	311.6E6	97.277	99.245
10)	B gamma-Chl...	5.940	4.981	297.5E6	354.4E6	96.906	99.208
11)	B alpha-Chl...	6.019	5.045	293.4E6	345.4E6	96.807	99.603
12)	B 4,4'-DDE	6.192	5.234	276.8E6	336.6E6	97.554	99.145
13)	MA Dieldrin	6.344	5.366	299.5E6	352.5E6	97.568	99.274
14)	MA Endrin	6.574	5.641	258.1E6	309.6E6	97.100	97.779
15)	B Endosulfa...	6.794	5.936	257.2E6	291.0E6	96.672	97.646
16)	A 4,4'-DDD	6.710	5.789	224.6E6	269.4E6	97.525	98.722
17)	MA 4,4'-DDT	7.024	6.040	235.2E6	287.6E6	97.778	99.574
18)	B Endrin al...	6.924	6.115	198.3E6	231.7E6	97.163	98.542
19)	B Endosulfa...	7.159	6.339	230.4E6	276.0E6	97.065	98.989
20)	A Methoxychlor	7.500	6.615	114.8E6	138.4E6	97.204	99.468
21)	B Endrin ke...	7.644	6.844	257.3E6	312.5E6	97.524	98.768
22)	Mirex	8.118	7.025	190.1E6	250.1E6	97.233	98.622



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102124\
Data File : PL092497.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 21 Oct 2024 13:00
Operator : AR\AJ
Sample : PSTDICC100
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC100

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 21 16:48:10 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 16:43:52 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102124\
 Data File : PL092498.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 Oct 2024 13:13
 Operator : AR\AJ
 Sample : PSTDICC075
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC075

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 21 16:50:21 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 21 16:43:52 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.538	2.777	191.5E6	202.8E6	74.819	74.655
28)	SA Decachlor...	9.056	7.917	143.4E6	188.2E6	74.503	73.881
Target Compounds							
2)	A alpha-BHC	3.994	3.280	292.5E6	318.7E6	74.583	74.753
3)	MA gamma-BHC...	4.327	3.610	275.5E6	304.2E6	74.610	74.419
4)	MA Heptachlor	4.915	3.949	248.1E6	291.8E6	74.399	74.452
5)	MB Aldrin	5.257	4.229	255.0E6	290.1E6	74.375	74.428
6)	B beta-BHC	4.524	3.910	111.4E6	122.4E6	74.629	74.183
7)	B delta-BHC	4.772	4.139	265.3E6	305.3E6	74.326	74.484
8)	B Heptachlo...	5.683	4.732	228.0E6	255.9E6	73.613	74.573
9)	A Endosulfan I	6.069	5.101	210.8E6	235.4E6	74.549	74.967
10)	B gamma-Chl...	5.940	4.982	228.5E6	266.4E6	74.615	74.717
11)	B alpha-Chl...	6.019	5.045	225.3E6	260.0E6	74.560	74.993
12)	B 4,4'-DDE	6.192	5.235	210.9E6	251.3E6	74.550	74.338
13)	MA Dieldrin	6.344	5.366	227.7E6	263.4E6	74.449	74.456
14)	MA Endrin	6.575	5.641	196.9E6	233.5E6	74.382	74.163
15)	B Endosulfa...	6.794	5.936	195.6E6	221.9E6	74.003	74.649
16)	A 4,4'-DDD	6.710	5.789	169.4E6	203.4E6	74.021	74.689
17)	MA 4,4'-DDT	7.024	6.040	176.6E6	214.7E6	73.942	74.554
18)	B Endrin al...	6.924	6.116	150.3E6	174.8E6	74.090	74.564
19)	B Endosulfa...	7.159	6.339	175.2E6	207.4E6	74.186	74.569
20)	A Methoxychlor	7.500	6.616	86878843	103.5E6	74.020	74.596
21)	B Endrin ke...	7.644	6.844	194.7E6	234.9E6	74.197	74.495
22)	Mirex	8.117	7.025	144.8E6	189.7E6	74.387	74.862



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102124\
Data File : PL092498.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 21 Oct 2024 13:13
Operator : AR\AJ
Sample : PSTDICC075
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC075

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 21 16:50:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 16:43:52 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102124\
 Data File : PL092499.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 Oct 2024 13:26
 Operator : AR\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 21 16:44:15 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 21 16:43:52 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.538	2.777	129.3E6	136.8E6	50.000	50.000
28)	SA Decachlor...	9.055	7.917	98423153	129.9E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.994	3.280	199.3E6	213.0E6	50.000	50.000
3)	MA gamma-BHC...	4.327	3.610	187.6E6	205.4E6	50.000	50.000
4)	MA Heptachlor	4.915	3.949	171.5E6	198.0E6	50.000	50.000
5)	MB Aldrin	5.257	4.229	176.4E6	196.0E6	50.000	50.000
6)	B beta-BHC	4.524	3.910	76027327	83967530	50.000	50.000
7)	B delta-BHC	4.771	4.138	182.3E6	205.4E6	50.000	50.000
8)	B Heptachlo...	5.683	4.731	162.4E6	173.7E6	50.000	50.000
9)	A Endosulfan I	6.069	5.101	145.7E6	158.2E6	50.000	50.000
10)	B gamma-Chl...	5.939	4.981	158.3E6	180.0E6	50.000	50.000
11)	B alpha-Chl...	6.018	5.045	156.4E6	174.1E6	50.000	50.000
12)	B 4,4'-DDE	6.192	5.234	145.3E6	171.2E6	50.000	50.000
13)	MA Dieldrin	6.345	5.366	157.2E6	178.8E6	50.000	50.000
14)	MA Endrin	6.574	5.641	136.7E6	161.8E6	50.000	50.000
15)	B Endosulfa...	6.794	5.936	137.4E6	152.5E6	50.000	50.000
16)	A 4,4'-DDD	6.710	5.789	118.0E6	138.2E6	50.000	50.000
17)	MA 4,4'-DDT	7.024	6.040	122.9E6	145.0E6	50.000	50.000
18)	B Endrin al...	6.924	6.116	104.9E6	119.3E6	50.000	50.000
19)	B Endosulfa...	7.159	6.338	122.2E6	140.8E6	50.000	50.000
20)	A Methoxychlor	7.500	6.615	60721357	69939679	50.000	50.000
21)	B Endrin ke...	7.644	6.844	135.2E6	160.2E6	50.000	50.000
22)	Mirex	8.117	7.025	100.4E6	128.6E6	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102124\
Data File : PL092499.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 21 Oct 2024 13:26
Operator : AR\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 21 16:44:15 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 16:43:52 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102124\
 Data File : PL092500.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 Oct 2024 13:40
 Operator : AR\AJ
 Sample : PSTDICC025
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :

ECD_L

ClientSampleId :

PSTDICC025

Manual Integrations

APPROVED

Reviewed By :Abdul Mirza 10/22/2024

Supervised By :Ankita Jodhani 10/22/2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 21 16:52:38 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 21 16:43:52 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.538	2.777	68118335	68780524	26.194	25.239
28) SA Decachlor...	9.054	7.918	51792555	66016291	26.406	25.683
Target Compounds						
2) A alpha-BHC	3.994	3.279	103.2E6	105.2E6	25.976	24.748
3) MA gamma-BHC...	4.327	3.610	95920780	103.1E6	25.729	25.163
4) MA Heptachlor	4.915	3.949	89243509	99586114	26.299	25.303
5) MB Aldrin	5.257	4.229	92637464	97702837	26.487	25.053
6) B beta-BHC	4.524	3.909	39560577	42714991	26.108	25.668
7) B delta-BHC	4.772	4.138	97230519	103.1E6	26.641	25.112
8) B Heptachlo...	5.681	4.731	86081083	87550832	27.012m	25.383
9) A Endosulfan I	6.069	5.101	76550593	79941848	26.524	25.346
10) B gamma-Chl...	5.939	4.981	82993598	91040758	26.544	25.397
11) B alpha-Chl...	6.019	5.045	82308591	88770222	26.641	25.447
12) B 4,4'-DDE	6.192	5.234	75852177	85661790	26.335	25.256
13) MA Dieldrin	6.344	5.366	82034280	90315967	26.345	25.396
14) MA Endrin	6.573	5.641	73113547	84108553	26.917	26.261
15) B Endosulfa...	6.793	5.936	74016105	76758144	27.191	25.611
16) A 4,4'-DDD	6.709	5.789	60938554	69362212	26.202	25.353
17) MA 4,4'-DDT	7.023	6.040	62765526	71884082	25.948	24.970
18) B Endrin al...	6.924	6.115	54694070	60931481	26.444	25.737
19) B Endosulfa...	7.158	6.339	63654622	71493054	26.439	25.530
20) A Methoxychlor	7.500	6.616	29638609	35224346	25.188	25.287
21) B Endrin ke...	7.643	6.844	69957864	80540360	26.225	25.402
22) Mirex	8.116	7.025	52067275	65757273	26.287	25.705

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102124\
Data File : PL092500.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 21 Oct 2024 13:40
Operator : AR\AJ
Sample : PSTDICC025
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :

ECD_L

ClientSampleId :

PSTDICC025



Manual Integrations

APPROVED

Reviewed By :Abdul Mirza 10/22/2024
Supervised By :Ankita Jodhani 10/22/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 21 16:52:38 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 16:43:52 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102124\
 Data File : PL092501.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 Oct 2024 13:53
 Operator : AR\AJ
 Sample : PSTDICC005
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :

ECD_L

ClientSampleId :

PSTDICC005

Manual Integrations

APPROVED

Reviewed By :Abdul Mirza 10/22/2024

Supervised By :Ankita Jodhani 10/22/2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 21 16:56:46 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 21 16:43:52 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.538	2.777	15335992	14932294	5.693	5.376
28) SA Decachlor...	9.055	7.917	11550271	14466094	5.687	5.490
Target Compounds						
2) A alpha-BHC	3.994	3.279	23550744	22887068	5.714	5.304
3) MA gamma-BHC...	4.327	3.608	21606418	21031469	5.617	5.109m
4) MA Heptachlor	4.915	3.949	20774980	21679948	5.859	5.399
5) MB Aldrin	5.257	4.229	22016168	21390638	5.985	5.381
6) B beta-BHC	4.524	3.910	8503225	10365713	5.478	6.051
7) B delta-BHC	4.770	4.138	21057553	23069655	5.607m	5.485
8) B Heptachlo...	5.681	4.731	19333656	19103727	5.726m	5.422
9) A Endosulfan I	6.068	5.101	17762124	16494921	5.890m	5.182
10) B gamma-Chl...	5.938	4.981	19891738	20286229	5.932m	5.514
11) B alpha-Chl...	6.018	5.045	19619382	19083753	6.057m	5.370
12) B 4,4'-DDE	6.192	5.234	16543069	19099515	5.578	5.493
13) MA Dieldrin	6.345	5.366	19021023	20231934	5.849	5.536
14) MA Endrin	6.573	5.640	16268738	17816138	5.657m	5.500m
15) B Endosulfa...	6.793	5.936	16303950	18213587	5.824m	5.826
16) A 4,4'-DDD	6.710	5.790	13884139	14737552	5.747	5.305
17) MA 4,4'-DDT	7.024	6.040	13272514	15846372	5.382	5.396
18) B Endrin al...	6.925	6.115	12036224	14063730	5.635	5.725
19) B Endosulfa...	7.159	6.338	15014816	17898623	5.943	6.054
20) A Methoxychlor	7.500	6.616	5909263	7587013	5.018	5.351
21) B Endrin ke...	7.643	6.845	15393343	16891730	5.638m	5.259
22) Mirex	8.117	7.024	12550862	14175105	6.015	5.406m

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102124\
Data File : PL092501.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 21 Oct 2024 13:53
Operator : AR\AJ
Sample : PSTDICC005
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :

ECD_L

ClientSampleId :

PSTDICC005

Manual Integrations



APPROVED

Reviewed By :Abdul Mirza 10/22/2024

Supervised By :Ankita Jodhani 10/22/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 21 16:56:46 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 16:43:52 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102124\
 Data File : PL092504.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 Oct 2024 14:33
 Operator : AR\AJ
 Sample : PCHLORICC500
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PCHLORICC500

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 21 15:59:18 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 21 15:58:56 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.538	2.776	129.4E6	164.8E6	50.000	50.000
28)	SA Decachlor...	9.056	7.918	97897038	132.4E6	50.000	50.000
Target Compounds							
23)	Chlordane-1	4.700	3.775	65786710	58261206	500.000	500.000
24)	Chlordane-2	5.231	4.352	66083445	71790067	500.000	500.000
25)	Chlordane-3	5.941	4.982	231.5E6	192.3E6	500.000	500.000
26)	Chlordane-4	6.023	5.045	277.1E6	186.4E6	500.000	500.000
27)	Chlordane-5	6.872	5.941	56971777	73481136	500.000	500.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102124\
Data File : PL092504.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 21 Oct 2024 14:33
Operator : AR\AJ
Sample : PCHLORICC500
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PCHLORICC500

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 21 15:59:18 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 15:58:56 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102124\
 Data File : PL092509.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 Oct 2024 15:40
 Operator : AR\AJ
 Sample : PTOXICC500
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PTOXICC500

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 21 17:22:57 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\LTX102124.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 21 17:22:44 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticide 1 Signal #2 Phase: Rtx-CLPesticide 1
 Signal #1 Info : 30M x 0.32mm x0.3 Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.539	2.777	131.2E6	138.0E6	50.000	50.000
7) SA Decachlor...	9.056	7.917	99055018	134.3E6	50.000	50.000
Target Compounds						
2) Toxaphene-1	6.237	5.008	13323445	12234024	500.000	500.000
3) Toxaphene-2	6.442	5.332	7798054	12005121	500.000	500.000
4) Toxaphene-3	7.059	6.606	43346228	35338241	500.000	500.000
5) Toxaphene-4	7.151	6.734	34740446	41260883	500.000	500.000
6) Toxaphene-5	7.935	7.047	24371709	41583003	500.000	500.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102124\
Data File : PL092509.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 21 Oct 2024 15:40
Operator : AR\AJ
Sample : PTOXICC500
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PTOXICC500

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 21 17:22:57 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\LTX102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 17:22:44 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticide 1 Signal #2 Phase: Rtx-CLPesticide 1
Signal #1 Info : 30M x 0.32mm x 0.3 Signal #2 Info : 30M x 0.32mm x 0.25µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102124\
 Data File : PL092512.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 Oct 2024 16:21
 Operator : AR\AJ
 Sample : PSTDICV050
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :

ECD_L

ClientSampleId :

ICVPL102124

Manual Integrations

APPROVED

Reviewed By :Abdul Mirza 10/22/2024

Supervised By :Ankita Jodhani 10/22/2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 21 17:09:45 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 21 17:09:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.539	2.777	129.5E6	138.1E6	48.067	49.707
28)	SA Decachlor...	9.056	7.917	97721936	136.3E6	48.112	51.735
Target Compounds							
2)	A alpha-BHC	3.995	3.280	200.0E6	210.8E6	48.525	48.845
3)	MA gamma-BHC...	4.327	3.610	187.4E6	209.2E6	48.704	50.799
4)	MA Heptachlor	4.917	3.949	175.0E6	197.6E6	49.350	49.215
5)	MB Aldrin	5.259	4.229	187.9E6	195.8E6	51.090	49.260
6)	B beta-BHC	4.525	3.910	75317205	83414361	48.519	47.776
7)	B delta-BHC	4.771	4.139	191.0E6	206.0E6	50.774m	48.986
8)	B Heptachlo...	5.684	4.732	170.4E6	179.3E6	51.301m	50.898
9)	A Endosulfan I	6.070	5.102	149.0E6	161.4E6	49.351	50.702
10)	B gamma-Chl...	5.941	4.982	159.0E6	183.2E6	48.235	49.803
11)	B alpha-Chl...	6.020	5.046	156.6E6	178.0E6	48.084	50.087
12)	B 4,4'-DDE	6.194	5.235	145.5E6	177.6E6	49.064	51.086
13)	MA Dieldrin	6.346	5.367	157.3E6	182.9E6	48.370	50.042
14)	MA Endrin	6.575	5.642	132.5E6	163.0E6	46.920	49.759
15)	B Endosulfa...	6.795	5.937	151.3E6	157.3E6	53.462	50.320
16)	A 4,4'-DDD	6.711	5.790	117.9E6	140.0E6	48.805	50.402
17)	MA 4,4'-DDT	7.024	6.041	122.6E6	146.8E6	49.730	49.985
18)	B Endrin al...	6.925	6.117	105.7E6	123.0E6	49.492	50.089
19)	B Endosulfa...	7.160	6.339	122.9E6	151.8E6	48.636	51.353
20)	A Methoxychlor	7.501	6.616	61626507	70241137	52.327	49.540
21)	B Endrin ke...	7.644	6.845	137.1E6	163.6E6	49.866	50.924
22)	Mirex	8.118	7.025	100.6E6	132.4E6	48.219	50.674m

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102124\
Data File : PL092512.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 21 Oct 2024 16:21
Operator : AR\AJ
Sample : PSTDICV050
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :

ECD_L

ClientSampleId :

ICVPL102124

Manual Integrations



APPROVED

Reviewed By :Abdul Mirza 10/22/2024

Supervised By :Ankita Jodhani 10/22/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 21 17:09:45 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 17:09:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102124\
 Data File : PL092513.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 Oct 2024 16:34
 Operator : AR\AJ
 Sample : PCHLORICV500
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 ICVPL102124CHLOR

Manual Integrations
 APPROVED

Reviewed By :Abdul Mirza 10/22/2024
 Supervised By :Ankita Jodhani 10/22/2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 21 17:06:57 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 21 17:05:44 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.539	2.777	129.1E6	167.5E6	49.961	50.472
28)	SA Decachlor...	9.056	7.917	97417066	135.9E6	50.946	50.863
Target Compounds							
23)	Chlordane-1	4.701	3.775	66842985	58698178	507.306	493.953
24)	Chlordane-2	5.231	4.353	63372083	67628263	478.307	484.115
25)	Chlordane-3	5.942	4.983	230.8E6	199.5E6	478.299	497.608
26)	Chlordane-4	6.023	5.046	276.5E6	190.4E6	472.945	490.786
27)	Chlordane-5	6.872	5.942	53136992	75499158	452.577m	539.570

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102124\
Data File : PL092513.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 21 Oct 2024 16:34
Operator : AR\AJ
Sample : PCHLORICV500
Misc :
ALS Vial : 21 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampleId :
ICVPL102124CHLOR

Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 10/22/2024
Supervised By :Ankita Jodhani 10/22/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 21 17:06:57 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 17:05:44 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102124\
 Data File : PL092514.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 Oct 2024 18:08
 Operator : AR\AJ
 Sample : PTOXICV500
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 ICVPL102124

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 22 08:18:42 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\LTX102124.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 21 17:30:39 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticide 1 Signal #2 Phase: Rtx-CLPesticide 1
 Signal #1 Info : 30M x 0.32mm x0.3 Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.539	2.778	123.7E6	134.1E6	47.255	48.670
7) SA Decachlor...	9.056	7.918	96187470	128.7E6	48.550	48.370
Target Compounds						
2) Toxaphene-1	6.238	5.007	12867496	12289931	482.998	487.266
3) Toxaphene-2	6.442	5.333	8135668	10574213	519.010	439.000
4) Toxaphene-3	7.061	6.606	41627340	32898788	509.733	478.723
5) Toxaphene-4	7.151	6.734	33399134	44775434	480.771	537.329
6) Toxaphene-5	7.936	7.047	23214509	33265320	465.716	426.029



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102124\
Data File : PL092514.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 21 Oct 2024 18:08
Operator : AR\AJ
Sample : PTOXICV500
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
ICVPL102124

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 22 08:18:42 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\LTX102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 17:30:39 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticide 1 Signal #2 Phase: Rtx-CLPesticide 1
Signal #1 Info : 30M x 0.32mm x 0.3 Signal #2 Info : 30M x 0.32mm x 0.25µm





284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CALIBRATION VERIFICATION SUMMARY

Contract: PORT06

Lab Code: CHEM Case No.: P4460 SAS No.: P4460 SDG NO.: P4460

Continuing Calib Date: 10/24/2024 Initial Calibration Date(s): 10/21/2024 10/21/2024

Continuing Calib Time: 10:19 Initial Calibration Time(s): 13:00 13:53

GC Column: ZB-MR2 ID: 0.32 (mm)

COMPOUND	CCAL RT	AVG RT	RT WINDOW		DIFF RT
			FROM	TO	
Decachlorobiphenyl	9.06	9.06	8.96	9.16	0.00
Tetrachloro-m-xylene	3.54	3.54	3.44	3.64	0.00
gamma-BHC (Lindane)	4.33	4.33	4.23	4.43	0.00
Heptachlor	4.92	4.92	4.82	5.02	0.00
Heptachlor epoxide	5.68	5.68	5.58	5.78	0.00
Endrin	6.58	6.57	6.47	6.67	-0.01
Methoxychlor	7.50	7.50	7.40	7.60	0.00



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CALIBRATION VERIFICATION SUMMARY

Contract: PORT06

Lab Code: CHEM Case No.: P4460 SAS No.: P4460 SDG NO.: P4460

Continuing Calib Date: 10/24/2024 Initial Calibration Date(s): 10/21/2024 10/21/2024

Continuing Calib Time: 10:19 Initial Calibration Time(s): 13:00 13:53

GC Column: ZB-MR1 ID: 0.32 (mm)

COMPOUND	CCAL RT	AVG RT	RT WINDOW		DIFF RT
			FROM	TO	
Decachlorobiphenyl	7.92	7.92	7.82	8.02	0.00
Tetrachloro-m-xylene	2.78	2.78	2.68	2.88	0.00
gamma-BHC (Lindane)	3.61	3.61	3.51	3.71	0.00
Heptachlor	3.95	3.95	3.85	4.05	0.00
Heptachlor epoxide	4.73	4.73	4.63	4.83	0.00
Endrin	5.64	5.64	5.54	5.74	0.00
Methoxychlor	6.62	6.62	6.52	6.72	0.00



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

CALIBRATION VERIFICATION SUMMARY
Contract: PORT06
Lab Code: CHEM **Case No.:** P4460 **SAS No.:** P4460 **SDG NO.:** P4460
GC Column: ZB-MR2 **ID:** 0.32 (mm) **Initi. Calib. Date(s):** 10/21/2024 10/21/2024
Client Sample No.: CCAL01 **Date Analyzed:** 10/24/2024
Lab Sample No.: PSTDCCC050 **Data File :** PL092591.D **Time Analyzed:** 10:19

COMPOUND	RT	RT WINDOW		CALC AMOUNT(ng)	NOM AMOUNT(ng)	%D
		FROM	TO			
Decachlorobiphenyl	9.057	8.955	9.155	51.250	50.000	2.5
Endrin	6.576	6.474	6.674	44.700	50.000	-10.6
gamma-BHC (Lindane)	4.330	4.227	4.427	48.930	50.000	-2.1
Heptachlor	4.918	4.815	5.015	47.520	50.000	-5.0
Heptachlor epoxide	5.684	5.583	5.783	46.660	50.000	-6.7
Methoxychlor	7.501	7.400	7.600	51.960	50.000	3.9
Tetrachloro-m-xylene	3.541	3.438	3.638	51.820	50.000	3.6



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

CALIBRATION VERIFICATION SUMMARY

Contract: PORT06

Lab Code: CHEM Case No.: P4460 SAS No.: P4460 SDG NO.: P4460

GC Column: ZB-MR1 ID: 0.32 (mm) Initi. Calib. Date(s): 10/21/2024 10/21/2024

Client Sample No.: CCAL01 Date Analyzed: 10/24/2024

Lab Sample No.: PSTDCCC050 Data File : PL092591.D Time Analyzed: 10:19

COMPOUND	RT	RT WINDOW		CALC AMOUNT(ng)	NOM AMOUNT(ng)	%D
		FROM	TO			
Decachlorobiphenyl	7.918	7.817	8.017	58.240	50.000	16.5
Endrin	5.643	5.541	5.741	53.080	50.000	6.2
gamma-BHC (Lindane)	3.612	3.510	3.710	56.090	50.000	12.2
Heptachlor	3.951	3.849	4.049	56.020	50.000	12.0
Heptachlor epoxide	4.733	4.631	4.831	55.710	50.000	11.4
Methoxychlor	6.616	6.515	6.715	58.450	50.000	16.9
Tetrachloro-m-xylene	2.779	2.677	2.877	56.670	50.000	13.3

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102424\
 Data File : PL092591.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 24 Oct 2024 10:19
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :

ECD_L

ClientSampleId :

PSTDCCC050

Manual Integrations**APPROVED**

Reviewed By :Abdul Mirza 10/25/2024

Supervised By :Ankita Jodhani 10/28/2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 24 16:05:51 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 21 17:09:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.541	2.779	139.6E6	157.4E6	51.815	56.675
28)	SA Decachlor...	9.057	7.918	104.1E6	153.5E6	51.248	58.242
Target Compounds							
2)	A alpha-BHC	3.997	3.282	197.5E6	242.8E6	47.925	56.270
3)	MA gamma-BHC...	4.330	3.612	188.2E6	231.0E6	48.933	56.090
4)	MA Heptachlor	4.918	3.951	168.5E6	225.0E6	47.522	56.021
5)	MB Aldrin	5.260	4.231	168.5E6	219.3E6	45.794	55.171
6)	B beta-BHC	4.527	3.912	80713518	94828196	51.995	54.313
7)	B delta-BHC	4.774	4.141	175.2E6	231.3E6	46.559	55.001
8)	B Heptachlo...	5.684	4.733	155.0E6	196.3E6	46.664m	55.709
9)	A Endosulfan I	6.071	5.103	138.4E6	177.5E6	45.846	55.769
10)	B gamma-Chl...	5.942	4.984	147.3E6	197.2E6	44.682	53.596
11)	B alpha-Chl...	6.021	5.047	146.9E6	194.6E6	45.126	54.763
12)	B 4,4'-DDE	6.194	5.236	132.2E6	191.6E6	44.569	55.100
13)	MA Dieldrin	6.347	5.368	146.9E6	197.7E6	45.185	54.112
14)	MA Endrin	6.576	5.643	126.2E6	173.8E6	44.700	53.085
15)	B Endosulfa...	6.795	5.938	130.4E6	164.5E6	46.077	52.624
16)	A 4,4'-DDD	6.712	5.790	107.6E6	148.2E6	44.539	53.356
17)	MA 4,4'-DDT	7.025	6.041	115.3E6	157.3E6	46.756	53.569
18)	B Endrin al...	6.926	6.117	103.0E6	131.8E6	48.199	53.639
19)	B Endosulfa...	7.160	6.340	117.9E6	164.0E6	46.660	55.471
20)	A Methoxychlor	7.501	6.616	61193642	82879540	51.960	58.454
21)	B Endrin ke...	7.646	6.844	133.0E6	183.2E6	48.361	57.025m
22)	Mirex	8.118	7.026	104.1E6	140.6E6	49.872	53.800

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102424\
Data File : PL092591.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Oct 2024 10:19
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :

ECD_L

ClientSampleId :

PSTDCCC050

Manual Integrations



APPROVED

Reviewed By :Abdul Mirza 10/25/2024

Supervised By :Ankita Jodhani 10/28/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 24 16:05:51 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 17:09:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm





284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CALIBRATION VERIFICATION SUMMARY

Contract: PORT06

Lab Code: CHEM Case No.: P4460 SAS No.: P4460 SDG NO.: P4460

Continuing Calib Date: 10/24/2024 Initial Calibration Date(s): 10/21/2024 10/21/2024

Continuing Calib Time: 17:20 Initial Calibration Time(s): 13:00 13:53

GC Column: ZB-MR2 ID: 0.32 (mm)

COMPOUND	CCAL RT	AVG RT	RT WINDOW		DIFF RT
			FROM	TO	
Decachlorobiphenyl	9.06	9.06	8.96	9.16	0.00
Tetrachloro-m-xylene	3.55	3.54	3.44	3.64	-0.01
gamma-BHC (Lindane)	4.34	4.33	4.23	4.43	-0.01
Heptachlor	4.92	4.92	4.82	5.02	0.00
Heptachlor epoxide	5.69	5.68	5.58	5.78	-0.01
Endrin	6.58	6.57	6.47	6.67	-0.01
Methoxychlor	7.51	7.50	7.40	7.60	-0.01



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CALIBRATION VERIFICATION SUMMARY

Contract: PORT06

Lab Code: CHEM Case No.: P4460 SAS No.: P4460 SDG NO.: P4460

Continuing Calib Date: 10/24/2024 Initial Calibration Date(s): 10/21/2024 10/21/2024

Continuing Calib Time: 17:20 Initial Calibration Time(s): 13:00 13:53

GC Column: ZB-MR1 ID: 0.32 (mm)

COMPOUND	CCAL RT	AVG RT	RT WINDOW		DIFF RT
			FROM	TO	
Decachlorobiphenyl	7.92	7.92	7.82	8.02	0.00
Tetrachloro-m-xylene	2.78	2.78	2.68	2.88	0.00
gamma-BHC (Lindane)	3.61	3.61	3.51	3.71	0.00
Heptachlor	3.95	3.95	3.85	4.05	0.00
Heptachlor epoxide	4.74	4.73	4.63	4.83	-0.01
Endrin	5.65	5.64	5.54	5.74	0.00
Methoxychlor	6.62	6.62	6.52	6.72	0.00



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

CALIBRATION VERIFICATION SUMMARY

Contract: PORT06

Lab Code: CHEM Case No.: P4460 SAS No.: P4460 SDG NO.: P4460

GC Column: ZB-MR2 ID: 0.32 (mm) Initi. Calib. Date(s): 10/21/2024 10/21/2024

Client Sample No.: CCAL02 Date Analyzed: 10/24/2024

Lab Sample No.: PSTDCCC050 Data File : PL092613.D Time Analyzed: 17:20

COMPOUND	RT	RT WINDOW		CALC AMOUNT(ng)	NOM AMOUNT(ng)	%D
		FROM	TO			
Decachlorobiphenyl	9.061	8.955	9.155	49.250	50.000	-1.5
Endrin	6.582	6.474	6.674	42.050	50.000	-15.9
gamma-BHC (Lindane)	4.335	4.227	4.427	46.560	50.000	-6.9
Heptachlor	4.922	4.815	5.015	45.870	50.000	-8.3
Heptachlor epoxide	5.690	5.583	5.783	43.230	50.000	-13.5
Methoxychlor	7.506	7.400	7.600	51.180	50.000	2.4
Tetrachloro-m-xylene	3.547	3.438	3.638	49.340	50.000	-1.3



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

CALIBRATION VERIFICATION SUMMARY
Contract: PORT06
Lab Code: CHEM **Case No.:** P4460 **SAS No.:** P4460 **SDG NO.:** P4460
GC Column: ZB-MR1 **ID:** 0.32 (mm) **Initi. Calib. Date(s):** 10/21/2024 10/21/2024
Client Sample No.: CCAL02 **Date Analyzed:** 10/24/2024
Lab Sample No.: PSTDCCC050 **Data File :** PL092613.D **Time Analyzed:** 17:20

COMPOUND	RT	RT WINDOW		CALC AMOUNT(ng)	NOM AMOUNT(ng)	%D
		FROM	TO			
Decachlorobiphenyl	7.920	7.817	8.017	53.280	50.000	6.6
Endrin	5.645	5.541	5.741	51.590	50.000	3.2
gamma-BHC (Lindane)	3.613	3.510	3.710	53.810	50.000	7.6
Heptachlor	3.952	3.849	4.049	53.550	50.000	7.1
Heptachlor epoxide	4.735	4.631	4.831	53.230	50.000	6.5
Methoxychlor	6.619	6.515	6.715	56.150	50.000	12.3
Tetrachloro-m-xylene	2.779	2.677	2.877	54.610	50.000	9.2

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102424\
 Data File : PL092613.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 24 Oct 2024 17:20
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :

ECD_L

ClientSampleId :

PSTDCCC050

Manual Integrations

APPROVED

Reviewed By :Abdul Mirza 10/25/2024

Supervised By :Ankita Jodhani 10/28/2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 25 01:30:04 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 21 17:09:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.547	2.779	132.9E6	151.7E6	49.342	54.610
28) SA Decachlor...	9.061	7.920	100.0E6	140.4E6	49.247m	53.284
Target Compounds						
2) A alpha-BHC	4.003	3.283	188.2E6	229.6E6	45.664	53.219
3) MA gamma-BHC...	4.335	3.613	179.1E6	221.6E6	46.556	53.813
4) MA Heptachlor	4.922	3.952	162.7E6	215.1E6	45.872m	53.554
5) MB Aldrin	5.264	4.232	160.2E6	208.7E6	43.557m	52.498
6) B beta-BHC	4.533	3.912	77394721	91091357	49.857	52.173
7) B delta-BHC	4.780	4.142	170.3E6	222.2E6	45.278	52.816
8) B Heptachlo...	5.690	4.735	143.6E6	187.6E6	43.232m	53.229
9) A Endosulfan I	6.077	5.105	133.2E6	170.3E6	44.128	53.501
10) B gamma-Chl...	5.948	4.985	142.6E6	188.0E6	43.264	51.108
11) B alpha-Chl...	6.026	5.048	141.0E6	185.2E6	43.301	52.099
12) B 4,4'-DDE	6.200	5.238	127.2E6	183.6E6	42.897	52.807
13) MA Dieldrin	6.350	5.369	139.4E6	190.2E6	42.878m	52.056
14) MA Endrin	6.582	5.645	118.7E6	169.0E6	42.049	51.593
15) B Endosulfa...	6.801	5.938	123.2E6	156.6E6	43.528	50.108m
16) A 4,4'-DDD	6.717	5.793	106.3E6	141.8E6	43.999	51.043
17) MA 4,4'-DDT	7.031	6.043	110.1E6	150.7E6	44.656	51.329
18) B Endrin al...	6.931	6.119	99030949	125.0E6	46.361	50.882
19) B Endosulfa...	7.166	6.342	113.4E6	148.2E6	44.869	50.146
20) A Methoxychlor	7.506	6.619	60277346	79615723	51.182	56.152
21) B Endrin ke...	7.650	6.846	127.7E6	168.2E6	46.448	52.376m
22) Mirex	8.123	7.028	99294538	138.8E6	47.586	53.100

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102424\
Data File : PL092613.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Oct 2024 17:20
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :

ECD_L

ClientSampleId :

PSTDCCC050

Manual Integrations



APPROVED

Reviewed By :Abdul Mirza 10/25/2024

Supervised By :Ankita Jodhani 10/28/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 25 01:30:04 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 17:09:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm





284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CALIBRATION VERIFICATION SUMMARY

Contract: PORT06

Lab Code: CHEM Case No.: P4460 SAS No.: P4460 SDG NO.: P4460

Continuing Calib Date: 10/25/2024 Initial Calibration Date(s): 10/21/2024 10/21/2024

Continuing Calib Time: 15:49 Initial Calibration Time(s): 13:00 13:53

GC Column: ZB-MR2 ID: 0.32 (mm)

COMPOUND	CCAL RT	AVG RT	RT WINDOW		DIFF RT
			FROM	TO	
Decachlorobiphenyl	9.06	9.06	8.96	9.16	0.00
Tetrachloro-m-xylene	3.54	3.54	3.44	3.64	0.00
gamma-BHC (Lindane)	4.33	4.33	4.23	4.43	0.00
Heptachlor	4.92	4.92	4.82	5.02	0.00
Heptachlor epoxide	5.69	5.68	5.58	5.78	0.00
Endrin	6.58	6.57	6.47	6.67	-0.01
Methoxychlor	7.50	7.50	7.40	7.60	0.00



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CALIBRATION VERIFICATION SUMMARY

Contract: PORT06

Lab Code: CHEM Case No.: P4460 SAS No.: P4460 SDG NO.: P4460

Continuing Calib Date: 10/25/2024 Initial Calibration Date(s): 10/21/2024 10/21/2024

Continuing Calib Time: 15:49 Initial Calibration Time(s): 13:00 13:53

GC Column: ZB-MR1 ID: 0.32 (mm)

COMPOUND	CCAL RT	AVG RT	RT WINDOW		DIFF RT
			FROM	TO	
Decachlorobiphenyl	7.92	7.92	7.82	8.02	0.00
Tetrachloro-m-xylene	2.78	2.78	2.68	2.88	0.00
gamma-BHC (Lindane)	3.61	3.61	3.51	3.71	0.00
Heptachlor	3.95	3.95	3.85	4.05	0.00
Heptachlor epoxide	4.73	4.73	4.63	4.83	0.00
Endrin	5.64	5.64	5.54	5.74	0.00
Methoxychlor	6.62	6.62	6.52	6.72	0.00



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

CALIBRATION VERIFICATION SUMMARY

Contract: PORT06

Lab Code: CHEM Case No.: P4460 SAS No.: P4460 SDG NO.: P4460

GC Column: ZB-MR2 ID: 0.32 (mm) Initi. Calib. Date(s): 10/21/2024 10/21/2024

Client Sample No.: CCAL03 Date Analyzed: 10/25/2024

Lab Sample No.: PSTDCCC050 Data File : PL092639.D Time Analyzed: 15:49

COMPOUND	RT	RT WINDOW FROM TO		CALC AMOUNT(ng)	NOM AMOUNT(ng)	%D
Decachlorobiphenyl	9.057	8.955	9.155	51.240	50.000	2.5
Endrin	6.577	6.474	6.674	43.260	50.000	-13.5
gamma-BHC (Lindane)	4.330	4.227	4.427	47.880	50.000	-4.2
Heptachlor	4.917	4.815	5.015	46.560	50.000	-6.9
Heptachlor epoxide	5.685	5.583	5.783	45.530	50.000	-8.9
Methoxychlor	7.501	7.400	7.600	51.890	50.000	3.8
Tetrachloro-m-xylene	3.541	3.438	3.638	50.750	50.000	1.5



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

CALIBRATION VERIFICATION SUMMARY

Contract: PORT06

Lab Code: CHEM Case No.: P4460 SAS No.: P4460 SDG NO.: P4460

GC Column: ZB-MR1 ID: 0.32 (mm) Initi. Calib. Date(s): 10/21/2024 10/21/2024

Client Sample No.: CCAL03 Date Analyzed: 10/25/2024

Lab Sample No.: PSTDCCC050 Data File : PL092639.D Time Analyzed: 15:49

COMPOUND	RT	RT WINDOW FROM TO		CALC AMOUNT(ng)	NOM AMOUNT(ng)	%D
Decachlorobiphenyl	7.918	7.817	8.017	58.290	50.000	16.6
Endrin	5.643	5.541	5.741	53.930	50.000	7.9
gamma-BHC (Lindane)	3.612	3.510	3.710	55.850	50.000	11.7
Heptachlor	3.951	3.849	4.049	54.990	50.000	10.0
Heptachlor epoxide	4.734	4.631	4.831	54.980	50.000	10.0
Methoxychlor	6.617	6.515	6.715	57.220	50.000	14.4
Tetrachloro-m-xylene	2.779	2.677	2.877	56.350	50.000	12.7

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102624\
 Data File : PL092639.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 Oct 2024 15:49
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Manual Integrations
 APPROVED

Reviewed By :Abdul Mirza 10/28/2024
 Supervised By :Ankita Jodhani 10/28/2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 25 22:11:39 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 21 17:09:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.541	2.779	136.7E6	156.5E6	50.749	56.347
28)	SA Decachlor...	9.057	7.918	104.1E6	153.6E6	51.241	58.289
Target Compounds							
2)	A alpha-BHC	3.997	3.282	192.6E6	238.4E6	46.728	55.247
3)	MA gamma-BHC...	4.330	3.612	184.2E6	230.0E6	47.876	55.851
4)	MA Heptachlor	4.917	3.951	165.1E6	220.8E6	46.557m	54.994
5)	MB Aldrin	5.259	4.231	163.8E6	215.7E6	44.538m	54.251
6)	B beta-BHC	4.527	3.912	79973723	94361944	51.519	54.046
7)	B delta-BHC	4.774	4.141	176.0E6	227.5E6	46.779	54.079
8)	B Heptachlo...	5.685	4.734	151.2E6	193.7E6	45.528m	54.977
9)	A Endosulfan I	6.071	5.103	135.6E6	174.0E6	44.899	54.671
10)	B gamma-Chl...	5.942	4.984	146.1E6	193.5E6	44.328	52.600
11)	B alpha-Chl...	6.021	5.047	144.1E6	191.1E6	44.247	53.765
12)	B 4,4'-DDE	6.194	5.236	129.7E6	190.2E6	43.728	54.692 #
13)	MA Dieldrin	6.347	5.368	143.3E6	194.6E6	44.064	53.244
14)	MA Endrin	6.577	5.643	122.1E6	176.6E6	43.256	53.927
15)	B Endosulfa...	6.796	5.937	124.9E6	163.8E6	44.128	52.387m
16)	A 4,4'-DDD	6.712	5.790	108.9E6	147.8E6	45.083	53.200m
17)	MA 4,4'-DDT	7.026	6.042	111.6E6	154.2E6	45.252	52.496
18)	B Endrin al...	6.926	6.118	102.1E6	130.4E6	47.781	53.071
19)	B Endosulfa...	7.161	6.340	116.5E6	153.6E6	46.106	51.965
20)	A Methoxychlor	7.501	6.617	61106211	81136617	51.886m	57.224
21)	B Endrin ke...	7.646	6.844	131.6E6	179.5E6	47.865	55.892m
22)	Mirex	8.119	7.027	103.1E6	145.2E6	49.403	55.541

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102624\
Data File : PL092639.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 25 Oct 2024 15:49
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :

ECD_L

ClientSampleId :

PSTDCCC050

Manual Integrations



APPROVED

Reviewed By :Abdul Mirza 10/28/2024

Supervised By :Ankita Jodhani 10/28/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 25 22:11:39 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 17:09:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm





284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CALIBRATION VERIFICATION SUMMARY

Contract: PORT06

Lab Code: CHEM **Case No.:** P4460 **SAS No.:** P4460 **SDG NO.:** P4460

Continuing Calib Date: 10/25/2024 **Initial Calibration Date(s):** 10/21/2024 10/21/2024

Continuing Calib Time: 19:49 **Initial Calibration Time(s):** 13:00 13:53

GC Column: ZB-MR2 **ID:** 0.32 (mm)

COMPOUND	CCAL RT	AVG RT	RT WINDOW		DIFF RT
			FROM	TO	
Decachlorobiphenyl	9.06	9.06	8.96	9.16	0.00
Tetrachloro-m-xylene	3.54	3.54	3.44	3.64	0.00
gamma-BHC (Lindane)	4.33	4.33	4.23	4.43	0.00
Heptachlor	4.92	4.92	4.82	5.02	0.00
Heptachlor epoxide	5.69	5.68	5.58	5.78	-0.01
Endrin	6.58	6.57	6.47	6.67	-0.01
Methoxychlor	7.50	7.50	7.40	7.60	0.00



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CALIBRATION VERIFICATION SUMMARY

Contract: PORT06

Lab Code: CHEM Case No.: P4460 SAS No.: P4460 SDG NO.: P4460

Continuing Calib Date: 10/25/2024 Initial Calibration Date(s): 10/21/2024 10/21/2024

Continuing Calib Time: 19:49 Initial Calibration Time(s): 13:00 13:53

GC Column: ZB-MR1 ID: 0.32 (mm)

COMPOUND	CCAL RT	AVG RT	RT WINDOW		DIFF RT
			FROM	TO	
Decachlorobiphenyl	7.92	7.92	7.82	8.02	0.00
Tetrachloro-m-xylene	2.78	2.78	2.68	2.88	0.00
gamma-BHC (Lindane)	3.61	3.61	3.51	3.71	0.00
Heptachlor	3.95	3.95	3.85	4.05	0.00
Heptachlor epoxide	4.73	4.73	4.63	4.83	0.00
Endrin	5.64	5.64	5.54	5.74	0.00
Methoxychlor	6.62	6.62	6.52	6.72	0.00



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

CALIBRATION VERIFICATION SUMMARY
Contract: PORT06
Lab Code: CHEM **Case No.:** P4460 **SAS No.:** P4460 **SDG NO.:** P4460
GC Column: ZB-MR2 **ID:** 0.32 (mm) **Initi. Calib. Date(s):** 10/21/2024 10/21/2024
Client Sample No.: CCAL04 **Date Analyzed:** 10/25/2024
Lab Sample No.: PSTDCCC050 **Data File :** PL092650.D **Time Analyzed:** 19:49

COMPOUND	RT	RT WINDOW		CALC AMOUNT(ng)	NOM AMOUNT(ng)	%D
		FROM	TO			
Decachlorobiphenyl	9.058	8.955	9.155	49.750	50.000	-0.5
Endrin	6.577	6.474	6.674	41.530	50.000	-16.9
gamma-BHC (Lindane)	4.330	4.227	4.427	46.750	50.000	-6.5
Heptachlor	4.918	4.815	5.015	45.090	50.000	-9.8
Heptachlor epoxide	5.686	5.583	5.783	43.960	50.000	-12.1
Methoxychlor	7.501	7.400	7.600	49.670	50.000	-0.7
Tetrachloro-m-xylene	3.541	3.438	3.638	49.590	50.000	-0.8



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

CALIBRATION VERIFICATION SUMMARY
Contract: PORT06
Lab Code: CHEM **Case No.:** P4460 **SAS No.:** P4460 **SDG NO.:** P4460
GC Column: ZB-MR1 **ID:** 0.32 (mm) **Initi. Calib. Date(s):** 10/21/2024 10/21/2024
Client Sample No.: CCAL04 **Date Analyzed:** 10/25/2024
Lab Sample No.: PSTDCCC050 **Data File :** PL092650.D **Time Analyzed:** 19:49

COMPOUND	RT	RT WINDOW		CALC AMOUNT(ng)	NOM AMOUNT(ng)	%D
		FROM	TO			
Decachlorobiphenyl	7.918	7.817	8.017	54.870	50.000	9.7
Endrin	5.644	5.541	5.741	51.490	50.000	3.0
gamma-BHC (Lindane)	3.612	3.510	3.710	54.770	50.000	9.5
Heptachlor	3.951	3.849	4.049	53.610	50.000	7.2
Heptachlor epoxide	4.734	4.631	4.831	54.180	50.000	8.4
Methoxychlor	6.617	6.515	6.715	53.570	50.000	7.1
Tetrachloro-m-xylene	2.779	2.677	2.877	55.300	50.000	10.6

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102624\
 Data File : PL092650.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 Oct 2024 19:49
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :

ECD_L

ClientSampleId :

PSTDCCC050

Manual Integrations**APPROVED**

Reviewed By :Abdul Mirza 10/28/2024

Supervised By :Ankita Jodhani 10/28/2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 25 22:15:24 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 21 17:09:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.541	2.779	133.6E6	153.6E6	49.591	55.304
2)	SA Decachlor...	9.058	7.918	101.0E6	144.6E6	49.749	54.871
Target Compounds							
2)	A alpha-BHC	3.997	3.282	188.0E6	232.6E6	45.615	53.908
3)	MA gamma-BHC...	4.330	3.612	179.8E6	225.5E6	46.752	54.766
4)	MA Heptachlor	4.918	3.951	159.9E6	215.3E6	45.094	53.611
5)	MB Aldrin	5.259	4.231	158.4E6	211.9E6	43.065m	53.306
6)	B beta-BHC	4.527	3.912	77928665	92822663	50.201	53.164
7)	B delta-BHC	4.774	4.141	171.7E6	223.5E6	45.628	53.144
8)	B Heptachlo...	5.686	4.734	146.0E6	190.9E6	43.964	54.178
9)	A Endosulfan I	6.072	5.104	129.9E6	170.5E6	43.009	53.581
10)	B gamma-Chl...	5.942	4.984	138.7E6	191.6E6	42.064	52.070
11)	B alpha-Chl...	6.022	5.048	138.0E6	188.1E6	42.364	52.916
12)	B 4,4'-DDE	6.194	5.236	126.5E6	184.1E6	42.642	52.952
13)	MA Dieldrin	6.347	5.368	139.1E6	189.2E6	42.770	51.773
14)	MA Endrin	6.577	5.644	117.3E6	168.6E6	41.531	51.491
15)	B Endosulfa...	6.796	5.937	120.9E6	157.8E6	42.718	50.460m
16)	A 4,4'-DDD	6.712	5.791	106.3E6	144.9E6	44.015	52.158
17)	MA 4,4'-DDT	7.026	6.041	106.5E6	145.3E6	43.182	49.476
18)	B Endrin al...	6.926	6.117	99242144	125.7E6	46.460	51.172
19)	B Endosulfa...	7.160	6.340	112.6E6	147.7E6	44.576	49.975
20)	A Methoxychlor	7.501	6.617	58501599	75962096	49.674	53.575
21)	B Endrin ke...	7.645	6.844	127.8E6	172.8E6	46.458	53.811m
22)	Mirex	8.118	7.026	99554429	140.5E6	47.711	53.763

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102624\
Data File : PL092650.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 25 Oct 2024 19:49
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :

ECD_L

ClientSampleId :

PSTDCCC050

Manual Integrations



APPROVED

Reviewed By :Abdul Mirza 10/28/2024

Supervised By :Ankita Jodhani 10/28/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 25 22:15:24 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 17:09:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm



PESTICIDE CALIBRATION VERIFICATION SUMMARY

Contract: **PORT06**

Lab Code: **CHEM** Case No.: **P4460** SAS No.: **P4460** SDG NO.: **P4460**

GC Column: **ZB-MR2** ID: **0.32** (mm) Initi. Calib. Date(s): **10/21/2024** **10/21/2024**

Client Sample No. (PEM): **PEM - PL092495.D** Date Analyzed: **10/21/2024**

Lab Sample No.(PEM): **PEM** Time Analyzed: **12:33**

PEM COMPOUND	RT	RT WINDOW		CALC	NOM	%D
		FROM	TO	AMOUNT(ng)	AMOUNT(ng)	
Decachlorobiphenyl	9.056	8.960	9.160	19.690	20.000	-1.6
Tetrachloro-m-xylene	3.539	3.490	3.590	19.690	20.000	-1.6
alpha-BHC	3.995	3.940	4.050	10.390	10.000	3.9
beta-BHC	4.525	4.470	4.580	9.750	10.000	-2.5
gamma-BHC (Lindane)	4.327	4.280	4.380	9.890	10.000	-1.1
Endrin	6.575	6.500	6.650	44.220	50.000	-11.6
4,4'-DDT	7.025	6.950	7.100	91.010	100.000	-9.0
Methoxychlor	7.501	7.430	7.570	222.860	250.000	-10.9

GC Column: **ZB-MR1** ID: **0.32** (mm) Initi. Calib. Date(s): **10/21/2024** **10/21/2024**

Client Sample No. (PEM): **PEM - PL092495.D** Date Analyzed: **10/21/2024**

Lab Sample No.(PEM): **PEM** Time Analyzed: **12:33**

PEM COMPOUND	RT	RT WINDOW		CALC	NOM	%D
		FROM	TO	AMOUNT(ng)	AMOUNT(ng)	
Decachlorobiphenyl	7.918	7.820	8.020	19.360	20.000	-3.2
Tetrachloro-m-xylene	2.777	2.730	2.830	19.090	20.000	-4.6
alpha-BHC	3.280	3.230	3.330	9.580	10.000	-4.2
beta-BHC	3.910	3.860	3.960	11.410	10.000	14.1
gamma-BHC (Lindane)	3.610	3.560	3.660	9.570	10.000	-4.3
Endrin	5.642	5.570	5.710	45.220	50.000	-9.6
4,4'-DDT	6.041	5.970	6.110	97.030	100.000	-3.0
Methoxychlor	6.616	6.550	6.690	226.150	250.000	-9.5

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102124\
 Data File : PL092495.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 Oct 2024 12:33
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PEM

Manual Integrations
 APPROVED

Reviewed By : Abdul Mirza 10/22/2024
 Supervised By : Ankita Jodhani 10/22/2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 21 17:13:07 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 21 17:09:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.539	2.777	53047995	53014219	19.692	19.087
28)	SA Decachlor...	9.056	7.918	40001547	51014840	19.694	19.361
Target Compounds							
2)	A alpha-BHC	3.995	3.280	42802855	41326102	10.386	9.577
3)	MA gamma-BHC...	4.327	3.610	38029912	39418198	9.886	9.572
6)	B beta-BHC	4.525	3.910	15139121	19916261	9.753	11.407
14)	MA Endrin	6.575	5.642	124.9E6	148.1E6	44.218	45.223
16)	A 4,4'-DDD	6.711	5.791	1495040	2492414	0.619m	0.897m#
17)	MA 4,4'-DDT	7.025	6.041	224.4E6	285.0E6	91.008	97.029
18)	B Endrin al...	6.922	6.116	2666257	4353504	1.248m	1.772 #
20)	A Methoxychlor	7.501	6.616	262.5E6	320.6E6	222.858	226.145
21)	B Endrin ke...	7.643	6.843	5287820	6438801	1.923	2.005m

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102124\
Data File : PL092495.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 21 Oct 2024 12:33
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampleId :
PEM

Manual Integrations
APPROVED

Reviewed By : Abdul Mirza 10/22/2024
Supervised By : Ankita Jodhani 10/22/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 21 17:13:07 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 17:09:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm



PESTICIDE CALIBRATION VERIFICATION SUMMARY

Contract: **PORT06**

Lab Code: **CHEM** Case No.: **P4460** SAS No.: **P4460** SDG NO.: **P4460**

GC Column: **ZB-MR2** ID: **0.32** (mm) Initi. Calib. Date(s): **10/21/2024** **10/21/2024**

Client Sample No. (PEM): **PEM - PL092590.D** Date Analyzed: **10/24/2024**

Lab Sample No.(PEM): **PEM** Time Analyzed: **10:06**

PEM COMPOUND	RT	RT WINDOW		CALC	NOM	%D
		FROM	TO	AMOUNT(ng)	AMOUNT(ng)	
Decachlorobiphenyl	9.058	8.960	9.160	19.320	20.000	-3.4
Tetrachloro-m-xylene	3.541	3.490	3.590	19.300	20.000	-3.5
alpha-BHC	3.997	3.950	4.050	9.060	10.000	-9.4
beta-BHC	4.527	4.480	4.580	10.490	10.000	4.9
gamma-BHC (Lindane)	4.329	4.280	4.380	9.110	10.000	-8.9
Endrin	6.577	6.510	6.650	36.800	50.000	-26.4
4,4'-DDT	7.026	6.960	7.100	80.280	100.000	-19.7
Methoxychlor	7.503	7.430	7.570	215.310	250.000	-13.9

GC Column: **ZB-MR1** ID: **0.32** (mm) Initi. Calib. Date(s): **10/21/2024** **10/21/2024**

Client Sample No. (PEM): **PEM - PL092590.D** Date Analyzed: **10/24/2024**

Lab Sample No.(PEM): **PEM** Time Analyzed: **10:06**

PEM COMPOUND	RT	RT WINDOW		CALC	NOM	%D
		FROM	TO	AMOUNT(ng)	AMOUNT(ng)	
Decachlorobiphenyl	7.918	7.820	8.020	21.540	20.000	7.7
Tetrachloro-m-xylene	2.779	2.730	2.830	19.600	20.000	-2.0
alpha-BHC	3.282	3.230	3.330	9.140	10.000	-8.6
beta-BHC	3.911	3.860	3.960	10.700	10.000	7.0
gamma-BHC (Lindane)	3.612	3.560	3.660	8.890	10.000	-11.1
Endrin	5.643	5.570	5.710	43.270	50.000	-13.5
4,4'-DDT	6.041	5.970	6.110	98.890	100.000	-1.1
Methoxychlor	6.616	6.550	6.690	247.330	250.000	-1.1

Data File: PEM
 PL092590.D Date Acquired #####
 Operator: AR\AJ

ENDRIN BREAK DOWN

Column #1

Name	RT	Response	Response [E+EA+EK]	Response [EA+EK]	% Break Down
Endrin	6.58	103909892.6	111941801.8	8031909.2	7.18
Endrin aldehyde	6.93	2742208.696			
Endrin ketone	7.65	5289700.505			

Column #2

Name	RT	Response	Response [E+EA+EK]	Response [EA+EK]	% Break Down
Endrin #2	5.64	141712006.9	152950447.7	11238440.8	7.35
Endrin aldehyde #2	6.12	4126903.404			
Endrin ketone #2	6.84	7111537.414			

DDT BREAK DOWN

Column #1

Name	RT	Response	Response [DDT+DDE+DDD]	Response [DDE+DDD]	% Break Down
4,4'-DDT	7.03	197980094	199684821.6	1704727.56	0.85
4,4'-DDE	0.00	0			
4,4'-DDD	6.71	1704727.562			

Column #2

Name	RT	Response	Response [DDT+DDE+DDD]	Response [DDE+DDD]	% Break Down
4,4'-DDT #2	6.04	290426085.4	292095130.2	1669044.82	0.57
4,4'-DDE #2	0.00	0			
4,4'-DDD #2	5.79	1669044.817			

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102424\
 Data File : PL092590.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 24 Oct 2024 10:06
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PEM

Manual Integrations
 APPROVED

Reviewed By :Abdul Mirza 10/25/2024
 Supervised By :Ankita Jodhani 10/28/2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 24 16:05:27 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 21 17:09:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.541	2.779	51988149	54439124	19.299	19.600
2)	SA Decachlor...	9.058	7.918	39233872	56761742	19.316	21.542
Target Compounds							
2)	A alpha-BHC	3.997	3.282	37348555	39427968	9.062	9.137
3)	MA gamma-BHC...	4.329	3.612	35039912	36602081	9.109	8.888
6)	B beta-BHC	4.527	3.911	16290971	18686648	10.495	10.703
14)	MA Endrin	6.577	5.643	103.9E6	141.7E6	36.799	43.272
16)	A 4,4'-DDD	6.714	5.791	1704728	1669045	0.706	0.601m
17)	MA 4,4'-DDT	7.026	6.041	198.0E6	290.4E6	80.282	98.887
18)	B Endrin al...	6.926	6.117	2742209	4126903	1.284	1.680 #
20)	A Methoxychlor	7.503	6.616	253.6E6	350.7E6	215.314	247.329
21)	B Endrin ke...	7.645	6.843	5289701	7111537	1.924	2.214m

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102424\
Data File : PL092590.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Oct 2024 10:06
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampleId :
PEM

Manual Integrations
APPROVED

Reviewed By : Abdul Mirza 10/25/2024
Supervised By : Ankita Jodhani 10/28/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 24 16:05:27 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 17:09:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm



PESTICIDE CALIBRATION VERIFICATION SUMMARY

Contract: **PORT06**

Lab Code: **CHEM** Case No.: **P4460** SAS No.: **P4460** SDG NO.: **P4460**

GC Column: **ZB-MR2** ID: **0.32** (mm) Initi. Calib. Date(s): **10/21/2024** **10/21/2024**

Client Sample No. (PEM): **PEM - PL092638.D** Date Analyzed: **10/25/2024**

Lab Sample No.(PEM): **PEM** Time Analyzed: **15:22**

PEM COMPOUND	RT	RT WINDOW		CALC	NOM	%D
		FROM	TO	AMOUNT(ng)	AMOUNT(ng)	
Decachlorobiphenyl	9.059	8.960	9.160	19.520	20.000	-2.4
Tetrachloro-m-xylene	3.542	3.490	3.590	18.900	20.000	-5.5
alpha-BHC	3.998	3.950	4.050	8.890	10.000	-11.1
beta-BHC	4.528	4.480	4.580	10.650	10.000	6.5
gamma-BHC (Lindane)	4.330	4.280	4.380	8.960	10.000	-10.4
Endrin	6.576	6.510	6.650	36.770	50.000	-26.5
4,4'-DDT	7.027	6.960	7.100	77.380	100.000	-22.6
Methoxychlor	7.503	7.430	7.570	208.950	250.000	-16.4

GC Column: **ZB-MR1** ID: **0.32** (mm) Initi. Calib. Date(s): **10/21/2024** **10/21/2024**

Client Sample No. (PEM): **PEM - PL092638.D** Date Analyzed: **10/25/2024**

Lab Sample No.(PEM): **PEM** Time Analyzed: **15:22**

PEM COMPOUND	RT	RT WINDOW		CALC	NOM	%D
		FROM	TO	AMOUNT(ng)	AMOUNT(ng)	
Decachlorobiphenyl	7.919	7.820	8.020	21.610	20.000	8.1
Tetrachloro-m-xylene	2.781	2.730	2.830	19.830	20.000	-0.9
alpha-BHC	3.283	3.230	3.330	9.010	10.000	-9.9
beta-BHC	3.913	3.860	3.960	10.290	10.000	2.9
gamma-BHC (Lindane)	3.613	3.560	3.660	8.840	10.000	-11.6
Endrin	5.644	5.570	5.710	44.220	50.000	-11.6
4,4'-DDT	6.042	5.970	6.110	99.500	100.000	-0.5
Methoxychlor	6.617	6.550	6.690	246.500	250.000	-1.4

Data File: PEM
 PL092638.D Date Acquired #####
 Operator: AR\AJ

ENDRIN BREAK DOWN

Column #1

Name	RT	Response	Response [E+EA+EK]	Response [EA+EK]	% Break Down
Endrin	6.58	103818974.8	112369899.3	8550924.46	7.61
Endrin aldehyde	6.93	2600993.867			
Endrin ketone	7.65	5949930.588			

Column #2

Name	RT	Response	Response [E+EA+EK]	Response [EA+EK]	% Break Down
Endrin #2	5.64	144825767.4	155876434.3	11050666.9	7.09
Endrin aldehyde #2	6.12	3973831.721			
Endrin ketone #2	6.85	7076835.211			

DDT BREAK DOWN

Column #1

Name	RT	Response	Response [DDT+DDE+DDD]	Response [DDE+DDD]	% Break Down
4,4'-DDT	7.03	190818804.2	194357200.2	3538395.97	1.82
4,4'-DDE	6.20	324189.56			
4,4'-DDD	6.71	3214206.415			

Column #2

Name	RT	Response	Response [DDT+DDE+DDD]	Response [DDE+DDD]	% Break Down
4,4'-DDT #2	6.04	292230706.4	296215798	3985091.52	1.35
4,4'-DDE #2	5.23	696867.09			
4,4'-DDD #2	5.79	3288224.431			

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102624\
 Data File : PL092638.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 Oct 2024 15:22
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PEM

Manual Integrations
 APPROVED

Reviewed By :Abdul Mirza 10/28/2024
 Supervised By :Ankita Jodhani 10/28/2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 25 22:10:45 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 21 17:09:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.542	2.781	50919144	55085841	18.902	19.833
28)	SA Decachlor...	9.059	7.919	39641871	56942606	19.517	21.610
Target Compounds							
2)	A alpha-BHC	3.998	3.283	36628371	38859323	8.888	9.005
3)	MA gamma-BHC...	4.330	3.613	34453173	36398658	8.956	8.839
6)	B beta-BHC	4.528	3.913	16533294	17970903	10.651	10.293
12)	B 4,4'-DDE	6.197	5.230	324190	696867	0.109m	0.200m#
14)	MA Endrin	6.576	5.644	103.8E6	144.8E6	36.766m	44.223
16)	A 4,4'-DDD	6.713	5.792	3214206	3288224	1.330	1.184
17)	MA 4,4'-DDT	7.027	6.042	190.8E6	292.2E6	77.378	99.501 #
18)	B Endrin al...	6.928	6.117	2600994	3973832	1.218	1.618 #
20)	A Methoxychlor	7.503	6.617	246.1E6	349.5E6	208.952	246.503
21)	B Endrin ke...	7.646	6.846	5949931	7076835	2.164	2.203

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102624\
Data File : PL092638.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 25 Oct 2024 15:22
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampleId :
PEM

Manual Integrations
APPROVED

Reviewed By : Abdul Mirza 10/28/2024
Supervised By : Ankita Jodhani 10/28/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 25 22:10:45 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 17:09:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm



Analytical Sequence

Client: Portal Partners Tri-Venture	SDG No.: P4460
Project: Amtrak Sawtooth Bridges 2024	Instrument ID: ECD_L
GC Column: ZB-MR2	ID: 0.32 (mm) Inst. Calib. Date(s): 10/21/2024 10/21/2024

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	10/21/2024	12:19	PL092494.D	9.06	3.54
PEM	PEM	10/21/2024	12:33	PL092495.D	9.06	3.54
RESCHK	RESCHK	10/21/2024	12:46	PL092496.D	9.06	3.54
PSTDICCC100	PSTDICCC100	10/21/2024	13:00	PL092497.D	9.06	3.54
PSTDICCC075	PSTDICCC075	10/21/2024	13:13	PL092498.D	9.06	3.54
PSTDICCC050	PSTDICCC050	10/21/2024	13:26	PL092499.D	9.06	3.54
PSTDICCC025	PSTDICCC025	10/21/2024	13:40	PL092500.D	9.05	3.54
PSTDICCC005	PSTDICCC005	10/21/2024	13:53	PL092501.D	9.06	3.54
PCHLORICC500	PCHLORICC500	10/21/2024	14:33	PL092504.D	9.06	3.54
PTOXICC500	PTOXICC500	10/21/2024	15:40	PL092509.D	9.06	3.54
IBLK	IBLK	10/24/2024	09:53	PL092589.D	9.06	3.54
PEM	PEM	10/24/2024	10:06	PL092590.D	9.06	3.54
PSTDCCC050	PSTDCCC050	10/24/2024	10:19	PL092591.D	9.06	3.54
PB164360BL	PB164360BL	10/24/2024	13:09	PL092602.D	9.06	3.54
PB164261TB	PB164261TB	10/24/2024	13:36	PL092604.D	9.06	3.54
WB-301-BOTMS	P4397-06MS	10/24/2024	14:03	PL092606.D	9.06	3.54
WB-301-BOTMSD	P4397-06MSD	10/24/2024	14:16	PL092607.D	9.06	3.54
WB-303-BOT	P4460-04	10/24/2024	14:30	PL092608.D	9.06	3.54
IBLK	IBLK	10/24/2024	16:48	PL092612.D	9.06	3.54
PSTDCCC050	PSTDCCC050	10/24/2024	17:20	PL092613.D	9.06	3.55
IBLK	IBLK	10/25/2024	15:08	PL092637.D	9.06	3.54
PEM	PEM	10/25/2024	15:22	PL092638.D	9.06	3.54
PSTDCCC050	PSTDCCC050	10/25/2024	15:49	PL092639.D	9.06	3.54
PB164360BS	PB164360BS	10/25/2024	17:35	PL092642.D	9.06	3.55
IBLK	IBLK	10/25/2024	19:09	PL092649.D	9.06	3.54
PSTDCCC050	PSTDCCC050	10/25/2024	19:49	PL092650.D	9.06	3.54

Analytical Sequence

Client: Portal Partners Tri-Venture	SDG No.: P4460
Project: Amtrak Sawtooth Bridges 2024	Instrument ID: ECD_L
GC Column: ZB-MR1	ID: 0.32 (mm) Inst. Calib. Date(s): 10/21/2024 10/21/2024

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	10/21/2024	12:19	PL092494.D	7.92	2.78
PEM	PEM	10/21/2024	12:33	PL092495.D	7.92	2.78
RESCHK	RESCHK	10/21/2024	12:46	PL092496.D	7.92	2.78
PSTDICC100	PSTDICC100	10/21/2024	13:00	PL092497.D	7.92	2.78
PSTDICC075	PSTDICC075	10/21/2024	13:13	PL092498.D	7.92	2.78
PSTDICC050	PSTDICC050	10/21/2024	13:26	PL092499.D	7.92	2.78
PSTDICC025	PSTDICC025	10/21/2024	13:40	PL092500.D	7.92	2.78
PSTDICC005	PSTDICC005	10/21/2024	13:53	PL092501.D	7.92	2.78
PCHLORICC500	PCHLORICC500	10/21/2024	14:33	PL092504.D	7.92	2.78
PTOXICC500	PTOXICC500	10/21/2024	15:40	PL092509.D	7.92	2.78
IBLK	IBLK	10/24/2024	09:53	PL092589.D	7.92	2.78
PEM	PEM	10/24/2024	10:06	PL092590.D	7.92	2.78
PSTDCCC050	PSTDCCC050	10/24/2024	10:19	PL092591.D	7.92	2.78
PB164360BL	PB164360BL	10/24/2024	13:09	PL092602.D	7.92	2.78
PB164261TB	PB164261TB	10/24/2024	13:36	PL092604.D	7.92	2.78
WB-301-BOTMS	P4397-06MS	10/24/2024	14:03	PL092606.D	7.92	2.78
WB-301-BOTMSD	P4397-06MSD	10/24/2024	14:16	PL092607.D	7.92	2.78
WB-303-BOT	P4460-04	10/24/2024	14:30	PL092608.D	7.92	2.78
IBLK	IBLK	10/24/2024	16:48	PL092612.D	7.92	2.78
PSTDCCC050	PSTDCCC050	10/24/2024	17:20	PL092613.D	7.92	2.78
IBLK	IBLK	10/25/2024	15:08	PL092637.D	7.92	2.78
PEM	PEM	10/25/2024	15:22	PL092638.D	7.92	2.78
PSTDCCC050	PSTDCCC050	10/25/2024	15:49	PL092639.D	7.92	2.78
PB164360BS	PB164360BS	10/25/2024	17:35	PL092642.D	7.92	2.78
IBLK	IBLK	10/25/2024	19:09	PL092649.D	7.92	2.78
PSTDCCC050	PSTDCCC050	10/25/2024	19:49	PL092650.D	7.92	2.78

COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

PB164360BS

Contract: PORT06

Lab Code: CHEM

Case No.: P4460

SAS No.: P4460

SDG NO.: P4460

Lab Sample ID: PB164360BS

Date(s) Analyzed: 10/25/2024

10/25/2024

Instrument ID (1): ECD_L

Instrument ID (2): ECD_L

GC Column: (1): ZB-MR2

ID: 0.32 (mm)

GC Column: (2): ZB-MR1

ID: 0.32 (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%RPD
			FROM	TO		
Methoxychlor	1	7.51	7.46	7.56	0.47	8.6
	2	6.62	6.57	6.67	0.52	
gamma-BHC (Lindane)	1	4.33	4.28	4.38	0.41	13.1
	2	3.61	3.56	3.66	0.47	
Heptachlor	1	4.92	4.87	4.97	0.41	14.9
	2	3.95	3.90	4.00	0.48	
Heptachlor epoxide	1	5.69	5.64	5.74	0.41	18.3
	2	4.74	4.69	4.79	0.49	
Endrin	1	6.58	6.53	6.63	0.39	18.3
	2	5.65	5.60	5.70	0.46	

COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

WB-301-BOTMS

Contract: PORT06

Lab Code: CHEM

Case No.: P4460

SAS No.: P4460

SDG NO.: P4460

Lab Sample ID: P4397-06MS

Date(s) Analyzed: 10/24/2024

10/24/2024

Instrument ID (1): ECD_L

Instrument ID (2): ECD_L

GC Column: (1): ZB-MR2

ID: 0.32 (mm)

GC Column: (2): ZB-MR1

ID: 0.32 (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%RPD
			FROM	TO		
Methoxychlor	1	7.50	7.45	7.55	4.90	5.9
	2	6.62	6.57	6.67	5.20	
gamma-BHC (Lindane)	1	4.33	4.28	4.38	4.10	15.7
	2	3.61	3.56	3.66	4.80	
Heptachlor	1	4.92	4.87	4.97	4.30	18.9
	2	3.95	3.90	4.00	5.20	
Heptachlor epoxide	1	5.69	5.64	5.74	4.10	19.8
	2	4.73	4.68	4.78	5.00	
Endrin	1	6.58	6.53	6.63	4.00	18.2
	2	5.64	5.59	5.69	4.80	

COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

WB-301-BOTMSD

Contract: PORT06

Lab Code: CHEM

Case No.: P4460

SAS No.: P4460

SDG NO.: P4460

Lab Sample ID: P4397-06MSD

Date(s) Analyzed: 10/24/2024

10/24/2024

Instrument ID (1): ECD_L

Instrument ID (2): ECD_L

GC Column: (1): ZB-MR2

ID: 0.32 (mm)

GC Column:(2): ZB-MR1

ID: 0.32 (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%RPD
			FROM	TO		
Methoxychlor	1	7.50	7.45	7.55	5.00	5.8
	2	6.62	6.57	6.67	5.30	
gamma-BHC (Lindane)	1	4.33	4.28	4.38	4.20	15.4
	2	3.61	3.56	3.66	4.90	
Heptachlor	1	4.92	4.87	4.97	4.40	18.6
	2	3.95	3.90	4.00	5.30	
Heptachlor epoxide	1	5.69	5.64	5.74	4.10	21.7
	2	4.73	4.68	4.78	5.10	
Endrin	1	6.58	6.53	6.63	4.10	19.8
	2	5.64	5.59	5.69	5.00	



QC SAMPLE DATA

Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	
Project:	Amtrak Sawtooth Bridges 2024	Date Received:	
Client Sample ID:	PB164360BL	SDG No.:	P4460
Lab Sample ID:	PB164360BL	Matrix:	TCLP
Analytical Method:	SW8081	% Solid:	0 Decanted:
Sample Wt/Vol:	1000 Units: mL	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	TCLP Pesticide
Extraction Type:		Injection Volume :	
GPC Factor :	1.0 PH :		
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL092602.D	1	10/22/24 10:10	10/24/24 13:09	PB164360

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
58-89-9	gamma-BHC (Lindane)	0.0049	U	0.0049	0.050	ug/L
76-44-8	Heptachlor	0.0054	U	0.0054	0.050	ug/L
1024-57-3	Heptachlor epoxide	0.0090	U	0.0090	0.050	ug/L
72-20-8	Endrin	0.0043	U	0.0043	0.050	ug/L
72-43-5	Methoxychlor	0.011	U	0.011	0.050	ug/L
8001-35-2	Toxaphene	0.15	U	0.15	1.00	ug/L
57-74-9	Chlordane	0.082	U	0.082	0.50	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	21.0		30 (43) - 150 (140)	105%	SPK: 20
877-09-8	Tetrachloro-m-xylene	19.5		30 (77) - 150 (126)	98%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102424\
Data File : PL092602.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Oct 2024 13:09
Operator : AR\AJ
Sample : PB164360BL
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PB164360BL

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 25 02:13:47 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 17:09:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.541	2.778	50081230	54157855	18.591	19.499
28) SA Decachlor...	9.057	7.918	40145227	55397651	19.765	21.024

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102424\
Data File : PL092602.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Oct 2024 13:09
Operator : AR\AJ
Sample : PB164360BL
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PB164360BL

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 25 02:13:47 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 17:09:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.541 min
Delta R.T.: 0.003 min
Response: 50081230
Conc: 18.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB164360BL




#1 Tetrachloro-m-xylene

R.T.: 2.778 min
Delta R.T.: 0.002 min
Response: 54157855
Conc: 19.50 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.057 min
Delta R.T.: 0.002 min
Response: 40145227
Conc: 19.76 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.918 min
Delta R.T.: 0.000 min
Response: 55397651
Conc: 21.02 ng/ml

Report of Analysis

Client:	Portal Partners Tri-Venture		Date Collected:	10/21/24	
Project:	Amtrak Sawtooth Bridges 2024		Date Received:	10/21/24	
Client Sample ID:	PIBLK-PL092494.D		SDG No.:	P4460	
Lab Sample ID:	I.BLK-PL092494.D		Matrix:	TCLP	
Analytical Method:	SW8081		% Solid:	0	Decanted:
Sample Wt/Vol:	1000	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	TCLP Pesticide	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL092494.D	1		10/21/24	PL102124

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
58-89-9	gamma-BHC (Lindane)	0.0049	U	0.0049	0.050	ug/L
76-44-8	Heptachlor	0.0054	U	0.0054	0.050	ug/L
1024-57-3	Heptachlor epoxide	0.0090	U	0.0090	0.050	ug/L
72-20-8	Endrin	0.0043	U	0.0043	0.050	ug/L
72-43-5	Methoxychlor	0.011	U	0.011	0.050	ug/L
8001-35-2	Toxaphene	0.15	U	0.15	1.00	ug/L
57-74-9	Chlordane	0.082	U	0.082	0.50	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	21.5		30 (43) - 150 (140)	107%	SPK: 20
877-09-8	Tetrachloro-m-xylene	22.0		30 (77) - 150 (126)	110%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102124\
Data File : PL092494.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 21 Oct 2024 12:19
Operator : AR\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
I.BLK

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 21 17:12:45 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 17:09:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.539	2.778	59290258	55566607	22.010	20.006
28) SA Decachlor...	9.056	7.918	43580531	56502000	21.456	21.443

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102124\
Data File : PL092494.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 21 Oct 2024 12:19
Operator : AR\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
I.BLK

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 21 17:12:45 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 17:09:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.539 min
Delta R.T.: 0.001 min
Response: 59290258
Conc: 22.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
I.BLK




#1 Tetrachloro-m-xylene

R.T.: 2.778 min
Delta R.T.: 0.000 min
Response: 55566607
Conc: 20.01 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.056 min
Delta R.T.: 0.000 min
Response: 43580531
Conc: 21.46 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.918 min
Delta R.T.: 0.000 min
Response: 56502000
Conc: 21.44 ng/ml

Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	10/24/24
Project:	Amtrak Sawtooth Bridges 2024	Date Received:	10/24/24
Client Sample ID:	PIBLK-PL092589.D	SDG No.:	P4460
Lab Sample ID:	I.BLK-PL092589.D	Matrix:	TCLP
Analytical Method:	SW8081	% Solid:	0 Decanted:
Sample Wt/Vol:	1000 Units: mL	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	TCLP Pesticide
Extraction Type:		Injection Volume :	
GPC Factor :	1.0 PH :		
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL092589.D	1		10/24/24	PL102424

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
58-89-9	gamma-BHC (Lindane)	0.0049	U	0.0049	0.050	ug/L
76-44-8	Heptachlor	0.0054	U	0.0054	0.050	ug/L
1024-57-3	Heptachlor epoxide	0.0090	U	0.0090	0.050	ug/L
72-20-8	Endrin	0.0043	U	0.0043	0.050	ug/L
72-43-5	Methoxychlor	0.011	U	0.011	0.050	ug/L
8001-35-2	Toxaphene	0.15	U	0.15	1.00	ug/L
57-74-9	Chlordane	0.082	U	0.082	0.50	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	23.3		30 (43) - 150 (140)	116%	SPK: 20
877-09-8	Tetrachloro-m-xylene	21.0		30 (77) - 150 (126)	105%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102424\
 Data File : PL092589.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 24 Oct 2024 09:53
 Operator : AR\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 I.BLK

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 24 16:05:04 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 21 17:09:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.541	2.779	53921811	58367266	20.017	21.015
28) SA Decachlor...	9.057	7.918	42677790	61295811	21.012	23.262

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102424\
Data File : PL092589.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Oct 2024 09:53
Operator : AR\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
I.BLK

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 24 16:05:04 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 17:09:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.541 min
Delta R.T.: 0.003 min
Response: 53921811
Conc: 20.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
I.BLK




#1 Tetrachloro-m-xylene

R.T.: 2.779 min
Delta R.T.: 0.002 min
Response: 58367266
Conc: 21.01 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.057 min
Delta R.T.: 0.002 min
Response: 42677790
Conc: 21.01 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.918 min
Delta R.T.: 0.000 min
Response: 61295811
Conc: 23.26 ng/ml

Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	10/24/24
Project:	Amtrak Sawtooth Bridges 2024	Date Received:	10/24/24
Client Sample ID:	PIBLK-PL092612.D	SDG No.:	P4460
Lab Sample ID:	I.BLK-PL092612.D	Matrix:	TCLP
Analytical Method:	SW8081	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type:		Test:	TCLP Pesticide
GPC Factor :	1.0	PH :	
Prep Method :	3510C	Decanted:	
		Final Vol:	10000
		Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL092612.D	1		10/24/24	PL102424

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
58-89-9	gamma-BHC (Lindane)	0.0049	U	0.0049	0.050	ug/L
76-44-8	Heptachlor	0.0054	U	0.0054	0.050	ug/L
1024-57-3	Heptachlor epoxide	0.0090	U	0.0090	0.050	ug/L
72-20-8	Endrin	0.0043	U	0.0043	0.050	ug/L
72-43-5	Methoxychlor	0.011	U	0.011	0.050	ug/L
8001-35-2	Toxaphene	0.15	U	0.15	1.00	ug/L
57-74-9	Chlordane	0.082	U	0.082	0.50	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	23.4		30 (43) - 150 (140)	117%	SPK: 20
877-09-8	Tetrachloro-m-xylene	22.1		30 (77) - 150 (126)	111%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102424\
 Data File : PL092612.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 24 Oct 2024 16:48
 Operator : AR\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 I.BLK

Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 10/28/2024
 Supervised By :Ankita Jodhani 10/28/2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 25 02:21:24 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 21 17:09:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.542	2.777	57662383	61382702	21.405	22.100m
2)	SA Decachlor...	9.056	7.919	45280157	61749045	22.293m	23.434

Target Compounds

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102424\
Data File : PL092612.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Oct 2024 16:48
Operator : AR\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1


Instrument :
ECD_L
ClientSampleId :
I.BLK


Manual Integrations
APPROVED

Reviewed By : Abdul Mirza 10/28/2024
Supervised By : Ankita Jodhani 10/28/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 25 02:21:24 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 17:09:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene

R.T.: 3.542 min
Delta R.T.: 0.004 min
Response: 57662383
Conc: 21.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
I.BLK


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 10/28/2024
Supervised By :Ankita Jodhani 10/28/2024




#1 Tetrachloro-m-xylene

R.T.: 2.777 min
Delta R.T.: 0.000 min
Response: 61382702
Conc: 22.10 ng/ml m



#28 Decachlorobiphenyl

R.T.: 9.056 min
Delta R.T.: 0.001 min
Response: 45280157
Conc: 22.29 ng/ml m



#28 Decachlorobiphenyl

R.T.: 7.919 min
Delta R.T.: 0.001 min
Response: 61749045
Conc: 23.43 ng/ml

Report of Analysis

Client:	Portal Partners Tri-Venture			Date Collected:	10/25/24		
Project:	Amtrak Sawtooth Bridges 2024			Date Received:	10/25/24		
Client Sample ID:	PIBLK-PL092637.D			SDG No.:	P4460		
Lab Sample ID:	I.BLK-PL092637.D			Matrix:	TCLP		
Analytical Method:	SW8081			% Solid:	0		Decanted:
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	10000		uL
Soil Aliquot Vol:	uL			Test:	TCLP Pesticide		
Extraction Type:				Injection Volume :			
GPC Factor :	1.0	PH :					
Prep Method :	3510C						

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL092637.D	1		10/25/24	PL102624

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
58-89-9	gamma-BHC (Lindane)	0.0049	U	0.0049	0.050	ug/L
76-44-8	Heptachlor	0.0054	U	0.0054	0.050	ug/L
1024-57-3	Heptachlor epoxide	0.0090	U	0.0090	0.050	ug/L
72-20-8	Endrin	0.0043	U	0.0043	0.050	ug/L
72-43-5	Methoxychlor	0.011	U	0.011	0.050	ug/L
8001-35-2	Toxaphene	0.15	U	0.15	1.00	ug/L
57-74-9	Chlordane	0.082	U	0.082	0.50	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	24.4		30 (43) - 150 (140)	122%	SPK: 20
877-09-8	Tetrachloro-m-xylene	21.6		30 (77) - 150 (126)	108%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of OC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102624\
Data File : PL092637.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 25 Oct 2024 15:08
Operator : AR\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
I.BLK

Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 10/28/2024
Supervised By :Ankita Jodhani 10/28/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 25 22:37:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 17:09:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.541	2.779	53746660	59899848	19.952m	21.567m
28)	SA Decachlor...	9.061	7.919	44803860	64265381	22.058	24.389

Target Compounds

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102624\
Data File : PL092637.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 25 Oct 2024 15:08
Operator : AR\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampleId :
I.BLK

Manual Integrations
APPROVED


Reviewed By : Abdul Mirza 10/28/2024
Supervised By : Ankita Jodhani 10/28/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 25 22:37:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 17:09:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm



Response_ Signal: PL092637.D\ECD1A.ch



#1 Tetrachloro-m-xylene


R.T.: 3.541 min
Delta R.T.: 0.003 min
Response: 53746660
Conc: 19.95 ng/ml

Instrument :
ECD_L
ClientSampleId :
I.BLK

Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 10/28/2024
Supervised By :Ankita Jodhani 10/28/2024


Response_ Signal: PL092637.D\ECD2B.ch



#1 Tetrachloro-m-xylene

R.T.: 2.779 min
Delta R.T.: 0.002 min
Response: 59899848
Conc: 21.57 ng/ml m


Response_ Signal: PL092637.D\ECD1A.ch



#28 Decachlorobiphenyl

R.T.: 9.061 min
Delta R.T.: 0.006 min
Response: 44803860
Conc: 22.06 ng/ml

Response_ Signal: PL092637.D\ECD2B.ch



#28 Decachlorobiphenyl

R.T.: 7.919 min
Delta R.T.: 0.002 min
Response: 64265381
Conc: 24.39 ng/ml

Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	10/25/24
Project:	Amtrak Sawtooth Bridges 2024	Date Received:	10/25/24
Client Sample ID:	PIBLK-PL092649.D	SDG No.:	P4460
Lab Sample ID:	I.BLK-PL092649.D	Matrix:	TCLP
Analytical Method:	SW8081	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type:		Test:	TCLP Pesticide
GPC Factor :	1.0	PH :	
Prep Method :	3510C	Decanted:	
		Final Vol:	10000
		Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL092649.D	1		10/25/24	PL102624

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
58-89-9	gamma-BHC (Lindane)	0.0049	U	0.0049	0.050	ug/L
76-44-8	Heptachlor	0.0054	U	0.0054	0.050	ug/L
1024-57-3	Heptachlor epoxide	0.0090	U	0.0090	0.050	ug/L
72-20-8	Endrin	0.0043	U	0.0043	0.050	ug/L
72-43-5	Methoxychlor	0.011	U	0.011	0.050	ug/L
8001-35-2	Toxaphene	0.15	U	0.15	1.00	ug/L
57-74-9	Chlordane	0.082	U	0.082	0.50	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	22.2		30 (43) - 150 (140)	111%	SPK: 20
877-09-8	Tetrachloro-m-xylene	21.4		30 (77) - 150 (126)	107%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102624\
 Data File : PL092649.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 Oct 2024 19:09
 Operator : AR\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 I.BLK

Manual Integrations
APPROVED

Reviewed By : Abdul Mirza 10/28/2024
 Supervised By : Ankita Jodhani 10/28/2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 25 22:47:45 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 21 17:09:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.540	2.778	53763278	59360422	19.958m	21.372m
28) SA Decachlor...	9.056	7.918	43149729	58380725	21.244	22.156

Target Compounds

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102624\
Data File : PL092649.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 25 Oct 2024 19:09
Operator : AR\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampleId :
I.BLK


Manual Integrations
APPROVED

Reviewed By : Abdul Mirza 10/28/2024
Supervised By : Ankita Jodhani 10/28/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 25 22:47:45 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 17:09:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene

R.T.: 3.540 min
Delta R.T.: 0.002 min
Response: 53763278
Conc: 19.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
I.BLK


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 10/28/2024
Supervised By :Ankita Jodhani 10/28/2024




#1 Tetrachloro-m-xylene

R.T.: 2.778 min
Delta R.T.: 0.001 min
Response: 59360422
Conc: 21.37 ng/ml m



#28 Decachlorobiphenyl

R.T.: 9.056 min
Delta R.T.: 0.000 min
Response: 43149729
Conc: 21.24 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.918 min
Delta R.T.: 0.000 min
Response: 58380725
Conc: 22.16 ng/ml

Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	
Project:	Amtrak Sawtooth Bridges 2024	Date Received:	
Client Sample ID:	PB164360BS	SDG No.:	P4460
Lab Sample ID:	PB164360BS	Matrix:	TCLP
Analytical Method:	SW8081	% Solid:	0 Decanted:
Sample Wt/Vol:	1000 Units: mL	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	TCLP Pesticide
Extraction Type:		Injection Volume :	
GPC Factor :	1.0 PH :		
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL092642.D	1	10/22/24 10:10	10/25/24 17:35	PB164360

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
58-89-9	gamma-BHC (Lindane)	0.47		0.0049	0.050	ug/L
76-44-8	Heptachlor	0.48		0.0054	0.050	ug/L
1024-57-3	Heptachlor epoxide	0.49		0.0090	0.050	ug/L
72-20-8	Endrin	0.46		0.0043	0.050	ug/L
72-43-5	Methoxychlor	0.52		0.011	0.050	ug/L
8001-35-2	Toxaphene	0.15	U	0.15	1.00	ug/L
57-74-9	Chlordane	0.082	U	0.082	0.50	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	19.5		30 (43) - 150 (140)	97%	SPK: 20
877-09-8	Tetrachloro-m-xylene	16.3		30 (77) - 150 (126)	81%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102624\
 Data File : PL092642.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 Oct 2024 17:35
 Operator : AR\AJ
 Sample : PB164360BS
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB164360BS

Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 10/28/2024
 Supervised By :Ankita Jodhani 10/28/2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 25 22:41:24 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 21 17:09:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.546	2.778	42313207	45159243	15.707	16.259m
28)	SA Decachlor...	9.064	7.921	35901416	51282928	17.675	19.462
Target Compounds							
2)	A alpha-BHC	4.003	3.283	163.4E6	197.6E6	39.640	45.802
3)	MA gamma-BHC...	4.334	3.613	157.0E6	191.7E6	40.806m	46.542
4)	MA Heptachlor	4.923	3.952	145.6E6	191.5E6	41.058m	47.677
5)	MB Aldrin	5.264	4.232	143.4E6	184.9E6	38.975m	46.510
6)	B beta-BHC	4.533	3.913	69532257	83079755	44.792	47.584
7)	B delta-BHC	4.778	4.142	155.5E6	194.5E6	41.341m	46.230
8)	B Heptachlo...	5.692	4.735	135.2E6	172.3E6	40.702	48.894
9)	A Endosulfan I	6.078	5.105	122.6E6	157.1E6	40.594	49.370
10)	B gamma-Chl...	5.948	4.984	132.1E6	172.3E6	40.075	46.844
11)	B alpha-Chl...	6.027	5.049	130.4E6	170.1E6	40.035	47.855
12)	B 4,4'-DDE	6.200	5.238	117.7E6	166.7E6	39.697	47.942
13)	MA Dieldrin	6.352	5.369	129.8E6	173.0E6	39.918	47.327
14)	MA Endrin	6.582	5.645	109.0E6	151.8E6	38.589	46.361
15)	B Endosulfa...	6.801	5.940	115.7E6	147.4E6	40.874	47.142
16)	A 4,4'-DDD	6.717	5.793	99520319	133.1E6	41.193	47.919
17)	MA 4,4'-DDT	7.031	6.043	101.5E6	136.4E6	41.171	46.454
18)	B Endrin al...	6.931	6.119	92358191	117.8E6	43.237	47.941
19)	B Endosulfa...	7.166	6.341	107.0E6	140.0E6	42.336	47.372
20)	A Methoxychlor	7.505	6.618	55812964	73254812	47.391m	51.665
21)	B Endrin ke...	7.651	6.847	120.3E6	159.8E6	43.739	49.744
22)	Mirex	8.124	7.026	94719587	131.2E6	45.394	50.195m

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102624\
Data File : PL092642.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 25 Oct 2024 17:35
Operator : AR\AJ
Sample : PB164360BS
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :

ECD_L

ClientSampleId :

PB164360BS

Manual Integrations



APPROVED

Reviewed By :Abdul Mirza 10/28/2024

Supervised By :Ankita Jodhani 10/28/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 25 22:41:24 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 17:09:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm



Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	10/10/24
Project:	Amtrak Sawtooth Bridges 2024	Date Received:	10/11/24
Client Sample ID:	WB-301-BOTMS	SDG No.:	P4460
Lab Sample ID:	P4397-06MS	Matrix:	TCLP
Analytical Method:	SW8081	% Solid:	0
Sample Wt/Vol:	100	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type:		Test:	TCLP Pesticide
GPC Factor :	1.0	PH :	
Prep Method :	3510C	Decanted:	
		Final Vol:	10000
		Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL092606.D	1	10/22/24 10:10	10/24/24 14:03	PB164360

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
58-89-9	gamma-BHC (Lindane)	4.80		0.049	0.50	ug/L
76-44-8	Heptachlor	5.20		0.054	0.50	ug/L
1024-57-3	Heptachlor epoxide	5.00		0.090	0.50	ug/L
72-20-8	Endrin	4.80		0.043	0.50	ug/L
72-43-5	Methoxychlor	5.20		0.11	0.50	ug/L
8001-35-2	Toxaphene	1.50	U	1.50	10.0	ug/L
57-74-9	Chlordane	0.82	U	0.82	5.00	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	20.9		30 (43) - 150 (140)	105%	SPK: 20
877-09-8	Tetrachloro-m-xylene	16.3		30 (77) - 150 (126)	82%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102424\
 Data File : PL092606.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 24 Oct 2024 14:03
 Operator : AR\AJ
 Sample : P4397-06MS
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 WB-301-BOTMS

Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 10/25/2024
 Supervised By :Ankita Jodhani 10/28/2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 25 02:17:00 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 21 17:09:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.539	2.780	42896519	45349975	15.924m	16.328
28) SA Decachlor...	9.057	7.919	39343276	55163440	19.370	20.935
Target Compounds						
2) A alpha-BHC	3.997	3.282	172.7E6	208.5E6	41.907	48.311
3) MA gamma-BHC...	4.328	3.612	159.0E6	197.1E6	41.326m	47.856
4) MA Heptachlor	4.918	3.951	152.2E6	206.9E6	42.924	51.527
5) MB Aldrin	5.260	4.231	146.6E6	186.8E6	39.838	46.987
6) B beta-BHC	4.526	3.912	68938446	90653973	44.410m	51.922
7) B delta-BHC	4.774	4.141	155.5E6	191.6E6	41.346	45.562
8) B Heptachlo...	5.686	4.734	135.0E6	174.5E6	40.658	49.531
9) A Endosulfan I	6.071	5.104	124.9E6	158.4E6	41.350	49.772
10) B gamma-Chl...	5.940	4.984	138.2E6	180.6E6	41.930m	49.074
11) B alpha-Chl...	6.021	5.047	133.0E6	175.3E6	40.834	49.315
12) B 4,4'-DDE	6.194	5.237	118.1E6	170.2E6	39.825	48.943
13) MA Dieldrin	6.347	5.368	131.1E6	180.9E6	40.309	49.495
14) MA Endrin	6.576	5.643	112.4E6	156.9E6	39.792	47.918
15) B Endosulfa...	6.796	5.938	118.7E6	149.1E6	41.930	47.677
16) A 4,4'-DDD	6.712	5.791	99087476	130.2E6	41.014	46.872
17) MA 4,4'-DDT	7.025	6.041	112.0E6	141.7E6	45.399	48.245
18) B Endrin al...	6.926	6.117	89974134	111.6E6	42.121	45.443
19) B Endosulfa...	7.161	6.340	105.9E6	138.3E6	41.919	46.766
20) A Methoxychlor	7.501	6.616	57518533	73789922	48.839	52.043
21) B Endrin ke...	7.645	6.846	118.8E6	155.2E6	43.207	48.322
22) Mirex	8.119	7.026	90896784	122.8E6	43.562	46.978

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102424\
Data File : PL092606.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Oct 2024 14:03
Operator : AR\AJ
Sample : P4397-06MS
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :

ECD_L

ClientSampleId :

WB-301-BOTMS

Manual Integrations



APPROVED

Reviewed By :Abdul Mirza 10/25/2024

Supervised By :Ankita Jodhani 10/28/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 25 02:17:00 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 17:09:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm



Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	10/10/24
Project:	Amtrak Sawtooth Bridges 2024	Date Received:	10/11/24
Client Sample ID:	WB-301-BOTMSD	SDG No.:	P4460
Lab Sample ID:	P4397-06MSD	Matrix:	TCLP
Analytical Method:	SW8081	% Solid:	0
Sample Wt/Vol:	100	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type:		Test:	TCLP Pesticide
GPC Factor :	1.0	PH :	
Prep Method :	3510C	Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL092607.D	1	10/22/24 10:10	10/24/24 14:16	PB164360

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
58-89-9	gamma-BHC (Lindane)	4.90		0.049	0.50	ug/L
76-44-8	Heptachlor	5.30		0.054	0.50	ug/L
1024-57-3	Heptachlor epoxide	5.10		0.090	0.50	ug/L
72-20-8	Endrin	5.00		0.043	0.50	ug/L
72-43-5	Methoxychlor	5.30		0.11	0.50	ug/L
8001-35-2	Toxaphene	1.50	U	1.50	10.0	ug/L
57-74-9	Chlordane	0.82	U	0.82	5.00	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	21.6		30 (43) - 150 (140)	108%	SPK: 20
877-09-8	Tetrachloro-m-xylene	16.5		30 (77) - 150 (126)	83%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102424\
 Data File : PL092607.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 24 Oct 2024 14:16
 Operator : AR\AJ
 Sample : P4397-06MSD
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 WB-301-BOTMSD

Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 10/25/2024
 Supervised By :Ankita Jodhani 10/28/2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 25 02:17:58 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 21 17:09:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.541	2.779	44502504	45915392	16.520	16.532
2) SA Decachlor...	9.058	7.918	40460370	57023058	19.920	21.641
Target Compounds						
2) A alpha-BHC	3.997	3.281	176.5E6	215.2E6	42.823	49.875m
3) MA gamma-BHC...	4.328	3.611	162.0E6	202.6E6	42.105m	49.198
4) MA Heptachlor	4.918	3.951	155.6E6	214.5E6	43.886	53.409
5) MB Aldrin	5.260	4.231	150.3E6	192.8E6	40.859	48.499
6) B beta-BHC	4.526	3.911	70343834	93182549	45.315m	53.371
7) B delta-BHC	4.774	4.140	159.8E6	197.8E6	42.482	47.027
8) B Heptachlo...	5.686	4.733	137.8E6	180.9E6	41.485	51.352
9) A Endosulfan I	6.072	5.103	127.7E6	163.9E6	42.295	51.492
10) B gamma-Chl...	5.941	4.983	142.8E6	186.4E6	43.325m	50.665
11) B alpha-Chl...	6.021	5.047	136.3E6	181.5E6	41.841	51.074
12) B 4,4'-DDE	6.194	5.236	120.9E6	176.3E6	40.758	50.694
13) MA Dieldrin	6.347	5.368	135.2E6	187.8E6	41.572	51.383
14) MA Endrin	6.576	5.643	114.4E6	163.4E6	40.519	49.888
15) B Endosulfa...	6.796	5.938	122.4E6	154.1E6	43.248	49.291
16) A 4,4'-DDD	6.712	5.791	101.7E6	135.5E6	42.106	48.782
17) MA 4,4'-DDT	7.025	6.042	112.8E6	147.9E6	45.756	50.353
18) B Endrin al...	6.926	6.117	90868430	115.5E6	42.540	46.997
19) B Endosulfa...	7.161	6.340	109.1E6	143.1E6	43.177	48.408
20) A Methoxychlor	7.501	6.616	58538142	75742306	49.705	53.420
21) B Endrin ke...	7.646	6.845	122.2E6	160.1E6	44.441	49.840
22) Mirex	8.119	7.026	92627010	126.5E6	44.391	48.401

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102424\
Data File : PL092607.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Oct 2024 14:16
Operator : AR\AJ
Sample : P4397-06MSD
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :

ECD_L

ClientSampleId :

WB-301-BOTMSD

Manual Integrations



APPROVED

Reviewed By :Abdul Mirza 10/25/2024

Supervised By :Ankita Jodhani 10/28/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 25 02:17:58 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 17:09:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm



Manual Integration Report

Sequence:	PL102124	Instrument	ECD_I
-----------	----------	------------	-------

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
PEM	PL092495.D	4,4"-DDD	Abdul	10/22/2024 8:45:34 AM	Ankita	10/22/2024 9:02:10	Peak Integrated by Software
PEM	PL092495.D	4,4"-DDD #2	Abdul	10/22/2024 8:45:34 AM	Ankita	10/22/2024 9:02:10	Peak Integrated by Software
PEM	PL092495.D	Endrin aldehyde	Abdul	10/22/2024 8:45:34 AM	Ankita	10/22/2024 9:02:10	Peak Integrated by Software
PEM	PL092495.D	Endrin ketone #2	Abdul	10/22/2024 8:45:34 AM	Ankita	10/22/2024 9:02:10	Peak Integrated by Software
PSTDICC025	PL092500.D	Heptachlor epoxide	Abdul	10/22/2024 8:45:38 AM	Ankita	10/22/2024 9:02:12	Peak Integrated by Software
PSTDICC005	PL092501.D	alpha-Chlordane	Abdul	10/22/2024 8:45:42 AM	Ankita	10/22/2024 9:02:15	Peak Integrated by Software
PSTDICC005	PL092501.D	delta-BHC	Abdul	10/22/2024 8:45:42 AM	Ankita	10/22/2024 9:02:15	Peak Integrated by Software
PSTDICC005	PL092501.D	Endosulfan I	Abdul	10/22/2024 8:45:42 AM	Ankita	10/22/2024 9:02:15	Peak Integrated by Software
PSTDICC005	PL092501.D	Endosulfan II	Abdul	10/22/2024 8:45:42 AM	Ankita	10/22/2024 9:02:15	Peak Integrated by Software
PSTDICC005	PL092501.D	Endrin	Abdul	10/22/2024 8:45:42 AM	Ankita	10/22/2024 9:02:15	Peak Integrated by Software
PSTDICC005	PL092501.D	Endrin #2	Abdul	10/22/2024 8:45:42 AM	Ankita	10/22/2024 9:02:15	Peak Integrated by Software
PSTDICC005	PL092501.D	Endrin ketone	Abdul	10/22/2024 8:45:42 AM	Ankita	10/22/2024 9:02:15	Peak Integrated by Software
PSTDICC005	PL092501.D	gamma-BHC (Lindane) #2	Abdul	10/22/2024 8:45:42 AM	Ankita	10/22/2024 9:02:15	Peak Integrated by Software

Manual Integration Report

Sequence:	PL102124	Instrument	ECD_I
-----------	----------	------------	-------

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
PSTDICC005	PL092501.D	gamma-Chlordane	Abdul	10/22/2024 8:45:42 AM	Ankita	10/22/2024 9:02:15	Peak Integrated by Software
PSTDICC005	PL092501.D	Heptachlor epoxide	Abdul	10/22/2024 8:45:42 AM	Ankita	10/22/2024 9:02:15	Peak Integrated by Software
PSTDICC005	PL092501.D	Mirex #2	Abdul	10/22/2024 8:45:42 AM	Ankita	10/22/2024 9:02:15	Peak Integrated by Software
PSTDICV050	PL092512.D	delta-BHC	Abdul	10/22/2024 8:46:09 AM	Ankita	10/22/2024 9:02:28	Peak Integrated by Software
PSTDICV050	PL092512.D	Heptachlor epoxide	Abdul	10/22/2024 8:46:09 AM	Ankita	10/22/2024 9:02:28	Peak Integrated by Software
PSTDICV050	PL092512.D	Mirex #2	Abdul	10/22/2024 8:46:09 AM	Ankita	10/22/2024 9:02:28	Peak Integrated by Software
PCHLORICV50 0	PL092513.D	Chlordane-5	Abdul	10/22/2024 8:46:13 AM	Ankita	10/22/2024 9:02:30	Peak Integrated by Software
I.BLK	PL092515.D	Tetrachloro-m-xylene #2	Abdul	10/22/2024 8:46:19 AM	Ankita	10/22/2024 9:02:32	Peak Integrated by Software
PEM	PL092516.D	4,4"-DDE	Abdul	10/22/2024 8:46:24 AM	Ankita	10/22/2024 9:02:34	Peak Integrated by Software
PEM	PL092516.D	alpha-BHC	Abdul	10/22/2024 8:46:24 AM	Ankita	10/22/2024 9:02:34	Peak Integrated by Software
PEM	PL092516.D	Endrin aldehyde	Abdul	10/22/2024 8:46:24 AM	Ankita	10/22/2024 9:02:34	Peak Integrated by Software
PEM	PL092516.D	Endrin ketone #2	Abdul	10/22/2024 8:46:24 AM	Ankita	10/22/2024 9:02:34	Peak Integrated by Software
PEM	PL092516.D	gamma-BHC (Lindane) #2	Abdul	10/22/2024 8:46:24 AM	Ankita	10/22/2024 9:02:34	Peak Integrated by Software

Manual Integration Report

Sequence:	PL102124	Instrument	ECD_I
-----------	----------	------------	-------

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
PSTDCCC050	PL092517.D	delta-BHC	Abdul	10/22/2024 8:46:28 AM	Ankita	10/22/2024 9:02:36	Peak Integrated by Software
PSTDCCC050	PL092517.D	Endosulfan II #2	Abdul	10/22/2024 8:46:28 AM	Ankita	10/22/2024 9:02:36	Peak Integrated by Software
PSTDCCC050	PL092517.D	Heptachlor epoxide	Abdul	10/22/2024 8:46:28 AM	Ankita	10/22/2024 9:02:36	Peak Integrated by Software
PSTDCCC050	PL092517.D	Mirex #2	Abdul	10/22/2024 8:46:28 AM	Ankita	10/22/2024 9:02:36	Peak Integrated by Software
I.BLK	PL092523.D	Tetrachloro-m-xylene #2	Abdul	10/22/2024 8:47:06 AM	Ankita	10/22/2024 9:02:44	Peak Integrated by Software
PSTDCCC050	PL092524.D	delta-BHC	Abdul	10/22/2024 8:47:10 AM	Ankita	10/22/2024 9:02:48	Peak Integrated by Software
PSTDCCC050	PL092524.D	Heptachlor epoxide	Abdul	10/22/2024 8:47:10 AM	Ankita	10/22/2024 9:02:48	Peak Integrated by Software
I.BLK	PL092528.D	Decachlorobiphenyl	Abdul	10/22/2024 8:47:27 AM	Ankita	10/22/2024 9:02:56	Peak Integrated by Software
I.BLK	PL092528.D	Tetrachloro-m-xylene #2	Abdul	10/22/2024 8:47:27 AM	Ankita	10/22/2024 9:02:56	Peak Integrated by Software
PSTDCCC050	PL092529.D	Aldrin	Abdul	10/22/2024 8:47:30 AM	Ankita	10/22/2024 9:02:58	Peak Integrated by Software
PSTDCCC050	PL092529.D	delta-BHC	Abdul	10/22/2024 8:47:30 AM	Ankita	10/22/2024 9:02:58	Peak Integrated by Software
PSTDCCC050	PL092529.D	Endrin	Abdul	10/22/2024 8:47:30 AM	Ankita	10/22/2024 9:02:58	Peak Integrated by Software
PSTDCCC050	PL092529.D	Heptachlor epoxide	Abdul	10/22/2024 8:47:30 AM	Ankita	10/22/2024 9:02:58	Peak Integrated by Software



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Manual Integration Report

Sequence:

PL102124

Instrument

ECD_I

Sample ID

File ID

Parameter

Review By

Review On

Supervised
By

Supervised On

Reason

Manual Integration Report

Sequence:	PL102424	Instrument	ECD_I
-----------	----------	------------	-------

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
PEM	PL092590.D	4,4"-DDD #2	Abdul	10/25/2024 3:24:07 PM	Ankita	10/28/2024 10:34:14	Peak Integrated by Software
PEM	PL092590.D	Endrin ketone #2	Abdul	10/25/2024 3:24:07 PM	Ankita	10/28/2024 10:34:14	Peak Integrated by Software
PSTDCCC050	PL092591.D	Endrin ketone #2	Abdul	10/25/2024 3:24:10 PM	Ankita	10/28/2024 10:34:16	Peak Integrated by Software
PSTDCCC050	PL092591.D	Heptachlor epoxide	Abdul	10/25/2024 3:24:10 PM	Ankita	10/28/2024 10:34:16	Peak Integrated by Software
P4397-06MS	PL092606.D	beta-BHC	Abdul	10/25/2024 3:24:53 PM	Ankita	10/28/2024 10:34:59	Peak Integrated by Software
P4397-06MS	PL092606.D	gamma-BHC (Lindane)	Abdul	10/25/2024 3:24:53 PM	Ankita	10/28/2024 10:34:59	Peak Integrated by Software
P4397-06MS	PL092606.D	gamma-Chlordane	Abdul	10/25/2024 3:24:53 PM	Ankita	10/28/2024 10:34:59	Peak Integrated by Software
P4397-06MS	PL092606.D	Tetrachloro-m-xylene	Abdul	10/25/2024 3:24:53 PM	Ankita	10/28/2024 10:34:59	Peak Integrated by Software
P4397-06MSD	PL092607.D	alpha-BHC #2	Abdul	10/25/2024 3:24:56 PM	Ankita	10/28/2024 10:35:04	Peak Integrated by Software
P4397-06MSD	PL092607.D	beta-BHC	Abdul	10/25/2024 3:24:56 PM	Ankita	10/28/2024 10:35:04	Peak Integrated by Software
P4397-06MSD	PL092607.D	gamma-BHC (Lindane)	Abdul	10/25/2024 3:24:56 PM	Ankita	10/28/2024 10:35:04	Peak Integrated by Software
P4397-06MSD	PL092607.D	gamma-Chlordane	Abdul	10/25/2024 3:24:56 PM	Ankita	10/28/2024 10:35:04	Peak Integrated by Software
P4460-04	PL092608.D	Tetrachloro-m-xylene	Abdul	10/25/2024 3:24:59 PM	Ankita	10/28/2024 10:35:05	Peak Integrated by Software

Manual Integration Report

Sequence:	PL102424	Instrument	ECD_I
-----------	----------	------------	-------

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
P4460-04	PL092608.D	Tetrachloro-m-xylene #2	Abdul	10/25/2024 3:24:59 PM	Ankita	10/28/2024 10:35:05	Peak Integrated by Software
I.BLK	PL092612.D	Decachlorobiphenyl	Abdul	10/28/2024 9:17:04 AM	Ankita	10/28/2024 10:35:12	Peak Integrated by Software
I.BLK	PL092612.D	Tetrachloro-m-xylene #2	Abdul	10/28/2024 9:17:04 AM	Ankita	10/28/2024 10:35:12	Peak Integrated by Software
PSTDCCC050	PL092613.D	Aldrin	Abdul	10/25/2024 3:25:15 PM	Ankita	10/28/2024 10:35:14	Peak Integrated by Software
PSTDCCC050	PL092613.D	Decachlorobiphenyl	Abdul	10/25/2024 3:25:15 PM	Ankita	10/28/2024 10:35:14	Peak Integrated by Software
PSTDCCC050	PL092613.D	Dieldrin	Abdul	10/25/2024 3:25:15 PM	Ankita	10/28/2024 10:35:14	Peak Integrated by Software
PSTDCCC050	PL092613.D	Endosulfan II #2	Abdul	10/25/2024 3:25:15 PM	Ankita	10/28/2024 10:35:14	Peak Integrated by Software
PSTDCCC050	PL092613.D	Endrin ketone #2	Abdul	10/25/2024 3:25:15 PM	Ankita	10/28/2024 10:35:14	Peak Integrated by Software
PSTDCCC050	PL092613.D	Heptachlor	Abdul	10/25/2024 3:25:15 PM	Ankita	10/28/2024 10:35:14	Peak Integrated by Software
PSTDCCC050	PL092613.D	Heptachlor epoxide	Abdul	10/25/2024 3:25:15 PM	Ankita	10/28/2024 10:35:14	Peak Integrated by Software
I.BLK	PL092622.D	Tetrachloro-m-xylene #2	Abdul	10/28/2024 9:17:07 AM	Ankita	10/28/2024 10:35:28	Peak Integrated by Software
PSTDCCC050	PL092623.D	Heptachlor	Abdul	10/25/2024 3:25:52 PM	Ankita	10/28/2024 10:35:30	Peak Integrated by Software
PSTDCCC050	PL092623.D	Mirex #2	Abdul	10/25/2024 3:25:52 PM	Ankita	10/28/2024 10:35:30	Peak Integrated by Software



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Manual Integration Report

Sequence:

PL102424

Instrument

ECD_I

Sample ID

File ID

Parameter

Review By

Review On

Supervised
By

Supervised On

Reason

Manual Integration Report

Sequence:	PL102624	Instrument	ECD_I
-----------	----------	------------	-------

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
I.BLK	PL092637.D	Tetrachloro-m-xylene	Abdul	10/28/2024 9:29:49 AM	Ankita	10/28/2024 10:45:41	Peak Integrated by Software
I.BLK	PL092637.D	Tetrachloro-m-xylene #2	Abdul	10/28/2024 9:29:49 AM	Ankita	10/28/2024 10:45:41	Peak Integrated by Software
PEM	PL092638.D	4,4"-DDE	Abdul	10/28/2024 9:29:52 AM	Ankita	10/28/2024 10:45:44	Peak Integrated by Software
PEM	PL092638.D	4,4"-DDE #2	Abdul	10/28/2024 9:29:52 AM	Ankita	10/28/2024 10:45:44	Peak Integrated by Software
PEM	PL092638.D	Endrin	Abdul	10/28/2024 9:29:52 AM	Ankita	10/28/2024 10:45:44	Peak Integrated by Software
PSTDCCC050	PL092639.D	4,4"-DDD #2	Abdul	10/28/2024 9:29:57 AM	Ankita	10/28/2024 10:45:46	Peak Integrated by Software
PSTDCCC050	PL092639.D	Aldrin	Abdul	10/28/2024 9:29:57 AM	Ankita	10/28/2024 10:45:46	Peak Integrated by Software
PSTDCCC050	PL092639.D	Endosulfan II #2	Abdul	10/28/2024 9:29:57 AM	Ankita	10/28/2024 10:45:46	Peak Integrated by Software
PSTDCCC050	PL092639.D	Heptachlor	Abdul	10/28/2024 9:29:57 AM	Ankita	10/28/2024 10:45:46	Peak Integrated by Software
PSTDCCC050	PL092639.D	Heptachlor epoxide	Abdul	10/28/2024 9:29:57 AM	Ankita	10/28/2024 10:45:46	Peak Integrated by Software
PSTDCCC050	PL092639.D	Methoxychlor	Abdul	10/28/2024 9:29:57 AM	Ankita	10/28/2024 10:45:46	Peak Integrated by Software
PB164360BS	PL092642.D	Aldrin	Abdul	10/28/2024 9:30:09 AM	Ankita	10/28/2024 10:45:51	Peak Integrated by Software
PB164360BS	PL092642.D	delta-BHC	Abdul	10/28/2024 9:30:09 AM	Ankita	10/28/2024 10:45:51	Peak Integrated by Software

Manual Integration Report

Sequence:	PL102624	Instrument	ECD_I
-----------	----------	------------	-------

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
PB164360BS	PL092642.D	gamma-BHC (Lindane)	Abdul	10/28/2024 9:30:09 AM	Ankita	10/28/2024 10:45:51	Peak Integrated by Software
PB164360BS	PL092642.D	Heptachlor	Abdul	10/28/2024 9:30:09 AM	Ankita	10/28/2024 10:45:51	Peak Integrated by Software
PB164360BS	PL092642.D	Methoxychlor	Abdul	10/28/2024 9:30:09 AM	Ankita	10/28/2024 10:45:51	Peak Integrated by Software
PB164360BS	PL092642.D	Mirex #2	Abdul	10/28/2024 9:30:09 AM	Ankita	10/28/2024 10:45:51	Peak Integrated by Software
PB164360BS	PL092642.D	Tetrachloro-m-xylene #2	Abdul	10/28/2024 9:30:09 AM	Ankita	10/28/2024 10:45:51	Peak Integrated by Software
I.BLK	PL092649.D	Tetrachloro-m-xylene	Abdul	10/28/2024 9:30:40 AM	Ankita	10/28/2024 10:46:13	Peak Integrated by Software
I.BLK	PL092649.D	Tetrachloro-m-xylene #2	Abdul	10/28/2024 9:30:40 AM	Ankita	10/28/2024 10:46:13	Peak Integrated by Software
PSTDCCC050	PL092650.D	Aldrin	Abdul	10/28/2024 9:30:44 AM	Ankita	10/28/2024 10:46:17	Peak Integrated by Software
PSTDCCC050	PL092650.D	Endosulfan II #2	Abdul	10/28/2024 9:30:44 AM	Ankita	10/28/2024 10:46:17	Peak Integrated by Software
PSTDCCC050	PL092650.D	Endrin ketone #2	Abdul	10/28/2024 9:30:44 AM	Ankita	10/28/2024 10:46:17	Peak Integrated by Software

Instrument ID: ECD_L

Daily Analysis Runlog For Sequence/QC Batch ID # PL102124

Review By	Abdul	Review On	10/22/2024 8:47:55 AM
Supervise By	Ankita	Supervise On	10/22/2024 9:03:18 AM
SubDirectory	PL102124	HP Acquire Method	HP Processing Method pl102124 8081
STD. NAME	STD REF.#		
Tune/Reschk	PP23282,PP23517		
Initial Calibration Stds	PP23673,PP23674,PP23675,PP23676,PP23677,PP23678,PP23679,PP23680,PP23681,PP23682,PP23683		
CCC	PP23686,PP23690,PP23695		
Internal Standard/PEM			
ICV/I.BLK	PP23687,PP23693,PP23698		
Surrogate Standard			
MS/MSD Standard			
LCS Standard			

Sr#	SampleId	Data File Name	Date-Time	Operator	Status
1	HEXANE	PL092493.D	21 Oct 2024 12:06	AR\AJ	Ok
2	I.BLK	PL092494.D	21 Oct 2024 12:19	AR\AJ	Ok
3	PEM	PL092495.D	21 Oct 2024 12:33	AR\AJ	Ok,M
4	RESCHK	PL092496.D	21 Oct 2024 12:46	AR\AJ	Ok
5	PSTDICC100	PL092497.D	21 Oct 2024 13:00	AR\AJ	Ok
6	PSTDICC075	PL092498.D	21 Oct 2024 13:13	AR\AJ	Ok
7	PSTDICC050	PL092499.D	21 Oct 2024 13:26	AR\AJ	Ok
8	PSTDICC025	PL092500.D	21 Oct 2024 13:40	AR\AJ	Ok,M
9	PSTDICC005	PL092501.D	21 Oct 2024 13:53	AR\AJ	Ok,M
10	PCHLORICC1000	PL092502.D	21 Oct 2024 14:07	AR\AJ	Ok
11	PCHLORICC750	PL092503.D	21 Oct 2024 14:20	AR\AJ	Ok
12	PCHLORICC500	PL092504.D	21 Oct 2024 14:33	AR\AJ	Ok
13	PCHLORICC250	PL092505.D	21 Oct 2024 14:47	AR\AJ	Ok,M
14	PCHLORICC050	PL092506.D	21 Oct 2024 15:00	AR\AJ	Ok,M
15	PTOXICC1000	PL092507.D	21 Oct 2024 15:14	AR\AJ	Ok,M
16	PTOXICC750	PL092508.D	21 Oct 2024 15:27	AR\AJ	Ok,M
17	PTOXICC500	PL092509.D	21 Oct 2024 15:40	AR\AJ	Ok
18	PTOXICC250	PL092510.D	21 Oct 2024 15:54	AR\AJ	Ok,M
19	PTOXICC100	PL092511.D	21 Oct 2024 16:07	AR\AJ	Ok,M
20	PSTDICV050	PL092512.D	21 Oct 2024 16:21	AR\AJ	Ok,M
21	PCHLORICV500	PL092513.D	21 Oct 2024 16:34	AR\AJ	Ok,M

Instrument ID: ECD_L

Daily Analysis Runlog For Sequence/QC Batch ID # PL102124

Review By	Abdul	Review On	10/22/2024 8:47:55 AM
Supervise By	Ankita	Supervise On	10/22/2024 9:03:18 AM
SubDirectory	PL102124	HP Acquire Method	HP Processing Method pl102124 8081
STD. NAME	STD REF.#		
Tune/Reschk	PP23282,PP23517		
Initial Calibration Stds	PP23673,PP23674,PP23675,PP23676,PP23677,PP23678,PP23679,PP23680,PP23681,PP23682,PP23683		
CCC	PP23686,PP23690,PP23695		
Internal Standard/PEM			
ICV/I.BLK	PP23687,PP23693,PP23698		
Surrogate Standard			
MS/MSD Standard			
LCS Standard			

22	PTOXICV500	PL092514.D	21 Oct 2024 18:08	AR\AJ	Ok
23	I.BLK	PL092515.D	21 Oct 2024 18:41	AR\AJ	Ok,M
24	PEM	PL092516.D	21 Oct 2024 18:54	AR\AJ	Ok,M
25	PSTDCCC050	PL092517.D	21 Oct 2024 19:08	AR\AJ	Ok,M
26	PB164288BL	PL092518.D	21 Oct 2024 19:21	AR\AJ	Ok
27	PB164288BS	PL092519.D	21 Oct 2024 19:34	AR\AJ	Ok,M
28	P4455-01	PL092520.D	21 Oct 2024 19:48	AR\AJ	Ok,M
29	P4443-01	PL092521.D	21 Oct 2024 20:01	AR\AJ	Ok,M
30	P4443-06	PL092522.D	21 Oct 2024 20:15	AR\AJ	Ok,M
31	I.BLK	PL092523.D	21 Oct 2024 20:28	AR\AJ	Ok,M
32	PSTDCCC050	PL092524.D	21 Oct 2024 20:42	AR\AJ	Ok,M
33	P4458-01	PL092525.D	21 Oct 2024 20:55	AR\AJ	Ok,M
34	P4458-01MS	PL092526.D	21 Oct 2024 21:08	AR\AJ	Ok,M
35	P4458-01MSD	PL092527.D	21 Oct 2024 21:22	AR\AJ	Ok,M
36	I.BLK	PL092528.D	21 Oct 2024 21:35	AR\AJ	Ok,M
37	PSTDCCC050	PL092529.D	21 Oct 2024 21:49	AR\AJ	Ok,M

M : Manual Integration

Instrument ID: ECD_L

Daily Analysis Runlog For Sequence/QC Batch ID # PL102424

Review By	Abdul	Review On	10/25/2024 3:26:14 PM
Supervise By	Ankita	Supervise On	10/28/2024 10:35:47 AM
SubDirectory	PL102424	HP Acquire Method	HP Processing Method pl102124 8081
STD. NAME	STD REF.#		
Tune/Reschk	PP23793,PP23517		
Initial Calibration Stds	PP23673,PP23674,PP23675,PP23676,PP23677,PP23678,PP23679,PP23680,PP23681,PP23682,PP23683		
CCC	PP23686,PP23690,PP23695		
Internal Standard/PEM			
ICV/I.BLK	PP23687,PP23693,PP23698		
Surrogate Standard			
MS/MSD Standard			
LCS Standard			

Sr#	SampleId	Data File Name	Date-Time	Operator	Status
1	HEXANE	PL092588.D	24 Oct 2024 09:39	AR\AJ	Ok
2	I.BLK	PL092589.D	24 Oct 2024 09:53	AR\AJ	Ok
3	PEM	PL092590.D	24 Oct 2024 10:06	AR\AJ	Ok,M
4	PSTDCCC050	PL092591.D	24 Oct 2024 10:19	AR\AJ	Ok,M
5	P4467-01	PL092592.D	24 Oct 2024 10:55	AR\AJ	Ok,M
6	P4470-01	PL092593.D	24 Oct 2024 11:08	AR\AJ	Ok,M
7	P4472-01	PL092594.D	24 Oct 2024 11:22	AR\AJ	Ok,M
8	P4472-01MS	PL092595.D	24 Oct 2024 11:35	AR\AJ	Ok,M
9	P4472-01MSD	PL092596.D	24 Oct 2024 11:49	AR\AJ	Ok,M
10	P4472-05	PL092597.D	24 Oct 2024 12:02	AR\AJ	Ok,M
11	P4487-01	PL092598.D	24 Oct 2024 12:15	AR\AJ	Ok,M
12	P4487-05	PL092599.D	24 Oct 2024 12:29	AR\AJ	Ok,M
13	P4487-05MS	PL092600.D	24 Oct 2024 12:42	AR\AJ	Ok,M
14	P4487-05MSD	PL092601.D	24 Oct 2024 12:56	AR\AJ	Ok,M
15	PB164360BL	PL092602.D	24 Oct 2024 13:09	AR\AJ	Ok
16	PB164360BS	PL092603.D	24 Oct 2024 13:22	AR\AJ	Not Ok
17	PB164261TB	PL092604.D	24 Oct 2024 13:36	AR\AJ	Ok
18	P4397-06	PL092605.D	24 Oct 2024 13:49	AR\AJ	Ok,M
19	P4397-06MS	PL092606.D	24 Oct 2024 14:03	AR\AJ	Ok,M
20	P4397-06MSD	PL092607.D	24 Oct 2024 14:16	AR\AJ	Ok,M
21	P4460-04	PL092608.D	24 Oct 2024 14:30	AR\AJ	Ok,M

Instrument ID: ECD_L

Daily Analysis Runlog For Sequence/QC Batch ID # PL102424

Review By	Abdul	Review On	10/25/2024 3:26:14 PM
Supervise By	Ankita	Supervise On	10/28/2024 10:35:47 AM
SubDirectory	PL102424	HP Acquire Method	HP Processing Method pl102124 8081
STD. NAME	STD REF.#		
Tune/Reschk	PP23793,PP23517		
Initial Calibration Stds	PP23673,PP23674,PP23675,PP23676,PP23677,PP23678,PP23679,PP23680,PP23681,PP23682,PP23683		
CCC	PP23686,PP23690,PP23695		
Internal Standard/PEM			
ICV/I.BLK	PP23687,PP23693,PP23698		
Surrogate Standard			
MS/MSD Standard			
LCS Standard			

22	P4486-01	PL092609.D	24 Oct 2024 16:04	AR\AJ	Ok,M
23	PB164365BS	PL092610.D	24 Oct 2024 16:17	AR\AJ	Ok,M
24	PB164365BL	PL092611.D	24 Oct 2024 16:35	AR\AJ	Ok,M
25	I.BLK	PL092612.D	24 Oct 2024 16:48	AR\AJ	Ok,M
26	PSTDCCC050	PL092613.D	24 Oct 2024 17:20	AR\AJ	Ok,M
27	PB164360BS	PL092614.D	24 Oct 2024 17:38	AR\AJ	Not Ok
28	P4508-01	PL092615.D	24 Oct 2024 17:52	AR\AJ	Ok,M
29	P4508-05	PL092616.D	24 Oct 2024 18:05	AR\AJ	Ok,M
30	P4508-09	PL092617.D	24 Oct 2024 18:19	AR\AJ	Ok,M
31	P4508-09MS	PL092618.D	24 Oct 2024 18:32	AR\AJ	Ok,M
32	P4508-09MSD	PL092619.D	24 Oct 2024 18:46	AR\AJ	Ok,M
33	P4509-01	PL092620.D	24 Oct 2024 18:59	AR\AJ	Ok,M
34	P4512-03	PL092621.D	24 Oct 2024 19:12	AR\AJ	Ok,M
35	I.BLK	PL092622.D	24 Oct 2024 19:26	AR\AJ	Ok,M
36	PSTDCCC050	PL092623.D	24 Oct 2024 19:39	AR\AJ	Ok,M

M : Manual Integration

Instrument ID: ECD_L

Daily Analysis Runlog For Sequence/QC Batch ID # PL102624

Review By	Abdul	Review On	10/28/2024 9:31:07 AM
Supervise By	Ankita	Supervise On	10/28/2024 10:46:33 AM
SubDirectory	PL102624	HP Acquire Method	HP Processing Method pl102124 8081
STD. NAME	STD REF.#		
Tune/Reschk	PP23793,PP23517		
Initial Calibration Stds	PP23673,PP23674,PP23675,PP23676,PP23677,PP23678,PP23679,PP23680,PP23681,PP23682,PP23683		
CCC	PP23686,PP23690,PP23695		
Internal Standard/PEM			
ICV/I.BLK	PP23687,PP23693,PP23698		
Surrogate Standard			
MS/MSD Standard			
LCS Standard			

Sr#	SampleId	Data File Name	Date-Time	Operator	Status
1	HEXANE	PL092636.D	25 Oct 2024 14:55	AR\AJ	Ok
2	I.BLK	PL092637.D	25 Oct 2024 15:08	AR\AJ	Ok,M
3	PEM	PL092638.D	25 Oct 2024 15:22	AR\AJ	Ok,M
4	PSTDCCC050	PL092639.D	25 Oct 2024 15:49	AR\AJ	Ok,M
5	PB164398BL	PL092640.D	25 Oct 2024 16:46	AR\AJ	Ok,M
6	PB164398BS	PL092641.D	25 Oct 2024 16:59	AR\AJ	Ok,M
7	PB164360BS	PL092642.D	25 Oct 2024 17:35	AR\AJ	Ok,M
8	P4531-01	PL092643.D	25 Oct 2024 17:49	AR\AJ	Ok,M
9	P4547-01	PL092644.D	25 Oct 2024 18:02	AR\AJ	Ok,M
10	P4545-01	PL092645.D	25 Oct 2024 18:15	AR\AJ	ReRun
11	P4547-05	PL092646.D	25 Oct 2024 18:29	AR\AJ	Ok,M
12	P4547-05MS	PL092647.D	25 Oct 2024 18:42	AR\AJ	Ok,M
13	P4547-05MSD	PL092648.D	25 Oct 2024 18:56	AR\AJ	Ok,M
14	I.BLK	PL092649.D	25 Oct 2024 19:09	AR\AJ	Ok,M
15	PSTDCCC050	PL092650.D	25 Oct 2024 19:49	AR\AJ	Ok,M

M : Manual Integration

Instrument ID: ECD_L

Daily Analysis Runlog For Sequence/QC Batch ID # PL102124

Review By	Abdul	Review On	10/22/2024 8:47:55 AM
Supervise By	Ankita	Supervise On	10/22/2024 9:03:18 AM
SubDirectory	PL102124	HP Acquire Method	HP Processing Method pl102124 8081

STD. NAME	STD REF.#
Tune/Reschk	PP23282,PP23517
Initial Calibration Stds	PP23673,PP23674,PP23675,PP23676,PP23677,PP23678,PP23679,PP23680,PP23681,PP23682,PP23683
CCC	PP23686,PP23690,PP23695
Internal Standard/PEM	
ICV/I.BLK	PP23687,PP23693,PP23698
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

Sr#	SampleId	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	HEXANE	HEXANE	PL092493.D	21 Oct 2024 12:06		AR\AJ	Ok
2	I.BLK	I.BLK	PL092494.D	21 Oct 2024 12:19		AR\AJ	Ok
3	PEM	PEM	PL092495.D	21 Oct 2024 12:33		AR\AJ	Ok,M
4	RESCHK	RESCHK	PL092496.D	21 Oct 2024 12:46		AR\AJ	Ok
5	PSTDICC100	PSTDICC100	PL092497.D	21 Oct 2024 13:00		AR\AJ	Ok
6	PSTDICC075	PSTDICC075	PL092498.D	21 Oct 2024 13:13		AR\AJ	Ok
7	PSTDICC050	PSTDICC050	PL092499.D	21 Oct 2024 13:26		AR\AJ	Ok
8	PSTDICC025	PSTDICC025	PL092500.D	21 Oct 2024 13:40		AR\AJ	Ok,M
9	PSTDICC005	PSTDICC005	PL092501.D	21 Oct 2024 13:53		AR\AJ	Ok,M
10	PCHLORICC1000	PCHLORICC1000	PL092502.D	21 Oct 2024 14:07		AR\AJ	Ok
11	PCHLORICC750	PCHLORICC750	PL092503.D	21 Oct 2024 14:20		AR\AJ	Ok
12	PCHLORICC500	PCHLORICC500	PL092504.D	21 Oct 2024 14:33		AR\AJ	Ok
13	PCHLORICC250	PCHLORICC250	PL092505.D	21 Oct 2024 14:47		AR\AJ	Ok,M
14	PCHLORICC050	PCHLORICC050	PL092506.D	21 Oct 2024 15:00		AR\AJ	Ok,M
15	PTOXICC1000	PTOXICC1000	PL092507.D	21 Oct 2024 15:14		AR\AJ	Ok,M
16	PTOXICC750	PTOXICC750	PL092508.D	21 Oct 2024 15:27		AR\AJ	Ok,M
17	PTOXICC500	PTOXICC500	PL092509.D	21 Oct 2024 15:40		AR\AJ	Ok
18	PTOXICC250	PTOXICC250	PL092510.D	21 Oct 2024 15:54		AR\AJ	Ok,M

Instrument ID: ECD_L

Daily Analysis Runlog For Sequence/QC Batch ID # PL102124

Review By	Abdul	Review On	10/22/2024 8:47:55 AM
Supervise By	Ankita	Supervise On	10/22/2024 9:03:18 AM
SubDirectory	PL102124	HP Acquire Method	HP Processing Method pl102124 8081
STD. NAME	STD REF.#		
Tune/Reschk	PP23282,PP23517		
Initial Calibration Stds	PP23673,PP23674,PP23675,PP23676,PP23677,PP23678,PP23679,PP23680,PP23681,PP23682,PP23683		
CCC	PP23686,PP23690,PP23695		
Internal Standard/PEM			
ICV/I.BLK	PP23687,PP23693,PP23698		
Surrogate Standard			
MS/MSD Standard			
LCS Standard			

19	PTOXICC100	PTOXICC100	PL092511.D	21 Oct 2024 16:07		AR\AJ	Ok,M
20	PSTDICV050	ICVPL102124	PL092512.D	21 Oct 2024 16:21		AR\AJ	Ok,M
21	PCHLORICV500	ICVPL102124CHLOR	PL092513.D	21 Oct 2024 16:34		AR\AJ	Ok,M
22	PTOXICV500	ICVPL102124	PL092514.D	21 Oct 2024 18:08		AR\AJ	Ok
23	I.BLK	I.BLK	PL092515.D	21 Oct 2024 18:41		AR\AJ	Ok,M
24	PEM	PEM	PL092516.D	21 Oct 2024 18:54		AR\AJ	Ok,M
25	PSTDCCC050	PSTDCCC050	PL092517.D	21 Oct 2024 19:08		AR\AJ	Ok,M
26	PB164288BL	PB164288BL	PL092518.D	21 Oct 2024 19:21		AR\AJ	Ok
27	PB164288BS	PB164288BS	PL092519.D	21 Oct 2024 19:34		AR\AJ	Ok,M
28	P4455-01	SU-4-101824	PL092520.D	21 Oct 2024 19:48		AR\AJ	Ok,M
29	P4443-01	OG-315-HR-502-COMF	PL092521.D	21 Oct 2024 20:01		AR\AJ	Ok,M
30	P4443-06	OG-315-HR-502-COMF	PL092522.D	21 Oct 2024 20:15		AR\AJ	Ok,M
31	I.BLK	I.BLK	PL092523.D	21 Oct 2024 20:28		AR\AJ	Ok,M
32	PSTDCCC050	PSTDCCC050	PL092524.D	21 Oct 2024 20:42		AR\AJ	Ok,M
33	P4458-01	280517	PL092525.D	21 Oct 2024 20:55		AR\AJ	Ok,M
34	P4458-01MS	280517MS	PL092526.D	21 Oct 2024 21:08	Some compound recovery fail	AR\AJ	Ok,M
35	P4458-01MSD	280517MSD	PL092527.D	21 Oct 2024 21:22	Some compound recovery fail, RPD fail	AR\AJ	Ok,M
36	I.BLK	I.BLK	PL092528.D	21 Oct 2024 21:35		AR\AJ	Ok,M
37	PSTDCCC050	PSTDCCC050	PL092529.D	21 Oct 2024 21:49		AR\AJ	Ok,M

Instrument ID: ECD_L

Daily Analysis Runlog For Sequence/QC Batch ID # PL102124

Review By	Abdul	Review On	10/22/2024 8:47:55 AM
Supervise By	Ankita	Supervise On	10/22/2024 9:03:18 AM
SubDirectory	PL102124	HP Acquire Method	HP Processing Method pl102124 8081
STD. NAME	STD REF.#		
Tune/Reschk	PP23282,PP23517		
Initial Calibration Stds	PP23673,PP23674,PP23675,PP23676,PP23677,PP23678,PP23679,PP23680,PP23681,PP23682,PP23683		
CCC	PP23686,PP23690,PP23695		
Internal Standard/PEM			
ICV/I.BLK	PP23687,PP23693,PP23698		
Surrogate Standard			
MS/MSD Standard			
LCS Standard			

M : Manual Integration

Instrument ID: ECD_L

Daily Analysis Runlog For Sequence/QC Batch ID # PL102424

Review By	Abdul	Review On	10/25/2024 3:26:14 PM
Supervise By	Ankita	Supervise On	10/28/2024 10:35:47 AM
SubDirectory	PL102424	HP Acquire Method	HP Processing Method pl102124 8081

STD. NAME	STD REF.#
Tune/Reschk	PP23793,PP23517
Initial Calibration Stds	PP23673,PP23674,PP23675,PP23676,PP23677,PP23678,PP23679,PP23680,PP23681,PP23682,PP23683
CCC	PP23686,PP23690,PP23695
Internal Standard/PEM	
ICV/I.BLK	PP23687,PP23693,PP23698
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

Sr#	SampleId	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	HEXANE	HEXANE	PL092588.D	24 Oct 2024 09:39		AR\AJ	Ok
2	I.BLK	I.BLK	PL092589.D	24 Oct 2024 09:53		AR\AJ	Ok
3	PEM	PEM	PL092590.D	24 Oct 2024 10:06		AR\AJ	Ok,M
4	PSTDCCC050	PSTDCCC050	PL092591.D	24 Oct 2024 10:19		AR\AJ	Ok,M
5	P4467-01	TP-1	PL092592.D	24 Oct 2024 10:55		AR\AJ	Ok,M
6	P4470-01	CL-01-102124	PL092593.D	24 Oct 2024 11:08		AR\AJ	Ok,M
7	P4472-01	BP-F-28	PL092594.D	24 Oct 2024 11:22		AR\AJ	Ok,M
8	P4472-01MS	BP-F-28MS	PL092595.D	24 Oct 2024 11:35		AR\AJ	Ok,M
9	P4472-01MSD	BP-F-28MSD	PL092596.D	24 Oct 2024 11:49		AR\AJ	Ok,M
10	P4472-05	BP-F-6	PL092597.D	24 Oct 2024 12:02		AR\AJ	Ok,M
11	P4487-01	BP-B5	PL092598.D	24 Oct 2024 12:15		AR\AJ	Ok,M
12	P4487-05	BP-F27	PL092599.D	24 Oct 2024 12:29		AR\AJ	Ok,M
13	P4487-05MS	BP-F27MS	PL092600.D	24 Oct 2024 12:42		AR\AJ	Ok,M
14	P4487-05MSD	BP-F27MSD	PL092601.D	24 Oct 2024 12:56		AR\AJ	Ok,M
15	PB164360BL	PB164360BL	PL092602.D	24 Oct 2024 13:09		AR\AJ	Ok
16	PB164360BS	PB164360BS	PL092603.D	24 Oct 2024 13:22	Recovery Fail higher side ,Methoxychlor-I and Mirex-I	AR\AJ	Not Ok
17	PB164261TB	PB164261TB	PL092604.D	24 Oct 2024 13:36		AR\AJ	Ok

Instrument ID: ECD_L

Daily Analysis Runlog For Sequence/QC Batch ID # PL102424

Review By	Abdul	Review On	10/25/2024 3:26:14 PM
Supervise By	Ankita	Supervise On	10/28/2024 10:35:47 AM
SubDirectory	PL102424	HP Acquire Method	HP Processing Method pl102124 8081
STD. NAME	STD REF.#		
Tune/Reschk	PP23793,PP23517		
Initial Calibration Stds	PP23673,PP23674,PP23675,PP23676,PP23677,PP23678,PP23679,PP23680,PP23681,PP23682,PP23683		
CCC	PP23686,PP23690,PP23695		
Internal Standard/PEM			
ICV/I.BLK	PP23687,PP23693,PP23698		
Surrogate Standard			
MS/MSD Standard			
LCS Standard			

18	P4397-06	WB-301-BOT	PL092605.D	24 Oct 2024 13:49		AR\AJ	Ok,M
19	P4397-06MS	WB-301-BOTMS	PL092606.D	24 Oct 2024 14:03		AR\AJ	Ok,M
20	P4397-06MSD	WB-301-BOTMSD	PL092607.D	24 Oct 2024 14:16		AR\AJ	Ok,M
21	P4460-04	WB-303-BOT	PL092608.D	24 Oct 2024 14:30		AR\AJ	Ok,M
22	P4486-01	EO-03-102224	PL092609.D	24 Oct 2024 16:04		AR\AJ	Ok,M
23	PB164365BS	PB164365BS	PL092610.D	24 Oct 2024 16:17		AR\AJ	Ok,M
24	PB164365BL	PB164365BL	PL092611.D	24 Oct 2024 16:35		AR\AJ	Ok,M
25	I.BLK	I.BLK	PL092612.D	24 Oct 2024 16:48		AR\AJ	Ok,M
26	PSTDCCC050	PSTDCCC050	PL092613.D	24 Oct 2024 17:20		AR\AJ	Ok,M
27	PB164360BS	PB164360BS	PL092614.D	24 Oct 2024 17:38	Recovery Fail Higher side, Methoxychlor-I	AR\AJ	Not Ok
28	P4508-01	TP-3	PL092615.D	24 Oct 2024 17:52		AR\AJ	Ok,M
29	P4508-05	BP-F23	PL092616.D	24 Oct 2024 18:05		AR\AJ	Ok,M
30	P4508-09	BP-F22	PL092617.D	24 Oct 2024 18:19		AR\AJ	Ok,M
31	P4508-09MS	BP-F22MS	PL092618.D	24 Oct 2024 18:32		AR\AJ	Ok,M
32	P4508-09MSD	BP-F22MSD	PL092619.D	24 Oct 2024 18:46		AR\AJ	Ok,M
33	P4509-01	AU-06-10232024	PL092620.D	24 Oct 2024 18:59		AR\AJ	Ok,M
34	P4512-03	VNJ-212	PL092621.D	24 Oct 2024 19:12		AR\AJ	Ok,M
35	I.BLK	I.BLK	PL092622.D	24 Oct 2024 19:26		AR\AJ	Ok,M
36	PSTDCCC050	PSTDCCC050	PL092623.D	24 Oct 2024 19:39		AR\AJ	Ok,M

Instrument ID: ECD_L

Daily Analysis Runlog For Sequence/QC Batch ID # PL102424

Review By	Abdul	Review On	10/25/2024 3:26:14 PM
Supervise By	Ankita	Supervise On	10/28/2024 10:35:47 AM
SubDirectory	PL102424	HP Acquire Method	HP Processing Method pl102124 8081
STD. NAME	STD REF.#		
Tune/Reschk	PP23793,PP23517		
Initial Calibration Stds	PP23673,PP23674,PP23675,PP23676,PP23677,PP23678,PP23679,PP23680,PP23681,PP23682,PP23683		
CCC	PP23686,PP23690,PP23695		
Internal Standard/PEM			
ICV/I.BLK	PP23687,PP23693,PP23698		
Surrogate Standard			
MS/MSD Standard			
LCS Standard			

M : Manual Integration

Instrument ID: ECD_L

Daily Analysis Runlog For Sequence/QC Batch ID # PL102624

Review By	Abdul	Review On	10/28/2024 9:31:07 AM
Supervise By	Ankita	Supervise On	10/28/2024 10:46:33 AM
SubDirectory	PL102624	HP Acquire Method	HP Processing Method pl102124 8081
STD. NAME	STD REF.#		
Tune/Reschk	PP23793,PP23517		
Initial Calibration Stds	PP23673,PP23674,PP23675,PP23676,PP23677,PP23678,PP23679,PP23680,PP23681,PP23682,PP23683		
CCC	PP23686,PP23690,PP23695		
Internal Standard/PEM			
ICV/I.BLK	PP23687,PP23693,PP23698		
Surrogate Standard			
MS/MSD Standard			
LCS Standard			

Sr#	SampleId	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	HEXANE	HEXANE	PL092636.D	25 Oct 2024 14:55		AR\AJ	Ok
2	I.BLK	I.BLK	PL092637.D	25 Oct 2024 15:08		AR\AJ	Ok,M
3	PEM	PEM	PL092638.D	25 Oct 2024 15:22		AR\AJ	Ok,M
4	PSTDCCC050	PSTDCCC050	PL092639.D	25 Oct 2024 15:49		AR\AJ	Ok,M
5	PB164398BL	PB164398BL	PL092640.D	25 Oct 2024 16:46		AR\AJ	Ok,M
6	PB164398BS	PB164398BS	PL092641.D	25 Oct 2024 16:59		AR\AJ	Ok,M
7	PB164360BS	PB164360BS	PL092642.D	25 Oct 2024 17:35		AR\AJ	Ok,M
8	P4531-01	OR-03-102424	PL092643.D	25 Oct 2024 17:49		AR\AJ	Ok,M
9	P4547-01	BP-F-21	PL092644.D	25 Oct 2024 18:02		AR\AJ	Ok,M
10	P4545-01	VNJ-215	PL092645.D	25 Oct 2024 18:15	Surrogate Fail in both column , Decachlorobiphenyl	AR\AJ	ReRun
11	P4547-05	BP-F-20	PL092646.D	25 Oct 2024 18:29		AR\AJ	Ok,M
12	P4547-05MS	BP-F-20MS	PL092647.D	25 Oct 2024 18:42		AR\AJ	Ok,M
13	P4547-05MSD	BP-F-20MSD	PL092648.D	25 Oct 2024 18:56		AR\AJ	Ok,M
14	I.BLK	I.BLK	PL092649.D	25 Oct 2024 19:09		AR\AJ	Ok,M
15	PSTDCCC050	PSTDCCC050	PL092650.D	25 Oct 2024 19:49		AR\AJ	Ok,M

M : Manual Integration

SOP ID :	M1311-TCLP-15	
SDG No :	N/A	Start Prep Date : 10/18/2024 Time : 17:00
Weigh By :	JP	End Prep Date : 10/19/2024 Time : 10:15
Balance ID :	WC SC-4	Combination Ratio : 20
pH Meter ID :	WC PH METER-1	ZHE Cleaning Batch : N/A
Extraction By :	JP	Initial Room Temperature: 23 °C
Filter By :	JP	Final Room Temperature: 22 °C
Pipette ID :	WC	TCLP Technician Signature : <i>JP</i>
Tumbler ID :	T-1	Supervisor By : <i>12</i>
TCLP Filter ID :	114771	

Standard Name	MLS USED	STD REF. # FROM LOG
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE U	Lot Number
TCLP-FLUID-1	N/A	WP108622
HCL-TCLP,1N	N/A	WP108584
HNO3-TCLP,1N	N/A	WP108585
pH Strips	N/A	W1931,W1934,W2350,W2755
pH Strips	N/A	N/A
1 Liter Amber	N/A	23091
120ml Plastic bottle	N/A	21029
1:1 HNO3	MP81119	N/A

Extraction Conformance/Non-Conformance Comments:

Matrix spikes are added after filtration and before preservation. Tumbler T-1 CHECKED,30 RPM. Particle size reduction is not required. p4460-04 is used for MS-MSD.

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
10/21/24 08:00	<i>JP</i> <i>TCLP Room</i>	<i>JP</i> <i>EXT</i>
	Preparation Group	Analysis Group <i>10/21/24</i>

Sample ID	ClientID	TCLP Vessel ID	Sample Wt (g)	Volume Extraction Fluid #1 (mL)	Multi phasic	Phase Miscible	Phases Combined	Final Leachate PH	Metals Leachate Adj. PH	Prep Pos
P4397-06	WB-301-BOT	01	100.03	2000	N/A	N/A	N/A	5.6	1.5	T-1
P4443-05	OG-315-HR-502-COMP-29	02	100.02	2000	N/A	N/A	N/A	5.5	1.0	T-1
P4443-10	OG-315-HR-502-COMP-30	03	100.03	2000	N/A	N/A	N/A	4.5	1.5	T-1
P4458-02	280517	04	100.02	2000	N/A	N/A	N/A	5.6	1.0	T-1
P4460-04	WB-303-BOT	05	100.03	2000	N/A	N/A	N/A	6.0	1.5	T-1
PB164261TB	LEB261	06	N/A	2000	N/A	N/A	N/A	4.93	1.0	T-1

SampleID	ClientID	Sample Weight (g)	Filter Weight (g)	Filtrate (mL)	Filter + Solid (After 100°C)	% solids	% Dry Solids
P4397-06	WB-301-BOT	N/A	N/A	N/A	N/A	100	N/A
P4443-05	OG-315-HR-502-COMP-29	N/A	N/A	N/A	N/A	100	N/A
P4443-10	OG-315-HR-502-COMP-30	N/A	N/A	N/A	N/A	100	N/A
P4458-02	280517	N/A	N/A	N/A	N/A	100	N/A
P4460-04	WB-303-BOT	N/A	N/A	N/A	N/A	100	N/A
PB164261TB	LEB261	N/A	N/A	N/A	N/A	N/A	N/A

Hot Block ID : WC S-1 /WC S-2

Thermometer ID : FLASHPOINT

SampleID	ClientID	Sample Weight (g)	Volume DI Water (mL)	PH after 5 min stir	PH after 10 min stir	Extraction Fluid 1 or 2	pH Extraction Fluid
P4397-06	WB-301-BOT	5.02	96.5	7.4	2.5	#1	4.93
P4443-05	OG-315-HR-502-COMP-29	5.03	96.5	7.6	2.5	#1	4.93
P4443-10	OG-315-HR-502-COMP-30	5.02	96.5	6.0	2.0	#1	4.93
P4458-02	280517	5.01	96.5	7.6	2.5	#1	4.93
P4460-04	WB-303-BOT	5.02	96.5	8.4	3.0	#1	4.93
PB164261TB	LEB261	N/A	N/A	N/A	N/A	#1	4.93

WORKLIST(Hardcopy Internal Chain)

WorkList Name : TCLP P4397 WorkList ID : 184595 Department : TCLP Extraction Date : 10-18-2024 14:05:11

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4397-06	WB-301-BOT	Solid	TCLP Extraction	Cool 4 deg C	PORT06		10/10/2024	1311
P4443-05	OG-315-HR-502-COMP-29	Solid	TCLP Extraction	Cool 4 deg C	PSEG03	K51	10/17/2024	1311
P4443-10	OG-315-HR-502-COMP-30	Solid	TCLP Extraction	Cool 4 deg C	PSEG03	K51	10/17/2024	1311
P4458-02	280517	Solid	TCLP Extraction	Cool 4 deg C	PSEG03	K51	10/18/2024	1311
P4460-04	WB-303-BOT	Solid	TCLP Extraction	Cool 4 deg C	PORT06	K51	10/18/2024	1311

Date/Time 10/18/24 / 6:20
Raw Sample Received by: [Signature]
Raw Sample Relinquished by: [Signature]

Date/Time 10/18/24 18:30
Raw Sample Received by: [Signature]
Raw Sample Relinquished by: [Signature]

SOP ID:	M3510C,3580A-Extraction Pesticide-16		
Clean Up SOP #:	N/A	Extraction Start Date :	10/22/2024
Matrix :	Water	Extraction Start Time :	10:10
Weigh By:	EH	Extraction By:	RJ
Balance check:	RJ	Filter By:	RJ
Balance ID:	N/A	pH Meter ID:	N/A
pH Strlp Lot#:	N/A	Hood ID:	4,6,7
Extraction Method:	☒ Separatory Funnel	☐ Continous Liquid/Liquid	☐ Sonication
		☐ Waste Dilution	☐ Soxhlet
		Extraction End Date :	10/22/2024
		Extraction End Time :	16:00
		Concentration By:	EH
		Supervisor By :	rajesh

Standard Name	MLS USED	Concentration ug/mL	STD REF. # FROM LOG
Spike Sol 1	1.0ML	500 PPB	PP23638
Surrogate	1.0ML	200 PPB	PP23858
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
Hexane/Acetone/1:1	N/A	EP2539
Baked Na2SO4	N/A	EP2546
Sand	N/A	E2865
Hexane	N/A	E3819
Florisil	N/A	E3806
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

40 ML Vial lot# 03-40 BTS721.

KD Bath ID:	Water bath -01,02	Envap ID:	NEVAP-02
KD Bath Temperature:	60 °C	Envap Temperature:	40 °C

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
10/22/24	RP (Ext. Lab)	J.P. Pestilera
16:05	Preparation Group	Analysis Group

Analytical Method: M3510C,3580A-Extraction Pesticide-16

Concentration Date: 10/22/2024

Sample ID	Client Sample ID	Test	g / (ml)	PH	Surr/Spike By:		Final Vol. (mL)	JarID	Comments	Prep Pos
					AddedBy	VerifiedBy				
PB164261TB	PB164261TB	TCLP Pesticide	100	6	RUPESH	rajesh	10			SEP-10
PB164360BL	PBLK360	TCLP Pesticide	1000	6	RUPESH	rajesh	10			11
PB164360BS	PLCS360	TCLP Pesticide	1000	6	RUPESH	rajesh	10			12
P4397-06	WB-301-BOT	TCLP Pesticide	100	6	RUPESH	rajesh	10	A		13
P4397-06MS	WB-301-BOTMS	TCLP Pesticide	100	6	RUPESH	rajesh	10	A		14
P4397-06MS D	WB-301-BOTMSD	TCLP Pesticide	100	6	RUPESH	rajesh	10	A		15
P4460-04	WB-303-BOT	TCLP Pesticide	100	6	RUPESH	rajesh	10	A		16

* Extracts relinquished on the same date as received.

[Signature]
10/22/24

Sample ID	ClientID	TCLP Vessel ID	Sample Wt (g)	Volume Extraction Fluid #1 (mL)	Multi phasic	Phase Miscible	Phases Combined	Final Leachate PH	Metals Leachate Adj. PH	Prep Pos
P4397-06	WB-301-BOT	01	100.03	2000	N/A	N/A	N/A	5.6	1.5	T-1
P4443-05	OG-315-HR-502-COMP-29	02	100.02	2000	N/A	N/A	N/A	5.5	1.0	T-1
P4443-10	OG-315-HR-502-COMP-30	03	100.03	2000	N/A	N/A	N/A	4.5	1.5	T-1
P4458-02	280517	04	100.02	2000	N/A	N/A	N/A	5.6	1.0	T-1
P4460-04	WB-303-BOT	05	100.03	2000	N/A	N/A	N/A	6.0	1.5	T-1
PB164261TB	LEB261	06	N/A	2000	N/A	N/A	N/A	4.93	1.0	T-1

10/21/2024
UG-000

Prep Standard - Chemical Standard Summary

Order ID : P4460

Test : TCLP Pesticide

Prepbatch ID : PB164360,

Sequence ID/Qc Batch ID: PL102424,PL102624,

Standard ID :

EP2539,EP2546,PP23474,PP23476,PP23517,PP23638,PP23673,PP23674,PP23675,PP23676,PP23677,PP23678,PP
23679,PP23680,PP23681,PP23682,PP23683,PP23686,PP23687,PP23690,PP23693,PP23695,PP23698,PP23733,PP2
3793,PP23858,

Chemical ID :

E2865,E3551,E3762,E3770,E3788,E3792,E3793,E3805,E3806,E3815,E3819,P11145,P11146,P11896,P13035,P13036,
P13039,P13244,P13349,P13350,P13351,P13359,P13402,

Extractions STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
230	1:1ACETONE/HEXANE	EP2539	09/17/2024	03/11/2025	Rajesh Parikh	None	None	RUPESHKUMAR SHAH 09/17/2024

FROM 4000.00000ml of E3792 + 4000.00000ml of E3793 = Final Quantity: 8000.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3923	Baked Sodium Sulfate	EP2546	10/11/2024	01/03/2025	RUPESHKUMAR SHAH	Extraction_SC ALE_2 (EX-SC-2)	None	Rajesh Parikh 10/11/2024

FROM 4000.00000gram of E3551 = Final Quantity: 4000.000 gram

Pest/Pcb STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1472	20 PPM Pest Stock Solution 2nd Source	PP23474	06/20/2024	12/18/2024	Abdul Mirza	None	None	Ankita Jodhani
								06/21/2024

FROM 1.00000ml of P13035 + 9.00000ml of E3762 = Final Quantity: 10.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3663	20 PPM MIREX Stock STD (Secondary source)	PP23476	06/20/2024	12/18/2024	Abdul Mirza	None	None	Ankita Jodhani
								06/21/2024

FROM 0.20000ml of P11145 + 9.80000ml of E3762 = Final Quantity: 10.000 ml

Pest/Pcb STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
4027	Pesticide resolution Check Mixture 8081	PP23517	07/12/2024	01/12/2025	Abdul Mirza	None	None	Ankita Jodhani
07/16/2024								

FROM 1.00000ml of E3770 + 99.00000ml of P13244 = Final Quantity: 100.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
79	500 PPB Pesticide Spike Solution	PP23638	09/05/2024	12/18/2024	Abdul Mirza	None	None	Ankita Jodhani
09/10/2024								

FROM 95.00000ml of E3788 + 2.50000ml of PP23474 + 2.50000ml of PP23476 = Final Quantity: 100.000 ml

Pest/Pcb STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
84	Pest/PCB Surrogate Stock 20 PPM	PP23673	09/21/2024	03/11/2025	Abdul Mirza	None	None	Ankita Jodhani
								10/01/2024

FROM 1.00000ml of P13349 + 9.00000ml of E3792 = Final Quantity: 10.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3629	20 PPM PEST stock Solution 1st source(RESTEK)	PP23674	09/21/2024	03/11/2025	Abdul Mirza	None	None	Ankita Jodhani
								10/01/2024

FROM 1.00000ml of P13036 + 9.00000ml of E3792 = Final Quantity: 10.000 ml



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1472	20 PPM Pest Stock Solution 2nd Source	PP23675	09/21/2024	03/11/2025	Abdul Mirza	None	None	Ankita Jodhani 10/01/2024

<u>FROM</u>	1.00000ml of P13039 + 9.00000ml of E3792 = Final Quantity: 10.000 ml
--------------------	--

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1273	20 PPM Mirex Stock (Primary Source)	PP23676	09/21/2024	03/11/2025	Abdul Mirza	None	None	Ankita Jodhani 10/01/2024

<u>FROM</u>	0.20000ml of P11146 + 9.80000ml of E3792 = Final Quantity: 10.000 ml
--------------------	--

Pest/Pcb STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3663	20 PPM MIREX Stock STD (Secondary source)	PP23677	09/21/2024	03/11/2025	Abdul Mirza	None	None	Ankita Jodhani
								10/01/2024

FROM 0.20000ml of P11146 + 9.80000ml of E3792 = Final Quantity: 10.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3630	100/100 PPB PEST Working std.1st Source(RESTEK)	PP23678	09/21/2024	03/11/2025	Abdul Mirza	None	None	Ankita Jodhani
								10/01/2024

FROM 98.50000ml of E3792 + 0.50000ml of PP23673 + 0.50000ml of PP23674 + 0.50000ml of PP23676 = Final Quantity: 100.000 ml



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
80	100/100 PPB Pesticide Working Solution 2nd Source	PP23679	09/21/2024	03/11/2025	Abdul Mirza	None	None	Ankita Jodhani 10/01/2024
<u>FROM</u> 98.50000ml of E3792 + 0.50000ml of PP23673 + 0.50000ml of PP23675 + 0.50000ml of PP23677 = Final Quantity: 100.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
386	1000/100 PPB Chlordane STD (Restek)	PP23680	09/21/2024	03/11/2025	Abdul Mirza	None	None	Ankita Jodhani 10/01/2024
<u>FROM</u>	0.10000ml of P11896 + 99.40000ml of E3792 + 0.50000ml of PP23673 = Final Quantity: 100.000 ml							

Pest/Pcb STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3746	1000/100 ppb Chlordane STD-RESTEK 2ND SOURCE	PP23681	09/21/2024	03/11/2025	Abdul Mirza	None	None	Ankita Jodhani
								10/01/2024

FROM 0.10000ml of P11896 + 99.40000ml of E3792 + 0.50000ml of PP23673 = Final Quantity: 100.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
383	1000/100 PPB Toxaphene STD (Restek)	PP23682	09/21/2024	03/11/2025	Abdul Mirza	None	None	Ankita Jodhani
								10/01/2024

FROM 0.10000ml of P13359 + 99.40000ml of E3792 + 0.50000ml of PP23673 = Final Quantity: 100.000 ml

Pest/Pcb STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3669	1000/100 PPB TOXAPHENE STD 2nd source (RESTEK)	PP23683	09/21/2024	03/11/2025	Abdul Mirza	None	None	Ankita Jodhani
								10/01/2024

FROM 0.10000ml of P13402 + 99.40000ml of E3792 + 0.50000ml of PP23673 = Final Quantity: 100.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3632	50 PPB ICAL PEST STD(RESTEK)	PP23686	09/21/2024	03/11/2025	Abdul Mirza	None	None	Ankita Jodhani
								10/01/2024

FROM 0.50000ml of E3792 + 0.50000ml of PP23678 = Final Quantity: 1.000 ml

Pest/Pcb STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3988	50 PPB PEST ICV STD(RESTEK)	PP23687	09/21/2024	03/11/2025	Abdul Mirza	None	None	Ankita Jodhani
								10/01/2024

FROM 0.50000ml of E3792 + 0.50000ml of PP23679 = Final Quantity: 1.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
529	CHLOR 500 PPB STD	PP23690	09/21/2024	03/11/2025	Abdul Mirza	None	None	Ankita Jodhani
								10/01/2024

FROM 0.50000ml of E3792 + 0.50000ml of PP23680 = Final Quantity: 1.000 ml

Pest/Pcb STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
532	CHLOR 500 PPB ICV STD	PP23693	09/21/2024	03/11/2025	Abdul Mirza	None	None	Ankita Jodhani
								10/01/2024

FROM 0.50000ml of E3792 + 0.50000ml of PP23681 = Final Quantity: 1.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
534	TOX 500 PPB STD	PP23695	09/21/2024	03/11/2025	Abdul Mirza	None	None	Ankita Jodhani
								10/01/2024

FROM 0.50000ml of E3792 + 0.50000ml of PP23682 = Final Quantity: 1.000 ml

Pest/Pcb STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3670	TOX 500 PPB ICV std (RESTEK)	PP23698	09/21/2024	03/11/2025	Abdul Mirza	None	None	Ankita Jodhani
								10/01/2024

FROM 0.50000ml of E3792 + 0.50000ml of PP23683 = Final Quantity: 1.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
84	Pest/PCB Surrogate Stock 20 PPM	PP23733	10/03/2024	03/30/2025	Ankita Jodhani	None	None	Yogesh Patel
								10/03/2024

FROM 1.00000ml of P13350 + 9.00000ml of E3805 = Final Quantity: 10.000 ml

Pest/Pcb STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
518	Pest/PCB I.BLK 20 PPB	PP23793	10/03/2024	03/30/2025	Ankita Jodhani	None	None	Yogesh Patel
								10/03/2024

FROM 99.90000ml of E3805 + 0.10000ml of PP23733 = Final Quantity: 100.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
465	200 PPB Pest/PCB Surrogate Spike	PP23858	10/14/2024	04/04/2025	Abdul Mirza	None	None	Ankita Jodhani
								10/14/2024

FROM 1.00000ml of P13351 + 999.00000ml of E3815 = Final Quantity: 1000.000 ml

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-3382-05 / Sand, Purified (cs/4x2.5kg)	0000243821	12/31/2024	04/30/2020 / RAJESH	04/28/2020 / RAJESH	E2865

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	PC19631-100 / SODIUM SULFATE, ANHYDROUS, PEST GRADE, 1	313201	01/03/2025	01/03/2024 / Rajesh	07/20/2023 / Rajesh	E3551

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9262-03 / Hexane, Ultra-Resi (cs/4x4L)	24C1862008	12/18/2024	06/18/2024 / Rajesh	06/17/2024 / Rajesh	E3762

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9262-03 / Hexane, Ultra-Resi (cs/4x4L)	24C1862008	04/15/2025	07/12/2024 / Rajesh	07/02/2024 / Rajesh	E3770

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9254-03 / Acetone, Ultra Resi (cs/4x4L)	23H1462005	04/23/2025	08/13/2024 / Rajesh	08/13/2024 / Rajesh	E3788

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9262-03 / Hexane, Ultra-Resi (cs/4x4L)	24C1862008	03/11/2025	09/12/2024 / Rajesh	09/11/2024 / Rajesh	E3792

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	9005-05 / Acetone Ultra (cs/4x4L)	24E0761004	03/11/2025	09/12/2024 / Rajesh	09/11/2024 / Rajesh	E3793

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9262-03 / Hexane, Ultra-Resi (cs/4x4L)	24C1862008	03/30/2025	09/30/2024 / Rajesh	09/25/2024 / Rajesh	E3805

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Agela Technologies Inc.	FS0006 / Cleanert Florisil cartridge	M06518	03/25/2025	10/01/2024 / Rajesh	09/25/2024 / Rajesh	E3806

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9254-03 / Acetone, Ultra Resi (cs/4x4L)	24H1462005	04/04/2025	10/04/2024 / Rajesh	10/04/2024 / Rajesh	E3815

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9262-03 / Hexane, Ultra-Resi (cs/4x4L)	24G1962003	04/15/2025	10/15/2024 / Rajesh	10/09/2024 / Rajesh	E3819

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	79136 / Mirex, 1000 ug/ml	102821	12/20/2024	06/20/2024 / Abdul	10/29/2021 / Abdul	P11145

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	79136 / Mirex, 1000 ug/ml	102821	03/21/2025	09/21/2024 / Abdul	10/29/2021 / Abdul	P11146

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	32021 / Chlordane Std.	A0181737	03/21/2025	09/21/2024 / Abdul	06/17/2022 / Abdul	P11896

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	32291 / Pesticide Mix, CLP method, organochlorine Std AB#1, 200ug/mL, hexane/toluene, 1mL/ampul	A0200423	12/20/2024	06/20/2024 / Abdul	12/26/2023 / Abdul	P13035

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	32291 / Pesticide Mix, CLP method, organochlorine Std AB#1, 200ug/mL, hexane/toluene, 1mL/ampul	A0200423	03/21/2025	09/21/2024 / Abdul	12/26/2023 / Abdul	P13036

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	32291 / Pesticide Mix, CLP method, organochlorine Std AB#1, 200ug/mL, hexane/toluene, 1mL/ampul	A0199099	03/21/2025	09/21/2024 / Abdul	12/26/2023 / Abdul	P13039

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	19161 / 8081 pesticide resolution check mixture	013124	01/12/2025	07/12/2024 / Abdul	02/09/2024 / Abdul	P13244

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	32000 / Pesticide Mix, CLP method, Pesticide Surrogate Mix, 200ug/mL, Acetone, 1mL	A0206810	03/21/2025	09/21/2024 / Abdul	04/22/2024 / Abdul	P13349

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	32000 / Pesticide Mix, CLP method, Pesticide Surrogate Mix, 200ug/mL, Acetone, 1mL	A0206810	04/03/2025	10/03/2024 / Ankita	04/22/2024 / Abdul	P13350

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	32000 / Pesticide Mix, CLP method, Pesticide Surrogate Mix, 200ug/mL, Acetone, 1mL	A0206810	04/14/2025	10/14/2024 / Abdul	04/22/2024 / Abdul	P13351

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	32005 / Toxaphene Standard	A0203830	03/21/2025	09/21/2024 / Abdul	05/03/2024 / Abdul	P13359

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	32005 / Toxaphene Standard	A0203038	03/21/2025	09/21/2024 / Abdul	05/15/2024 / Abdul	P13402

Sand
Purified
Washed and Ignited



Material No.: 3382-05
Batch No.: 0000243821
Manufactured Date: 2018/04/09
Retest Date: 2025/04/07
Revision No: 1


Certificate of Analysis

Test	Specification	Result
Substances Soluble in HCl	$\leq 0.16\%$	0.01

For Laboratory, Research or Manufacturing Use
Meets Reagent Specifications for testing USP/NF monographs

Country of Origin: US
Packaging Site: Paris Mfg Ctr & DC

E 2865


Jamie Ethier
Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials, LLC
100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700



**PRODUCTOS
QUÍMICOS
MONTERREY, S.A. DE C.V.**

MIRADOR 201, COL. MIRADOR
MONTERREY, N.L. MEXICO
CP 64070
TEL +52 81 13 52 57 57
www.pqm.com.mx

CERTIFICATE OF ANALYSIS

PRODUCT :	SODIUM SULFATE CRYSTALS ANHYDROUS		
QUALITY :	ACS (CODE RMB3375)	FORMULA :	Na ₂ SO ₄
SPECIFICATION NUMBER :	6399	RELEASE DATE:	ABR/21/2023
LOT NUMBER :	313201		

TEST	SPECIFICATIONS	LOT VALUES
Assay (Na ₂ SO ₄)	Min. 99.0%	99.7 %
pH of a 5% solution at 25°C	5.2 - 9.2	6.1
Insoluble matter	Max. 0.01%	0.005 %
Loss on ignition	Max. 0.5%	0.1 %
Chloride (Cl)	Max. 0.001%	<0.001 %
Nitrogen compounds (as N)	Max. 5 ppm	<5 ppm
Phosphate (PO ₄)	Max. 0.001%	<0.001 %
Heavy metals (as Pb)	Max. 5 ppm	<5 ppm
Iron (Fe)	Max. 0.001%	<0.001 %
Calcium (Ca)	Max. 0.01%	0.002 %
Magnesium (Mg)	Max. 0.005%	0.001 %
Potassium (K)	Max. 0.008%	0.003 %
Extraction-concentration suitability	Passes test	Passes test
Appearance	Passes test	Passes test
Identification	Passes test	Passes test
Solubility and foreign matter	Passes test	Passes test
Retained on US Standard No. 10 sieve	Max. 1%	0.1 %
Retained on US Standard No. 60 sieve	Min. 94%	97.3 %
Through US Standard No. 60 sieve	Max. 5%	2.5 %
Through US Standard No. 100 sieve	Max. 10%	0.1 %

COMMENTS

QC: PhC Irma Belmares

If you need further details, please call our factory or contact our local distributor.

Recd. by R3 on 7/24/23 **E 3551**

RC-02-01, Ed. 3

Hexanes (95% n-hexane)
BAKER RESI-ANALYZED® Reagent
For Organic Residue Analysis

Avantor™



Material No.: 9262-03
Batch No.: 24C1862008
Manufactured Date: 2024-01-30
Expiration Date: 2025-04-30
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)	≤ 5	< 1
ECD Sensitive Impurities (as Heptachlor Epoxide) Single Peak (pg/mL)	≤ 10	1
ECD-Sensitive Impurities (as Ethylene Dibromide) - Single Impurity Peak (ng/mL)	≤ 5	1
Assay (Total Saturated C ₆ Isomers) (by GC, corrected for water)	≥ 99.5 %	99.7 %
Assay (as n-Hexane) (by GC, corrected for water)	≥ 95 %	98 %
Color (APHA)	≤ 10	5
Residue after Evaporation	≤ 1.0 ppm	0.4 ppm
Substances Darkened by H ₂ SO ₄	Passes Test	Passes Test
Water (by KF, coulometric)	≤ 0.05 %	< 0.01 %

For Laboratory, Research, or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC

Recd. by RP on 6/11/24

E 3762

Jamie Croak
Director Quality Operations, Bioscience Production

Acetone

BAKER RESI-ANALYZED® Reagent

For Organic Residue Analysis

avantor™



Material No.: 9254-03

Batch No.: 23H1462005

Manufactured Date: 2023-07-26

Expiration Date: 2026-07-25

Revision No.: 0

Certificate of Analysis

Test	Specification	Result
Assay ((CH ₃) ₂ CO) (by GC, corrected for water)	≥ 99.4 %	99.7 %
Color (APHA)	≤ 10	5
Residue after Evaporation	≤ 1.0 ppm	0.3 ppm
Substances Reducing Permanganate	Passes Test	Passes Test
Titration Acid (μeq/g)	≤ 0.3	0.1
Titration Base (μeq/g)	≤ 0.6	< 0.1
Water (H ₂ O)	≤ 0.5 %	0.3 %
FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)	≤ 5	< 1
ECD Sensitive Impurities (as Heptachlor Epoxide) Single Peak (pg/mL)	≤ 10	1

For Laboratory, Research, or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC

Recd. by RP on 7/21/24

E 3769

Ken Koehnlein
Sr. Manager, Quality Assurance

Acetone

BAKER RESI-ANALYZED® Reagent
For Organic Residue Analysis

Avantor™



Material No.: 9254-03
Batch No.: 23H1462005
Manufactured Date: 2023-07-26
Expiration Date: 2026-07-25
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
Assay ((CH ₃) ₂ CO) (by GC, corrected for water)	≥ 99.4 %	99.7 %
Color (APHA)	≤ 10	5
Residue after Evaporation	≤ 1.0 ppm	0.3 ppm
Substances Reducing Permanganate	Passes Test	Passes Test
Titration Acid (μeq/g)	≤ 0.3	0.1
Titration Base (μeq/g)	≤ 0.6	< 0.1
Water (H ₂ O)	≤ 0.5 %	0.3 %
FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)	≤ 5	< 1
ECD Sensitive Impurities (as Heptachlor Epoxide) Single Peak (pg/mL)	≤ 10	1

For Laboratory, Research, or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC

Recd by RP on 8/13/24

E 3788

Ken Koehnlein
Sr. Manager, Quality Assurance

Hexanes (95% n-hexane)
BAKER RESI-ANALYZED® Reagent
For Organic Residue Analysis

Avantor™



Material No.: 9262-03
Batch No.: 24C1862008
Manufactured Date: 2024-01-30
Expiration Date: 2025-04-30
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)	≤ 5	< 1
ECD Sensitive Impurities (as Heptachlor Epoxide) Single Peak (pg/mL)	≤ 10	1
ECD-Sensitive Impurities (as Ethylene Dibromide) - Single Impurity Peak (ng/mL)	≤ 5	1
Assay (Total Saturated C ₆ Isomers) (by GC, corrected for water)	≥ 99.5 %	99.7 %
Assay (as n-Hexane) (by GC, corrected for water)	≥ 95 %	98 %
Color (APHA)	≤ 10	5
Residue after Evaporation	≤ 1.0 ppm	0.4 ppm
Substances Darkened by H ₂ SO ₄	Passes Test	Passes Test
Water (by KF, coulometric)	≤ 0.05 %	< 0.01 %

For Laboratory, Research, or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC

Recd by RP on 09/11/24

E 3192

Jamie Croak
Director Quality Operations, Bioscience Production

Acetone
CMOS



Material No.: 9005-05
Batch No.: 24E0761004
Manufactured Date: 2024-05-02
Retest Date: 2029-05-01
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
Assay ((CH ₃) ₂ CO) (by GC, corrected for water)	≥ 99.5 %	99.8 %
Color (APHA)	≤ 10	< 5
Residue after Evaporation	≤ 5 ppm	< 1 ppm
Titration Acid (μeq/g)	≤ 0.3	0.1
Titration Base (μeq/g)	≤ 0.5	0.1
Water (H ₂ O)	≤ 0.5 %	0.1 %
Solubility in H ₂ O	Passes Test	Passes Test
Chloride (Cl)	≤ 0.2 ppm	< 0.2 ppm
Phosphate (PO ₄)	≤ 0.05 ppm	< 0.05 ppm
Trace Impurities – Aluminum (Al)	≤ 50.0 ppb	< 5.0 ppb
Arsenic and Antimony (as As)	≤ 5.0 ppb	< 5.0 ppb
Trace Impurities – Barium (Ba)	≤ 20.0 ppb	< 1.0 ppb
Trace Impurities – Beryllium (Be)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Bismuth (Bi)	≤ 20.0 ppb	< 10.0 ppb
Trace Impurities – Boron (B)	≤ 10.0 ppb	< 5.0 ppb
Trace Impurities – Cadmium (Cd)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Calcium (Ca)	≤ 25.0 ppb	3.6 ppb
Trace Impurities – Chromium (Cr)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Cobalt (Co)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Copper (Cu)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Gallium (Ga)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Germanium (Ge)	≤ 10.0 ppb	< 10.0 ppb
Trace Impurities – Gold (Au)	≤ 20 ppb	< 5 ppb
Trace Impurities – Iron (Fe)	≤ 20.0 ppb	< 1.0 ppb
Trace Impurities – Lead (Pb)	≤ 10.0 ppb	< 10.0 ppb
Trace Impurities – Lithium (Li)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Magnesium (Mg)	≤ 20 ppb	< 1 ppb
Trace Impurities – Manganese (Mn)	≤ 10.0 ppb	< 1.0 ppb

>>> Continued on page 2 >>>

Recd. by RP on 9/11/24

E3793

Test	Specification	Result
Trace Impurities – Molybdenum (Mo)	≤ 10.0 ppb	< 5.0 ppb
Trace Impurities – Nickel (Ni)	≤ 10.0 ppb	< 5.0 ppb
Trace Impurities – Niobium (Nb)	≤ 50.0 ppb	< 1.0 ppb
Trace Impurities – Potassium (K)	≤ 10.0 ppb	< 10.0 ppb
Trace Impurities – Silicon (Si)	≤ 50 ppb	< 10 ppb
Trace Impurities – Silver (Ag)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Sodium (Na)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Strontium (Sr)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Tantalum (Ta)	≤ 50.0 ppb	< 5.0 ppb
Trace Impurities – Thallium (Tl)	≤ 10.0 ppb	< 5.0 ppb
Trace Impurities – Tin (Sn)	≤ 20.0 ppb	< 10.0 ppb
Trace Impurities – Titanium (Ti)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Vanadium (V)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Zinc (Zn)	≤ 20.0 ppb	7.9 ppb
Trace Impurities – Zirconium (Zr)	≤ 10.0 ppb	< 1.0 ppb
Particle Count – 0.5 µm and greater (Rion KS42AF)	≤ 100 par/ml	8 par/ml
Particle Count – 1.0 µm and greater (Rion KS42AF)	≤ 8 par/ml	2 par/ml

>>> Continued on page 3 >>>

Acetone
CMOS



Material No.: 9005-05
Batch No.: 24E0761004

Test	Specification	Result
------	---------------	--------

For Microelectronic Use
Country of Origin: USA
Packaging Site: Paris Mfg Ctr & DC

Michelle Bales
Sr. Manager, Quality Assurance

Hexanes (95% n-hexane)
BAKER RESI-ANALYZED® Reagent
For Organic Residue Analysis

Avantor™



Material No.: 9262-03
Batch No.: 24C1862008
Manufactured Date: 2024-01-30
Expiration Date: 2025-04-30
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)	≤ 5	< 1
ECD Sensitive Impurities (as Heptachlor Epoxide) Single Peak (pg/mL)	≤ 10	1
ECD-Sensitive Impurities (as Ethylene Dibromide) - Single Impurity Peak (ng/mL)	≤ 5	1
Assay (Total Saturated C ₆ Isomers) (by GC, corrected for water)	≥ 99.5 %	99.7 %
Assay (as n-Hexane) (by GC, corrected for water)	≥ 95 %	98 %
Color (APHA)	≤ 10	5
Residue after Evaporation	≤ 1.0 ppm	0.4 ppm
Substances Darkened by H ₂ SO ₄	Passes Test	Passes Test
Water (by KF, coulometric)	≤ 0.05 %	< 0.01 %

For Laboratory, Research, or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC

Recd. by RP on 9/25/24

E 3805

Jamie Croak
Director Quality Operations, Bioscience Production

Cleanert Florisil

1g/6ml 30/pkg

固相萃取产品

LOT#: M06518

MFG#: F04074



Made in China

CAT# FS0006

 Agela Technologies

E 3806



Acetone
BAKER RESI-ANALYZED® Reagent
For Organic Residue Analysis



Material No.: 9254-03
Batch No.: 24H1462005
Manufactured Date: 2024-05-24
Expiration Date: 2027-05-24
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
Assay ((CH ₃) ₂ CO) (by GC, corrected for water)	>= 99.4 %	99.8 %
Color (APHA)	<= 10	5
Residue after Evaporation	<= 1.0 ppm	0.2 ppm
Substances Reducing Permanganate	Passes Test	Passes Test
Titration Acid (µeq/g)	<= 0.3	0.2
Titration Base (µeq/g)	<= 0.6	<0.1
Water (H ₂ O)	<= 0.5 %	0.2 %
FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)	<= 5	<1
ECD Sensitive Impurities (as Heptachlor Epoxide) Single Peak (pg/mL)	<= 10	1

For Laboratory, Research, or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States
Packaging Site: Phillipsburg Mfg Ctr & DC

E3815

Jamie Croak
Director Quality Operations, Bioscience Production

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials, LLC

100 Matsonford Rd, Suite 200, Radnor, PA, 19087, U.S.A. Phone 610.386.1700

n-Hexane 95%
ULTRA RESI-ANALYZED
For Organic Residue Analysis



Material No.: 9262-03
Batch No.: 24G1962003
Manufactured Date: 2024-05-23
Expiration Date: 2025-08-22
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)	≤ 5	3
ECD Sensitive Impurities (as Heptachlor Epoxide) Single Peak (pg/mL)	≤ 10	1
ECD-Sensitive Impurities (as Ethylene Dibromide) - Single Impurity Peak (ng/mL)	≤ 5	1
Assay (Total Saturated C ₆ Isomers) (by GC, corrected for water)	$\geq 99.5 \%$	99.7 %
Assay (as n-Hexane) (by GC, corrected for water)	$\geq 95 \%$	98 %
Color (APHA)	≤ 10	5
Residue after Evaporation	≤ 1.0 ppm	0.1 ppm
Substances Darkened by H ₂ SO ₄	Passes Test	Passes Test
Water (by KF, coulometric)	$\leq 0.05 \%$	< 0.01 %

For Laboratory, Research, or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC

Recd. by RP on 10/09/24

E 3819

Jamie Croak
Director Quality Operations, Bioscience Production

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials, LLC
100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone 610.386.1700
Page 1 of 1



CERTIFIED REFERENCE MATERIAL

110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

Certificate of Analysis



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No.: 32021 Lot No.: A0181737
Description: Chlordane Standard
Chlordane Standard 1000µg/mL, Hexane, 1mL/ampul
Container Size: 2 mL Pkg Amt: > 1 mL
Expiration Date: May 31, 2028 Storage: 10°C or colder
Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	Grav. Conc. (weight/volume)	Expanded Uncertainty (95% C.L.; K=2)
1	Chlordane CAS # 57-74-9 (Lot 978545) Purity ----%	1,006.0 µg/mL	+/- 5.9753 µg/mL Gravimetric +/- 31.8975 µg/mL Unstressed +/- 41.6615 µg/mL Stressed

Solvent: Hexane
CAS # 110-54-3
Purity 99%

Tech Tips:

CAS #57-74-9 nomenclature is based on EPA method 8081B.

P 11892
↓
P 11896
5

06/17/2022

Column:
30m x .25mm x .2um
Rtx-CLP II (cat.# 11323)


Carrier Gas:
helium-constant pressure 20 psi.

Temp. Program:
200°C to 300°C
@ 25°C/min. (hold 10 min.)


Inj. Temp:
250°C

Det. Temp:
300°C

Det. Type:
ECD




This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.


Josh McCloskey - Operations Technician I

Date Mixed: 11-Feb-2022

Balance: B442140311


Marlene Cowan - Operations Tech I

Date Passed: 24-Feb-2022

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

P 11892
↓
P 11896 / (5)


06/17/2022



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 32291 Lot No.: A0199099

Description : Organochlorine Pesticide Mix AB #1

Organochlorine Pesticide Mix AB #1 200µg/mL, Hexane/Toluene(50:50), 1mL/ampul

Container Size : 2 mL Pkg Amt: > 1 mL

Expiration Date : June 30, 2027 Storage: 10°C or colder

Ship: Ambient

P130397 5
↓
P13043 1
✓
12-26-2023

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	alpha-BHC	319-84-6	14434500	99%	200.0 µg/mL	+/- 8.9732
2	gamma-BHC (Lindane)	58-89-9	14184400	98%	200.1 µg/mL	+/- 8.9762
3	beta-BHC	319-85-7	BCCC6425	99%	200.3 µg/mL	+/- 8.9844
4	delta-BHC	319-86-8	14450800	98%	200.0 µg/mL	+/- 8.9740
5	Heptachlor	76-44-8	813251	99%	200.1 µg/mL	+/- 8.9754
6	Aldrin	309-00-2	14389400	98%	200.0 µg/mL	+/- 8.9718
7	Heptachlor epoxide (isomer B)	1024-57-3	14448800	99%	200.1 µg/mL	+/- 8.9754
8	trans-Chlordane	5103-74-2	32943	98%	199.9 µg/mL	+/- 8.9696
9	cis-Chlordane	5103-71-9	31766	98%	200.1 µg/mL	+/- 8.9762
10	Endosulfan I	959-98-8	BCCF4060	99%	200.1 µg/mL	+/- 8.9754
11	4,4'-DDE	72-55-9	GHYQG	99%	200.1 µg/mL	+/- 8.9777
12	Dieldrin	60-57-1	11129900	98%	200.0 µg/mL	+/- 8.9718
13	Endrin	72-20-8	14123200	98%	199.9 µg/mL	+/- 8.9696
14	4,4'-DDD	72-54-8	HAN02	99%	200.1 µg/mL	+/- 8.9777
15	Endosulfan II	33213-65-9	14374700	99%	200.0 µg/mL	+/- 8.9732
16	4,4'-DDT	50-29-3	230410JLMA	98%	200.0 µg/mL	+/- 8.9718

17	Endrin aldehyde	7421-93-4	30720	98%	200.1	µg/mL	+/- 8.9784
18	Endosulfan sulfate	1031-07-8	BCCH9010	99%	200.0	µg/mL	+/- 8.9732
19	Methoxychlor	72-43-5	13668200	99%	200.1	µg/mL	+/- 8.9777
20	Endrin ketone	53494-70-5	1-ABS-16-7	98%	200.0	µg/mL	+/- 8.9740

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Hexane/Toluene (50:50)
CAS # 110-54-3/108-88-3
Purity 99%

P13039
 ↓
 P13043
 5
 1
 JAW
 12/26/23

Quality Confirmation Test

Column:
 30m x .25mm x .2µm
 Rtx-CLP II (cat.# 11323)

Carrier Gas:
 helium-constant pressure 20 psi.

Temp. Program:
 150°C to 300°C
 @ 4°C/min. (hold 5 min.)


Inj. Temp:
 200°C

Det. Temp:
 300°C

Det. Type:
 ECD

Split Vent:
 Split ratio 50:1

Inj. Vol
 1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Josh McCloskey
 Josh McCloskey - Operations Technician I

Date Mixed: 19-Jun-2023

Balance Serial # 1128360905

Jennifer Pollino
 Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 23-Jun-2023

Manufactured under Restek's ISO 9001:2015
 Registered Quality System
 Certificate #FM 80397



Certified Reference Material CRM



CERTIFIED WEIGHT REPORT

Part Number:
Lot Number:
Description:

79136
102821
Mirex

Solvent(s):
Lot#
Acetone **81025**

Expiration Date:
Recommended Storage:
Nominal Concentration (µg/mL):
NIST Test ID#:

102826
Refrigerate (4 °C)
1000
6UTB

5E-05 **Balance Uncertainty**
0.006 **Flask Uncertainty**


Weight(s) shown below were combined and diluted to (mL):

50.0

Compound	RM#	Lot Number	Nominal Conc (µg/mL)	Purity (%)	Uncertainty	Target Weight (g)	Actual Weight (g)	Actual Conc (µg/mL)	Expanded SDS Information		
									Uncertainty (+/-) (µg/mL)	(Solvent Safety Info. On Attached pg.)	(SHA PEL (TWA) LD50)

1. Mirex	437	9492400	1000	99.4	0.5	0.05034	0.05039	1000.9	10.3	2385-85-5	N/A	orl-rat 306mg/kg
----------	-----	---------	------	------	-----	---------	---------	--------	------	-----------	-----	------------------

Method GC7MSD-1.M: Column: SPB-608 (30m X 0.25mm ID X 0.25µm film thickness) Temp 1 = 150°C (4min.), Temp 2 = 290°C (13.5 min.), Rate = 8°C/min., Injector B = 200°C, Detector B = 290°C. Split Ratio = 100:1, Scan Rate = 2. Analysis performed by Candice Warren.



- The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- All Standards, after opening ampule, should be stored with caps tight and under appropriate laboratory conditions.
- Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, DC, (1994).



Certified Reference Material CRM



CERTIFIED WEIGHT REPORT

Part Number:
Lot Number:
Description:

79136
102821
Mirex

Solvent(s):
Lot#
Acetone **81025**

Expiration Date:
Recommended Storage:
Nominal Concentration (µg/mL):
NIST Test ID#:

102826
Refrigerate (4 °C)
1000
6UTB

5E-05 **Balance Uncertainty**
0.006 **Flask Uncertainty**


Weight(s) shown below were combined and diluted to (mL):

50.0

Compound	RM#	Lot Number	Nominal Conc (µg/mL)	Purity (%)	Uncertainty	Target Weight (g)	Actual Weight (g)	Actual Conc (µg/mL)	Expanded SDS Information		
									Uncertainty (+/-) (µg/mL)	(Solvent Safety Info. On Attached pg.)	(SHA PEL (TWA) LD50)

1. Mirex	437	9492400	1000	99.4	0.5	0.05034	0.05039	1000.9	10.3	2385-85-5	N/A	orl-rat 306mg/kg
----------	-----	---------	------	------	-----	---------	---------	--------	------	-----------	-----	------------------

Method GC7MSD-1.M: Column: SPB-608 (30m X 0.25mm ID X 0.25µm film thickness) Temp 1 = 150°C (4min.), Temp 2 = 290°C (13.5 min.), Rate = 8°C/min., Injector B = 200°C, Detector B = 290°C. Split Ratio = 100:1, Scan Rate = 2. Analysis performed by Candice Warren.



- The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- All Standards, after opening ampule, should be stored with caps tight and under appropriate laboratory conditions.
- Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, DC, (1994).



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 32291 **Lot No.:** A0200423

Description : Organochlorine Pesticide Mix AB #1

Organochlorine Pesticide Mix AB #1 200µg/mL, Hexane/Toluene(50:50), 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : July 31, 2027 **Storage:** 10°C or colder

Ship: Ambient

P 13034
↓
P 13038
12.26.2023

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	alpha-BHC	319-84-6	14434500	99%	200.5 µg/mL	+/- 8.9956
2	gamma-BHC (Lindane)	58-89-9	14184400	98%	199.9 µg/mL	+/- 8.9696
3	beta-BHC	319-85-7	BCCC6425	99%	200.0 µg/mL	+/- 8.9732
4	delta-BHC	319-86-8	14450800	98%	199.9 µg/mL	+/- 8.9696
5	Heptachlor	76-44-8	813251	99%	202.0 µg/mL	+/- 9.0629
6	Aldrin	309-00-2	14389400	98%	200.9 µg/mL	+/- 9.0136
7	Heptachlor epoxide (isomer B)	1024-57-3	14448800	99%	200.0 µg/mL	+/- 8.9732
8	trans-Chlordane	5103-74-2	34616	99%	200.5 µg/mL	+/- 8.9956
9	cis-Chlordane	5103-71-9	31766	98%	201.4 µg/mL	+/- 9.0356
10	Endosulfan I	959-98-8	BCCF4060	99%	200.0 µg/mL	+/- 8.9732
11	4,4'-DDE	72-55-9	GHYQG	99%	201.5 µg/mL	+/- 9.0405
12	Dieldrin	60-57-1	14515000	98%	199.9 µg/mL	+/- 8.9696
13	Endrin	72-20-8	14485300	98%	200.4 µg/mL	+/- 8.9916
14	4,4'-DDD	72-54-8	HAN02	99%	200.5 µg/mL	+/- 8.9956
15	Endosulfan II	33213-65-9	14374700	99%	200.0 µg/mL	+/- 8.9732
16	4,4'-DDT	50-29-3	230410JLMA	98%	201.9 µg/mL	+/- 9.0575

17	Endrin aldehyde	7421-93-4	30720	98%	201.4 µg/mL	+/- 9.0356
18	Endosulfan sulfate	1031-07-8	BCCH9010	99%	200.5 µg/mL	+/- 8.9956
19	Methoxychlor	72-43-5	14563200	98%	200.9 µg/mL	+/- 9.0136
20	Endrin ketone	53494-70-5	14537700	98%	199.9 µg/mL	+/- 8.9696

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Hexane/Toluene (50:50)
CAS # 110-54-3/108-88-3
Purity 99%

P13034
P13038
1
5
12/26/2023

Quality Confirmation Test

Column:
30m x .25mm x .2µm
Rtx-CLP II (cat.# 11323)

Carrier Gas:
helium-constant pressure 20 psi.

Temp. Program:
150°C to 300°C
@ 4°C/min. (hold 5 min.)


Inj. Temp:
200°C

Det. Temp:
300°C

Det. Type:
ECD

Split Vent:
Split ratio 50:1

Inj. Vol
1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Sam Moodler
Sam Moodler - Operations Tech I

Date Mixed: 31-Jul-2023

Balance Serial # B442140311

Jennifer Pollino
Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 03-Aug-2023

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 32291 **Lot No.:** A0200423

Description : Organochlorine Pesticide Mix AB #1

Organochlorine Pesticide Mix AB #1 200µg/mL, Hexane/Toluene(50:50), 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : July 31, 2027 **Storage:** 10°C or colder

Ship: Ambient

P 13034
↓
P 13038
12.26.2023

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	alpha-BHC	319-84-6	14434500	99%	200.5 µg/mL	+/- 8.9956
2	gamma-BHC (Lindane)	58-89-9	14184400	98%	199.9 µg/mL	+/- 8.9696
3	beta-BHC	319-85-7	BCCC6425	99%	200.0 µg/mL	+/- 8.9732
4	delta-BHC	319-86-8	14450800	98%	199.9 µg/mL	+/- 8.9696
5	Heptachlor	76-44-8	813251	99%	202.0 µg/mL	+/- 9.0629
6	Aldrin	309-00-2	14389400	98%	200.9 µg/mL	+/- 9.0136
7	Heptachlor epoxide (isomer B)	1024-57-3	14448800	99%	200.0 µg/mL	+/- 8.9732
8	trans-Chlordane	5103-74-2	34616	99%	200.5 µg/mL	+/- 8.9956
9	cis-Chlordane	5103-71-9	31766	98%	201.4 µg/mL	+/- 9.0356
10	Endosulfan I	959-98-8	BCCF4060	99%	200.0 µg/mL	+/- 8.9732
11	4,4'-DDE	72-55-9	GHYQG	99%	201.5 µg/mL	+/- 9.0405
12	Dieldrin	60-57-1	14515000	98%	199.9 µg/mL	+/- 8.9696
13	Endrin	72-20-8	14485300	98%	200.4 µg/mL	+/- 8.9916
14	4,4'-DDD	72-54-8	HAN02	99%	200.5 µg/mL	+/- 8.9956
15	Endosulfan II	33213-65-9	14374700	99%	200.0 µg/mL	+/- 8.9732
16	4,4'-DDT	50-29-3	230410JLMA	98%	201.9 µg/mL	+/- 9.0575

17	Endrin aldehyde	7421-93-4	30720	98%	201.4 µg/mL	+/- 9.0356
18	Endosulfan sulfate	1031-07-8	BCCH9010	99%	200.5 µg/mL	+/- 8.9956
19	Methoxychlor	72-43-5	14563200	98%	200.9 µg/mL	+/- 9.0136
20	Endrin ketone	53494-70-5	14537700	98%	199.9 µg/mL	+/- 8.9696

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Hexane/Toluene (50:50)
CAS # 110-54-3/108-88-3
Purity 99%

P13034
P13038
1
5
12/26/2023

Quality Confirmation Test

Column:
30m x .25mm x .2µm
Rtx-CLP II (cat.# 11323)

Carrier Gas:
helium-constant pressure 20 psi.

Temp. Program:
150°C to 300°C
@ 4°C/min. (hold 5 min.)


Inj. Temp:
200°C

Det. Temp:
300°C

Det. Type:
ECD

Split Vent:
Split ratio 50:1

Inj. Vol
1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Sam Moodler
Sam Moodler - Operations Tech I

Date Mixed: 31-Jul-2023

Balance Serial # B442140311

Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 03-Aug-2023

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397



CERTIFIED WEIGHT REPORT

Part Number:
Lot Number:
Description:

19161
013124

CLP Pesticides & PCBs Resolution Check Standard

9 components

Solvent(s):

Lot#

Expiration Date:

013129

Hexane

273615

Recommended Storage:

Refrigerate (4 °C)

Toluene

28508

(50%)
(50%)

Nominal Concentration (µg/mL):

Varied

NIST Test ID#:

6UTB

5E-05

Balance Uncertainty
Pipet Uncertainty

Volume(s) shown below were combined and diluted to (mL):

100.0

0.021

Formulated By: <i>Lawrence Barry</i>		013124
Reviewed By: <i>Pedro L. Rentes</i>		DATE
Pedro L. Rentes		013124
DATE		

SDS Information

(Solvent Safety Info. On Attached pg.)

Compound	Part Number	Lot Number	Dil. Factor	Initial Vol. (mL)	Uncertainty (mL)	Initial Conc. (µg/mL)	Final Conc. (µg/mL)	Expanded Uncertainty (±) µg/mL	CAS#	OSHA PEL (TWA)	LD50
1. trans-Chlordane	19361	013124	0.010	1.00	0.004	101.3	1.0	0.02	5103-74-2	0.5mg/m3 (skin)	or-rat 500mg/kg
2. Endosulfan I	19361	013124	0.010	1.00	0.004	101.3	1.0	0.02	959-98-8	0.1mg/m3 (skin)	or-rat 18mg/kg
3. 4,4'-DDE	19361	013124	0.010	1.00	0.004	201.6	2.0	0.03	72-55-9	N/A	or-rat 880mg/kg
4. Dieldrin	19361	013124	0.010	1.00	0.004	202.8	2.0	0.03	60-57-1	0.25mg/m3 (skin)	or-rat 36300µg/kg
5. Endosulfan sulfate	19361	013124	0.010	1.00	0.004	204.2	2.0	0.03	1031-07-8	N/A	or-rat 18mg/kg
6. Endrin ketone	19361	013124	0.010	1.00	0.004	202.6	2.0	0.03	53494-70-5	N/A	N/A
7. 4,4-Methoxychlor	19361	013124	0.010	1.00	0.004	1000.7	10.0	0.09	72-43-5	10mg/m3	or-rat 6000mg/kg
8. 2,4,5,6-Tetrachloro-m-xylene	19361	013124	0.010	1.00	0.004	202.6	2.0	0.03	877-09-8	N/A	N/A
9. Decachlorobiphenyl (209)	19361	013124	0.010	1.00	0.004	202.0	2.0	0.03	2051-24-3	N/A	N/A

P13243
P13244
P13245
P13246
P13247
P13248
P13249
P13250
P13251
P13252
P13253
P13254
P13255
P13256
P13257
P13258
P13259
P13260
P13261
P13262
P13263
P13264
P13265
P13266
P13267
P13268
P13269
P13270
P13271
P13272
P13273
P13274
P13275
P13276
P13277
P13278
P13279
P13280
P13281
P13282
P13283
P13284
P13285
P13286
P13287
P13288
P13289
P13290
P13291
P13292
P13293
P13294
P13295
P13296
P13297
P13298
P13299
P13300
P13301
P13302
P13303
P13304
P13305
P13306
P13307
P13308
P13309
P13310
P13311
P13312
P13313
P13314
P13315
P13316
P13317
P13318
P13319
P13320
P13321
P13322
P13323
P13324
P13325
P13326
P13327
P13328
P13329
P13330
P13331
P13332
P13333
P13334
P13335
P13336
P13337
P13338
P13339
P13340
P13341
P13342
P13343
P13344
P13345
P13346
P13347
P13348
P13349
P13350
P13351
P13352
P13353
P13354
P13355
P13356
P13357
P13358
P13359
P13360
P13361
P13362
P13363
P13364
P13365
P13366
P13367
P13368
P13369
P13370
P13371
P13372
P13373
P13374
P13375
P13376
P13377
P13378
P13379
P13380
P13381
P13382
P13383
P13384
P13385
P13386
P13387
P13388
P13389
P13390
P13391
P13392
P13393
P13394
P13395
P13396
P13397
P13398
P13399
P13400
P13401
P13402
P13403
P13404
P13405
P13406
P13407
P13408
P13409
P13410
P13411
P13412
P13413
P13414
P13415
P13416
P13417
P13418
P13419
P13420
P13421
P13422
P13423
P13424
P13425
P13426
P13427
P13428
P13429
P13430
P13431
P13432
P13433
P13434
P13435
P13436
P13437
P13438
P13439
P13440
P13441
P13442
P13443
P13444
P13445
P13446
P13447
P13448
P13449
P13450
P13451
P13452
P13453
P13454
P13455
P13456
P13457
P13458
P13459
P13460
P13461
P13462
P13463
P13464
P13465
P13466
P13467
P13468
P13469
P13470
P13471
P13472
P13473
P13474
P13475
P13476
P13477
P13478
P13479
P13480
P13481
P13482
P13483
P13484
P13485
P13486
P13487
P13488
P13489
P13490
P13491
P13492
P13493
P13494
P13495
P13496
P13497
P13498
P13499
P13500
P13501
P13502
P13503
P13504
P13505
P13506
P13507
P13508
P13509
P13510
P13511
P13512
P13513
P13514
P13515
P13516
P13517
P13518
P13519
P13520
P13521
P13522
P13523
P13524
P13525
P13526
P13527
P13528
P13529
P13530
P13531
P13532
P13533
P13534
P13535
P13536
P13537
P13538
P13539
P13540
P13541
P13542
P13543
P13544
P13545
P13546
P13547
P13548
P13549
P13550
P13551
P13552
P13553
P13554
P13555
P13556
P13557
P13558
P13559
P13560
P13561
P13562
P13563
P13564
P13565
P13566
P13567
P13568
P13569
P13570
P13571
P13572
P13573
P13574
P13575
P13576
P13577
P13578
P13579
P13580
P13581
P13582
P13583
P13584
P13585
P13586
P13587
P13588
P13589
P13590
P13591
P13592
P13593
P13594
P13595
P13596
P13597
P13598
P13599
P13600
P13601
P13602
P13603
P13604
P13605
P13606
P13607
P13608
P13609
P13610
P13611
P13612
P13613
P13614
P13615
P13616
P13617
P13618
P13619
P13620
P13621
P13622
P13623
P13624
P13625
P13626
P13627
P13628
P13629
P13630
P13631
P13632
P13633
P13634
P13635
P13636
P13637
P13638
P13639
P13640
P13641
P13642
P13643
P13644
P13645
P13646
P13647
P13648
P13649
P13650
P13651
P13652
P13653
P13654
P13655
P13656
P13657
P13658
P13659
P13660
P13661
P13662
P13663
P13664
P13665
P13666
P13667
P13668
P13669
P13670
P13671
P13672
P13673
P13674
P13675
P13676
P13677
P13678
P13679
P13680
P13681
P13682
P13683
P13684
P13685
P13686
P13687
P13688
P13689
P13690
P13691
P13692
P13693
P13694
P13695
P13696
P13697
P13698
P13699
P13700
P13701
P13702
P13703
P13704
P13705
P13706
P13707
P13708
P13709
P13710
P13711
P13712
P13713
P13714
P13715
P13716
P13717
P13718
P13719
P13720
P13721
P13722
P13723
P13724
P13725
P13726
P13727
P13728
P13729
P13730
P13731
P13732
P13733
P13734
P13735
P13736
P13737
P13738
P13739
P13740
P13741
P13742
P13743
P13744
P13745
P13746
P13747
P13748
P13749
P13750
P13751
P13752
P13753
P13754
P13755
P13756
P13757
P13758
P13759
P13760
P13761
P13762
P13763
P13764
P13765
P13766
P13767
P13768
P13769
P13770
P13771
P13772
P13773
P13774
P13775
P13776
P13777
P13778
P13779
P13780
P13781
P13782
P13783
P13784
P13785
P13786
P13787
P13788
P13789
P13790
P13791
P13792
P13793
P13794
P13795
P13796
P13797
P13798
P13799
P13800
P13801
P13802
P13803
P13804
P13805
P13806
P13807
P13808
P13809
P13810
P13811
P13812
P13813
P13814
P13815
P13816
P13817
P13818
P13819
P13820
P13821
P13822
P13823
P13824
P13825
P13826
P13827
P13828
P13829
P13830
P13831
P13832
P13833
P13834
P13835
P13836
P13837
P13838
P13839
P13840
P13841
P13842
P13843
P13844
P13845
P13846
P13847
P13848
P13849
P13850
P13851
P13852
P13853
P13854
P13855
P13856
P13857
P13858
P13859
P13860
P13861
P13862
P13863
P13864
P13865
P13866
P13867
P13868
P13869
P13870
P13871
P13872
P13873
P13874
P13875
P13876
P13877
P13878
P13879
P13880
P13881
P13882
P13883
P13884
P13885
P13886
P13887
P13888
P13889
P13890
P13891
P13892
P13893
P13894
P13895
P13896
P13897
P13898
P13899
P13900
P13901
P13902
P13903
P13904
P13905
P13906
P13907
P13908
P13909
P13910
P13911
P13912
P13913
P13914
P13915
P13916
P13917
P13918
P13919
P13920
P13921
P13922
P13923
P13924
P13925
P13926
P13927
P13928
P13929
P13930
P13931
P13932
P13933
P13934
P13935
P13936
P13937
P13938
P13939
P13940
P13941
P13942
P13943
P13944
P13945
P13946
P13947
P13948
P13949
P13950
P13951
P13952
P13953
P13954
P13955
P13956
P13957
P13958
P13959
P13960
P13961
P13962
P13963
P13964
P13965
P13966
P13967
P13968
P13969
P13970
P13971
P13972
P13973
P13974
P13975
P13976
P13977
P13978
P13979
P13980
P13981
P13982
P13983
P13984
P13985
P13986
P13987
P13988
P13989
P13990
P13991
P13992
P13993
P13994
P13995
P13996
P13997
P13998
P13999
P14000
P14001
P14002
P14003
P14004
P14005
P14006
P14007
P14008
P14009
P14010
P14011
P14012
P14013
P14014
P14015
P14016
P14017
P14018
P14019
P14020
P14021
P14022
P14023
P14024
P14025
P14026
P14027
P14028
P14029
P14030
P14031
P14032
P14033
P14034
P14035
P14036
P14037
P14038
P14039
P14040
P14041
P14042
P14043
P14044
P14045
P14046
P14047
P14048
P14049
P14050
P14051
P14052
P14053
P14054
P14055
P14056
P14057
P14058
P14059
P14060
P14061
P14062
P14063
P14064
P14065
P14066
P14067
P14068
P14069
P14070
P14071
P14072
P14073
P14074
P14075
P14076
P14077
P14078
P14079
P14080
P14081
P14082
P14083
P14084
P14085
P14086
P14087
P14088
P14089
P14090
P14091
P14092
P14093
P14094
P14095
P14096
P14097
P14098
P14099
P14100
P14101
P14102
P14103
P14104
P14105
P14106
P14107
P14108
P14109
P14110
P14111
P14112
P14113
P14114
P14115
P14116
P14117
P14118
P14119
P14120
P14121
P14122
P14123
P14124
P14125
P14126
P14127
P14128
P14129
P14130
P14131
P14132
P14133
P14134
P14135
P14136
P14137
P14138
P14139
P14140
P14141
P14142
P14143
P14144
P14145
P14146
P14147
P14148
P14149
P14150
P14151
P14152
P14153
P14154
P14155
P14156
P14157
P14158
P14159
P14160
P14161
P14162
P14163
P14164
P14165
P14166
P14167
P14168
P14169
P14170
P14171
P14172
P14173
P14174
P14175
P14176
P14177
P14178
P14179
P14180
P14181
P14182
P14183
P14184
P14185
P14186
P14187
P14188
P14189
P14190
P14191
P14192
P14193
P14194
P14195
P14196
P14197
P14198
P14199
P14200
P14201
P14202
P14203
P14204
P14205
P14206
P14207
P14208
P14209
P14210
P14211
P14212
P14213
P14214
P14215
P14216
P14217
P14218
P14219
P14220
P14221
P14222
P14223
P14224
P14225
P14226
P14227
P14228
P14229
P14230
P14231
P14232
P14233
P14234
P14235
P14236
P14237
P14238
P14239
P14240
P14241
P14242
P14243
P14244
P14245
P14246
P14247
P14248
P14249
P14250
P14251
P14252
P14253
P14254
P14255
P14256
P14257
P14258
P14259
P14260
P14261
P14262
P14263
P14264
P14265
P14266
P14267
P14268
P14269
P14270
P14271
P14272
P14273
P14274
P14275
P14276
P14277
P14278
P14279
P14280
P14281
P14282
P14283
P14284
P14285
P14286
P14287
P14288
P14289
P14290
P14291
P14292
P14293
P14294
P14295
P14296
P14297
P14298
P14299
P14300
P14301
P14302
P14303
P14304
P14305
P14306
P14307
P14308
P14309
P14310
P14311
P14312
P14313
P14314
P14315
P14316
P14317
P14318
P14319
P14320
P14321
P14322
P14323
P14324
P14325
P14326
P14327
P14328
P14329
P14330
P14331
P14332
P14333
P14334
P14335
P14336
P14337
P14338
P14339
P14340
P14341
P14342
P14343
P14344
P14345
P14346
P14347
P14348
P14349
P14350
P14351
P14352
P14353
P14354
P14355
P14356
P14357
P14358
P14359
P14360
P14361
P14362
P14363
P14364
P14365
P14366
P14367
P14368
P14369
P14370
P14371
P14372
P14373
P14374
P14375
P14376
P14377
P14378
P14379
P14380
P14381
P14382
P14383
P14384
P14385
P14386
P14387
P14388
P14389
P14390
P14391
P14392
P14393
P14394
P14395
P14396
P14397
P14398
P14399
P14400
P14401
P14402
P14403
P14404
P14405
P14406
P14407
P14408
P14409
P14410
P14411
P14412
P14413
P14414
P14415
P14416
P14417
P14418



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 32000 **Lot No.:** A0206810

Description : Pesticide Surrogate Mix
Pesticide Surrogate Mix 200 µg/mL, Acetone, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : April 30, 2030 **Storage:** 10°C or colder

Handling: Contains PCBs - sonicate prior to use. **Ship:** Ambient

P13348
↓
P13357
10
DAUF
04/25/2024

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	2,4,5,6-Tetrachloro-m-xylene	877-09-8	RP220407	99%	200.3 µg/mL	+/- 11.1143
2	Decachlorobiphenyl (BZ# 209)	2051-24-3	30638	99%	200.6 µg/mL	+/- 11.1298

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Acetone
CAS # 67-64-1
Purity 99%

Tech Tips:

Decachlorobiphenyl has poor solubility in most organic solvents. The maximum concentration that can be prepared in acetone, hexane, or isooctane is 200µg/mL. Temperature will affect the solubility as well. Storing solutions at reduced temperatures will cause decachlorobiphenyl to precipitate.

Products containing decachlorobiphenyl must be sonicated for a minimum of 10 minutes prior to opening the ampul. Because each ultrasonic bath operates at a different energy level, 10 minutes is a guideline only. Longer sonication time will not affect product quality.

These precautions apply to working solutions prepared in your laboratory as well. The amount of compound that precipitates depends on concentration AND temperature. If you store your standards at a temperature lower than 4°C (even dilute solutions), allow extra sonication time.

Quality Confirmation Test

Column:

30m x .25mm x .2um
Rtx-CLP II (cat.# 11323)

Carrier Gas:

helium-constant pressure 20 psi.

Temp. Program:

200°C to 300°C
@ 25°C/min. (hold 10 min.)

Inj. Temp:

250°C

Det. Temp:

300°C

Det. Type:


ECD

Split Vent:


10 ml/min.

Inj. Vol

1µl




This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.


Laith Clemente - Operations Technician I

Date Mixed: 22-Jan-2024


Balance Serial # 1128360905


Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 24-Jan-2024

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

P 13348
↓
P 13357
10


SAUF
04/25/2025



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 32000 **Lot No.:** A0206810

Description : Pesticide Surrogate Mix
Pesticide Surrogate Mix 200 µg/mL, Acetone, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : April 30, 2030 **Storage:** 10°C or colder

Handling: Contains PCBs - sonicate prior to use. **Ship:** Ambient

P13348
↓
P13357
10
DAUF
04/25/2024

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	2,4,5,6-Tetrachloro-m-xylene	877-09-8	RP220407	99%	200.3 µg/mL	+/- 11.1143
2	Decachlorobiphenyl (BZ# 209)	2051-24-3	30638	99%	200.6 µg/mL	+/- 11.1298

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Acetone
CAS # 67-64-1
Purity 99%

Tech Tips:

Decachlorobiphenyl has poor solubility in most organic solvents. The maximum concentration that can be prepared in acetone, hexane, or isooctane is 200µg/mL. Temperature will affect the solubility as well. Storing solutions at reduced temperatures will cause decachlorobiphenyl to precipitate.

Products containing decachlorobiphenyl must be sonicated for a minimum of 10 minutes prior to opening the ampul. Because each ultrasonic bath operates at a different energy level, 10 minutes is a guideline only. Longer sonication time will not affect product quality.

These precautions apply to working solutions prepared in your laboratory as well. The amount of compound that precipitates depends on concentration AND temperature. If you store your standards at a temperature lower than 4°C (even dilute solutions), allow extra sonication time.

Quality Confirmation Test

Column:

30m x .25mm x .2um
Rtx-CLP II (cat.# 11323)

Carrier Gas:

helium-constant pressure 20 psi.

Temp. Program:

200°C to 300°C
@ 25°C/min. (hold 10 min.)

Inj. Temp:

250°C

Det. Temp:

300°C

Det. Type:


ECD

Split Vent:


10 ml/min.

Inj. Vol

1µl




This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.


Laith Clemente - Operations Technician I

Date Mixed: 22-Jan-2024


Balance Serial # 1128360905


Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 24-Jan-2024

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

P 13348
↓
P 13357
10


SAUF
04/25/2025



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 32000 **Lot No.:** A0206810

Description : Pesticide Surrogate Mix
Pesticide Surrogate Mix 200 µg/mL, Acetone, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : April 30, 2030 **Storage:** 10°C or colder

Handling: Contains PCBs - sonicate prior to use. **Ship:** Ambient

P13348
↓
P13357
10
DAUF
04/25/2024

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	2,4,5,6-Tetrachloro-m-xylene	877-09-8	RP220407	99%	200.3 µg/mL	+/- 11.1143
2	Decachlorobiphenyl (BZ# 209)	2051-24-3	30638	99%	200.6 µg/mL	+/- 11.1298

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Acetone
CAS # 67-64-1
Purity 99%

Tech Tips:

Decachlorobiphenyl has poor solubility in most organic solvents. The maximum concentration that can be prepared in acetone, hexane, or isooctane is 200µg/mL. Temperature will affect the solubility as well. Storing solutions at reduced temperatures will cause decachlorobiphenyl to precipitate.

Products containing decachlorobiphenyl must be sonicated for a minimum of 10 minutes prior to opening the ampul. Because each ultrasonic bath operates at a different energy level, 10 minutes is a guideline only. Longer sonication time will not affect product quality.

These precautions apply to working solutions prepared in your laboratory as well. The amount of compound that precipitates depends on concentration AND temperature. If you store your standards at a temperature lower than 4°C (even dilute solutions), allow extra sonication time.

Quality Confirmation Test

Column:

30m x .25mm x .2um
Rtx-CLP II (cat.# 11323)

Carrier Gas:

helium-constant pressure 20 psi.

Temp. Program:

200°C to 300°C
@ 25°C/min. (hold 10 min.)

Inj. Temp:

250°C

Det. Temp:

300°C

Det. Type:


ECD

Split Vent:


10 ml/min.

Inj. Vol

1µl




This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.


Laith Clemente - Operations Technician I

Date Mixed: 22-Jan-2024


Balance Serial # 1128360905


Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 24-Jan-2024

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

P 13348
↓
P 13357
10


SAUF
04/25/2025



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 32005 **Lot No.:** A0203038

Description : Toxaphene Standard

Toxaphene Standard 1000 µg/mL, Hexane, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : January 31, 2028 **Storage:** 10°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Toxaphene	8001-35-2	1051817	----%	1,009.0 µg/mL	+/- 55.9920

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Hexane
CAS # 110-54-3
Purity 99%

P 13358
↓
P 13369
(12)

✓
05-06-2024

Quality Confirmation Test

Column:

30m x .25mm x .2um
Rtx-CLP II (cat.# 11323)

Carrier Gas:

helium-constant pressure 20 psi.

Temp. Program:

200°C to 300°C
@ 25°C/min. (hold 10 min.)

Inj. Temp:

250°C

Det. Temp:

300°C

Det. Type:


ECD

Split Vent:

300 ml/min.

Inj. Vol

0.2µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.


Dakota Parson - Operations Technician I

Date Mixed: 10-Oct-2023

Balance Serial # 1128353505


Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 16-Oct-2023

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

P13358
↓
P13369
↓
(12)


05-06-2024



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 32005 **Lot No.:** A0203038

Description : Toxaphene Standard
Toxaphene Standard 1000 µg/mL, Hexane, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : January 31, 2028 **Storage:** 10°C or colder
Ship: Ambient

P13402
P13406
5/22/2024

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Toxaphene	8001-35-2	1051817	---%	1,009.0 µg/mL	+/- 55.9920

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Hexane
CAS # 110-54-3
Purity 99%

Quality Confirmation Test

Column:

30m x .25mm x .2um
Rtx-CLP II (cat.# 11323)

Carrier Gas:

helium-constant pressure 20 psi.

Temp. Program:

200°C to 300°C
@ 25°C/min. (hold 10 min.)

Inj. Temp:

250°C

Det. Temp:

300°C

Det. Type:


ECD

Split Vent:

300 ml/min.

Inj. Vol

0.2µl




This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.


Dakota Parson - Operations Technician I

Date Mixed: 10-Oct-2023

Balance Serial # 1128353505


Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 16-Oct-2023

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

P13402
↓
P13406 } (5)

5/22/2024



SHIPPING DOCUMENTS

CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY: GANNETT FLEMING

ADDRESS: 1010 ADAMS AVENUE

CITY: ALBANY STATE: PA ZIP: 1903

ATTENTION: JOE KRIVANSKY

PHONE: 610-301-8342 FAX:

CLIENT PROJECT INFORMATION

PROJECT NAME: ANDRAK'S REMEDIATION OF BRIDGE

PROJECT NO.: 95000000000000000000

PROJECT MANAGER: JOE KRIVANSKY

e-mail: DAK@chemtech.com

PHONE: 610-301-8342 FAX:

CLIENT BILLING INFORMATION

BILL TO: Chemtech

ADDRESS: 284 Sheffield St.

CITY: Mountainside STATE: NJ ZIP: 07092

ATTENTION: Samantha

PHONE: 908-788-3148

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) _____ DAYS*

HARDCOPY (DATA PACKAGE): 10 _____ DAYS*

EDD: 10 _____ DAYS*

*TO BE APPROVED BY CHEMTECH

STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS DAYS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)☐ Level 2 (Results + QC) ☒ NJ Reduced ☐ US EPA CLP☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B☐ + Raw Data ☐ Other _____☐ EDD FORMAT: BTH EDD

PRESERVATIVES

COMMENTS

CHEMTECH SAMPLE ID

PROJECT SAMPLE IDENTIFICATION

SAMPLE MATRIX

SAMPLE TYPE

SAMPLE COLLECTION

OF BOTTLES

A

B

F

Specify Preservatives

A-HCl

B-HNO3

C-H2SO4

D-NaOH

E-ICE

F-OTHER

1.

WB-303-SH

2.

WB-303-Top

3.

WB-303-Bot

4.

TB-10182024

5.

6.

7.

8.

9.

10.

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: DATE/TIME: 10/18/24 RECEIVED BY: 1450

RELINQUISHED BY SAMPLER: DATE/TIME: 10/18/24 RECEIVED BY: 10-18-24

Comments: Conditions of bottles or coolers at receipt: ☐ COMPLIANT ☐ NON COMPLIANT ☐ COOLER TEMP 3.0 °C

RELINQUISHED BY SAMPLER: DATE/TIME: 10/18/24 RECEIVED BY: 3.

RELINQUISHED BY SAMPLER: DATE/TIME: 10/18/24 RECEIVED BY: 3.

Page 1 of 1

CLIENT: ☐ Hand Delivered ☐ Other ☐ Field SamplingShipment Complete ☐ YES ☐ NO



284 Sheffield Street, Mountainside NJ 07092 (908)-789-8900 Fax : 908 789 8922

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (L-A-B)	L2219
Maine	2024021
Maryland	296
New Hampshire	255423
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488




284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

LOGIN REPORT/SAMPLE TRANSFER

Order ID : P4460	PORT06	Order Date : 10/18/2024 3:24:00 PM	Project Mgr :
Client Name : Portal Partners Tri-Venture		Project Name : Amtrak Sawtooth Bridges 2	Report Type : NJ Reduced
Client Contact : Joseph Krupansky		Receive DateTime : 10/18/2024 4:00:00 PM	EDD Type : EXCEL NJCLEANUP
Invoice Name : Portal Partners Tri-Venture		Purchase Order :	Hard Copy Date :
Invoice Contact : Joseph Krupansky			Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
P4460-02	WB-303-TOP	Solid	10/18/2024	09:50	VOC-TCLVOA-10		8260D	10 Bus. Days	
P4460-03	WB-303-BOT	Solid	10/18/2024	10:40	VOC-TCLVOA-10		8260D	10 Bus. Days	
P4460-05	TB-10182024	Water	10/18/2024	00:00	VOC-TCLVOA-10		8260-Low	10 Bus. Days	
P4460-06	WB-303-SW	Water	10/18/2024	09:00	VOC-TCLVOA-10		8260-Low	10 Bus. Days	

Relinquished By: 

Date / Time :

10-18-24 1620

Received By: 

Date / Time :

10:45 PM 10/18/24

Storage Area : VOA Refridgerator Room