

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM102324\
 Data File : BM048203.D
 Acq On : 23 Oct 2024 14:24
 Operator : RC/JU
 Sample : SSTDICC020
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SSTDICC020

Quant Time: Oct 23 17:59:05 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM102324.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 23 17:45:46 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.722	152	163543	20.000	ng	0.00
21) Naphthalene-d8	10.516	136	663962	20.000	ng	0.00
39) Acenaphthene-d10	14.368	164	430231	20.000	ng	0.00
64) Phenanthrene-d10	17.110	188	872821	20.000	ng	0.00
76) Chrysene-d12	21.339	240	831722	20.000	ng	0.00
86) Perylene-d12	24.291	264	953712	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.310	112	391792	40.270	ng	0.00
7) Phenol-d6	6.904	99	516086	40.731	ng	0.00
23) Nitrobenzene-d5	8.881	82	480876	40.893	ng	0.00
42) 2,4,6-Tribromophenol	15.857	330	216558	41.123	ng	0.00
45) 2-Fluorobiphenyl	12.986	172	1151087	41.056	ng	0.00
79) Terphenyl-d14	19.733	244	1671158	41.004	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.205	88	83049	20.853	ng	99
3) Pyridine	3.610	79	218808	20.717	ng	99
4) n-Nitrosodimethylamine	3.516	42	92593	20.613	ng	# 99
6) Aniline	7.051	93	224087	21.306	ng	99
8) 2-Chlorophenol	7.292	128	212894	20.141	ng	97
9) Benzaldehyde	6.869	77	135752	21.771	ng	99
10) Phenol	6.928	94	259012	20.318	ng	99
11) bis(2-Chloroethyl)ether	7.151	93	202844	19.977	ng	98
12) 1,3-Dichlorobenzene	7.610	146	247966	20.348	ng	100
13) 1,4-Dichlorobenzene	7.757	146	250886	20.265	ng	99
14) 1,2-Dichlorobenzene	8.075	146	244843	20.463	ng	99
15) Benzyl Alcohol	7.969	79	165295	20.448	ng	99
16) 2,2'-oxybis(1-Chloropr...	8.257	45	306716	20.652	ng	98
17) 2-Methylphenol	8.175	107	175897	20.765	ng	97
18) Hexachloroethane	8.798	117	90926	20.038	ng	99
19) n-Nitroso-di-n-propyla...	8.534	70	165882	20.694	ng	98
20) 3+4-Methylphenols	8.504	107	237552	20.244	ng	100
22) Acetophenone	8.545	105	335566	20.708	ng	# 98
24) Nitrobenzene	8.922	77	249153	20.449	ng	98
25) Isophorone	9.451	82	441124	20.465	ng	100
26) 2-Nitrophenol	9.634	139	112285	19.960	ng	99
27) 2,4-Dimethylphenol	9.698	122	139269	20.405	ng	97
28) bis(2-Chloroethoxy)met...	9.933	93	280491	20.564	ng	99
29) 2,4-Dichlorophenol	10.175	162	199457	20.315	ng	99
30) 1,2,4-Trichlorobenzene	10.381	180	229359	20.397	ng	99
31) Naphthalene	10.563	128	706998	20.416	ng	100
32) Benzoic acid	9.828	122	141019	18.482	ng	96
33) 4-Chloroaniline	10.681	127	243468	21.678	ng	98
34) Hexachlorobutadiene	10.851	225	142677	20.472	ng	98
35) Caprolactam	11.463	113	64171	20.152	ng	95
36) 4-Chloro-3-methylphenol	11.816	107	211180	20.604	ng	98
37) 2-Methylnaphthalene	12.180	142	477359	20.632	ng	100
38) 1-Methylnaphthalene	12.398	142	469594	20.468	ng	100
40) 1,2,4,5-Tetrachloroben...	12.557	216	246113	20.014	ng	100
41) Hexachlorocyclopentadiene	12.533	237	83794	20.137	ng	95
43) 2,4,6-Trichlorophenol	12.798	196	164275	20.130	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM102324\
 Data File : BM048203.D
 Acq On : 23 Oct 2024 14:24
 Operator : RC/JU
 Sample : SSTDICC020
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SSTDICC020


Quant Time: Oct 23 17:59:05 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM102324.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 23 17:45:46 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.880	196	180710	19.858	ng	99
46) 1,1'-Biphenyl	13.198	154	625359	20.359	ng	99
47) 2-Chloronaphthalene	13.239	162	490101	20.236	ng	100
48) 2-Nitroaniline	13.451	65	132988	20.245	ng	99
49) Acenaphthylene	14.086	152	720324	20.385	ng	100
50) Dimethylphthalate	13.827	163	594533	20.243	ng	99
51) 2,6-Dinitrotoluene	13.945	165	134381	20.506	ng	95
52) Acenaphthene	14.433	154	455064	20.268	ng	100
53) 3-Nitroaniline	14.280	138	128920	20.860	ng	100
54) 2,4-Dinitrophenol	14.492	184	70564	18.426	ng	94
55) Dibenzofuran	14.768	168	731916	20.519	ng	100
56) 4-Nitrophenol	14.604	139	105608	19.147	ng	96
57) 2,4-Dinitrotoluene	14.739	165	174635	20.180	ng	95
58) Fluorene	15.415	166	592645	21.011	ng	99
59) 2,3,4,6-Tetrachlorophenol	14.998	232	152570	20.227	ng	99
60) Diethylphthalate	15.192	149	601000	20.210	ng	99
61) 4-Chlorophenyl-phenyle...	15.410	204	294795	20.903	ng	99
62) 4-Nitroaniline	15.445	138	129195	20.199	ng	99
63) Azobenzene	15.704	77	553581	20.770	ng	99
65) 4,6-Dinitro-2-methylph...	15.504	198	101271	19.997	ng	98
66) n-Nitrosodiphenylamine	15.627	169	492715	20.564	ng	100
67) 4-Bromophenyl-phenylether	16.304	248	177972	20.112	ng	99
68) Hexachlorobenzene	16.421	284	214037	20.138	ng	99
69) Atrazine	16.580	200	130564	19.475	ng	100
70) Pentachlorophenol	16.768	266	140690	20.162	ng	99
71) Phenanthrene	17.151	178	880045	20.362	ng	100
72) Anthracene	17.245	178	859916	20.553	ng	100
73) Carbazole	17.515	167	836432	20.394	ng	99
74) Di-n-butylphthalate	18.080	149	1015735	19.896	ng	99
75) Fluoranthene	19.168	202	1055856	20.480	ng	99
77) Benzidine	19.362	184	88633	9.234	ng	98
78) Pyrene	19.533	202	1107442	19.893	ng	99
80) Butylbenzylphthalate	20.433	149	450711	19.361	ng	100
81) Benzo(a)anthracene	21.321	228	1062270	19.987	ng	99
82) 3,3'-Dichlorobenzidine	21.245	252	367967	20.212	ng	98
83) Chrysene	21.380	228	1033136	20.251	ng	99
84) Bis(2-ethylhexyl)phtha...	21.245	149	676221	19.986	ng	99
85) Di-n-octyl phthalate	22.356	149	1128601	19.259	ng	99
87) Indeno(1,2,3-cd)pyrene	27.621	276	1280618	20.306	ng	100
88) Benzo(b)fluoranthene	23.362	252	1123950	20.554	ng	99
89) Benzo(k)fluoranthene	23.421	252	1057769	20.007	ng	99
90) Benzo(a)pyrene	24.156	252	960718	20.209	ng	100
91) Dibenzo(a,h)anthracene	27.674	278	1070024	20.374	ng	99
92) Benzo(g,h,i)perylene	28.656	276	1085482	20.184	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

BNA M


ClientSampleId :
SSTDICC020


Abundance TIC: BM048203.D\data.ms

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM102324\
Data File : BM048203.D
Acq On : 23 Oct 2024 14:24
Operator : RC/JU
Sample : SSTDICC020
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
SSTDICC020

Quant Time: Oct 23 17:59:05 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM102324.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 23 17:45:46 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.722 min Scan# 805
Delta R.T. -0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24




Instrument :
BNA_M
ClientSampleId :
SSTDICC020


Tgt Ion:152 Resp: 163543
Ion Ratio Lower Upper
152 100
150 153.9 123.0 184.6
115 57.4 45.8 68.6



#2
1,4-Dioxane
Concen: 20.853 ng
RT: 3.205 min Scan# 37
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Tgt Ion: 88 Resp: 83049
Ion Ratio Lower Upper
88 100
58 74.1 59.7 89.5
43 27.6 22.6 33.8









#3
Pyridine
Concen: 20.717 ng
RT: 3.610 min Scan# 106
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24




Instrument :
BNA_M
ClientSampleId :
SSTDICC020


Tgt Ion: 79 Resp: 218808
Ion Ratio Lower Upper
79 100
52 70.5 56.5 84.7
51 37.6 28.5 42.7



#4
n-Nitrosodimethylamine
Concen: 20.613 ng
RT: 3.516 min Scan# 90
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Tgt Ion: 42 Resp: 92593
Ion Ratio Lower Upper
42 100
74 140.3 111.8 167.6
44 9.1 6.0 9.0





#5

2-Fluorophenol

Concen: 40.270 ng

RT: 5.310 min Scan# 395

Delta R.T. 0.000 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24

Instrument :

BNA_M

ClientSampleId :

SSTDICC020





Tgt Ion:112 Resp: 391792

Ion Ratio Lower Upper

112 100

64 55.7 44.2 66.2

63 27.9 22.7 34.1



#6

Aniline

Concen: 21.306 ng

RT: 7.051 min Scan# 691

Delta R.T. -0.006 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24




Tgt Ion: 93 Resp: 224087


Ion Ratio Lower Upper

93 100

66 38.5 30.2 45.2

65 19.5 16.2 24.2









#7
Phenol-d6
Concen: 40.731 ng
RT: 6.904 min Scan# 666
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24




Instrument :
BNA_M
ClientSampleId :
SSTDICC020


Tgt Ion: 99 Resp: 516086
Ion Ratio Lower Upper
99 100
42 17.3 13.8 20.8
71 30.5 24.9 37.3



#8
2-Chlorophenol
Concen: 20.141 ng
RT: 7.292 min Scan# 732
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Tgt Ion: 128 Resp: 212894
Ion Ratio Lower Upper
128 100
130 33.2 12.1 52.1
64 45.9 23.8 63.8





#9

Benzaldehyde

Concen: 21.771 ng

RT: 6.869 min Scan# 60

Delta R.T. -0.000 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24

Instrument :

BNA_M

ClientSampleId :

SSTDICC020





Tgt Ion: 77 Resp: 135752

Ion Ratio Lower Upper

77 100

105 101.8 79.6 119.6

106 96.3 77.0 117.0



#10

Phenol

Concen: 20.318 ng

RT: 6.928 min Scan# 670

Delta R.T. -0.006 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24




Tgt Ion: 94 Resp: 259012


Ion Ratio Lower Upper

94 100

65 26.9 6.5 46.5

66 34.3 13.6 53.6









#11
bis(2-Chloroethyl)ether
Concen: 19.977 ng
RT: 7.151 min Scan# 708
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Instrument :
BNA_M
ClientSampleId :
SSTDICC020

Tgt Ion: 93 Resp: 202844




Ion	Ratio	Lower	Upper
93	100		
63	77.0	55.3	95.3
95	32.8	12.4	52.4




#12
1,3-Dichlorobenzene
Concen: 20.348 ng
RT: 7.610 min Scan# 786
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Tgt Ion: 146 Resp: 247966

Ion	Ratio	Lower	Upper
146	100		
148	63.9	51.0	76.6
75	28.9	22.9	34.3









#13
1,4-Dichlorobenzene
Concen: 20.265 ng
RT: 7.757 min Scan# 811
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24




Instrument :
BNA_M
ClientSampleId :
SSTDICC020


Tgt Ion:146 Resp: 250886
Ion Ratio Lower Upper
146 100
148 64.3 51.7 77.5
111 38.6 31.4 47.2



#14
1,2-Dichlorobenzene
Concen: 20.463 ng
RT: 8.075 min Scan# 865
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Tgt Ion:146 Resp: 244843
Ion Ratio Lower Upper
146 100
148 63.6 51.3 76.9
111 40.5 32.7 49.1









#15
Benzyl Alcohol
Concen: 20.448 ng
RT: 7.969 min Scan# 847
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24




Instrument :
BNA_M
ClientSampleId :
SSTDICC020


Tgt Ion: 79 Resp: 165295
Ion Ratio Lower Upper
79 100
108 80.3 65.2 97.8
77 64.1 51.4 77.2



#16
2,2'-oxybis(1-Chloropropane)
Concen: 20.652 ng
RT: 8.257 min Scan# 896
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Tgt Ion: 45 Resp: 306716
Ion Ratio Lower Upper
45 100
77 13.0 0.0 34.2
79 11.2 0.0 30.7









#17
2-Methylphenol
Concen: 20.765 ng
RT: 8.175 min Scan# 882
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24




Instrument :
BNA_M
ClientSampleId :
SSTDICC020


Tgt Ion:	107	Resp:	175897
Ion	Ratio	Lower	Upper
107	100		
108	109.9	91.3	136.9
77	43.8	36.2	54.2
79	43.3	35.0	52.6



#18
Hexachloroethane
Concen: 20.038 ng
RT: 8.798 min Scan# 988
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Tgt Ion:	117	Resp:	90926
Ion	Ratio	Lower	Upper
117	100		
119	95.7	76.5	114.7
201	103.1	80.9	121.3





#19

n-Nitroso-di-n-propylamine

Concen: 20.694 ng

RT: 8.534 min Scan# 943

Delta R.T. 0.000 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24

Instrument :

BNA_M

ClientSampleId :

SSTDICC020

Tgt Ion: 70 Resp: 165882





Ion Ratio Lower Upper

70 100

42 57.4 47.0 70.6

101 10.2 7.8 11.6

130 22.3 18.1 27.1



#20

3+4-Methylphenols

Concen: 20.244 ng

RT: 8.504 min Scan# 938

Delta R.T. 0.000 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24

Tgt Ion: 107 Resp: 237552




Ion Ratio Lower Upper


107 100

108 88.9 69.0 109.0

77 32.5 12.3 52.3

79 27.8 6.9 46.9









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.516 min Scan# 1280
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24




Instrument :
BNA_M
ClientSampleId :
SSTDICC020


Tgt Ion:136 Resp: 663962
Ion Ratio Lower Upper
136 100
137 11.2 8.9 13.3
54 7.8 6.5 9.7
68 5.7 4.6 6.8



#22
Acetophenone
Concen: 20.708 ng
RT: 8.545 min Scan# 945
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Tgt Ion:105 Resp: 335566
Ion Ratio Lower Upper
105 100
71 2.9 3.4 5.0#
51 28.3 21.7 32.5
120 23.0 19.0 28.4









#23
Nitrobenzene-d5
Concen: 40.893 ng
RT: 8.881 min Scan# 1002
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24




Instrument :
BNA_M
ClientSampleId :
SSTDICC020


Tgt Ion: 82 Resp: 480876
Ion Ratio Lower Upper
82 100
128 44.5 36.6 54.8
54 50.6 41.0 61.4



#24
Nitrobenzene
Concen: 20.449 ng
RT: 8.922 min Scan# 1009
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Tgt Ion: 77 Resp: 249153
Ion Ratio Lower Upper
77 100
123 45.6 37.8 56.6
65 13.4 10.4 15.6









#25
Isophorone
Concen: 20.465 ng
RT: 9.451 min Scan# 1099
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24




Instrument :
BNA_M
ClientSampleId :
SSTDICC020


Tgt Ion: 82 Resp: 441124
Ion Ratio Lower Upper
82 100
95 6.5 5.3 7.9
138 17.7 14.3 21.5



#26
2-Nitrophenol
Concen: 19.960 ng
RT: 9.634 min Scan# 1130
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Tgt Ion:139 Resp: 112285
Ion Ratio Lower Upper
139 100
109 27.2 21.2 31.8
65 46.9 36.8 55.2









#27
2,4-Dimethylphenol
Concen: 20.405 ng
RT: 9.698 min Scan# 1141
Delta R.T. -0.006 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24




Instrument :
BNA_M
ClientSampleId :
SSTDICC020


Tgt Ion:122 Resp: 139269
Ion Ratio Lower Upper
122 100
107 110.5 91.0 136.6
121 56.4 46.1 69.1



#28
bis(2-Chloroethoxy)methane
Concen: 20.564 ng
RT: 9.933 min Scan# 1181
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Tgt Ion: 93 Resp: 280491
Ion Ratio Lower Upper
93 100
95 32.4 25.3 37.9
123 12.3 9.8 14.6









#29
2,4-Dichlorophenol
Concen: 20.315 ng
RT: 10.175 min Scan# 1222
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24




Instrument :
BNA_M
ClientSampleId :
SSTDICC020


Tgt Ion:162 Resp: 199457
Ion Ratio Lower Upper
162 100
164 64.3 46.0 86.0
98 34.3 14.4 54.4



#30
1,2,4-Trichlorobenzene
Concen: 20.397 ng
RT: 10.381 min Scan# 1257
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Tgt Ion:180 Resp: 229359
Ion Ratio Lower Upper
180 100
182 96.6 76.6 115.0
145 29.3 23.4 35.2









#31
Naphthalene
Concen: 20.416 ng
RT: 10.563 min Scan# 1163
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24




Instrument :
BNA_M
ClientSampleId :
SSTDICC020


Tgt Ion:128 Resp: 706998
Ion Ratio Lower Upper
128 100
129 11.2 8.8 13.2
127 12.7 10.2 15.2



#32
Benzoic acid
Concen: 18.482 ng
RT: 9.828 min Scan# 1163
Delta R.T. -0.023 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Tgt Ion:122 Resp: 141019
Ion Ratio Lower Upper
122 100
105 122.8 99.3 139.3
77 94.3 70.4 110.4









#33
4-Chloroaniline
Concen: 21.678 ng
RT: 10.681 min Scan# 1308
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Instrument :
BNA_M
ClientSampleId :
SSTDICC020

Tgt Ion:127 Resp: 243468




Ion	Ratio	Lower	Upper
127	100		
129	30.9	25.8	38.6
65	28.9	23.7	35.5
92	17.4	14.3	21.5




#34
Hexachlorobutadiene
Concen: 20.472 ng
RT: 10.851 min Scan# 1337
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Tgt Ion:225 Resp: 142677

Ion	Ratio	Lower	Upper
225	100		
223	62.5	48.6	73.0
227	63.2	49.6	74.4





#35

Caprolactam

Concen: 20.152 ng

RT: 11.463 min Scan# 1443

Delta R.T. -0.012 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24

Instrument :

BNA_M

ClientSampleId :

SSTDICC020





Tgt Ion:113 Resp: 64171

Ion Ratio Lower Upper

113 100

55 172.9 146.1 186.1

56 128.1 101.9 141.9



#36

4-Chloro-3-methylphenol

Concen: 20.604 ng

RT: 11.816 min Scan# 1501

Delta R.T. 0.000 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24




Tgt Ion:107 Resp: 211180


Ion Ratio Lower Upper

107 100

144 26.2 21.5 32.3

142 81.6 66.8 100.2





#37

2-Methylnaphthalene

Concen: 20.632 ng

RT: 12.180 min Scan# 1

Delta R.T. 0.000 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24

Instrument :

BNA_M

ClientSampleId :

SSTDICC020





Tgt Ion:142 Resp: 477359

Ion Ratio Lower Upper

142 100

141 87.6 69.8 104.6

115 32.5 26.3 39.5



#38

1-Methylnaphthalene

Concen: 20.468 ng

RT: 12.398 min Scan# 1600

Delta R.T. -0.006 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24




Tgt Ion:142 Resp: 469594


Ion Ratio Lower Upper

142 100

141 91.3 72.7 109.1

116 3.6 2.9 4.3





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.368 min Scan# 1935

Delta R.T. 0.000 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24

Instrument :

BNA_M

ClientSampleId :

SSTDICC020





Tgt Ion:164 Resp: 430231

Ion Ratio Lower Upper

164 100

162 99.2 79.1 118.7

160 42.6 35.8 53.8



#40

1,2,4,5-Tetrachlorobenzene

Concen: 20.014 ng

RT: 12.557 min Scan# 1627

Delta R.T. 0.000 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24

Tgt Ion:216 Resp: 246113




Ion Ratio Lower Upper


216 100

214 78.2 62.2 93.2

179 19.9 16.0 24.0

108 17.3 13.8 20.8









#41
Hexachlorocyclopentadiene
Concen: 20.137 ng
RT: 12.533 min Scan# 1
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24




Instrument :
BNA_M
ClientSampleId :
SSTDICC020


Tgt Ion:237 Resp: 83794
Ion Ratio Lower Upper
237 100
235 59.8 44.2 84.2
272 13.3 0.0 32.4



#42
2,4,6-Tribromophenol
Concen: 41.123 ng
RT: 15.857 min Scan# 2188
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Tgt Ion:330 Resp: 216558
Ion Ratio Lower Upper
330 100
332 96.6 77.5 116.3
141 34.4 27.5 41.3





#43

2,4,6-Trichlorophenol

Concen: 20.130 ng

RT: 12.798 min Scan# 1

Delta R.T. 0.000 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24

Instrument :

BNA_M

ClientSampleId :

SSTDICC020





Tgt Ion:196 Resp: 164275

Ion Ratio Lower Upper

196 100

198 96.2 76.2 114.2

200 29.8 24.2 36.2



#44

2,4,5-Trichlorophenol

Concen: 19.858 ng

RT: 12.880 min Scan# 1682

Delta R.T. 0.006 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24

Tgt Ion:196 Resp: 180710




Ion Ratio Lower Upper


196 100

198 96.3 76.7 115.1

97 47.3 38.5 57.7

132 28.2 22.2 33.2









#45
2-Fluorobiphenyl
Concen: 41.056 ng
RT: 12.986 min Scan# 1700
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24




Instrument :
BNA_M
ClientSampleId :
SSTDICC020


Tgt Ion:172 Resp: 1151087
Ion Ratio Lower Upper
172 100
171 35.6 27.4 41.0
170 23.4 18.5 27.7



#46
1,1'-Biphenyl
Concen: 20.359 ng
RT: 13.198 min Scan# 1736
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Tgt Ion:154 Resp: 625359
Ion Ratio Lower Upper
154 100
153 39.2 19.9 59.9
76 12.4 0.0 32.4









#47
2-Chloronaphthalene
Concen: 20.236 ng
RT: 13.239 min Scan# 1743
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24




Instrument :
BNA_M
ClientSampleId :
SSTDICC020


Tgt Ion:162 Resp: 490101
Ion Ratio Lower Upper
162 100
127 38.7 31.0 46.6
164 32.7 26.2 39.4



#48
2-Nitroaniline
Concen: 20.245 ng
RT: 13.451 min Scan# 1779
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Tgt Ion: 65 Resp: 132988
Ion Ratio Lower Upper
65 100
92 71.5 56.0 84.0
138 113.9 90.8 136.2









#49
Acenaphthylene
Concen: 20.385 ng
RT: 14.086 min Scan# 11
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24




Instrument :
BNA_M
ClientSampleId :
SSTDICC020


Tgt Ion:152 Resp: 720324
Ion Ratio Lower Upper
152 100
151 19.2 15.4 23.2
153 12.9 10.5 15.7



#50
Dimethylphthalate
Concen: 20.243 ng
RT: 13.827 min Scan# 1843
Delta R.T. -0.006 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Tgt Ion:163 Resp: 594533
Ion Ratio Lower Upper
163 100
194 3.8 3.1 4.7
164 10.1 7.8 11.6









#51
2,6-Dinitrotoluene
Concen: 20.506 ng
RT: 13.945 min Scan# 1863
Delta R.T. -0.006 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24




Instrument :
BNA_M
ClientSampleId :
SSTDICC020


Tgt Ion:165 Resp: 134381
Ion Ratio Lower Upper
165 100
63 54.0 39.5 59.3
89 55.1 41.8 62.6



#52
Acenaphthene
Concen: 20.268 ng
RT: 14.433 min Scan# 1946
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Tgt Ion:154 Resp: 455064
Ion Ratio Lower Upper
154 100
153 112.8 90.4 135.6
152 55.0 43.6 65.4









#53
3-Nitroaniline
Concen: 20.860 ng
RT: 14.280 min Scan# 1920
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24




Instrument :
BNA_M
ClientSampleId :
SSTDICC020


Tgt Ion:138 Resp: 128920
Ion Ratio Lower Upper
138 100
108 9.6 7.5 11.3
92 112.0 89.7 134.5



#54
2,4-Dinitrophenol
Concen: 18.426 ng
RT: 14.492 min Scan# 1956
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Tgt Ion:184 Resp: 70564
Ion Ratio Lower Upper
184 100
63 63.2 47.2 70.8
154 61.7 46.0 69.0









#55
Dibenzofuran
Concen: 20.519 ng
RT: 14.768 min Scan# 2003
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24




Instrument :
BNA_M
ClientSampleId :
SSTDICC020


Tgt Ion:168 Resp: 731916
Ion Ratio Lower Upper
168 100
139 36.6 29.0 43.6
169 13.1 10.4 15.6



#56
4-Nitrophenol
Concen: 19.147 ng
RT: 14.604 min Scan# 1975
Delta R.T. -0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Tgt Ion:139 Resp: 105608
Ion Ratio Lower Upper
139 100
109 65.5 45.4 85.4
65 93.3 67.3 107.3









#57
2,4-Dinitrotoluene
Concen: 20.180 ng
RT: 14.739 min Scan# 1998
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24




Instrument :
BNA_M
ClientSampleId :
SSTDICC020


Tgt Ion:165 Resp: 174635
Ion Ratio Lower Upper
165 100
63 43.7 33.0 49.4
89 74.7 55.8 83.6
182 2.6 2.1 3.1



#58
Fluorene
Concen: 21.011 ng
RT: 15.415 min Scan# 2113
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Tgt Ion:166 Resp: 592645
Ion Ratio Lower Upper
166 100
165 96.5 78.4 117.6
167 13.5 10.8 16.2









#59
2,3,4,6-Tetrachlorophenol
Concen: 20.227 ng
RT: 14.998 min Scan# 2042
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24




Instrument :
BNA_M
ClientSampleId :
SSTDICC020


Tgt Ion:232 Resp: 152570
Ion Ratio Lower Upper
232 100
131 45.0 35.5 53.3
130 2.3 1.8 2.6
166 30.5 24.4 36.6



#60
Diethylphthalate
Concen: 20.210 ng
RT: 15.192 min Scan# 2075
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Tgt Ion:149 Resp: 601000
Ion Ratio Lower Upper
149 100
177 22.4 17.5 26.3
150 12.1 10.1 15.1









#61
4-Chlorophenyl-phenylether
Concen: 20.903 ng
RT: 15.410 min Scan# 2112
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24




Instrument :
BNA_M
ClientSampleId :
SSTDICC020


Tgt Ion:204 Resp: 294795
Ion Ratio Lower Upper
204 100
206 32.4 26.2 39.4
141 57.8 47.0 70.6



#62
4-Nitroaniline
Concen: 20.199 ng
RT: 15.445 min Scan# 2118
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Tgt Ion:138 Resp: 129195
Ion Ratio Lower Upper
138 100
92 47.6 26.9 66.9
108 71.8 51.3 91.3





#63

Azobenzene

Concen: 20.770 ng

RT: 15.704 min Scan# 2162

Delta R.T. 0.000 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24

Instrument :

BNA_M

ClientSampleId :

SSTDICC020

Tgt Ion: 77 Resp: 553581





Ion Ratio Lower Upper

77 100

182 25.6 5.3 45.3

105 21.0 1.6 41.6

51 28.7 7.8 47.8



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.110 min Scan# 2401

Delta R.T. 0.000 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24




Tgt Ion:188 Resp: 872821


Ion Ratio Lower Upper

188 100

94 8.9 7.3 10.9

80 9.9 8.0 12.0









#65
4,6-Dinitro-2-methylphenol
Concen: 19.997 ng
RT: 15.504 min Scan# 2128
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24




Instrument :
BNA_M
ClientSampleId :
SSTDICC020


Tgt Ion:198 Resp: 101271
Ion Ratio Lower Upper
198 100
51 47.2 25.4 65.4
105 44.7 23.9 63.9



#66
n-Nitrosodiphenylamine
Concen: 20.564 ng
RT: 15.627 min Scan# 2149
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Tgt Ion:169 Resp: 492715
Ion Ratio Lower Upper
169 100
168 66.3 52.9 79.3
167 36.4 29.3 43.9









#67
4-Bromophenyl-phenylether
Concen: 20.112 ng
RT: 16.304 min Scan# 21
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24




Instrument :
BNA_M
ClientSampleId :
SSTDICC020


Tgt Ion:248 Resp: 177972
Ion Ratio Lower Upper
248 100
250 98.5 78.3 117.5
141 72.2 58.0 87.0



#68
Hexachlorobenzene
Concen: 20.138 ng
RT: 16.421 min Scan# 2284
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Tgt Ion:284 Resp: 214037
Ion Ratio Lower Upper
284 100
142 33.5 27.0 40.4
249 30.2 24.6 36.8





#69

Atrazine

Concen: 19.475 ng

RT: 16.580 min Scan# 21

Delta R.T. 0.000 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24

Instrument :

BNA_M

ClientSampleId :

SSTDICC020





Tgt Ion:200 Resp: 130564

Ion Ratio Lower Upper

200 100

173 27.0 6.5 46.5

215 47.1 27.2 67.2



#70

Pentachlorophenol

Concen: 20.162 ng

RT: 16.768 min Scan# 2343

Delta R.T. 0.000 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24




Tgt Ion:266 Resp: 140690


Ion Ratio Lower Upper

266 100

268 65.4 50.8 76.2

264 62.4 50.2 75.2









#71
Phenanthrene
Concen: 20.362 ng
RT: 17.151 min Scan# 2408
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24




Instrument :
BNA_M
ClientSampleId :
SSTDICC020


Tgt Ion:178 Resp: 880045
Ion Ratio Lower Upper
178 100
176 19.2 15.4 23.0
179 15.3 12.4 18.6



#72
Anthracene
Concen: 20.553 ng
RT: 17.245 min Scan# 2424
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Tgt Ion:178 Resp: 859916
Ion Ratio Lower Upper
178 100
176 18.6 14.8 22.2
179 15.5 12.2 18.2





#73

Carbazole

Concen: 20.394 ng

RT: 17.515 min Scan# 2470

Delta R.T. 0.000 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24

Instrument :

BNA_M

ClientSampleId :

SSTDICC020





Tgt Ion:167 Resp: 836432

Ion Ratio Lower Upper

167 100

166 20.7 17.2 25.8

139 12.9 10.4 15.6



#74

Di-n-butylphthalate

Concen: 19.896 ng

RT: 18.080 min Scan# 2566

Delta R.T. 0.000 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24




Tgt Ion:149 Resp: 1015735


Ion Ratio Lower Upper

149 100

150 9.3 7.2 10.8

104 4.7 3.8 5.6





#75

Fluoranthene

Concen: 20.480 ng

RT: 19.168 min Scan# 21

Delta R.T. 0.000 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24

Instrument :

BNA_M

ClientSampleId :

SSTDICC020





Tgt Ion:202 Resp: 1055856

Ion Ratio Lower Upper

202 100

101 10.6 0.0 31.0

203 17.2 0.0 37.5



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.339 min Scan# 3120

Delta R.T. 0.000 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24




Tgt Ion:240 Resp: 831722


Ion Ratio Lower Upper

240 100

120 10.9 8.6 13.0

236 26.0 20.7 31.1





#77

Benzidine

Concen: 9.234 ng

RT: 19.362 min Scan# 21

Delta R.T. 0.006 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24

Instrument :

BNA_M

ClientSampleId :

SSTDICC020





Tgt Ion:184 Resp: 88633

Ion Ratio Lower Upper

184 100

185 14.7 11.4 17.0

183 11.9 9.0 13.4



#78

Pyrene

Concen: 19.893 ng

RT: 19.533 min Scan# 2813

Delta R.T. 0.000 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24




Tgt Ion:202 Resp: 1107442


Ion Ratio Lower Upper

202 100

200 21.2 16.9 25.3

203 17.3 14.1 21.1





#79

Terphenyl-d14

Concen: 41.004 ng

RT: 19.733 min Scan# 2847

Delta R.T. 0.000 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24

Instrument :

BNA_M

ClientSampleId :

SSTDICC020





Tgt Ion:244 Resp: 1671158

Ion Ratio Lower Upper

244 100

212 7.2 5.6 8.4

122 11.3 8.8 13.2



#80

Butylbenzylphthalate

Concen: 19.361 ng

RT: 20.433 min Scan# 2966

Delta R.T. 0.000 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24




Tgt Ion:149 Resp: 450711


Ion Ratio Lower Upper

149 100

91 65.8 52.5 78.7

206 20.9 17.0 25.6





#81

Benzo(a)anthracene

Concen: 19.987 ng

RT: 21.321 min Scan# 3117

Delta R.T. 0.000 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24

Instrument :

BNA_M

ClientSampleId :

SSTDICC020





Tgt Ion:228 Resp: 1062270

Ion Ratio Lower Upper

228 100

226 26.1 21.5 32.3

229 19.6 15.7 23.5



#82

3,3'-Dichlorobenzidine

Concen: 20.212 ng

RT: 21.245 min Scan# 3104

Delta R.T. 0.000 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24




Tgt Ion:252 Resp: 367967


Ion Ratio Lower Upper

252 100

254 63.2 51.8 77.8

126 10.9 8.8 13.2





#83

Chrysene

Concen: 20.251 ng

RT: 21.380 min Scan# 3127

Delta R.T. 0.000 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24

Instrument :

BNA_M

ClientSampleId :

SSTDICC020





Tgt Ion:228 Resp: 1033136

Ion Ratio Lower Upper

228 100

226 30.2 23.5 35.3

229 19.4 15.7 23.5



#84

Bis(2-ethylhexyl)phthalate

Concen: 19.986 ng

RT: 21.245 min Scan# 3104

Delta R.T. 0.000 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24




Tgt Ion:149 Resp: 676221


Ion Ratio Lower Upper

149 100

167 28.6 22.5 33.7

279 4.2 3.3 4.9









#85
Di-n-octyl phthalate
Concen: 19.259 ng
RT: 22.356 min Scan# 31
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24




Instrument :
BNA_M
ClientSampleId :
SSTDICC020


Tgt Ion:149 Resp: 1128601
Ion Ratio Lower Upper
149 100
167 1.6 1.2 1.8
43 9.3 7.3 10.9



#86
Perylene-d12
Concen: 20.000 ng
RT: 24.291 min Scan# 3622
Delta R.T. 0.000 min
Lab File: BM048203.D
Acq: 23 Oct 2024 14:24

Tgt Ion:264 Resp: 953712
Ion Ratio Lower Upper
264 100
260 23.4 18.6 27.8
265 22.1 17.4 26.2





#87

Indeno(1,2,3-cd)pyrene

Concen: 20.306 ng

RT: 27.621 min Scan# 4189

Delta R.T. -0.006 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24

Instrument :

BNA_M

ClientSampleId :

SSTDICC020





Tgt Ion:276 Resp: 1280618

Ion Ratio Lower Upper

276 100

138 24.7 19.8 29.6

277 25.2 20.0 30.0



#88

Benzo(b)fluoranthene

Concen: 20.554 ng

RT: 23.362 min Scan# 3464

Delta R.T. 0.000 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24




Tgt Ion:252 Resp: 1123950


Ion Ratio Lower Upper

252 100

253 21.8 17.8 26.6

125 9.6 7.9 11.9





#89

Benzo(k)fluoranthene

Concen: 20.007 ng

RT: 23.421 min Scan# 34

Delta R.T. 0.000 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24

Instrument :

BNA_M

ClientSampleId :

SSTDICC020





Tgt Ion:252 Resp: 1057769

Ion Ratio Lower Upper

252 100

253 21.8 17.8 26.8

125 9.8 7.8 11.6



#90

Benzo(a)pyrene

Concen: 20.209 ng

RT: 24.156 min Scan# 3599

Delta R.T. 0.000 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24




Tgt Ion:252 Resp: 960718


Ion Ratio Lower Upper

252 100

253 21.5 17.3 25.9

125 10.8 8.8 13.2





#91

Dibenzo(a,h)anthracene

Concen: 20.374 ng

RT: 27.674 min Scan# 4197

Delta R.T. 0.000 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24

Instrument :

BNA_M

ClientSampleId :

SSTDICC020





Tgt Ion:278 Resp: 1070024

Ion Ratio Lower Upper

278 100

139 15.8 12.2 18.4

279 23.6 19.0 28.6



#92

Benzo(g,h,i)perylene

Concen: 20.184 ng

RT: 28.656 min Scan# 4364

Delta R.T. -0.012 min

Lab File: BM048203.D

Acq: 23 Oct 2024 14:24

Tgt Ion:276 Resp: 1085482

Ion Ratio Lower Upper

276 100

277 24.0 18.5 27.7

138 20.6 17.5 26.3

