

Report of Analysis

| | | | | | |
|--------------------|-----------------|-----------|--------------------|----------------|-----------|
| Client: | Tetra Tech, EMI | | Date Collected: | | |
| Project: | R36724 | | Date Received: | 10/24/24 | |
| Client Sample ID: | PB164336TB | | SDG No.: | P4462 | |
| Lab Sample ID: | PB164336TB | | Matrix: | TCLP | |
| Analytical Method: | SW8151A | | % Solid: | 0 | Decanted: |
| Sample Wt/Vol: | 100 | Units: mL | Final Vol: | 10000 | uL |
| Soil Aliquot Vol: | | uL | Test: | TCLP Herbicide | |
| Extraction Type: | | | Injection Volume : | | |
| GPC Factor : | 1.0 | PH : | | | |
| Prep Method : | 8151A | | | | |

| | | | | |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed | Prep Batch ID |
| PS028074.D | 1 | 10/24/24 11:28 | 10/28/24 13:35 | PB164378 |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|-------------------|-------------------|-------|-----------|----------|------------|----------|
| TARGETS | | | | | | |
| 94-75-7 | 2,4-D | 4.90 | U | 4.90 | 20.0 | ug/L |
| 93-72-1 | 2,4,5-TP (Silvex) | 4.50 | U | 4.50 | 20.0 | ug/L |
| SURROGATES | | | | | | |
| 19719-28-9 | 2,4-DCAA | 345 | | 39 - 175 | 69% | SPK: 500 |

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit