

Report of Analysis

Client:	Yannuzzi Group, Inc.		Date Collected:	
Project:	86 Davidson Road, Piscataway, NJ		Date Received:	
Client Sample ID:	VY1024SBS01		SDG No.:	P4473
Lab Sample ID:	VY1024SBS01		Matrix:	SOIL
Analytical Method:	SW8260		% Solid:	100
Sample Wt/Vol:	5	Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020003.D	1		10/24/24 11:43	VY102424

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	17.0		1.70	5.00	ug/Kg
74-87-3	Chloromethane	19.3		1.20	5.00	ug/Kg
75-01-4	Vinyl Chloride	20.6		0.77	5.00	ug/Kg
74-83-9	Bromomethane	21.9		1.00	5.00	ug/Kg
75-00-3	Chloroethane	22.0		1.00	5.00	ug/Kg
75-69-4	Trichlorofluoromethane	21.1		0.91	5.00	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	21.5		1.10	5.00	ug/Kg
75-35-4	1,1-Dichloroethene	18.7		0.78	5.00	ug/Kg
67-64-1	Acetone	110		6.20	25.0	ug/Kg
75-15-0	Carbon Disulfide	13.7		1.30	5.00	ug/Kg
1634-04-4	Methyl tert-butyl Ether	21.4		0.67	5.00	ug/Kg
79-20-9	Methyl Acetate	20.4		1.80	5.00	ug/Kg
75-09-2	Methylene Chloride	21.3		3.40	10.0	ug/Kg
156-60-5	trans-1,2-Dichloroethene	19.9		0.84	5.00	ug/Kg
75-34-3	1,1-Dichloroethane	23.6		0.63	5.00	ug/Kg
110-82-7	Cyclohexane	19.2		0.69	5.00	ug/Kg
78-93-3	2-Butanone	110		5.70	25.0	ug/Kg
56-23-5	Carbon Tetrachloride	21.6		0.87	5.00	ug/Kg
156-59-2	cis-1,2-Dichloroethene	22.0		0.61	5.00	ug/Kg
74-97-5	Bromochloromethane	20.7		2.40	5.00	ug/Kg
67-66-3	Chloroform	24.5		0.67	5.00	ug/Kg
71-55-6	1,1,1-Trichloroethane	23.0		0.78	5.00	ug/Kg
108-87-2	Methylcyclohexane	18.9		0.87	5.00	ug/Kg
71-43-2	Benzene	21.8		0.72	5.00	ug/Kg
107-06-2	1,2-Dichloroethane	23.2		0.61	5.00	ug/Kg
79-01-6	Trichloroethene	21.3		0.75	5.00	ug/Kg
78-87-5	1,2-Dichloropropane	23.4		0.66	5.00	ug/Kg
75-27-4	Bromodichloromethane	23.5		0.56	5.00	ug/Kg
108-10-1	4-Methyl-2-Pentanone	110		4.40	25.0	ug/Kg
108-88-3	Toluene	21.8		0.67	5.00	ug/Kg

Report of Analysis

Client:	Yannuzzi Group, Inc.		Date Collected:	
Project:	86 Davidson Road, Piscataway, NJ		Date Received:	
Client Sample ID:	VY1024SBS01		SDG No.:	P4473
Lab Sample ID:	VY1024SBS01		Matrix:	SOIL
Analytical Method:	SW8260		% Solid:	100
Sample Wt/Vol:	5	Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020003.D	1		10/24/24 11:43	VY102424

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	20.7		0.60	5.00	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	21.5		0.57	5.00	ug/Kg
79-00-5	1,1,2-Trichloroethane	23.2		0.84	5.00	ug/Kg
591-78-6	2-Hexanone	110		4.80	25.0	ug/Kg
124-48-1	Dibromochloromethane	22.4		0.65	5.00	ug/Kg
106-93-4	1,2-Dibromoethane	21.6		0.79	5.00	ug/Kg
127-18-4	Tetrachloroethene	19.7		0.89	5.00	ug/Kg
108-90-7	Chlorobenzene	22.0		0.74	5.00	ug/Kg
100-41-4	Ethyl Benzene	22.2		0.62	5.00	ug/Kg
179601-23-1	m/p-Xylenes	43.3		1.40	10.0	ug/Kg
95-47-6	o-Xylene	22.1		0.70	5.00	ug/Kg
100-42-5	Styrene	21.9		0.60	5.00	ug/Kg
75-25-2	Bromoform	21.0		0.81	5.00	ug/Kg
98-82-8	Isopropylbenzene	22.9		0.67	5.00	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	23.4		1.10	5.00	ug/Kg
541-73-1	1,3-Dichlorobenzene	22.3		0.74	5.00	ug/Kg
106-46-7	1,4-Dichlorobenzene	21.8		0.80	5.00	ug/Kg
95-50-1	1,2-Dichlorobenzene	21.8		0.59	5.00	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	18.1		1.60	5.00	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	20.3		0.79	5.00	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	20.0		0.78	5.00	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	50.5		70 (50) - 130 (163)	101%	SPK: 50
1868-53-7	Dibromofluoromethane	51.2		70 (54) - 130 (147)	102%	SPK: 50
2037-26-5	Toluene-d8	50.4		70 (58) - 130 (134)	101%	SPK: 50
460-00-4	4-Bromofluorobenzene	48.9		70 (29) - 130 (146)	98%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	204000	7.713			
540-36-3	1,4-Difluorobenzene	363000	8.616			
3114-55-4	Chlorobenzene-d5	311000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	145000	13.347			

Report of Analysis

Client:	Yannuzzi Group, Inc.		Date Collected:	
Project:	86 Davidson Road, Piscataway, NJ		Date Received:	
Client Sample ID:	VY1024SBS01		SDG No.:	P4473
Lab Sample ID:	VY1024SBS01		Matrix:	SOIL
Analytical Method:	SW8260		% Solid:	100
Sample Wt/Vol:	5	Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020003.D	1		10/24/24 11:43	VY102424

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products