

PESTICIDE CALIBRATION VERIFICATION SUMMARY

Contract: YANN01

Lab Code: CHEM Case No.: P4474 SAS No.: P4474 SDG NO.: P4474

GC Column: ZB-MR2 ID: 0.32 (mm) Initi. Calib. Date(s): 10/21/2024 10/21/2024

Client Sample No. (PEM): PEM - PL092495.D Date Analyzed: 10/21/2024

Lab Sample No.(PEM): PEM Time Analyzed: 12:33

PEM COMPOUND	RT	RT WINDOW		CALC AMOUNT(ng)	NOM AMOUNT(ng)	%D
		FROM	TO			
Decachlorobiphenyl	9.056	8.960	9.160	19.690	20.000	-1.6
Tetrachloro-m-xylene	3.539	3.490	3.590	19.690	20.000	-1.6
alpha-BHC	3.995	3.940	4.050	10.390	10.000	3.9
beta-BHC	4.525	4.470	4.580	9.750	10.000	-2.5
gamma-BHC (Lindane)	4.327	4.280	4.380	9.890	10.000	-1.1
Endrin	6.575	6.500	6.650	44.220	50.000	-11.6
4,4'-DDT	7.025	6.950	7.100	91.010	100.000	-9.0
Methoxychlor	7.501	7.430	7.570	222.860	250.000	-10.9

GC Column: ZB-MR1 ID: 0.32 (mm) Initi. Calib. Date(s): 10/21/2024 10/21/2024

Client Sample No. (PEM): PEM - PL092495.D Date Analyzed: 10/21/2024

Lab Sample No.(PEM): PEM Time Analyzed: 12:33

PEM COMPOUND	RT	RT WINDOW		CALC AMOUNT(ng)	NOM AMOUNT(ng)	%D
		FROM	TO			
Decachlorobiphenyl	7.918	7.820	8.020	19.360	20.000	-3.2
Tetrachloro-m-xylene	2.777	2.730	2.830	19.090	20.000	-4.6
alpha-BHC	3.280	3.230	3.330	9.580	10.000	-4.2
beta-BHC	3.910	3.860	3.960	11.410	10.000	14.1
gamma-BHC (Lindane)	3.610	3.560	3.660	9.570	10.000	-4.3
Endrin	5.642	5.570	5.710	45.220	50.000	-9.6
4,4'-DDT	6.041	5.970	6.110	97.030	100.000	-3.0
Methoxychlor	6.616	6.550	6.690	226.150	250.000	-9.5