

DATA PACKAGE

GENERAL CHEMISTRY

PROJECT NAME: PRE TREATMENT PLANT

HOLLAND MANUFACTURING CO.

15 Main Street

P.O. Box 404

Succasunna, NJ - 07876

Phone No: 973-584-8141

ORDER ID: P4490

ATTENTION: Todd Holland







Table Of Contents for P4490

1) Signature Page	3
2) Case Narrative	4
2.1) Genchem- Case Narrative	4
3) Qualifier Page	6
4) QA Checklist	7
5) Genchem Data	8
6) Shipping Document	16
6.1) CHAIN OF CUSTODY	17
6.2) Lab Certificate	18

P4490 **2 of 18**



Cover Page

Order ID: P4490

Project ID: Pre Treatment Plant

Client: Holland Manufacturing Co.

Lab Sample Number

Client Sample Number

 P4490-01
 EFFLUENT

 P4490-02
 EFFLUENTMS

 P4490-03
 EFFLUENTMSD

 P4490-04
 AERATION-TK-1

 P4490-05
 INFLUENT

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

N. N. Panjya

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

P4490 **3 of 18**



CASE NARRATIVE

Holland Manufacturing Co.

Project Name: Pre Treatment Plant

Project # N/A

Chemtech Project # P4490

Test Name: Oil and Grease, Phosphorus-Ortho, Ammonia, Phosphorus-

Total,BOD5,TSS

A. Number of Samples and Date of Receipt:

5 Water samples were received on 10/22/2024.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Ammonia, BOD5, Oil and Grease, Phosphorus-Ortho, Phosphorus-Total and TSS. This data package contains results for Oil and Grease, Phosphorus-Ortho, Ammonia, Phosphorus-Total, BOD5, TSS.

C. Analytical Techniques:

The analysis of Oil and Grease was based on method 1664A, The analysis of Phosphorus-Total was based on method 365.3, The analysis of TSS was based on method SM2540 D, The analysis of Ammonia was based on method SM4500-NH3, The analysis of Phosphorus-Ortho was based on method SM4500-P E and The analysis of BOD5 was based on method SM5210 B.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

Sample EFFLUENT was diluted due to high concentrations for Ammonia as N & Sample INFLUENT was diluted due to high concentrations for Ammonia as N.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike (EFFLUENTMS) analysis met criteria for all samples except for Phosphorus-Ortho due to sample matrix interference. The Matrix Spike (EFFLUENTMS) analysis met criteria for all samples except for Phosphorus-Total due to sample matrix interference.

The Matrix Spike Duplicate (EFFLUENTMSD) analysis met criteria for all samples except for Phosphorus-Ortho due to sample matrix interference. The Matrix Spike Duplicate (EFFLUENTMSD) analysis met criteria for all samples except for Phosphorus-Total due to sample matrix interference.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Additional Comments:

P4490 4 of 18



I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature	N. N. Pandya
Signature	



P4490 **5 of 18**



DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following "Results Qualifiers" are used:

- J Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
- U Indicates the analyte was analyzed for, but not detected.
- ND Indicates the analyte was analyzed for, but not detected
- E Indicates the reported value is estimated because of the presence of interference
- M Indicates Duplicate injection precision not met.
- N Indicates the spiked sample recovery is not within control limits.
- S Indicates the reported value was determined by the Method of Standard Addition (MSA).
- * Indicates that the duplicate analysis is not within control limits.
- + Indicates the correlation coefficient for the MSA is less than 0.995.
- D Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
- M Method qualifiers
 - **"P"** for ICP instrument
 - "PM" for ICP when Microwave Digestion is used
 - "CV" for Manual Cold Vapor AA
 - "AV" for automated Cold Vapor AA
 - "CA" for MIDI-Distillation Spectrophotometric "AS" for Semi –Automated Spectrophotometric
 - "C" for Manual Spectrophotometric
 - **"T"** for Titrimetric
 - "NR" for analyte not required to be analyzed
- OR Indicates the analyte's concentration exceeds the calibrated range of the
 - instrument for that specific analysis.
- Q Indicates the LCS did not meet the control limits requirements
- H Sample Analysis Out Of Hold Time

Aliance

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: P4490

	Completed
For thorough review, the report must have the following:	
GENERAL:	
Are all original paperwork present (chain of custody, record of communication, airbill, sample management lab chronicle, login page)	<u> </u>
Check chain-of-custody for proper relinquish/return of samples	<u> </u>
Is the chain of custody signed and complete	<u> </u>
Check internal chain-of-custody for proper relinquish/return of samples /sample extracts	✓ ✓ ✓
Collect information for each project id from server. Were all requirements followed	<u> </u>
COVER PAGE:	
Do numbers of samples correspond to the number of samples in the Chain of Custody on login page	✓
Do lab numbers and client Ids on cover page agree with the Chain of Custody	<u> </u>
CHAIN OF CUSTODY:	
Do requested analyses on Chain of Custody agree with form I results	<u> </u>
Do requested analyses on Chain of Custody agree with the log-in page	' ' ' ' '
Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody	<u> </u>
Were the samples received within hold time	<u> </u>
Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle	<u> </u>
ANALYTICAL:	
Was method requirement followed?	<u> </u>
Was client requirement followed?	<u> </u>
Does the case narrative summarize all QC failure?	<u> </u>
All runlogs and manual integration are reviewed for requirements	<u> </u>
All manual calculations and /or hand notations verified	<u> </u>

QA Review Signature: SOHIL JODHANI Date: 11/04/2024

P4490 **7 of 18**



SAMPLE DATA







P4490 **8 of 18**



P4490-01

Lab Sample ID:

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Report of Analysis

Client: Holland Manufacturing Co. Date Collected: 10/22/24 12:00

Project:Pre Treatment PlantDate Received:10/22/24Client Sample ID:EFFLUENTSDG No.:P4490

....

% Solid: 0

Matrix:

WATER

Parameter	Conc. (Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Ammonia as N	733	OR	1	2.30	5.00	mg/L	10/28/24 08:40	10/28/24 13:42	SM 4500-NH3
									B plus G-11
BOD5	1520		1	0.17	2.00	mg/L		10/23/24 17:40	SM 5210 B-16
Oil and Grease	61.1		1	0.40	5.00	mg/L		10/28/24 10:25	1664A
Orthophosphate as P	0.15		1	0.0040	0.050	mg/L		10/23/24 10:07	SM 4500-P
									E-11
Phosphorus, Total	0.24		1	0.0050	0.050	mg/L	10/23/24 09:00	10/23/24 11:07	365.3
TSS	8010		1	1.00	4.00	mg/L		10/22/24 15:00	SM 2540 D-15

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits



Report of Analysis

Client: Holland Manufacturing Co. Date Collected: 10/22/24 12:00

Project: Pre Treatment Plant Date Received: 10/22/24

Client Sample ID: EFFLUENTDL SDG No.: P4490

Lab Sample ID: P4490-01DL Matrix: WATER

% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Ammonia as N	856	D	10	22.5	50.0	mg/L	10/28/24 08:40	10/28/24 14:41	SM 4500-NH3
									B plus G-11

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

P4490



Report of Analysis

Client: Holland Manufacturing Co. Date Collected: 10/22/24 12:00

Project:Pre Treatment PlantDate Received:10/22/24Client Sample ID:AERATION-TK-1SDG No.:P4490

Lab Sample ID: P4490-04 Matrix: WATER

% Solid: 0

Parameter	Conc. Qua	. DF MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TSS	5290	1 1.00	4.00	mg/L		10/22/24 15:00	SM 2540 D-15

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

P4490



Report of Analysis

Client: Holland Manufacturing Co. Date Collected: 10/22/24 12:00

Project: Pre Treatment Plant Date Received: 10/22/24

Client Sample ID: INFLUENT SDG No.: P4490

Client Sample ID: INFLUENT SDG No.: P4490

Lab Sample ID: P4490-05 Matrix: WATER

% Solid: 0

Parameter	Conc. Qu	ıa. D	F MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Ammonia as N	331 C	OR 1	2.30	5.00	mg/L	10/28/24 08:40	10/28/24 13:42	SM 4500-NH3 B plus G-11
BOD5	10100	1	0.17	2.00	mg/L		10/23/24 17:40	1

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits



Report of Analysis

Client: Holland Manufacturing Co. Date Collected: 10/22/24 12:00

Project: Pre Treatment Plant Date Received: 10/22/24

Client Sample ID: INFLUENTDL SDG No.: P4490

Lab Sample ID: P4490-05DL Matrix: WATER

% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Ammonia as N	369	D	5	11.3	25.0	mg/L	10/28/24 08:40	10/28/24 14:41	SM 4500-NH3
									B plus G-11

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

P4490



LAB CHRONICLE

OrderID: P4490

Client: Holland Manufacturing Co.

Contact: Todd Holland

OrderDate: 10/22/2024 2:18:00 PM
Project: Pre Treatment Plant

Project: Pre Treate K11

ClientID LabID Matrix Test Method Sample Date **Prep Date Anal Date** Received P4490-01 **EFFLUENT WATER** 10/22/24 10/22/24 12:00 SM4500-NH3 Ammonia 10/28/24 10/28/24 13:42 BOD5 SM5210 B 10/23/24 17:40 Oil and Grease 1664A 10/28/24 10:25 Phosphorus-Ortho SM4500-P E 10/23/24 10:07 Phosphorus-Total 365.3 10/23/24 10/23/24 11:07 TSS SM2540 D 10/22/24 15:00 **WATER** P4490-01DL **EFFLUENTDL** 10/22/24 10/22/24 12:00 Ammonia SM4500-NH3 10/28/24 10/28/24 14:41 P4490-04 **AERATION-TK-1 WATER** 10/22/24 10/22/24 12:00 TSS SM2540 D 10/22/24 15:00 P4490-05 **INFLUENT** WATER 10/22/24 10/22/24 12:00 10/28/24 Ammonia SM4500-NH3 10/28/24 13:42 BOD5 SM5210 B 10/23/24 17:40

P4490 **14 of 18**



LAB CHRONICLE

P4490-05DL INFLUENTDL WATER 10/22/24 10/22/24 12:00

Ammonia SM4500-NH3 10/28/24 10/28/24 14:41

P4490 15 of 18



SHIPPING DOCUMENTS

P4490 **16 of 18**



284 Sheffield Street, Mountainside, NJ 07092 (908) 789-8900 • Fax (908) 789-8922 www.chemtech.net

CHEMTECH PROJECT NO. QUOTE NO.

coc Number 2041995

6.1

**	CLIENT INFO		F n	ŧ!		CLIENT P	ROJECT IN	IFORM <i>A</i>	TION		1				CLIEN	IT BILLI	NG INF	ORMATION	SERVICE STREET
COMPANY:	OLLAND WE	Fis Co	PROJECT NAME: HMC PRETREATMENT B							BILL.	то:	San	16			PO#:			
ADDRESS:	15 MAIN S	T WI	PROJECT NO.: LOCATION: AL						ADDRESS:										
CITY SUC	CASUNNA	STATE: NJ ZIP: 07816	PROJEC	CT M	ANAG	iER:	GON HO	LLAU				CITY	CITY STATE: ZIP:				ZIP:		
ATTENTION:			e-mail:									ATTE	NTION:				PHO	NE:	
PHONE:		FAX:	PHONE	:			FA	X:								ANA	LYSIS		Carry Fi
The second livery was a second livery with the second livery was a second livery was a second livery with the second livery was a second livery was a second livery was a second livery with the seco	DATA TURNAROUN				DATA	DELIVE			NOITA		A E		,		اللو	للتر	<u>juš</u>	بيسي	
EDD: *TO BE APPRO	ATA PACKAGE):	DAYS*	Leve	DATA DELIVERABLE INFORMATION Level 1 (Results Only) Level 4 (QC + Full Raw Data) Level 2 (Results + QC) NJ Reduced US EPA CLP Level 3 (Results + QC NYS ASP ANYS ASP BHAW Data) Other EDD FORMAT DATA DELIVERABLE INFORMATION Level 4 (QC + Full Raw Data) NJ Reduced NYS ASP BHAW DATA Other 1 2 3.						5 0× 0× 15 1 1 7 8 9						AMMENTO.			
CHEMTECH SAMPLE ID		PROJECT LE IDENTIFICATION	SAMPLE MATRIX	SAM TY	GRAB GRAB		TIME	# OF BOTTLES	E	2	C 3	<u>C</u>	C 5	6	7	8	9	7	fy Preservatives D-NaOH E-ICE F-OTHER
1.	EFFLUENT		W		1	10/22	1200	0	٧	V	V	v	V	٧					
2.	AERATION		W		1	10/12	1200	1		√									
3.	INFLUENT		W		V	10/22	1200	2	✓					V					
4.																			
5.													Δ-1	9 %					
6.																			
7.																			
8.																			
9.																			
10.																			
RELINQUISHED BY RELINQUISHED BY RELINQUISHED BY	SAMPLER: DAT OF SAMPLER: DAT	PLE CUSTODY MUST BE DOCUMENT OF THE PROPERTY O	UMENTE		OW	Condition	ME SAMP ons of bottles its:	or cooler	at receip	et: 🗆 C	COMPLIAN	r 🗆 NO	N COMPLI	ANT Q (en :	ec €1 (
3.	1	3.				Page	of		CLIENT CHEMTE		Hand D	elivered ed Up		ther ld Samp	ling		-		t Complete NO
pyright © 2023		WHITE - CHEMTEO	CH COPY FO	R RETU	JRN TO	CLIENT	YELLO	V- CHEM	TECH CC	PY	PINK -	SAMPLE	R COPY						



Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (L-A-B)	L2219
Maine	2024021
Maryland	296
New Hampshire	255423
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488