

## **DATA PACKAGE**

GENERAL CHEMISTRY  
METALS

**PROJECT NAME : MONTHLY 2024**

**ARAMARK UNIFORMS**

**740 Frelinghuysen Ave.**

**Newark, NJ - 07114-**

**Phone No: 973-824-1101**

**ORDER ID : P4491**

**ATTENTION : Jose Liceaga**



**Laboratory Certification ID # 20012**



1) Signature Page	3
2) Case Narrative	4
2.1) Metals-AES- Case Narrative	4
2.2) Genchem- Case Narrative	6
3) Qualifier Page	7
4) QA Checklist	8
5) Metals-AES Data	9
6) Genchem Data	13
7) Shipping Document	17
7.1) CHAIN OF CUSTODY	18
7.2) Lab Certificate	19

1
2
3
4
5
6
7

## Cover Page

**Order ID :** P4491

**Project ID :** Monthly 2024

**Client :** Aramark Uniforms

**Lab Sample Number**

P4491-01  
P4491-02

**Client Sample Number**

GRAB  
COMP

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : N. N. Pandya

**APPROVED**

Nimisha Pandya QA/QC Supervisor Pandya , 11/5/2024, 2:25:27 PM

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

## **CASE NARRATIVE**

### **Aramark Uniforms**

**Project Name: Monthly 2024**

**Project # N/A**

**Chemtech Project # P4491**

**Test Name: Metals ICP-Group1,Mercury**

#### **A. Number of Samples and Date of Receipt:**

2 Water samples were received on 10/23/2024.

#### **B. Parameters:**

According to the Chain of Custody document, the following analyses were requested: BOD5, Mercury, Metals Group1, Metals ICP-Group1, TPH and TSS. This data package contains results for Metals ICP-Group1,Mercury.

#### **C. Analytical Techniques:**

The analysis of Metals ICP-Group1 was based on method 6010D, digestion based on method 3010 (waters). The analysis and digestion of Mercury was based on method 7470A.

#### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike (34839-40MS) analysis met criteria for all samples except for Mercury due to sample matrix interference. The Matrix Spike (MW-1MS) analysis met criteria for all samples except for Zinc due to Chemical Interference during Digestion Process.

The Matrix Spike Duplicate (34839-40MSD) analysis met criteria for all samples except for Mercury due to sample matrix interference. The Matrix Spike Duplicate (MW-1MSD) analysis met criteria for all samples except for Zinc due to Chemical Interference during Digestion Process.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution met the acceptable requirements.

#### **E. Additional Comments:**

As per special requirement for this project form-1 and Hit Summary are reported in mg/l.

---



I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature N. N. Pandya

APPROVED

Nimisha Pandya QA/QC Supervisor Pandya , 11/5/2024, 2:25:38 PM



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## **CASE NARRATIVE**

### **Aramark Uniforms**

**Project Name: Monthly 2024**

**Project # N/A**

**Chemtech Project # P4491**

**Test Name: TPH,BOD5,TSS**

### **A. Number of Samples and Date of Receipt:**

2 Water samples were received on 10/23/2024.

### **B. Parameters:**

According to the Chain of Custody document, the following analyses were requested: BOD5, Mercury, Metals Group1, Metals ICP-Group1, TPH and TSS. This data package contains results for TPH,BOD5,TSS.

### **C. Analytical Techniques:**

The analysis of TPH was based on method 1664A, The analysis of TSS was based on method SM2540 D and The analysis of BOD5 was based on method SM5210 B.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

### **E. Additional Comments:**

As per method 1664A, MS/MSD is required to be performed with the sample analysis. However, Lab did not receive sufficient volume to perform the MS/MSD therefore MS/MSD were not performed for this project.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature N. N. Pandya

**APPROVED**

Nimisha Pandya QA/QC Supervisor Pandya , 11/5/2024, 2:25:49 PM

## DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

<b>J</b>	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
<b>U</b>	Indicates the analyte was analyzed for, but not detected.
<b>ND</b>	Indicates the analyte was analyzed for, but not detected
<b>E</b>	Indicates the reported value is estimated because of the presence of interference
<b>M</b>	Indicates Duplicate injection precision not met.
<b>N</b>	Indicates the spiked sample recovery is not within control limits.
<b>S</b>	Indicates the reported value was determined by the Method of Standard Addition (MSA).
<b>*</b>	Indicates that the duplicate analysis is not within control limits.
<b>+</b>	Indicates the correlation coefficient for the MSA is less than 0.995.
<b>D</b>	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
<b>M</b>	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
<b>OR</b>	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
<b>Q</b>	Indicates the LCS did not meet the control limits requirements
<b>H</b>	Sample Analysis Out Of Hold Time

## APPENDIX A

### QA REVIEW GENERAL DOCUMENTATION

Project #: P4491

Completed

For thorough review, the report must have the following:

#### GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

#### COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

#### CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

#### ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 11/04/2024





284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

**Hit Summary Sheet**  
**SW-846**

**SDG No.:** P4491  
**Client:** Aramark Uniforms

**Order ID:** P4491  
**Project ID:** Monthly 2024

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
<b>Client ID : COMP</b>								
P4491-02	COMP	Water	Cadmium	0.0023	J	0.000094	0.0030	mg/L
P4491-02	COMP	Water	Copper	0.22		0.0071	0.010	mg/L
P4491-02	COMP	Water	Lead	0.056		0.0035	0.0060	mg/L
P4491-02	COMP	Water	Mercury	0.000097	J	0.000081	0.00020	mg/L
P4491-02	COMP	Water	Nickel	0.033		0.00085	0.020	mg/L
P4491-02	COMP	Water	Zinc	0.86		0.0018	0.020	mg/L



# SAMPLE DATA

## Report of Analysis

Client:	Aramark Uniforms	Date Collected:	10/23/24
Project:	Monthly 2024	Date Received:	10/23/24
Client Sample ID:	COMP	SDG No.:	P4491
Lab Sample ID:	P4491-02	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-43-9	Cadmium	0.0023	J	1	0.000094	0.0030	mg/L	10/26/24 09:40	10/29/24 15:42	SW6010	SW3010
7440-50-8	Copper	0.22		1	0.0071	0.010	mg/L	10/26/24 09:40	10/29/24 15:42	SW6010	SW3010
7439-92-1	Lead	0.056		1	0.0035	0.0060	mg/L	10/26/24 09:40	10/29/24 15:42	SW6010	SW3010
7439-97-6	Mercury	0.000097	JN	1	0.000081	0.00020	mg/L	10/25/24 08:00	10/25/24 12:58	SW7470A	
7440-02-0	Nickel	0.033		1	0.00085	0.020	mg/L	10/26/24 09:40	10/29/24 15:42	SW6010	SW3010
7440-66-6	Zinc	0.86	N	1	0.0018	0.020	mg/L	10/26/24 09:40	10/29/24 15:42	SW6010	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group1			

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	P4491	OrderDate:	10/23/2024 10:08:00 AM
Client:	Aramark Uniforms	Project:	Monthly 2024
Contact:	Jose Liceaga	Location:	K11

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P4491-02	COMP	Water			10/23/24			10/23/24
			Mercury	7470A		10/25/24	10/25/24	
			Metals ICP-Group1	6010D		10/26/24	10/29/24	



# SAMPLE DATA

## Report of Analysis

Client:	Aramark Uniforms	Date Collected:	10/23/24 09:57
Project:	Monthly 2024	Date Received:	10/23/24
Client Sample ID:	GRAB	SDG No.:	P4491
Lab Sample ID:	P4491-01	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TPH	40.3		1	0.40	5.00	mg/L		10/31/24 09:00	1664A

Comments:

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements  
 H = Sample Analysis Out Of Hold Time

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N =Spiked sample recovery not within control limits

## Report of Analysis

Client:	Aramark Uniforms	Date Collected:	10/23/24 10:00
Project:	Monthly 2024	Date Received:	10/23/24
Client Sample ID:	COMP	SDG No.:	P4491
Lab Sample ID:	P4491-02	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
BOD5	531		1	0.17	2.00	mg/L		10/23/24 17:40	SM 5210 B-16
TSS	667		1	1.00	4.00	mg/L		10/24/24 09:30	SM 2540 D-15

Comments: \_\_\_\_\_

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements  
 H = Sample Analysis Out Of Hold Time

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	P4491	OrderDate:	10/23/2024 10:08:00 AM
Client:	Aramark Uniforms	Project:	Monthly 2024
Contact:	Jose Liceaga	Location:	K11

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P4491-01	GRAB	WATER			10/23/24 09:57			10/23/24
			TPH	1664A			10/31/24 09:00	
P4491-02	COMP	WATER			10/23/24 10:00			10/23/24
			BOD5	SM5210 B			10/23/24 17:40	
			TSS	SM2540 D			10/24/24 09:30	





# SHIPPING DOCUMENTS

# CHEMTECH

## CHAIN OF CUSTODY RECORD

284 Sheffield Street, Mountainside, NJ 07092  
(908) 789-8900 • Fax (908) 789-8922  
www.chemtech.net

CHEMTECH PROJECT NO. **P4491**  
QUOTE NO.  
COC Number **2041708**

7  
7.1

### CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY: **Aramark Uniforms**  
ADDRESS: **740 Frelinghuysen Ave**  
CITY **Newark** STATE: **N.J.** ZIP: **07114**  
ATTENTION: **Jarrod Mills**  
PHONE: FAX:

### CLIENT PROJECT INFORMATION

PROJECT NAME: **Monthly**  
PROJECT NO.: LOCATION:  
PROJECT MANAGER:  
e-mail:  
PHONE: FAX:

### CLIENT BILLING INFORMATION

BILL TO: PO#:  
ADDRESS:  
CITY **Camden** STATE: ZIP:  
ATTENTION: PHONE:

### DATA TURNAROUND INFORMATION

FAX (RUSH) DAYS\*  
HARDCOPY (DATA PACKAGE): DAYS\*  
EDD: DAYS\*

\*TO BE APPROVED BY CHEMTECH  
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS DAYS

### DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)  
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP  
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B  
+ Raw Data ☐ Other  
☐ EDD FORMAT

**TPH**  
**BOD5, TSS**  
**Mercury Metals-TAL**

CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS	
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9	← Specify Preservatives A-HCl D-NaOH B-HNO3 E-ICE C-H2SO4 F-OTHER	
1.	<b>GRAB</b> <b>Comp</b>	<b>AQ</b>		<b>X</b>	<b>10-23-24</b>	<b>0957</b>	<b>1</b>	<b>X</b>										
2.		<b>AQ</b>	<b>X</b>		<b>1</b>	<b>10:00</b>	<b>3</b>		<b>X</b>	<b>X</b>								
3.																		
4.																		
5.																		
6.																		
7.																		
8.																		
9.																		
10.																		

### SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: 1. <b>L. Buter</b>	DATE/TIME: <b>10:04</b> <b>10-23-2024</b>	RECEIVED BY: <b>Arturo Hernandez</b>	Conditions of bottles or coolers at receipt: <input type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <b>X</b> COOLER TEMP <b>3.12</b> °C
RELINQUISHED BY SAMPLER: 2. <b>L. Buter</b>	DATE/TIME:	RECEIVED BY:	Comments:
RELINQUISHED BY SAMPLER: 3. <b>L. Buter</b>	DATE/TIME: <b>1450</b> <b>10-23-2024</b>	RECEIVED BY: <b>L. Buter</b>	

Page **1** of **1**

CLIENT: ☐ Hand Delivered ☐ Other  
CHEMTECH: ☐ Picked Up ☐ Field Sampling

Shipment Complete  
☐ YES ☐ NO

### Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (L-A-B)	L2219
Maine	2024021
Maryland	296
New Hampshire	255423
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488