

Report of Analysis

Client:	Chemtech Consulting Group		Date Collected:		
Project:	NJ Soil PT		Date Received:		
Client Sample ID:	PB164381BS		SDG No.:	P4495	
Lab Sample ID:	PB164381BS		Matrix:	SOIL	
Analytical Method:	8015D DRO		% Solid:	100	Decanted:
Sample Wt/Vol:	30.01	Units: g	Final Vol:	1	mL
Soil Aliquot Vol:		uL	Test:	Diesel Range Organics	
Extraction Type:			Injection Volume :		
GPC Factor :		PH :			
Prep Method :	SW3541				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FF014760.D	1	10/24/24 11:10	10/24/24 15:02	PB164381

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
DRO	DRO	6640		185	1670	ug/kg
SURROGATES						
16416-32-3	Tetracosane-d50	15.9		37 - 130	80%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit