

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110424\
 Data File : PL092816.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 04 Nov 2024 08:48
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PEM

Manual Integrations
 APPROVED

Reviewed By :Abdul Mirza 11/05/2024
 Supervised By :Ankita Jodhani 11/05/2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 05 03:09:10 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 18:58:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.542	2.779	51416795	56870331	20.984	20.899
28)	SA Decachlor...	9.056	7.915	38550081	52509405	20.031	19.240
Target Compounds							
2)	A alpha-BHC	3.997	3.281	36543189	39475580	10.775	9.893
3)	MA gamma-BHC...	4.330	3.611	34465011	36977418	10.574	9.581
6)	B beta-BHC	4.527	3.911	16185023	18226699	11.197	11.072
14)	MA Endrin	6.576	5.642	95052201	142.1E6	41.751	49.111
16)	A 4,4'-DDD	6.712	5.789	3408104	3552520	1.775	1.427m
17)	MA 4,4'-DDT	7.026	6.040	179.8E6	280.4E6	86.871	104.546
18)	B Endrin al...	6.926	6.116	2816740	3494282	1.500	1.514
20)	A Methoxychlor	7.502	6.615	226.0E6	310.7E6	198.214	217.571
21)	B Endrin ke...	7.645	6.843	5824804	6419630	2.404	2.092

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110424\
Data File : PL092816.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 04 Nov 2024 08:48
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampleId :
PEM


Manual Integrations
APPROVED

Reviewed By : Abdul Mirza 11/05/2024
Supervised By : Ankita Jodhani 11/05/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 05 03:09:10 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 18:58:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene

R.T.: 3.542 min
Delta R.T.: 0.002 min
Response: 51416795
Conc: 20.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 11/05/2024
Supervised By :Ankita Jodhani 11/05/2024




#1 Tetrachloro-m-xylene

R.T.: 2.779 min
Delta R.T.: 0.001 min
Response: 56870331
Conc: 20.90 ng/ml




#2 alpha-BHC

R.T.: 3.997 min
Delta R.T.: 0.002 min
Response: 36543189
Conc: 10.77 ng/ml



#2 alpha-BHC

R.T.: 3.281 min
Delta R.T.: 0.000 min
Response: 39475580
Conc: 9.89 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.330 min
Delta R.T.: 0.002 min
Response: 34465011
Conc: 10.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 11/05/2024
Supervised By :Ankita Jodhani 11/05/2024




#3 gamma-BHC (Lindane)

R.T.: 3.611 min
Delta R.T.: 0.000 min
Response: 36977418
Conc: 9.58 ng/ml




#6 beta-BHC

R.T.: 4.527 min
Delta R.T.: 0.002 min
Response: 16185023
Conc: 11.20 ng/ml



#6 beta-BHC

R.T.: 3.911 min
Delta R.T.: 0.000 min
Response: 18226699
Conc: 11.07 ng/ml




#14 Endrin

R.T.: 6.576 min
Delta R.T.: 0.002 min
Response: 95052201
Conc: 41.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 11/05/2024
Supervised By :Ankita Jodhani 11/05/2024




#14 Endrin

R.T.: 5.642 min
Delta R.T.: 0.000 min
Response: 142077228
Conc: 49.11 ng/ml




#16 4,4'-DDD

R.T.: 6.712 min
Delta R.T.: 0.002 min
Response: 3408104
Conc: 1.78 ng/ml



#16 4,4'-DDD

R.T.: 5.789 min
Delta R.T.: 0.000 min
Response: 3552520
Conc: 1.43 ng/ml m




#17 4,4'-DDT

R.T.: 7.026 min
Delta R.T.: 0.003 min
Response: 179801616
Conc: 86.87 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 11/05/2024
Supervised By :Ankita Jodhani 11/05/2024




#17 4,4'-DDT

R.T.: 6.040 min
Delta R.T.: 0.000 min
Response: 280419226
Conc: 104.55 ng/ml




#18 Endrin aldehyde

R.T.: 6.926 min
Delta R.T.: 0.002 min
Response: 2816740
Conc: 1.50 ng/ml



#18 Endrin aldehyde

R.T.: 6.116 min
Delta R.T.: 0.000 min
Response: 3494282
Conc: 1.51 ng/ml




#20 Methoxychlor

R.T.: 7.502 min
Delta R.T.: 0.002 min
Response: 225963470
Conc: 198.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 11/05/2024
Supervised By :Ankita Jodhani 11/05/2024




#20 Methoxychlor

R.T.: 6.615 min
Delta R.T.: 0.000 min
Response: 310698484
Conc: 217.57 ng/ml




#21 Endrin ketone

R.T.: 7.645 min
Delta R.T.: 0.002 min
Response: 5824804
Conc: 2.40 ng/ml



#21 Endrin ketone

R.T.: 6.843 min
Delta R.T.: 0.000 min
Response: 6419630
Conc: 2.09 ng/ml




#28 Decachlorobiphenyl

R.T.: 9.056 min
Delta R.T.: 0.002 min
Response: 38550081
Conc: 20.03 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM

Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 11/05/2024
Supervised By :Ankita Jodhani 11/05/2024



#28 Decachlorobiphenyl

R.T.: 7.915 min
Delta R.T.: 0.000 min
Response: 52509405
Conc: 19.24 ng/ml