

Cover Page

Order ID : P4495

Project ID : NJ Soil PT

Client : Chemtech Consulting Group

Lab Sample Number

P4495-01
P4495-02
P4495-03
P4495-04
P4495-05
P4495-06
P4495-07
P4495-08
P4495-09
P4495-10
P4495-11
P4495-12
P4495-13
P4495-14
P4495-15
P4495-16
P4495-17
P4495-18
P4495-19
P4495-20
P4495-21
P4495-22
P4495-23
P4495-24
P4495-25

Client Sample Number

PT-AN-SOIL
PT-CORR-SOIL
PT-CN-SOIL
PT-CN-SOIL
PT-FP-SOIL
PT-CR6-SOIL
PT-NUT-SOIL
PT-NUT-SOIL
PT-OGR-SOIL
PT-MET-SOIL
PT-BNA-SOIL
PT-TRIAZINE-SOIL
PT-PAH-SOIL
PT-DIES-SOIL
PT-GAS-SOIL
PT-NJEPH-SOIL
PT-HERB-SOIL
PT-PCB-SOIL
PT-PCBO-SOIL
PT-PEST-SOIL
PT-CHLR-SOIL
PT-TXP-SOIL
PT-VOA-SOIL
PT-SOL-SOIL
PT-NO2-SOIL

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 12/2/2024

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “ Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: P4495

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: PATEL VAISHALI

Date: 12/02/2024

LAB CHRONICLE

OrderID:	P4495	OrderDate:	10/23/2024 10:29:00 AM
Client:	Chemtech Consulting Group	Project:	NJ Soil PT
Contact:	QA Officer	Location:	QA Office, VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P4495-14	PT-DIES-SOIL	SOIL			10/21/24			10/23/24
			Diesel Range Organics	8015D		10/24/24	10/24/24	
			Diesel Range Organics	8015D		10/24/24	10/25/24	
P4495-15	PT-GAS-SOIL	SOIL			10/21/24			10/23/24
			Gasoline Range Organics	8015D			10/24/24	
			Gasoline Range Organics	8015D			10/30/24	
P4495-16	PT-NJEPH-SOIL	Solid			10/21/24			10/23/24
			EPH	NJEPH		10/25/24	10/28/24	
			EPH	NJEPH		10/25/24	10/29/24	
			EPH	NJEPH		10/25/24	10/28/24	
P4495-16DL 2	PT-NJEPH-SOILDL2	Solid			10/21/24			10/23/24
			EPH	NJEPH		10/25/24	10/28/24	
P4495-17	PT-HERB-SOIL	SOIL			10/21/24			10/23/24
			Herbicide Group1	8151A		11/14/24	11/25/24	
P4495-17RE	PT-HERB-SOILRE	SOIL			10/21/24			10/23/24
			Herbicide Group1	8151A		11/14/24	11/25/24	
P4495-18	PT-PCB-SOIL	SOIL			10/21/24			10/23/24
			PCB	8082A		10/25/24	10/25/24	
P4495-18DL	PT-PCB-SOIL DL	SOIL			10/21/24			10/23/24
			PCB	8082A		10/25/24	10/25/24	
P4495-19	PT-PCBO-SOIL	SOIL			10/21/24			10/23/24
			PCB	8082A		10/25/24	10/28/24	
P4495-19DL	PT-PCBO-SOILDL	SOIL			10/21/24			10/23/24

LAB CHRONICLE

			PCB	8082A		10/25/24	10/28/24	
P4495-20	PT-PEST-SOIL	SOIL			10/21/24			10/23/24
			PESTICIDE Group1	8081B		10/25/24	11/04/24	
P4495-20DL	PT-PEST-SOILDL	SOIL			10/21/24			10/23/24
			PESTICIDE Group1	8081B		10/25/24	11/04/24	
P4495-20DL 2	PT-PEST-SOILDL2	SOIL			10/21/24			10/23/24
			PESTICIDE Group1	8081B		10/25/24	11/04/24	
P4495-21	PT-CHLR-SOIL	SOIL			10/21/24			10/23/24
			PESTICIDE Group2	8081B		10/25/24	10/31/24	
P4495-22	PT-TXP-SOIL	SOIL			10/21/24			10/23/24
			PESTICIDE Group3	8081B		10/25/24	10/31/24	
P4495-22DL	PT-TXP-SOILDL	SOIL			10/21/24			10/23/24
			PESTICIDE Group3	8081B		10/25/24	10/31/24	

Hit Summary Sheet
SW-846

SDG No.: P4495

Order ID: P4495

Client: Chemtech Consulting Group

Project ID: NJ Soil PT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : P4495-22	PT-TXP-SOIL PT-TXP-SOIL	SOIL	Toxaphene		434 E	5.20	32.9	ug/kg
Total Concentration:				434.000				
Client ID : P4495-22DL	PT-TXP-SOILDL PT-TXP-SOILDL	SOIL	Toxaphene		414 D	10.4	65.9	ug/kg
Total Concentration:				414.000				



QC SUMMARY

Surrogate Summary

SDG No.: **P4495**

Client: **Chemtech Consulting Group**

Analytical Method: **8081B**

Lab Sample ID	Client ID	Parameter	Column	Spike	Result	Rec	Qual	Limits	
								Low	High
I.BLK-PL092652.D	PIBLK-PL092652.D	Decachlorobiphenyl	1	20	22.7	114		43	140
		Tetrachloro-m-xylene	1	20	21.6	108		77	126
		Decachlorobiphenyl	2	20	21.7	109		43	140
		Tetrachloro-m-xylene	2	20	20.4	102		77	126
I.BLK-PL092752.D	PIBLK-PL092752.D	Decachlorobiphenyl	1	20	20.0	100		43	140
		Tetrachloro-m-xylene	1	20	20.0	100		77	126
		Decachlorobiphenyl	2	20	19.3	96		43	140
		Tetrachloro-m-xylene	2	20	18.9	95		77	126
PB164400BL	PB164400BL	Decachlorobiphenyl	1	20	21.6	108		10	148
		Tetrachloro-m-xylene	1	20	19.9	100		10	159
		Decachlorobiphenyl	2	20	21.6	108		10	148
		Tetrachloro-m-xylene	2	20	18.9	94		10	159
PB164400BS	PB164400BS	Decachlorobiphenyl	1	20	21.2	106		10	148
		Tetrachloro-m-xylene	1	20	20.5	103		10	159
		Decachlorobiphenyl	2	20	21.1	106		10	148
		Tetrachloro-m-xylene	2	20	19.5	98		10	159
P4495-22	PT-TXP-SOIL	Decachlorobiphenyl	1	20	22.7	113		10	148
		Tetrachloro-m-xylene	1	20	23.3	116		10	159
		Decachlorobiphenyl	2	20	22.4	112		10	148
		Tetrachloro-m-xylene	2	20	21.2	106		10	159
P4495-22DL	PT-TXP-SOILDL	Decachlorobiphenyl	1	20	23.1	116		10	148
		Tetrachloro-m-xylene	1	20	23.8	119		10	159
		Decachlorobiphenyl	2	20	22.7	113		10	148
		Tetrachloro-m-xylene	2	20	20.5	102		10	159
I.BLK-PL092767.D	PIBLK-PL092767.D	Decachlorobiphenyl	1	20	20.9	105		43	140
		Tetrachloro-m-xylene	1	20	19.6	98		77	126
		Decachlorobiphenyl	2	20	20.9	104		43	140
		Tetrachloro-m-xylene	2	20	18.9	94		77	126



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: P4495

Client: Chemtech Consulting Group

Analytical Method: **8081B** **Datafile :** PL092764.D

Lab Sample ID	Parameter	Spike	Result	Units	Rec	RPD	Qual	RPD		Limits		RPD
								Qual	Low	High		
PB164400BS	Toxaphene	66.62	74.4	ug/kg	112				80	120		

4C

PESTICIDE METHOD BLANK SUMMARY

EPA SAMPLE NO.

PB164400BL

Lab Name: CHEMTECH

Contract: CHEM02

Lab Code: CHEM Case No.: P4495

SAS No.: P4495 SDG NO.: P4495

Lab Sample ID: PB164400BL

Lab File ID: PL092763.D

Matrix: (soil/water) Solid

Extraction: (Type) _____

Sulfur Cleanup: (Y/N) N

Date Extracted: 10/25/2024

Date Analyzed (1): 10/31/2024

Date Analyzed (2): 10/31/2024

Time Analyzed (1): 15:11

Time Analyzed (2): 15:11

Instrument ID (1): ECD_L

Instrument ID (2): ECD_L

GC Column (1): ZB-MR2 ID: 0.32 (mm)

GC Column (2): ZB-MR1 ID: 0.32 (mm)

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED 1	DATE ANALYZED 2
PB164400BS	PB164400BS	PL092764.D	10/31/2024	10/31/2024
PT-TXP-SOIL	P4495-22	PL092765.D	10/31/2024	10/31/2024

COMMENTS: _____



SAMPLE DATA

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	10/21/24
Project:	NJ Soil PT	Date Received:	10/23/24
Client Sample ID:	PT-TXP-SOIL	SDG No.:	P4495
Lab Sample ID:	P4495-22	Matrix:	SOIL
Analytical Method:	SW8081	% Solid:	100
Sample Wt/Vol:	30.05	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Test:	PESTICIDE Group3
GPC Factor :	1.0	PH :	
Prep Method :	SW3541B	Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL092765.D	1	10/25/24 09:11	10/31/24 16:36	PB164400

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
8001-35-2	Toxaphene	434	E	5.20	32.9	ug/kg
SURROGATES						
2051-24-3	Decachlorobiphenyl	22.7		10 - 148	113%	SPK: 20
877-09-8	Tetrachloro-m-xylene	23.3		10 - 159	116%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL103124\
 Data File : PL092765.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 31 Oct 2024 16:36
 Operator : AR\AJ
 Sample : P4495-22
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PT-TXP-SOIL

Manual Integrations
APPROVED

Reviewed By : Abdul Mirza 11/01/2024
 Supervised By : Ankita Jodhani 11/04/2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 01 02:18:49 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\LTX102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 18:04:49 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticide 1 Signal #2 Phase: Rtx-CLPesticide 1
 Signal #1 Info : 30M x 0.32mm x0.3 Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.542	2.779	55790171	56878442	23.264m	21.168
7) SA Decachlor...	9.060	7.919	43006433	61647064	22.681	22.383
Target Compounds						
2) Toxaphene-1	6.246	5.010	29920386	37038635	1354.851m	1947.761 #
3) Toxaphene-2	6.447	5.332	17669279	32862563	1303.064	1670.139 #
4) Toxaphene-3	7.062	6.598	105.1E6	76979846	1352.412	1131.406
5) Toxaphene-4	7.150	6.734	67200120	115.7E6	1131.335	1256.101
6) Toxaphene-5	7.939	7.049	19571571	34259542	436.043	522.510

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL103124\
Data File : PL092765.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 31 Oct 2024 16:36
Operator : AR\AJ
Sample : P4495-22
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :

ECD_L

ClientSampleId :

PT-TXP-SOIL



Manual Integrations**APPROVED**


Reviewed By :Abdul Mirza 11/01/2024

Supervised By :Ankita Jodhani 11/04/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 01 02:18:49 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\LTX102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 18:04:49 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticide 1 Signal #2 Phase: Rtx-CLPesticide 1
Signal #1 Info : 30M x 0.32mm x0.3 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene

R.T.: 3.542 min
Delta R.T.: 0.002 min
Response: 55790171
Conc: 23.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PT-TXP-SOIL


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 11/01/2024
Supervised By :Ankita Jodhani 11/04/2024




#1 Tetrachloro-m-xylene

R.T.: 2.779 min
Delta R.T.: 0.000 min
Response: 56878442
Conc: 21.17 ng/ml




#2 Toxaphene-1

R.T.: 6.246 min
Delta R.T.: 0.009 min
Response: 29920386
Conc: 1354.85 ng/ml m



#2 Toxaphene-1

R.T.: 5.010 min
Delta R.T.: 0.005 min
Response: 37038635
Conc: 1947.76 ng/ml




#3 Toxaphene-2

R.T.: 6.447 min
Delta R.T.: 0.005 min
Response: 17669279
Conc: 1303.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PT-TXP-SOIL


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 11/01/2024
Supervised By :Ankita Jodhani 11/04/2024




#3 Toxaphene-2

R.T.: 5.332 min
Delta R.T.: 0.001 min
Response: 32862563
Conc: 1670.14 ng/ml




#4 Toxaphene-3

R.T.: 7.062 min
Delta R.T.: 0.004 min
Response: 105075625
Conc: 1352.41 ng/ml



#4 Toxaphene-3

R.T.: 6.598 min
Delta R.T.: -0.006 min
Response: 76979846
Conc: 1131.41 ng/ml




#5 Toxaphene-4

R.T.: 7.150 min
Delta R.T.: 0.001 min
Response: 67200120
Conc: 1131.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PT-TXP-SOIL


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 11/01/2024
Supervised By :Ankita Jodhani 11/04/2024




#5 Toxaphene-4

R.T.: 6.734 min
Delta R.T.: 0.001 min
Response: 115731566
Conc: 1256.10 ng/ml




#6 Toxaphene-5

R.T.: 7.939 min
Delta R.T.: 0.006 min
Response: 19571571
Conc: 436.04 ng/ml



#6 Toxaphene-5

R.T.: 7.049 min
Delta R.T.: 0.004 min
Response: 34259542
Conc: 522.51 ng/ml




#7 Decachlorobiphenyl

R.T.: 9.060 min
Delta R.T.: 0.007 min
Response: 43006433
Conc: 22.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
PT-TXP-SOIL

Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 11/01/2024
Supervised By :Ankita Jodhani 11/04/2024



#7 Decachlorobiphenyl

R.T.: 7.919 min
Delta R.T.: 0.003 min
Response: 61647064
Conc: 22.38 ng/ml

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	10/21/24
Project:	NJ Soil PT	Date Received:	10/23/24
Client Sample ID:	PT-TXP-SOILDL	SDG No.:	P4495
Lab Sample ID:	P4495-22DL	Matrix:	SOIL
Analytical Method:	SW8081	% Solid:	100
Sample Wt/Vol:	30.05	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Test:	PESTICIDE Group3
GPC Factor :	1.0	PH :	
Prep Method :	SW3541B	Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL092766.D	2	10/25/24 09:11	10/31/24 17:52	PB164400

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
8001-35-2	Toxaphene	414	D	10.4	65.9	ug/kg
SURROGATES						
2051-24-3	Decachlorobiphenyl	23.1		10 - 148	116%	SPK: 20
877-09-8	Tetrachloro-m-xylene	23.8		10 - 159	119%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL103124\
 Data File : PL092766.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 31 Oct 2024 17:52
 Operator : AR\AJ
 Sample : P4495-22DL 2X
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PT-TXP-SOILD

Manual Integrations
 APPROVED

Reviewed By : Abdul Mirza 11/01/2024
 Supervised By : Ankita Jodhani 11/04/2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 01 02:19:27 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\LTX102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 18:04:49 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticide 1 Signal #2 Phase: Rtx-CLPesticide 1
 Signal #1 Info : 30M x 0.32mm x0.3 Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.544	2.779	28557735	27492497	11.909m	10.232
7) SA Decachlor...	9.063	7.919	21920430	31204035	11.560	11.329
Target Compounds						
2) Toxaphene-1	6.247	5.009	16351662	17533664	740.434m	922.048m
3) Toxaphene-2	6.449	5.333	10362514	15677303	764.209	796.751
4) Toxaphene-3	7.065	6.599	55014334	35690508	708.081	524.559 #
5) Toxaphene-4	7.153	6.735	35313782	55422336	594.519	601.530
6) Toxaphene-5	7.941	7.049	10024331	17189696	223.336	262.169

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL103124\
Data File : PL092766.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 31 Oct 2024 17:52
Operator : AR\AJ
Sample : P4495-22DL 2X
Misc :
ALS Vial : 16 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampleId :
PT-TXP-SOILD


Manual Integrations
APPROVED

Reviewed By : Abdul Mirza 11/01/2024
Supervised By : Ankita Jodhani 11/04/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 01 02:19:27 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\LTX102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 18:04:49 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticide 1 Signal #2 Phase: Rtx-CLPesticide 1
Signal #1 Info : 30M x 0.32mm x 0.3 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene

R.T.: 3.544 min
Delta R.T.: 0.004 min
Response: 28557735
Conc: 11.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PT-TXP-SOILD


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 11/01/2024
Supervised By :Ankita Jodhani 11/04/2024




#1 Tetrachloro-m-xylene

R.T.: 2.779 min
Delta R.T.: 0.000 min
Response: 27492497
Conc: 10.23 ng/ml




#2 Toxaphene-1

R.T.: 6.247 min
Delta R.T.: 0.010 min
Response: 16351662
Conc: 740.43 ng/ml m



#2 Toxaphene-1

R.T.: 5.009 min
Delta R.T.: 0.004 min
Response: 17533664
Conc: 922.05 ng/ml m




#3 Toxaphene-2

R.T.: 6.449 min
Delta R.T.: 0.007 min
Response: 10362514
Conc: 764.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PT-TXP-SOILD


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 11/01/2024
Supervised By :Ankita Jodhani 11/04/2024




#3 Toxaphene-2

R.T.: 5.333 min
Delta R.T.: 0.002 min
Response: 15677303
Conc: 796.75 ng/ml




#4 Toxaphene-3

R.T.: 7.065 min
Delta R.T.: 0.007 min
Response: 55014334
Conc: 708.08 ng/ml



#4 Toxaphene-3

R.T.: 6.599 min
Delta R.T.: -0.005 min
Response: 35690508
Conc: 524.56 ng/ml




#5 Toxaphene-4

R.T.: 7.153 min
Delta R.T.: 0.004 min
Response: 35313782
Conc: 594.52 ng/ml

Instrument :
ECD_L
ClientSampleId :
PT-TXP-SOILD


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 11/01/2024
Supervised By :Ankita Jodhani 11/04/2024




#5 Toxaphene-4

R.T.: 6.735 min
Delta R.T.: 0.002 min
Response: 55422336
Conc: 601.53 ng/ml




#6 Toxaphene-5

R.T.: 7.941 min
Delta R.T.: 0.009 min
Response: 10024331
Conc: 223.34 ng/ml



#6 Toxaphene-5

R.T.: 7.049 min
Delta R.T.: 0.004 min
Response: 17189696
Conc: 262.17 ng/ml




#7 Decachlorobiphenyl

R.T.: 9.063 min
Delta R.T.: 0.010 min
Response: 21920430
Conc: 11.56 ng/ml

Instrument :
ECD_L
ClientSampleId :
PT-TXP-SOILD

Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 11/01/2024
Supervised By :Ankita Jodhani 11/04/2024



#7 Decachlorobiphenyl

R.T.: 7.919 min
Delta R.T.: 0.003 min
Response: 31204035
Conc: 11.33 ng/ml



CALIBRATION SUMMARY

GC Column: ZB-MR2 ID: 0.32 (mm)

[illegible]

GC Column: ZB-MR1 ID: 0.32 (mm)

[illegible]

CALIBRATION FACTOR OF INITIAL CALIBRATION

Contract: CHEM02
Lab Code: CHEM **Case No.:** P4495 **SAS No.:** P4495 **SDG NO.:** P4495
Instrument ID: ECD_L **Calibration Date(s):** 10/28/2024 10/28/2024
Calibration Times: 16:56 17:50

GC Column: ZB-MR2 **ID:** 0.32 (mm)

LAB FILE ID:		CF 1000 = <u>PL092665.D</u>		CF 750 = <u>PL092666.D</u>				
CF 500 = <u>PL092667.D</u>		CF 250 = <u>PL092668.D</u>		CF 100 = <u>PL092669.D</u>				
COMPOUND		CF 1000	CF 750	CF 500	CF 250	CF 100	CF	% RSD
Decachlorobiphenyl		177230000	177740000	189745000	202854000	200519000	189618000	6
Tetrachloro-m-xylene		233078000	231096000	240350000	249936000	244588000	239810000	3
Toxaphene-1	(1)	21930600	22781000	23962400	25720000	16025500	22083900	17
Toxaphene-2	(2)	12813100	13396100	13823600	14697100	13069000	13559800	5
Toxaphene-3	(3)	74043300	76359300	79159800	82844000	76068600	77695000	4
Toxaphene-4	(4)	55448700	56201800	59803700	62032900	63507700	59398900	6
Toxaphene-5	(5)	42363700	42359900	45329200	47641800	46728000	44884500	5



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CALIBRATION FACTOR OF INITIAL CALIBRATION

Contract: CHEM02

Lab Code: CHEM Case No.: P4495 SAS No.: P4495 SDG NO.: P4495

Instrument ID: ECD_L

Calibration Date(s): 10/28/2024 10/28/2024

Calibration Times: 16:56 17:50

GC Column: ZB-MR1 ID: 0.32 (mm)

LAB FILE ID:		CF 1000 = <u>PL092665.D</u>		CF 750 = <u>PL092666.D</u>				
CF 500 = <u>PL092667.D</u>		CF 250 = <u>PL092668.D</u>		CF 100 = <u>PL092669.D</u>				
COMPOUND		CF 1000	CF 750	CF 500	CF 250	CF 100	CF	% RSD
Decachlorobiphenyl		268855000	266456000	278478000	283496000	279838000	275425000	3
Tetrachloro-m-xylene		273611000	268301000	274396000	273506000	253659000	268695000	3
Toxaphene-1	(1)	19319400	18781100	19952700	20054800	16972100	19016000	7
Toxaphene-2	(2)	19540600	19393300	19749600	20014500	19684700	19676500	1
Toxaphene-3	(3)	71848800	69180600	70222500	68167200	60776500	68039100	6
Toxaphene-4	(4)	93945600	97489100	98337700	96142100	74763400	92135600	11
Toxaphene-5	(5)	66528900	64180200	65479700	64807200	66840000	65567200	2



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

INITIAL CALIBRATION OF MULTICOMPONENT ANALYTES

Contract: CHEM02

Lab Code: CHEM Case No.: P4495 SAS No.: P4495 SDG NO.: P4495

Instrument ID: ECD_L Date(s) Analyzed: 10/28/2024 10/28/2024

GC Column: ZB-MR2 ID: 0.32 (mm)

COMPOUND	AMOUNT (ng)	PEAK	RT	RT WINDOW		CALIBRATION FACTOR
				FROM	TO	
Toxaphene	100	1	6.24	6.14	6.34	16025500
		2	6.44	6.34	6.54	13069000
		3	7.06	6.96	7.16	76068600
		4	7.15	7.05	7.25	63507700
		5	7.93	7.83	8.03	46728000
Toxaphene	1000	1	6.24	6.14	6.34	21930600
		2	6.44	6.34	6.54	12813100
		3	7.06	6.96	7.16	74043300
		4	7.15	7.05	7.25	55448700
		5	7.93	7.83	8.03	42363700
Toxaphene	250	1	6.24	6.14	6.34	25720000
		2	6.44	6.34	6.54	14697100
		3	7.06	6.96	7.16	82844000
		4	7.15	7.05	7.25	62032900
		5	7.93	7.83	8.03	47641800
Toxaphene	500	1	6.24	6.14	6.34	23962400
		2	6.44	6.34	6.54	13823600
		3	7.06	6.96	7.16	79159800
		4	7.15	7.05	7.25	59803700
		5	7.93	7.83	8.03	45329200
Toxaphene	750	1	6.24	6.14	6.34	22781000
		2	6.44	6.34	6.54	13396100
		3	7.06	6.96	7.16	76359300
		4	7.15	7.05	7.25	56201800
		5	7.93	7.83	8.03	42359900



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

INITIAL CALIBRATION OF MULTICOMPONENT ANALYTES

Contract: CHEM02

Lab Code: CHEM Case No.: P4495 SAS No.: P4495 SDG NO.: P4495

Instrument ID: ECD_L Date(s) Analyzed: 10/28/2024 10/28/2024

GC Column: ZB-MR1 ID: 0.32 (mm)

COMPOUND	AMOUNT (ng)	PEAK	RT	RT WINDOW		CALIBRATION FACTOR
				FROM	TO	
Toxaphene	100	1	5.01	4.91	5.11	16972100
		2	5.33	5.23	5.43	19684700
		3	6.60	6.50	6.70	60776500
		4	6.73	6.63	6.83	74763400
		5	7.05	6.95	7.15	66840000
Toxaphene	1000	1	5.01	4.91	5.11	19319400
		2	5.33	5.23	5.43	19540600
		3	6.61	6.51	6.71	71848800
		4	6.74	6.64	6.84	93945600
		5	7.05	6.95	7.15	66528900
Toxaphene	250	1	5.01	4.91	5.11	20054800
		2	5.33	5.23	5.43	20014500
		3	6.61	6.51	6.71	68167200
		4	6.73	6.63	6.83	96142100
		5	7.05	6.95	7.15	64807200
Toxaphene	500	1	5.01	4.91	5.11	19952700
		2	5.33	5.23	5.43	19749600
		3	6.61	6.51	6.71	70222500
		4	6.73	6.63	6.83	98337700
		5	7.05	6.95	7.15	65479700
Toxaphene	750	1	5.01	4.91	5.11	18781100
		2	5.33	5.23	5.43	19393300
		3	6.61	6.51	6.71	69180600
		4	6.73	6.63	6.83	97489100
		5	7.05	6.95	7.15	64180200

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102824\
 Data File : PL092665.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Oct 2024 16:56
 Operator : AR\AJ
 Sample : PTOXICC1000
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PTOXICC1000

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 28 17:37:13 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\LTX102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 17:35:39 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticide 1 Signal #2 Phase: Rtx-CLPesticide 1
 Signal #1 Info : 30M x 0.32mm x0.3 Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.541	2.778	233.1E6	273.6E6	98.464	99.857
7) SA Decachlor...	9.054	7.916	177.2E6	268.9E6	96.590	98.242
Target Compounds						
2) Toxaphene-1	6.237	5.007	21930618	19319401	955.728	983.873
3) Toxaphene-2	6.442	5.331	12813106	19540592	962.063	994.680
4) Toxaphene-3	7.059	6.605	74043261	71848768	966.603	1011.447
5) Toxaphene-4	7.149	6.735	55448691	93945608	962.213	977.158
6) Toxaphene-5	7.934	7.046	42363674	66528877	966.183	1007.948



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102824\
Data File : PL092665.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Oct 2024 16:56
Operator : AR\AJ
Sample : PTOXICC1000
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PTOXICC1000

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 28 17:37:13 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\LTX102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 17:35:39 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticide 1 Signal #2 Phase: Rtx-CLPesticide 1
Signal #1 Info : 30M x 0.32mm x 0.3 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.541 min
Delta R.T.: 0.000 min
Response: 233077729
Conc: 98.46 ng/ml

Instrument :
ECD_L
ClientSampleId :
PTOXICC1000




#1 Tetrachloro-m-xylene

R.T.: 2.778 min
Delta R.T.: 0.000 min
Response: 273611245
Conc: 99.86 ng/ml




#2 Toxaphene-1

R.T.: 6.237 min
Delta R.T.: 0.000 min
Response: 21930618
Conc: 955.73 ng/ml



#2 Toxaphene-1


R.T.: 5.007 min
Delta R.T.: 0.000 min
Response: 19319401
Conc: 983.87 ng/ml



#3 Toxaphene-2


R.T.: 6.442 min
Delta R.T.: 0.000 min
Response: 12813106
Conc: 962.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PTOXICC1000




#3 Toxaphene-2

R.T.: 5.331 min
Delta R.T.: 0.000 min
Response: 19540592
Conc: 994.68 ng/ml




#4 Toxaphene-3

R.T.: 7.059 min
Delta R.T.: 0.000 min
Response: 74043261
Conc: 966.60 ng/ml



#4 Toxaphene-3


R.T.: 6.605 min
Delta R.T.: 0.000 min
Response: 71848768
Conc: 1011.45 ng/ml



#5 Toxaphene-4


R.T.: 7.149 min
Delta R.T.: 0.000 min
Response: 55448691
Conc: 962.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PTOXICC1000




#5 Toxaphene-4

R.T.: 6.735 min
Delta R.T.: 0.000 min
Response: 93945608
Conc: 977.16 ng/ml




#6 Toxaphene-5

R.T.: 7.934 min
Delta R.T.: 0.000 min
Response: 42363674
Conc: 966.18 ng/ml



#6 Toxaphene-5


R.T.: 7.046 min
Delta R.T.: 0.000 min
Response: 66528877
Conc: 1007.95 ng/ml



#7 Decachlorobiphenyl

R.T.: 9.054 min
Delta R.T.: 0.000 min
Response: 177230122
Conc: 96.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
PTOXICC1000



#7 Decachlorobiphenyl

R.T.: 7.916 min
Delta R.T.: 0.000 min
Response: 268855232
Conc: 98.24 ng/ml

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102824\
 Data File : PL092666.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Oct 2024 17:10
 Operator : AR\AJ
 Sample : PTOXICC750
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PTOXICC750

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 28 17:38:24 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\LTX102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 17:35:39 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticide 1 Signal #2 Phase: Rtx-CLPesticide 1
 Signal #1 Info : 30M x 0.32mm x0.3 Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.540	2.778	173.3E6	201.2E6	73.804	73.952
7) SA Decachlor...	9.054	7.916	133.3E6	199.8E6	73.417	73.671
Target Compounds						
2) Toxaphene-1	6.238	5.007	17085750	14085792	746.385	727.908
3) Toxaphene-2	6.441	5.332	10047093	14544964	752.914	743.563
4) Toxaphene-3	7.059	6.605	57269471	51885456	748.417	736.828
5) Toxaphene-4	7.150	6.733	42151328	73116798	737.538	756.975
6) Toxaphene-5	7.934	7.046	31769944	48135114	732.855	736.053



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102824\
Data File : PL092666.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Oct 2024 17:10
Operator : AR\AJ
Sample : PTOXICC750
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PTOXICC750

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 28 17:38:24 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\LTX102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 17:35:39 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticide 1 Signal #2 Phase: Rtx-CLPesticide 1
Signal #1 Info : 30M x 0.32mm x 0.3 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.540 min
Delta R.T.: 0.000 min
Response: 173322158
Conc: 73.80 ng/ml

Instrument :
ECD_L
ClientSampleId :
PTOXICC750




#1 Tetrachloro-m-xylene

R.T.: 2.778 min
Delta R.T.: 0.000 min
Response: 201225560
Conc: 73.95 ng/ml




#2 Toxaphene-1

R.T.: 6.238 min
Delta R.T.: 0.000 min
Response: 17085750
Conc: 746.38 ng/ml



#2 Toxaphene-1


R.T.: 5.007 min
Delta R.T.: 0.000 min
Response: 14085792
Conc: 727.91 ng/ml



#3 Toxaphene-2


R.T.: 6.441 min
Delta R.T.: 0.000 min
Response: 10047093
Conc: 752.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PTOXICC750




#3 Toxaphene-2

R.T.: 5.332 min
Delta R.T.: 0.000 min
Response: 14544964
Conc: 743.56 ng/ml




#4 Toxaphene-3

R.T.: 7.059 min
Delta R.T.: 0.000 min
Response: 57269471
Conc: 748.42 ng/ml



#4 Toxaphene-3


R.T.: 6.605 min
Delta R.T.: 0.000 min
Response: 51885456
Conc: 736.83 ng/ml



#5 Toxaphene-4


R.T.: 7.150 min
Delta R.T.: 0.000 min
Response: 42151328
Conc: 737.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PTOXICC750




#5 Toxaphene-4

R.T.: 6.733 min
Delta R.T.: 0.000 min
Response: 73116798
Conc: 756.97 ng/ml




#6 Toxaphene-5

R.T.: 7.934 min
Delta R.T.: 0.000 min
Response: 31769944
Conc: 732.85 ng/ml



#6 Toxaphene-5


R.T.: 7.046 min
Delta R.T.: 0.000 min
Response: 48135114
Conc: 736.05 ng/ml



#7 Decachlorobiphenyl

R.T.: 9.054 min
Delta R.T.: 0.000 min
Response: 133305098
Conc: 73.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
PTOXICC750



#7 Decachlorobiphenyl

R.T.: 7.916 min
Delta R.T.: 0.000 min
Response: 199841678
Conc: 73.67 ng/ml

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102824\
 Data File : PL092667.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Oct 2024 17:23
 Operator : AR\AJ
 Sample : PTOXICC500
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PTOXICC500

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 28 17:35:54 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\LTX102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 17:35:39 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticide 1 Signal #2 Phase: Rtx-CLPesticide 1
 Signal #1 Info : 30M x 0.32mm x0.3 Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.540	2.778	120.2E6	137.2E6	50.000	50.000
7) SA Decachlor...	9.054	7.916	94872630	139.2E6	50.000	50.000
Target Compounds						
2) Toxaphene-1	6.237	5.007	11981208	9976373	500.000	500.000
3) Toxaphene-2	6.441	5.332	6911814	9874812	500.000	500.000
4) Toxaphene-3	7.058	6.605	39579915	35111261	500.000	500.000
5) Toxaphene-4	7.149	6.733	29901849	49168858	500.000	500.000
6) Toxaphene-5	7.934	7.045	22664593	32739853	500.000	500.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102824\
Data File : PL092667.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Oct 2024 17:23
Operator : AR\AJ
Sample : PTOXICC500
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PTOXICC500

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 28 17:35:54 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\LTX102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 17:35:39 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticide 1 Signal #2 Phase: Rtx-CLPesticide 1
Signal #1 Info : 30M x 0.32mm x 0.3 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.540 min
Delta R.T.: 0.000 min
Response: 120174769
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PTOXICC500




#1 Tetrachloro-m-xylene

R.T.: 2.778 min
Delta R.T.: 0.000 min
Response: 137198033
Conc: 50.00 ng/ml




#2 Toxaphene-1

R.T.: 6.237 min
Delta R.T.: 0.000 min
Response: 11981208
Conc: 500.00 ng/ml



#2 Toxaphene-1


R.T.: 5.007 min
Delta R.T.: 0.000 min
Response: 9976373
Conc: 500.00 ng/ml



#3 Toxaphene-2


R.T.: 6.441 min
Delta R.T.: 0.000 min
Response: 6911814
Conc: 500.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PTOXICC500




#3 Toxaphene-2

R.T.: 5.332 min
Delta R.T.: 0.000 min
Response: 9874812
Conc: 500.00 ng/ml




#4 Toxaphene-3

R.T.: 7.058 min
Delta R.T.: 0.000 min
Response: 39579915
Conc: 500.00 ng/ml



#4 Toxaphene-3


R.T.: 6.605 min
Delta R.T.: 0.000 min
Response: 35111261
Conc: 500.00 ng/ml



#5 Toxaphene-4


R.T.: 7.149 min
Delta R.T.: 0.000 min
Response: 29901849
Conc: 500.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PTOXICC500




#5 Toxaphene-4

R.T.: 6.733 min
Delta R.T.: 0.000 min
Response: 49168858
Conc: 500.00 ng/ml




#6 Toxaphene-5

R.T.: 7.934 min
Delta R.T.: 0.000 min
Response: 22664593
Conc: 500.00 ng/ml



#6 Toxaphene-5


R.T.: 7.045 min
Delta R.T.: 0.000 min
Response: 32739853
Conc: 500.00 ng/ml



#7 Decachlorobiphenyl

R.T.: 9.054 min
Delta R.T.: 0.000 min
Response: 94872630
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PTOXICC500



#7 Decachlorobiphenyl

R.T.: 7.916 min
Delta R.T.: 0.000 min
Response: 139239048
Conc: 50.00 ng/ml

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102824\
 Data File : PL092668.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Oct 2024 17:37
 Operator : AR\AJ
 Sample : PTOXICC250
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PTOXICC250

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 28 17:50:32 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\LTX102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 17:50:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticide 1 Signal #2 Phase: Rtx-CLPesticide 1
 Signal #1 Info : 30M x 0.32mm x0.3 Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.540	2.778	62484007	68376441	26.186	25.097
7) SA Decachlor...	9.054	7.915	50713559	70874061	27.135	25.836
Target Compounds						
2) Toxaphene-1	6.238	5.006	6429994	5013689	272.475	256.757
3) Toxaphene-2	6.441	5.331	3674272	5003635	268.538	254.321
4) Toxaphene-3	7.059	6.605	20710993	17041806	265.180	243.960
5) Toxaphene-4	7.149	6.733	15508216	24035523	265.680	249.128
6) Toxaphene-5	7.934	7.046	11910459	16201809	268.111	248.307



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102824\
Data File : PL092668.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Oct 2024 17:37
Operator : AR\AJ
Sample : PTOXICC250
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PTOXICC250

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 28 17:50:32 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\LTX102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 17:50:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticide 1 Signal #2 Phase: Rtx-CLPesticide 1
Signal #1 Info : 30M x 0.32mm x 0.3 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.540 min
Delta R.T.: 0.000 min
Response: 62484007
Conc: 26.19 ng/ml

Instrument :
ECD_L
ClientSampleId :
PTOXICC250




#1 Tetrachloro-m-xylene

R.T.: 2.778 min
Delta R.T.: 0.000 min
Response: 68376441
Conc: 25.10 ng/ml




#2 Toxaphene-1

R.T.: 6.238 min
Delta R.T.: 0.000 min
Response: 6429994
Conc: 272.47 ng/ml



#2 Toxaphene-1


R.T.: 5.006 min
Delta R.T.: 0.000 min
Response: 5013689
Conc: 256.76 ng/ml



#3 Toxaphene-2


R.T.: 6.441 min
Delta R.T.: 0.000 min
Response: 3674272
Conc: 268.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PTOXICC250




#3 Toxaphene-2

R.T.: 5.331 min
Delta R.T.: 0.000 min
Response: 5003635
Conc: 254.32 ng/ml




#4 Toxaphene-3

R.T.: 7.059 min
Delta R.T.: 0.000 min
Response: 20710993
Conc: 265.18 ng/ml



#4 Toxaphene-3


R.T.: 6.605 min
Delta R.T.: 0.000 min
Response: 17041806
Conc: 243.96 ng/ml



#5 Toxaphene-4


R.T.: 7.149 min
Delta R.T.: 0.000 min
Response: 15508216
Conc: 265.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
PTOXICC250




#5 Toxaphene-4

R.T.: 6.733 min
Delta R.T.: 0.000 min
Response: 24035523
Conc: 249.13 ng/ml




#6 Toxaphene-5

R.T.: 7.934 min
Delta R.T.: 0.000 min
Response: 11910459
Conc: 268.11 ng/ml



#6 Toxaphene-5


R.T.: 7.046 min
Delta R.T.: 0.000 min
Response: 16201809
Conc: 248.31 ng/ml



#7 Decachlorobiphenyl

R.T.: 9.054 min
Delta R.T.: 0.000 min
Response: 50713559
Conc: 27.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PTOXICC250



#7 Decachlorobiphenyl

R.T.: 7.915 min
Delta R.T.: 0.000 min
Response: 70874061
Conc: 25.84 ng/ml

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102824\
 Data File : PL092669.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Oct 2024 17:50
 Operator : AR\AJ
 Sample : PTOXICC100
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :

ECD_L

ClientSampleId :

PTOXICC100

Manual Integrations**APPROVED**

Reviewed By :Abdul Mirza 10/29/2024

Supervised By :Ankita Jodhani 10/29/2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 28 18:03:27 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\LTX102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 18:03:18 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticide 1 Signal #2 Phase: Rtx-CLPesticide 1
 Signal #1 Info : 30M x 0.32mm x0.3 Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.540	2.778	24458845	25365906	10.199	9.440
7) SA Decachlor...	9.053	7.916	20051940	27983827	10.575	10.160
Target Compounds						
2) Toxaphene-1	6.237	5.005	1602546	1697209	73.301m	89.252
3) Toxaphene-2	6.441	5.331	1306903	1968465	96.381	100.041
4) Toxaphene-3	7.058	6.604	7606859	6077649	97.907	89.326
5) Toxaphene-4	7.149	6.733	6350768	7476339	106.917	81.145
6) Toxaphene-5	7.932	7.045	4672796	6684004	104.107	101.941

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102824\
Data File : PL092669.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Oct 2024 17:50
Operator : AR\AJ
Sample : PTOXICC100
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :

ECD_L

ClientSampleId :

PTOXICC100

Manual Integrations



APPROVED


Reviewed By :Abdul Mirza 10/29/2024

Supervised By :Ankita Jodhani 10/29/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 28 18:03:27 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\LTX102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 18:03:18 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticide 1 Signal #2 Phase: Rtx-CLPesticide 1
Signal #1 Info : 30M x 0.32mm x 0.3 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene

R.T.: 3.540 min
Delta R.T.: 0.000 min
Response: 24458845
Conc: 10.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PTOXICC100


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 10/29/2024
Supervised By :Ankita Jodhani 10/29/2024




#1 Tetrachloro-m-xylene

R.T.: 2.778 min
Delta R.T.: 0.000 min
Response: 25365906
Conc: 9.44 ng/ml




#2 Toxaphene-1

R.T.: 6.237 min
Delta R.T.: -0.001 min
Response: 1602546
Conc: 73.30 ng/ml m



#2 Toxaphene-1

R.T.: 5.005 min
Delta R.T.: 0.000 min
Response: 1697209
Conc: 89.25 ng/ml




#3 Toxaphene-2

R.T.: 6.441 min
Delta R.T.: 0.000 min
Response: 1306903
Conc: 96.38 ng/ml

Instrument :
ECD_L
ClientSampleId :
PTOXICC100


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 10/29/2024
Supervised By :Ankita Jodhani 10/29/2024




#3 Toxaphene-2

R.T.: 5.331 min
Delta R.T.: 0.000 min
Response: 1968465
Conc: 100.04 ng/ml




#4 Toxaphene-3

R.T.: 7.058 min
Delta R.T.: 0.000 min
Response: 7606859
Conc: 97.91 ng/ml



#4 Toxaphene-3

R.T.: 6.604 min
Delta R.T.: 0.000 min
Response: 6077649
Conc: 89.33 ng/ml




#5 Toxaphene-4

R.T.: 7.149 min
Delta R.T.: 0.000 min
Response: 6350768
Conc: 106.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
PTOXICC100


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 10/29/2024
Supervised By :Ankita Jodhani 10/29/2024




#5 Toxaphene-4

R.T.: 6.733 min
Delta R.T.: 0.000 min
Response: 7476339
Conc: 81.14 ng/ml




#6 Toxaphene-5

R.T.: 7.932 min
Delta R.T.: 0.000 min
Response: 4672796
Conc: 104.11 ng/ml



#6 Toxaphene-5

R.T.: 7.045 min
Delta R.T.: 0.000 min
Response: 6684004
Conc: 101.94 ng/ml




#7 Decachlorobiphenyl

R.T.: 9.053 min
Delta R.T.: 0.000 min
Response: 20051940
Conc: 10.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PTOXICC100

Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 10/29/2024
Supervised By :Ankita Jodhani 10/29/2024



#7 Decachlorobiphenyl

R.T.: 7.916 min
Delta R.T.: 0.000 min
Response: 27983827
Conc: 10.16 ng/ml

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102824\
 Data File : PL092670.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Oct 2024 18:03
 Operator : AR\AJ
 Sample : PSTDICV050
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 ICVPL102824

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 28 18:20:57 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 17:19:58 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.540	2.778	119.9E6	136.6E6	48.932	50.204
28)	SA Decachlor...	9.054	7.916	94182239	139.9E6	48.937	51.259
Target Compounds							
2)	A alpha-BHC	3.996	3.281	167.5E6	204.0E6	49.379	51.127
3)	MA gamma-BHC...	4.328	3.611	160.1E6	197.4E6	49.125	51.136
4)	MA Heptachlor	4.916	3.950	147.0E6	192.1E6	48.942	50.906
5)	MB Aldrin	5.258	4.230	145.8E6	187.4E6	48.580	51.194
6)	B beta-BHC	4.526	3.911	70600682	82244973	48.843	49.959
7)	B delta-BHC	4.773	4.140	153.4E6	196.7E6	49.025	51.190
8)	B Heptachlo...	5.684	4.732	133.1E6	169.7E6	48.213	50.772
9)	A Endosulfan I	6.069	5.102	121.8E6	154.2E6	48.702	50.518
10)	B gamma-Chl...	5.941	4.982	129.8E6	169.3E6	48.769	50.359
11)	B alpha-Chl...	6.019	5.046	129.4E6	167.6E6	48.847	50.380
12)	B 4,4'-DDE	6.193	5.235	116.5E6	164.4E6	49.166	51.019
13)	MA Dieldrin	6.345	5.366	129.0E6	171.0E6	48.947	51.185
14)	MA Endrin	6.575	5.642	110.2E6	147.7E6	48.393	51.063
15)	B Endosulfa...	6.794	5.937	115.4E6	145.0E6	48.417	51.175
16)	A 4,4'-DDD	6.710	5.790	95447383	127.7E6	49.724	51.292
17)	MA 4,4'-DDT	7.024	6.040	102.8E6	137.5E6	49.676	51.253
18)	B Endrin al...	6.924	6.116	91870810	116.2E6	48.920	50.348
19)	B Endosulfa...	7.159	6.339	106.0E6	136.5E6	48.859	50.601
20)	A Methoxychlor	7.500	6.615	57010538	73335025	50.009	51.354
21)	B Endrin ke...	7.644	6.844	118.9E6	157.6E6	49.074	51.358
22)	Mirex	8.117	7.025	96541027	131.1E6	48.716	50.260



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102824\
Data File : PL092670.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Oct 2024 18:03
Operator : AR\AJ
Sample : PSTDICV050
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
ICVPL102824

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 28 18:20:57 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 17:19:58 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.540 min
Delta R.T.: 0.000 min
Response: 119894040
Conc: 48.93 ng/ml

Instrument :
ECD_L
ClientSampleId :
ICVPL102824




#1 Tetrachloro-m-xylene

R.T.: 2.778 min
Delta R.T.: 0.000 min
Response: 136612875
Conc: 50.20 ng/ml




#2 alpha-BHC

R.T.: 3.996 min
Delta R.T.: 0.000 min
Response: 167471945
Conc: 49.38 ng/ml



#2 alpha-BHC


R.T.: 3.281 min
Delta R.T.: 0.000 min
Response: 204007265
Conc: 51.13 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.328 min
Delta R.T.: 0.000 min
Response: 160127339
Conc: 49.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
ICVPL102824




#3 gamma-BHC (Lindane)

R.T.: 3.611 min
Delta R.T.: 0.000 min
Response: 197357198
Conc: 51.14 ng/ml




#4 Heptachlor

R.T.: 4.916 min
Delta R.T.: 0.000 min
Response: 146978729
Conc: 48.94 ng/ml



#4 Heptachlor


R.T.: 3.950 min
Delta R.T.: 0.000 min
Response: 192115939
Conc: 50.91 ng/ml



#5 Aldrin


R.T.: 5.258 min
Delta R.T.: 0.000 min
Response: 145812041
Conc: 48.58 ng/ml

Instrument :
ECD_L
ClientSampleId :
ICVPL102824




#5 Aldrin

R.T.: 4.230 min
Delta R.T.: 0.000 min
Response: 187380758
Conc: 51.19 ng/ml




#6 beta-BHC

R.T.: 4.526 min
Delta R.T.: 0.000 min
Response: 70600682
Conc: 48.84 ng/ml



#6 beta-BHC


R.T.: 3.911 min
Delta R.T.: 0.000 min
Response: 82244973
Conc: 49.96 ng/ml



#7 delta-BHC


R.T.: 4.773 min
Delta R.T.: 0.000 min
Response: 153441275
Conc: 49.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
ICVPL102824




#7 delta-BHC

R.T.: 4.140 min
Delta R.T.: 0.000 min
Response: 196730806
Conc: 51.19 ng/ml




#8 Heptachlor epoxide

R.T.: 5.684 min
Delta R.T.: 0.000 min
Response: 133135555
Conc: 48.21 ng/ml



#8 Heptachlor epoxide


R.T.: 4.732 min
Delta R.T.: 0.000 min
Response: 169651322
Conc: 50.77 ng/ml



#9 Endosulfan I


R.T.: 6.069 min
Delta R.T.: 0.000 min
Response: 121820594
Conc: 48.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
ICVPL102824




#9 Endosulfan I

R.T.: 5.102 min
Delta R.T.: 0.000 min
Response: 154238046
Conc: 50.52 ng/ml




#10 gamma-Chlordane

R.T.: 5.941 min
Delta R.T.: 0.000 min
Response: 129757652
Conc: 48.77 ng/ml



#10 gamma-Chlordane


R.T.: 4.982 min
Delta R.T.: 0.000 min
Response: 169290196
Conc: 50.36 ng/ml



#11 alpha-Chlordane


R.T.: 6.019 min
Delta R.T.: 0.000 min
Response: 129353627
Conc: 48.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
ICVPL102824




#11 alpha-Chlordane

R.T.: 5.046 min
Delta R.T.: 0.000 min
Response: 167566027
Conc: 50.38 ng/ml




#12 4,4'-DDE

R.T.: 6.193 min
Delta R.T.: 0.000 min
Response: 116483163
Conc: 49.17 ng/ml



#12 4,4'-DDE


R.T.: 5.235 min
Delta R.T.: 0.000 min
Response: 164362547
Conc: 51.02 ng/ml



#13 Dieldrin


R.T.: 6.345 min
Delta R.T.: 0.000 min
Response: 128997763
Conc: 48.95 ng/ml

Instrument :
ECD_L
ClientSampleId :
ICVPL102824




#13 Dieldrin

R.T.: 5.366 min
Delta R.T.: 0.000 min
Response: 170974393
Conc: 51.19 ng/ml




#14 Endrin

R.T.: 6.575 min
Delta R.T.: 0.000 min
Response: 110175171
Conc: 48.39 ng/ml



#14 Endrin


R.T.: 5.642 min
Delta R.T.: 0.000 min
Response: 147725555
Conc: 51.06 ng/ml



#15 Endosulfan II


R.T.: 6.794 min
Delta R.T.: 0.000 min
Response: 115418913
Conc: 48.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
ICVPL102824




#15 Endosulfan II

R.T.: 5.937 min
Delta R.T.: 0.000 min
Response: 144993177
Conc: 51.18 ng/ml




#16 4,4'-DDD

R.T.: 6.710 min
Delta R.T.: 0.000 min
Response: 95447383
Conc: 49.72 ng/ml



#16 4,4'-DDD


R.T.: 5.790 min
Delta R.T.: 0.000 min
Response: 127721374
Conc: 51.29 ng/ml



#17 4,4'-DDT


R.T.: 7.024 min
Delta R.T.: 0.001 min
Response: 102816318
Conc: 49.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
ICVPL102824




#17 4,4'-DDT

R.T.: 6.040 min
Delta R.T.: 0.000 min
Response: 137472801
Conc: 51.25 ng/ml




#18 Endrin aldehyde

R.T.: 6.924 min
Delta R.T.: 0.000 min
Response: 91870810
Conc: 48.92 ng/ml



#18 Endrin aldehyde


R.T.: 6.116 min
Delta R.T.: 0.001 min
Response: 116166072
Conc: 50.35 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.159 min
Delta R.T.: 0.000 min
Response: 106041409
Conc: 48.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
ICVPL102824




#19 Endosulfan Sulfate

R.T.: 6.339 min
Delta R.T.: 0.000 min
Response: 136465051
Conc: 50.60 ng/ml




#20 Methoxychlor

R.T.: 7.500 min
Delta R.T.: 0.000 min
Response: 57010538
Conc: 50.01 ng/ml



#20 Methoxychlor


R.T.: 6.615 min
Delta R.T.: 0.000 min
Response: 73335025
Conc: 51.35 ng/ml



#21 Endrin ketone


R.T.: 7.644 min
Delta R.T.: 0.000 min
Response: 118896481
Conc: 49.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
ICVPL102824




#21 Endrin ketone

R.T.: 6.844 min
Delta R.T.: 0.000 min
Response: 157606816
Conc: 51.36 ng/ml




#22 Mirex

R.T.: 8.117 min
Delta R.T.: 0.000 min
Response: 96541027
Conc: 48.72 ng/ml



#22 Mirex


R.T.: 7.025 min
Delta R.T.: 0.000 min
Response: 131132711
Conc: 50.26 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.054 min
Delta R.T.: 0.000 min
Response: 94182239
Conc: 48.94 ng/ml

Instrument :
ECD_L
ClientSampleId :
ICVPL102824



#28 Decachlorobiphenyl

R.T.: 7.916 min
Delta R.T.: 0.000 min
Response: 139898166
Conc: 51.26 ng/ml

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102824\
 Data File : PL092671.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Oct 2024 18:30
 Operator : AR\AJ
 Sample : PCHLORICV500
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 ICVPL102824CHLOR

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 28 18:55:50 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 18:55:22 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.540	2.777	116.2E6	162.6E6	48.370	49.862
28) SA Decachlor...	9.053	7.915	91212958	135.8E6	48.151	49.359
Target Compounds						
23) Chlordane-1	4.701	3.775	53586597	53029458	487.196	499.551
24) Chlordane-2	5.231	4.352	54950332	60704270	479.439	490.132
25) Chlordane-3	5.941	4.982	186.4E6	180.0E6	477.568	496.319
26) Chlordane-4	6.022	5.045	229.4E6	173.9E6	479.933	497.043
27) Chlordane-5	6.872	5.940	46544927	61748302	491.706	486.943



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102824\
Data File : PL092671.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Oct 2024 18:30
Operator : AR\AJ
Sample : PCHLORICV500
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
ICVPL102824CHLOR

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 28 18:55:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 18:55:22 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.540 min
Delta R.T.: 0.000 min
Response: 116172113
Conc: 48.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
ICVPL102824CHLOR




#1 Tetrachloro-m-xylene

R.T.: 2.777 min
Delta R.T.: 0.000 min
Response: 162586552
Conc: 49.86 ng/ml




#23 Chlordane-1

R.T.: 4.701 min
Delta R.T.: 0.000 min
Response: 53586597
Conc: 487.20 ng/ml



#23 Chlordane-1


R.T.: 3.775 min
Delta R.T.: 0.000 min
Response: 53029458
Conc: 499.55 ng/ml



#24 Chlordane-2


R.T.: 5.231 min
Delta R.T.: 0.000 min
Response: 54950332
Conc: 479.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
ICVPL102824CHLOR




#24 Chlordane-2

R.T.: 4.352 min
Delta R.T.: 0.000 min
Response: 60704270
Conc: 490.13 ng/ml




#25 Chlordane-3

R.T.: 5.941 min
Delta R.T.: 0.000 min
Response: 186402299
Conc: 477.57 ng/ml



#25 Chlordane-3


R.T.: 4.982 min
Delta R.T.: 0.000 min
Response: 180006321
Conc: 496.32 ng/ml



#26 Chlordane-4


R.T.: 6.022 min
Delta R.T.: -0.001 min
Response: 229410745
Conc: 479.93 ng/ml

Instrument :
ECD_L
ClientSampleId :
ICVPL102824CHLOR




#26 Chlordane-4

R.T.: 5.045 min
Delta R.T.: 0.000 min
Response: 173872534
Conc: 497.04 ng/ml




#27 Chlordane-5

R.T.: 6.872 min
Delta R.T.: 0.000 min
Response: 46544927
Conc: 491.71 ng/ml



#27 Chlordane-5


R.T.: 5.940 min
Delta R.T.: 0.000 min
Response: 61748302
Conc: 486.94 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.053 min
Delta R.T.: -0.002 min
Response: 91212958
Conc: 48.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
ICVPL102824CHLOR



#28 Decachlorobiphenyl

R.T.: 7.915 min
Delta R.T.: 0.000 min
Response: 135815823
Conc: 49.36 ng/ml

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102824\
 Data File : PL092672.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Oct 2024 18:57
 Operator : AR\AJ
 Sample : PTOXICV500
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 ICVPL102824TOX

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 28 19:11:19 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\LTX102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 18:04:49 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticide 1 Signal #2 Phase: Rtx-CLPesticide 1
 Signal #1 Info : 30M x 0.32mm x0.3 Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.540	2.778	120.8E6	137.1E6	50.385	51.035
7) SA Decachlor...	9.053	7.916	95483844	139.1E6	50.356	50.519
Target Compounds						
2) Toxaphene-1	6.237	5.006	12257412	10058947	555.039	528.973
3) Toxaphene-2	6.441	5.331	6863785	9788249	506.186	497.458
4) Toxaphene-3	7.058	6.604	39909041	34565997	513.663	508.031
5) Toxaphene-4	7.149	6.732	29767251	48553437	501.141	526.978
6) Toxaphene-5	7.933	7.046	22590334	32781409	503.299	499.967



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102824\
Data File : PL092672.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Oct 2024 18:57
Operator : AR\AJ
Sample : PTOXICV500
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
ICVPL102824TOX

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 28 19:11:19 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\LTX102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 18:04:49 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticide 1 Signal #2 Phase: Rtx-CLPesticide 1
Signal #1 Info : 30M x 0.32mm x 0.3 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.540 min
Delta R.T.: 0.000 min
Response: 120827294
Conc: 50.38 ng/ml

Instrument :
ECD_L
ClientSampleId :
ICVPL102824TOX




#1 Tetrachloro-m-xylene

R.T.: 2.778 min
Delta R.T.: 0.000 min
Response: 137127288
Conc: 51.03 ng/ml




#2 Toxaphene-1

R.T.: 6.237 min
Delta R.T.: 0.000 min
Response: 12257412
Conc: 555.04 ng/ml



#2 Toxaphene-1


R.T.: 5.006 min
Delta R.T.: 0.000 min
Response: 10058947
Conc: 528.97 ng/ml



#3 Toxaphene-2


R.T.: 6.441 min
Delta R.T.: 0.000 min
Response: 6863785
Conc: 506.19 ng/ml

Instrument :
ECD_L
ClientSampleId :
ICVPL102824TOX




#3 Toxaphene-2

R.T.: 5.331 min
Delta R.T.: 0.000 min
Response: 9788249
Conc: 497.46 ng/ml




#4 Toxaphene-3

R.T.: 7.058 min
Delta R.T.: 0.000 min
Response: 39909041
Conc: 513.66 ng/ml



#4 Toxaphene-3


R.T.: 6.604 min
Delta R.T.: 0.000 min
Response: 34565997
Conc: 508.03 ng/ml



#5 Toxaphene-4


R.T.: 7.149 min
Delta R.T.: 0.000 min
Response: 29767251
Conc: 501.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
ICVPL102824TOX




#5 Toxaphene-4

R.T.: 6.732 min
Delta R.T.: 0.000 min
Response: 48553437
Conc: 526.98 ng/ml




#6 Toxaphene-5

R.T.: 7.933 min
Delta R.T.: 0.000 min
Response: 22590334
Conc: 503.30 ng/ml



#6 Toxaphene-5


R.T.: 7.046 min
Delta R.T.: 0.000 min
Response: 32781409
Conc: 499.97 ng/ml



#7 Decachlorobiphenyl

R.T.: 9.053 min
Delta R.T.: 0.000 min
Response: 95483844
Conc: 50.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
ICVPL102824TOX



#7 Decachlorobiphenyl

R.T.: 7.916 min
Delta R.T.: 0.000 min
Response: 139141786
Conc: 50.52 ng/ml



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CALIBRATION VERIFICATION SUMMARY

Contract: CHEM02

Lab Code: CHEM Case No.: P4495 SAS No.: P4495 SDG NO.: P4495

Continuing Calib Date: 10/31/2024 Initial Calibration Date(s): 10/28/2024 10/28/2024

Continuing Calib Time: 13:03 Initial Calibration Time(s): 16:56 17:50

GC Column: ZB-MR2 ID: 0.32 (mm)

COMPOUND		CCAL RT	AVG RT	RT WINDOW		DIFF RT
				FROM	TO	
Toxaphene-1	(1)	6.24	6.24	6.14	6.34	0.00
Toxaphene-2	(2)	6.45	6.44	6.34	6.54	-0.01
Toxaphene-3	(3)	7.06	7.06	6.96	7.16	0.00
Toxaphene-4	(4)	7.16	7.15	7.05	7.25	-0.01
Toxaphene-5	(5)	7.94	7.93	7.83	8.03	-0.01
Decachlorobiphenyl		9.06	9.05	8.95	9.15	-0.01
Tetrachloro-m-xylene		3.55	3.54	3.44	3.64	-0.01



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CALIBRATION VERIFICATION SUMMARY

Contract: CHEM02

Lab Code: CHEM Case No.: P4495 SAS No.: P4495 SDG NO.: P4495

Continuing Calib Date: 10/31/2024 Initial Calibration Date(s): 10/28/2024 10/28/2024

Continuing Calib Time: 13:03 Initial Calibration Time(s): 16:56 17:50

GC Column: ZB-MR1 ID: 0.32 (mm)

COMPOUND	CCAL RT	AVG RT	RT WINDOW		DIFF RT
			FROM	TO	
Toxaphene-1 (1)	5.01	5.01	4.91	5.11	0.00
Toxaphene-2 (2)	5.33	5.33	5.23	5.43	0.00
Toxaphene-3 (3)	6.61	6.61	6.51	6.71	0.00
Toxaphene-4 (4)	6.74	6.73	6.63	6.83	-0.01
Toxaphene-5 (5)	7.05	7.05	6.95	7.15	0.00
Decachlorobiphenyl	7.92	7.92	7.82	8.02	0.00
Tetrachloro-m-xylene	2.78	2.78	2.68	2.88	0.00



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

CALIBRATION VERIFICATION SUMMARY
Contract: CHEM02
Lab Code: CHEM **Case No.:** P4495 **SAS No.:** P4495 **SDG NO.:** P4495
GC Column: ZB-MR2 **ID:** 0.32 (mm) **Initi. Calib. Date(s):** 10/28/2024 10/28/2024
Client Sample No.: CCAL01 **Date Analyzed:** 10/31/2024
Lab Sample No.: PTOXCCC500 **Data File :** PL092756.D **Time Analyzed:** 13:03

COMPOUND	RT	RT WINDOW		CALC AMOUNT(ng)	NOM AMOUNT(ng)	%D
		FROM	TO			
Decachlorobiphenyl	9.060	8.954	9.154	47.840	50.000	-4.3
Tetrachloro-m-xylene	3.545	3.440	3.640	49.410	50.000	-1.2
Toxaphene-1	6.241	6.137	6.337	522.800	500.000	4.6
Toxaphene-2	6.446	6.341	6.541	582.480	500.000	16.5
Toxaphene-3	7.064	6.958	7.158	472.340	500.000	-5.5
Toxaphene-4	7.155	7.049	7.249	470.160	500.000	-6.0
Toxaphene-5	7.940	7.834	8.034	463.440	500.000	-7.3



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

CALIBRATION VERIFICATION SUMMARY
Contract: CHEM02
Lab Code: CHEM **Case No.:** P4495 **SAS No.:** P4495 **SDG NO.:** P4495
GC Column: ZB-MR1 **ID:** 0.32 (mm) **Initi. Calib. Date(s):** 10/28/2024 10/28/2024
Client Sample No.: CCAL01 **Date Analyzed:** 10/31/2024
Lab Sample No.: PTOXCCC500 **Data File :** PL092756.D **Time Analyzed:** 13:03

COMPOUND	RT	RT WINDOW		CALC AMOUNT(ng)	NOM AMOUNT(ng)	%D
		FROM	TO			
Decachlorobiphenyl	7.918	7.816	8.016	48.610	50.000	-2.8
Tetrachloro-m-xylene	2.779	2.678	2.878	50.310	50.000	0.6
Toxaphene-1	5.008	4.907	5.107	598.250	500.000	19.7
Toxaphene-2	5.333	5.232	5.432	511.660	500.000	2.3
Toxaphene-3	6.607	6.505	6.705	467.970	500.000	-6.4
Toxaphene-4	6.735	6.633	6.833	502.400	500.000	0.5
Toxaphene-5	7.048	6.945	7.145	474.260	500.000	-5.1

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL103124\
 Data File : PL092756.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 31 Oct 2024 13:03
 Operator : AR\AJ
 Sample : PTOXCCC500
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PTOXCCC500

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 01 02:17:48 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\LTX102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 18:04:49 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticide 1 Signal #2 Phase: Rtx-CLPesticide 1
 Signal #1 Info : 30M x 0.32mm x0.3 Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.545	2.779	118.5E6	135.2E6	49.408	50.314
7) SA Decachlor...	9.060	7.918	90709584	133.9E6	47.838	48.605
Target Compounds						
2) Toxaphene-1	6.241	5.008	11545520	11376349	522.803	598.251
3) Toxaphene-2	6.446	5.333	7898252	10067638	582.476	511.657
4) Toxaphene-3	7.064	6.607	36698163	31840306	472.336	467.971
5) Toxaphene-4	7.155	6.735	27926861	46288828	470.158	502.399
6) Toxaphene-5	7.940	7.048	20801123	31095870	463.436	474.260



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL103124\
Data File : PL092756.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 31 Oct 2024 13:03
Operator : AR\AJ
Sample : PTOXCCC500
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PTOXCCC500

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 01 02:17:48 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\LTX102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 18:04:49 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticide 1 Signal #2 Phase: Rtx-CLPesticide 1
Signal #1 Info : 30M x 0.32mm x 0.3 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.545 min
Delta R.T.: 0.005 min
Response: 118485077
Conc: 49.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PTOXCCC500




#1 Tetrachloro-m-xylene

R.T.: 2.779 min
Delta R.T.: 0.000 min
Response: 135192289
Conc: 50.31 ng/ml




#2 Toxaphene-1

R.T.: 6.241 min
Delta R.T.: 0.005 min
Response: 11545520
Conc: 522.80 ng/ml



#2 Toxaphene-1


R.T.: 5.008 min
Delta R.T.: 0.003 min
Response: 11376349
Conc: 598.25 ng/ml



#3 Toxaphene-2


R.T.: 6.446 min
Delta R.T.: 0.005 min
Response: 7898252
Conc: 582.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
PTOXCCC500




#3 Toxaphene-2

R.T.: 5.333 min
Delta R.T.: 0.002 min
Response: 10067638
Conc: 511.66 ng/ml




#4 Toxaphene-3

R.T.: 7.064 min
Delta R.T.: 0.006 min
Response: 36698163
Conc: 472.34 ng/ml



#4 Toxaphene-3


R.T.: 6.607 min
Delta R.T.: 0.003 min
Response: 31840306
Conc: 467.97 ng/ml



#5 Toxaphene-4


R.T.: 7.155 min
Delta R.T.: 0.006 min
Response: 27926861
Conc: 470.16 ng/ml

Instrument :
ECD_L
ClientSampleId :
PTOXCCC500




#5 Toxaphene-4

R.T.: 6.735 min
Delta R.T.: 0.002 min
Response: 46288828
Conc: 502.40 ng/ml




#6 Toxaphene-5

R.T.: 7.940 min
Delta R.T.: 0.007 min
Response: 20801123
Conc: 463.44 ng/ml



#6 Toxaphene-5


R.T.: 7.048 min
Delta R.T.: 0.003 min
Response: 31095870
Conc: 474.26 ng/ml



#7 Decachlorobiphenyl

R.T.: 9.060 min
Delta R.T.: 0.007 min
Response: 90709584
Conc: 47.84 ng/ml

Instrument :
ECD_L
ClientSampleId :
PTOXCCC500



#7 Decachlorobiphenyl

R.T.: 7.918 min
Delta R.T.: 0.002 min
Response: 133870366
Conc: 48.61 ng/ml



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CALIBRATION VERIFICATION SUMMARY

Contract: CHEM02

Lab Code: CHEM Case No.: P4495 SAS No.: P4495 SDG NO.: P4495

Continuing Calib Date: 10/31/2024 Initial Calibration Date(s): 10/28/2024 10/28/2024

Continuing Calib Time: 18:47 Initial Calibration Time(s): 16:56 17:50

GC Column: ZB-MR2 ID: 0.32 (mm)

COMPOUND		CCAL RT	AVG RT	RT WINDOW		DIFF RT
				FROM	TO	
Toxaphene-1	(1)	6.24	6.24	6.14	6.34	0.00
Toxaphene-2	(2)	6.44	6.44	6.34	6.54	0.00
Toxaphene-3	(3)	7.06	7.06	6.96	7.16	0.00
Toxaphene-4	(4)	7.15	7.15	7.05	7.25	0.00
Toxaphene-5	(5)	7.94	7.93	7.83	8.03	-0.01
Decachlorobiphenyl		9.06	9.05	8.95	9.15	-0.01
Tetrachloro-m-xylene		3.54	3.54	3.44	3.64	0.00



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CALIBRATION VERIFICATION SUMMARY

Contract: CHEM02

Lab Code: CHEM Case No.: P4495 SAS No.: P4495 SDG NO.: P4495

Continuing Calib Date: 10/31/2024 Initial Calibration Date(s): 10/28/2024 10/28/2024

Continuing Calib Time: 18:47 Initial Calibration Time(s): 16:56 17:50

GC Column: ZB-MR1 ID: 0.32 (mm)

COMPOUND	CCAL RT	AVG RT	RT WINDOW		DIFF RT
			FROM	TO	
Toxaphene-1 (1)	5.01	5.01	4.91	5.11	0.00
Toxaphene-2 (2)	5.33	5.33	5.23	5.43	0.00
Toxaphene-3 (3)	6.61	6.61	6.51	6.71	0.00
Toxaphene-4 (4)	6.73	6.73	6.63	6.83	0.00
Toxaphene-5 (5)	7.05	7.05	6.95	7.15	0.00
Decachlorobiphenyl	7.92	7.92	7.82	8.02	0.00
Tetrachloro-m-xylene	2.78	2.78	2.68	2.88	0.00



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

CALIBRATION VERIFICATION SUMMARY
Contract: CHEM02
Lab Code: CHEM **Case No.:** P4495 **SAS No.:** P4495 **SDG NO.:** P4495
GC Column: ZB-MR2 **ID:** 0.32 (mm) **Initi. Calib. Date(s):** 10/28/2024 10/28/2024
Client Sample No.: CCAL02 **Date Analyzed:** 10/31/2024
Lab Sample No.: PTOXCCC500 **Data File :** PL092770.D **Time Analyzed:** 18:47

COMPOUND	RT	RT WINDOW		CALC AMOUNT(ng)	NOM AMOUNT(ng)	%D
		FROM	TO			
Decachlorobiphenyl	9.059	8.954	9.154	49.030	50.000	-1.9
Tetrachloro-m-xylene	3.542	3.440	3.640	49.910	50.000	-0.2
Toxaphene-1	6.239	6.137	6.337	545.710	500.000	9.1
Toxaphene-2	6.444	6.341	6.541	562.140	500.000	12.4
Toxaphene-3	7.062	6.958	7.158	475.650	500.000	-4.9
Toxaphene-4	7.152	7.049	7.249	481.670	500.000	-3.7
Toxaphene-5	7.937	7.834	8.034	468.130	500.000	-6.4



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

CALIBRATION VERIFICATION SUMMARY
Contract: CHEM02
Lab Code: CHEM **Case No.:** P4495 **SAS No.:** P4495 **SDG NO.:** P4495
GC Column: ZB-MR1 **ID:** 0.32 (mm) **Initi. Calib. Date(s):** 10/28/2024 10/28/2024
Client Sample No.: CCAL02 **Date Analyzed:** 10/31/2024
Lab Sample No.: PTOXCCC500 **Data File :** PL092770.D **Time Analyzed:** 18:47

COMPOUND	RT	RT WINDOW		CALC AMOUNT(ng)	NOM AMOUNT(ng)	%D
		FROM	TO			
Decachlorobiphenyl	7.918	7.816	8.016	49.790	50.000	-0.4
Tetrachloro-m-xylene	2.778	2.678	2.878	50.570	50.000	1.1
Toxaphene-1	5.007	4.907	5.107	590.520	500.000	18.1
Toxaphene-2	5.333	5.232	5.432	519.450	500.000	3.9
Toxaphene-3	6.606	6.505	6.705	470.010	500.000	-6.0
Toxaphene-4	6.734	6.633	6.833	497.860	500.000	-0.4
Toxaphene-5	7.047	6.945	7.145	478.080	500.000	-4.4

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL103124\
 Data File : PL092770.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 31 Oct 2024 18:47
 Operator : AR\AJ
 Sample : PTOXCCC500
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PTOXCCC500

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 01 02:20:17 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\LTX102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 18:04:49 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticide 1 Signal #2 Phase: Rtx-CLPesticide 1
 Signal #1 Info : 30M x 0.32mm x0.3 Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.542	2.778	119.7E6	135.9E6	49.910	50.569
7) SA Decachlor...	9.059	7.918	92976962	137.1E6	49.034	49.791
Target Compounds						
2) Toxaphene-1	6.239	5.007	12051421	11229284	545.711	590.517
3) Toxaphene-2	6.444	5.333	7622447	10220960	562.136	519.449
4) Toxaphene-3	7.062	6.606	36955920	31978877	475.654	470.007
5) Toxaphene-4	7.152	6.734	28610434	45870246	481.666	497.856
6) Toxaphene-5	7.937	7.047	21011623	31346415	468.126	478.081



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL103124\
Data File : PL092770.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 31 Oct 2024 18:47
Operator : AR\AJ
Sample : PTOXCCC500
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PTOXCCC500

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 01 02:20:17 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\LTX102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 18:04:49 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticide 1 Signal #2 Phase: Rtx-CLPesticide 1
Signal #1 Info : 30M x 0.32mm x 0.3 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.542 min
Delta R.T.: 0.002 min
Response: 119688579
Conc: 49.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PTOXCCC500




#1 Tetrachloro-m-xylene

R.T.: 2.778 min
Delta R.T.: 0.000 min
Response: 135876501
Conc: 50.57 ng/ml




#2 Toxaphene-1

R.T.: 6.239 min
Delta R.T.: 0.003 min
Response: 12051421
Conc: 545.71 ng/ml



#2 Toxaphene-1


R.T.: 5.007 min
Delta R.T.: 0.002 min
Response: 11229284
Conc: 590.52 ng/ml



#3 Toxaphene-2


R.T.: 6.444 min
Delta R.T.: 0.003 min
Response: 7622447
Conc: 562.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PTOXCCC500




#3 Toxaphene-2

R.T.: 5.333 min
Delta R.T.: 0.002 min
Response: 10220960
Conc: 519.45 ng/ml




#4 Toxaphene-3

R.T.: 7.062 min
Delta R.T.: 0.004 min
Response: 36955920
Conc: 475.65 ng/ml



#4 Toxaphene-3


R.T.: 6.606 min
Delta R.T.: 0.002 min
Response: 31978877
Conc: 470.01 ng/ml



#5 Toxaphene-4


R.T.: 7.152 min
Delta R.T.: 0.004 min
Response: 28610434
Conc: 481.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PTOXCCC500




#5 Toxaphene-4

R.T.: 6.734 min
Delta R.T.: 0.001 min
Response: 45870246
Conc: 497.86 ng/ml




#6 Toxaphene-5

R.T.: 7.937 min
Delta R.T.: 0.004 min
Response: 21011623
Conc: 468.13 ng/ml



#6 Toxaphene-5


R.T.: 7.047 min
Delta R.T.: 0.002 min
Response: 31346415
Conc: 478.08 ng/ml



#7 Decachlorobiphenyl

R.T.: 9.059 min
Delta R.T.: 0.006 min
Response: 92976962
Conc: 49.03 ng/ml

Instrument :
ECD_L
ClientSampleId :
PTOXCCC500



#7 Decachlorobiphenyl

R.T.: 7.918 min
Delta R.T.: 0.002 min
Response: 137136398
Conc: 49.79 ng/ml

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102824\
Data File : PL092654.D
Acq On : 28 Oct 2024 14:29
Operator : AR\AJ
Sample : RESCHK
Misc :
ALS Vial : 4 Sample Multiplier: 1

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e

Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
Title : GC Extractables
Last Update : Mon Oct 28 18:58:23 2024
Integrator: ChemStation

RT#1	RT#2	Resolution
3.540	5.940	100.00%
5.940	6.070	100.00%
6.070	6.193	100.00%
6.193	6.345	100.00%
6.345	7.158	100.00%
7.158	7.499	100.00%
7.499	7.643	100.00%
7.643	9.054	100.00%

Signal #2

2.778	4.982	100.00%
4.982	5.102	100.00%
5.102	5.235	100.00%
5.235	5.366	100.00%
5.366	6.338	100.00%
6.338	6.615	100.00%
6.615	6.844	100.00%
6.844	7.916	100.00%

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102824\
 Data File : PL092654.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Oct 2024 14:29
 Operator : AR\AJ
 Sample : RESCHK
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 RESCHK

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 28 17:21:40 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 17:19:58 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.540	2.778	48587926	52085719	19.830	19.141
28)	SA Decachlor...	9.054	7.916	38629596	53476121	20.072	19.594
Target Compounds							
9)	A Endosulfan I	6.070	5.102	26602716	28047383	10.635	9.186
10)	B gamma-Chl...	5.940	4.982	28607831	32626788	10.752	9.705
12)	B 4,4'-DDE	6.193	5.235	47717989	61582025	20.141	19.115
13)	MA Dieldrin	6.345	5.366	51856039	61668549	19.676	18.462
19)	B Endosulfa...	7.158	6.338	40592527	50485467	18.703	18.720
20)	A Methoxychlor	7.499	6.615	100.3E6	134.2E6	87.976	93.949
21)	B Endrin ke...	7.643	6.844	47240044	57600618	19.498	18.770



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102824\
Data File : PL092654.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Oct 2024 14:29
Operator : AR\AJ
Sample : RESCHK
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
RESCHK

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 28 17:21:40 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 17:19:58 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.540 min
Delta R.T.: 0.000 min
Response: 48587926
Conc: 19.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
RESCHK




#1 Tetrachloro-m-xylene

R.T.: 2.778 min
Delta R.T.: 0.000 min
Response: 52085719
Conc: 19.14 ng/ml




#9 Endosulfan I

R.T.: 6.070 min
Delta R.T.: 0.000 min
Response: 26602716
Conc: 10.64 ng/ml



#9 Endosulfan I


R.T.: 5.102 min
Delta R.T.: 0.000 min
Response: 28047383
Conc: 9.19 ng/ml



#10 gamma-Chlordane


R.T.: 5.940 min
Delta R.T.: 0.000 min
Response: 28607831
Conc: 10.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
RESCHK




#10 gamma-Chlordane

R.T.: 4.982 min
Delta R.T.: 0.000 min
Response: 32626788
Conc: 9.71 ng/ml




#12 4,4'-DDE

R.T.: 6.193 min
Delta R.T.: 0.000 min
Response: 47717989
Conc: 20.14 ng/ml



#12 4,4'-DDE


R.T.: 5.235 min
Delta R.T.: 0.000 min
Response: 61582025
Conc: 19.12 ng/ml



#13 Dieldrin


R.T.: 6.345 min
Delta R.T.: 0.000 min
Response: 51856039
Conc: 19.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
RESCHK




#13 Dieldrin

R.T.: 5.366 min
Delta R.T.: 0.000 min
Response: 61668549
Conc: 18.46 ng/ml




#19 Endosulfan Sulfate

R.T.: 7.158 min
Delta R.T.: 0.000 min
Response: 40592527
Conc: 18.70 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.338 min
Delta R.T.: 0.000 min
Response: 50485467
Conc: 18.72 ng/ml



#20 Methoxychlor


R.T.: 7.499 min
Delta R.T.: 0.000 min
Response: 100292431
Conc: 87.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
RESCHK




#20 Methoxychlor

R.T.: 6.615 min
Delta R.T.: 0.000 min
Response: 134162458
Conc: 93.95 ng/ml




#21 Endrin ketone

R.T.: 7.643 min
Delta R.T.: 0.000 min
Response: 47240044
Conc: 19.50 ng/ml



#21 Endrin ketone


R.T.: 6.844 min
Delta R.T.: 0.000 min
Response: 57600618
Conc: 18.77 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.054 min
Delta R.T.: 0.000 min
Response: 38629596
Conc: 20.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
RESCHK



#28 Decachlorobiphenyl

R.T.: 7.916 min
Delta R.T.: 0.000 min
Response: 53476121
Conc: 19.59 ng/ml

Analytical Sequence

Client: Chemtech Consulting Group

SDG No.: P4495

Project: NJ Soil PT

Instrument ID: ECD_L

GC Column: ZB-MR2

ID: 0.32 (mm)

Inst. Calib. Date(s): 10/28/2024 10/28/2024

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
LBLK	LBLK	10/28/2024	13:55	PL092652.D	9.05	3.54
PTOXICC1000	PTOXICC1000	10/28/2024	16:56	PL092665.D	9.05	3.54
PTOXICC750	PTOXICC750	10/28/2024	17:10	PL092666.D	9.05	3.54
PTOXICC500	PTOXICC500	10/28/2024	17:23	PL092667.D	9.05	3.54
PTOXICC250	PTOXICC250	10/28/2024	17:37	PL092668.D	9.05	3.54
PTOXICC100	PTOXICC100	10/28/2024	17:50	PL092669.D	9.05	3.54
LBLK	LBLK	10/31/2024	11:15	PL092752.D	9.06	3.54
PTOXCCC500	PTOXCCC500	10/31/2024	13:03	PL092756.D	9.06	3.55
PB164400BL	PB164400BL	10/31/2024	15:11	PL092763.D	9.07	3.55
PB164400BS	PB164400BS	10/31/2024	16:23	PL092764.D	9.07	3.55
PT-TXP-SOIL	P4495-22	10/31/2024	16:36	PL092765.D	9.06	3.54
PT-TXP-SOILDL	P4495-22DL	10/31/2024	17:52	PL092766.D	9.06	3.54
LBLK	LBLK	10/31/2024	18:06	PL092767.D	9.06	3.54
PTOXCCC500	PTOXCCC500	10/31/2024	18:47	PL092770.D	9.06	3.54

Analytical Sequence

Client: Chemtech Consulting Group

SDG No.: P4495

Project: NJ Soil PT

Instrument ID: ECD_L

GC Column: ZB-MR1

ID: 0.32 (mm)

Inst. Calib. Date(s): 10/28/2024 10/28/2024

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
LBLK	LBLK	10/28/2024	13:55	PL092652.D	7.92	2.78
PTOXICC1000	PTOXICC1000	10/28/2024	16:56	PL092665.D	7.92	2.78
PTOXICC750	PTOXICC750	10/28/2024	17:10	PL092666.D	7.92	2.78
PTOXICC500	PTOXICC500	10/28/2024	17:23	PL092667.D	7.92	2.78
PTOXICC250	PTOXICC250	10/28/2024	17:37	PL092668.D	7.92	2.78
PTOXICC100	PTOXICC100	10/28/2024	17:50	PL092669.D	7.92	2.78
LBLK	LBLK	10/31/2024	11:15	PL092752.D	7.92	2.78
PTOXCCC500	PTOXCCC500	10/31/2024	13:03	PL092756.D	7.92	2.78
PB164400BL	PB164400BL	10/31/2024	15:11	PL092763.D	7.92	2.78
PB164400BS	PB164400BS	10/31/2024	16:23	PL092764.D	7.92	2.78
PT-TXP-SOIL	P4495-22	10/31/2024	16:36	PL092765.D	7.92	2.78
PT-TXP-SOILDL	P4495-22DL	10/31/2024	17:52	PL092766.D	7.92	2.78
LBLK	LBLK	10/31/2024	18:06	PL092767.D	7.92	2.78
PTOXCCC500	PTOXCCC500	10/31/2024	18:47	PL092770.D	7.92	2.78

COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

PB164400BS

Contract: CHEM02

Lab Code: CHEM Case No.: P4495 SAS No.: P4495 SDG NO.: P4495

Lab Sample ID: PB164400BS Date(s) Analyzed: 10/31/2024 10/31/2024

Instrument ID (1): ECD_L Instrument ID (2): ECD_L

GC Column: (1): ZB-MR2 ID: 0.32 (mm) GC Column:(2): ZB-MR1 ID: 0.32 (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%RPD
			FROM	TO		
Toxaphene	1	6.97	6.92	7.02	74.4	6.1
	2	6.15	6.10	6.20	70.0	

COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

PT-TXP-SOIL

Contract: CHEM02

Lab Code: CHEM Case No.: P4495 SAS No.: P4495 SDG NO.: P4495

Lab Sample ID: P4495-22 Date(s) Analyzed: 10/31/2024 10/31/2024

Instrument ID (1): ECD_L Instrument ID (2): ECD_L

GC Column: (1): ZB-MR2 ID: 0.32 (mm) GC Column:(2): ZB-MR1 ID: 0.32 (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%RPD
			FROM	TO		
Toxaphene	1	6.97	6.92	7.02	371	15.7
	2	6.14	6.09	6.19	434	

COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

PT-TXP-SOILDL

Contract: CHEM02

Lab Code: CHEM Case No.: P4495 SAS No.: P4495 SDG NO.: P4495

Lab Sample ID: P4495-22DL Date(s) Analyzed: 10/31/2024 10/31/2024

Instrument ID (1): ECD_L Instrument ID (2): ECD_L

GC Column: (1): ZB-MR2 ID: 0.32 (mm) GC Column:(2): ZB-MR1 ID: 0.32 (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%RPD
			FROM	TO		
Toxaphene	1	6.97	6.92	7.02	403	2.7
	2	6.15	6.10	6.20	414	



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

IDENTIFICATION SUMMARY
FOR MULTICOMPONENT ANALYTES

SAMPLE NO.

PT-TXP-SOIL

Contract: CHEM02

Lab Code: CHEM Case No.: P4495 SAS No.: P4495 SDG NO.: P4495

Lab Sample ID: P4495-22 Date(s) Analyzed: 10/31/2024 10/31/2024

Instrument ID (1): ECD_L Instrument ID (2): ECD_L

GC Column: (1): ZB-MR2 ID: 0.32 (mm) GC Column: (2): ZB-MR1 ID: 0.32 (mm)

Data file PL092765.D

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	MEAN CONCENTRATION	%RPD
			FROM	TO			
Toxaphene	1	6.246	6.196	6.296	451	371	15.65
COLUMN 1	2	6.447	6.397	6.497	434		
	3	7.062	7.012	7.112	450		
	4	7.15	7.1	7.2	376		
	5	7.939	7.889	7.989	145		
	1	5.01	4.96	5.06	648		
COLUMN 2	2	5.332	5.282	5.382	556	434	
	3	6.598	6.548	6.648	377		
	4	6.734	6.684	6.784	418		
	5	7.049	6.999	7.099	174		

IDENTIFICATION SUMMARY
FOR MULTICOMPONENT ANALYTES

SAMPLE NO.

PT-TXP-SOILD L

Contract: CHEM02

Lab Code: CHEM Case No.: P4495 SAS No.: P4495 SDG NO.: P4495

Lab Sample ID: P4495-22DL Date(s) Analyzed: 10/31/2024 10/31/2024

Instrument ID (1): ECD_L Instrument ID (2): ECD_L

GC Column: (1): ZB-MR2 ID: 0.32 (mm) GC Column: (2): ZB-MR1 ID: 0.32 (mm)

Data file PL092766.D

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	MEAN CONCENTRATION	%RPD
			FROM	TO			
Toxaphene	1	6.247	6.197	6.297	493		
	2	6.449	6.399	6.499	509		
	3	7.065	7.015	7.115	471		
	4	7.153	7.103	7.203	396		
	5	7.941	7.891	7.991	149		
COLUMN 1						403	
	1	5.009	4.959	5.059	614		
	2	5.333	5.283	5.383	530		
	3	6.599	6.549	6.649	349		
	4	6.735	6.685	6.785	400		
5	7.049	6.999	7.099	174			
COLUMN 2						414	



QC SAMPLE DATA

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	
Project:	NJ Soil PT	Date Received:	
Client Sample ID:	PB164400BL	SDG No.:	P4495
Lab Sample ID:	PB164400BL	Matrix:	SOIL
Analytical Method:	SW8081	% Solid:	100 Decanted:
Sample Wt/Vol:	30.03 Units: g	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	PESTICIDE Group3
Extraction Type:		Injection Volume :	
GPC Factor :	1.0 PH :		
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL092763.D	1	10/25/24 09:11	10/31/24 15:11	PB164400

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
8001-35-2	Toxaphene	5.20	U	5.20	33.0	ug/kg
SURROGATES						
2051-24-3	Decachlorobiphenyl	22.3		10 - 148	111%	SPK: 20
877-09-8	Tetrachloro-m-xylene	20.3		10 - 159	102%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL103124\
 Data File : PL092763.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 31 Oct 2024 15:11
 Operator : AR\AJ
 Sample : PB164400BL
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB164400BL

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 01 02:34:04 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 18:58:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.547	2.779	48772738	51399324	19.905	18.889
28) SA Decachlor...	9.065	7.921	41651161	58922720	21.642	21.589

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL103124\
Data File : PL092763.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 31 Oct 2024 15:11
Operator : AR\AJ
Sample : PB164400BL
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PB164400BL

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 01 02:34:04 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 18:58:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.547 min
Delta R.T.: 0.007 min
Response: 48772738
Conc: 19.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB164400BL




#1 Tetrachloro-m-xylene

R.T.: 2.779 min
Delta R.T.: 0.001 min
Response: 51399324
Conc: 18.89 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.065 min
Delta R.T.: 0.011 min
Response: 41651161
Conc: 21.64 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.921 min
Delta R.T.: 0.005 min
Response: 58922720
Conc: 21.59 ng/ml

Report of Analysis

Client:	Chemtech Consulting Group		Date Collected:	10/28/24	
Project:	NJ Soil PT		Date Received:	10/28/24	
Client Sample ID:	PIBLK-PL092652.D		SDG No.:	P4495	
Lab Sample ID:	I.BLK-PL092652.D		Matrix:	WATER	
Analytical Method:	SW8081		% Solid:	0	Decanted:
Sample Wt/Vol:	1000	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PESTICIDE Group3	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL092652.D	1		10/28/24	PL102824

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
8001-35-2	Toxaphene	0.15	U	0.15	1.00	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	22.7		43 - 140	114%	SPK: 20
877-09-8	Tetrachloro-m-xylene	21.6		77 - 126	108%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102824\
 Data File : PL092652.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Oct 2024 13:55
 Operator : AR\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 I.BLK

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 28 17:20:49 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 17:19:58 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.539	2.777	52846066	55504223	21.568	20.397
28) SA Decachlor...	9.052	7.915	43705517	59287776	22.709	21.723

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102824\
Data File : PL092652.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Oct 2024 13:55
Operator : AR\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
I.BLK

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 28 17:20:49 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 17:19:58 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.539 min
Delta R.T.: 0.000 min
Response: 52846066
Conc: 21.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
I.BLK




#1 Tetrachloro-m-xylene

R.T.: 2.777 min
Delta R.T.: 0.000 min
Response: 55504223
Conc: 20.40 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.052 min
Delta R.T.: -0.002 min
Response: 43705517
Conc: 22.71 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.915 min
Delta R.T.: 0.000 min
Response: 59287776
Conc: 21.72 ng/ml

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	10/31/24
Project:	NJ Soil PT	Date Received:	10/31/24
Client Sample ID:	PIBLK-PL092752.D	SDG No.:	P4495
Lab Sample ID:	I.BLK-PL092752.D	Matrix:	WATER
Analytical Method:	SW8081	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type:		Decanted:	
GPC Factor :	1.0	Final Vol:	10000
Prep Method :	3510C	Test:	PESTICIDE Group3
		PH :	
		Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL092752.D	1		10/31/24	PL103124

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
8001-35-2	Toxaphene	0.15	U	0.15	1.00	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	20.0		43 - 140	100%	SPK: 20
877-09-8	Tetrachloro-m-xylene	20.0		77 - 126	100%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL103124\
 Data File : PL092752.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 31 Oct 2024 11:15
 Operator : AR\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 I.BLK

Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 11/01/2024
 Supervised By :Ankita Jodhani 11/04/2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 01 01:13:38 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 18:58:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.543	2.777	49090629	51427087	20.035	18.899m
28) SA Decachlor...	9.060	7.919	38516439	52618303	20.013	19.279

Target Compounds

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL103124\
Data File : PL092752.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 31 Oct 2024 11:15
Operator : AR\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampleId :
I.BLK


Manual Integrations
APPROVED

Reviewed By : Abdul Mirza 11/01/2024
Supervised By : Ankita Jodhani 11/04/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 01 01:13:38 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 18:58:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene

R.T.: 3.543 min
Delta R.T.: 0.003 min
Response: 49090629
Conc: 20.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
I.BLK


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 11/01/2024
Supervised By :Ankita Jodhani 11/04/2024




#1 Tetrachloro-m-xylene

R.T.: 2.777 min
Delta R.T.: 0.000 min
Response: 51427087
Conc: 18.90 ng/ml m



#28 Decachlorobiphenyl

R.T.: 9.060 min
Delta R.T.: 0.006 min
Response: 38516439
Conc: 20.01 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.919 min
Delta R.T.: 0.003 min
Response: 52618303
Conc: 19.28 ng/ml

Report of Analysis

Client:	Chemtech Consulting Group		Date Collected:	10/31/24	
Project:	NJ Soil PT		Date Received:	10/31/24	
Client Sample ID:	PIBLK-PL092767.D		SDG No.:	P4495	
Lab Sample ID:	I.BLK-PL092767.D		Matrix:	WATER	
Analytical Method:	SW8081		% Solid:	0	Decanted:
Sample Wt/Vol:	1000	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PESTICIDE Group3	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL092767.D	1		10/31/24	PL103124

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
8001-35-2	Toxaphene	0.15	U	0.15	1.00	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	20.9		43 - 140	105%	SPK: 20
877-09-8	Tetrachloro-m-xylene	19.6		77 - 126	98%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL103124\
 Data File : PL092767.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 31 Oct 2024 18:06
 Operator : AR\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 I.BLK

Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 11/01/2024
 Supervised By :Ankita Jodhani 11/04/2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 01 02:40:33 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 18:58:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.541	2.777	48070942	51364875	19.619m	18.876m
28) SA Decachlor...	9.058	7.918	40233155	56931714	20.905	20.860

Target Compounds

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL103124\
Data File : PL092767.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 31 Oct 2024 18:06
Operator : AR\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampleId :
I.BLK


Manual Integrations
APPROVED

Reviewed By : Abdul Mirza 11/01/2024
Supervised By : Ankita Jodhani 11/04/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 01 02:40:33 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 18:58:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene

R.T.: 3.541 min
Delta R.T.: 0.000 min
Response: 48070942
Conc: 19.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
I.BLK


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 11/01/2024
Supervised By :Ankita Jodhani 11/04/2024




#1 Tetrachloro-m-xylene

R.T.: 2.777 min
Delta R.T.: -0.001 min
Response: 51364875
Conc: 18.88 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.058 min
Delta R.T.: 0.004 min
Response: 40233155
Conc: 20.91 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.918 min
Delta R.T.: 0.002 min
Response: 56931714
Conc: 20.86 ng/ml

Report of Analysis

Client:	Chemtech Consulting Group		Date Collected:		
Project:	NJ Soil PT		Date Received:		
Client Sample ID:	PB164400BS		SDG No.:	P4495	
Lab Sample ID:	PB164400BS		Matrix:	SOIL	
Analytical Method:	SW8081		% Solid:	100	Decanted:
Sample Wt/Vol:	30.02	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PESTICIDE Group3	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL092764.D	1	10/25/24 09:11	10/31/24 16:23	PB164400

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
8001-35-2	Toxaphene	74.4		5.20	33.0	ug/kg
SURROGATES						
2051-24-3	Decachlorobiphenyl	21.7		10 - 148	109%	SPK: 20
877-09-8	Tetrachloro-m-xylene	20.9		10 - 159	105%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL103124\
 Data File : PL092764.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 31 Oct 2024 16:23
 Operator : AR\AJ
 Sample : PB164400BS
 Misc : TOX/BS
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB164400BS

Manual Integrations
APPROVED

Reviewed By : Abdul Mirza 11/01/2024
 Supervised By : Ankita Jodhani 11/04/2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 01 02:18:17 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\LTX102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 18:04:49 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticide 1 Signal #2 Phase: Rtx-CLPesticide 1
 Signal #1 Info : 30M x 0.32mm x0.3 Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.548	2.779	50220953	53515122	20.942	19.917
7) SA Decachlor...	9.065	7.920	41157526	57660789	21.706	20.935
Target Compounds						
2) Toxaphene-1	6.245	5.009	5962175	4604162	269.978	242.120
3) Toxaphene-2	6.448	5.334	3014287	4476100	222.296m	227.484
4) Toxaphene-3	7.066	6.608	16428029	13482199	211.443	198.154
5) Toxaphene-4	7.158	6.735	12275020	18918566	206.654	205.334
6) Toxaphene-5	7.942	7.049	9247020	11663028	206.018	177.879

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL103124\
Data File : PL092764.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 31 Oct 2024 16:23
Operator : AR\AJ
Sample : PB164400BS
Misc : TOX/BS
ALS Vial : 14 Sample Multiplier: 1

Instrument :

ECD_L

ClientSampleId :

PB164400BS



Manual Integrations**APPROVED**


Reviewed By :Abdul Mirza 11/01/2024

Supervised By :Ankita Jodhani 11/04/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 01 02:18:17 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\LTX102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 18:04:49 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticide 1 Signal #2 Phase: Rtx-CLPesticide 1
Signal #1 Info : 30M x 0.32mm x0.3 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene

R.T.: 3.548 min
Delta R.T.: 0.008 min
Response: 50220953
Conc: 20.94 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB164400BS


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 11/01/2024
Supervised By :Ankita Jodhani 11/04/2024




#1 Tetrachloro-m-xylene

R.T.: 2.779 min
Delta R.T.: 0.000 min
Response: 53515122
Conc: 19.92 ng/ml




#2 Toxaphene-1

R.T.: 6.245 min
Delta R.T.: 0.009 min
Response: 5962175
Conc: 269.98 ng/ml



#2 Toxaphene-1

R.T.: 5.009 min
Delta R.T.: 0.004 min
Response: 4604162
Conc: 242.12 ng/ml




#3 Toxaphene-2

R.T.: 6.448 min
Delta R.T.: 0.006 min
Response: 3014287
Conc: 222.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB164400BS


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 11/01/2024
Supervised By :Ankita Jodhani 11/04/2024




#3 Toxaphene-2

R.T.: 5.334 min
Delta R.T.: 0.003 min
Response: 4476100
Conc: 227.48 ng/ml




#4 Toxaphene-3

R.T.: 7.066 min
Delta R.T.: 0.008 min
Response: 16428029
Conc: 211.44 ng/ml



#4 Toxaphene-3

R.T.: 6.608 min
Delta R.T.: 0.004 min
Response: 13482199
Conc: 198.15 ng/ml




#5 Toxaphene-4

R.T.: 7.158 min
Delta R.T.: 0.009 min
Response: 12275020
Conc: 206.65 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB164400BS


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 11/01/2024
Supervised By :Ankita Jodhani 11/04/2024




#5 Toxaphene-4

R.T.: 6.735 min
Delta R.T.: 0.002 min
Response: 18918566
Conc: 205.33 ng/ml




#6 Toxaphene-5

R.T.: 7.942 min
Delta R.T.: 0.009 min
Response: 9247020
Conc: 206.02 ng/ml



#6 Toxaphene-5

R.T.: 7.049 min
Delta R.T.: 0.004 min
Response: 11663028
Conc: 177.88 ng/ml



#7 Decachlorobiphenyl

R.T.: 9.065 min
Delta R.T.: 0.012 min
Response: 41157526
Conc: 21.71 ng/ml

Instrument :

ECD_L

ClientSampleId :


PB164400BS

Manual Integrations

APPROVED

Reviewed By :Abdul Mirza 11/01/2024

Supervised By :Ankita Jodhani 11/04/2024



#7 Decachlorobiphenyl

R.T.: 7.920 min
Delta R.T.: 0.004 min
Response: 57660789
Conc: 20.94 ng/ml

Manual Integration Report

Sequence:	PL102824	Instrument	ECD_I
-----------	----------	------------	-------

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
PEM	PL092653.D	4,4"-DDD	Abdul	10/29/2024 9:08:09 AM	Ankita	10/29/2024 10:01:26	Peak Integrated by Software
PEM	PL092653.D	4,4"-DDD #2	Abdul	10/29/2024 9:08:09 AM	Ankita	10/29/2024 10:01:26	Peak Integrated by Software
PTOXICC100	PL092669.D	Toxaphene-1	Abdul	10/29/2024 9:08:17 AM	Ankita	10/29/2024 10:01:29	Peak Integrated by Software
PEM	PL092674.D	4,4"-DDD #2	Abdul	10/29/2024 9:08:21 AM	Ankita	10/29/2024 10:01:31	Peak Integrated by Software
PEM	PL092674.D	4,4"-DDE	Abdul	10/29/2024 9:08:21 AM	Ankita	10/29/2024 10:01:31	Peak Integrated by Software
PEM	PL092674.D	4,4"-DDE #2	Abdul	10/29/2024 9:08:21 AM	Ankita	10/29/2024 10:01:31	Peak Integrated by Software
PEM	PL092674.D	Endrin ketone #2	Abdul	10/29/2024 9:08:21 AM	Ankita	10/29/2024 10:01:31	Peak Integrated by Software
PSTDCCC050	PL092675.D	Aldrin	Abdul	10/29/2024 9:08:25 AM	Ankita	10/29/2024 10:01:33	Peak Integrated by Software
PSTDCCC050	PL092675.D	Dieldrin #2	Abdul	10/29/2024 9:08:25 AM	Ankita	10/29/2024 10:01:33	Peak Integrated by Software
PSTDCCC050	PL092675.D	gamma-BHC (Lindane)	Abdul	10/29/2024 9:08:25 AM	Ankita	10/29/2024 10:01:33	Peak Integrated by Software
PSTDCCC050	PL092675.D	Tetrachloro-m-xylene #2	Abdul	10/29/2024 9:08:25 AM	Ankita	10/29/2024 10:01:33	Peak Integrated by Software
I.BLK	PL092690.D	Tetrachloro-m-xylene #2	Abdul	10/29/2024 9:09:28 AM	Ankita	10/29/2024 10:02:09	Peak Integrated by Software
PSTDCCC050	PL092691.D	Endosulfan II #2	Abdul	10/29/2024 9:09:32 AM	Ankita	10/29/2024 10:02:10	Peak Integrated by Software

Manual Integration Report

Sequence:

PL102824

Instrument

ECD_I

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
PSTDCCC050	PL092691.D	gamma-Chlordane	Abdul	10/29/2024 9:09:32 AM	Ankita	10/29/2024 10:02:10	Peak Integrated by Software
PSTDCCC050	PL092691.D	Heptachlor epoxide	Abdul	10/29/2024 9:09:32 AM	Ankita	10/29/2024 10:02:10	Peak Integrated by Software
PSTDCCC050	PL092691.D	Mirex #2	Abdul	10/29/2024 9:09:32 AM	Ankita	10/29/2024 10:02:10	Peak Integrated by Software

Manual Integration Report

Sequence:	PL103124	Instrument	ECD_I
-----------	----------	------------	-------

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
I.BLK	PL092752.D	Tetrachloro-m-xylene #2	Abdul	11/1/2024 12:57:58 PM	Ankita	11/4/2024 10:07:07	Peak Integrated by Software
PEM	PL092753.D	4,4"-DDD	Abdul	11/1/2024 12:58:02 PM	Ankita	11/4/2024 10:07:09	Peak Integrated by Software
PEM	PL092753.D	alpha-BHC	Abdul	11/1/2024 12:58:02 PM	Ankita	11/4/2024 10:07:09	Peak Integrated by Software
PEM	PL092753.D	beta-BHC	Abdul	11/1/2024 12:58:02 PM	Ankita	11/4/2024 10:07:09	Peak Integrated by Software
PEM	PL092753.D	gamma-BHC (Lindane) #2	Abdul	11/1/2024 12:58:02 PM	Ankita	11/4/2024 10:07:09	Peak Integrated by Software
PSTDCCC050	PL092754.D	Aldrin	Abdul	11/1/2024 12:59:50 PM	Ankita	11/4/2024 10:07:10	Peak Integrated by Software
PSTDCCC050	PL092754.D	gamma-BHC (Lindane)	Abdul	11/1/2024 12:59:50 PM	Ankita	11/4/2024 10:07:10	Peak Integrated by Software
PSTDCCC050	PL092754.D	Heptachlor	Abdul	11/1/2024 12:59:50 PM	Ankita	11/4/2024 10:07:10	Peak Integrated by Software
PCHLORCCC5 00	PL092755.D	Chlordane-3 #2	Abdul	11/1/2024 12:58:09 PM	Ankita	11/4/2024 10:07:12	Peak Integrated by Software
PB164400BS	PL092764.D	Toxaphene-2	Abdul	11/1/2024 12:58:25 PM	Ankita	11/4/2024 10:07:21	Peak Integrated by Software
P4495-22	PL092765.D	Tetrachloro-m-xylene	Abdul	11/1/2024 12:58:28 PM	Ankita	11/4/2024 10:07:23	Peak Integrated by Software
P4495-22	PL092765.D	Toxaphene-1	Abdul	11/1/2024 12:58:28 PM	Ankita	11/4/2024 10:07:23	Peak Integrated by Software
P4495-22DL	PL092766.D	Tetrachloro-m-xylene	Abdul	11/1/2024 12:58:34 PM	Ankita	11/4/2024 10:07:25	Peak Integrated by Software

Manual Integration Report

Sequence:	PL103124	Instrument	ECD_I
-----------	----------	------------	-------

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
P4495-22DL	PL092766.D	Toxaphene-1	Abdul	11/1/2024 12:58:34 PM	Ankita	11/4/2024 10:07:25	Peak Integrated by Software
P4495-22DL	PL092766.D	Toxaphene-1 #2	Abdul	11/1/2024 12:58:34 PM	Ankita	11/4/2024 10:07:25	Peak Integrated by Software
I.BLK	PL092767.D	Tetrachloro-m-xylene	Abdul	11/1/2024 12:58:38 PM	Ankita	11/4/2024 10:07:27	Peak Integrated by Software
I.BLK	PL092767.D	Tetrachloro-m-xylene #2	Abdul	11/1/2024 12:58:38 PM	Ankita	11/4/2024 10:07:27	Peak Integrated by Software
PSTDCCC050	PL092768.D	Aldrin	Abdul	11/1/2024 12:58:41 PM	Ankita	11/4/2024 10:07:29	Peak Integrated by Software
I.BLK	PL092778.D	Tetrachloro-m-xylene	Abdul	11/1/2024 12:59:14 PM	Ankita	11/4/2024 10:08:11	Peak Integrated by Software
I.BLK	PL092778.D	Tetrachloro-m-xylene #2	Abdul	11/1/2024 12:59:14 PM	Ankita	11/4/2024 10:08:11	Peak Integrated by Software
PEM	PL092779.D	4,4"-DDE	Abdul	11/1/2024 5:38:15 PM	Ankita	11/4/2024 10:07:40	Peak Integrated by Software
PEM	PL092779.D	4,4"-DDE #2	Abdul	11/1/2024 5:38:15 PM	Ankita	11/4/2024 10:07:40	Peak Integrated by Software
PEM	PL092779.D	Endrin	Abdul	11/1/2024 5:38:15 PM	Ankita	11/4/2024 10:07:40	Peak Integrated by Software
PEM	PL092779.D	gamma-BHC (Lindane)	Abdul	11/1/2024 5:38:15 PM	Ankita	11/4/2024 10:07:40	Peak Integrated by Software
PSTDCCC050	PL092780.D	Aldrin	Abdul	11/1/2024 12:59:22 PM	Ankita	11/4/2024 10:07:42	Peak Integrated by Software
PSTDCCC050	PL092780.D	gamma-BHC (Lindane)	Abdul	11/1/2024 12:59:22 PM	Ankita	11/4/2024 10:07:42	Peak Integrated by Software

Manual Integration Report

Sequence:	PL103124	Instrument	ECD_I
-----------	----------	------------	-------

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
PSTDCCC050	PL092780.D	Heptachlor	Abdul	11/1/2024 12:59:22 PM	Ankita	11/4/2024 10:07:42	Peak Integrated by Software
PSTDCCC050	PL092780.D	Heptachlor epoxide	Abdul	11/1/2024 12:59:22 PM	Ankita	11/4/2024 10:07:42	Peak Integrated by Software
I.BLK	PL092784.D	Decachlorobiphenyl	Abdul	11/1/2024 12:59:33 PM	Ankita	11/4/2024 10:07:52	Peak Integrated by Software
I.BLK	PL092784.D	Decachlorobiphenyl #2	Abdul	11/1/2024 12:59:33 PM	Ankita	11/4/2024 10:07:52	Peak Integrated by Software
I.BLK	PL092784.D	Tetrachloro-m-xylene	Abdul	11/1/2024 12:59:33 PM	Ankita	11/4/2024 10:07:52	Peak Integrated by Software
I.BLK	PL092784.D	Tetrachloro-m-xylene #2	Abdul	11/1/2024 12:59:33 PM	Ankita	11/4/2024 10:07:52	Peak Integrated by Software
PSTDCCC050	PL092785.D	4,4"-DDE	Abdul	11/1/2024 12:59:37 PM	Ankita	11/4/2024 10:07:54	Peak Integrated by Software
PSTDCCC050	PL092785.D	Aldrin	Abdul	11/1/2024 12:59:37 PM	Ankita	11/4/2024 10:07:54	Peak Integrated by Software
PSTDCCC050	PL092785.D	gamma-BHC (Lindane)	Abdul	11/1/2024 12:59:37 PM	Ankita	11/4/2024 10:07:54	Peak Integrated by Software
PSTDCCC050	PL092785.D	Heptachlor	Abdul	11/1/2024 12:59:37 PM	Ankita	11/4/2024 10:07:54	Peak Integrated by Software
PSTDCCC050	PL092785.D	Heptachlor epoxide	Abdul	11/1/2024 12:59:37 PM	Ankita	11/4/2024 10:07:54	Peak Integrated by Software
PSTDCCC050	PL092785.D	Mirex #2	Abdul	11/1/2024 12:59:37 PM	Ankita	11/4/2024 10:07:54	Peak Integrated by Software



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Manual Integration Report

Sequence:

PL103124

Instrument

ECD_I

Sample ID

File ID

Parameter

Review By

Review On

Supervised
By

Supervised On

Reason

Instrument ID: ECD_L

Daily Analysis Runlog For Sequence/QC Batch ID # PL102824

Review By	Abdul	Review On	10/29/2024 9:09:59 AM
Supervise By	Ankita	Supervise On	10/29/2024 10:02:30 AM
SubDirectory	PL102824	HP Acquire Method	HP Processing Method pl102824 8081
STD. NAME	STD REF.#		
Tune/Reschk	PP23793,PP23517		
Initial Calibration Stds	PP23673,PP23674,PP23675,PP23676,PP23677,PP23678,PP23679,PP23680,PP23681,PP23682,PP23683		
CCC	PP23686,PP23690,PP23695		
Internal Standard/PEM			
ICV/I.BLK	PP23687,PP23693,PP23698		
Surrogate Standard			
MS/MSD Standard			
LCS Standard			

Sr#	SampleId	Data File Name	Date-Time	Operator	Status
1	HEXANE	PL092651.D	28 Oct 2024 13:41	AR\AJ	Ok
2	I.BLK	PL092652.D	28 Oct 2024 13:55	AR\AJ	Ok
3	PEM	PL092653.D	28 Oct 2024 14:16	AR\AJ	Ok,M
4	RESCHK	PL092654.D	28 Oct 2024 14:29	AR\AJ	Ok
5	PSTDICC100	PL092655.D	28 Oct 2024 14:43	AR\AJ	Ok
6	PSTDICC075	PL092656.D	28 Oct 2024 14:56	AR\AJ	Ok
7	PSTDICC050	PL092657.D	28 Oct 2024 15:09	AR\AJ	Ok
8	PSTDICC025	PL092658.D	28 Oct 2024 15:23	AR\AJ	Ok
9	PSTDICC005	PL092659.D	28 Oct 2024 15:36	AR\AJ	Ok,M
10	PCHLORICC1000	PL092660.D	28 Oct 2024 15:49	AR\AJ	Ok
11	PCHLORICC750	PL092661.D	28 Oct 2024 16:03	AR\AJ	Ok
12	PCHLORICC500	PL092662.D	28 Oct 2024 16:16	AR\AJ	Ok
13	PCHLORICC250	PL092663.D	28 Oct 2024 16:30	AR\AJ	Ok
14	PCHLORICC050	PL092664.D	28 Oct 2024 16:43	AR\AJ	Ok
15	PTOXICC1000	PL092665.D	28 Oct 2024 16:56	AR\AJ	Ok
16	PTOXICC750	PL092666.D	28 Oct 2024 17:10	AR\AJ	Ok
17	PTOXICC500	PL092667.D	28 Oct 2024 17:23	AR\AJ	Ok
18	PTOXICC250	PL092668.D	28 Oct 2024 17:37	AR\AJ	Ok
19	PTOXICC100	PL092669.D	28 Oct 2024 17:50	AR\AJ	Ok,M
20	PSTDICV050	PL092670.D	28 Oct 2024 18:03	AR\AJ	Ok
21	PCHLORICV500	PL092671.D	28 Oct 2024 18:30	AR\AJ	Ok

Instrument ID: ECD_L

Daily Analysis Runlog For Sequence/QC Batch ID # PL102824

Review By	Abdul	Review On	10/29/2024 9:09:59 AM
Supervise By	Ankita	Supervise On	10/29/2024 10:02:30 AM
SubDirectory	PL102824	HP Acquire Method	HP Processing Method pl102824 8081
STD. NAME	STD REF.#		
Tune/Reschk	PP23793,PP23517		
Initial Calibration Stds	PP23673,PP23674,PP23675,PP23676,PP23677,PP23678,PP23679,PP23680,PP23681,PP23682,PP23683		
CCC	PP23686,PP23690,PP23695		
Internal Standard/PEM			
ICV/I.BLK	PP23687,PP23693,PP23698		
Surrogate Standard			
MS/MSD Standard			
LCS Standard			

22	PTOXICV500	PL092672.D	28 Oct 2024 18:57	AR\AJ	Ok
23	I.BLK	PL092673.D	28 Oct 2024 19:24	AR\AJ	Ok
24	PEM	PL092674.D	28 Oct 2024 19:37	AR\AJ	Ok,M
25	PSTDCCC050	PL092675.D	28 Oct 2024 19:51	AR\AJ	Ok,M
26	PB164460BL	PL092676.D	28 Oct 2024 20:04	AR\AJ	Ok,M
27	PB164460BS	PL092677.D	28 Oct 2024 20:17	AR\AJ	Ok,M
28	P4575-01	PL092678.D	28 Oct 2024 20:31	AR\AJ	Ok,M
29	P4566-01	PL092679.D	28 Oct 2024 20:44	AR\AJ	Ok,M
30	P4567-01	PL092680.D	28 Oct 2024 20:57	AR\AJ	Ok,M
31	P4567-05	PL092681.D	28 Oct 2024 21:11	AR\AJ	Ok
32	P4567-09	PL092682.D	28 Oct 2024 21:24	AR\AJ	Ok,M
33	P4574-01	PL092683.D	28 Oct 2024 21:38	AR\AJ	Ok,M
34	P4574-04	PL092684.D	28 Oct 2024 21:51	AR\AJ	Ok,M
35	P4577-01	PL092685.D	28 Oct 2024 22:04	AR\AJ	Ok,M
36	P4561-01	PL092686.D	28 Oct 2024 22:18	AR\AJ	Ok,M
37	P4561-01MS	PL092687.D	28 Oct 2024 22:31	AR\AJ	Ok,M
38	P4561-01MSD	PL092688.D	28 Oct 2024 22:44	AR\AJ	Ok,M
39	P4561-05	PL092689.D	28 Oct 2024 22:58	AR\AJ	Ok,M
40	I.BLK	PL092690.D	28 Oct 2024 23:11	AR\AJ	Ok,M
41	PSTDCCC050	PL092691.D	29 Oct 2024 00:32	AR\AJ	Ok,M

M : Manual Integration

Instrument ID: ECD_L

Daily Analysis Runlog For Sequence/QC Batch ID # PL103124

Review By	Abdul	Review On	11/1/2024 1:01:07 PM
Supervise By	Ankita	Supervise On	11/4/2024 10:08:19 AM
SubDirectory	PL103124	HP Acquire Method	HP Processing Method pl102824 8081
STD. NAME	STD REF.#		
Tune/Reschk	PP23793,PP23517		
Initial Calibration Stds	PP23673,PP23674,PP23675,PP23676,PP23677,PP23678,PP23679,PP23680,PP23681,PP23682,PP23683		
CCC	PP23686,PP23690,PP23695		
Internal Standard/PEM			
ICV/I.BLK	PP23687,PP23693,PP23698		
Surrogate Standard			
MS/MSD Standard			
LCS Standard			

Sr#	SampleId	Data File Name	Date-Time	Operator	Status
1	HEXANE	PL092751.D	31 Oct 2024 11:01	AR\AJ	Ok
2	I.BLK	PL092752.D	31 Oct 2024 11:15	AR\AJ	Ok,M
3	PEM	PL092753.D	31 Oct 2024 11:29	AR\AJ	Ok,M
4	PSTDCCC050	PL092754.D	31 Oct 2024 11:43	AR\AJ	Ok,M
5	PCHLORCCC500	PL092755.D	31 Oct 2024 12:33	AR\AJ	Ok,M
6	PTOXCCC500	PL092756.D	31 Oct 2024 13:03	AR\AJ	Ok
7	P4495-20	PL092757.D	31 Oct 2024 13:33	AR\AJ	Not Ok
8	P4495-20DL	PL092758.D	31 Oct 2024 13:54	AR\AJ	Not Ok
9	P4495-20DL2	PL092759.D	31 Oct 2024 14:07	AR\AJ	Not Ok
10	PB164399BL	PL092760.D	31 Oct 2024 14:21	AR\AJ	Ok,M
11	PB164399BS	PL092761.D	31 Oct 2024 14:35	AR\AJ	Ok
12	P4495-21	PL092762.D	31 Oct 2024 14:49	AR\AJ	Ok
13	PB164400BL	PL092763.D	31 Oct 2024 15:11	AR\AJ	Ok
14	PB164400BS	PL092764.D	31 Oct 2024 16:23	AR\AJ	Ok,M
15	P4495-22	PL092765.D	31 Oct 2024 16:36	AR\AJ	Dilution
16	P4495-22DL	PL092766.D	31 Oct 2024 17:52	AR\AJ	Ok,M
17	I.BLK	PL092767.D	31 Oct 2024 18:06	AR\AJ	Ok,M
18	PSTDCCC050	PL092768.D	31 Oct 2024 18:20	AR\AJ	Ok,M
19	PCHLORCCC500	PL092769.D	31 Oct 2024 18:34	AR\AJ	Ok
20	PTOXCCC500	PL092770.D	31 Oct 2024 18:47	AR\AJ	Ok
21	PB164557BL	PL092771.D	31 Oct 2024 19:01	AR\AJ	Ok

Instrument ID: ECD_L

Daily Analysis Runlog For Sequence/QC Batch ID # PL103124

Review By	Abdul	Review On	11/1/2024 1:01:07 PM
Supervise By	Ankita	Supervise On	11/4/2024 10:08:19 AM
SubDirectory	PL103124	HP Acquire Method	HP Processing Method pl102824 8081
STD. NAME	STD REF.#		
Tune/Reschk	PP23793,PP23517		
Initial Calibration Stds	PP23673,PP23674,PP23675,PP23676,PP23677,PP23678,PP23679,PP23680,PP23681,PP23682,PP23683		
CCC	PP23686,PP23690,PP23695		
Internal Standard/PEM			
ICV/I.BLK	PP23687,PP23693,PP23698		
Surrogate Standard			
MS/MSD Standard			
LCS Standard			

22	PB164557BS	PL092772.D	31 Oct 2024 19:15	AR\AJ	Ok,M
23	P4639-01	PL092773.D	31 Oct 2024 19:29	AR\AJ	Ok,M
24	P4639-03	PL092774.D	31 Oct 2024 19:43	AR\AJ	Ok,M
25	P4643-01	PL092775.D	31 Oct 2024 19:57	AR\AJ	Ok,M
26	P4643-05	PL092776.D	31 Oct 2024 20:11	AR\AJ	Ok,M
27	P4643-09	PL092777.D	31 Oct 2024 20:25	AR\AJ	Ok,M
28	I.BLK	PL092778.D	31 Oct 2024 20:39	AR\AJ	Ok,M
29	PEM	PL092779.D	31 Oct 2024 20:53	AR\AJ	Ok,M
30	PSTDCCC050	PL092780.D	31 Oct 2024 21:06	AR\AJ	Ok,M
31	P4640-01	PL092781.D	31 Oct 2024 21:34	AR\AJ	Ok,M
32	P4640-01MS	PL092782.D	31 Oct 2024 21:48	AR\AJ	Ok,M
33	P4640-01MSD	PL092783.D	31 Oct 2024 22:02	AR\AJ	Ok,M
34	I.BLK	PL092784.D	31 Oct 2024 22:30	AR\AJ	Ok,M
35	PSTDCCC050	PL092785.D	31 Oct 2024 22:44	AR\AJ	Ok,M

M : Manual Integration

Instrument ID: ECD_L

Daily Analysis Runlog For Sequence/QC Batch ID # PL102824

Review By	Abdul	Review On	10/29/2024 9:09:59 AM
Supervise By	Ankita	Supervise On	10/29/2024 10:02:30 AM
SubDirectory	PL102824	HP Acquire Method	HP Processing Method pl102824 8081

STD. NAME	STD REF.#
Tune/Reschk	PP23793,PP23517
Initial Calibration Stds	PP23673,PP23674,PP23675,PP23676,PP23677,PP23678,PP23679,PP23680,PP23681,PP23682,PP23683
CCC	PP23686,PP23690,PP23695
Internal Standard/PEM	
ICV/I.BLK	PP23687,PP23693,PP23698
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

Sr#	SampleId	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	HEXANE	HEXANE	PL092651.D	28 Oct 2024 13:41		AR\AJ	Ok
2	I.BLK	I.BLK	PL092652.D	28 Oct 2024 13:55		AR\AJ	Ok
3	PEM	PEM	PL092653.D	28 Oct 2024 14:16		AR\AJ	Ok,M
4	RESCHK	RESCHK	PL092654.D	28 Oct 2024 14:29		AR\AJ	Ok
5	PSTDICC100	PSTDICC100	PL092655.D	28 Oct 2024 14:43		AR\AJ	Ok
6	PSTDICC075	PSTDICC075	PL092656.D	28 Oct 2024 14:56		AR\AJ	Ok
7	PSTDICC050	PSTDICC050	PL092657.D	28 Oct 2024 15:09		AR\AJ	Ok
8	PSTDICC025	PSTDICC025	PL092658.D	28 Oct 2024 15:23		AR\AJ	Ok
9	PSTDICC005	PSTDICC005	PL092659.D	28 Oct 2024 15:36		AR\AJ	Ok,M
10	PCHLORICC1000	PCHLORICC1000	PL092660.D	28 Oct 2024 15:49		AR\AJ	Ok
11	PCHLORICC750	PCHLORICC750	PL092661.D	28 Oct 2024 16:03		AR\AJ	Ok
12	PCHLORICC500	PCHLORICC500	PL092662.D	28 Oct 2024 16:16		AR\AJ	Ok
13	PCHLORICC250	PCHLORICC250	PL092663.D	28 Oct 2024 16:30		AR\AJ	Ok
14	PCHLORICC050	PCHLORICC050	PL092664.D	28 Oct 2024 16:43		AR\AJ	Ok
15	PTOXICC1000	PTOXICC1000	PL092665.D	28 Oct 2024 16:56		AR\AJ	Ok
16	PTOXICC750	PTOXICC750	PL092666.D	28 Oct 2024 17:10		AR\AJ	Ok
17	PTOXICC500	PTOXICC500	PL092667.D	28 Oct 2024 17:23		AR\AJ	Ok
18	PTOXICC250	PTOXICC250	PL092668.D	28 Oct 2024 17:37		AR\AJ	Ok

Instrument ID: ECD_L

Daily Analysis Runlog For Sequence/QC Batch ID # PL102824

Review By	Abdul	Review On	10/29/2024 9:09:59 AM
Supervise By	Ankita	Supervise On	10/29/2024 10:02:30 AM
SubDirectory	PL102824	HP Acquire Method	HP Processing Method pl102824 8081
STD. NAME	STD REF.#		
Tune/Reschk	PP23793,PP23517		
Initial Calibration Stds	PP23673,PP23674,PP23675,PP23676,PP23677,PP23678,PP23679,PP23680,PP23681,PP23682,PP23683		
CCC	PP23686,PP23690,PP23695		
Internal Standard/PEM			
ICV/I.BLK	PP23687,PP23693,PP23698		
Surrogate Standard			
MS/MSD Standard			
LCS Standard			

19	PTOXICC100	PTOXICC100	PL092669.D	28 Oct 2024 17:50		AR\AJ	Ok,M
20	PSTDICV050	ICVPL102824	PL092670.D	28 Oct 2024 18:03		AR\AJ	Ok
21	PCHLORICV500	ICVPL102824CHLOR	PL092671.D	28 Oct 2024 18:30		AR\AJ	Ok
22	PTOXICV500	ICVPL102824TOX	PL092672.D	28 Oct 2024 18:57		AR\AJ	Ok
23	I.BLK	I.BLK	PL092673.D	28 Oct 2024 19:24		AR\AJ	Ok
24	PEM	PEM	PL092674.D	28 Oct 2024 19:37		AR\AJ	Ok,M
25	PSTDCCC050	PSTDCCC050	PL092675.D	28 Oct 2024 19:51		AR\AJ	Ok,M
26	PB164460BL	PB164460BL	PL092676.D	28 Oct 2024 20:04		AR\AJ	Ok,M
27	PB164460BS	PB164460BS	PL092677.D	28 Oct 2024 20:17		AR\AJ	Ok,M
28	P4575-01	PL-02-102424	PL092678.D	28 Oct 2024 20:31		AR\AJ	Ok,M
29	P4566-01	HD-01-102524	PL092679.D	28 Oct 2024 20:44		AR\AJ	Ok,M
30	P4567-01	WC-1	PL092680.D	28 Oct 2024 20:57		AR\AJ	Ok,M
31	P4567-05	WC-2	PL092681.D	28 Oct 2024 21:11		AR\AJ	Ok
32	P4567-09	WC-3	PL092682.D	28 Oct 2024 21:24		AR\AJ	Ok,M
33	P4574-01	GRAVEL-1	PL092683.D	28 Oct 2024 21:38		AR\AJ	Ok,M
34	P4574-04	GRAVEL-2	PL092684.D	28 Oct 2024 21:51		AR\AJ	Ok,M
35	P4577-01	TR-05-102524	PL092685.D	28 Oct 2024 22:04		AR\AJ	Ok,M
36	P4561-01	BP-F-19	PL092686.D	28 Oct 2024 22:18		AR\AJ	Ok,M
37	P4561-01MS	BP-F-19MS	PL092687.D	28 Oct 2024 22:31		AR\AJ	Ok,M

Instrument ID: ECD_L

Daily Analysis Runlog For Sequence/QC Batch ID # PL102824

Review By	Abdul	Review On	10/29/2024 9:09:59 AM
Supervise By	Ankita	Supervise On	10/29/2024 10:02:30 AM
SubDirectory	PL102824	HP Acquire Method	HP Processing Method pl102824 8081
STD. NAME	STD REF.#		
Tune/Reschk	PP23793,PP23517		
Initial Calibration Stds	PP23673,PP23674,PP23675,PP23676,PP23677,PP23678,PP23679,PP23680,PP23681,PP23682,PP23683		
CCC	PP23686,PP23690,PP23695		
Internal Standard/PEM			
ICV/I.BLK	PP23687,PP23693,PP23698		
Surrogate Standard			
MS/MSD Standard			
LCS Standard			

38	P4561-01MSD	BP-F-19MSD	PL092688.D	28 Oct 2024 22:44		AR\AJ	Ok,M
39	P4561-05	BP-F-18	PL092689.D	28 Oct 2024 22:58		AR\AJ	Ok,M
40	I.BLK	I.BLK	PL092690.D	28 Oct 2024 23:11		AR\AJ	Ok,M
41	PSTDCCC050	PSTDCCC050	PL092691.D	29 Oct 2024 00:32		AR\AJ	Ok,M

M : Manual Integration

Instrument ID: ECD_L

Daily Analysis Runlog For Sequence/QC Batch ID # PL103124

Review By	Abdul	Review On	11/1/2024 1:01:07 PM
Supervise By	Ankita	Supervise On	11/4/2024 10:08:19 AM
SubDirectory	PL103124	HP Acquire Method	HP Processing Method pl102824 8081

STD. NAME	STD REF.#
Tune/Reschk	PP23793,PP23517
Initial Calibration Stds	PP23673,PP23674,PP23675,PP23676,PP23677,PP23678,PP23679,PP23680,PP23681,PP23682,PP23683
CCC	PP23686,PP23690,PP23695
Internal Standard/PEM	
ICV/I.BLK	PP23687,PP23693,PP23698
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

Sr#	SampleId	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	HEXANE	HEXANE	PL092751.D	31 Oct 2024 11:01		AR\AJ	Ok
2	I.BLK	I.BLK	PL092752.D	31 Oct 2024 11:15		AR\AJ	Ok,M
3	PEM	PEM	PL092753.D	31 Oct 2024 11:29		AR\AJ	Ok,M
4	PSTDCCC050	PSTDCCC050	PL092754.D	31 Oct 2024 11:43		AR\AJ	Ok,M
5	PCHLORCCC500	PCHLORCCC500	PL092755.D	31 Oct 2024 12:33		AR\AJ	Ok,M
6	PTOXCCC500	PTOXCCC500	PL092756.D	31 Oct 2024 13:03		AR\AJ	Ok
7	P4495-20	PT-PEST-SOIL	PL092757.D	31 Oct 2024 13:33	NOT USED	AR\AJ	Not Ok
8	P4495-20DL	PT-PEST-SOILDL	PL092758.D	31 Oct 2024 13:54	NOT USED	AR\AJ	Not Ok
9	P4495-20DL2	PT-PEST-SOILDL2	PL092759.D	31 Oct 2024 14:07	NOT USED	AR\AJ	Not Ok
10	PB164399BL	PB164399BL	PL092760.D	31 Oct 2024 14:21		AR\AJ	Ok,M
11	PB164399BS	PB164399BS	PL092761.D	31 Oct 2024 14:35		AR\AJ	Ok
12	P4495-21	PT-CHLR-SOIL	PL092762.D	31 Oct 2024 14:49		AR\AJ	Ok
13	PB164400BL	PB164400BL	PL092763.D	31 Oct 2024 15:11		AR\AJ	Ok
14	PB164400BS	PB164400BS	PL092764.D	31 Oct 2024 16:23		AR\AJ	Ok,M
15	P4495-22	PT-TXP-SOIL	PL092765.D	31 Oct 2024 16:36	Need dilution	AR\AJ	Dilution
16	P4495-22DL	PT-TXP-SOILDL	PL092766.D	31 Oct 2024 17:52		AR\AJ	Ok,M
17	I.BLK	I.BLK	PL092767.D	31 Oct 2024 18:06		AR\AJ	Ok,M
18	PSTDCCC050	PSTDCCC050	PL092768.D	31 Oct 2024 18:20		AR\AJ	Ok,M

Instrument ID: ECD_L

Daily Analysis Runlog For Sequence/QC Batch ID # PL103124

Review By	Abdul	Review On	11/1/2024 1:01:07 PM
Supervise By	Ankita	Supervise On	11/4/2024 10:08:19 AM
SubDirectory	PL103124	HP Acquire Method	HP Processing Method pl102824 8081
STD. NAME	STD REF.#		
Tune/Reschk	PP23793,PP23517		
Initial Calibration Stds	PP23673,PP23674,PP23675,PP23676,PP23677,PP23678,PP23679,PP23680,PP23681,PP23682,PP23683		
CCC	PP23686,PP23690,PP23695		
Internal Standard/PEM			
ICV/I.BLK	PP23687,PP23693,PP23698		
Surrogate Standard			
MS/MSD Standard			
LCS Standard			

19	PCHLORCCC500	PCHLORCCC500	PL092769.D	31 Oct 2024 18:34		AR\AJ	Ok
20	PTOXCCC500	PTOXCCC500	PL092770.D	31 Oct 2024 18:47		AR\AJ	Ok
21	PB164557BL	PB164557BL	PL092771.D	31 Oct 2024 19:01		AR\AJ	Ok
22	PB164557BS	PB164557BS	PL092772.D	31 Oct 2024 19:15		AR\AJ	Ok,M
23	P4639-01	EO-01-103024	PL092773.D	31 Oct 2024 19:29		AR\AJ	Ok,M
24	P4639-03	EO-02-103024	PL092774.D	31 Oct 2024 19:43		AR\AJ	Ok,M
25	P4643-01	BP-F9-ADDITIONAL	PL092775.D	31 Oct 2024 19:57		AR\AJ	Ok,M
26	P4643-05	BP-F8	PL092776.D	31 Oct 2024 20:11		AR\AJ	Ok,M
27	P4643-09	TP-9	PL092777.D	31 Oct 2024 20:25		AR\AJ	Ok,M
28	I.BLK	I.BLK	PL092778.D	31 Oct 2024 20:39		AR\AJ	Ok,M
29	PEM	PEM	PL092779.D	31 Oct 2024 20:53		AR\AJ	Ok,M
30	PSTDCCC050	PSTDCCC050	PL092780.D	31 Oct 2024 21:06		AR\AJ	Ok,M
31	P4640-01	MH-3	PL092781.D	31 Oct 2024 21:34		AR\AJ	Ok,M
32	P4640-01MS	MH-3MS	PL092782.D	31 Oct 2024 21:48		AR\AJ	Ok,M
33	P4640-01MSD	MH-3MSD	PL092783.D	31 Oct 2024 22:02		AR\AJ	Ok,M
34	I.BLK	I.BLK	PL092784.D	31 Oct 2024 22:30		AR\AJ	Ok,M
35	PSTDCCC050	PSTDCCC050	PL092785.D	31 Oct 2024 22:44		AR\AJ	Ok,M

M : Manual Integration



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 10/25/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 17:25
In Date: 10/23/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:20
Out Date: 10/24/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB133085

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P4488-09	HCC-1	1	1.00	1.00	2.00	2.00	100.0	oil sample
P4488-10	HCC-2	2	1.00	1.00	2.00	2.00	100.0	oil sample
P4495-01	PT-AN-SOIL	3	1.00	1.00	2.00	2.00	100.0	
P4495-02	PT-CORR-SOIL	4	1.00	1.00	2.00	2.00	100.0	
P4495-03	PT-CN-SOIL	5	1.00	1.00	2.00	2.00	100.0	
P4495-04	PT-CN-SOIL	6	1.00	1.00	2.00	2.00	100.0	
P4495-05	PT-FP-SOIL	7	1.00	1.00	2.00	2.00	100.0	
P4495-06	PT-CR6-SOIL	8	1.00	1.00	2.00	2.00	100.0	
P4495-07	PT-NUT-SOIL	9	1.00	1.00	2.00	2.00	100.0	
P4495-08	PT-NUT-SOIL	10	1.00	1.00	2.00	2.00	100.0	
P4495-09	PT-OGR-SOIL	11	1.00	1.00	2.00	2.00	100.0	
P4495-10	PT-MET-SOIL	12	1.00	1.00	2.00	2.00	100.0	
P4495-11	PT-BNA-SOIL	13	1.00	1.00	2.00	2.00	100.0	
P4495-12	PT-TRIAZINE-SOIL	14	1.00	1.00	2.00	2.00	100.0	
P4495-13	PT-PAH-SOIL	15	1.00	1.00	2.00	2.00	100.0	
P4495-14	PT-DIES-SOIL	16	1.00	1.00	2.00	2.00	100.0	
P4495-15	PT-GAS-SOIL	17	1.00	1.00	2.00	2.00	100.0	
P4495-16	PT-NJEPH-SOIL	18	1.00	1.00	2.00	2.00	100.0	
P4495-17	PT-HERB-SOIL	19	1.00	1.00	2.00	2.00	100.0	
P4495-18	PT-PCB-SOIL	20	1.00	1.00	2.00	2.00	100.0	
P4495-19	PT-PCBO-SOIL	21	1.00	1.00	2.00	2.00	100.0	
P4495-20	PT-PEST-SOIL	22	1.00	1.00	2.00	2.00	100.0	
P4495-21	PT-CHLR-SOIL	23	1.00	1.00	2.00	2.00	100.0	
P4495-22	PT-TXP-SOIL	24	1.00	1.00	2.00	2.00	100.0	
P4495-23	PT-VOA-SOIL	25	1.00	1.00	2.00	2.00	100.0	
P4495-24	PT-SOL-SOIL	26	0.92	8.80	9.72	7.58	75.7	
P4495-25	PT-NO2-SOIL	27	1.00	1.00	2.00	2.00	100.0	
P4508-01	TP-3	28	1.14	8.38	9.52	8.64	89.5	



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 10/25/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 17:25
In Date: 10/23/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:20
Out Date: 10/24/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB133085

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P4508-02	TP-3-EPH	29	1.15	8.81	9.96	9.22	91.6	
P4508-03	TP-3-VOC	30	1.15	8.66	9.81	8.88	89.3	
P4508-05	BP-F23	31	1.15	8.82	9.97	9.22	91.5	
P4508-06	BP-F23-EPH	32	1.14	8.83	9.97	9.29	92.3	
P4508-07	BP-F23-VOC	33	1.15	8.40	9.55	8.61	88.8	
P4508-09	BP-F22	34	1.18	8.78	9.96	9.15	90.8	
P4508-10	BP-F22-EPH	35	1.15	8.70	9.85	8.98	90.0	
P4508-11	BP-F22-VOC	36	1.16	8.60	9.76	8.68	87.4	
P4509-02	AU-06-10232024	37	1.12	8.82	9.94	9.44	94.3	
P4510-01	FDH119M-1-1	38	1.00	1.00	2.00	2.00	100.0	oilc
P4510-02	FDH119M-1-2	39	1.00	1.00	2.00	2.00	100.0	oilc
P4510-03	BC271327-1-1	40	1.00	1.00	2.00	2.00	100.0	oilc
P4510-04	BC271327-1-2	41	1.00	1.00	2.00	2.00	100.0	oilc
P4510-05	BC271327-2-1	42	1.00	1.00	2.00	2.00	100.0	oilc
P4510-06	BC271327-2-2	43	1.00	1.00	2.00	2.00	100.0	oilc
P4510-07	FDA886K-1-1	44	1.00	1.00	2.00	2.00	100.0	oilc
P4510-08	FDA886K-1-2	45	1.00	1.00	2.00	2.00	100.0	oilc
P4510-09	FDA886K-2-1	46	1.00	1.00	2.00	2.00	100.0	oilc
P4510-10	FDA886K-2-2	47	1.00	1.00	2.00	2.00	100.0	oilc
P4510-11	HID111K-1-1	48	1.00	1.00	2.00	2.00	100.0	oilc
P4510-12	HID111K-1-2	49	1.00	1.00	2.00	2.00	100.0	oilc
P4510-13	HID111K-2-1	50	1.00	1.00	2.00	2.00	100.0	oilc
P4510-14	HID111K-2-2	51	1.00	1.00	2.00	2.00	100.0	oilc
P4510-15	HID111K-3-1	52	1.00	1.00	2.00	2.00	100.0	oilc
P4510-16	HID111K-3-2	53	1.00	1.00	2.00	2.00	100.0	oilc
P4510-17	FDA563W-1-1	54	1.00	1.00	2.00	2.00	100.0	oilc
P4510-18	FDA563W-1-2	55	1.00	1.00	2.00	2.00	100.0	oilc
P4510-19	FDA563W-2-1	56	1.00	1.00	2.00	2.00	100.0	oilc



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 10/25/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 17:25
In Date: 10/23/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:20
Out Date: 10/24/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB133085

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P4510-20	FDA563W-2-2	57	1.00	1.00	2.00	2.00	100.0	oilc
P4510-21	JEC128C-1-1	58	1.00	1.00	2.00	2.00	100.0	oilc
P4510-22	JEC128C-1-2	59	1.00	1.00	2.00	2.00	100.0	oilc
P4510-23	JEC128C-2-1	60	1.00	1.00	2.00	2.00	100.0	oilc
P4510-24	JEC128C-2-2	61	1.00	1.00	2.00	2.00	100.0	oilc
P4511-02	267	62	1.00	1.00	2.00	2.00	100.0	debris
P4512-03	VNJ-212	63	1.15	8.81	9.96	9.66	96.6	
P4512-04	VNJ-212-E2	64	1.16	8.48	9.64	9.39	97.1	
P4513-01	D3683	65	1.00	1.00	2.00	2.00	100.0	oil sample
P4513-02	D3694	66	1.00	1.00	2.00	2.00	100.0	debris
P4513-03	D3695	67	1.00	1.00	2.00	2.00	100.0	debris
P4514-01	BC274653-1-1	68	1.00	1.00	2.00	2.00	100.0	oilc
P4514-02	BC274653-1-2	69	1.00	1.00	2.00	2.00	100.0	oilc
P4514-03	BC274767-1-1	70	1.00	1.00	2.00	2.00	100.0	oilc
P4514-04	BC274767-1-2	71	1.00	1.00	2.00	2.00	100.0	oilc
P4514-05	BC274767-2-1	72	1.00	1.00	2.00	2.00	100.0	oilc
P4514-06	BC274767-2-2	73	1.00	1.00	2.00	2.00	100.0	oilc
P4515-01	CHVB0783	74	1.15	8.83	9.98	5.28	46.8	
P4516-01	72-11986	75	1.12	8.67	9.79	8.93	90.1	
P4517-01	NASSAU-ST-CO	76	1.00	1.00	2.00	2.00	100.0	CONCRETE sample
P4517-03	S.JEFFERSON-CO-1	77	1.00	1.00	2.00	2.00	100.0	CONCRETE sample
P4517-05	S.JEFFERSON-CO-2	78	1.00	1.00	2.00	2.00	100.0	CONCRETE sample
P4517-07	FOREST-ST-CO	79	1.00	1.00	2.00	2.00	100.0	CONCRETE sample

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

WORKLIST(Hardcopy Internal Chain)

133085

WorkList Name : %1-102324 WorkList ID : 184679 Department : Wet-Chemistry Date : 10-23-2024 08:16:39

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4488-09	HCC-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/22/2024	Chemtech -SO
P4488-10	HCC-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/22/2024	Chemtech -SO
P4495-01	PT-AN-SOIL	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	10/21/2024	Chemtech -SO
P4495-02	PT-CORR-SOIL	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	10/21/2024	Chemtech -SO
P4495-03	PT-CN-SOIL	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	10/21/2024	Chemtech -SO
P4495-04	PT-CN-SOIL	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	10/21/2024	Chemtech -SO
P4495-05	PT-FP-SOIL	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	10/21/2024	Chemtech -SO
P4495-06	PT-CR6-SOIL	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	10/21/2024	Chemtech -SO
P4495-07	PT-NUT-SOIL	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	10/21/2024	Chemtech -SO
P4495-08	PT-NUT-SOIL	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	10/21/2024	Chemtech -SO
P4495-09	PT-OGH-SOIL	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	10/21/2024	Chemtech -SO
P4495-10	PT-MET-SOIL	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	10/21/2024	Chemtech -SO
P4495-11	PT-BNA-SOIL	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	10/21/2024	Chemtech -SO
P4495-12	PT-TRIAZINE-SOIL	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	10/21/2024	Chemtech -SO
P4495-13	PT-PAH-SOIL	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	10/21/2024	Chemtech -SO
P4495-14	PT-DIES-SOIL	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	10/21/2024	Chemtech -SO
P4495-15	PT-GAS-SOIL	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	10/21/2024	Chemtech -SO
P4495-16	PT-NJEPH-SOIL	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	10/21/2024	Chemtech -SO
P4495-17	PT-HERB-SOIL	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	10/21/2024	Chemtech -SO
P4495-18	PT-PCB-SOIL	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	10/21/2024	Chemtech -SO
P4495-19	PT-PCBO-SOIL	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	10/21/2024	Chemtech -SO

Date/Time: 10/23/24 16:00
 Raw Sample Received by: JH WCI
 Raw Sample Relinquished by: JH WCI
 Date/Time: 10/23/24 17:30
 Raw Sample Received by: JH WCI
 Raw Sample Relinquished by: JH WCI

W 133085

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-102324

WorkList ID : 184679

Department : Wet-Chemistry

Date : 10-23-2024 08:16:39

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4495-20	PT-PEST-SOIL	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	10/21/2024	Chemtech -SO
P4495-21	PT-CHLR-SOIL	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	10/21/2024	Chemtech -SO
P4495-22	PT-TXP-SOIL	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	10/21/2024	Chemtech -SO
P4495-23	PT-VOA-SOIL	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	10/21/2024	Chemtech -SO
P4495-24	PT-SOL-SOIL	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	10/21/2024	Chemtech -SO
P4495-25	PT-NO2-SOIL	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	10/21/2024	Chemtech -SO
P4508-01	TP-3	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/23/2024	Chemtech -SO
P4508-02	TP-3-EPH	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/23/2024	Chemtech -SO
P4508-03	TP-3-VOC	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/23/2024	Chemtech -SO
P4508-05	BP-F23	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/23/2024	Chemtech -SO
P4508-06	BP-F23-EPH	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/23/2024	Chemtech -SO
P4508-07	BP-F23-VOC	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/23/2024	Chemtech -SO
P4508-09	BP-F22	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/23/2024	Chemtech -SO
P4508-10	BP-F22-EPH	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/23/2024	Chemtech -SO
P4508-11	BP-F22-VOC	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/23/2024	Chemtech -SO
P4509-02	AU-06-10232024	Solid	Percent Solids	Cool 4 deg C	PSEG05	K61	10/23/2024	Chemtech -SO
P4510-01	FDH119M-1-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4510-02	FDH119M-1-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4510-03	BC271327-1-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4510-04	BC271327-1-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4510-05	BC271327-2-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO

Date/Time 10/23/24 16:00

Raw Sample Received by: JH WWC

Raw Sample Relinquished by: JH WWC

Date/Time 10/23/24

Raw Sample Received by: JH WWC

Raw Sample Relinquished by: JH WWC

WORKLIST(Hardcopy Internal Chain)

133085

WorkList Name : %1-102324 WorkList ID : 184679 Department : Wet-Chemistry Date : 10-23-2024 08:16:39

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4510-06	BC271327-2-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4510-07	FDA886K-1-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4510-08	FDA886K-1-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4510-09	FDA886K-2-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4510-10	FDA886K-2-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4510-11	HID111K-1-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4510-12	HID111K-1-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4510-13	HID111K-2-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4510-14	HID111K-2-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4510-15	HID111K-3-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4510-16	HID111K-3-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4510-17	FDA563W-1-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4510-18	FDA563W-1-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4510-19	FDA563W-2-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4510-20	FDA563W-2-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4510-21	JEC128C-1-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4510-22	JEC128C-1-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4510-23	JEC128C-2-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4510-24	JEC128C-2-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4511-02	267	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4512-03	VNJ-212	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO

Date/Time 10/23/24 Date/Time 10/23/24 Date/Time 10/23/24
 Raw Sample Received by: CP Raw Sample Received by: CP Raw Sample Received by: CP
 Raw Sample Relinquished by: CP Raw Sample Relinquished by: CP Raw Sample Relinquished by: CP

WORKLIST(Hardcopy Internal Chain)

W 133085

WorkList Name : %1-102324 WorkList ID : 184679 Department : Wet-Chemistry Date : 10-23-2024 08:16:39

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4512-04	VNJ-212-E2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4513-01	D3683	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4513-02	D3694	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4513-03	D3695	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4514-01	BC274653-1-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	K31	10/23/2024	Chemtech -SO
P4514-02	BC274653-1-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K31	10/23/2024	Chemtech -SO
P4514-03	BC274767-1-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	K31	10/23/2024	Chemtech -SO
P4514-04	BC274767-1-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K31	10/23/2024	Chemtech -SO
P4514-05	BC274767-2-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	K31	10/23/2024	Chemtech -SO
P4514-06	BC274767-2-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K31	10/23/2024	Chemtech -SO
P4515-01	CHVB0783	Solid	Percent Solids	Cool 4 deg C	PSEG03	K62	10/23/2024	Chemtech -SO
P4516-01	72-11986	Solid	Percent Solids	Cool 4 deg C	PSEG03	K62	10/23/2024	Chemtech -SO
P4517-01	NASSAU-ST-CO	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4517-03	S.JEFFERSON-CO-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4517-05	S.JEFFERSON-CO-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO
P4517-07	FOREST-ST-CO	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/23/2024	Chemtech -SO

Date/Time

10/23/24

17130

Raw Sample Received by:

CP

CP

Raw Sample Relinquished by:

CP

CP

SOP ID: M3541-ASE Extraction-14

Clean Up SOP #: Florisil

Matrix : Solid

Weigh By: EH

Balance check: RJ

Balance ID: EX-SC-2

pH Strip Lot#: N/A

Extraction Method: ☐ Seperatory Funnel ☐ Continious Liquid/Liquid ☐ Sonication ☐ Waste Dilution ☒ Soxhlet

Extraction By: RJ

Filter By: RJ

pH Meter ID: N/A

Hood ID: 3,7

Extraction Start Date : 10/25/2024

Extraction Start Time : 09:11

Extraction End Date : 10/25/2024

Extraction End Time : 12:10

Concentration By: EH

Supervisor By : rajesh

Standard Name	MLS USED	Concentration ug/mL	STD REF. # FROM LOG
Spike Sol 1	2.0ML	1000 PPB	PP23533
Surrogate	1.0ML	200 PPB	PP23858
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
Hexane/Acetone/1:1	N/A	EP2539
Baked Na2SO4	N/A	EP2551
Sand	N/A	E2865
Hexane	N/A	E3819
Florisil	N/A	E3806
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

40 ML Vial lot# 03-40 BTS721.

KD Bath ID: N/A

KD Bath Temperature: N/A

Envap ID: NEVAP-02


Envap Temperature: 40 °C

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
10/25/24	RP (En. Lab)	AJL/EST PCA Lab
12:15	Preparation Group	Analysis Group

Analytical Method: M3541-ASE Extraction-14

Concentration Date: 10/25/2024

Sample ID	Client Sample ID	Test	g / mL	PH	Surr/Spike By:		Final Vol. (mL)	JarID	Comments	Prep Pos
					AddedBy	VerifiedBy				
PB164400BL	PBLK400	PESTICIDE Group3	30.03	N/A	RUPESH	ritesh	10			U5-1
PB164400BS	PLCS400	PESTICIDE Group3	30.02	N/A	RUPESH	ritesh	10			2
P4495-22	PT-TXP-SOIL	PESTICIDE Group3	30.05	N/A	RUPESH	ritesh	10			3



10/24/24
P4531-PEST

WORKLIST(Hardcopy Internal Chain)

Worklist Name : P4531PEST

Worklist ID : 184768

Department : Extraction

Date : 10-25-2024 08:52:19

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4495-20	PT-PEST-SOIL	Solid	PESTICIDE Group 1	Cool 4 deg C	CHEM02	QA Of	10/21/2024	8081B
P4495-21	PT-CHLR-SOIL	Solid	PESTICIDE Group2	Cool 4 deg C	CHEM02	QA Of	10/21/2024	8081B
P4495-22	PT-TXP-SOIL	Solid	PESTICIDE Group3	Cool 4 deg C	CHEM02	QA Of	10/21/2024	8081B
P4531-01	OR-03-102424	Solid	Pesticide-TCL	Cool 4 deg C	PSEG05	K61	10/24/2024	8081B
P4545-01	VNJ-215	Solid	Pesticide-TCL	Cool 4 deg C	PSEG03	K61	10/24/2024	8081B
P4547-01	BP-F-21	Solid	Pesticide-TCL	Cool 4 deg C	PSEG03	K51	10/24/2024	8081B
P4547-05	BP-F-20	Solid	Pesticide-TCL	Cool 4 deg C	PSEG03	K51	10/24/2024	8081B

Date/Time 10/25/24 9:10
Raw Sample Received by: [Signature] CAP Sm
Raw Sample Relinquished by: [Signature] CAP Sm

Date/Time 10/25/24 9:30
Raw Sample Received by: [Signature] CAP Sm
Raw Sample Relinquished by: [Signature] CAP Sm



SHIPPING DOCUMENTS

Packing List

6390 Joyce Dr., #100
Golden, CO 80403

Tel: +1-303-940-0033
Fax: +1-303-940-0043
info@phenova.com
www.phenova.com

Received : SJ
10/23/24
9:47

For terms and conditions of your order, please visit:
www.phenova.com/home/termsofsale

Date	Order #
10/21/2024	318989



Ship To

Alliance Tech Group - Newark
ATTN: Sohil Jodhani
284 Sheffield St., #1
Mountainside, NJ 07092
USA

Customer PO #	Terms	PT Acct #	Customer #	Ship Via	F.O.B.
240903-01	Net 30	ZCM-100	1500470	FedEx 2nd Day	Golden, CO

Qty Ordered	Qty Shipped	Qty Backorder	Part Number	Part Description	Study Number	Lot Number
1	1	0	PT-MET-SOIL	SOIL/HW Trace Metals	HW1024	7098-04
1	1	0	PT-CR6-SOIL	SOIL/HW Hexavalent Chromium ✓	HW1024	7098-05D
1	1	0	PT-CN-SOIL	SOIL/HW Cyanide	HW1024	7098-06
1	1	0	PT-CORR-SOIL	SOIL/HW Corrosivity/pH ✓	HW1024	7098-11
1	1	0	PT-FP-SOIL	SOIL/HW Flash Point	HW1024	7098-10
1	1	0	PT-AN-SOIL	SOIL/HW Anions ✓	HW1024	7098-08
1	1	0	PT-NUT-SOIL	SOIL/HW Nutrients ✓	HW1024	7098-09B
1	1	0	PT-SOL-SOIL	SOIL/HW Solids	HW1024	7098-31
1	1	0	PT-NO2-SOIL	SOIL/HW Nitrite as N	HW1024	7098-71
1	1	0	PT-GAS-SOIL	SOIL/HW Gasoline	HW1024	7098-96
1	1	0	PT-DIES-SOIL	SOIL/HW Diesel in Soil	HW1024	7098-100
1	1	0	PT-OGR-SOIL	SOIL/HW Oil and Grease ✓	HW1024	7098-94
1	1	0	PT-VOA-SOIL	SOIL/HW Volatiles	HW1024	7098-12
1	1	0	PT-BNA-SOIL	SOIL/HW BNAs	HW1024	7098-13
1	1	0	PT-PEST-SOIL	SOIL/HW Pesticides	HW1024	7098-14
1	1	0	PT-CHLR-SOIL	SOIL/HW Chlordane	HW1024	7098-15
1	1	0	PT-TXP-SOIL	SOIL/HW Toxaphene	HW1024	7098-16
1	1	0	PT-PCB-SOIL	SOIL/HW PCBs	HW1024	7098-17
1	1	0	PT-PCBO-SOIL	SOIL/HW PCBs in Oil	HW1024	7098-88
1	1	0	PT-HERB-SOIL	SOIL/HW Herbicides	HW1024	7098-18
1	1	0	PT-PAH-SOIL	SOIL/HW PAHs	HW1024	7098-22
1	1	0	PT-TRIAZINE-SOIL	SOIL/HW Triazine Pesticides	HW1024	7098-106



phenova[®]
Certified Reference Materials

A Phenomenex[®]
Company

6390 Joyce Dr., #100
Golden, CO 80403

Tel: +1-303-940-0033
Fax: +1-303-940-0043
info@phenova.com
www.phenova.com

For terms and conditions of your order, please visit:
www.phenova.com/home/termsforsale

Received - SJ
10/23/24
9247

Packing List

Date	Order #
10/21/2024	318989



Ship To

Alliance Tech Group - Newark
ATTN: Sohil Jodhani
284 Sheffield St., #1
Mountainside, NJ 07092
USA

Customer PO #	Terms	PT Acct #	Customer #	Ship Via	F.O.B.
240903-01	Net 30	ZCM-100	1500470	FedEx 2nd Day	Golden, CO

Qty Ordered	Qty Shipped	Qty Backorder	Part Number	Part Description	Study Number	Lot Number
1	1	0	PT-NJEPH-SOIL	NJ EPH in SOIL ✓✓	HW1024	7098-105



284 Sheffield Street, Mountainside NJ 07092 (908)-789-8900 Fax : 908 789 8922

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488