

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101824\
 Data File : BF139845.D
 Acq On : 18 Oct 2024 10:55
 Operator : RC/JU
 Sample : SSTDICC005
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC005

Quant Time: Oct 18 14:16:29 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF101824.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 18 14:11:20 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.887	152	189112	20.000	ng	0.00
21) Naphthalene-d8	8.169	136	737062	20.000	ng	0.00
39) Acenaphthene-d10	9.928	164	414324	20.000	ng	0.00
64) Phenanthrene-d10	11.410	188	741430	20.000	ng	0.00
76) Chrysene-d12	14.051	240	477223	20.000	ng	0.00
86) Perylene-d12	15.527	264	377685	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.493	112	138495	11.465	ng	0.00
7) Phenol-d6	6.493	99	179648	11.482	ng	-0.02
23) Nitrobenzene-d5	7.445	82	134439	10.109	ng	0.00
42) 2,4,6-Tribromophenol	10.710	330	41682	10.755	ng	0.00
45) 2-Fluorobiphenyl	9.245	172	313171	12.492	ng	0.00
79) Terphenyl-d14	12.992	244	329424	11.248	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.687	88	30759	5.461	ng	97
3) Pyridine	3.452	79	76703	5.494	ng	98
4) n-Nitrosodimethylamine	3.375	42	38552	5.140	ng	# 96
6) Aniline	6.545	93	79083	5.424	ng	98
8) 2-Chlorophenol	6.669	128	71065	5.754	ng	98
10) Phenol	6.510	94	92287	5.620	ng	95
11) bis(2-Chloroethyl)ether	6.616	93	69504	5.575	ng	98
12) 1,3-Dichlorobenzene	6.828	146	81239	5.731	ng	99
13) 1,4-Dichlorobenzene	6.904	146	81442	5.750	ng	99
14) 1,2-Dichlorobenzene	7.057	146	78458	5.936	ng	97
15) Benzyl Alcohol	7.016	79	64060	5.582	ng	99
16) 2,2'-oxybis(1-Chloropr...	7.163	45	119350	5.614	ng	100
17) 2-Methylphenol	7.122	107	59770	5.676	ng	96
18) Hexachloroethane	7.404	117	27566	5.458	ng	96
19) n-Nitroso-di-n-propyla...	7.287	70	53958	5.686	ng	97
20) 3+4-Methylphenols	7.275	107	79329	5.890	ng	92
22) Acetophenone	7.287	105	106522	5.900	ng	98
24) Nitrobenzene	7.463	77	76831	5.269	ng	96
25) Isophorone	7.698	82	139084	5.510	ng	100
26) 2-Nitrophenol	7.781	139	22867	4.157	ng	95
27) 2,4-Dimethylphenol	7.810	122	52430	5.716	ng	97
28) bis(2-Chloroethoxy)met...	7.916	93	86298	5.643	ng	99
29) 2,4-Dichlorophenol	8.016	162	56772	5.434	ng	99
30) 1,2,4-Trichlorobenzene	8.110	180	64640	5.592	ng	99
31) Naphthalene	8.192	128	222725	5.859	ng	99
33) 4-Chloroaniline	8.234	127	73196	5.647	ng	99
34) Hexachlorobutadiene	8.310	225	41186	5.670	ng	97
35) Caprolactam	8.557	113	16989	5.114	ng	98
36) 4-Chloro-3-methylphenol	8.704	107	62903	5.438	ng	99
37) 2-Methylnaphthalene	8.881	142	136292	5.854	ng	99
38) 1-Methylnaphthalene	8.981	142	133747	5.856	ng	100
40) 1,2,4,5-Tetrachloroben...	9.045	216	63046	5.640	ng	100
41) Hexachlorocyclopentadiene	9.039	237	19121	4.916	ng	97
43) 2,4,6-Trichlorophenol	9.151	196	41997	5.307	ng	98
44) 2,4,5-Trichlorophenol	9.187	196	44086	5.399	ng	99
46) 1,1'-Biphenyl	9.345	154	169920	5.891	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101824\
 Data File : BF139845.D
 Acq On : 18 Oct 2024 10:55
 Operator : RC/JU
 Sample : SSTDICC005
 Misc :
 ALS Vial : 3 Sample Multiplier: 1


Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC005


Quant Time: Oct 18 14:16:29 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF101824.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 18 14:11:20 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
47) 2-Chloronaphthalene	9.369	162	133456	5.745	ng	99
48) 2-Nitroaniline	9.457	65	30999	4.363	ng	99
49) Acenaphthylene	9.786	152	192014	5.717	ng	99
50) Dimethylphthalate	9.639	163	146096	5.661	ng	100
51) 2,6-Dinitrotoluene	9.698	165	26490	4.741	ng	96
52) Acenaphthene	9.957	154	124288	5.721	ng	100
53) 3-Nitroaniline	9.863	138	27995	4.858	ng	# 94
55) Dibenzofuran	10.128	168	182985	5.870	ng	98
56) 4-Nitrophenol	10.004	139	19402	4.376	ng	89
57) 2,4-Dinitrotoluene	10.098	165	29038	4.226	ng	92
58) Fluorene	10.469	166	145913	6.146	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.239	232	34636	5.411	ng	97
60) Diethylphthalate	10.339	149	141466	5.583	ng	99
61) 4-Chlorophenyl-phenyle...	10.469	204	72331	6.033	ng	96
62) 4-Nitroaniline	10.469	138	25747	4.731	ng	96
63) Azobenzene	10.622	77	151158	5.627	ng	99
66) n-Nitrosodiphenylamine	10.581	169	124472	5.609	ng	100
67) 4-Bromophenyl-phenylether	10.957	248	42707	5.591	ng	94
68) Hexachlorobenzene	11.016	284	47895	5.575	ng	98
69) Atrazine	11.104	200	35075	5.835	ng	99
70) Pentachlorophenol	11.210	266	21781	4.178	ng	93
71) Phenanthrene	11.433	178	207716	5.931	ng	98
72) Anthracene	11.486	178	200621	5.871	ng	99
73) Carbazole	11.639	167	185743	5.845	ng	99
74) Di-n-butylphthalate	11.975	149	204647	5.574	ng	99
75) Fluoranthene	12.622	202	213038	6.017	ng	100
77) Benzidine	12.745	184	54501	7.022	ng	99
78) Pyrene	12.851	202	225742	5.404	ng	99
80) Butylbenzylphthalate	13.474	149	58502	4.671	ng	100
81) Benzo(a)anthracene	14.039	228	170026	5.473	ng	99
82) 3,3'-Dichlorobenzidine	14.004	252	43937	4.851	ng	100
83) Chrysene	14.074	228	158121	5.551	ng	98
84) Bis(2-ethylhexyl)phtha...	14.033	149	62085	4.419	ng	97
87) Indeno(1,2,3-cd)pyrene	17.010	276	114185	4.699	ng	98
88) Benzo(b)fluoranthene	15.092	252	124353	5.405	ng	100
89) Benzo(k)fluoranthene	15.121	252	114525	5.772	ng	99
90) Benzo(a)pyrene	15.463	252	97243	5.137	ng	100
91) Dibenzo(a,h)anthracene	17.033	278	96416	4.757	ng	99
92) Benzo(g,h,i)perylene	17.457	276	97292	4.805	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Oct 18 14:16:29 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF101824.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 18 14:11:20 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.887 min Scan# 816
Delta R.T. -0.005 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:152 Resp: 189112
Ion Ratio Lower Upper
152 100
150 157.4 130.2 195.2
115 65.7 51.4 77.2



#2
1,4-Dioxane
Concen: 5.461 ng
RT: 2.687 min Scan# 101
Delta R.T. 0.000 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55

Tgt Ion: 88 Resp: 30759
Ion Ratio Lower Upper
88 100
58 89.3 73.3 109.9
43 35.6 27.1 40.7





#3

Pyridine

Concen: 5.494 ng

RT: 3.452 min Scan# 21

Delta R.T. 0.006 min

Lab File: BF139845.D


Acq: 18 Oct 2024 10:55

Instrument :

BNA_F

ClientSampleId :

SSTDICC005






Tgt Ion: 79 Resp: 76703

Ion Ratio Lower Upper

79 100

52 86.7 68.5 102.7

51 42.2 32.3 48.5



#4

n-Nitrosodimethylamine

Concen: 5.140 ng

RT: 3.375 min Scan# 218

Delta R.T. -0.023 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55




Tgt Ion: 42 Resp: 38552


Ion Ratio Lower Upper

42 100

74 115.9 96.2 144.4

44 11.0 6.2 9.2#









#5
2-Fluorophenol
Concen: 11.465 ng
RT: 5.493 min Scan# 51
Delta R.T. -0.006 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:112 Resp: 138495
Ion Ratio Lower Upper
112 100
64 65.5 53.0 79.6
63 33.2 27.0 40.4



#6
Aniline
Concen: 5.424 ng
RT: 6.545 min Scan# 757
Delta R.T. -0.006 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55

Tgt Ion: 93 Resp: 79083
Ion Ratio Lower Upper
93 100
66 41.4 34.0 51.0
65 21.1 17.4 26.0





#7

Phenol-d6

Concen: 11.482 ng

RT: 6.493 min Scan# 748

Delta R.T. -0.017 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion: 99 Resp: 179648

Ion Ratio Lower Upper

99 100

42 20.7 16.7 25.1

71 34.3 27.7 41.5



#8

2-Chlorophenol

Concen: 5.754 ng

RT: 6.669 min Scan# 778

Delta R.T. -0.006 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55




Tgt Ion:128 Resp: 71065


Ion Ratio Lower Upper

128 100

130 33.3 12.3 52.3

64 52.8 34.6 74.6









#10
Phenol
Concen: 5.620 ng
RT: 6.510 min Scan# 710
Delta R.T. -0.012 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion: 94 Resp: 92287
Ion Ratio Lower Upper
94 100
65 29.4 11.1 51.1
66 38.6 22.7 62.7



#11
bis(2-Chloroethyl)ether
Concen: 5.575 ng
RT: 6.616 min Scan# 769
Delta R.T. -0.012 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55

Tgt Ion: 93 Resp: 69504
Ion Ratio Lower Upper
93 100
63 87.5 65.0 105.0
95 32.6 12.4 52.4





#12

1,3-Dichlorobenzene

Concen: 5.731 ng

RT: 6.828 min Scan# 806

Delta R.T. -0.006 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:146 Resp: 81239

Ion Ratio Lower Upper

146 100

148 64.8 51.0 76.4

75 33.2 26.4 39.6



#13

1,4-Dichlorobenzene

Concen: 5.750 ng

RT: 6.904 min Scan# 818

Delta R.T. -0.006 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55




Tgt Ion:146 Resp: 81442


Ion Ratio Lower Upper

146 100

148 63.7 51.8 77.8

111 43.5 34.6 51.8









#14
1,2-Dichlorobenzene
Concen: 5.936 ng
RT: 7.057 min Scan# 845
Delta R.T. -0.006 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:146 Resp: 78458
Ion Ratio Lower Upper
146 100
148 63.0 51.4 77.2
111 43.3 36.7 55.1



#15
Benzyl Alcohol
Concen: 5.582 ng
RT: 7.016 min Scan# 837
Delta R.T. -0.012 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55

Tgt Ion: 79 Resp: 64060
Ion Ratio Lower Upper
79 100
108 75.6 61.4 92.0
77 62.3 49.9 74.9









#16
2,2'-oxybis(1-Chloropropane)
Concen: 5.614 ng
RT: 7.163 min Scan# 862
Delta R.T. -0.006 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion: 45 Resp: 119350
Ion Ratio Lower Upper
45 100
77 11.8 0.0 31.5
79 9.1 0.0 29.1



#17
2-Methylphenol
Concen: 5.676 ng
RT: 7.122 min Scan# 855
Delta R.T. -0.012 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55


Tgt Ion:107 Resp: 59770
Ion Ratio Lower Upper
107 100
108 111.2 91.3 136.9
77 43.6 37.1 55.7
79 42.5 37.0 55.6








#18
Hexachloroethane
Concen: 5.458 ng
RT: 7.404 min Scan# 903
Delta R.T. 0.000 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55


Instrument :
BNA_F
ClientSampleId :
SSTDICC005





Tgt Ion:117 Resp: 27566
Ion Ratio Lower Upper
117 100
119 99.1 77.0 115.4
201 101.0 76.2 114.4




#19
n-Nitroso-di-n-propylamine
Concen: 5.686 ng
RT: 7.287 min Scan# 883
Delta R.T. -0.017 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55



Tgt Ion: 70 Resp: 53958
Ion Ratio Lower Upper
70 100
42 68.0 51.5 77.3
101 9.2 7.5 11.3
130 19.0 15.5 23.3









#20
3+4-Methylphenols
Concen: 5.890 ng
RT: 7.275 min Scan# 81
Delta R.T. -0.012 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:107	Resp:	79329
Ion	Ratio	Lower Upper
107	100	
108	89.7	69.8 109.8
77	54.7	50.5 90.5
79	28.9	10.2 50.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.169 min Scan# 1033
Delta R.T. -0.006 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55

Tgt Ion:136	Resp:	737062
Ion	Ratio	Lower Upper
136	100	
137	11.1	8.6 12.8
54	10.7	8.4 12.6
68	6.9	5.1 7.7









#22
Acetophenone
Concen: 5.900 ng
RT: 7.287 min Scan# 811
Delta R.T. -0.012 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:105 Resp: 106522




Ion	Ratio	Lower	Upper
105	100		
71	8.6	5.9	8.9
51	36.4	29.4	44.2
120	20.4	17.5	26.3




#23
Nitrobenzene-d5
Concen: 10.109 ng
RT: 7.445 min Scan# 910
Delta R.T. -0.006 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55

Tgt Ion: 82 Resp: 134439

Ion	Ratio	Lower	Upper
82	100		
128	42.0	33.4	50.0
54	60.5	47.8	71.8









#24
Nitrobenzene
Concen: 5.269 ng
RT: 7.463 min Scan# 915
Delta R.T. -0.012 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion: 77 Resp: 76831
Ion Ratio Lower Upper
77 100
123 41.4 35.7 53.5
65 14.0 11.5 17.3



#25
Isophorone
Concen: 5.510 ng
RT: 7.698 min Scan# 953
Delta R.T. -0.012 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55

Tgt Ion: 82 Resp: 139084
Ion Ratio Lower Upper
82 100
95 6.8 5.5 8.3
138 16.5 13.2 19.8









#26
2-Nitrophenol
Concen: 4.157 ng
RT: 7.781 min Scan# 91
Delta R.T. -0.006 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:139 Resp: 22867
Ion Ratio Lower Upper
139 100
109 33.3 25.1 37.7
65 63.8 47.5 71.3



#27
2,4-Dimethylphenol
Concen: 5.716 ng
RT: 7.810 min Scan# 972
Delta R.T. -0.006 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55

Tgt Ion:122 Resp: 52430
Ion Ratio Lower Upper
122 100
107 112.5 91.9 137.9
121 54.7 46.2 69.4









#28
bis(2-Chloroethoxy)methane
Concen: 5.643 ng
RT: 7.916 min Scan# 991
Delta R.T. -0.006 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion: 93 Resp: 86298
Ion Ratio Lower Upper
93 100
95 32.5 26.0 39.0
123 10.6 9.8 14.8



#29
2,4-Dichlorophenol
Concen: 5.434 ng
RT: 8.016 min Scan# 1007
Delta R.T. -0.006 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55

Tgt Ion: 162 Resp: 56772
Ion Ratio Lower Upper
162 100
164 63.6 43.9 83.9
98 39.2 19.9 59.9









#30
1,2,4-Trichlorobenzene
Concen: 5.592 ng
RT: 8.110 min Scan# 1024
Delta R.T. -0.006 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:180 Resp: 64640
Ion Ratio Lower Upper
180 100
182 98.8 80.5 120.7
145 31.8 25.4 38.0



#31
Naphthalene
Concen: 5.859 ng
RT: 8.192 min Scan# 1037
Delta R.T. -0.006 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55

Tgt Ion:128 Resp: 222725
Ion Ratio Lower Upper
128 100
129 10.7 8.9 13.3
127 12.9 10.6 16.0









#33
4-Chloroaniline
Concen: 5.647 ng
RT: 8.234 min Scan# 1044
Delta R.T. -0.006 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:	127	Resp:	73196
Ion	Ratio	Lower	Upper
127	100		
129	32.9	25.4	38.2
65	34.5	28.4	42.6
92	20.6	16.6	25.0



#34
Hexachlorobutadiene
Concen: 5.670 ng
RT: 8.310 min Scan# 1057
Delta R.T. -0.006 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55

Tgt Ion:	225	Resp:	41186
Ion	Ratio	Lower	Upper
225	100		
223	62.1	50.6	76.0
227	61.9	51.8	77.8









#35
 Caprolactam
 Concen: 5.114 ng
 RT: 8.557 min Scan# 1108
 Delta R.T. -0.053 min
 Lab File: BF139845.D
 Acq: 18 Oct 2024 10:55




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC005


Tgt Ion:113 Resp: 16989
 Ion Ratio Lower Upper
 113 100
 55 212.2 189.2 229.2
 56 156.7 132.5 172.5



#36
 4-Chloro-3-methylphenol
 Concen: 5.438 ng
 RT: 8.704 min Scan# 1124
 Delta R.T. -0.006 min
 Lab File: BF139845.D
 Acq: 18 Oct 2024 10:55

Tgt Ion:107 Resp: 62903
 Ion Ratio Lower Upper
 107 100
 144 24.3 19.1 28.7
 142 72.0 57.2 85.8





#37

2-Methylnaphthalene

Concen: 5.854 ng

RT: 8.881 min Scan# 1155

Delta R.T. -0.006 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55

Instrument :

BNA_F

ClientSampleId :





SSTDICC005

Tgt Ion:142 Resp: 136292

Ion Ratio Lower Upper

142 100

141 87.8 70.8 106.2



#38

1-Methylnaphthalene

Concen: 5.856 ng

RT: 8.981 min Scan# 1171

Delta R.T. -0.006 min

Lab File: BF139845.D




Acq: 18 Oct 2024 10:55


Tgt Ion:142 Resp: 133747

Ion Ratio Lower Upper

142 100

141 91.7 73.5 110.3









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.928 min Scan# 1182
Delta R.T. 0.001 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:164 Resp: 414324
Ion Ratio Lower Upper
164 100
162 101.3 81.0 121.4
160 44.1 35.4 53.0



#40
1,2,4,5-Tetrachlorobenzene
Concen: 5.640 ng
RT: 9.045 min Scan# 1182
Delta R.T. -0.006 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55

Tgt Ion:216 Resp: 63046
Ion Ratio Lower Upper
216 100
214 79.3 63.4 95.0
179 21.4 17.2 25.8
108 18.7 15.6 23.4









#41
Hexachlorocyclopentadiene
Concen: 4.916 ng
RT: 9.039 min Scan# 1181
Delta R.T. 0.000 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55




Instrument :
BNA_F
ClientSampleId :
SSTDIC005


Tgt Ion:237 Resp: 19121
Ion Ratio Lower Upper
237 100
235 65.2 42.9 82.9
272 12.4 0.0 32.3



#42
2,4,6-Tribromophenol
Concen: 10.755 ng
RT: 10.710 min Scan# 1465
Delta R.T. -0.006 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55

Tgt Ion:330 Resp: 41682
Ion Ratio Lower Upper
330 100
332 96.2 78.1 117.1
141 32.3 26.6 39.8





#43

2,4,6-Trichlorophenol

Concen: 5.307 ng

RT: 9.151 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55

Instrument :

BNA_F

ClientSampleId :

SSTDIC005





Tgt Ion:196 Resp: 41997

Ion Ratio Lower Upper

196 100

198 92.8 76.2 114.2

200 28.8 24.0 36.0



#44

2,4,5-Trichlorophenol

Concen: 5.399 ng

RT: 9.187 min Scan# 1206

Delta R.T. -0.006 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55

Tgt Ion:196 Resp: 44086




Ion Ratio Lower Upper


196 100

198 96.0 75.8 113.6

97 51.2 41.8 62.6

132 29.1 22.9 34.3





#45

2-Fluorobiphenyl

Concen: 12.492 ng

RT: 9.245 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:172 Resp: 313171

Ion Ratio Lower Upper

172 100

171 35.6 28.6 43.0

170 23.5 19.1 28.7



#46

1,1'-Biphenyl

Concen: 5.891 ng

RT: 9.345 min Scan# 1233

Delta R.T. -0.006 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55




Tgt Ion:154 Resp: 169920


Ion Ratio Lower Upper

154 100

153 39.7 20.3 60.3

76 14.1 0.0 33.9





#47

2-Chloronaphthalene

Concen: 5.745 ng

RT: 9.369 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:162 Resp: 133456

Ion Ratio Lower Upper

162 100

127 41.4 33.8 50.6

164 32.7 26.6 39.8



#48

2-Nitroaniline

Concen: 4.363 ng

RT: 9.457 min Scan# 1252

Delta R.T. -0.006 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55




Tgt Ion: 65 Resp: 30999


Ion Ratio Lower Upper

65 100

92 65.6 50.9 76.3

138 91.1 73.4 110.0





#49

Acenaphthylene

Concen: 5.717 ng

RT: 9.786 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:152 Resp: 192014

Ion Ratio Lower Upper

152 100

151 19.5 15.9 23.9

153 13.4 10.7 16.1



#50

Dimethylphthalate

Concen: 5.661 ng

RT: 9.639 min Scan# 1283

Delta R.T. -0.012 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55




Tgt Ion:163 Resp: 146096


Ion Ratio Lower Upper

163 100

194 4.3 3.4 5.0

164 10.1 8.2 12.2









#51
2,6-Dinitrotoluene
Concen: 4.741 ng
RT: 9.698 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:165 Resp: 26490
Ion Ratio Lower Upper
165 100
63 66.6 50.6 75.8
89 61.8 47.5 71.3



#52
Acenaphthene
Concen: 5.721 ng
RT: 9.957 min Scan# 1337
Delta R.T. -0.006 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55

Tgt Ion:154 Resp: 124288
Ion Ratio Lower Upper
154 100
153 112.9 89.8 134.6
152 53.0 42.4 63.6









#53
3-Nitroaniline
Concen: 4.858 ng
RT: 9.863 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:138 Resp: 27995
Ion Ratio Lower Upper
138 100
108 17.3 10.2 15.2#
92 128.5 98.3 147.5



#55
Dibenzofuran
Concen: 5.870 ng
RT: 10.128 min Scan# 1366
Delta R.T. -0.006 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55


Tgt Ion:168 Resp: 182985
Ion Ratio Lower Upper
168 100
139 38.5 31.8 47.6
169 14.3 11.6 17.4








#56
4-Nitrophenol
Concen: 4.376 ng
RT: 10.004 min Scan# 1345
Delta R.T. -0.017 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55

Instrument :
BNA_F
ClientSampleId :
SSTDICC005







Tgt Ion:139 Resp: 19402
Ion Ratio Lower Upper
139 100
109 75.6 53.6 93.6
65 124.8 87.8 127.8



#57
2,4-Dinitrotoluene
Concen: 4.226 ng
RT: 10.098 min Scan# 1361
Delta R.T. -0.012 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55

Tgt Ion:165 Resp: 29038
Ion Ratio Lower Upper
165 100
63 55.0 40.1 60.1
89 83.3 60.4 90.6
182 2.5 2.0 3.0





#58

Fluorene

Concen: 6.146 ng

RT: 10.469 min Scan# 1425

Delta R.T. -0.006 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55

Instrument :

BNA_F

ClientSampleId :

SSTDIC005





Tgt Ion:166 Resp: 145913

Ion Ratio Lower Upper

166 100

165 97.5 78.5 117.7

167 13.2 10.9 16.3



#59

2,3,4,6-Tetrachlorophenol

Concen: 5.411 ng

RT: 10.239 min Scan# 1385

Delta R.T. -0.006 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55

Tgt Ion:232 Resp: 34636




Ion Ratio Lower Upper


232 100

131 43.7 37.0 55.6

130 2.3 1.9 2.9

166 29.5 24.2 36.2









#60
Diethylphthalate
Concen: 5.583 ng
RT: 10.339 min Scan# 1402
Delta R.T. -0.012 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:149 Resp: 141466
Ion Ratio Lower Upper
149 100
177 22.0 17.9 26.9
150 12.0 10.1 15.1



#61
4-Chlorophenyl-phenylether
Concen: 6.033 ng
RT: 10.469 min Scan# 1424
Delta R.T. 0.000 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55

Tgt Ion:204 Resp: 72331
Ion Ratio Lower Upper
204 100
206 33.3 26.3 39.5
141 56.2 48.6 73.0









#62
4-Nitroaniline
Concen: 4.731 ng
RT: 10.469 min Scan# 1427
Delta R.T. -0.017 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:138 Resp: 25747
Ion Ratio Lower Upper
138 100
92 57.8 35.7 75.7
108 81.3 57.5 97.5



#63
Azobenzene
Concen: 5.627 ng
RT: 10.622 min Scan# 1450
Delta R.T. -0.006 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55

Tgt Ion: 77 Resp: 151158
Ion Ratio Lower Upper
77 100
182 23.2 3.3 43.3
105 21.5 1.2 41.2
51 32.4 13.3 53.3





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.410 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:188 Resp: 741430

Ion Ratio Lower Upper

188 100

94 10.2 7.9 11.9

80 11.4 9.0 13.4



#66

n-Nitrosodiphenylamine

Concen: 5.609 ng

RT: 10.581 min Scan# 1443

Delta R.T. -0.006 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55




Tgt Ion:169 Resp: 124472


Ion Ratio Lower Upper

169 100

168 61.9 49.8 74.6

167 35.0 28.0 42.0









#67
4-Bromophenyl-phenylether
Concen: 5.591 ng
RT: 10.957 min Scan# 1507
Delta R.T. 0.000 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55




Instrument :
BNA_F
ClientSampleId :
SSTDIC005


Tgt Ion:248 Resp: 42707
Ion Ratio Lower Upper
248 100
250 93.5 79.0 118.6
141 71.1 61.7 92.5



#68
Hexachlorobenzene
Concen: 5.575 ng
RT: 11.016 min Scan# 1517
Delta R.T. -0.006 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55

Tgt Ion:284 Resp: 47895
Ion Ratio Lower Upper
284 100
142 35.4 26.9 40.3
249 31.8 25.3 37.9





#69

Atrazine

Concen: 5.835 ng

RT: 11.104 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:200 Resp: 35075

Ion Ratio Lower Upper

200 100

173 26.4 7.7 47.7

215 48.2 27.7 67.7



#70

Pentachlorophenol

Concen: 4.178 ng

RT: 11.210 min Scan# 1550

Delta R.T. 0.000 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55




Tgt Ion:266 Resp: 21781


Ion Ratio Lower Upper

266 100

268 68.6 50.4 75.6

264 68.9 50.6 75.8









#71
Phenanthrene
Concen: 5.931 ng
RT: 11.433 min Scan# 1589
Delta R.T. -0.006 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:178 Resp: 207716
Ion Ratio Lower Upper
178 100
176 18.6 15.8 23.6
179 14.9 12.6 18.8



#72
Anthracene
Concen: 5.871 ng
RT: 11.486 min Scan# 1597
Delta R.T. -0.006 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55

Tgt Ion:178 Resp: 200621
Ion Ratio Lower Upper
178 100
176 18.4 15.3 22.9
179 15.0 12.4 18.6









#73
 Carbazole
 Concen: 5.845 ng
 RT: 11.639 min Scan# 1623
 Delta R.T. 0.000 min
 Lab File: BF139845.D
 Acq: 18 Oct 2024 10:55




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC005


Tgt Ion:167 Resp: 185743
 Ion Ratio Lower Upper
 167 100
 166 21.4 17.0 25.6
 139 12.7 10.8 16.2



#74
 Di-n-butylphthalate
 Concen: 5.574 ng
 RT: 11.975 min Scan# 1680
 Delta R.T. 0.000 min
 Lab File: BF139845.D
 Acq: 18 Oct 2024 10:55

Tgt Ion:149 Resp: 204647
 Ion Ratio Lower Upper
 149 100
 150 8.9 7.5 11.3
 104 5.0 4.1 6.1





#75

Fluoranthene

Concen: 6.017 ng

RT: 12.622 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:202 Resp: 213038

Ion Ratio Lower Upper

202 100

101 12.2 0.0 31.9

203 17.5 0.0 37.5



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.051 min Scan# 2033

Delta R.T. 0.000 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55




Tgt Ion:240 Resp: 477223


Ion Ratio Lower Upper

240 100

120 11.1 9.4 14.2

236 26.2 20.9 31.3









#77
Benzidine
Concen: 7.022 ng
RT: 12.745 min Scan# 1811
Delta R.T. 0.000 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:184 Resp: 54501
Ion Ratio Lower Upper
184 100
185 15.5 12.0 18.0
183 11.4 9.4 14.2



#78
Pyrene
Concen: 5.404 ng
RT: 12.851 min Scan# 1829
Delta R.T. -0.006 min
Lab File: BF139845.D
Acq: 18 Oct 2024 10:55

Tgt Ion:202 Resp: 225742
Ion Ratio Lower Upper
202 100
200 21.3 17.2 25.8
203 17.4 14.2 21.4





#79

Terphenyl-d14

Concen: 11.248 ng

RT: 12.992 min Scan# 1853

Delta R.T. -0.006 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:244 Resp: 329424

Ion Ratio Lower Upper

244 100

212 7.0 5.7 8.5

122 11.6 8.6 13.0



#80

Butylbenzylphthalate

Concen: 4.671 ng

RT: 13.474 min Scan# 1935

Delta R.T. 0.000 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55




Tgt Ion:149 Resp: 58502


Ion Ratio Lower Upper

149 100

91 74.4 59.4 89.2

206 20.3 16.4 24.6





#81

Benzo(a)anthracene

Concen: 5.473 ng

RT: 14.039 min Scan# 2031

Delta R.T. 0.000 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:228 Resp: 170026

Ion Ratio Lower Upper

228 100

226 26.6 21.6 32.4

229 19.9 16.1 24.1



#82

3,3'-Dichlorobenzidine

Concen: 4.851 ng

RT: 14.004 min Scan# 2025

Delta R.T. 0.000 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55




Tgt Ion:252 Resp: 43937


Ion Ratio Lower Upper

252 100

254 63.3 50.8 76.2

126 11.1 8.9 13.3





#83

Chrysene

Concen: 5.551 ng

RT: 14.074 min Scan# 2037

Delta R.T. -0.006 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:228 Resp: 158121

Ion Ratio Lower Upper

228 100

226 29.3 24.1 36.1

229 18.6 15.8 23.6



#84

Bis(2-ethylhexyl)phthalate

Concen: 4.419 ng

RT: 14.033 min Scan# 2030

Delta R.T. 0.000 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55




Tgt Ion:149 Resp: 62085


Ion Ratio Lower Upper

149 100

167 24.8 21.4 32.0

279 3.7 3.0 4.4





#86

Perylene-d12

Concen: 20.000 ng

RT: 15.527 min Scan# 21

Delta R.T. 0.000 min

Lab File: BF139845.D


Acq: 18 Oct 2024 10:55

Instrument :

BNA_F

ClientSampleId :

SSTDICC005






Tgt Ion:264 Resp: 377685

Ion Ratio Lower Upper

264 100

260 24.5 19.4 29.2

265 21.5 17.4 26.0



#87

Indeno(1,2,3-cd)pyrene

Concen: 4.699 ng

RT: 17.010 min Scan# 2536

Delta R.T. -0.012 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55




Tgt Ion:276 Resp: 114185


Ion Ratio Lower Upper

276 100

138 27.1 20.4 30.6

277 25.3 20.2 30.4





#88

Benzo(b)fluoranthene

Concen: 5.405 ng

RT: 15.092 min Scan# 21

Delta R.T. -0.006 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:252 Resp: 124353

Ion Ratio Lower Upper

252 100

253 22.2 17.6 26.4

125 9.7 7.9 11.9



#89

Benzo(k)fluoranthene

Concen: 5.772 ng

RT: 15.121 min Scan# 2215

Delta R.T. -0.006 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55




Tgt Ion:252 Resp: 114525


Ion Ratio Lower Upper

252 100

253 21.4 17.6 26.4

125 10.0 7.9 11.9





#90

Benzo(a)pyrene

Concen: 5.137 ng

RT: 15.463 min Scan# 21

Delta R.T. -0.006 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:252 Resp: 97243

Ion Ratio Lower Upper

252 100

253 21.6 17.3 25.9

125 10.9 8.7 13.1



#91

Dibenzo(a,h)anthracene

Concen: 4.757 ng

RT: 17.033 min Scan# 2540

Delta R.T. -0.012 min

Lab File: BF139845.D

Acq: 18 Oct 2024 10:55




Tgt Ion:278 Resp: 96416


Ion Ratio Lower Upper

278 100

139 16.6 13.1 19.7


279 24.4 19.0 28.4





#92
 Benzo(g,h,i)perylene
 Concen: 4.805 ng
 RT: 17.457 min Scan# 20
 Delta R.T. -0.023 min
 Lab File: BF139845.D
 Acq: 18 Oct 2024 10:55

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC005



Tgt Ion:	276	Resp:	97292
Ion	Ratio	Lower	Upper
276	100		
277	23.1	19.0	28.6
138	21.3	17.4	26.0

