

Report of Analysis

Client:	ENTACT	Date Collected:	10/23/24
Project:	North Point	Date Received:	10/23/24
Client Sample ID:	EX-5-TPH-3	SDG No.:	P4518
Lab Sample ID:	P4518-03	Matrix:	SOIL
Analytical Method:	8015D DRO	% Solid:	84.1
Sample Wt/Vol:	30.1	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Final Vol:	1
GPC Factor :		PH :	
Prep Method :	SW3541	Decanted:	
		Test:	Diesel Range Organics
		Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FF014782.D	20	10/24/24 11:10	10/25/24 10:22	PB164381

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
DRO	DRO	559000		4380	39500	ug/kg
SURROGATES						
16416-32-3	Tetracosane-d50	0.59		37 - 130	59%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit