

SOP ID : MSM4500-NH3 B,G-Ammonia-17

SDG No : N/A

Start Digest Date: 10/28/2024 Time : 10:00 Temp : 150 °C

Matrix : SOIL

End Digest Date: 10/28/2024 Time : 11:00 Temp : 160 °C

Pipette ID : WC

Balance ID : WC SC-4

Hood ID : HOOD#2

Digestion tube ID : M5595

Block Thermometer ID : WC CYANIDE

Block ID : WC-DIST-BLOCK-1

Filter paper ID : N/A

Prep Technician Signature: RM

Weigh By : RM

pH Meter ID : N/A

Supervisor Signature: 12

Standard Name	MLS USED	STD REF. # FROM LOG
LCSS	1.0ML	WP110181
MS/MSD SPIKE SOL.	1.0ML	WP110180
PBS003	50.0ML	W3112
RL CHECK	N/A	AS PER PB164383
MDL	0.8ML	WP110449

Chemical Used	ML/SAMPLE USED	Lot Number
BORATE BUFFER	2.5ML	WP108708
NAOH 6N	0.5-2.0ML	WP108660
H2SO4 0.04N	5.0ML	WP110335
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

REAGENT WP108814 ALL GLASSWEAR ARE STEAMED OUT AND THERE WERE NO TRACE OF AMMONIA USING NESLER

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
10/28/2024 11:10	RM CWC	RM CWC
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
P4368-03	MDL-SOIL-03-QT4-2024	1.00	50	N/A	N/A	N/A	N/A	N/A	N/A
PB164463BL	PBS463	1.00	50	N/A	N/A	N/A	N/A	N/A	N/A
PB164463BS	LCS463	1.00	50	N/A	N/A	N/A	N/A	N/A	N/A