

## Cover Page

**Order ID :** P4548

**Project ID :** Ansonia Landfill 2024

**Client :** Lockwood, Kessler & Bartlett, Inc.

### Lab Sample Number

P4548-01  
P4548-02  
P4548-03  
P4548-04  
P4548-05  
P4548-06  
P4548-07  
P4548-08  
P4548-09

### Client Sample Number

MW-1  
MW-1  
MW-2  
MW-2  
MW-3  
MW-3  
MW-4  
MW-4  
TRIP BLANK

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : \_\_\_\_\_

Date: 11/5/2024

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

## DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following "Results Qualifiers" are used:

|       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Value | If the result is a value greater than or equal to the detection limit, report the value                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| U     | Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10 U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.                                                                                                                                                                                                                                 |
| ND    | Indicates the analyte was analyzed for, but not detected                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| J     | Indicates an estimated value. This flag is used:<br>(1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.)<br>(2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others. |
| B     | Indicates the analyte was found in the blank as well as the sample report as "12 B".                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| E     | Indicates the analyte 's concentration exceeds the calibrated range of the instrument for that specific analysis.                                                                                                                                                                                                                                                                                                                                                                                                                         |
| D     | This flag identifies all compounds identified in an analysis at a secondary dilution factor.                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| P     | This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a "P".                                                                                                                                                                                                                                                                                                                        |
| N     | This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.                                                                                                                                                                                                                  |
| A     | This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Q     | Indicates the LCS did not meet the control limits requirements                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

**APPENDIX A**

**QA REVIEW GENERAL DOCUMENTATION**

Project #: P4548

Completed

For thorough review, the report must have the following:

**GENERAL:**

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

**COVER PAGE:**

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

**CHAIN OF CUSTODY:**

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

**ANALYTICAL:**

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: KETAN PATEL

Date: 11/05/2024

## LAB CHRONICLE

|                 |                                    |                   |                       |
|-----------------|------------------------------------|-------------------|-----------------------|
| <b>OrderID:</b> | P4548                              | <b>OrderDate:</b> | 10/24/2024 3:18:00 PM |
| <b>Client:</b>  | Lockwood, Kessler & Bartlett, Inc. | <b>Project:</b>   | Ansonia Landfill 2024 |
| <b>Contact:</b> | John Gerlach                       | <b>Location:</b>  | K11,VOA Ref. #3 Water |

| LabID    | ClientID   | Matrix | Test         | Method   | Sample Date | Prep Date | Anal Date | Received |
|----------|------------|--------|--------------|----------|-------------|-----------|-----------|----------|
| P4548-01 | MW-1       | Water  | VOCMS Group1 | 8260-Low | 10/23/24    |           | 10/29/24  | 10/23/24 |
| P4548-03 | MW-2       | Water  | VOCMS Group1 | 8260-Low | 10/23/24    |           | 10/29/24  | 10/23/24 |
| P4548-05 | MW-3       | Water  | VOCMS Group1 | 8260-Low | 10/23/24    |           | 10/29/24  | 10/23/24 |
| P4548-07 | MW-4       | Water  | VOCMS Group1 | 8260-Low | 10/23/24    |           | 10/29/24  | 10/23/24 |
| P4548-09 | TRIP BLANK | Water  | VOCMS Group1 | 8260-Low | 10/23/24    |           | 10/29/24  | 10/23/24 |

**Hit Summary Sheet**  
**SW-846**

**SDG No.:** P4548

**Client:** Lockwood, Kessler & Bartlett, Inc.

| Sample ID         | Client ID         | Matrix | Parameter                   | Concentration | C | MDL  | RDL  | Units |
|-------------------|-------------------|--------|-----------------------------|---------------|---|------|------|-------|
| <b>Client ID:</b> | <b>MW-1</b>       |        |                             |               |   |      |      |       |
| P4548-01          | MW-1              | Water  | Acetone                     | 1.80          | J | 1.40 | 5.00 | ug/L  |
|                   |                   |        | <b>Total Voc :</b>          | 1.80          |   |      |      |       |
|                   |                   |        | <b>Total Concentration:</b> | 1.80          |   |      |      |       |
| <b>Client ID:</b> | <b>MW-2</b>       |        |                             |               |   |      |      |       |
| P4548-03          | MW-2              | Water  | Vinyl Chloride              | 0.60          | J | 0.34 | 1.00 | ug/L  |
| P4548-03          | MW-2              | Water  | Acetone                     | 2.10          | J | 1.40 | 5.00 | ug/L  |
| P4548-03          | MW-2              | Water  | cis-1,2-Dichloroethene      | 0.90          | J | 0.25 | 1.00 | ug/L  |
| P4548-03          | MW-2              | Water  | Chlorobenzene               | 0.86          | J | 0.13 | 1.00 | ug/L  |
|                   |                   |        | <b>Total Voc :</b>          | 4.46          |   |      |      |       |
|                   |                   |        | <b>Total Concentration:</b> | 4.46          |   |      |      |       |
| <b>Client ID:</b> | <b>MW-3</b>       |        |                             |               |   |      |      |       |
| P4548-05          | MW-3              | Water  | Acetone                     | 1.80          | J | 1.40 | 5.00 | ug/L  |
|                   |                   |        | <b>Total Voc :</b>          | 1.80          |   |      |      |       |
|                   |                   |        | <b>Total Concentration:</b> | 1.80          |   |      |      |       |
| <b>Client ID:</b> | <b>MW-4</b>       |        |                             |               |   |      |      |       |
| P4548-07          | MW-4              | Water  | Acetone                     | 2.00          | J | 1.40 | 5.00 | ug/L  |
| P4548-07          | MW-4              | Water  | Chlorobenzene               | 0.28          | J | 0.13 | 1.00 | ug/L  |
|                   |                   |        | <b>Total Voc :</b>          | 2.28          |   |      |      |       |
|                   |                   |        | <b>Total Concentration:</b> | 2.28          |   |      |      |       |
| <b>Client ID:</b> | <b>TRIP BLANK</b> |        |                             |               |   |      |      |       |
| P4548-09          | TRIP BLANK        | Water  | Acetone                     | 1.60          | J | 1.40 | 5.00 | ug/L  |
| P4548-09          | TRIP BLANK        | Water  | Methylene Chloride          | 0.36          | J | 0.32 | 1.00 | ug/L  |
|                   |                   |        | <b>Total Voc :</b>          | 1.96          |   |      |      |       |
|                   |                   |        | <b>Total Concentration:</b> | 1.96          |   |      |      |       |



# QC SUMMARY

### Surrogate Summary

SDG No.: **P4548**

Client: **Lockwood, Kessler & Bartlett, Inc.**

Analytical Method: **SW8260-Low**

| Lab Sample ID | Client ID    | Parameter             | Spike | Result | RecoveryQual | Limits |      |
|---------------|--------------|-----------------------|-------|--------|--------------|--------|------|
|               |              |                       |       |        |              | Low    | High |
| P4548-01      | MW-1         | 1,2-Dichloroethane-d4 | 50    | 43.8   | 88           | 74     | 125  |
|               |              | Dibromofluoromethane  | 50    | 44.8   | 90           | 75     | 124  |
|               |              | Toluene-d8            | 50    | 49.8   | 100          | 86     | 113  |
|               |              | 4-Bromofluorobenzene  | 50    | 48.3   | 97           | 77     | 121  |
| P4548-03      | MW-2         | 1,2-Dichloroethane-d4 | 50    | 42.8   | 86           | 74     | 125  |
|               |              | Dibromofluoromethane  | 50    | 45.9   | 92           | 75     | 124  |
|               |              | Toluene-d8            | 50    | 49.7   | 99           | 86     | 113  |
|               |              | 4-Bromofluorobenzene  | 50    | 47.7   | 95           | 77     | 121  |
| P4548-05      | MW-3         | 1,2-Dichloroethane-d4 | 50    | 42.5   | 85           | 74     | 125  |
|               |              | Dibromofluoromethane  | 50    | 45.4   | 91           | 75     | 124  |
|               |              | Toluene-d8            | 50    | 50.2   | 100          | 86     | 113  |
|               |              | 4-Bromofluorobenzene  | 50    | 48.8   | 98           | 77     | 121  |
| P4548-07      | MW-4         | 1,2-Dichloroethane-d4 | 50    | 43.3   | 87           | 74     | 125  |
|               |              | Dibromofluoromethane  | 50    | 46.0   | 92           | 75     | 124  |
|               |              | Toluene-d8            | 50    | 49.6   | 99           | 86     | 113  |
|               |              | 4-Bromofluorobenzene  | 50    | 47.4   | 95           | 77     | 121  |
| P4548-09      | TRIP BLANK   | 1,2-Dichloroethane-d4 | 50    | 44.4   | 89           | 74     | 125  |
|               |              | Dibromofluoromethane  | 50    | 45.6   | 91           | 75     | 124  |
|               |              | Toluene-d8            | 50    | 49.8   | 100          | 86     | 113  |
|               |              | 4-Bromofluorobenzene  | 50    | 47.5   | 95           | 77     | 121  |
| VX1029WBL01   | VX1029WBL01  | 1,2-Dichloroethane-d4 | 50    | 43.4   | 87           | 74     | 125  |
|               |              | Dibromofluoromethane  | 50    | 45.5   | 91           | 75     | 124  |
|               |              | Toluene-d8            | 50    | 50.5   | 101          | 86     | 113  |
|               |              | 4-Bromofluorobenzene  | 50    | 50.6   | 101          | 77     | 121  |
| VX1029WBS01   | VX1029WBS01  | 1,2-Dichloroethane-d4 | 50    | 42.1   | 84           | 74     | 125  |
|               |              | Dibromofluoromethane  | 50    | 46.6   | 93           | 75     | 124  |
|               |              | Toluene-d8            | 50    | 48.3   | 97           | 86     | 113  |
|               |              | 4-Bromofluorobenzene  | 50    | 47.0   | 94           | 77     | 121  |
| VX1029WBSD0   | VX1029WBSD01 | 1,2-Dichloroethane-d4 | 50    | 42.9   | 86           | 74     | 125  |
|               |              | Dibromofluoromethane  | 50    | 47.2   | 94           | 75     | 124  |
|               |              | Toluene-d8            | 50    | 50.0   | 100          | 86     | 113  |
|               |              | 4-Bromofluorobenzene  | 50    | 50.0   | 100          | 77     | 121  |

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: P4548

Client: Lockwood, Kessler & Bartlett, Inc.

Analytical Method: SW8260-Low

Datafile : VX043586.D

| Lab Sample ID | Parameter                   | Spike | Result | Unit | Rec | RPD | Qual | Low | Limits<br>High | RPD |
|---------------|-----------------------------|-------|--------|------|-----|-----|------|-----|----------------|-----|
| VX1029WBS01   | Vinyl chloride              | 20    | 18.2   | ug/L | 91  |     |      | 65  | 117            |     |
|               | Chloroethane                | 20    | 19.0   | ug/L | 95  |     |      | 56  | 128            |     |
|               | Trichlorofluoromethane      | 20    | 20.7   | ug/L | 104 |     |      | 73  | 115            |     |
|               | 1,1-Dichloroethene          | 20    | 19.4   | ug/L | 97  |     |      | 74  | 110            |     |
|               | Acrylonitrile               | 100   | 85.2   | ug/L | 85  |     |      | 73  | 113            |     |
|               | Acetone                     | 100   | 92.3   | ug/L | 92  |     |      | 60  | 125            |     |
|               | Carbon disulfide            | 20    | 18.2   | ug/L | 91  |     |      | 64  | 112            |     |
|               | Methylene Chloride          | 20    | 17.1   | ug/L | 86  |     |      | 72  | 114            |     |
|               | Vinyl Acetate               | 100   | 89.3   | ug/L | 89  |     |      | 76  | 115            |     |
|               | 2-Butanone                  | 100   | 86.1   | ug/L | 86  |     |      | 65  | 122            |     |
|               | Carbon Tetrachloride        | 20    | 20.1   | ug/L | 101 |     |      | 77  | 113            |     |
|               | cis-1,2-Dichloroethene      | 20    | 18.4   | ug/L | 92  |     |      | 77  | 110            |     |
|               | Bromochloromethane          | 20    | 17.5   | ug/L | 88  |     |      | 70  | 124            |     |
|               | Chloroform                  | 20    | 18.1   | ug/L | 91  |     |      | 79  | 113            |     |
|               | 1,1,1-Trichloroethane       | 20    | 19.4   | ug/L | 97  |     |      | 80  | 108            |     |
|               | Benzene                     | 20    | 18.9   | ug/L | 95  |     |      | 82  | 109            |     |
|               | 1,2-Dichloropropane         | 20    | 18.2   | ug/L | 91  |     |      | 83  | 111            |     |
|               | Dibromomethane              | 20    | 17.9   | ug/L | 90  |     |      | 82  | 110            |     |
|               | Bromodichloromethane        | 20    | 18.3   | ug/L | 92  |     |      | 83  | 110            |     |
|               | 4-Methyl-2-Pentanone        | 100   | 90.2   | ug/L | 90  |     |      | 74  | 118            |     |
|               | Toluene                     | 20    | 19.9   | ug/L | 100 |     |      | 82  | 110            |     |
|               | t-1,3-Dichloropropene       | 20    | 17.7   | ug/L | 89  |     |      | 79  | 110            |     |
|               | cis-1,3-Dichloropropene     | 20    | 19.5   | ug/L | 98  |     |      | 82  | 110            |     |
|               | 2-Hexanone                  | 100   | 91.2   | ug/L | 91  |     |      | 73  | 117            |     |
|               | Dibromochloromethane        | 20    | 18.7   | ug/L | 94  |     |      | 82  | 110            |     |
|               | 1,2-Dibromoethane           | 20    | 18.5   | ug/L | 93  |     |      | 81  | 110            |     |
|               | Tetrachloroethene           | 20    | 21.2   | ug/L | 106 |     |      | 67  | 123            |     |
|               | Chlorobenzene               | 20    | 19.4   | ug/L | 97  |     |      | 82  | 109            |     |
|               | 1,1,1,2-Tetrachloroethane   | 20    | 19.7   | ug/L | 99  |     |      | 84  | 111            |     |
|               | Ethyl Benzene               | 20    | 20.2   | ug/L | 101 |     |      | 83  | 109            |     |
|               | m/p-Xylenes                 | 40    | 40.6   | ug/L | 102 |     |      | 82  | 110            |     |
|               | o-Xylene                    | 20    | 20.1   | ug/L | 101 |     |      | 83  | 109            |     |
|               | Styrene                     | 20    | 20.2   | ug/L | 101 |     |      | 80  | 111            |     |
|               | Bromoform                   | 20    | 17.8   | ug/L | 89  |     |      | 79  | 109            |     |
|               | 1,1,2,2-Tetrachloroethane   | 20    | 18.5   | ug/L | 93  |     |      | 76  | 118            |     |
|               | 1,2,3-Trichloropropane      | 20    | 17.8   | ug/L | 89  |     |      | 75  | 112            |     |
|               | 1,4-Dichlorobenzene         | 20    | 19.3   | ug/L | 97  |     |      | 82  | 107            |     |
|               | 1,2-Dichlorobenzene         | 20    | 19.3   | ug/L | 97  |     |      | 82  | 109            |     |
|               | 1,2-Dibromo-3-Chloropropane | 20    | 16.5   | ug/L | 83  |     |      | 68  | 112            |     |
|               | Methyl iodide               | 20    | 18.7   | ug/L | 94  |     |      | 70  | 130            |     |
|               | trans-1,4-Dichloro-2-butene | 20    | 17.9   | ug/L | 90  |     |      | 79  | 102            |     |

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: P4548

Client: Lockwood, Kessler & Bartlett, Inc.

Analytical Method: SW8260-Low

Datafile : VX043587.D

| Lab Sample ID | Parameter                   | Spike | Result | Unit | Rec | RPD | Qual | Low | Limits<br>High | RPD |
|---------------|-----------------------------|-------|--------|------|-----|-----|------|-----|----------------|-----|
| VX1029WBSD01  | Vinyl chloride              | 20    | 18.1   | ug/L | 91  | 0   |      | 65  | 117            | 20  |
|               | Chloroethane                | 20    | 18.9   | ug/L | 95  | 0   |      | 56  | 128            | 20  |
|               | Trichlorofluoromethane      | 20    | 20.6   | ug/L | 103 | 1   |      | 73  | 115            | 20  |
|               | 1,1-Dichloroethene          | 20    | 19.1   | ug/L | 96  | 1   |      | 74  | 110            | 20  |
|               | Acrylonitrile               | 100   | 90.3   | ug/L | 90  | 6   |      | 73  | 113            | 20  |
|               | Acetone                     | 100   | 95.8   | ug/L | 96  | 4   |      | 60  | 125            | 20  |
|               | Carbon disulfide            | 20    | 18.1   | ug/L | 91  | 0   |      | 64  | 112            | 20  |
|               | Methylene Chloride          | 20    | 17.0   | ug/L | 85  | 1   |      | 72  | 114            | 20  |
|               | Vinyl Acetate               | 100   | 92.3   | ug/L | 92  | 3   |      | 76  | 115            | 20  |
|               | 2-Butanone                  | 100   | 91.3   | ug/L | 91  | 6   |      | 65  | 122            | 20  |
|               | Carbon Tetrachloride        | 20    | 20.0   | ug/L | 100 | 1   |      | 77  | 113            | 20  |
|               | cis-1,2-Dichloroethene      | 20    | 18.6   | ug/L | 93  | 1   |      | 77  | 110            | 20  |
|               | Bromochloromethane          | 20    | 18.8   | ug/L | 94  | 7   |      | 70  | 124            | 20  |
|               | Chloroform                  | 20    | 18.3   | ug/L | 92  | 1   |      | 79  | 113            | 20  |
|               | 1,1,1-Trichloroethane       | 20    | 19.1   | ug/L | 96  | 1   |      | 80  | 108            | 20  |
|               | Benzene                     | 20    | 19.5   | ug/L | 98  | 3   |      | 82  | 109            | 20  |
|               | 1,2-Dichloropropane         | 20    | 19.1   | ug/L | 96  | 5   |      | 83  | 111            | 20  |
|               | Dibromomethane              | 20    | 19.0   | ug/L | 95  | 5   |      | 82  | 110            | 20  |
|               | Bromodichloromethane        | 20    | 18.9   | ug/L | 95  | 3   |      | 83  | 110            | 20  |
|               | 4-Methyl-2-Pentanone        | 100   | 98.8   | ug/L | 99  | 10  |      | 74  | 118            | 20  |
|               | Toluene                     | 20    | 20.2   | ug/L | 101 | 1   |      | 82  | 110            | 20  |
|               | t-1,3-Dichloropropene       | 20    | 19.1   | ug/L | 96  | 8   |      | 79  | 110            | 20  |
|               | cis-1,3-Dichloropropene     | 20    | 20.1   | ug/L | 101 | 3   |      | 82  | 110            | 20  |
|               | 2-Hexanone                  | 100   | 100    | ug/L | 100 | 9   |      | 73  | 117            | 20  |
|               | Dibromochloromethane        | 20    | 19.6   | ug/L | 98  | 4   |      | 82  | 110            | 20  |
|               | 1,2-Dibromoethane           | 20    | 19.7   | ug/L | 99  | 6   |      | 81  | 110            | 20  |
|               | Tetrachloroethene           | 20    | 21.1   | ug/L | 106 | 0   |      | 67  | 123            | 20  |
|               | Chlorobenzene               | 20    | 19.8   | ug/L | 99  | 2   |      | 82  | 109            | 20  |
|               | 1,1,1,2-Tetrachloroethane   | 20    | 20.7   | ug/L | 104 | 5   |      | 84  | 111            | 20  |
|               | Ethyl Benzene               | 20    | 20.2   | ug/L | 101 | 0   |      | 83  | 109            | 20  |
|               | m/p-Xylenes                 | 40    | 41.9   | ug/L | 105 | 3   |      | 82  | 110            | 20  |
|               | o-Xylene                    | 20    | 20.8   | ug/L | 104 | 3   |      | 83  | 109            | 20  |
|               | Styrene                     | 20    | 20.5   | ug/L | 103 | 2   |      | 80  | 111            | 20  |
|               | Bromoform                   | 20    | 18.8   | ug/L | 94  | 5   |      | 79  | 109            | 20  |
|               | 1,1,2,2-Tetrachloroethane   | 20    | 19.6   | ug/L | 98  | 5   |      | 76  | 118            | 20  |
|               | 1,2,3-Trichloropropane      | 20    | 18.9   | ug/L | 95  | 7   |      | 75  | 112            | 20  |
|               | 1,4-Dichlorobenzene         | 20    | 19.1   | ug/L | 96  | 1   |      | 82  | 107            | 20  |
|               | 1,2-Dichlorobenzene         | 20    | 20.1   | ug/L | 101 | 4   |      | 82  | 109            | 20  |
|               | 1,2-Dibromo-3-Chloropropane | 20    | 18.7   | ug/L | 94  | 12  |      | 68  | 112            | 20  |
|               | Methyl iodide               | 20    | 19.5   | ug/L | 98  | 4   |      | 70  | 130            | 20  |
|               | trans-1,4-Dichloro-2-butene | 20    | 18.5   | ug/L | 93  | 3   |      | 79  | 102            | 20  |

VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VX1029WBL01

Lab Name: CHEMTECH

Contract: LOCK01

Lab Code: CHEM Case No.: P4548

SAS No.: P4548 SDG NO.: P4548

Lab File ID: VX043585.D

Lab Sample ID: VX1029WBL01

Date Analyzed: 10/29/2024

Time Analyzed: 10:31

GC Column: DB-624UI ID: 0.18 (mm)

Heated Purge: (Y/N) N

Instrument ID: MSVOA\_X

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED |
|-------------------|------------------|----------------|------------------|
| VX1029WBS01       | VX1029WBS01      | VX043586.D     | 10/29/2024       |
| VX1029WBSD01      | VX1029WBSD01     | VX043587.D     | 10/29/2024       |
| TRIP BLANK        | P4548-09         | VX043592.D     | 10/29/2024       |
| MW-1              | P4548-01         | VX043593.D     | 10/29/2024       |
| MW-2              | P4548-03         | VX043594.D     | 10/29/2024       |
| MW-3              | P4548-05         | VX043595.D     | 10/29/2024       |
| MW-4              | P4548-07         | VX043596.D     | 10/29/2024       |

COMMENTS: \_\_\_\_\_  
\_\_\_\_\_



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
BROMOFLUOROBENZENE (BFB)

Lab Name: CHEMTECH Contract: LOCK01  
Lab Code: CHEM Case No.: P4548 SAS No.: P4548 SDG NO.: P4548  
Lab File ID: VX043555.D BFB Injection Date: 10/28/2024  
Instrument ID: MSVOA\_X BFB Injection Time: 10:09  
GC Column: DB-624UI ID: 0.18 (mm) Heated Purge: Y/N N

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 50  | 15.0 - 40.0% of mass 95            | 17.8                 |
| 75  | 30.0 - 60.0% of mass 95            | 50.9                 |
| 95  | Base Peak, 100% relative abundance | 100                  |
| 96  | 5.0 - 9.0% of mass 95              | 6.7                  |
| 173 | Less than 2.0% of mass 174         | 0.8 ( 1.2 ) 1        |
| 174 | 50.0 - 100.0% of mass 95           | 71.2                 |
| 175 | 5.0 - 9.0% of mass 174             | 5.6 ( 7.9 ) 1        |
| 176 | 95.0 - 101.0% of mass 174          | 68.9 ( 96.7 ) 1      |
| 177 | 5.0 - 9.0% of mass 176             | 4.1 ( 6 ) 2          |

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED | TIME<br>ANALYZED |
|-------------------|------------------|----------------|------------------|------------------|
| VSTDIC001         | VSTDIC001        | VX043556.D     | 10/28/2024       | 10:59            |
| VSTDIC005         | VSTDIC005        | VX043557.D     | 10/28/2024       | 11:22            |
| VSTDIC020         | VSTDIC020        | VX043558.D     | 10/28/2024       | 11:45            |
| VSTDIC050         | VSTDIC050        | VX043559.D     | 10/28/2024       | 12:08            |
| VSTDIC100         | VSTDIC100        | VX043560.D     | 10/28/2024       | 12:31            |
| VSTDIC150         | VSTDIC150        | VX043561.D     | 10/28/2024       | 12:54            |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
BROMOFLUOROBENZENE (BFB)

Lab Name: CHEMTECH Contract: LOCK01  
Lab Code: CHEM Case No.: P4548 SAS No.: P4548 SDG NO.: P4548  
Lab File ID: VX043582.D BFB Injection Date: 10/29/2024  
Instrument ID: MSVOA\_X BFB Injection Time: 08:30  
GC Column: DB-624UI ID: 0.18 (mm) Heated Purge: Y/N N

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 50  | 15.0 - 40.0% of mass 95            | 16.5                 |
| 75  | 30.0 - 60.0% of mass 95            | 50.1                 |
| 95  | Base Peak, 100% relative abundance | 100                  |
| 96  | 5.0 - 9.0% of mass 95              | 6                    |
| 173 | Less than 2.0% of mass 174         | 0.5 ( 0.7 ) 1        |
| 174 | 50.0 - 100.0% of mass 95           | 73.3                 |
| 175 | 5.0 - 9.0% of mass 174             | 5.5 ( 7.5 ) 1        |
| 176 | 95.0 - 101.0% of mass 174          | 70.5 ( 96.2 ) 1      |
| 177 | 5.0 - 9.0% of mass 176             | 4.7 ( 6.6 ) 2        |

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED | TIME<br>ANALYZED |
|-------------------|------------------|----------------|------------------|------------------|
| VSTDCCC050        | VSTDCCC050       | VX043583.D     | 10/29/2024       | 09:29            |
| VX1029WBL01       | VX1029WBL01      | VX043585.D     | 10/29/2024       | 10:31            |
| VX1029WBS01       | VX1029WBS01      | VX043586.D     | 10/29/2024       | 10:57            |
| VX1029WBSD01      | VX1029WBSD01     | VX043587.D     | 10/29/2024       | 11:20            |
| TRIP BLANK        | P4548-09         | VX043592.D     | 10/29/2024       | 13:19            |
| MW-1              | P4548-01         | VX043593.D     | 10/29/2024       | 13:43            |
| MW-2              | P4548-03         | VX043594.D     | 10/29/2024       | 14:06            |
| MW-3              | P4548-05         | VX043595.D     | 10/29/2024       | 14:29            |
| MW-4              | P4548-07         | VX043596.D     | 10/29/2024       | 14:52            |

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH Contract: LOCK01  
 Lab Code: CHEM Case No.: P4548 SAS No.: P4548 SDG NO.: P4548  
 Lab File ID: VX043583.D Date Analyzed: 10/29/2024  
 Instrument ID: MSVOA\_X Time Analyzed: 09:29  
 GC Column: DB-624UI ID: 0.18 (mm) Heated Purge: (Y/N) N

|                | IS1<br>AREA # | RT #  | IS2<br>AREA # | RT #  | IS3<br>AREA # | RT #   |
|----------------|---------------|-------|---------------|-------|---------------|--------|
| 12 HOUR STD    | 185040        | 5.54  | 317661        | 6.76  | 277122        | 10.06  |
| UPPER LIMIT    | 370080        | 6.044 | 635322        | 7.257 | 554244        | 10.555 |
| LOWER LIMIT    | 92520         | 5.044 | 158831        | 6.257 | 138561        | 9.555  |
| EPA SAMPLE NO. |               |       |               |       |               |        |
| MW-1           | 142471        | 5.55  | 263505        | 6.76  | 232626        | 10.06  |
| MW-2           | 149761        | 5.55  | 275286        | 6.76  | 240367        | 10.06  |
| MW-3           | 141379        | 5.55  | 261836        | 6.76  | 233166        | 10.06  |
| MW-4           | 145951        | 5.55  | 270530        | 6.76  | 234106        | 10.06  |
| TRIP BLANK     | 160173        | 5.55  | 298248        | 6.76  | 258594        | 10.06  |
| VX1029WBL01    | 160199        | 5.55  | 295395        | 6.76  | 265502        | 10.06  |
| VX1029WBS01    | 202431        | 5.54  | 352202        | 6.76  | 294857        | 10.06  |
| VX1029WBSD01   | 180366        | 5.55  | 312050        | 6.76  | 270005        | 10.06  |

IS1 = Pentafluorobenzene  
 IS2 = 1,4-Difluorobenzene  
 IS3 = Chlorobenzene-d5

AREA UPPER LIMIT = +100% of internal standard area  
 AREA LOWER LIMIT = -50% of internal standard area  
 RT UPPER LIMIT = +0.50 minutes of internal standard RT  
 RT LOWER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.  
 \* Values outside of QC limits.

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH Contract: LOCK01  
 Lab Code: CHEM Case No.: P4548 SAS No.: P4548 SDG NO.: P4548  
 Lab File ID: VX043583.D Date Analyzed: 10/29/2024  
 Instrument ID: MSVOA\_X Time Analyzed: 09:29  
 GC Column: DB-624UI ID: 0.18 (mm) Heated Purge: (Y/N) N

|                | IS4<br>AREA # | RT #   |  |  |  |  |
|----------------|---------------|--------|--|--|--|--|
| 12 HOUR STD    | 136145        | 12.018 |  |  |  |  |
| UPPER LIMIT    | 272290        | 12.518 |  |  |  |  |
| LOWER LIMIT    | 68072.5       | 11.518 |  |  |  |  |
| EPA SAMPLE NO. |               |        |  |  |  |  |
| MW-1           | 102053        | 12.02  |  |  |  |  |
| MW-2           | 106864        | 12.02  |  |  |  |  |
| MW-3           | 104208        | 12.02  |  |  |  |  |
| MW-4           | 105382        | 12.02  |  |  |  |  |
| TRIP BLANK     | 115532        | 12.02  |  |  |  |  |
| VX1029WBL01    | 128354        | 12.02  |  |  |  |  |
| VX1029WBS01    | 142936        | 12.02  |  |  |  |  |
| VX1029WBSD01   | 131226        | 12.02  |  |  |  |  |

IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT LOWER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.



# SAMPLE DATA

## Report of Analysis

|                    |                                    |                 |          |
|--------------------|------------------------------------|-----------------|----------|
| Client:            | Lockwood, Kessler & Bartlett, Inc. | Date Collected: | 10/23/24 |
| Project:           | Ansonia Landfill 2024              | Date Received:  | 10/23/24 |
| Client Sample ID:  | MW-1                               | SDG No.:        | P4548    |
| Lab Sample ID:     | P4548-01                           | Matrix:         | Water    |
| Analytical Method: | SW8260                             | % Solid:        | 0        |
| Sample Wt/Vol:     | 5                                  | Units:          | mL       |
| Soil Aliquot Vol:  |                                    |                 | uL       |
| GC Column:         | DB-624UI                           | ID :            | 0.18     |
| Prep Method :      |                                    | Level :         | LOW      |

| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
|-------------------|-----------|-----------|----------------|---------------|
| VX043593.D        | 1         |           | 10/29/24 13:43 | VX102924      |

| CAS Number | Parameter                 | Conc. | Qualifier | MDL  | LOQ / CRQL | Units |
|------------|---------------------------|-------|-----------|------|------------|-------|
| TARGETS    |                           |       |           |      |            |       |
| 75-01-4    | Vinyl Chloride            | 0.34  | U         | 0.34 | 1.00       | ug/L  |
| 75-00-3    | Chloroethane              | 0.56  | U         | 0.56 | 1.00       | ug/L  |
| 75-69-4    | Trichlorofluoromethane    | 0.34  | U         | 0.34 | 1.00       | ug/L  |
| 75-35-4    | 1,1-Dichloroethene        | 0.26  | U         | 0.26 | 1.00       | ug/L  |
| 107-13-1   | Acrylonitrile             | 0.90  | U         | 0.90 | 5.00       | ug/L  |
| 67-64-1    | Acetone                   | 1.80  | J         | 1.40 | 5.00       | ug/L  |
| 75-15-0    | Carbon Disulfide          | 0.32  | U         | 0.32 | 1.00       | ug/L  |
| 75-09-2    | Methylene Chloride        | 0.32  | U         | 0.32 | 1.00       | ug/L  |
| 108-05-4   | Vinyl Acetate             | 0.71  | U         | 0.71 | 5.00       | ug/L  |
| 78-93-3    | 2-Butanone                | 1.30  | U         | 1.30 | 5.00       | ug/L  |
| 56-23-5    | Carbon Tetrachloride      | 0.25  | U         | 0.25 | 1.00       | ug/L  |
| 156-59-2   | cis-1,2-Dichloroethene    | 0.25  | U         | 0.25 | 1.00       | ug/L  |
| 74-97-5    | Bromochloromethane        | 0.18  | U         | 0.18 | 1.00       | ug/L  |
| 67-66-3    | Chloroform                | 0.26  | U         | 0.26 | 1.00       | ug/L  |
| 71-55-6    | 1,1,1-Trichloroethane     | 0.19  | U         | 0.19 | 1.00       | ug/L  |
| 71-43-2    | Benzene                   | 0.16  | U         | 0.16 | 1.00       | ug/L  |
| 78-87-5    | 1,2-Dichloropropane       | 0.19  | U         | 0.19 | 1.00       | ug/L  |
| 74-95-3    | Dibromomethane            | 0.23  | U         | 0.23 | 1.00       | ug/L  |
| 75-27-4    | Bromodichloromethane      | 0.24  | U         | 0.24 | 1.00       | ug/L  |
| 108-10-1   | 4-Methyl-2-Pentanone      | 0.75  | U         | 0.75 | 5.00       | ug/L  |
| 108-88-3   | Toluene                   | 0.18  | U         | 0.18 | 1.00       | ug/L  |
| 10061-02-6 | t-1,3-Dichloropropene     | 0.21  | U         | 0.21 | 1.00       | ug/L  |
| 10061-01-5 | cis-1,3-Dichloropropene   | 0.18  | U         | 0.18 | 1.00       | ug/L  |
| 591-78-6   | 2-Hexanone                | 1.10  | U         | 1.10 | 5.00       | ug/L  |
| 124-48-1   | Dibromochloromethane      | 0.18  | U         | 0.18 | 1.00       | ug/L  |
| 106-93-4   | 1,2-Dibromoethane         | 0.16  | U         | 0.16 | 1.00       | ug/L  |
| 127-18-4   | Tetrachloroethene         | 0.25  | U         | 0.25 | 1.00       | ug/L  |
| 108-90-7   | Chlorobenzene             | 0.13  | U         | 0.13 | 1.00       | ug/L  |
| 630-20-6   | 1,1,1,2-Tetrachloroethane | 0.21  | U         | 0.21 | 1.00       | ug/L  |
| 100-41-4   | Ethyl Benzene             | 0.16  | U         | 0.16 | 1.00       | ug/L  |

## Report of Analysis

|                    |                                    |                 |          |
|--------------------|------------------------------------|-----------------|----------|
| Client:            | Lockwood, Kessler & Bartlett, Inc. | Date Collected: | 10/23/24 |
| Project:           | Ansonia Landfill 2024              | Date Received:  | 10/23/24 |
| Client Sample ID:  | MW-1                               | SDG No.:        | P4548    |
| Lab Sample ID:     | P4548-01                           | Matrix:         | Water    |
| Analytical Method: | SW8260                             | % Solid:        | 0        |
| Sample Wt/Vol:     | 5                                  | Units:          | mL       |
| Soil Aliquot Vol:  |                                    |                 | uL       |
| GC Column:         | DB-624UI                           | ID :            | 0.18     |
| Prep Method :      |                                    | Level :         | LOW      |
|                    |                                    |                 |          |

| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
|-------------------|-----------|-----------|----------------|---------------|
| VX043593.D        | 1         |           | 10/29/24 13:43 | VX102924      |

| CAS Number                | Parameter                   | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|---------------------------|-----------------------------|--------|-----------|----------|------------|---------|
| 1330-20-7                 | Total Xylenes               | 0.45   | U         | 0.45     | 3.00       | ug/L    |
| 100-42-5                  | Styrene                     | 0.16   | U         | 0.16     | 1.00       | ug/L    |
| 75-25-2                   | Bromoform                   | 0.21   | U         | 0.21     | 1.00       | ug/L    |
| 79-34-5                   | 1,1,2,2-Tetrachloroethane   | 0.27   | U         | 0.27     | 1.00       | ug/L    |
| 96-18-4                   | 1,2,3-Trichloropropane      | 0.39   | U         | 0.39     | 1.00       | ug/L    |
| 106-46-7                  | 1,4-Dichlorobenzene         | 0.27   | U         | 0.27     | 1.00       | ug/L    |
| 95-50-1                   | 1,2-Dichlorobenzene         | 0.19   | U         | 0.19     | 1.00       | ug/L    |
| 96-12-8                   | 1,2-Dibromo-3-Chloropropane | 0.46   | U         | 0.46     | 1.00       | ug/L    |
| 74-88-4                   | Methyl Iodide               | 1.20   | U         | 1.20     | 5.00       | ug/L    |
| 110-57-6                  | trans-1,4-Dichloro-2-butene | 0.63   | U         | 0.63     | 5.00       | ug/L    |
| <b>SURROGATES</b>         |                             |        |           |          |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4       | 43.8   |           | 74 - 125 | 88%        | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane        | 44.8   |           | 75 - 124 | 90%        | SPK: 50 |
| 2037-26-5                 | Toluene-d8                  | 49.8   |           | 86 - 113 | 100%       | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene        | 48.3   |           | 77 - 121 | 97%        | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                             |        |           |          |            |         |
| 363-72-4                  | Pentafluorobenzene          | 142000 | 5.55      |          |            |         |
| 540-36-3                  | 1,4-Difluorobenzene         | 264000 | 6.757     |          |            |         |
| 3114-55-4                 | Chlorobenzene-d5            | 233000 | 10.055    |          |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4      | 102000 | 12.024    |          |            |         |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
 Data File : VX043593.D  
 Acq On : 29 Oct 2024 13:43  
 Operator : JC/MD  
 Sample : P4548-01  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 MW-1

Quant Time: Oct 30 01:31:19 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:41:34 2024  
 Response via : Initial Calibration


| Compound                    | R.T.   | QIon  | Response | Conc     | Units  | Dev(Min) |
|-----------------------------|--------|-------|----------|----------|--------|----------|
| -----                       |        |       |          |          |        |          |
| Internal Standards          |        |       |          |          |        |          |
| 1) Pentafluorobenzene       | 5.550  | 168   | 142471   | 50.000   | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene     | 6.757  | 114   | 263505   | 50.000   | ug/l   | 0.00     |
| 63) Chlorobenzene-d5        | 10.055 | 117   | 232626   | 50.000   | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 12.024 | 152   | 102053   | 50.000   | ug/l   | 0.00     |
|                             |        |       |          |          |        |          |
| System Monitoring Compounds |        |       |          |          |        |          |
| 33) 1,2-Dichloroethane-d4   | 5.952  | 65    | 99414    | 43.761   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 74 - 125 | Recovery | =      | 87.520%  |
| 35) Dibromofluoromethane    | 5.379  | 113   | 80043    | 44.796   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =      | 89.600%  |
| 50) Toluene-d8              | 8.647  | 98    | 308112   | 49.814   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 86 - 113 | Recovery | =      | 99.620%  |
| 62) 4-Bromofluorobenzene    | 11.079 | 95    | 110631   | 48.269   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 77 - 121 | Recovery | =      | 96.540%  |
|                             |        |       |          |          |        |          |
| Target Compounds            |        |       |          |          |        |          |
| 3) Chloromethane            | 1.295  | 50    | 489      | 0.251    | ug/l # | 82       |
| 16) Acetone                 | 2.392  | 43    | 1649     | 1.828    | ug/l   | 93       |
| -----                       |        |       |          |          |        |          |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
Data File : VX043593.D  
Acq On : 29 Oct 2024 13:43  
Operator : JC/MD  
Sample : P4548-01  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 1 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
MW-1

Quant Time: Oct 30 01:31:19 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
Quant Title : SW846 8260  
QLast Update : Mon Oct 28 13:41:34 2024  
Response via : Initial Calibration









#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 5.550 min Scan# 71  
Delta R.T. -0.000 min  
Lab File: VX043593.D  
Acq: 29 Oct 2024 13:43




Instrument :  
MSVOA\_X  
ClientSampleId :  
MW-1


Tgt Ion:168 Resp: 142471  
Ion Ratio Lower Upper  
168 100  
99 57.0 52.6 78.8



#3  
Chloromethane  
Concen: 0.251 ug/l  
RT: 1.295 min Scan# 34  
Delta R.T. 0.000 min  
Lab File: VX043593.D  
Acq: 29 Oct 2024 13:43

Tgt Ion: 50 Resp: 489  
Ion Ratio Lower Upper  
50 100  
52 23.0 26.3 39.5#





#16

Acetone

Concen: 1.828 ug/l

RT: 2.392 min Scan# 214

Delta R.T. -0.006 min

Lab File: VX043593.D

Acq: 29 Oct 2024 13:43

Instrument :

MSVOA\_X

ClientSampleId :





MW-1

Tgt Ion: 43 Resp: 1649

Ion Ratio Lower Upper

43 100

58 27.3 25.1 37.7



#33

1,2-Dichloroethane-d4

Concen: 43.761 ug/l

RT: 5.952 min Scan# 798

Delta R.T. 0.000 min

Lab File: VX043593.D




Acq: 29 Oct 2024 13:43


Tgt Ion: 65 Resp: 99414

Ion Ratio Lower Upper

65 100

67 51.6 0.0 103.4









#34  
1,4-Difluorobenzene  
Concen: 50.000 ug/l  
RT: 6.757 min Scan# 91  
Delta R.T. 0.000 min  
Lab File: VX043593.D  
Acq: 29 Oct 2024 13:43




Instrument :  
MSVOA\_X  
ClientSampleId :  
MW-1


Tgt Ion:114 Resp: 263505  
Ion Ratio Lower Upper  
114 100  
63 19.8 0.0 41.2  
88 15.6 0.0 34.0



#35  
Dibromofluoromethane  
Concen: 44.796 ug/l  
RT: 5.379 min Scan# 704  
Delta R.T. -0.006 min  
Lab File: VX043593.D  
Acq: 29 Oct 2024 13:43

Tgt Ion:113 Resp: 80043  
Ion Ratio Lower Upper  
113 100  
111 102.5 81.4 122.0  
192 18.5 14.1 21.1





#50

Toluene-d8

Concen: 49.814 ug/l

RT: 8.647 min Scan# 11

Delta R.T. 0.000 min

Lab File: VX043593.D

Acq: 29 Oct 2024 13:43

Instrument :

MSVOA\_X

ClientSampleId :





MW-1

Tgt Ion: 98 Resp: 308112

Ion Ratio Lower Upper

98 100

100 66.8 53.4 80.2



#62

4-Bromofluorobenzene

Concen: 48.269 ug/l

RT: 11.079 min Scan# 1639

Delta R.T. 0.000 min

Lab File: VX043593.D

Acq: 29 Oct 2024 13:43




Tgt Ion: 95 Resp: 110631


Ion Ratio Lower Upper

95 100

174 75.0 0.0 146.6

176 73.3 0.0 139.6





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 10.055 min Scan# 1471

Delta R.T. 0.000 min

Lab File: VX043593.D

Acq: 29 Oct 2024 13:43

Instrument :

MSVOA\_X

ClientSampleId :

MW-1





Tgt Ion:117 Resp: 232626

Ion Ratio Lower Upper

117 100

82 51.9 42.1 63.1

119 31.6 25.4 38.2



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 12.024 min Scan# 1794

Delta R.T. 0.000 min

Lab File: VX043593.D

Acq: 29 Oct 2024 13:43




Tgt Ion:152 Resp: 102053

Ion Ratio Lower Upper

152 100

115 62.1 42.9 128.7

150 161.1 0.0 343.6



## Report of Analysis

|                    |                                    |                 |          |
|--------------------|------------------------------------|-----------------|----------|
| Client:            | Lockwood, Kessler & Bartlett, Inc. | Date Collected: | 10/23/24 |
| Project:           | Ansonia Landfill 2024              | Date Received:  | 10/23/24 |
| Client Sample ID:  | MW-2                               | SDG No.:        | P4548    |
| Lab Sample ID:     | P4548-03                           | Matrix:         | Water    |
| Analytical Method: | SW8260                             | % Solid:        | 0        |
| Sample Wt/Vol:     | 5                                  | Units:          | mL       |
| Soil Aliquot Vol:  |                                    |                 | uL       |
| GC Column:         | DB-624UI                           | ID :            | 0.18     |
| Prep Method :      |                                    | Level :         | LOW      |

| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
|-------------------|-----------|-----------|----------------|---------------|
| VX043594.D        | 1         |           | 10/29/24 14:06 | VX102924      |

| CAS Number | Parameter                 | Conc. | Qualifier | MDL  | LOQ / CRQL | Units |
|------------|---------------------------|-------|-----------|------|------------|-------|
| TARGETS    |                           |       |           |      |            |       |
| 75-01-4    | Vinyl Chloride            | 0.60  | J         | 0.34 | 1.00       | ug/L  |
| 75-00-3    | Chloroethane              | 0.56  | U         | 0.56 | 1.00       | ug/L  |
| 75-69-4    | Trichlorofluoromethane    | 0.34  | U         | 0.34 | 1.00       | ug/L  |
| 75-35-4    | 1,1-Dichloroethene        | 0.26  | U         | 0.26 | 1.00       | ug/L  |
| 107-13-1   | Acrylonitrile             | 0.90  | U         | 0.90 | 5.00       | ug/L  |
| 67-64-1    | Acetone                   | 2.10  | J         | 1.40 | 5.00       | ug/L  |
| 75-15-0    | Carbon Disulfide          | 0.32  | U         | 0.32 | 1.00       | ug/L  |
| 75-09-2    | Methylene Chloride        | 0.32  | U         | 0.32 | 1.00       | ug/L  |
| 108-05-4   | Vinyl Acetate             | 0.71  | U         | 0.71 | 5.00       | ug/L  |
| 78-93-3    | 2-Butanone                | 1.30  | U         | 1.30 | 5.00       | ug/L  |
| 56-23-5    | Carbon Tetrachloride      | 0.25  | U         | 0.25 | 1.00       | ug/L  |
| 156-59-2   | cis-1,2-Dichloroethene    | 0.90  | J         | 0.25 | 1.00       | ug/L  |
| 74-97-5    | Bromochloromethane        | 0.18  | U         | 0.18 | 1.00       | ug/L  |
| 67-66-3    | Chloroform                | 0.26  | U         | 0.26 | 1.00       | ug/L  |
| 71-55-6    | 1,1,1-Trichloroethane     | 0.19  | U         | 0.19 | 1.00       | ug/L  |
| 71-43-2    | Benzene                   | 0.16  | U         | 0.16 | 1.00       | ug/L  |
| 78-87-5    | 1,2-Dichloropropane       | 0.19  | U         | 0.19 | 1.00       | ug/L  |
| 74-95-3    | Dibromomethane            | 0.23  | U         | 0.23 | 1.00       | ug/L  |
| 75-27-4    | Bromodichloromethane      | 0.24  | U         | 0.24 | 1.00       | ug/L  |
| 108-10-1   | 4-Methyl-2-Pentanone      | 0.75  | U         | 0.75 | 5.00       | ug/L  |
| 108-88-3   | Toluene                   | 0.18  | U         | 0.18 | 1.00       | ug/L  |
| 10061-02-6 | t-1,3-Dichloropropene     | 0.21  | U         | 0.21 | 1.00       | ug/L  |
| 10061-01-5 | cis-1,3-Dichloropropene   | 0.18  | U         | 0.18 | 1.00       | ug/L  |
| 591-78-6   | 2-Hexanone                | 1.10  | U         | 1.10 | 5.00       | ug/L  |
| 124-48-1   | Dibromochloromethane      | 0.18  | U         | 0.18 | 1.00       | ug/L  |
| 106-93-4   | 1,2-Dibromoethane         | 0.16  | U         | 0.16 | 1.00       | ug/L  |
| 127-18-4   | Tetrachloroethene         | 0.25  | U         | 0.25 | 1.00       | ug/L  |
| 108-90-7   | Chlorobenzene             | 0.86  | J         | 0.13 | 1.00       | ug/L  |
| 630-20-6   | 1,1,1,2-Tetrachloroethane | 0.21  | U         | 0.21 | 1.00       | ug/L  |
| 100-41-4   | Ethyl Benzene             | 0.16  | U         | 0.16 | 1.00       | ug/L  |

## Report of Analysis

|                    |                                            |                 |                              |
|--------------------|--------------------------------------------|-----------------|------------------------------|
| Client:            | Lockwood, Kessler & Bartlett, Inc.         | Date Collected: | 10/23/24                     |
| Project:           | Ansonia Landfill 2024                      | Date Received:  | 10/23/24                     |
| Client Sample ID:  | MW-2                                       | SDG No.:        | P4548                        |
| Lab Sample ID:     | P4548-03                                   | Matrix:         | Water                        |
| Analytical Method: | SW8260                                     | % Solid:        | 0                            |
| Sample Wt/Vol:     | 5                      Units:    mL        | Final Vol:      | 5000                      uL |
| Soil Aliquot Vol:  | uL                                         | Test:           | VOCMS Group1                 |
| GC Column:         | DB-624UI                      ID :    0.18 | Level :         | LOW                          |
| Prep Method :      |                                            |                 |                              |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VX043594.D        | 1         |           | 10/29/24 14:06 | VX102924      |

| CAS Number                | Parameter                   | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|---------------------------|-----------------------------|--------|-----------|----------|------------|---------|
| 1330-20-7                 | Total Xylenes               | 0.45   | U         | 0.45     | 3.00       | ug/L    |
| 100-42-5                  | Styrene                     | 0.16   | U         | 0.16     | 1.00       | ug/L    |
| 75-25-2                   | Bromoform                   | 0.21   | U         | 0.21     | 1.00       | ug/L    |
| 79-34-5                   | 1,1,2,2-Tetrachloroethane   | 0.27   | U         | 0.27     | 1.00       | ug/L    |
| 96-18-4                   | 1,2,3-Trichloropropane      | 0.39   | U         | 0.39     | 1.00       | ug/L    |
| 106-46-7                  | 1,4-Dichlorobenzene         | 0.27   | U         | 0.27     | 1.00       | ug/L    |
| 95-50-1                   | 1,2-Dichlorobenzene         | 0.19   | U         | 0.19     | 1.00       | ug/L    |
| 96-12-8                   | 1,2-Dibromo-3-Chloropropane | 0.46   | U         | 0.46     | 1.00       | ug/L    |
| 74-88-4                   | Methyl Iodide               | 1.20   | U         | 1.20     | 5.00       | ug/L    |
| 110-57-6                  | trans-1,4-Dichloro-2-butene | 0.63   | U         | 0.63     | 5.00       | ug/L    |
| <b>SURROGATES</b>         |                             |        |           |          |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4       | 42.8   |           | 74 - 125 | 86%        | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane        | 45.9   |           | 75 - 124 | 92%        | SPK: 50 |
| 2037-26-5                 | Toluene-d8                  | 49.7   |           | 86 - 113 | 99%        | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene        | 47.7   |           | 77 - 121 | 95%        | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                             |        |           |          |            |         |
| 363-72-4                  | Pentafluorobenzene          | 150000 | 5.55      |          |            |         |
| 540-36-3                  | 1,4-Difluorobenzene         | 275000 | 6.757     |          |            |         |
| 3114-55-4                 | Chlorobenzene-d5            | 240000 | 10.055    |          |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4      | 107000 | 12.024    |          |            |         |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
 Data File : VX043594.D  
 Acq On : 29 Oct 2024 14:06  
 Operator : JC/MD  
 Sample : P4548-03  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 MW-2

Quant Time: Oct 30 01:31:45 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:41:34 2024  
 Response via : Initial Calibration


| Compound                    | R.T.   | QIon  | Response | Conc     | Units | Dev(Min) |
|-----------------------------|--------|-------|----------|----------|-------|----------|
| -----                       |        |       |          |          |       |          |
| Internal Standards          |        |       |          |          |       |          |
| 1) Pentafluorobenzene       | 5.550  | 168   | 149761   | 50.000   | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene     | 6.757  | 114   | 275286   | 50.000   | ug/l  | 0.00     |
| 63) Chlorobenzene-d5        | 10.055 | 117   | 240367   | 50.000   | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 12.024 | 152   | 106864   | 50.000   | ug/l  | 0.00     |
|                             |        |       |          |          |       |          |
| System Monitoring Compounds |        |       |          |          |       |          |
| 33) 1,2-Dichloroethane-d4   | 5.952  | 65    | 102170   | 42.785   | ug/l  | 0.00     |
| Spiked Amount               | 50.000 | Range | 74 - 125 | Recovery | =     | 85.580%  |
| 35) Dibromofluoromethane    | 5.385  | 113   | 85635    | 45.875   | ug/l  | 0.00     |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =     | 91.740%  |
| 50) Toluene-d8              | 8.647  | 98    | 320898   | 49.660   | ug/l  | 0.00     |
| Spiked Amount               | 50.000 | Range | 86 - 113 | Recovery | =     | 99.320%  |
| 62) 4-Bromofluorobenzene    | 11.079 | 95    | 114189   | 47.689   | ug/l  | 0.00     |
| Spiked Amount               | 50.000 | Range | 77 - 121 | Recovery | =     | 95.380%  |
|                             |        |       |          |          |       |          |
| Target Compounds            |        |       |          |          |       | Qvalue   |
| 4) Vinyl Chloride           | 1.374  | 62    | 1134     | 0.597    | ug/l  | 99       |
| 8) Diethyl Ether            | 2.136  | 74    | 607      | 0.566    | ug/l  | 77       |
| 16) Acetone                 | 2.392  | 43    | 1991     | 2.100    | ug/l  | 98       |
| 27) cis-1,2-Dichloroethene  | 4.495  | 96    | 1940     | 0.896    | ug/l  | 89       |
| 65) Chlorobenzene           | 10.079 | 112   | 4463     | 0.863    | ug/l  | 99       |
| -----                       |        |       |          |          |       |          |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
Data File : VX043594.D  
Acq On : 29 Oct 2024 14:06  
Operator : JC/MD  
Sample : P4548-03  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 1 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
MW-2

Quant Time: Oct 30 01:31:45 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
Quant Title : SW846 8260  
QLast Update : Mon Oct 28 13:41:34 2024  
Response via : Initial Calibration









#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 5.550 min Scan# 71  
Delta R.T. -0.000 min  
Lab File: VX043594.D  
Acq: 29 Oct 2024 14:06




Instrument :  
MSVOA\_X  
ClientSampleId :  
MW-2


Tgt Ion:168 Resp: 149761  
Ion Ratio Lower Upper  
168 100  
99 62.4 52.6 78.8



#4  
Vinyl Chloride  
Concen: 0.597 ug/l  
RT: 1.374 min Scan# 47  
Delta R.T. 0.000 min  
Lab File: VX043594.D  
Acq: 29 Oct 2024 14:06

Tgt Ion: 62 Resp: 1134  
Ion Ratio Lower Upper  
62 100  
64 30.7 25.0 37.4









#8  
Diethyl Ether  
Concen: 0.566 ug/l  
RT: 2.136 min Scan# 11  
Delta R.T. -0.000 min  
Lab File: VX043594.D  
Acq: 29 Oct 2024 14:06




Instrument :  
MSVOA\_X  
ClientSampleId :  
MW-2


Tgt Ion: 74 Resp: 607  
Ion Ratio Lower Upper  
74 100  
45 72.8 47.5 142.5



#16  
Acetone  
Concen: 2.100 ug/l  
RT: 2.392 min Scan# 214  
Delta R.T. -0.006 min  
Lab File: VX043594.D  
Acq: 29 Oct 2024 14:06

Tgt Ion: 43 Resp: 1991  
Ion Ratio Lower Upper  
43 100  
58 30.2 25.1 37.7





#27

cis-1,2-Dichloroethene

Concen: 0.896 ug/l

RT: 4.495 min Scan# 51

Delta R.T. 0.012 min

Lab File: VX043594.D

Acq: 29 Oct 2024 14:06

Instrument :

MSVOA\_X

ClientSampleId :

MW-2





Tgt Ion: 96 Resp: 1940

Ion Ratio Lower Upper

96 100

61 120.4 0.0 277.2

98 69.0 0.0 131.6



#33

1,2-Dichloroethane-d4

Concen: 42.785 ug/l

RT: 5.952 min Scan# 798

Delta R.T. -0.000 min

Lab File: VX043594.D




Acq: 29 Oct 2024 14:06


Tgt Ion: 65 Resp: 102170

Ion Ratio Lower Upper

65 100

67 53.2 0.0 103.4





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.757 min Scan# 91

Delta R.T. -0.000 min

Lab File: VX043594.D

Acq: 29 Oct 2024 14:06

Instrument :

MSVOA\_X

ClientSampleId :

MW-2





Tgt Ion:114 Resp: 275286

Ion Ratio Lower Upper

114 100

63 19.7 0.0 41.2

88 16.1 0.0 34.0



#35

Dibromofluoromethane

Concen: 45.875 ug/l

RT: 5.385 min Scan# 705

Delta R.T. -0.000 min

Lab File: VX043594.D

Acq: 29 Oct 2024 14:06




Tgt Ion:113 Resp: 85635


Ion Ratio Lower Upper

113 100

111 100.5 81.4 122.0

192 18.6 14.1 21.1









#50  
Toluene-d8  
Concen: 49.660 ug/l  
RT: 8.647 min Scan# 1240  
Delta R.T. 0.000 min  
Lab File: VX043594.D  
Acq: 29 Oct 2024 14:06




Instrument :  
MSVOA\_X  
ClientSampleId :  
MW-2


Tgt Ion: 98 Resp: 320898  
Ion Ratio Lower Upper  
98 100  
100 67.2 53.4 80.2



#62  
4-Bromofluorobenzene  
Concen: 47.689 ug/l  
RT: 11.079 min Scan# 1639  
Delta R.T. -0.000 min  
Lab File: VX043594.D  
Acq: 29 Oct 2024 14:06

Tgt Ion: 95 Resp: 114189  
Ion Ratio Lower Upper  
95 100  
174 76.3 0.0 146.6  
176 72.9 0.0 139.6





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 10.055 min Scan# 1471

Delta R.T. 0.000 min

Lab File: VX043594.D

Acq: 29 Oct 2024 14:06

Instrument :

MSVOA\_X

ClientSampleId :

MW-2





Tgt Ion:117 Resp: 240367

Ion Ratio Lower Upper

117 100

82 54.1 42.1 63.1

119 31.2 25.4 38.2



#65

Chlorobenzene

Concen: 0.863 ug/l

RT: 10.079 min Scan# 1475

Delta R.T. 0.000 min

Lab File: VX043594.D




Acq: 29 Oct 2024 14:06


Tgt Ion:112 Resp: 4463

Ion Ratio Lower Upper

112 100

114 31.8 25.0 37.6





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 12.024 min Scan# 11

Delta R.T. -0.000 min

Lab File: VX043594.D


Acq: 29 Oct 2024 14:06

Instrument :

MSVOA\_X

ClientSampleId :

MW-2





Tgt Ion:152 Resp: 106864

Ion Ratio Lower Upper

152 100

115 61.7 42.9 128.7

150 156.6 0.0 343.6



## Report of Analysis

|                    |                                    |                 |              |
|--------------------|------------------------------------|-----------------|--------------|
| Client:            | Lockwood, Kessler & Bartlett, Inc. | Date Collected: | 10/23/24     |
| Project:           | Ansonia Landfill 2024              | Date Received:  | 10/23/24     |
| Client Sample ID:  | MW-3                               | SDG No.:        | P4548        |
| Lab Sample ID:     | P4548-05                           | Matrix:         | Water        |
| Analytical Method: | SW8260                             | % Solid:        | 0            |
| Sample Wt/Vol:     | 5      Units:    mL                | Final Vol:      | 5000      uL |
| Soil Aliquot Vol:  | uL                                 | Test:           | VOCMS Group1 |
| GC Column:         | DB-624UI      ID :    0.18         | Level :         | LOW          |
| Prep Method :      |                                    |                 |              |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VX043595.D        | 1         |           | 10/29/24 14:29 | VX102924      |

| CAS Number     | Parameter                 | Conc. | Qualifier | MDL  | LOQ / CRQL | Units |
|----------------|---------------------------|-------|-----------|------|------------|-------|
| <b>TARGETS</b> |                           |       |           |      |            |       |
| 75-01-4        | Vinyl Chloride            | 0.34  | U         | 0.34 | 1.00       | ug/L  |
| 75-00-3        | Chloroethane              | 0.56  | U         | 0.56 | 1.00       | ug/L  |
| 75-69-4        | Trichlorofluoromethane    | 0.34  | U         | 0.34 | 1.00       | ug/L  |
| 75-35-4        | 1,1-Dichloroethene        | 0.26  | U         | 0.26 | 1.00       | ug/L  |
| 107-13-1       | Acrylonitrile             | 0.90  | U         | 0.90 | 5.00       | ug/L  |
| 67-64-1        | Acetone                   | 1.80  | J         | 1.40 | 5.00       | ug/L  |
| 75-15-0        | Carbon Disulfide          | 0.32  | U         | 0.32 | 1.00       | ug/L  |
| 75-09-2        | Methylene Chloride        | 0.32  | U         | 0.32 | 1.00       | ug/L  |
| 108-05-4       | Vinyl Acetate             | 0.71  | U         | 0.71 | 5.00       | ug/L  |
| 78-93-3        | 2-Butanone                | 1.30  | U         | 1.30 | 5.00       | ug/L  |
| 56-23-5        | Carbon Tetrachloride      | 0.25  | U         | 0.25 | 1.00       | ug/L  |
| 156-59-2       | cis-1,2-Dichloroethene    | 0.25  | U         | 0.25 | 1.00       | ug/L  |
| 74-97-5        | Bromochloromethane        | 0.18  | U         | 0.18 | 1.00       | ug/L  |
| 67-66-3        | Chloroform                | 0.26  | U         | 0.26 | 1.00       | ug/L  |
| 71-55-6        | 1,1,1-Trichloroethane     | 0.19  | U         | 0.19 | 1.00       | ug/L  |
| 71-43-2        | Benzene                   | 0.16  | U         | 0.16 | 1.00       | ug/L  |
| 78-87-5        | 1,2-Dichloropropane       | 0.19  | U         | 0.19 | 1.00       | ug/L  |
| 74-95-3        | Dibromomethane            | 0.23  | U         | 0.23 | 1.00       | ug/L  |
| 75-27-4        | Bromodichloromethane      | 0.24  | U         | 0.24 | 1.00       | ug/L  |
| 108-10-1       | 4-Methyl-2-Pentanone      | 0.75  | U         | 0.75 | 5.00       | ug/L  |
| 108-88-3       | Toluene                   | 0.18  | U         | 0.18 | 1.00       | ug/L  |
| 10061-02-6     | t-1,3-Dichloropropene     | 0.21  | U         | 0.21 | 1.00       | ug/L  |
| 10061-01-5     | cis-1,3-Dichloropropene   | 0.18  | U         | 0.18 | 1.00       | ug/L  |
| 591-78-6       | 2-Hexanone                | 1.10  | U         | 1.10 | 5.00       | ug/L  |
| 124-48-1       | Dibromochloromethane      | 0.18  | U         | 0.18 | 1.00       | ug/L  |
| 106-93-4       | 1,2-Dibromoethane         | 0.16  | U         | 0.16 | 1.00       | ug/L  |
| 127-18-4       | Tetrachloroethene         | 0.25  | U         | 0.25 | 1.00       | ug/L  |
| 108-90-7       | Chlorobenzene             | 0.13  | U         | 0.13 | 1.00       | ug/L  |
| 630-20-6       | 1,1,1,2-Tetrachloroethane | 0.21  | U         | 0.21 | 1.00       | ug/L  |
| 100-41-4       | Ethyl Benzene             | 0.16  | U         | 0.16 | 1.00       | ug/L  |

## Report of Analysis

|                    |                                            |                 |                              |
|--------------------|--------------------------------------------|-----------------|------------------------------|
| Client:            | Lockwood, Kessler & Bartlett, Inc.         | Date Collected: | 10/23/24                     |
| Project:           | Ansonia Landfill 2024                      | Date Received:  | 10/23/24                     |
| Client Sample ID:  | MW-3                                       | SDG No.:        | P4548                        |
| Lab Sample ID:     | P4548-05                                   | Matrix:         | Water                        |
| Analytical Method: | SW8260                                     | % Solid:        | 0                            |
| Sample Wt/Vol:     | 5                      Units:    mL        | Final Vol:      | 5000                      uL |
| Soil Aliquot Vol:  | uL                                         | Test:           | VOCMS Group1                 |
| GC Column:         | DB-624UI                      ID :    0.18 | Level :         | LOW                          |
| Prep Method :      |                                            |                 |                              |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VX043595.D        | 1         |           | 10/29/24 14:29 | VX102924      |

| CAS Number                | Parameter                   | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|---------------------------|-----------------------------|--------|-----------|----------|------------|---------|
| 1330-20-7                 | Total Xylenes               | 0.45   | U         | 0.45     | 3.00       | ug/L    |
| 100-42-5                  | Styrene                     | 0.16   | U         | 0.16     | 1.00       | ug/L    |
| 75-25-2                   | Bromoform                   | 0.21   | U         | 0.21     | 1.00       | ug/L    |
| 79-34-5                   | 1,1,2,2-Tetrachloroethane   | 0.27   | U         | 0.27     | 1.00       | ug/L    |
| 96-18-4                   | 1,2,3-Trichloropropane      | 0.39   | U         | 0.39     | 1.00       | ug/L    |
| 106-46-7                  | 1,4-Dichlorobenzene         | 0.27   | U         | 0.27     | 1.00       | ug/L    |
| 95-50-1                   | 1,2-Dichlorobenzene         | 0.19   | U         | 0.19     | 1.00       | ug/L    |
| 96-12-8                   | 1,2-Dibromo-3-Chloropropane | 0.46   | U         | 0.46     | 1.00       | ug/L    |
| 74-88-4                   | Methyl Iodide               | 1.20   | U         | 1.20     | 5.00       | ug/L    |
| 110-57-6                  | trans-1,4-Dichloro-2-butene | 0.63   | U         | 0.63     | 5.00       | ug/L    |
| <b>SURROGATES</b>         |                             |        |           |          |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4       | 42.5   |           | 74 - 125 | 85%        | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane        | 45.4   |           | 75 - 124 | 91%        | SPK: 50 |
| 2037-26-5                 | Toluene-d8                  | 50.2   |           | 86 - 113 | 100%       | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene        | 48.8   |           | 77 - 121 | 98%        | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                             |        |           |          |            |         |
| 363-72-4                  | Pentafluorobenzene          | 141000 | 5.55      |          |            |         |
| 540-36-3                  | 1,4-Difluorobenzene         | 262000 | 6.757     |          |            |         |
| 3114-55-4                 | Chlorobenzene-d5            | 233000 | 10.055    |          |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4      | 104000 | 12.024    |          |            |         |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
Data File : VX043595.D  
Acq On : 29 Oct 2024 14:29  
Operator : JC/MD  
Sample : P4548-05  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 1 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
MW-3

Quant Time: Oct 30 01:32:18 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
Quant Title : SW846 8260  
QLast Update : Mon Oct 28 13:41:34 2024  
Response via : Initial Calibration


| Compound                    | R.T.   | QIon  | Response | Conc     | Units  | Dev(Min) |
|-----------------------------|--------|-------|----------|----------|--------|----------|
| -----                       |        |       |          |          |        |          |
| Internal Standards          |        |       |          |          |        |          |
| 1) Pentafluorobenzene       | 5.550  | 168   | 141379   | 50.000   | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene     | 6.757  | 114   | 261836   | 50.000   | ug/l   | 0.00     |
| 63) Chlorobenzene-d5        | 10.055 | 117   | 233166   | 50.000   | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 12.024 | 152   | 104208   | 50.000   | ug/l   | 0.00     |
| System Monitoring Compounds |        |       |          |          |        |          |
| 33) 1,2-Dichloroethane-d4   | 5.952  | 65    | 95851    | 42.519   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 74 - 125 | Recovery | =      | 85.040%  |
| 35) Dibromofluoromethane    | 5.385  | 113   | 80540    | 45.362   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =      | 90.720%  |
| 50) Toluene-d8              | 8.647  | 98    | 308673   | 50.222   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 86 - 113 | Recovery | =      | 100.440% |
| 62) 4-Bromofluorobenzene    | 11.079 | 95    | 111029   | 48.751   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 77 - 121 | Recovery | =      | 97.500%  |
| Target Compounds            |        |       |          |          |        |          |
|                             |        |       |          |          | Qvalue |          |
| 16) Acetone                 | 2.392  | 43    | 1570     | 1.754    | ug/l   | 90       |
| -----                       |        |       |          |          |        |          |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
Data File : VX043595.D  
Acq On : 29 Oct 2024 14:29  
Operator : JC/MD  
Sample : P4548-05  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 1 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
MW-3

Quant Time: Oct 30 01:32:18 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
Quant Title : SW846 8260  
QLast Update : Mon Oct 28 13:41:34 2024  
Response via : Initial Calibration









#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 5.550 min Scan# 732  
Delta R.T. -0.000 min  
Lab File: VX043595.D  
Acq: 29 Oct 2024 14:29




Instrument :  
MSVOA\_X  
ClientSampleId :  
MW-3


Tgt Ion:168 Resp: 141379  
Ion Ratio Lower Upper  
168 100  
99 62.1 52.6 78.8



#16  
Acetone  
Concen: 1.754 ug/l  
RT: 2.392 min Scan# 214  
Delta R.T. -0.006 min  
Lab File: VX043595.D  
Acq: 29 Oct 2024 14:29

Tgt Ion: 43 Resp: 1570  
Ion Ratio Lower Upper  
43 100  
58 36.9 25.1 37.7





#33

1,2-Dichloroethane-d4

Concen: 42.519 ug/l

RT: 5.952 min Scan# 798

Delta R.T. 0.000 min

Lab File: VX043595.D

Acq: 29 Oct 2024 14:29

Instrument :

MSVOA\_X

ClientSampleId :





MW-3

Tgt Ion: 65 Resp: 95851

Ion Ratio Lower Upper

65 100

67 53.5 0.0 103.4



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.757 min Scan# 930

Delta R.T. 0.000 min

Lab File: VX043595.D

Acq: 29 Oct 2024 14:29




Tgt Ion: 114 Resp: 261836


Ion Ratio Lower Upper

114 100

63 19.5 0.0 41.2

88 16.6 0.0 34.0





#35

Dibromofluoromethane

Concen: 45.362 ug/l

RT: 5.385 min Scan# 704

Delta R.T. 0.000 min

Lab File: VX043595.D

Acq: 29 Oct 2024 14:29

Instrument :

MSVOA\_X

ClientSampleId :

MW-3





Tgt Ion:113 Resp: 80540

Ion Ratio Lower Upper

113 100

111 101.2 81.4 122.0

192 17.8 14.1 21.1



#50

Toluene-d8

Concen: 50.222 ug/l

RT: 8.647 min Scan# 1240

Delta R.T. 0.000 min

Lab File: VX043595.D




Acq: 29 Oct 2024 14:29


Tgt Ion: 98 Resp: 308673

Ion Ratio Lower Upper

98 100

100 67.0 53.4 80.2









#62  
4-Bromofluorobenzene  
Concen: 48.751 ug/l  
RT: 11.079 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VX043595.D  
Acq: 29 Oct 2024 14:29




Instrument :  
MSVOA\_X  
ClientSampleId :  
MW-3


Tgt Ion: 95 Resp: 111029  
Ion Ratio Lower Upper  
95 100  
174 74.6 0.0 146.6  
176 73.1 0.0 139.6



#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 10.055 min Scan# 1471  
Delta R.T. 0.000 min  
Lab File: VX043595.D  
Acq: 29 Oct 2024 14:29

Tgt Ion: 117 Resp: 233166  
Ion Ratio Lower Upper  
117 100  
82 53.7 42.1 63.1  
119 32.1 25.4 38.2





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 12.024 min Scan# 11

Delta R.T. 0.000 min

Lab File: VX043595.D


Acq: 29 Oct 2024 14:29

Instrument :

MSVOA\_X

ClientSampleId :

MW-3





Tgt Ion:152 Resp: 104208

Ion Ratio Lower Upper

152 100

115 61.2 42.9 128.7

150 157.4 0.0 343.6



### Report of Analysis

|                    |                                    |                 |              |
|--------------------|------------------------------------|-----------------|--------------|
| Client:            | Lockwood, Kessler & Bartlett, Inc. | Date Collected: | 10/23/24     |
| Project:           | Ansonia Landfill 2024              | Date Received:  | 10/23/24     |
| Client Sample ID:  | MW-4                               | SDG No.:        | P4548        |
| Lab Sample ID:     | P4548-07                           | Matrix:         | Water        |
| Analytical Method: | SW8260                             | % Solid:        | 0            |
| Sample Wt/Vol:     | 5                                  | Units:          | mL           |
| Soil Aliquot Vol:  |                                    |                 | uL           |
| GC Column:         | DB-624UI                           | ID :            | 0.18         |
| Prep Method :      |                                    | Level :         | LOW          |
|                    |                                    | Final Vol:      | 5000         |
|                    |                                    | Test:           | VOCMS Group1 |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VX043596.D        | 1         |           | 10/29/24 14:52 | VX102924      |

| CAS Number     | Parameter                 | Conc. | Qualifier | MDL  | LOQ / CRQL | Units |
|----------------|---------------------------|-------|-----------|------|------------|-------|
| <b>TARGETS</b> |                           |       |           |      |            |       |
| 75-01-4        | Vinyl Chloride            | 0.34  | U         | 0.34 | 1.00       | ug/L  |
| 75-00-3        | Chloroethane              | 0.56  | U         | 0.56 | 1.00       | ug/L  |
| 75-69-4        | Trichlorofluoromethane    | 0.34  | U         | 0.34 | 1.00       | ug/L  |
| 75-35-4        | 1,1-Dichloroethene        | 0.26  | U         | 0.26 | 1.00       | ug/L  |
| 107-13-1       | Acrylonitrile             | 0.90  | U         | 0.90 | 5.00       | ug/L  |
| 67-64-1        | Acetone                   | 2.00  | J         | 1.40 | 5.00       | ug/L  |
| 75-15-0        | Carbon Disulfide          | 0.32  | U         | 0.32 | 1.00       | ug/L  |
| 75-09-2        | Methylene Chloride        | 0.32  | U         | 0.32 | 1.00       | ug/L  |
| 108-05-4       | Vinyl Acetate             | 0.71  | U         | 0.71 | 5.00       | ug/L  |
| 78-93-3        | 2-Butanone                | 1.30  | U         | 1.30 | 5.00       | ug/L  |
| 56-23-5        | Carbon Tetrachloride      | 0.25  | U         | 0.25 | 1.00       | ug/L  |
| 156-59-2       | cis-1,2-Dichloroethene    | 0.25  | U         | 0.25 | 1.00       | ug/L  |
| 74-97-5        | Bromochloromethane        | 0.18  | U         | 0.18 | 1.00       | ug/L  |
| 67-66-3        | Chloroform                | 0.26  | U         | 0.26 | 1.00       | ug/L  |
| 71-55-6        | 1,1,1-Trichloroethane     | 0.19  | U         | 0.19 | 1.00       | ug/L  |
| 71-43-2        | Benzene                   | 0.16  | U         | 0.16 | 1.00       | ug/L  |
| 78-87-5        | 1,2-Dichloropropane       | 0.19  | U         | 0.19 | 1.00       | ug/L  |
| 74-95-3        | Dibromomethane            | 0.23  | U         | 0.23 | 1.00       | ug/L  |
| 75-27-4        | Bromodichloromethane      | 0.24  | U         | 0.24 | 1.00       | ug/L  |
| 108-10-1       | 4-Methyl-2-Pentanone      | 0.75  | U         | 0.75 | 5.00       | ug/L  |
| 108-88-3       | Toluene                   | 0.18  | U         | 0.18 | 1.00       | ug/L  |
| 10061-02-6     | t-1,3-Dichloropropene     | 0.21  | U         | 0.21 | 1.00       | ug/L  |
| 10061-01-5     | cis-1,3-Dichloropropene   | 0.18  | U         | 0.18 | 1.00       | ug/L  |
| 591-78-6       | 2-Hexanone                | 1.10  | U         | 1.10 | 5.00       | ug/L  |
| 124-48-1       | Dibromochloromethane      | 0.18  | U         | 0.18 | 1.00       | ug/L  |
| 106-93-4       | 1,2-Dibromoethane         | 0.16  | U         | 0.16 | 1.00       | ug/L  |
| 127-18-4       | Tetrachloroethene         | 0.25  | U         | 0.25 | 1.00       | ug/L  |
| 108-90-7       | Chlorobenzene             | 0.28  | J         | 0.13 | 1.00       | ug/L  |
| 630-20-6       | 1,1,1,2-Tetrachloroethane | 0.21  | U         | 0.21 | 1.00       | ug/L  |
| 100-41-4       | Ethyl Benzene             | 0.16  | U         | 0.16 | 1.00       | ug/L  |

## Report of Analysis

|                    |                                            |                 |                              |
|--------------------|--------------------------------------------|-----------------|------------------------------|
| Client:            | Lockwood, Kessler & Bartlett, Inc.         | Date Collected: | 10/23/24                     |
| Project:           | Ansonia Landfill 2024                      | Date Received:  | 10/23/24                     |
| Client Sample ID:  | MW-4                                       | SDG No.:        | P4548                        |
| Lab Sample ID:     | P4548-07                                   | Matrix:         | Water                        |
| Analytical Method: | SW8260                                     | % Solid:        | 0                            |
| Sample Wt/Vol:     | 5                      Units:    mL        | Final Vol:      | 5000                      uL |
| Soil Aliquot Vol:  | uL                                         | Test:           | VOCMS Group1                 |
| GC Column:         | DB-624UI                      ID :    0.18 | Level :         | LOW                          |
| Prep Method :      |                                            |                 |                              |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VX043596.D        | 1         |           | 10/29/24 14:52 | VX102924      |

| CAS Number                | Parameter                   | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|---------------------------|-----------------------------|--------|-----------|----------|------------|---------|
| 1330-20-7                 | Total Xylenes               | 0.45   | U         | 0.45     | 3.00       | ug/L    |
| 100-42-5                  | Styrene                     | 0.16   | U         | 0.16     | 1.00       | ug/L    |
| 75-25-2                   | Bromoform                   | 0.21   | U         | 0.21     | 1.00       | ug/L    |
| 79-34-5                   | 1,1,2,2-Tetrachloroethane   | 0.27   | U         | 0.27     | 1.00       | ug/L    |
| 96-18-4                   | 1,2,3-Trichloropropane      | 0.39   | U         | 0.39     | 1.00       | ug/L    |
| 106-46-7                  | 1,4-Dichlorobenzene         | 0.27   | U         | 0.27     | 1.00       | ug/L    |
| 95-50-1                   | 1,2-Dichlorobenzene         | 0.19   | U         | 0.19     | 1.00       | ug/L    |
| 96-12-8                   | 1,2-Dibromo-3-Chloropropane | 0.46   | U         | 0.46     | 1.00       | ug/L    |
| 74-88-4                   | Methyl Iodide               | 1.20   | U         | 1.20     | 5.00       | ug/L    |
| 110-57-6                  | trans-1,4-Dichloro-2-butene | 0.63   | U         | 0.63     | 5.00       | ug/L    |
| <b>SURROGATES</b>         |                             |        |           |          |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4       | 43.3   |           | 74 - 125 | 87%        | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane        | 46.0   |           | 75 - 124 | 92%        | SPK: 50 |
| 2037-26-5                 | Toluene-d8                  | 49.6   |           | 86 - 113 | 99%        | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene        | 47.4   |           | 77 - 121 | 95%        | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                             |        |           |          |            |         |
| 363-72-4                  | Pentafluorobenzene          | 146000 | 5.55      |          |            |         |
| 540-36-3                  | 1,4-Difluorobenzene         | 271000 | 6.757     |          |            |         |
| 3114-55-4                 | Chlorobenzene-d5            | 234000 | 10.055    |          |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4      | 105000 | 12.024    |          |            |         |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
 Data File : VX043596.D  
 Acq On : 29 Oct 2024 14:52  
 Operator : JC/MD  
 Sample : P4548-07  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 MW-4

Quant Time: Oct 30 01:32:45 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:41:34 2024  
 Response via : Initial Calibration


| Compound                    | R.T.   | QIon  | Response | Conc     | Units  | Dev(Min) |
|-----------------------------|--------|-------|----------|----------|--------|----------|
| -----                       |        |       |          |          |        |          |
| Internal Standards          |        |       |          |          |        |          |
| 1) Pentafluorobenzene       | 5.550  | 168   | 145951   | 50.000   | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene     | 6.757  | 114   | 270530   | 50.000   | ug/l   | 0.00     |
| 63) Chlorobenzene-d5        | 10.055 | 117   | 234106   | 50.000   | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 12.024 | 152   | 105382   | 50.000   | ug/l   | 0.00     |
| System Monitoring Compounds |        |       |          |          |        |          |
| 33) 1,2-Dichloroethane-d4   | 5.952  | 65    | 100847   | 43.334   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 74 - 125 | Recovery | =      | 86.660%  |
| 35) Dibromofluoromethane    | 5.379  | 113   | 84453    | 46.037   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =      | 92.080%  |
| 50) Toluene-d8              | 8.647  | 98    | 314788   | 49.571   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 86 - 113 | Recovery | =      | 99.140%  |
| 62) 4-Bromofluorobenzene    | 11.079 | 95    | 111439   | 47.359   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 77 - 121 | Recovery | =      | 94.720%  |
| Target Compounds            |        |       |          |          |        |          |
|                             |        |       |          |          | Qvalue |          |
| 3) Chloromethane            | 1.294  | 50    | 609      | 0.305    | ug/l # | 81       |
| 8) Diethyl Ether            | 2.130  | 74    | 425      | 0.407    | ug/l   | 53       |
| 16) Acetone                 | 2.386  | 43    | 1855     | 2.007    | ug/l   | 91       |
| 20) Methylene Chloride      | 2.782  | 84    | 611      | 0.307    | ug/l # | 60       |
| 65) Chlorobenzene           | 10.086 | 112   | 1419     | 0.282    | ug/l   | 93       |
| -----                       |        |       |          |          |        |          |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
Data File : VX043596.D  
Acq On : 29 Oct 2024 14:52  
Operator : JC/MD  
Sample : P4548-07  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 1 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
MW-4

Quant Time: Oct 30 01:32:45 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
Quant Title : SW846 8260  
QLast Update : Mon Oct 28 13:41:34 2024  
Response via : Initial Calibration









#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 5.550 min Scan# 71  
Delta R.T. -0.000 min  
Lab File: VX043596.D  
Acq: 29 Oct 2024 14:52




Instrument :  
MSVOA\_X  
ClientSampleId :  
MW-4


Tgt Ion:168 Resp: 145951  
Ion Ratio Lower Upper  
168 100  
99 57.6 52.6 78.8



#3  
Chloromethane  
Concen: 0.305 ug/l  
RT: 1.294 min Scan# 34  
Delta R.T. 0.000 min  
Lab File: VX043596.D  
Acq: 29 Oct 2024 14:52

Tgt Ion: 50 Resp: 609  
Ion Ratio Lower Upper  
50 100  
52 22.4 26.3 39.5#





#8

Diethyl Ether

Concen: 0.407 ug/l

RT: 2.130 min Scan# 11

Delta R.T. -0.006 min

Lab File: VX043596.D

Acq: 29 Oct 2024 14:52

Instrument :

MSVOA\_X

ClientSampleId :





MW-4

Tgt Ion: 74 Resp: 425

Ion Ratio Lower Upper

74 100

45 140.9 47.5 142.5



#16

Acetone

Concen: 2.007 ug/l

RT: 2.386 min Scan# 213

Delta R.T. -0.012 min

Lab File: VX043596.D




Acq: 29 Oct 2024 14:52


Tgt Ion: 43 Resp: 1855

Ion Ratio Lower Upper

43 100

58 26.4 25.1 37.7





#20

Methylene Chloride

Concen: 0.307 ug/l

RT: 2.782 min Scan# 21

Delta R.T. -0.000 min

Lab File: VX043596.D

Acq: 29 Oct 2024 14:52

Instrument :

MSVOA\_X

ClientSampleId :

MW-4

Tgt Ion: 84 Resp: 611





Ion Ratio Lower Upper

84 100

49 64.5 97.0 145.6#

51 25.0 29.8 44.8#

86 42.4 53.1 79.7#



#33

1,2-Dichloroethane-d4

Concen: 43.334 ug/l

RT: 5.952 min Scan# 798

Delta R.T. 0.000 min

Lab File: VX043596.D




Acq: 29 Oct 2024 14:52


Tgt Ion: 65 Resp: 100847

Ion Ratio Lower Upper

65 100

67 53.1 0.0 103.4





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.757 min Scan# 91

Delta R.T. 0.000 min

Lab File: VX043596.D

Acq: 29 Oct 2024 14:52

Instrument :

MSVOA\_X

ClientSampleId :

MW-4





Tgt Ion:114 Resp: 270530

Ion Ratio Lower Upper

114 100

63 20.0 0.0 41.2

88 15.6 0.0 34.0



#35

Dibromofluoromethane

Concen: 46.037 ug/l

RT: 5.379 min Scan# 704

Delta R.T. -0.006 min

Lab File: VX043596.D

Acq: 29 Oct 2024 14:52




Tgt Ion:113 Resp: 84453


Ion Ratio Lower Upper

113 100

111 100.5 81.4 122.0

192 18.8 14.1 21.1





#50

Toluene-d8

Concen: 49.571 ug/l

RT: 8.647 min Scan# 11

Delta R.T. 0.000 min

Lab File: VX043596.D

Acq: 29 Oct 2024 14:52

Instrument :

MSVOA\_X

ClientSampleId :





MW-4

Tgt Ion: 98 Resp: 314788

Ion Ratio Lower Upper

98 100

100 66.1 53.4 80.2



#62

4-Bromofluorobenzene

Concen: 47.359 ug/l

RT: 11.079 min Scan# 1639

Delta R.T. 0.000 min

Lab File: VX043596.D

Acq: 29 Oct 2024 14:52




Tgt Ion: 95 Resp: 111439


Ion Ratio Lower Upper

95 100

174 76.0 0.0 146.6

176 72.6 0.0 139.6





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 10.055 min Scan# 1471

Delta R.T. 0.000 min

Lab File: VX043596.D

Acq: 29 Oct 2024 14:52

Instrument :

MSVOA\_X

ClientSampleId :

MW-4





Tgt Ion:117 Resp: 234106

Ion Ratio Lower Upper

117 100

82 53.0 42.1 63.1

119 31.5 25.4 38.2



#65

Chlorobenzene

Concen: 0.282 ug/l

RT: 10.086 min Scan# 1476

Delta R.T. 0.006 min

Lab File: VX043596.D




Acq: 29 Oct 2024 14:52


Tgt Ion:112 Resp: 1419

Ion Ratio Lower Upper

112 100

114 27.7 25.0 37.6





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 12.024 min Scan# 11

Delta R.T. 0.000 min

Lab File: VX043596.D

Acq: 29 Oct 2024 14:52

Instrument :

MSVOA\_X

ClientSampleId :

MW-4




Tgt Ion:152 Resp: 105382

Ion Ratio Lower Upper

152 100

115 60.3 42.9 128.7

150 155.2 0.0 343.6



### Report of Analysis

|                    |                                    |                 |              |
|--------------------|------------------------------------|-----------------|--------------|
| Client:            | Lockwood, Kessler & Bartlett, Inc. | Date Collected: | 10/23/24     |
| Project:           | Ansonia Landfill 2024              | Date Received:  | 10/23/24     |
| Client Sample ID:  | TRIP BLANK                         | SDG No.:        | P4548        |
| Lab Sample ID:     | P4548-09                           | Matrix:         | Water        |
| Analytical Method: | SW8260                             | % Solid:        | 0            |
| Sample Wt/Vol:     | 5 Units: mL                        | Final Vol:      | 5000 uL      |
| Soil Aliquot Vol:  | uL                                 | Test:           | VOCMS Group1 |
| GC Column:         | DB-624UI ID : 0.18                 | Level :         | LOW          |
| Prep Method :      |                                    |                 |              |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VX043592.D        | 1         |           | 10/29/24 13:19 | VX102924      |

| CAS Number     | Parameter                 | Conc. | Qualifier | MDL  | LOQ / CRQL | Units |
|----------------|---------------------------|-------|-----------|------|------------|-------|
| <b>TARGETS</b> |                           |       |           |      |            |       |
| 75-01-4        | Vinyl Chloride            | 0.34  | U         | 0.34 | 1.00       | ug/L  |
| 75-00-3        | Chloroethane              | 0.56  | U         | 0.56 | 1.00       | ug/L  |
| 75-69-4        | Trichlorofluoromethane    | 0.34  | U         | 0.34 | 1.00       | ug/L  |
| 75-35-4        | 1,1-Dichloroethene        | 0.26  | U         | 0.26 | 1.00       | ug/L  |
| 107-13-1       | Acrylonitrile             | 0.90  | U         | 0.90 | 5.00       | ug/L  |
| 67-64-1        | Acetone                   | 1.60  | J         | 1.40 | 5.00       | ug/L  |
| 75-15-0        | Carbon Disulfide          | 0.32  | U         | 0.32 | 1.00       | ug/L  |
| 75-09-2        | Methylene Chloride        | 0.36  | J         | 0.32 | 1.00       | ug/L  |
| 108-05-4       | Vinyl Acetate             | 0.71  | U         | 0.71 | 5.00       | ug/L  |
| 78-93-3        | 2-Butanone                | 1.30  | U         | 1.30 | 5.00       | ug/L  |
| 56-23-5        | Carbon Tetrachloride      | 0.25  | U         | 0.25 | 1.00       | ug/L  |
| 156-59-2       | cis-1,2-Dichloroethene    | 0.25  | U         | 0.25 | 1.00       | ug/L  |
| 74-97-5        | Bromochloromethane        | 0.18  | U         | 0.18 | 1.00       | ug/L  |
| 67-66-3        | Chloroform                | 0.26  | U         | 0.26 | 1.00       | ug/L  |
| 71-55-6        | 1,1,1-Trichloroethane     | 0.19  | U         | 0.19 | 1.00       | ug/L  |
| 71-43-2        | Benzene                   | 0.16  | U         | 0.16 | 1.00       | ug/L  |
| 78-87-5        | 1,2-Dichloropropane       | 0.19  | U         | 0.19 | 1.00       | ug/L  |
| 74-95-3        | Dibromomethane            | 0.23  | U         | 0.23 | 1.00       | ug/L  |
| 75-27-4        | Bromodichloromethane      | 0.24  | U         | 0.24 | 1.00       | ug/L  |
| 108-10-1       | 4-Methyl-2-Pentanone      | 0.75  | U         | 0.75 | 5.00       | ug/L  |
| 108-88-3       | Toluene                   | 0.18  | U         | 0.18 | 1.00       | ug/L  |
| 10061-02-6     | t-1,3-Dichloropropene     | 0.21  | U         | 0.21 | 1.00       | ug/L  |
| 10061-01-5     | cis-1,3-Dichloropropene   | 0.18  | U         | 0.18 | 1.00       | ug/L  |
| 591-78-6       | 2-Hexanone                | 1.10  | U         | 1.10 | 5.00       | ug/L  |
| 124-48-1       | Dibromochloromethane      | 0.18  | U         | 0.18 | 1.00       | ug/L  |
| 106-93-4       | 1,2-Dibromoethane         | 0.16  | U         | 0.16 | 1.00       | ug/L  |
| 127-18-4       | Tetrachloroethene         | 0.25  | U         | 0.25 | 1.00       | ug/L  |
| 108-90-7       | Chlorobenzene             | 0.13  | U         | 0.13 | 1.00       | ug/L  |
| 630-20-6       | 1,1,1,2-Tetrachloroethane | 0.21  | U         | 0.21 | 1.00       | ug/L  |
| 100-41-4       | Ethyl Benzene             | 0.16  | U         | 0.16 | 1.00       | ug/L  |

## Report of Analysis

|                    |                                            |                 |                            |
|--------------------|--------------------------------------------|-----------------|----------------------------|
| Client:            | Lockwood, Kessler & Bartlett, Inc.         | Date Collected: | 10/23/24                   |
| Project:           | Ansonia Landfill 2024                      | Date Received:  | 10/23/24                   |
| Client Sample ID:  | TRIP BLANK                                 | SDG No.:        | P4548                      |
| Lab Sample ID:     | P4548-09                                   | Matrix:         | Water                      |
| Analytical Method: | SW8260                                     | % Solid:        | 0                          |
| Sample Wt/Vol:     | 5                    Units:      mL        | Final Vol:      | 5000                    uL |
| Soil Aliquot Vol:  | uL                                         | Test:           | VOCMS Group1               |
| GC Column:         | DB-624UI                    ID :      0.18 | Level :         | LOW                        |
| Prep Method :      |                                            |                 |                            |

| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
|-------------------|-----------|-----------|----------------|---------------|
| VX043592.D        | 1         |           | 10/29/24 13:19 | VX102924      |

| CAS Number                | Parameter                   | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|---------------------------|-----------------------------|--------|-----------|----------|------------|---------|
| 1330-20-7                 | Total Xylenes               | 0.45   | U         | 0.45     | 3.00       | ug/L    |
| 100-42-5                  | Styrene                     | 0.16   | U         | 0.16     | 1.00       | ug/L    |
| 75-25-2                   | Bromoform                   | 0.21   | U         | 0.21     | 1.00       | ug/L    |
| 79-34-5                   | 1,1,2,2-Tetrachloroethane   | 0.27   | U         | 0.27     | 1.00       | ug/L    |
| 96-18-4                   | 1,2,3-Trichloropropane      | 0.39   | U         | 0.39     | 1.00       | ug/L    |
| 106-46-7                  | 1,4-Dichlorobenzene         | 0.27   | U         | 0.27     | 1.00       | ug/L    |
| 95-50-1                   | 1,2-Dichlorobenzene         | 0.19   | U         | 0.19     | 1.00       | ug/L    |
| 96-12-8                   | 1,2-Dibromo-3-Chloropropane | 0.46   | U         | 0.46     | 1.00       | ug/L    |
| 74-88-4                   | Methyl Iodide               | 1.20   | U         | 1.20     | 5.00       | ug/L    |
| 110-57-6                  | trans-1,4-Dichloro-2-butene | 0.63   | U         | 0.63     | 5.00       | ug/L    |
| <b>SURROGATES</b>         |                             |        |           |          |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4       | 44.4   |           | 74 - 125 | 89%        | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane        | 45.6   |           | 75 - 124 | 91%        | SPK: 50 |
| 2037-26-5                 | Toluene-d8                  | 49.8   |           | 86 - 113 | 100%       | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene        | 47.5   |           | 77 - 121 | 95%        | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                             |        |           |          |            |         |
| 363-72-4                  | Pentafluorobenzene          | 160000 | 5.55      |          |            |         |
| 540-36-3                  | 1,4-Difluorobenzene         | 298000 | 6.757     |          |            |         |
| 3114-55-4                 | Chlorobenzene-d5            | 259000 | 10.055    |          |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4      | 116000 | 12.024    |          |            |         |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
 Data File : VX043592.D  
 Acq On : 29 Oct 2024 13:19  
 Operator : JC/MD  
 Sample : P4548-09  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 TRIP BLANK

Quant Time: Oct 30 01:30:51 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:41:34 2024  
 Response via : Initial Calibration


| Compound                    | R.T.           | QIon | Response   | Conc    | Units  | Dev(Min) |
|-----------------------------|----------------|------|------------|---------|--------|----------|
| -----                       |                |      |            |         |        |          |
| Internal Standards          |                |      |            |         |        |          |
| 1) Pentafluorobenzene       | 5.550          | 168  | 160173     | 50.000  | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene     | 6.757          | 114  | 298248     | 50.000  | ug/l   | 0.00     |
| 63) Chlorobenzene-d5        | 10.055         | 117  | 258594     | 50.000  | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 12.024         | 152  | 115532     | 50.000  | ug/l   | 0.00     |
|                             |                |      |            |         |        |          |
| System Monitoring Compounds |                |      |            |         |        |          |
| 33) 1,2-Dichloroethane-d4   | 5.952          | 65   | 113453     | 44.422  | ug/l   | 0.00     |
| Spiked Amount 50.000        | Range 74 - 125 |      | Recovery = | 88.840% |        |          |
| 35) Dibromofluoromethane    | 5.385          | 113  | 92267      | 45.622  | ug/l   | 0.00     |
| Spiked Amount 50.000        | Range 75 - 124 |      | Recovery = | 91.240% |        |          |
| 50) Toluene-d8              | 8.647          | 98   | 348344     | 49.758  | ug/l   | 0.00     |
| Spiked Amount 50.000        | Range 86 - 113 |      | Recovery = | 99.520% |        |          |
| 62) 4-Bromofluorobenzene    | 11.079         | 95   | 123224     | 47.500  | ug/l   | 0.00     |
| Spiked Amount 50.000        | Range 77 - 121 |      | Recovery = | 95.000% |        |          |
|                             |                |      |            |         |        |          |
| Target Compounds            |                |      |            |         |        |          |
|                             |                |      |            |         | Qvalue |          |
| 3) Chloromethane            | 1.288          | 50   | 583        | 0.266   | ug/l # | 86       |
| 16) Acetone                 | 2.392          | 43   | 1574       | 1.552   | ug/l # | 82       |
| 20) Methylene Chloride      | 2.788          | 84   | 780        | 0.357   | ug/l # | 77       |
| -----                       |                |      |            |         |        |          |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
Data File : VX043592.D  
Acq On : 29 Oct 2024 13:19  
Operator : JC/MD  
Sample : P4548-09  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 1 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
TRIP BLANK

Quant Time: Oct 30 01:30:51 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
Quant Title : SW846 8260  
QLast Update : Mon Oct 28 13:41:34 2024  
Response via : Initial Calibration





#1  
Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.550 min Scan# 71

Delta R.T. -0.000 min

Lab File: VX043592.D

Acq: 29 Oct 2024 13:19

Instrument :

MSVOA\_X

ClientSampleId :





TRIP BLANK

Tgt Ion:168 Resp: 160173

Ion Ratio Lower Upper

168 100

99 59.8 52.6 78.8



#3

Chloromethane

Concen: 0.266 ug/l

RT: 1.288 min Scan# 33

Delta R.T. -0.006 min

Lab File: VX043592.D




Acq: 29 Oct 2024 13:19


Tgt Ion: 50 Resp: 583

Ion Ratio Lower Upper

50 100

52 24.8 26.3 39.5#









#16  
Acetone  
Concen: 1.552 ug/l  
RT: 2.392 min Scan# 214  
Delta R.T. -0.006 min  
Lab File: VX043592.D  
Acq: 29 Oct 2024 13:19




Instrument :  
MSVOA\_X  
ClientSampleId :  
TRIP BLANK


Tgt Ion: 43 Resp: 1574  
Ion Ratio Lower Upper  
43 100  
58 21.3 25.1 37.7#



#20  
Methylene Chloride  
Concen: 0.357 ug/l  
RT: 2.788 min Scan# 279  
Delta R.T. 0.006 min  
Lab File: VX043592.D  
Acq: 29 Oct 2024 13:19

Tgt Ion: 84 Resp: 780  
Ion Ratio Lower Upper  
84 100  
49 86.4 97.0 145.6#  
51 37.5 29.8 44.8  
86 50.4 53.1 79.7#





#33

1,2-Dichloroethane-d4

Concen: 44.422 ug/l

RT: 5.952 min Scan# 798

Delta R.T. 0.000 min

Lab File: VX043592.D

Acq: 29 Oct 2024 13:19

Instrument :

MSVOA\_X

ClientSampleId :





TRIP BLANK

Tgt Ion: 65 Resp: 113453

Ion Ratio Lower Upper

65 100

67 51.3 0.0 103.4



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.757 min Scan# 930

Delta R.T. 0.000 min

Lab File: VX043592.D

Acq: 29 Oct 2024 13:19




Tgt Ion: 114 Resp: 298248


Ion Ratio Lower Upper

114 100

63 19.0 0.0 41.2

88 15.9 0.0 34.0





#35

Dibromofluoromethane

Concen: 45.622 ug/l

RT: 5.385 min Scan# 704

Delta R.T. 0.000 min

Lab File: VX043592.D


Acq: 29 Oct 2024 13:19

Instrument :

MSVOA\_X

ClientSampleId :

TRIP BLANK






Tgt Ion:113 Resp: 92267

Ion Ratio Lower Upper

113 100

111 101.1 81.4 122.0

192 18.8 14.1 21.1



#50

Toluene-d8

Concen: 49.758 ug/l

RT: 8.647 min Scan# 1240

Delta R.T. 0.000 min

Lab File: VX043592.D




Acq: 29 Oct 2024 13:19


Tgt Ion: 98 Resp: 348344

Ion Ratio Lower Upper

98 100

100 66.6 53.4 80.2









#62  
4-Bromofluorobenzene  
Concen: 47.500 ug/l  
RT: 11.079 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VX043592.D  
Acq: 29 Oct 2024 13:19




Instrument :  
MSVOA\_X  
ClientSampleId :  
TRIP BLANK


Tgt Ion: 95 Resp: 123224  
Ion Ratio Lower Upper  
95 100  
174 75.1 0.0 146.6  
176 71.6 0.0 139.6



#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 10.055 min Scan# 1471  
Delta R.T. 0.000 min  
Lab File: VX043592.D  
Acq: 29 Oct 2024 13:19

Tgt Ion: 117 Resp: 258594  
Ion Ratio Lower Upper  
117 100  
82 53.9 42.1 63.1  
119 33.8 25.4 38.2





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 12.024 min Scan# 11

Delta R.T. 0.000 min

Lab File: VX043592.D


Acq: 29 Oct 2024 13:19

Instrument :

MSVOA\_X

ClientSampleId :

TRIP BLANK





Tgt Ion:152 Resp: 115532

Ion Ratio Lower Upper

152 100

115 61.7 42.9 128.7

150 157.1 0.0 343.6





# CALIBRATION SUMMARY



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

### VOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: CHEMTECH Contract: LOCK01

Lab Code: CHEM Case No.: P4548 SAS No.: P4548 SDG No.: P4548

Instrument ID: MSVOA\_X Calibration Date(s): 10/28/2024 10/28/2024

Heated Purge: (Y/N) N Calibration Time(s): 10:59 12:54

GC Column: DB-624UI ID: 0.18 (mm)

|                           |                     |        |        |                     |        |                     |       |                     |  |                     |  |                     |  |
|---------------------------|---------------------|--------|--------|---------------------|--------|---------------------|-------|---------------------|--|---------------------|--|---------------------|--|
| LAB FILE ID:              | RRF001 = VX043556.D |        |        | RRF005 = VX043557.D |        | RRF020 = VX043558.D |       | RRF050 = VX043559.D |  | RRF100 = VX043560.D |  | RRF150 = VX043561.D |  |
| COMPOUND                  | RRF001              | RRF005 | RRF020 | RRF050              | RRF100 | RRF150              | RRF   | % RSD               |  |                     |  |                     |  |
| Vinyl Chloride            | 0.626               | 0.674  | 0.638  | 0.634               | 0.643  | 0.591               | 0.634 | 4.2                 |  |                     |  |                     |  |
| Chloroethane              | 0.263               | 0.215  | 0.212  | 0.225               | 0.217  | 0.210               | 0.223 | 9                   |  |                     |  |                     |  |
| Trichlorofluoromethane    | 0.823               | 0.776  | 0.710  | 0.779               | 0.846  | 0.716               | 0.775 | 7.1                 |  |                     |  |                     |  |
| 1,1-Dichloroethene        | 0.533               | 0.555  | 0.521  | 0.536               | 0.556  | 0.513               | 0.536 | 3.3                 |  |                     |  |                     |  |
| Acrylonitrile             | 0.302               | 0.335  | 0.331  | 0.348               | 0.360  | 0.340               | 0.336 | 5.8                 |  |                     |  |                     |  |
| Acetone                   | 0.365               | 0.320  | 0.294  | 0.312               | 0.314  | 0.295               | 0.317 | 8.2                 |  |                     |  |                     |  |
| Carbon Disulfide          | 1.067               | 0.974  | 1.007  | 1.134               | 1.310  | 1.227               | 1.120 | 11.6                |  |                     |  |                     |  |
| Methylene Chloride        | 0.772               | 0.699  | 0.663  | 0.663               | 0.665  | 0.633               | 0.682 | 7.2                 |  |                     |  |                     |  |
| Vinyl Acetate             | 1.326               | 1.547  | 1.607  | 1.688               | 1.706  | 1.618               | 1.582 | 8.7                 |  |                     |  |                     |  |
| 2-Butanone                | 0.427               | 0.462  | 0.457  | 0.483               | 0.484  | 0.459               | 0.462 | 4.5                 |  |                     |  |                     |  |
| Carbon Tetrachloride      | 0.462               | 0.442  | 0.423  | 0.444               | 0.465  | 0.429               | 0.444 | 3.8                 |  |                     |  |                     |  |
| cis-1,2-Dichloroethene    | 0.708               | 0.719  | 0.716  | 0.740               | 0.747  | 0.707               | 0.723 | 2.3                 |  |                     |  |                     |  |
| Bromochloromethane        | 0.512               | 0.529  | 0.531  | 0.507               | 0.545  | 0.516               | 0.524 | 2.7                 |  |                     |  |                     |  |
| Chloroform                | 1.171               | 1.170  | 1.165  | 1.163               | 1.166  | 1.087               | 1.154 | 2.8                 |  |                     |  |                     |  |
| 1,1,1-Trichloroethane     | 0.939               | 0.949  | 0.978  | 0.986               | 1.020  | 0.939               | 0.969 | 3.3                 |  |                     |  |                     |  |
| Benzene                   | 1.335               | 1.396  | 1.383  | 1.355               | 1.333  | 1.246               | 1.341 | 4                   |  |                     |  |                     |  |
| 1,2-Dichloropropane       | 0.327               | 0.339  | 0.325  | 0.338               | 0.333  | 0.320               | 0.330 | 2.2                 |  |                     |  |                     |  |
| Dibromomethane            | 0.230               | 0.264  | 0.258  | 0.260               | 0.262  | 0.252               | 0.254 | 4.9                 |  |                     |  |                     |  |
| Bromodichloromethane      | 0.378               | 0.415  | 0.435  | 0.476               | 0.495  | 0.477               | 0.446 | 10                  |  |                     |  |                     |  |
| 4-Methyl-2-Pentanone      | 0.416               | 0.497  | 0.507  | 0.525               | 0.518  | 0.491               | 0.492 | 8                   |  |                     |  |                     |  |
| Toluene                   | 0.743               | 0.832  | 0.866  | 0.838               | 0.831  | 0.769               | 0.813 | 5.7                 |  |                     |  |                     |  |
| t-1,3-Dichloropropene     | 0.421               | 0.424  | 0.485  | 0.509               | 0.526  | 0.510               | 0.479 | 9.6                 |  |                     |  |                     |  |
| cis-1,3-Dichloropropene   | 0.393               | 0.495  | 0.535  | 0.543               | 0.560  | 0.536               | 0.510 | 12                  |  |                     |  |                     |  |
| 2-Hexanone                | 0.333               | 0.369  | 0.380  | 0.400               | 0.392  | 0.368               | 0.374 | 6.3                 |  |                     |  |                     |  |
| Dibromochloromethane      | 0.259               | 0.289  | 0.332  | 0.367               | 0.387  | 0.377               | 0.335 | 15.4                |  |                     |  |                     |  |
| 1,2-Dibromoethane         | 0.314               | 0.351  | 0.361  | 0.367               | 0.369  | 0.346               | 0.351 | 5.8                 |  |                     |  |                     |  |
| Tetrachloroethene         | 0.337               | 0.323  | 0.327  | 0.309               | 0.308  | 0.284               | 0.314 | 5.8                 |  |                     |  |                     |  |
| Chlorobenzene             | 1.098               | 1.110  | 1.083  | 1.075               | 1.081  | 1.007               | 1.076 | 3.3                 |  |                     |  |                     |  |
| 1,1,1,2-Tetrachloroethane | 0.301               | 0.345  | 0.350  | 0.372               | 0.381  | 0.359               | 0.351 | 8.1                 |  |                     |  |                     |  |
| Ethyl Benzene             | 1.757               | 1.763  | 1.799  | 1.777               | 1.794  | 1.634               | 1.754 | 3.5                 |  |                     |  |                     |  |

\* Compounds with required minimum RRF and maximum %RSD values.  
All other compounds must meet a minimum RRF of 0.010.  
RRF of 1,4-Dioxane = Value should be divide by 1000.



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

### VOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: CHEMTECH Contract: LOCK01  
 Lab Code: CHEM Case No.: P4548 SAS No.: P4548 SDG No.: P4548  
 Instrument ID: MSVOA\_X Calibration Date(s): 10/28/2024 10/28/2024  
 Heated Purge: (Y/N) N Calibration Time(s): 10:59 12:54  
 GC Column: DB-624UI ID: 0.18 (mm)

| LAB FILE ID:                |        | RRF001 = VX043556.D |        | RRF005 = VX043557.D |        | RRF020 = VX043558.D |       |       |  |
|-----------------------------|--------|---------------------|--------|---------------------|--------|---------------------|-------|-------|--|
|                             |        | RRF050 = VX043559.D |        | RRF100 = VX043560.D |        | RRF150 = VX043561.D |       |       |  |
| COMPOUND                    | RRF001 | RRF005              | RRF020 | RRF050              | RRF100 | RRF150              | RRF   | % RSD |  |
| m/p-Xylenes                 | 0.625  | 0.680               | 0.708  | 0.691               | 0.691  | 0.629               | 0.671 | 5.2   |  |
| o-Xylene                    | 0.616  | 0.698               | 0.698  | 0.689               | 0.698  | 0.645               | 0.674 | 5.2   |  |
| Styrene                     | 1.007  | 1.055               | 1.174  | 1.183               | 1.189  | 1.114               | 1.120 | 6.8   |  |
| Bromoform                   | 0.203  | 0.206               | 0.230  | 0.275               | 0.304  | 0.297               | 0.253 | 17.9  |  |
| 1,1,2,2-Tetrachloroethane   | 1.210  | 1.355               | 1.316  | 1.292               | 1.276  | 1.193               | 1.274 | 4.9   |  |
| 1,2,3-Trichloropropane      | 0.928  | 1.210               | 1.166  | 1.071               | 1.043  | 0.996               | 1.069 | 9.8   |  |
| 1,4-Dichlorobenzene         | 1.917  | 1.720               | 1.694  | 1.653               | 1.657  | 1.551               | 1.699 | 7.1   |  |
| 1,2-Dichlorobenzene         | 1.638  | 1.735               | 1.698  | 1.726               | 1.675  | 1.586               | 1.676 | 3.4   |  |
| 1,2-Dibromo-3-Chloropropane | 0.229  | 0.220               | 0.256  | 0.281               | 0.291  | 0.281               | 0.260 | 11.5  |  |
| 1,2-Dichloroethane-d4       |        | 0.902               | 0.794  | 0.785               | 0.771  | 0.735               | 0.797 | 7.9   |  |
| Dibromofluoromethane        |        | 0.358               | 0.337  | 0.336               | 0.342  | 0.323               | 0.339 | 3.7   |  |
| Toluene-d8                  |        | 1.255               | 1.206  | 1.175               | 1.159  | 1.072               | 1.174 | 5.8   |  |
| 4-Bromofluorobenzene        |        | 0.446               | 0.431  | 0.444               | 0.439  | 0.415               | 0.435 | 2.9   |  |
| Methyl Iodide               |        | 0.726               | 0.762  | 0.782               | 0.789  | 0.726               | 0.757 | 4     |  |
| trans-1,4-Dichloro-2-butene |        | 0.290               | 0.356  | 0.418               | 0.447  | 0.432               | 0.389 | 16.7  |  |

\* Compounds with required minimum RRF and maximum %RSD values.  
 All other compounds must meet a minimum RRF of 0.010.  
 RRF of 1,4-Dioxane = Value should be divide by 1000.

Method Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\  
 Method File : 82X102824W.M  
 Title : SW846 8260  
 Last Update : Mon Oct 28 13:41:34 2024  
 Response Via : Initial Calibration

## Calibration Files

1 =VX043556.D 5 =VX043557.D 20 =VX043558.D 50 =VX043559.D 100 =VX043560.D 150 =VX043561.D

|        | Compound            | 1              | 5     | 20    | 50    | 100   | 150   | Avg   | %RSD  |
|--------|---------------------|----------------|-------|-------|-------|-------|-------|-------|-------|
| 1) I   | Pentafluorobenzene  | -----ISTD----- |       |       |       |       |       |       |       |
| 2) T   | Dichlorodifluo...   | 0.589          | 0.553 | 0.552 | 0.506 | 0.522 | 0.485 | 0.535 | 7.04  |
| 3) P   | Chloromethane       | 0.795          | 0.703 | 0.678 | 0.651 | 0.662 | 0.612 | 0.684 | 9.15  |
| 4) C   | Vinyl Chloride      | 0.626          | 0.674 | 0.638 | 0.634 | 0.643 | 0.591 | 0.634 | 4.23# |
| 5) T   | Bromomethane        |                | 0.267 | 0.246 | 0.262 | 0.260 | 0.258 | 0.259 | 2.91  |
| 6) T   | Chloroethane        | 0.263          | 0.215 | 0.212 | 0.225 | 0.217 | 0.210 | 0.223 | 8.96  |
| 7) T   | Trichlorofluor...   | 0.823          | 0.776 | 0.710 | 0.779 | 0.846 | 0.716 | 0.775 | 7.10  |
| 8) T   | Diethyl Ether       | 0.336          | 0.375 | 0.355 | 0.355 | 0.378 | 0.349 | 0.358 | 4.46  |
| 9) T   | 1,1,2-Trichlor...   | 0.522          | 0.546 | 0.522 | 0.525 | 0.539 | 0.491 | 0.524 | 3.67  |
| 10) T  | Methyl Iodide       |                | 0.726 | 0.762 | 0.782 | 0.789 | 0.726 | 0.757 | 3.98  |
| 11) T  | Tert butyl alc...   |                | 0.131 | 0.131 | 0.156 | 0.170 | 0.155 | 0.149 | 11.43 |
| 12) CM | 1,1-Dichloroet...   | 0.533          | 0.555 | 0.521 | 0.536 | 0.556 | 0.513 | 0.536 | 3.27# |
| 13) T  | Acrolein            |                | 0.124 | 0.121 | 0.109 | 0.117 | 0.111 | 0.116 | 5.54  |
| 14) T  | Allyl chloride      | 0.911          | 0.881 | 0.900 | 0.953 | 1.003 | 0.911 | 0.926 | 4.82  |
| 15) T  | Acrylonitrile       | 0.302          | 0.335 | 0.331 | 0.348 | 0.360 | 0.340 | 0.336 | 5.75  |
| 16) T  | Acetone             | 0.365          | 0.320 | 0.294 | 0.312 | 0.314 | 0.295 | 0.317 | 8.17  |
| 17) T  | Carbon Disulfide    | 1.067          | 0.974 | 1.007 | 1.134 | 1.310 | 1.227 | 1.120 | 11.61 |
| 18) T  | Methyl Acetate      | 0.970          | 0.926 | 0.880 | 0.926 | 0.945 | 0.904 | 0.925 | 3.37  |
| 19) T  | Methyl tert-bu...   | 1.992          | 2.025 | 2.038 | 2.080 | 2.086 | 1.999 | 2.037 | 1.94  |
| 20) T  | Methylene Chlo...   | 0.772          | 0.699 | 0.663 | 0.663 | 0.665 | 0.633 | 0.682 | 7.16  |
| 21) T  | trans-1,2-Dich...   | 0.559          | 0.557 | 0.577 | 0.562 | 0.594 | 0.546 | 0.566 | 3.01  |
| 22) T  | Diisopropyl ether   | 1.799          | 1.992 | 1.982 | 1.951 | 1.942 | 1.823 | 1.915 | 4.32  |
| 23) T  | Vinyl Acetate       | 1.326          | 1.547 | 1.607 | 1.688 | 1.706 | 1.618 | 1.582 | 8.73  |
| 24) P  | 1,1-Dichloroet...   | 1.103          | 1.105 | 1.103 | 1.109 | 1.135 | 1.048 | 1.101 | 2.57  |
| 25) T  | 2-Butanone          | 0.427          | 0.462 | 0.457 | 0.483 | 0.484 | 0.459 | 0.462 | 4.54  |
| 26) T  | 2,2-Dichloropr...   | 0.928          | 0.914 | 0.901 | 0.889 | 0.925 | 0.848 | 0.901 | 3.33  |
| 27) T  | cis-1,2-Dichlo...   | 0.708          | 0.719 | 0.716 | 0.740 | 0.747 | 0.707 | 0.723 | 2.33  |
| 28) T  | Bromochloromet...   | 0.512          | 0.529 | 0.531 | 0.507 | 0.545 | 0.516 | 0.524 | 2.73  |
| 29) T  | Tetrahydrofuran     | 0.281          | 0.305 | 0.299 | 0.310 | 0.312 | 0.295 | 0.300 | 3.78  |
| 30) C  | Chloroform          | 1.171          | 1.170 | 1.165 | 1.163 | 1.166 | 1.087 | 1.154 | 2.82# |
| 31) T  | Cyclohexane         |                | 0.860 | 0.885 | 0.839 | 0.857 | 0.768 | 0.842 | 5.26  |
| 32) T  | 1,1,1-Trichlor...   | 0.939          | 0.949 | 0.978 | 0.986 | 1.020 | 0.939 | 0.969 | 3.32  |
| 33) S  | 1,2-Dichloroet...   |                | 0.902 | 0.794 | 0.785 | 0.771 | 0.735 | 0.797 | 7.86  |
| 34) I  | 1,4-Difluorobenzene | -----ISTD----- |       |       |       |       |       |       |       |
| 35) S  | Dibromofluorom...   |                | 0.358 | 0.337 | 0.336 | 0.342 | 0.323 | 0.339 | 3.73  |
| 36) T  | 1,1-Dichloropr...   | 0.451          | 0.396 | 0.408 | 0.388 | 0.400 | 0.369 | 0.402 | 6.88  |
| 37) T  | Ethyl Acetate       | 0.522          | 0.416 | 0.498 | 0.506 | 0.503 | 0.484 | 0.488 | 7.65  |
| 38) T  | Carbon Tetrach...   | 0.462          | 0.442 | 0.423 | 0.444 | 0.465 | 0.429 | 0.444 | 3.83  |
| 39) T  | Methylcyclohexane   | 0.475          | 0.509 | 0.515 | 0.510 | 0.512 | 0.473 | 0.499 | 3.88  |
| 40) TM | Benzene             | 1.335          | 1.396 | 1.383 | 1.355 | 1.333 | 1.246 | 1.341 | 3.97  |
| 41) T  | Methacrylonitrile   | 0.260          | 0.221 | 0.260 | 0.271 | 0.270 | 0.256 | 0.256 | 7.12  |
| 42) TM | 1,2-Dichloroet...   | 0.455          | 0.488 | 0.500 | 0.495 | 0.489 | 0.466 | 0.482 | 3.65  |
| 43) T  | Isopropyl Acetate   | 0.744          | 0.809 | 0.795 | 0.836 | 0.845 | 0.814 | 0.807 | 4.45  |
| 44) TM | Trichloroethene     | 0.321          | 0.345 | 0.338 | 0.338 | 0.341 | 0.317 | 0.333 | 3.45  |
| 45) C  | 1,2-Dichloropr...   | 0.327          | 0.339 | 0.325 | 0.338 | 0.333 | 0.320 | 0.330 | 2.25# |
| 46) T  | Dibromomethane      | 0.230          | 0.264 | 0.258 | 0.260 | 0.262 | 0.252 | 0.254 | 4.93  |
| 47) T  | Bromodichlorom...   | 0.378          | 0.415 | 0.435 | 0.476 | 0.495 | 0.477 | 0.446 | 10.03 |
| 48) T  | Methyl methacr...   | 0.319          | 0.367 | 0.391 | 0.402 | 0.412 | 0.404 | 0.383 | 9.07  |
| 49) T  | 1,4-Dioxane         | 0.008          | 0.008 | 0.007 | 0.008 | 0.010 | 0.007 | 0.008 | 13.42 |
| 50) S  | Toluene-d8          |                | 1.255 | 1.206 | 1.175 | 1.159 | 1.072 | 1.174 | 5.76  |
| 51) T  | 4-Methyl-2-Pen...   | 0.416          | 0.497 | 0.507 | 0.525 | 0.518 | 0.491 | 0.492 | 8.04  |
| 52) CM | Toluene             | 0.743          | 0.832 | 0.866 | 0.838 | 0.831 | 0.769 | 0.813 | 5.75# |
| 53) T  | t-1,3-Dichloro...   | 0.421          | 0.424 | 0.485 | 0.509 | 0.526 | 0.510 | 0.479 | 9.64  |
| 54) T  | cis-1,3-Dichlo...   | 0.393          | 0.495 | 0.535 | 0.543 | 0.560 | 0.536 | 0.510 | 12.02 |
| 55) T  | 1,1,2-Trichlor...   | 0.318          | 0.341 | 0.345 | 0.355 | 0.345 | 0.327 | 0.339 | 4.05  |
| 56) T  | Ethyl methacry...   | 0.473          | 0.522 | 0.561 | 0.590 | 0.588 | 0.566 | 0.550 | 8.19  |

Method Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\  
 Method File : 82X102824W.M

|     |    |                       |                |       |       |       |       |       |       |       |
|-----|----|-----------------------|----------------|-------|-------|-------|-------|-------|-------|-------|
| 57) | T  | 1,3-Dichloropr...     | 0.495          | 0.577 | 0.589 | 0.590 | 0.576 | 0.551 | 0.563 | 6.42  |
| 58) | T  | 2-Chloroethyl ...     | 0.232          | 0.257 | 0.287 | 0.268 | 0.279 | 0.275 | 0.266 | 7.34  |
| 59) | T  | 2-Hexanone            | 0.333          | 0.369 | 0.380 | 0.400 | 0.392 | 0.368 | 0.374 | 6.33  |
| 60) | T  | Dibromochlorom...     | 0.259          | 0.289 | 0.332 | 0.367 | 0.387 | 0.377 | 0.335 | 15.42 |
| 61) | T  | 1,2-Dibromoethane     | 0.314          | 0.351 | 0.361 | 0.367 | 0.369 | 0.346 | 0.351 | 5.81  |
| 62) | S  | 4-Bromofluorob...     | 0.446          | 0.431 | 0.444 | 0.439 | 0.415 | 0.435 |       | 2.92  |
| 63) | I  | Chlorobenzene-d5      | -----ISTD----- |       |       |       |       |       |       |       |
| 64) | T  | Tetrachloroethene     | 0.337          | 0.323 | 0.327 | 0.309 | 0.308 | 0.284 | 0.314 | 5.83  |
| 65) | PM | Chlorobenzene         | 1.098          | 1.110 | 1.082 | 1.075 | 1.081 | 1.007 | 1.076 | 3.34  |
| 66) | T  | 1,1,1,2-Tetrac...     | 0.301          | 0.345 | 0.350 | 0.372 | 0.381 | 0.359 | 0.351 | 8.05  |
| 67) | C  | Ethyl Benzene         | 1.757          | 1.763 | 1.799 | 1.777 | 1.794 | 1.634 | 1.754 | 3.48# |
| 68) | T  | m/p-Xylenes           | 0.625          | 0.680 | 0.708 | 0.691 | 0.691 | 0.629 | 0.671 | 5.21  |
| 69) | T  | o-Xylene              | 0.616          | 0.698 | 0.698 | 0.689 | 0.698 | 0.645 | 0.674 | 5.20  |
| 70) | T  | Styrene               | 1.007          | 1.055 | 1.174 | 1.183 | 1.189 | 1.114 | 1.120 | 6.75  |
| 71) | P  | Bromoform             | 0.203          | 0.206 | 0.230 | 0.275 | 0.304 | 0.297 | 0.253 | 17.91 |
| 72) | I  | 1,4-Dichlorobenzen... | -----ISTD----- |       |       |       |       |       |       |       |
| 73) | T  | Isopropylbenzene      | 3.522          | 3.684 | 3.705 | 3.560 | 3.549 | 3.230 | 3.542 | 4.80  |
| 74) | T  | N-amyl acetate        | 1.647          | 1.710 | 1.736 | 1.773 | 1.779 | 1.708 | 1.725 | 2.83  |
| 75) | P  | 1,1,2,2-Tetrac...     | 1.210          | 1.355 | 1.316 | 1.292 | 1.276 | 1.193 | 1.274 | 4.86  |
| 76) | T  | 1,2,3-Trichlor...     | 0.928          | 1.210 | 1.166 | 1.071 | 1.043 | 0.996 | 1.069 | 9.83  |
| 77) | T  | Bromobenzene          | 0.922          | 0.945 | 0.926 | 0.925 | 0.922 | 0.847 | 0.915 | 3.74  |
| 78) | T  | n-propylbenzene       | 3.678          | 3.819 | 4.066 | 3.986 | 3.987 | 3.635 | 3.862 | 4.63  |
| 79) | T  | 2-Chlorotoluene       | 2.723          | 2.677 | 2.652 | 2.517 | 2.499 | 2.296 | 2.561 | 6.15  |
| 80) | T  | 1,3,5-Trimethy...     | 2.761          | 3.105 | 3.117 | 3.038 | 2.984 | 2.714 | 2.953 | 5.91  |
| 81) | T  | trans-1,4-Dich...     | 0.290          | 0.356 | 0.418 | 0.447 | 0.432 | 0.389 |       | 16.71 |
| 82) | T  | 4-Chlorotoluene       | 2.951          | 2.921 | 2.942 | 2.892 | 2.887 | 2.652 | 2.874 | 3.88  |
| 83) | T  | tert-Butylbenzene     | 2.885          | 3.100 | 3.149 | 3.041 | 3.068 | 2.777 | 3.003 | 4.73  |
| 84) | T  | 1,2,4-Trimethy...     | 2.780          | 3.111 | 3.187 | 3.099 | 3.051 | 2.829 | 3.010 | 5.50  |
| 85) | T  | sec-Butylbenzene      | 3.295          | 3.559 | 3.718 | 3.642 | 3.604 | 3.304 | 3.520 | 5.09  |
| 86) | T  | p-Isopropyltol...     | 2.741          | 2.984 | 3.123 | 3.121 | 3.138 | 2.847 | 2.992 | 5.58  |
| 87) | T  | 1,3-Dichlorobe...     | 1.645          | 1.695 | 1.647 | 1.646 | 1.654 | 1.548 | 1.639 | 2.97  |
| 88) | T  | 1,4-Dichlorobe...     | 1.917          | 1.720 | 1.694 | 1.653 | 1.657 | 1.551 | 1.699 | 7.14  |
| 89) | T  | n-Butylbenzene        | 2.117          | 2.230 | 2.516 | 2.614 | 2.687 | 2.467 | 2.438 | 9.10  |
| 90) | T  | Hexachloroethane      | 0.408          | 0.421 | 0.476 | 0.519 | 0.560 | 0.533 | 0.486 | 12.77 |
| 91) | T  | 1,2-Dichlorobe...     | 1.638          | 1.735 | 1.697 | 1.726 | 1.675 | 1.586 | 1.676 | 3.38  |
| 92) | T  | 1,2-Dibromo-3-...     | 0.229          | 0.220 | 0.256 | 0.281 | 0.291 | 0.281 | 0.260 | 11.53 |
| 93) | T  | 1,2,4-Trichlor...     | 0.865          | 1.008 | 0.999 | 1.080 | 1.099 | 1.052 | 1.017 | 8.27  |
| 94) | T  | Hexachlorobuta...     | 0.392          | 0.367 | 0.378 | 0.373 | 0.391 | 0.351 | 0.375 | 4.13  |
| 95) | T  | Naphthalene           | 3.249          | 3.742 | 4.006 | 4.126 | 4.229 | 4.007 | 3.893 | 9.12  |
| 96) | T  | 1,2,3-Trichlor...     | 0.976          | 1.057 | 1.077 | 1.101 | 1.146 | 1.080 | 1.073 | 5.25  |

(#) = Out of Range

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
 Data File : VX043556.D  
 Acq On : 28 Oct 2024 10:59  
 Operator : JC/MD  
 Sample : VSTDICC001  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VSTDICC001

Manual Integrations  
 APPROVED

Reviewed By :Semsettin Yesilyurt 10/29/2024  
 Supervised By :Mahesh Dadoda 10/29/2024

Quant Time: Oct 28 13:30:02 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:29:33 2024  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 5.550  | 168  | 161665   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 6.757  | 114  | 295688   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.055 | 117  | 253619   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.018 | 152  | 113521   | 50.000 | ug/l  | 0.00     |

## System Monitoring Compounds

|                           |        |       |          |          |      |         |
|---------------------------|--------|-------|----------|----------|------|---------|
| 33) 1,2-Dichloroethane-d4 | 0.000  | 65    | 0d       | 0.000    | ug/l |         |
| Spiked Amount             | 50.000 | Range | 74 - 125 | Recovery | =    | 0.000%# |
| 35) Dibromofluoromethane  | 0.000  | 113   | 0d       | 0.000    | ug/l |         |
| Spiked Amount             | 50.000 | Range | 75 - 124 | Recovery | =    | 0.000%# |
| 50) Toluene-d8            | 0.000  | 98    | 0d       | 0.000    | ug/l |         |
| Spiked Amount             | 50.000 | Range | 86 - 113 | Recovery | =    | 0.000%# |
| 62) 4-Bromofluorobenzene  | 0.000  | 95    | 0d       | 0.000    | ug/l |         |
| Spiked Amount             | 50.000 | Range | 77 - 121 | Recovery | =    | 0.000%# |

## Target Compounds

|                              |       |     |       |       |        | Qvalue |
|------------------------------|-------|-----|-------|-------|--------|--------|
| 2) Dichlorodifluoromethane   | 1.166 | 85  | 1906  | 1.058 | ug/l   | 96     |
| 3) Chloromethane             | 1.294 | 50  | 2572  | 1.119 | ug/l   | 94     |
| 4) Vinyl Chloride            | 1.374 | 62  | 2023  | 0.966 | ug/l # | 85     |
| 6) Chloroethane              | 1.666 | 64  | 850   | 1.240 | ug/l   | 90     |
| 7) Trichlorofluoromethane    | 1.861 | 101 | 2660  | 0.968 | ug/l   | 95     |
| 8) Diethyl Ether             | 2.136 | 74  | 1086  | 0.905 | ug/l   | 62     |
| 9) 1,1,2-Trichlorotrifluo... | 2.313 | 101 | 1687  | 0.972 | ug/l   | 97     |
| 12) 1,1-Dichloroethene       | 2.300 | 96  | 1723  | 1.010 | ug/l # | 80     |
| 14) Allyl chloride           | 2.654 | 41  | 2945  | 0.973 | ug/l   | 98     |
| 15) Acrylonitrile            | 3.081 | 53  | 4889  | 4.029 | ug/l   | 96     |
| 16) Acetone                  | 2.392 | 43  | 5896  | 5.386 | ug/l   | 98     |
| 17) Carbon Disulfide         | 2.495 | 76  | 3450  | 0.977 | ug/l   | 95     |
| 18) Methyl Acetate           | 2.709 | 43  | 3137  | 0.954 | ug/l   | 98     |
| 19) Methyl tert-butyl Ether  | 3.111 | 73  | 6442  | 0.971 | ug/l   | 99     |
| 20) Methylene Chloride       | 2.788 | 84  | 2497  | 1.167 | ug/l   | 84     |
| 21) trans-1,2-Dichloroethene | 3.087 | 96  | 1808  | 0.979 | ug/l   | 88     |
| 22) Diisopropyl ether        | 3.776 | 45  | 5818  | 0.931 | ug/l   | 97     |
| 23) Vinyl Acetate            | 3.727 | 43  | 21436 | 4.154 | ug/l   | 98     |
| 24) 1,1-Dichloroethane       | 3.599 | 63  | 3565  | 1.012 | ug/l # | 91     |
| 25) 2-Butanone               | 4.593 | 43  | 6900  | 4.150 | ug/l   | 100    |
| 26) 2,2-Dichloropropane      | 4.465 | 77  | 3002  | 1.182 | ug/l   | 94     |
| 27) cis-1,2-Dichloroethene   | 4.489 | 96  | 2288  | 0.994 | ug/l   | 95     |
| 28) Bromochloromethane       | 4.897 | 49  | 1656  | 0.950 | ug/l # | 68     |
| 29) Tetrahydrofuran          | 5.032 | 42  | 4543  | 4.185 | ug/l # | 84     |
| 30) Chloroform               | 5.093 | 83  | 3785  | 1.005 | ug/l # | 81     |
| 32) 1,1,1-Trichloroethane    | 5.373 | 97  | 3037  | 0.959 | ug/l # | 48     |
| 36) 1,1-Dichloropropene      | 5.702 | 75  | 2670  | 1.146 | ug/l   | 91     |
| 37) Ethyl Acetate            | 4.757 | 43  | 3086m | 0.970 | ug/l   |        |
| 38) Carbon Tetrachloride     | 5.660 | 117 | 2731  | 1.031 | ug/l   | 98     |
| 39) Methylcyclohexane        | 7.379 | 83  | 2811  | 0.941 | ug/l # | 87     |
| 40) Benzene                  | 6.050 | 78  | 7896  | 1.014 | ug/l   | 97     |
| 41) Methacrylonitrile        | 4.995 | 41  | 1539m | 0.962 | ug/l   |        |
| 42) 1,2-Dichloroethane       | 6.098 | 62  | 2692  | 0.939 | ug/l   | 95     |
| 43) Isopropyl Acetate        | 6.367 | 43  | 4398  | 0.874 | ug/l   | 96     |
| 44) Trichloroethene          | 7.135 | 130 | 1898  | 1.028 | ug/l   | 70     |
| 45) 1,2-Dichloropropane      | 7.428 | 63  | 1935  | 1.017 | ug/l   | 99     |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
 Data File : VX043556.D  
 Acq On : 28 Oct 2024 10:59  
 Operator : JC/MD  
 Sample : VSTDICC001  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VSTDICC001

Manual Integrations  
 APPROVED

Reviewed By :Semsettin Yesilyurt 10/29/2024  
 Supervised By :Mahesh Dadoda 10/29/2024

Quant Time: Oct 28 13:30:02 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:29:33 2024  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc   | Units  | Dev(Min) |
|-------------------------------|--------|------|----------|--------|--------|----------|
| 46) Dibromomethane            | 7.592  | 93   | 1360     | 0.931  | ug/l   | 88       |
| 47) Bromodichloromethane      | 7.824  | 83   | 2234     | 0.862  | ug/l # | 95       |
| 48) Methyl methacrylate       | 7.708  | 41   | 1889     | 0.804  | ug/l # | 84       |
| 49) 1,4-Dioxane               | 7.696  | 88   | 959      | 15.892 | ug/l # | 91       |
| 51) 4-Methyl-2-Pentanone      | 8.580  | 43   | 12287    | 3.855  | ug/l   | 97       |
| 52) Toluene                   | 8.720  | 92   | 4396     | 0.915  | ug/l   | 96       |
| 53) t-1,3-Dichloropropene     | 8.988  | 75   | 2487     | 0.948  | ug/l   | 90       |
| 54) cis-1,3-Dichloropropene   | 8.366  | 75   | 2324     | 0.807  | ug/l # | 87       |
| 55) 1,1,2-Trichloroethane     | 9.159  | 97   | 1879     | 0.927  | ug/l # | 85       |
| 56) Ethyl methacrylate        | 9.128  | 69   | 2799     | 0.855  | ug/l   | 92       |
| 57) 1,3-Dichloropropane       | 9.311  | 76   | 2929     | 0.875  | ug/l   | 95       |
| 58) 2-Chloroethyl Vinyl ether | 8.251  | 63   | 6868     | 4.263  | ug/l   | 93       |
| 59) 2-Hexanone                | 9.445  | 43   | 9840     | 4.082  | ug/l   | 93       |
| 60) Dibromochloromethane      | 9.519  | 129  | 1531     | 0.807  | ug/l   | 92       |
| 61) 1,2-Dibromoethane         | 9.616  | 107  | 1856     | 0.908  | ug/l   | 98       |
| 64) Tetrachloroethene         | 9.275  | 164  | 1707     | 1.075  | ug/l # | 82       |
| 65) Chlorobenzene             | 10.079 | 112  | 5570     | 1.056  | ug/l   | 97       |
| 66) 1,1,1,2-Tetrachloroethane | 10.165 | 131  | 1525     | 0.856  | ug/l # | 60       |
| 67) Ethyl Benzene             | 10.195 | 91   | 8911     | 1.015  | ug/l   | 95       |
| 68) m/p-Xylenes               | 10.305 | 106  | 6344     | 1.908  | ug/l   | 96       |
| 69) o-Xylene                  | 10.640 | 106  | 3125     | 0.914  | ug/l   | 91       |
| 70) Styrene                   | 10.659 | 104  | 5108     | 0.923  | ug/l   | 95       |
| 71) Bromoform                 | 10.805 | 173  | 1032     | 0.859  | ug/l # | 94       |
| 73) Isopropylbenzene          | 10.963 | 105  | 7996     | 0.985  | ug/l   | 100      |
| 74) N-amyl acetate            | 10.848 | 43   | 3739     | 0.915  | ug/l # | 89       |
| 75) 1,1,2,2-Tetrachloroethane | 11.213 | 83   | 2747     | 0.884  | ug/l   | 99       |
| 76) 1,2,3-Trichloropropane    | 11.244 | 75   | 2108m    | 0.799  | ug/l   |          |
| 77) Bromobenzene              | 11.201 | 156  | 2093     | 1.010  | ug/l   | 98       |
| 78) n-propylbenzene           | 11.305 | 91   | 8350     | 0.966  | ug/l   | 98       |
| 79) 2-Chlorotoluene           | 11.366 | 91   | 6183     | 1.066  | ug/l   | 99       |
| 80) 1,3,5-Trimethylbenzene    | 11.451 | 105  | 6268     | 0.930  | ug/l   | 98       |
| 82) 4-Chlorotoluene           | 11.457 | 91   | 6699     | 1.043  | ug/l   | 95       |
| 83) tert-Butylbenzene         | 11.713 | 119  | 6551     | 0.953  | ug/l   | 94       |
| 84) 1,2,4-Trimethylbenzene    | 11.756 | 105  | 6312     | 0.916  | ug/l   | 95       |
| 85) sec-Butylbenzene          | 11.890 | 105  | 7481     | 0.940  | ug/l   | 99       |
| 86) p-Isopropyltoluene        | 12.012 | 119  | 6224     | 0.944  | ug/l   | 95       |
| 87) 1,3-Dichlorobenzene       | 11.969 | 146  | 3734     | 1.005  | ug/l   | 98       |
| 88) 1,4-Dichlorobenzene       | 12.036 | 146  | 4352m    | 1.162  | ug/l   |          |
| 89) n-Butylbenzene            | 12.335 | 91   | 4807     | 0.899  | ug/l   | 93       |
| 90) Hexachloroethane          | 12.530 | 117  | 926      | 0.868  | ug/l   | 82       |
| 91) 1,2-Dichlorobenzene       | 12.335 | 146  | 3719     | 0.970  | ug/l   | 98       |
| 92) 1,2-Dibromo-3-Chloropr... | 12.945 | 75   | 519      | 0.785  | ug/l   | 89       |
| 93) 1,2,4-Trichlorobenzene    | 13.591 | 180  | 1965     | 0.876  | ug/l   | 96       |
| 94) Hexachlorobutadiene       | 13.725 | 225  | 889      | 1.119  | ug/l   | 86       |
| 95) Naphthalene               | 13.780 | 128  | 7377     | 0.801  | ug/l   | 99       |
| 96) 1,2,3-Trichlorobenzene    | 13.957 | 180  | 2215     | 0.943  | ug/l   | 96       |

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
Data File : VX043556.D  
Acq On : 28 Oct 2024 10:59  
Operator : JC/MD  
Sample : VSTDICC001  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 1 Sample Multiplier: 1

**Instrument :**  
MSVOA\_X  
**ClientSampleId :**  
VSTDICC001

## Manual Integrations APPROVED

Reviewed By :Semsettin Yesilyurt 10/29/2024  
Supervised By :Mahesh Dadoda 10/29/2024

Quant Time: Oct 28 13:30:02 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
Quant Title : SW846 8260  
QLast Update : Mon Oct 28 13:29:33 2024  
Response via : Initial Calibration



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
 Data File : VX043557.D  
 Acq On : 28 Oct 2024 11:22  
 Operator : JC/MD  
 Sample : VSTDICC005  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VSTDICC005

Manual Integrations  
 APPROVED

Reviewed By :Semsettin Yesilyurt 10/29/2024  
 Supervised By :Mahesh Dadoda 10/29/2024

Quant Time: Oct 28 13:30:43 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:29:33 2024  
 Response via : Initial Calibration

| Compound                     | R.T.           | QIon | Response   | Conc     | Units  | Dev(Min) |
|------------------------------|----------------|------|------------|----------|--------|----------|
| -----                        |                |      |            |          |        |          |
| Internal Standards           |                |      |            |          |        |          |
| 1) Pentafluorobenzene        | 5.544          | 168  | 155093     | 50.000   | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene      | 6.757          | 114  | 287211     | 50.000   | ug/l   | 0.00     |
| 63) Chlorobenzene-d5         | 10.055         | 117  | 250063     | 50.000   | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4   | 12.024         | 152  | 111781     | 50.000   | ug/l   | 0.00     |
| System Monitoring Compounds  |                |      |            |          |        |          |
| 33) 1,2-Dichloroethane-d4    | 5.958          | 65   | 13988      | 5.686    | ug/l   | 0.00     |
| Spiked Amount 50.000         | Range 74 - 125 |      | Recovery = | 11.380%# |        |          |
| 35) Dibromofluoromethane     | 5.385          | 113  | 10276      | 5.373    | ug/l   | 0.00     |
| Spiked Amount 50.000         | Range 75 - 124 |      | Recovery = | 10.740%# |        |          |
| 50) Toluene-d8               | 8.647          | 98   | 36059      | 5.438    | ug/l   | 0.00     |
| Spiked Amount 50.000         | Range 86 - 113 |      | Recovery = | 10.880%# |        |          |
| 62) 4-Bromofluorobenzene     | 11.079         | 95   | 12799      | 5.284    | ug/l   | 0.00     |
| Spiked Amount 50.000         | Range 77 - 121 |      | Recovery = | 10.560%# |        |          |
| Target Compounds             |                |      |            |          |        |          |
|                              |                |      |            |          | Qvalue |          |
| 2) Dichlorodifluoromethane   | 1.167          | 85   | 8579       | 4.962    | ug/l   | 96       |
| 3) Chloromethane             | 1.295          | 50   | 10900      | 4.942    | ug/l   | 95       |
| 4) Vinyl Chloride            | 1.374          | 62   | 10451      | 5.202    | ug/l   | 99       |
| 5) Bromomethane              | 1.599          | 94   | 4136       | 5.271    | ug/l   | 92       |
| 6) Chloroethane              | 1.660          | 64   | 3330       | 5.066    | ug/l # | 82       |
| 7) Trichlorofluoromethane    | 1.861          | 101  | 12037      | 4.565    | ug/l   | 96       |
| 8) Diethyl Ether             | 2.136          | 74   | 5822       | 5.055    | ug/l   | 91       |
| 9) 1,1,2-Trichlorotrifluo... | 2.313          | 101  | 8472       | 5.091    | ug/l   | 98       |
| 10) Methyl Iodide            | 2.441          | 142  | 11260      | 4.886    | ug/l   | 100      |
| 11) Tert butyl alcohol       | 3.038          | 59   | 10188      | 19.389   | ug/l # | 100      |
| 12) 1,1-Dichloroethene       | 2.300          | 96   | 8606       | 5.260    | ug/l   | 91       |
| 13) Acrolein                 | 2.239          | 56   | 9609       | 23.207   | ug/l   | 99       |
| 14) Allyl chloride           | 2.654          | 41   | 13656      | 4.703    | ug/l   | 96       |
| 15) Acrylonitrile            | 3.075          | 53   | 25966      | 22.307   | ug/l   | 99       |
| 16) Acetone                  | 2.392          | 43   | 24830      | 23.644   | ug/l   | 99       |
| 17) Carbon Disulfide         | 2.496          | 76   | 15112      | 4.462    | ug/l # | 95       |
| 18) Methyl Acetate           | 2.709          | 43   | 14366      | 4.552    | ug/l   | 98       |
| 19) Methyl tert-butyl Ether  | 3.117          | 73   | 31411      | 4.934    | ug/l   | 99       |
| 20) Methylene Chloride       | 2.782          | 84   | 10845      | 5.284    | ug/l   | 98       |
| 21) trans-1,2-Dichloroethene | 3.087          | 96   | 8639       | 4.877    | ug/l   | 95       |
| 22) Diisopropyl ether        | 3.764          | 45   | 30888      | 5.154    | ug/l # | 86       |
| 23) Vinyl Acetate            | 3.721          | 43   | 119942     | 24.227   | ug/l   | 98       |
| 24) 1,1-Dichloroethane       | 3.605          | 63   | 17144      | 5.072    | ug/l   | 98       |
| 25) 2-Butanone               | 4.581          | 43   | 35818      | 22.456   | ug/l   | 98       |
| 26) 2,2-Dichloropropane      | 4.471          | 77   | 14180      | 5.820    | ug/l   | 96       |
| 27) cis-1,2-Dichloroethene   | 4.483          | 96   | 11158      | 5.055    | ug/l   | 98       |
| 28) Bromochloromethane       | 4.904          | 49   | 8209       | 4.909    | ug/l   | 97       |
| 29) Tetrahydrofuran          | 5.026          | 42   | 23624      | 22.684   | ug/l   | 97       |
| 30) Chloroform               | 5.093          | 83   | 18141      | 5.019    | ug/l   | 95       |
| 31) Cyclohexane              | 5.458          | 56   | 13335      | 4.972    | ug/l   | 88       |
| 32) 1,1,1-Trichloroethane    | 5.379          | 97   | 14721      | 4.846    | ug/l   | 98       |
| 36) 1,1-Dichloropropene      | 5.690          | 75   | 11382      | 5.029    | ug/l   | 98       |
| 37) Ethyl Acetate            | 4.733          | 43   | 11948      | 3.868    | ug/l # | 94       |
| 38) Carbon Tetrachloride     | 5.672          | 117  | 12706      | 4.940    | ug/l   | 99       |
| 39) Methylcyclohexane        | 7.379          | 83   | 14623      | 5.038    | ug/l   | 94       |
| 40) Benzene                  | 6.038          | 78   | 40098      | 5.300    | ug/l   | 99       |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
 Data File : VX043557.D  
 Acq On : 28 Oct 2024 11:22  
 Operator : JC/MD  
 Sample : VSTDICC005  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VSTDICC005

Manual Integrations  
 APPROVED

Reviewed By :Semsettin Yesilyurt 10/29/2024  
 Supervised By :Mahesh Dadoda 10/29/2024

Quant Time: Oct 28 13:30:43 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:29:33 2024  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc   | Units  | Dev(Min) |
|-------------------------------|--------|------|----------|--------|--------|----------|
| 41) Methacrylonitrile         | 4.922  | 41   | 6345     | 4.083  | ug/l # | 81       |
| 42) 1,2-Dichloroethane        | 6.092  | 62   | 14018    | 5.037  | ug/l   | 99       |
| 43) Isopropyl Acetate         | 6.355  | 43   | 23242    | 4.756  | ug/l   | 99       |
| 44) Trichloroethene           | 7.123  | 130  | 9917     | 5.528  | ug/l   | 93       |
| 45) 1,2-Dichloropropane       | 7.434  | 63   | 9734     | 5.268  | ug/l   | 91       |
| 46) Dibromomethane            | 7.586  | 93   | 7576     | 5.337  | ug/l   | 96       |
| 47) Bromodichloromethane      | 7.818  | 83   | 11922    | 4.735  | ug/l   | 99       |
| 48) Methyl methacrylate       | 7.702  | 41   | 10543    | 4.621  | ug/l   | 95       |
| 49) 1,4-Dioxane               | 7.690  | 88   | 4322     | 73.737 | ug/l   | 88       |
| 51) 4-Methyl-2-Pentanone      | 8.580  | 43   | 71301    | 23.028 | ug/l   | 98       |
| 52) Toluene                   | 8.720  | 92   | 23888    | 5.121  | ug/l   | 99       |
| 53) t-1,3-Dichloropropene     | 8.982  | 75   | 12164    | 4.773  | ug/l   | 98       |
| 54) cis-1,3-Dichloropropene   | 8.366  | 75   | 14227    | 5.084  | ug/l   | 93       |
| 55) 1,1,2-Trichloroethane     | 9.153  | 97   | 9807     | 4.982  | ug/l   | 97       |
| 56) Ethyl methacrylate        | 9.122  | 69   | 14989    | 4.712  | ug/l   | 99       |
| 57) 1,3-Dichloropropane       | 9.311  | 76   | 16567    | 5.097  | ug/l   | 97       |
| 58) 2-Chloroethyl Vinyl ether | 8.245  | 63   | 36952    | 23.613 | ug/l   | 98       |
| 59) 2-Hexanone                | 9.439  | 43   | 52944    | 22.614 | ug/l   | 99       |
| 60) Dibromochloromethane      | 9.519  | 129  | 8314     | 4.514  | ug/l   | 96       |
| 61) 1,2-Dibromoethane         | 9.610  | 107  | 10094    | 5.087  | ug/l   | 98       |
| 64) Tetrachloroethene         | 9.275  | 164  | 8068     | 5.154  | ug/l   | 91       |
| 65) Chlorobenzene             | 10.080 | 112  | 27763    | 5.337  | ug/l   | 98       |
| 66) 1,1,1,2-Tetrachloroethane | 10.159 | 131  | 8622     | 4.907  | ug/l   | 96       |
| 67) Ethyl Benzene             | 10.195 | 91   | 44094    | 5.095  | ug/l   | 98       |
| 68) m/p-Xylenes               | 10.299 | 106  | 33988    | 10.367 | ug/l   | 96       |
| 69) o-Xylene                  | 10.640 | 106  | 17462    | 5.181  | ug/l   | 98       |
| 70) Styrene                   | 10.659 | 104  | 26381    | 4.836  | ug/l   | 96       |
| 71) Bromoform                 | 10.799 | 173  | 5147     | 4.345  | ug/l # | 98       |
| 73) Isopropylbenzene          | 10.964 | 105  | 41185    | 5.155  | ug/l   | 99       |
| 74) N-amyl acetate            | 10.848 | 43   | 19116    | 4.750  | ug/l   | 98       |
| 75) 1,1,2,2-Tetrachloroethane | 11.213 | 83   | 15141    | 4.947  | ug/l   | 95       |
| 76) 1,2,3-Trichloropropane    | 11.238 | 75   | 13527m   | 5.206  | ug/l   |          |
| 77) Bromobenzene              | 11.201 | 156  | 10564    | 5.179  | ug/l   | 97       |
| 78) n-propylbenzene           | 11.305 | 91   | 42687    | 5.013  | ug/l   | 99       |
| 79) 2-Chlorotoluene           | 11.366 | 91   | 29923    | 5.237  | ug/l   | 99       |
| 80) 1,3,5-Trimethylbenzene    | 11.451 | 105  | 34706    | 5.232  | ug/l   | 98       |
| 81) trans-1,4-Dichloro-2-b... | 11.018 | 75   | 3243     | 3.808  | ug/l # | 82       |
| 82) 4-Chlorotoluene           | 11.457 | 91   | 32648    | 5.163  | ug/l   | 98       |
| 83) tert-Butylbenzene         | 11.713 | 119  | 34653    | 5.122  | ug/l   | 96       |
| 84) 1,2,4-Trimethylbenzene    | 11.750 | 105  | 34775    | 5.125  | ug/l   | 98       |
| 85) sec-Butylbenzene          | 11.890 | 105  | 39786    | 5.078  | ug/l   | 99       |
| 86) p-Isopropyltoluene        | 12.006 | 119  | 33359    | 5.139  | ug/l   | 98       |
| 87) 1,3-Dichlorobenzene       | 11.969 | 146  | 18951    | 5.178  | ug/l   | 98       |
| 88) 1,4-Dichlorobenzene       | 12.043 | 146  | 19222    | 5.210  | ug/l   | 93       |
| 89) n-Butylbenzene            | 12.329 | 91   | 24922    | 4.736  | ug/l   | 98       |
| 90) Hexachloroethane          | 12.536 | 117  | 4704     | 4.480  | ug/l   | 91       |
| 91) 1,2-Dichlorobenzene       | 12.335 | 146  | 19394    | 5.139  | ug/l   | 98       |
| 92) 1,2-Dibromo-3-Chloropr... | 12.939 | 75   | 2456     | 3.771  | ug/l   | 96       |
| 93) 1,2,4-Trichlorobenzene    | 13.585 | 180  | 11267    | 5.098  | ug/l   | 98       |
| 94) Hexachlorobutadiene       | 13.725 | 225  | 4097     | 5.239  | ug/l   | 96       |
| 95) Naphthalene               | 13.774 | 128  | 41834    | 4.613  | ug/l   | 100      |
| 96) 1,2,3-Trichlorobenzene    | 13.963 | 180  | 11815    | 5.110  | ug/l   | 96       |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
Data File : VX043557.D  
Acq On : 28 Oct 2024 11:22  
Operator : JC/MD  
Sample : VSTDICC005  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 1 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
VSTDICC005

Manual Integrations  
APPROVED

Reviewed By :Semsettin Yesilyurt 10/29/2024  
Supervised By :Mahesh Dadoda 10/29/2024

Quant Time: Oct 28 13:30:43 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
Quant Title : SW846 8260  
QLast Update : Mon Oct 28 13:29:33 2024  
Response via : Initial Calibration

| Compound | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|----------|------|------|----------|------|-------|----------|
|----------|------|------|----------|------|-------|----------|

-----  
(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
 Data File : VX043557.D  
 Acq On : 28 Oct 2024 11:22  
 Operator : JC/MD  
 Sample : VSTDIC005  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VSTDIC005

### Manual Integrations APPROVED

Reviewed By : Semsettin Yesilyurt 10/29/2024  
 Supervised By : Mahesh Dadoda 10/29/2024

Quant Time: Oct 28 13:30:43 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:29:33 2024  
 Response via : Initial Calibration



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
 Data File : VX043558.D  
 Acq On : 28 Oct 2024 11:45  
 Operator : JC/MD  
 Sample : VSTDICC020  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VSTDICC020

Manual Integrations  
 APPROVED

Reviewed By : Semsettin Yesilyurt 10/29/2024  
 Supervised By : Mahesh Dadoda 10/29/2024

Quant Time: Oct 28 13:31:03 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:29:33 2024  
 Response via : Initial Calibration

| Compound                     | R.T.           | QIon | Response   | Conc     | Units  | Dev(Min) |
|------------------------------|----------------|------|------------|----------|--------|----------|
| Internal Standards           |                |      |            |          |        |          |
| 1) Pentafluorobenzene        | 5.544          | 168  | 159966     | 50.000   | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene      | 6.757          | 114  | 291315     | 50.000   | ug/l   | 0.00     |
| 63) Chlorobenzene-d5         | 10.055         | 117  | 254622     | 50.000   | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4   | 12.018         | 152  | 119710     | 50.000   | ug/l   | 0.00     |
| System Monitoring Compounds  |                |      |            |          |        |          |
| 33) 1,2-Dichloroethane-d4    | 5.952          | 65   | 50818      | 20.026   | ug/l   | 0.00     |
| Spiked Amount 50.000         | Range 74 - 125 |      | Recovery = | 40.060%# |        |          |
| 35) Dibromofluoromethane     | 5.385          | 113  | 39238      | 20.228   | ug/l   | 0.00     |
| Spiked Amount 50.000         | Range 75 - 124 |      | Recovery = | 40.460%# |        |          |
| 50) Toluene-d8               | 8.647          | 98   | 140572     | 20.900   | ug/l   | 0.00     |
| Spiked Amount 50.000         | Range 86 - 113 |      | Recovery = | 41.800%# |        |          |
| 62) 4-Bromofluorobenzene     | 11.079         | 95   | 50243      | 20.452   | ug/l   | 0.00     |
| Spiked Amount 50.000         | Range 77 - 121 |      | Recovery = | 40.900%# |        |          |
| Target Compounds             |                |      |            |          |        |          |
|                              |                |      |            |          | Qvalue |          |
| 2) Dichlorodifluoromethane   | 1.166          | 85   | 35334      | 19.816   | ug/l   | 97       |
| 3) Chloromethane             | 1.294          | 50   | 43361      | 19.061   | ug/l   | 99       |
| 4) Vinyl Chloride            | 1.374          | 62   | 40804      | 19.692   | ug/l   | 99       |
| 5) Bromomethane              | 1.599          | 94   | 15764      | 19.478   | ug/l   | 94       |
| 6) Chloroethane              | 1.666          | 64   | 13552      | 19.988   | ug/l   | 100      |
| 7) Trichlorofluoromethane    | 1.861          | 101  | 45410      | 16.698   | ug/l   | 99       |
| 8) Diethyl Ether             | 2.136          | 74   | 22721      | 19.128   | ug/l   | 100      |
| 9) 1,1,2-Trichlorotrifluo... | 2.313          | 101  | 33400      | 19.458   | ug/l   | 98       |
| 10) Methyl Iodide            | 2.441          | 142  | 48753      | 20.510   | ug/l   | 97       |
| 11) Tert butyl alcohol       | 3.050          | 59   | 42004m     | 77.502   | ug/l   |          |
| 12) 1,1-Dichloroethene       | 2.300          | 96   | 33343      | 19.757   | ug/l   | 98       |
| 13) Acrolein                 | 2.239          | 56   | 38776      | 90.794   | ug/l   | 99       |
| 14) Allyl chloride           | 2.654          | 41   | 57560      | 19.220   | ug/l   | 99       |
| 15) Acrylonitrile            | 3.075          | 53   | 105959     | 88.256   | ug/l   | 98       |
| 16) Acetone                  | 2.398          | 43   | 93987      | 86.771   | ug/l   | 99       |
| 17) Carbon Disulfide         | 2.495          | 76   | 64452      | 18.450   | ug/l   | 100      |
| 18) Methyl Acetate           | 2.709          | 43   | 56319      | 17.301   | ug/l   | 98       |
| 19) Methyl tert-butyl Ether  | 3.123          | 73   | 130430     | 19.863   | ug/l   | 96       |
| 20) Methylene Chloride       | 2.782          | 84   | 42392      | 20.027   | ug/l   | 94       |
| 21) trans-1,2-Dichloroethene | 3.081          | 96   | 36925      | 20.210   | ug/l   | 97       |
| 22) Diisopropyl ether        | 3.770          | 45   | 126839     | 20.521   | ug/l   | 93       |
| 23) Vinyl Acetate            | 3.721          | 43   | 514244     | 100.709  | ug/l   | 99       |
| 24) 1,1-Dichloroethane       | 3.605          | 63   | 70569      | 20.241   | ug/l   | 98       |
| 25) 2-Butanone               | 4.574          | 43   | 146114     | 88.817   | ug/l   | 98       |
| 26) 2,2-Dichloropropane      | 4.465          | 77   | 57622      | 22.931   | ug/l   | 100      |
| 27) cis-1,2-Dichloroethene   | 4.483          | 96   | 45798      | 20.118   | ug/l   | 99       |
| 28) Bromochloromethane       | 4.897          | 49   | 33980      | 19.701   | ug/l   | 100      |
| 29) Tetrahydrofuran          | 5.013          | 42   | 95553      | 88.955   | ug/l   | 100      |
| 30) Chloroform               | 5.086          | 83   | 74554      | 19.996   | ug/l   | 95       |
| 31) Cyclohexane              | 5.464          | 56   | 56622      | 20.469   | ug/l   | 97       |
| 32) 1,1,1-Trichloroethane    | 5.379          | 97   | 62556      | 19.966   | ug/l   | 98       |
| 36) 1,1-Dichloropropene      | 5.684          | 75   | 47520      | 20.699   | ug/l   | 99       |
| 37) Ethyl Acetate            | 4.727          | 43   | 58054      | 18.528   | ug/l   | 100      |
| 38) Carbon Tetrachloride     | 5.666          | 117  | 49282      | 18.891   | ug/l   | 96       |
| 39) Methylcyclohexane        | 7.373          | 83   | 59999      | 20.379   | ug/l   | 98       |
| 40) Benzene                  | 6.031          | 78   | 161123     | 20.995   | ug/l   | 100      |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
 Data File : VX043558.D  
 Acq On : 28 Oct 2024 11:45  
 Operator : JC/MD  
 Sample : VSTDICC020  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VSTDICC020

Manual Integrations  
 APPROVED

Reviewed By :Semsettin Yesilyurt 10/29/2024  
 Supervised By :Mahesh Dadoda 10/29/2024

Quant Time: Oct 28 13:31:03 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:29:33 2024  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc    | Units  | Dev(Min) |
|-------------------------------|--------|------|----------|---------|--------|----------|
| 41) Methacrylonitrile         | 4.934  | 41   | 30325    | 19.241  | ug/l   | 95       |
| 42) 1,2-Dichloroethane        | 6.086  | 62   | 58281    | 20.645  | ug/l   | 99       |
| 43) Isopropyl Acetate         | 6.348  | 43   | 92676    | 18.698  | ug/l   | 98       |
| 44) Trichloroethene           | 7.123  | 130  | 39344    | 21.623  | ug/l   | 94       |
| 45) 1,2-Dichloropropane       | 7.427  | 63   | 37857    | 20.200  | ug/l   | 93       |
| 46) Dibromomethane            | 7.580  | 93   | 30097    | 20.905  | ug/l   | 99       |
| 47) Bromodichloromethane      | 7.824  | 83   | 50694    | 19.849  | ug/l   | 100      |
| 48) Methyl methacrylate       | 7.696  | 41   | 45592    | 19.703  | ug/l   | 99       |
| 49) 1,4-Dioxane               | 7.683  | 88   | 15361    | 258.381 | ug/l # | 75       |
| 51) 4-Methyl-2-Pentanone      | 8.580  | 43   | 295125   | 93.974  | ug/l   | 100      |
| 52) Toluene                   | 8.720  | 92   | 100958   | 21.337  | ug/l   | 98       |
| 53) t-1,3-Dichloropropene     | 8.976  | 75   | 56483    | 21.853  | ug/l   | 96       |
| 54) cis-1,3-Dichloropropene   | 8.366  | 75   | 62338    | 21.962  | ug/l   | 98       |
| 55) 1,1,2-Trichloroethane     | 9.153  | 97   | 40197    | 20.132  | ug/l   | 99       |
| 56) Ethyl methacrylate        | 9.116  | 69   | 65359    | 20.255  | ug/l   | 97       |
| 57) 1,3-Dichloropropane       | 9.305  | 76   | 68675    | 20.831  | ug/l   | 99       |
| 58) 2-Chloroethyl Vinyl ether | 8.238  | 63   | 167179   | 105.324 | ug/l   | 98       |
| 59) 2-Hexanone                | 9.433  | 43   | 221604   | 93.320  | ug/l   | 100      |
| 60) Dibromochloromethane      | 9.519  | 129  | 38713    | 20.721  | ug/l   | 99       |
| 61) 1,2-Dibromoethane         | 9.610  | 107  | 42059    | 20.896  | ug/l   | 97       |
| 64) Tetrachloroethene         | 9.269  | 164  | 33267    | 20.871  | ug/l   | 90       |
| 65) Chlorobenzene             | 10.079 | 112  | 110251   | 20.814  | ug/l   | 98       |
| 66) 1,1,1,2-Tetrachloroethane | 10.165 | 131  | 35663    | 19.934  | ug/l   | 98       |
| 67) Ethyl Benzene             | 10.189 | 91   | 183192   | 20.790  | ug/l   | 98       |
| 68) m/p-Xylenes               | 10.299 | 106  | 144291   | 43.222  | ug/l   | 96       |
| 69) o-Xylene                  | 10.640 | 106  | 71049    | 20.704  | ug/l   | 98       |
| 70) Styrene                   | 10.652 | 104  | 119564   | 21.527  | ug/l   | 100      |
| 71) Bromoform                 | 10.799 | 173  | 23453    | 19.445  | ug/l # | 98       |
| 73) Isopropylbenzene          | 10.963 | 105  | 177401   | 20.733  | ug/l   | 99       |
| 74) N-amyl acetate            | 10.841 | 43   | 83132    | 19.288  | ug/l   | 98       |
| 75) 1,1,2,2-Tetrachloroethane | 11.213 | 83   | 63016    | 19.225  | ug/l   | 97       |
| 76) 1,2,3-Trichloropropane    | 11.238 | 75   | 55850m   | 20.069  | ug/l   |          |
| 77) Bromobenzene              | 11.195 | 156  | 44364    | 20.310  | ug/l   | 98       |
| 78) n-propylbenzene           | 11.305 | 91   | 194707   | 21.351  | ug/l   | 100      |
| 79) 2-Chlorotoluene           | 11.366 | 91   | 126983   | 20.753  | ug/l   | 98       |
| 80) 1,3,5-Trimethylbenzene    | 11.451 | 105  | 149254   | 21.008  | ug/l   | 98       |
| 81) trans-1,4-Dichloro-2-b... | 11.018 | 75   | 17057    | 18.703  | ug/l   | 96       |
| 82) 4-Chlorotoluene           | 11.451 | 91   | 140875   | 20.804  | ug/l   | 98       |
| 83) tert-Butylbenzene         | 11.713 | 119  | 150766   | 20.809  | ug/l   | 99       |
| 84) 1,2,4-Trimethylbenzene    | 11.750 | 105  | 152608   | 21.002  | ug/l   | 99       |
| 85) sec-Butylbenzene          | 11.890 | 105  | 178042   | 21.218  | ug/l   | 98       |
| 86) p-Isopropyltoluene        | 12.006 | 119  | 149537   | 21.511  | ug/l   | 99       |
| 87) 1,3-Dichlorobenzene       | 11.969 | 146  | 78867    | 20.122  | ug/l   | 100      |
| 88) 1,4-Dichlorobenzene       | 12.042 | 146  | 81095    | 20.525  | ug/l   | 99       |
| 89) n-Butylbenzene            | 12.329 | 91   | 120461   | 21.375  | ug/l   | 99       |
| 90) Hexachloroethane          | 12.536 | 117  | 22769    | 20.246  | ug/l   | 98       |
| 91) 1,2-Dichlorobenzene       | 12.335 | 146  | 81283    | 20.112  | ug/l   | 98       |
| 92) 1,2-Dibromo-3-Chloropr... | 12.939 | 75   | 12277    | 17.603  | ug/l   | 98       |
| 93) 1,2,4-Trichlorobenzene    | 13.585 | 180  | 47851    | 20.219  | ug/l   | 99       |
| 94) Hexachlorobutadiene       | 13.725 | 225  | 18082    | 21.589  | ug/l   | 97       |
| 95) Naphthalene               | 13.774 | 128  | 191837   | 19.754  | ug/l   | 100      |
| 96) 1,2,3-Trichlorobenzene    | 13.957 | 180  | 51568    | 20.826  | ug/l   | 99       |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
Data File : VX043558.D  
Acq On : 28 Oct 2024 11:45  
Operator : JC/MD  
Sample : VSTDICC020  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 1 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
VSTDICC020

Manual Integrations  
APPROVED

Reviewed By :Semsettin Yesilyurt 10/29/2024  
Supervised By :Mahesh Dadoda 10/29/2024

Quant Time: Oct 28 13:31:03 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
Quant Title : SW846 8260  
QLast Update : Mon Oct 28 13:29:33 2024  
Response via : Initial Calibration

| Compound | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|----------|------|------|----------|------|-------|----------|
|----------|------|------|----------|------|-------|----------|

-----  
(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
 Data File : VX043558.D  
 Acq On : 28 Oct 2024 11:45  
 Operator : JC/MD  
 Sample : VSTDICC020  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

## Instrument :

MSVOA\_X

## ClientSampleId :

VSTDICC020

## Manual Integrations

## APPROVED

Reviewed By : Semsettin Yesilyurt 10/29/2024  
 Supervised By : Mahesh Dadoda 10/29/2024


Quant Time: Oct 28 13:31:03 2024

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M

Quant Title : SW846 8260

QLast Update : Mon Oct 28 13:29:33 2024

Response via : Initial Calibration



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
 Data File : VX043559.D  
 Acq On : 28 Oct 2024 12:08  
 Operator : JC/MD  
 Sample : VSTDICCC050  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VSTDICCC050

Manual Integrations  
 APPROVED

Reviewed By :Semsettin Yesilyurt 10/29/2024  
 Supervised By :Mahesh Dadoda 10/29/2024

Quant Time: Oct 28 13:31:21 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:29:33 2024  
 Response via : Initial Calibration

| Compound                     | R.T.           | QIon | Response   | Conc     | Units  | Dev(Min) |
|------------------------------|----------------|------|------------|----------|--------|----------|
| Internal Standards           |                |      |            |          |        |          |
| 1) Pentafluorobenzene        | 5.550          | 168  | 148919     | 50.000   | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene      | 6.757          | 114  | 270771     | 50.000   | ug/l   | 0.00     |
| 63) Chlorobenzene-d5         | 10.055         | 117  | 238342     | 50.000   | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4   | 12.018         | 152  | 114709     | 50.000   | ug/l   | 0.00     |
| System Monitoring Compounds  |                |      |            |          |        |          |
| 33) 1,2-Dichloroethane-d4    | 5.952          | 65   | 116854     | 49.466   | ug/l   | 0.00     |
| Spiked Amount 50.000         | Range 74 - 125 |      | Recovery = | 98.940%  |        |          |
| 35) Dibromofluoromethane     | 5.379          | 113  | 91079      | 50.516   | ug/l   | 0.00     |
| Spiked Amount 50.000         | Range 75 - 124 |      | Recovery = | 101.040% |        |          |
| 50) Toluene-d8               | 8.647          | 98   | 318252     | 50.907   | ug/l   | 0.00     |
| Spiked Amount 50.000         | Range 86 - 113 |      | Recovery = | 101.820% |        |          |
| 62) 4-Bromofluorobenzene     | 11.079         | 95   | 120225     | 52.651   | ug/l   | 0.00     |
| Spiked Amount 50.000         | Range 77 - 121 |      | Recovery = | 105.300% |        |          |
| Target Compounds             |                |      |            |          |        |          |
|                              |                |      |            |          | Qvalue |          |
| 2) Dichlorodifluoromethane   | 1.166          | 85   | 75417      | 45.433   | ug/l   | 96       |
| 3) Chloromethane             | 1.294          | 50   | 96896      | 45.755   | ug/l   | 99       |
| 4) Vinyl Chloride            | 1.374          | 62   | 94488      | 48.982   | ug/l   | 99       |
| 5) Bromomethane              | 1.593          | 94   | 38969      | 51.722   | ug/l   | 98       |
| 6) Chloroethane              | 1.666          | 64   | 33540      | 53.137   | ug/l   | 99       |
| 7) Trichlorofluoromethane    | 1.867          | 101  | 116013     | 45.825   | ug/l   | 98       |
| 8) Diethyl Ether             | 2.136          | 74   | 52937      | 47.871   | ug/l   | 97       |
| 9) 1,1,2-Trichlorotrifluo... | 2.312          | 101  | 78193      | 48.932   | ug/l   | 99       |
| 10) Methyl Iodide            | 2.440          | 142  | 116521     | 52.655   | ug/l   | 99       |
| 11) Tert butyl alcohol       | 3.014          | 59   | 116081m    | 230.069  | ug/l   |          |
| 12) 1,1-Dichloroethene       | 2.306          | 96   | 79758      | 50.765   | ug/l   | 93       |
| 13) Acrolein                 | 2.239          | 56   | 80960      | 203.631  | ug/l   | 98       |
| 14) Allyl chloride           | 2.654          | 41   | 141976     | 50.925   | ug/l   | 98       |
| 15) Acrylonitrile            | 3.068          | 53   | 259325     | 232.022  | ug/l   | 100      |
| 16) Acetone                  | 2.392          | 43   | 232587     | 230.659  | ug/l   | 100      |
| 17) Carbon Disulfide         | 2.501          | 76   | 168807     | 51.908   | ug/l   | 100      |
| 18) Methyl Acetate           | 2.709          | 43   | 137905     | 45.505   | ug/l   | 99       |
| 19) Methyl tert-butyl Ether  | 3.117          | 73   | 309762     | 50.673   | ug/l   | 98       |
| 20) Methylene Chloride       | 2.782          | 84   | 98700      | 50.086   | ug/l   | 95       |
| 21) trans-1,2-Dichloroethene | 3.087          | 96   | 83735      | 49.229   | ug/l   | 98       |
| 22) Diisopropyl ether        | 3.763          | 45   | 290506     | 50.487   | ug/l   | 97       |
| 23) Vinyl Acetate            | 3.721          | 43   | 1256555    | 264.336  | ug/l   | 99       |
| 24) 1,1-Dichloroethane       | 3.605          | 63   | 165218     | 50.903   | ug/l   | 98       |
| 25) 2-Butanone               | 4.568          | 43   | 359526     | 234.753  | ug/l   | 100      |
| 26) 2,2-Dichloropropane      | 4.465          | 77   | 132434     | 56.613   | ug/l   | 98       |
| 27) cis-1,2-Dichloroethene   | 4.483          | 96   | 110158     | 51.979   | ug/l   | 99       |
| 28) Bromochloromethane       | 4.897          | 49   | 75534      | 47.042   | ug/l   | 98       |
| 29) Tetrahydrofuran          | 5.013          | 42   | 230616     | 230.617  | ug/l   | 100      |
| 30) Chloroform               | 5.086          | 83   | 173217     | 49.905   | ug/l   | 97       |
| 31) Cyclohexane              | 5.464          | 56   | 124896     | 48.500   | ug/l   | 98       |
| 32) 1,1,1-Trichloroethane    | 5.379          | 97   | 146876     | 50.355   | ug/l   | 98       |
| 36) 1,1-Dichloropropene      | 5.690          | 75   | 105059     | 49.233   | ug/l   | 98       |
| 37) Ethyl Acetate            | 4.714          | 43   | 136901     | 47.008   | ug/l   | 99       |
| 38) Carbon Tetrachloride     | 5.672          | 117  | 120318     | 49.620   | ug/l   | 98       |
| 39) Methylcyclohexane        | 7.379          | 83   | 138062     | 50.451   | ug/l   | 95       |
| 40) Benzene                  | 6.031          | 78   | 366906     | 51.436   | ug/l   | 100      |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
 Data File : VX043559.D  
 Acq On : 28 Oct 2024 12:08  
 Operator : JC/MD  
 Sample : VSTDICCC050  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VSTDICCC050

Manual Integrations  
 APPROVED

Reviewed By :Semsettin Yesilyurt 10/29/2024  
 Supervised By :Mahesh Dadoda 10/29/2024

Quant Time: Oct 28 13:31:21 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:29:33 2024  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc    | Units  | Dev(Min) |
|-------------------------------|--------|------|----------|---------|--------|----------|
| 41) Methacrylonitrile         | 4.922  | 41   | 73294    | 50.034  | ug/l   | 96       |
| 42) 1,2-Dichloroethane        | 6.086  | 62   | 133953   | 51.050  | ug/l   | 99       |
| 43) Isopropyl Acetate         | 6.342  | 43   | 226323   | 49.127  | ug/l   | 99       |
| 44) Trichloroethene           | 7.123  | 130  | 91422    | 54.057  | ug/l   | 91       |
| 45) 1,2-Dichloropropane       | 7.427  | 63   | 91389    | 52.464  | ug/l   | 99       |
| 46) Dibromomethane            | 7.580  | 93   | 70386    | 52.600  | ug/l   | 98       |
| 47) Bromodichloromethane      | 7.818  | 83   | 129022   | 54.350  | ug/l   | 95       |
| 48) Methyl methacrylate       | 7.696  | 41   | 108981   | 50.670  | ug/l   | 99       |
| 49) 1,4-Dioxane               | 7.671  | 88   | 44516    | 805.596 | ug/l   | 94       |
| 51) 4-Methyl-2-Pentanone      | 8.574  | 43   | 710786   | 243.501 | ug/l   | 99       |
| 52) Toluene                   | 8.714  | 92   | 227004   | 51.617  | ug/l   | 99       |
| 53) t-1,3-Dichloropropene     | 8.976  | 75   | 137951   | 57.422  | ug/l   | 98       |
| 54) cis-1,3-Dichloropropene   | 8.366  | 75   | 147056   | 55.739  | ug/l   | 98       |
| 55) 1,1,2-Trichloroethane     | 9.153  | 97   | 96225    | 51.848  | ug/l   | 99       |
| 56) Ethyl methacrylate        | 9.116  | 69   | 159817   | 53.285  | ug/l   | 98       |
| 57) 1,3-Dichloropropane       | 9.305  | 76   | 159890   | 52.178  | ug/l   | 98       |
| 58) 2-Chloroethyl Vinyl ether | 8.238  | 63   | 362792   | 245.903 | ug/l   | 98       |
| 59) 2-Hexanone                | 9.433  | 43   | 541763   | 245.453 | ug/l   | 99       |
| 60) Dibromochloromethane      | 9.518  | 129  | 99435    | 57.260  | ug/l   | 99       |
| 61) 1,2-Dibromoethane         | 9.610  | 107  | 99405    | 53.133  | ug/l   | 98       |
| 64) Tetrachloroethene         | 9.275  | 164  | 73551    | 49.296  | ug/l   | 94       |
| 65) Chlorobenzene             | 10.079 | 112  | 256218   | 51.676  | ug/l   | 99       |
| 66) 1,1,1,2-Tetrachloroethane | 10.159 | 131  | 88746    | 52.993  | ug/l   | 99       |
| 67) Ethyl Benzene             | 10.195 | 91   | 423515   | 51.347  | ug/l   | 98       |
| 68) m/p-Xylenes               | 10.299 | 106  | 329261   | 105.366 | ug/l   | 98       |
| 69) o-Xylene                  | 10.640 | 106  | 164266   | 51.137  | ug/l   | 99       |
| 70) Styrene                   | 10.652 | 104  | 281883   | 54.218  | ug/l   | 99       |
| 71) Bromoform                 | 10.799 | 173  | 65582    | 58.090  | ug/l # | 99       |
| 73) Isopropylbenzene          | 10.963 | 105  | 408411   | 49.811  | ug/l   | 100      |
| 74) N-amyl acetate            | 10.841 | 43   | 203333   | 49.234  | ug/l   | 99       |
| 75) 1,1,2,2-Tetrachloroethane | 11.213 | 83   | 148153   | 47.168  | ug/l   | 100      |
| 76) 1,2,3-Trichloropropane    | 11.238 | 75   | 122864m  | 46.074  | ug/l   |          |
| 77) Bromobenzene              | 11.195 | 156  | 106088   | 50.684  | ug/l   | 100      |
| 78) n-propylbenzene           | 11.305 | 91   | 457180   | 52.320  | ug/l   | 99       |
| 79) 2-Chlorotoluene           | 11.366 | 91   | 288711   | 49.242  | ug/l   | 99       |
| 80) 1,3,5-Trimethylbenzene    | 11.451 | 105  | 348498   | 51.192  | ug/l   | 99       |
| 81) trans-1,4-Dichloro-2-b... | 11.018 | 75   | 47974    | 54.897  | ug/l   | 95       |
| 82) 4-Chlorotoluene           | 11.451 | 91   | 331765   | 51.131  | ug/l   | 97       |
| 83) tert-Butylbenzene         | 11.713 | 119  | 348856   | 50.250  | ug/l   | 100      |
| 84) 1,2,4-Trimethylbenzene    | 11.750 | 105  | 355522   | 51.061  | ug/l   | 100      |
| 85) sec-Butylbenzene          | 11.890 | 105  | 417787   | 51.960  | ug/l   | 100      |
| 86) p-Isopropyltoluene        | 12.006 | 119  | 358049   | 53.750  | ug/l   | 99       |
| 87) 1,3-Dichlorobenzene       | 11.969 | 146  | 188818   | 50.274  | ug/l   | 99       |
| 88) 1,4-Dichlorobenzene       | 12.042 | 146  | 189658   | 50.095  | ug/l   | 100      |
| 89) n-Butylbenzene            | 12.329 | 91   | 299842   | 55.523  | ug/l   | 100      |
| 90) Hexachloroethane          | 12.536 | 117  | 59554    | 55.265  | ug/l   | 100      |
| 91) 1,2-Dichlorobenzene       | 12.335 | 146  | 198010   | 51.130  | ug/l   | 100      |
| 92) 1,2-Dibromo-3-Chloropr... | 12.939 | 75   | 32185    | 48.159  | ug/l   | 98       |
| 93) 1,2,4-Trichlorobenzene    | 13.585 | 180  | 123940   | 54.653  | ug/l   | 99       |
| 94) Hexachlorobutadiene       | 13.725 | 225  | 42766    | 53.286  | ug/l   | 97       |
| 95) Naphthalene               | 13.774 | 128  | 473262   | 50.857  | ug/l   | 100      |
| 96) 1,2,3-Trichlorobenzene    | 13.957 | 180  | 126296   | 53.229  | ug/l   | 99       |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
Data File : VX043559.D  
Acq On : 28 Oct 2024 12:08  
Operator : JC/MD  
Sample : VSTDICCC050  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 1 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
VSTDICCC050

Manual Integrations  
APPROVED

Reviewed By :Semsettin Yesilyurt 10/29/2024  
Supervised By :Mahesh Dadoda 10/29/2024

Quant Time: Oct 28 13:31:21 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
Quant Title : SW846 8260  
QLast Update : Mon Oct 28 13:29:33 2024  
Response via : Initial Calibration

| Compound | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|----------|------|------|----------|------|-------|----------|
|----------|------|------|----------|------|-------|----------|

-----  
(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
 Data File : VX043559.D  
 Acq On : 28 Oct 2024 12:08  
 Operator : JC/MD  
 Sample : VSTDICCC050  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VSTDICCC050

Quant Time: Oct 28 13:31:21 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:29:33 2024  
 Response via : Initial Calibration

### Manual Integrations APPROVED

Reviewed By :Semsettin Yesilyurt 10/29/2024  
 Supervised By :Mahesh Dadoda 10/29/2024



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
 Data File : VX043560.D  
 Acq On : 28 Oct 2024 12:31  
 Operator : JC/MD  
 Sample : VSTDICC100  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VSTDICC100

Manual Integrations  
 APPROVED

Reviewed By : Semsettin Yesilyurt 10/29/2024  
 Supervised By : Mahesh Dadoda 10/29/2024

Quant Time: Oct 28 13:31:39 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:29:33 2024  
 Response via : Initial Calibration

| Compound                     | R.T.           | QIon | Response             | Conc    | Units  | Dev(Min) |
|------------------------------|----------------|------|----------------------|---------|--------|----------|
| -----                        |                |      |                      |         |        |          |
| Internal Standards           |                |      |                      |         |        |          |
| 1) Pentafluorobenzene        | 5.550          | 168  | 144332               | 50.000  | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene      | 6.757          | 114  | 265513               | 50.000  | ug/l   | 0.00     |
| 63) Chlorobenzene-d5         | 10.055         | 117  | 230783               | 50.000  | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4   | 12.024         | 152  | 112136               | 50.000  | ug/l   | 0.00     |
|                              |                |      |                      |         |        |          |
| System Monitoring Compounds  |                |      |                      |         |        |          |
| 33) 1,2-Dichloroethane-d4    | 5.952          | 65   | 222471               | 97.169  | ug/l   | 0.00     |
| Spiked Amount 50.000         | Range 74 - 125 |      | Recovery = 194.340%# |         |        |          |
| 35) Dibromofluoromethane     | 5.379          | 113  | 181437               | 102.625 | ug/l   | 0.00     |
| Spiked Amount 50.000         | Range 75 - 124 |      | Recovery = 205.240%# |         |        |          |
| 50) Toluene-d8               | 8.647          | 98   | 615421               | 100.391 | ug/l   | 0.00     |
| Spiked Amount 50.000         | Range 86 - 113 |      | Recovery = 200.780%# |         |        |          |
| 62) 4-Bromofluorobenzene     | 11.079         | 95   | 233193               | 104.146 | ug/l   | 0.00     |
| Spiked Amount 50.000         | Range 77 - 121 |      | Recovery = 208.300%# |         |        |          |
|                              |                |      |                      |         |        |          |
| Target Compounds             |                |      |                      |         | Qvalue |          |
| 2) Dichlorodifluoromethane   | 1.166          | 85   | 150686               | 93.662  | ug/l   | 95       |
| 3) Chloromethane             | 1.294          | 50   | 191165               | 93.138  | ug/l   | 99       |
| 4) Vinyl Chloride            | 1.374          | 62   | 185746               | 99.351  | ug/l   | 99       |
| 5) Bromomethane              | 1.593          | 94   | 75100                | 102.844 | ug/l   | 99       |
| 6) Chloroethane              | 1.660          | 64   | 62560                | 102.264 | ug/l   | 97       |
| 7) Trichlorofluoromethane    | 1.861          | 101  | 244340               | 99.580  | ug/l   | 99       |
| 8) Diethyl Ether             | 2.136          | 74   | 109025               | 101.725 | ug/l   | 100      |
| 9) 1,1,2-Trichlorotrifluo... | 2.312          | 101  | 155594               | 100.462 | ug/l   | 98       |
| 10) Methyl Iodide            | 2.440          | 142  | 227894               | 106.257 | ug/l   | 99       |
| 11) Tert butyl alcohol       | 3.038          | 59   | 245468               | 501.973 | ug/l # | 100      |
| 12) 1,1-Dichloroethene       | 2.306          | 96   | 160565               | 105.446 | ug/l   | 96       |
| 13) Acrolein                 | 2.239          | 56   | 168697               | 437.793 | ug/l   | 99       |
| 14) Allyl chloride           | 2.654          | 41   | 289621               | 107.186 | ug/l   | 97       |
| 15) Acrylonitrile            | 3.068          | 53   | 518888               | 479.012 | ug/l   | 100      |
| 16) Acetone                  | 2.392          | 43   | 452601               | 463.114 | ug/l   | 100      |
| 17) Carbon Disulfide         | 2.495          | 76   | 378228               | 120.001 | ug/l   | 100      |
| 18) Methyl Acetate           | 2.709          | 43   | 272708               | 92.847  | ug/l   | 98       |
| 19) Methyl tert-butyl Ether  | 3.117          | 73   | 602114               | 101.628 | ug/l   | 99       |
| 20) Methylene Chloride       | 2.782          | 84   | 191848               | 100.449 | ug/l   | 97       |
| 21) trans-1,2-Dichloroethene | 3.081          | 96   | 171404               | 103.973 | ug/l   | 97       |
| 22) Diisopropyl ether        | 3.763          | 45   | 560616               | 100.525 | ug/l   | 94       |
| 23) Vinyl Acetate            | 3.721          | 43   | 2462441              | 534.476 | ug/l   | 98       |
| 24) 1,1-Dichloroethane       | 3.605          | 63   | 327525               | 104.117 | ug/l   | 99       |
| 25) 2-Butanone               | 4.562          | 43   | 698547               | 470.613 | ug/l   | 98       |
| 26) 2,2-Dichloropropane      | 4.471          | 77   | 267036               | 117.781 | ug/l   | 100      |
| 27) cis-1,2-Dichloroethene   | 4.483          | 96   | 215682               | 105.006 | ug/l   | 99       |
| 28) Bromochloromethane       | 4.897          | 49   | 157450               | 101.175 | ug/l   | 99       |
| 29) Tetrahydrofuran          | 5.013          | 42   | 449999               | 464.302 | ug/l   | 99       |
| 30) Chloroform               | 5.092          | 83   | 336574               | 100.052 | ug/l   | 98       |
| 31) Cyclohexane              | 5.458          | 56   | 247431               | 99.138  | ug/l   | 95       |
| 32) 1,1,1-Trichloroethane    | 5.379          | 97   | 294454               | 104.159 | ug/l   | 99       |
| 36) 1,1-Dichloropropene      | 5.684          | 75   | 212326               | 101.472 | ug/l   | 98       |
| 37) Ethyl Acetate            | 4.714          | 43   | 266903               | 93.461  | ug/l   | 99       |
| 38) Carbon Tetrachloride     | 5.672          | 117  | 246999               | 103.882 | ug/l   | 100      |
| 39) Methylcyclohexane        | 7.373          | 83   | 272092               | 101.398 | ug/l   | 98       |
| 40) Benzene                  | 6.031          | 78   | 707594               | 101.161 | ug/l   | 100      |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
 Data File : VX043560.D  
 Acq On : 28 Oct 2024 12:31  
 Operator : JC/MD  
 Sample : VSTDICC100  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VSTDICC100

Manual Integrations  
 APPROVED

Reviewed By :Semsettin Yesilyurt 10/29/2024  
 Supervised By :Mahesh Dadoda 10/29/2024

Quant Time: Oct 28 13:31:39 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:29:33 2024  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc     | Units  | Dev(Min) |
|-------------------------------|--------|------|----------|----------|--------|----------|
| 41) Methacrylonitrile         | 4.922  | 41   | 143117   | 99.633   | ug/l   | 96       |
| 42) 1,2-Dichloroethane        | 6.086  | 62   | 259548   | 100.874  | ug/l   | 100      |
| 43) Isopropyl Acetate         | 6.342  | 43   | 448588   | 99.301   | ug/l   | 99       |
| 44) Trichloroethene           | 7.123  | 130  | 180958   | 109.118  | ug/l   | 96       |
| 45) 1,2-Dichloropropane       | 7.427  | 63   | 176748   | 103.475  | ug/l   | 99       |
| 46) Dibromomethane            | 7.580  | 93   | 138874   | 105.836  | ug/l   | 99       |
| 47) Bromodichloromethane      | 7.818  | 83   | 262652   | 112.832  | ug/l   | 97       |
| 48) Methyl methacrylate       | 7.696  | 41   | 218800   | 103.744  | ug/l   | 99       |
| 49) 1,4-Dioxane               | 7.677  | 88   | 102152   | 1885.231 | ug/l   | 99       |
| 51) 4-Methyl-2-Pentanone      | 8.580  | 43   | 1374233  | 480.107  | ug/l   | 99       |
| 52) Toluene                   | 8.714  | 92   | 441311   | 102.334  | ug/l   | 99       |
| 53) t-1,3-Dichloropropene     | 8.976  | 75   | 279431   | 118.617  | ug/l   | 99       |
| 54) cis-1,3-Dichloropropene   | 8.366  | 75   | 297464   | 114.982  | ug/l   | 97       |
| 55) 1,1,2-Trichloroethane     | 9.153  | 97   | 183182   | 100.657  | ug/l   | 99       |
| 56) Ethyl methacrylate        | 9.116  | 69   | 312479   | 106.248  | ug/l   | 96       |
| 57) 1,3-Dichloropropane       | 9.305  | 76   | 305650   | 101.720  | ug/l   | 100      |
| 58) 2-Chloroethyl Vinyl ether | 8.238  | 63   | 741765   | 512.729  | ug/l   | 98       |
| 59) 2-Hexanone                | 9.433  | 43   | 1039956  | 480.496  | ug/l   | 98       |
| 60) Dibromochloromethane      | 9.518  | 129  | 205615   | 120.749  | ug/l   | 99       |
| 61) 1,2-Dibromoethane         | 9.610  | 107  | 196009   | 106.844  | ug/l   | 97       |
| 64) Tetrachloroethene         | 9.269  | 164  | 142187   | 98.420   | ug/l   | 99       |
| 65) Chlorobenzene             | 10.079 | 112  | 498984   | 103.935  | ug/l   | 98       |
| 66) 1,1,1,2-Tetrachloroethane | 10.165 | 131  | 175902   | 108.478  | ug/l   | 99       |
| 67) Ethyl Benzene             | 10.195 | 91   | 828264   | 103.708  | ug/l   | 100      |
| 68) m/p-Xylenes               | 10.299 | 106  | 638308   | 210.954  | ug/l   | 97       |
| 69) o-Xylene                  | 10.640 | 106  | 322030   | 103.533  | ug/l   | 98       |
| 70) Styrene                   | 10.652 | 104  | 548708   | 108.997  | ug/l   | 99       |
| 71) Bromoform                 | 10.799 | 173  | 140298   | 128.340  | ug/l # | 99       |
| 73) Isopropylbenzene          | 10.963 | 105  | 796019   | 99.313   | ug/l   | 100      |
| 74) N-amyl acetate            | 10.841 | 43   | 398918   | 98.808   | ug/l   | 98       |
| 75) 1,1,2,2-Tetrachloroethane | 11.213 | 83   | 286258   | 93.228   | ug/l   | 99       |
| 76) 1,2,3-Trichloropropane    | 11.238 | 75   | 233884m  | 89.719   | ug/l   |          |
| 77) Bromobenzene              | 11.195 | 156  | 206774   | 101.054  | ug/l   | 99       |
| 78) n-propylbenzene           | 11.305 | 91   | 894162   | 104.676  | ug/l   | 99       |
| 79) 2-Chlorotoluene           | 11.366 | 91   | 560554   | 97.800   | ug/l   | 99       |
| 80) 1,3,5-Trimethylbenzene    | 11.451 | 105  | 669305   | 100.572  | ug/l   | 99       |
| 81) trans-1,4-Dichloro-2-b... | 11.018 | 75   | 100171   | 117.256  | ug/l   | 90       |
| 82) 4-Chlorotoluene           | 11.451 | 91   | 647524   | 102.085  | ug/l   | 98       |
| 83) tert-Butylbenzene         | 11.713 | 119  | 688015   | 101.376  | ug/l   | 99       |
| 84) 1,2,4-Trimethylbenzene    | 11.750 | 105  | 684269   | 100.532  | ug/l   | 99       |
| 85) sec-Butylbenzene          | 11.890 | 105  | 808247   | 102.828  | ug/l   | 98       |
| 86) p-Isopropyltoluene        | 12.006 | 119  | 703703   | 108.063  | ug/l   | 99       |
| 87) 1,3-Dichlorobenzene       | 11.969 | 146  | 370986   | 101.044  | ug/l   | 99       |
| 88) 1,4-Dichlorobenzene       | 12.042 | 146  | 371529   | 100.386  | ug/l   | 99       |
| 89) n-Butylbenzene            | 12.329 | 91   | 602601   | 114.147  | ug/l   | 99       |
| 90) Hexachloroethane          | 12.536 | 117  | 125658   | 119.283  | ug/l   | 99       |
| 91) 1,2-Dichlorobenzene       | 12.335 | 146  | 375640   | 99.223   | ug/l   | 98       |
| 92) 1,2-Dibromo-3-Chloropr... | 12.939 | 75   | 65340    | 100.012  | ug/l   | 94       |
| 93) 1,2,4-Trichlorobenzene    | 13.585 | 180  | 246552   | 111.215  | ug/l   | 100      |
| 94) Hexachlorobutadiene       | 13.725 | 225  | 87749    | 111.843  | ug/l   | 98       |
| 95) Naphthalene               | 13.774 | 128  | 948508   | 104.267  | ug/l   | 100      |
| 96) 1,2,3-Trichlorobenzene    | 13.957 | 180  | 256915   | 110.764  | ug/l   | 100      |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
Data File : VX043560.D  
Acq On : 28 Oct 2024 12:31  
Operator : JC/MD  
Sample : VSTDICC100  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 1 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
VSTDICC100

Manual Integrations  
APPROVED

Reviewed By :Semsettin Yesilyurt 10/29/2024  
Supervised By :Mahesh Dadoda 10/29/2024

Quant Time: Oct 28 13:31:39 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
Quant Title : SW846 8260  
QLast Update : Mon Oct 28 13:29:33 2024  
Response via : Initial Calibration

| Compound | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|----------|------|------|----------|------|-------|----------|
|----------|------|------|----------|------|-------|----------|

-----

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
 Data File : VX043560.D  
 Acq On : 28 Oct 2024 12:31  
 Operator : JC/MD  
 Sample : VSTDICC100  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VSTDICC100

### Manual Integrations APPROVED

Reviewed By : Semsettin Yesilyurt 10/29/2024  
 Supervised By : Mahesh Dadoda 10/29/2024

Quant Time: Oct 28 13:31:39 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:29:33 2024  
 Response via : Initial Calibration



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
 Data File : VX043561.D  
 Acq On : 28 Oct 2024 12:54  
 Operator : JC/MD  
 Sample : VSTDICC150  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VSTDICC150

Quant Time: Oct 28 13:31:58 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:29:33 2024  
 Response via : Initial Calibration

### Manual Integrations APPROVED

Reviewed By :Semsettin Yesilyurt 10/29/2024  
 Supervised By :Mahesh Dadoda 10/29/2024

| Compound                     | R.T.           | QIon | Response             | Conc    | Units  | Dev(Min) |
|------------------------------|----------------|------|----------------------|---------|--------|----------|
| -----                        |                |      |                      |         |        |          |
| Internal Standards           |                |      |                      |         |        |          |
| 1) Pentafluorobenzene        | 5.550          | 168  | 144618               | 50.000  | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene      | 6.757          | 114  | 264800               | 50.000  | ug/l   | 0.00     |
| 63) Chlorobenzene-d5         | 10.055         | 117  | 232776               | 50.000  | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4   | 12.024         | 152  | 112300               | 50.000  | ug/l   | 0.00     |
| System Monitoring Compounds  |                |      |                      |         |        |          |
| 33) 1,2-Dichloroethane-d4    | 5.952          | 65   | 318806               | 138.969 | ug/l   | 0.00     |
| Spiked Amount 50.000         | Range 74 - 125 |      | Recovery = 277.940%# |         |        |          |
| 35) Dibromofluoromethane     | 5.385          | 113  | 256339               | 145.381 | ug/l   | 0.00     |
| Spiked Amount 50.000         | Range 75 - 124 |      | Recovery = 290.760%# |         |        |          |
| 50) Toluene-d8               | 8.647          | 98   | 851731               | 139.313 | ug/l   | 0.00     |
| Spiked Amount 50.000         | Range 86 - 113 |      | Recovery = 278.620%# |         |        |          |
| 62) 4-Bromofluorobenzene     | 11.079         | 95   | 329323               | 147.475 | ug/l   | 0.00     |
| Spiked Amount 50.000         | Range 77 - 121 |      | Recovery = 294.940%# |         |        |          |
| Target Compounds             |                |      |                      |         |        |          |
|                              |                |      |                      |         |        | Qvalue   |
| 2) Dichlorodifluoromethane   | 1.166          | 85   | 210421               | 130.533 | ug/l   | 99       |
| 3) Chloromethane             | 1.295          | 50   | 265669               | 129.182 | ug/l   | 100      |
| 4) Vinyl Chloride            | 1.374          | 62   | 256442               | 136.893 | ug/l   | 98       |
| 5) Bromomethane              | 1.593          | 94   | 112014               | 153.092 | ug/l   | 95       |
| 6) Chloroethane              | 1.660          | 64   | 90954                | 148.384 | ug/l   | 100      |
| 7) Trichlorofluoromethane    | 1.861          | 101  | 310596               | 126.333 | ug/l   | 100      |
| 8) Diethyl Ether             | 2.136          | 74   | 151359               | 140.945 | ug/l   | 99       |
| 9) 1,1,2-Trichlorotrifluo... | 2.313          | 101  | 212838               | 137.151 | ug/l   | 99       |
| 10) Methyl Iodide            | 2.441          | 142  | 315072               | 146.614 | ug/l   | 98       |
| 11) Tert butyl alcohol       | 3.026          | 59   | 337112               | 688.018 | ug/l # | 100      |
| 12) 1,1-Dichloroethene       | 2.307          | 96   | 222500               | 145.831 | ug/l   | 96       |
| 13) Acrolein                 | 2.239          | 56   | 241097               | 624.444 | ug/l   | 98       |
| 14) Allyl chloride           | 2.654          | 41   | 395090               | 145.930 | ug/l   | 98       |
| 15) Acrylonitrile            | 3.069          | 53   | 736707               | 678.747 | ug/l   | 99       |
| 16) Acetone                  | 2.392          | 43   | 639840               | 653.408 | ug/l   | 99       |
| 17) Carbon Disulfide         | 2.495          | 76   | 532448               | 168.596 | ug/l   | 99       |
| 18) Methyl Acetate           | 2.709          | 43   | 392340               | 133.313 | ug/l   | 99       |
| 19) Methyl tert-butyl Ether  | 3.117          | 73   | 867383               | 146.111 | ug/l   | 97       |
| 20) Methylene Chloride       | 2.782          | 84   | 274424               | 143.401 | ug/l   | 96       |
| 21) trans-1,2-Dichloroethene | 3.081          | 96   | 236759               | 143.334 | ug/l   | 97       |
| 22) Diisopropyl ether        | 3.764          | 45   | 790777               | 141.515 | ug/l   | 96       |
| 23) Vinyl Acetate            | 3.721          | 43   | 3509530              | 760.241 | ug/l   | 99       |
| 24) 1,1-Dichloroethane       | 3.605          | 63   | 454844               | 144.305 | ug/l   | 99       |
| 25) 2-Butanone               | 4.568          | 43   | 995055               | 669.046 | ug/l   | 99       |
| 26) 2,2-Dichloropropane      | 4.471          | 77   | 367692               | 161.856 | ug/l   | 100      |
| 27) cis-1,2-Dichloroethene   | 4.483          | 96   | 306808               | 149.076 | ug/l   | 98       |
| 28) Bromochloromethane       | 4.898          | 49   | 223906               | 143.593 | ug/l   | 99       |
| 29) Tetrahydrofuran          | 5.013          | 42   | 639748               | 658.777 | ug/l   | 99       |
| 30) Chloroform               | 5.093          | 83   | 471770               | 139.964 | ug/l   | 99       |
| 31) Cyclohexane              | 5.458          | 56   | 333317               | 133.285 | ug/l   | 98       |
| 32) 1,1,1-Trichloroethane    | 5.373          | 97   | 407373               | 143.818 | ug/l   | 99       |
| 36) 1,1-Dichloropropene      | 5.684          | 75   | 292944               | 140.377 | ug/l   | 99       |
| 37) Ethyl Acetate            | 4.721          | 43   | 384683               | 135.067 | ug/l   | 99       |
| 38) Carbon Tetrachloride     | 5.672          | 117  | 340536               | 143.607 | ug/l   | 98       |
| 39) Methylcyclohexane        | 7.379          | 83   | 375923               | 140.469 | ug/l   | 98       |
| 40) Benzene                  | 6.031          | 78   | 989523               | 141.848 | ug/l   | 98       |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
 Data File : VX043561.D  
 Acq On : 28 Oct 2024 12:54  
 Operator : JC/MD  
 Sample : VSTDICC150  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VSTDICC150

Manual Integrations  
 APPROVED

Reviewed By :Semsettin Yesilyurt 10/29/2024  
 Supervised By :Mahesh Dadoda 10/29/2024

Quant Time: Oct 28 13:31:58 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:29:33 2024  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc     | Units  | Dev(Min) |
|-------------------------------|--------|------|----------|----------|--------|----------|
| 41) Methacrylonitrile         | 4.922  | 41   | 203044   | 141.732  | ug/l   | 96       |
| 42) 1,2-Dichloroethane        | 6.086  | 62   | 370244   | 144.284  | ug/l   | 99       |
| 43) Isopropyl Acetate         | 6.342  | 43   | 646810   | 143.566  | ug/l   | 99       |
| 44) Trichloroethene           | 7.123  | 130  | 251726   | 152.200  | ug/l   | 96       |
| 45) 1,2-Dichloropropane       | 7.428  | 63   | 254281   | 149.267  | ug/l   | 99       |
| 46) Dibromomethane            | 7.580  | 93   | 200317   | 153.073  | ug/l   | 98       |
| 47) Bromodichloromethane      | 7.818  | 83   | 379264   | 163.366  | ug/l   | 99       |
| 48) Methyl methacrylate       | 7.696  | 41   | 320841   | 152.537  | ug/l   | 98       |
| 49) 1,4-Dioxane               | 7.671  | 88   | 113004   | 2091.122 | ug/l   | 99       |
| 51) 4-Methyl-2-Pentanone      | 8.580  | 43   | 1948870  | 682.697  | ug/l   | 99       |
| 52) Toluene                   | 8.714  | 92   | 611241   | 142.120  | ug/l   | 99       |
| 53) t-1,3-Dichloropropene     | 8.976  | 75   | 405296   | 172.509  | ug/l   | 97       |
| 54) cis-1,3-Dichloropropene   | 8.366  | 75   | 426054   | 165.131  | ug/l   | 97       |
| 55) 1,1,2-Trichloroethane     | 9.153  | 97   | 259723   | 143.100  | ug/l   | 99       |
| 56) Ethyl methacrylate        | 9.116  | 69   | 449693   | 153.315  | ug/l   | 97       |
| 57) 1,3-Dichloropropane       | 9.305  | 76   | 437811   | 146.096  | ug/l   | 100      |
| 58) 2-Chloroethyl Vinyl ether | 8.244  | 63   | 1091414  | 756.448  | ug/l   | 98       |
| 59) 2-Hexanone                | 9.433  | 43   | 1462736  | 677.655  | ug/l   | 98       |
| 60) Dibromochloromethane      | 9.519  | 129  | 299138   | 176.144  | ug/l   | 99       |
| 61) 1,2-Dibromoethane         | 9.610  | 107  | 275091   | 150.355  | ug/l   | 99       |
| 64) Tetrachloroethene         | 9.269  | 164  | 198596   | 136.289  | ug/l   | 95       |
| 65) Chlorobenzene             | 10.080 | 112  | 703451   | 145.269  | ug/l   | 100      |
| 66) 1,1,1,2-Tetrachloroethane | 10.159 | 131  | 250797   | 153.341  | ug/l   | 100      |
| 67) Ethyl Benzene             | 10.195 | 91   | 1141257  | 141.675  | ug/l   | 100      |
| 68) m/p-Xylenes               | 10.299 | 106  | 878867   | 287.969  | ug/l   | 97       |
| 69) o-Xylene                  | 10.640 | 106  | 450386   | 143.559  | ug/l   | 98       |
| 70) Styrene                   | 10.653 | 104  | 777762   | 153.173  | ug/l   | 100      |
| 71) Bromoform                 | 10.799 | 173  | 207497   | 188.187  | ug/l # | 97       |
| 73) Isopropylbenzene          | 10.964 | 105  | 1088275  | 135.577  | ug/l   | 99       |
| 74) N-amyl acetate            | 10.842 | 43   | 575386   | 142.309  | ug/l   | 99       |
| 75) 1,1,2,2-Tetrachloroethane | 11.213 | 83   | 402017   | 130.738  | ug/l   | 99       |
| 76) 1,2,3-Trichloropropane    | 11.238 | 75   | 335384m  | 128.467  | ug/l   |          |
| 77) Bromobenzene              | 11.195 | 156  | 285385   | 139.269  | ug/l   | 98       |
| 78) n-propylbenzene           | 11.305 | 91   | 1224689  | 143.160  | ug/l   | 99       |
| 79) 2-Chlorotoluene           | 11.366 | 91   | 773459   | 134.748  | ug/l   | 98       |
| 80) 1,3,5-Trimethylbenzene    | 11.451 | 105  | 914265   | 137.180  | ug/l   | 98       |
| 81) trans-1,4-Dichloro-2-b... | 11.018 | 75   | 145480   | 170.044  | ug/l   | 91       |
| 82) 4-Chlorotoluene           | 11.451 | 91   | 893567   | 140.669  | ug/l   | 97       |
| 83) tert-Butylbenzene         | 11.713 | 119  | 935627   | 137.660  | ug/l   | 99       |
| 84) 1,2,4-Trimethylbenzene    | 11.750 | 105  | 953082   | 139.821  | ug/l   | 100      |
| 85) sec-Butylbenzene          | 11.890 | 105  | 1112980  | 141.391  | ug/l   | 98       |
| 86) p-Isopropyltoluene        | 12.006 | 119  | 958987   | 147.051  | ug/l   | 100      |
| 87) 1,3-Dichlorobenzene       | 11.969 | 146  | 521523   | 141.838  | ug/l   | 99       |
| 88) 1,4-Dichlorobenzene       | 12.043 | 146  | 522586   | 140.994  | ug/l   | 99       |
| 89) n-Butylbenzene            | 12.329 | 91   | 830990   | 157.180  | ug/l   | 99       |
| 90) Hexachloroethane          | 12.536 | 117  | 179474   | 170.120  | ug/l   | 99       |
| 91) 1,2-Dichlorobenzene       | 12.335 | 146  | 534157   | 140.889  | ug/l   | 99       |
| 92) 1,2-Dibromo-3-Chloropr... | 12.939 | 75   | 94746    | 144.811  | ug/l   | 92       |
| 93) 1,2,4-Trichlorobenzene    | 13.585 | 180  | 354426   | 159.641  | ug/l   | 99       |
| 94) Hexachlorobutadiene       | 13.725 | 225  | 118245   | 150.492  | ug/l   | 98       |
| 95) Naphthalene               | 13.774 | 128  | 1350122  | 148.198  | ug/l   | 100      |
| 96) 1,2,3-Trichlorobenzene    | 13.957 | 180  | 363960   | 156.686  | ug/l   | 99       |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
Data File : VX043561.D  
Acq On : 28 Oct 2024 12:54  
Operator : JC/MD  
Sample : VSTDICC150  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 1 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
VSTDICC150

Manual Integrations  
APPROVED

Reviewed By :Semsettin Yesilyurt 10/29/2024  
Supervised By :Mahesh Dadoda 10/29/2024

Quant Time: Oct 28 13:31:58 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
Quant Title : SW846 8260  
QLast Update : Mon Oct 28 13:29:33 2024  
Response via : Initial Calibration

| Compound | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|----------|------|------|----------|------|-------|----------|
|----------|------|------|----------|------|-------|----------|

-----  
(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
 Data File : VX043561.D  
 Acq On : 28 Oct 2024 12:54  
 Operator : JC/MD  
 Sample : VSTDIC150  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VSTDIC150

### Manual Integrations APPROVED

Reviewed By :Semsettin Yesilyurt 10/29/2024  
 Supervised By :Mahesh Dadoda 10/29/2024

Quant Time: Oct 28 13:31:58 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:29:33 2024  
 Response via : Initial Calibration



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
 Data File : VX043563.D  
 Acq On : 28 Oct 2024 14:27  
 Operator : JC/MD  
 Sample : VSTDICV050  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 ICVVX102824

Manual Integrations  
 APPROVED

Reviewed By :Semsettin Yesilyurt 10/29/2024  
 Supervised By :Mahesh Dadoda 10/29/2024

Quant Time: Oct 29 03:22:11 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:41:34 2024  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 5.550  | 168  | 179424   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 6.757  | 114  | 320605   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.055 | 117  | 273282   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.024 | 152  | 130429   | 50.000 | ug/l  | 0.00     |

## System Monitoring Compounds

|                           |        |       |          |          |      |         |
|---------------------------|--------|-------|----------|----------|------|---------|
| 33) 1,2-Dichloroethane-d4 | 5.952  | 65    | 130207   | 45.512   | ug/l | 0.00    |
| Spiked Amount             | 50.000 | Range | 74 - 125 | Recovery | =    | 91.020% |
| 35) Dibromofluoromethane  | 5.385  | 113   | 103607   | 47.657   | ug/l | 0.00    |
| Spiked Amount             | 50.000 | Range | 75 - 124 | Recovery | =    | 95.320% |
| 50) Toluene-d8            | 8.647  | 98    | 364696   | 48.461   | ug/l | 0.00    |
| Spiked Amount             | 50.000 | Range | 86 - 113 | Recovery | =    | 96.920% |
| 62) 4-Bromofluorobenzene  | 11.079 | 95    | 134767   | 48.327   | ug/l | 0.00    |
| Spiked Amount             | 50.000 | Range | 77 - 121 | Recovery | =    | 96.660% |

## Target Compounds

|                              |       |     |         |         |        | Qvalue |
|------------------------------|-------|-----|---------|---------|--------|--------|
| 2) Dichlorodifluoromethane   | 1.166 | 85  | 81674   | 42.565  | ug/l   | 94     |
| 3) Chloromethane             | 1.294 | 50  | 101631  | 41.434  | ug/l   | 99     |
| 4) Vinyl Chloride            | 1.374 | 62  | 99612   | 43.758  | ug/l   | 96     |
| 5) Bromomethane              | 1.593 | 94  | 38610   | 41.604  | ug/l   | 98     |
| 6) Chloroethane              | 1.660 | 64  | 32071   | 39.988  | ug/l   | 96     |
| 7) Trichlorofluoromethane    | 1.855 | 101 | 128270  | 46.124  | ug/l   | 96     |
| 8) Diethyl Ether             | 2.136 | 74  | 55490   | 43.186  | ug/l   | 99     |
| 9) 1,1,2-Trichlorotrifluo... | 2.306 | 101 | 83899   | 44.609  | ug/l   | 98     |
| 10) Methyl Iodide            | 2.441 | 142 | 121643  | 44.767  | ug/l   | 99     |
| 11) Tert butyl alcohol       | 3.044 | 59  | 122504  | 229.410 | ug/l # | 100    |
| 12) 1,1-Dichloroethene       | 2.300 | 96  | 86406   | 44.957  | ug/l   | 95     |
| 13) Acrolein                 | 2.239 | 56  | 91162   | 218.298 | ug/l   | 99     |
| 14) Allyl chloride           | 2.654 | 41  | 151352  | 45.529  | ug/l   | 99     |
| 15) Acrylonitrile            | 3.069 | 53  | 266930  | 221.401 | ug/l   | 98     |
| 16) Acetone                  | 2.398 | 43  | 254666  | 224.158 | ug/l   | 99     |
| 17) Carbon Disulfide         | 2.495 | 76  | 190995  | 47.524  | ug/l   | 99     |
| 18) Methyl Acetate           | 2.709 | 43  | 140984  | 42.460  | ug/l   | 98     |
| 19) Methyl tert-butyl Ether  | 3.123 | 73  | 317078  | 43.380  | ug/l   | 97     |
| 20) Methylene Chloride       | 2.782 | 84  | 101646  | 41.513  | ug/l   | 98     |
| 21) trans-1,2-Dichloroethene | 3.081 | 96  | 89643   | 44.148  | ug/l   | 96     |
| 22) Diisopropyl ether        | 3.764 | 45  | 300804  | 43.777  | ug/l   | 97     |
| 23) Vinyl Acetate            | 3.721 | 43  | 1302117 | 229.380 | ug/l   | 99     |
| 24) 1,1-Dichloroethane       | 3.605 | 63  | 172319  | 43.633  | ug/l   | 100    |
| 25) 2-Butanone               | 4.568 | 43  | 368994  | 222.655 | ug/l   | 100    |
| 26) 2,2-Dichloropropane      | 4.465 | 77  | 148949  | 46.075  | ug/l   | 100    |
| 27) cis-1,2-Dichloroethene   | 4.483 | 96  | 113181  | 43.635  | ug/l   | 98     |
| 28) Bromochloromethane       | 4.891 | 49  | 80045   | 42.606  | ug/l   | 99     |
| 29) Tetrahydrofuran          | 5.007 | 42  | 235105  | 218.299 | ug/l   | 99     |
| 30) Chloroform               | 5.086 | 83  | 180585  | 43.621  | ug/l   | 95     |
| 31) Cyclohexane              | 5.458 | 56  | 133601  | 44.229  | ug/l   | 99     |
| 32) 1,1,1-Trichloroethane    | 5.379 | 97  | 157829  | 45.409  | ug/l   | 99     |
| 36) 1,1-Dichloropropene      | 5.684 | 75  | 115808  | 44.924  | ug/l   | 99     |
| 37) Ethyl Acetate            | 4.721 | 43  | 146662  | 46.862  | ug/l   | 99     |
| 38) Carbon Tetrachloride     | 5.672 | 117 | 131275  | 46.088  | ug/l   | 98     |
| 39) Methylcyclohexane        | 7.373 | 83  | 146003  | 45.618  | ug/l   | 97     |
| 40) Benzene                  | 6.031 | 78  | 379529  | 44.132  | ug/l   | 100    |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
 Data File : VX043563.D  
 Acq On : 28 Oct 2024 14:27  
 Operator : JC/MD  
 Sample : VSTDICV050  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 ICVVX102824

Manual Integrations  
 APPROVED

Reviewed By :Semsettin Yesilyurt 10/29/2024  
 Supervised By :Mahesh Dadoda 10/29/2024

Quant Time: Oct 29 03:22:11 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:41:34 2024  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc     | Units  | Dev(Min) |
|-------------------------------|--------|------|----------|----------|--------|----------|
| 41) Methacrylonitrile         | 4.922  | 41   | 73439    | 44.704   | ug/l   | 94       |
| 42) 1,2-Dichloroethane        | 6.080  | 62   | 137504   | 44.475   | ug/l   | 99       |
| 43) Isopropyl Acetate         | 6.342  | 43   | 233162   | 45.049   | ug/l   | 99       |
| 44) Trichloroethene           | 7.123  | 130  | 95769    | 44.826   | ug/l   | 95       |
| 45) 1,2-Dichloropropane       | 7.428  | 63   | 94807    | 44.772   | ug/l   | 98       |
| 46) Dibromomethane            | 7.580  | 93   | 71516    | 43.863   | ug/l   | 98       |
| 47) Bromodichloromethane      | 7.818  | 83   | 134816   | 47.134   | ug/l   | 100      |
| 48) Methyl methacrylate       | 7.696  | 41   | 113455   | 46.235   | ug/l   | 100      |
| 49) 1,4-Dioxane               | 7.677  | 88   | 52802    | 1047.352 | ug/l   | 98       |
| 51) 4-Methyl-2-Pentanone      | 8.580  | 43   | 723604   | 229.383  | ug/l   | 99       |
| 52) Toluene                   | 8.714  | 92   | 239913   | 46.000   | ug/l   | 100      |
| 53) t-1,3-Dichloropropene     | 8.976  | 75   | 143840   | 46.821   | ug/l   | 94       |
| 54) cis-1,3-Dichloropropene   | 8.366  | 75   | 156936   | 47.945   | ug/l   | 99       |
| 55) 1,1,2-Trichloroethane     | 9.153  | 97   | 97965    | 45.125   | ug/l   | 99       |
| 56) Ethyl methacrylate        | 9.116  | 69   | 161309   | 45.728   | ug/l   | 98       |
| 57) 1,3-Dichloropropane       | 9.305  | 76   | 159880   | 44.279   | ug/l   | 99       |
| 58) 2-Chloroethyl Vinyl ether | 8.238  | 63   | 384698   | 225.175  | ug/l   | 98       |
| 59) 2-Hexanone                | 9.433  | 43   | 551262   | 230.086  | ug/l   | 99       |
| 60) Dibromochloromethane      | 9.519  | 129  | 104046   | 48.399   | ug/l   | 99       |
| 61) 1,2-Dibromoethane         | 9.610  | 107  | 101053   | 44.841   | ug/l   | 99       |
| 64) Tetrachloroethene         | 9.269  | 164  | 78661    | 45.765   | ug/l   | 96       |
| 65) Chlorobenzene             | 10.079 | 112  | 267388   | 45.479   | ug/l   | 100      |
| 66) 1,1,1,2-Tetrachloroethane | 10.159 | 131  | 93224    | 48.543   | ug/l   | 99       |
| 67) Ethyl Benzene             | 10.189 | 91   | 450377   | 46.977   | ug/l   | 97       |
| 68) m/p-Xylenes               | 10.299 | 106  | 349227   | 95.253   | ug/l   | 97       |
| 69) o-Xylene                  | 10.640 | 106  | 175059   | 47.523   | ug/l   | 99       |
| 70) Styrene                   | 10.653 | 104  | 294680   | 48.130   | ug/l   | 99       |
| 71) Bromoform                 | 10.799 | 173  | 69053    | 50.009   | ug/l # | 98       |
| 73) Isopropylbenzene          | 10.963 | 105  | 434285   | 47.005   | ug/l   | 100      |
| 74) N-amyl acetate            | 10.842 | 43   | 212192   | 47.145   | ug/l   | 99       |
| 75) 1,1,2,2-Tetrachloroethane | 11.213 | 83   | 151871   | 45.712   | ug/l   | 100      |
| 76) 1,2,3-Trichloropropane    | 11.238 | 75   | 123473m  | 44.275   | ug/l   |          |
| 77) Bromobenzene              | 11.195 | 156  | 108482   | 45.472   | ug/l   | 100      |
| 78) n-propylbenzene           | 11.305 | 91   | 480204   | 47.669   | ug/l   | 99       |
| 79) 2-Chlorotoluene           | 11.360 | 91   | 303930   | 45.500   | ug/l   | 99       |
| 80) 1,3,5-Trimethylbenzene    | 11.451 | 105  | 369790   | 48.003   | ug/l   | 99       |
| 81) trans-1,4-Dichloro-2-b... | 11.018 | 75   | 49799    | 49.126   | ug/l   | 94       |
| 82) 4-Chlorotoluene           | 11.451 | 91   | 348692   | 46.508   | ug/l   | 97       |
| 83) tert-Butylbenzene         | 11.713 | 119  | 375497   | 47.929   | ug/l   | 100      |
| 84) 1,2,4-Trimethylbenzene    | 11.750 | 105  | 372516   | 47.450   | ug/l   | 99       |
| 85) sec-Butylbenzene          | 11.890 | 105  | 444311   | 48.384   | ug/l   | 99       |
| 86) p-Isopropyltoluene        | 12.006 | 119  | 377100   | 48.310   | ug/l   | 100      |
| 87) 1,3-Dichlorobenzene       | 11.969 | 146  | 196597   | 45.977   | ug/l   | 100      |
| 88) 1,4-Dichlorobenzene       | 12.043 | 146  | 197418   | 44.556   | ug/l   | 100      |
| 89) n-Butylbenzene            | 12.329 | 91   | 317946   | 49.987   | ug/l   | 100      |
| 90) Hexachloroethane          | 12.536 | 117  | 64443    | 50.825   | ug/l   | 98       |
| 91) 1,2-Dichlorobenzene       | 12.335 | 146  | 200702   | 45.901   | ug/l   | 99       |
| 92) 1,2-Dibromo-3-Chloropr... | 12.945 | 75   | 32952    | 48.652   | ug/l   | 96       |
| 93) 1,2,4-Trichlorobenzene    | 13.585 | 180  | 127790   | 48.149   | ug/l   | 100      |
| 94) Hexachlorobutadiene       | 13.725 | 225  | 46538    | 47.558   | ug/l   | 99       |
| 95) Naphthalene               | 13.774 | 128  | 491660   | 48.409   | ug/l   | 100      |
| 96) 1,2,3-Trichlorobenzene    | 13.957 | 180  | 131581   | 47.022   | ug/l   | 100      |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
Data File : VX043563.D  
Acq On : 28 Oct 2024 14:27  
Operator : JC/MD  
Sample : VSTDICV050  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 1 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
ICVVX102824

Manual Integrations  
APPROVED

Reviewed By :Semsettin Yesilyurt 10/29/2024  
Supervised By :Mahesh Dadoda 10/29/2024

Quant Time: Oct 29 03:22:11 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
Quant Title : SW846 8260  
QLast Update : Mon Oct 28 13:41:34 2024  
Response via : Initial Calibration

| Compound | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|----------|------|------|----------|------|-------|----------|
|----------|------|------|----------|------|-------|----------|

-----  
(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
Data File : VX043563.D  
Acq On : 28 Oct 2024 14:27  
Operator : JC/MD  
Sample : VSTDICV050  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 1 Sample Multiplier: 1

**Instrument :**  
MSVOA\_X  
**ClientSampleId :**  
ICVVX102824

## Manual Integrations APPROVED

Reviewed By :Semsettin Yesilyurt 10/29/2024  
Supervised By :Mahesh Dadoda 10/29/2024

Quant Time: Oct 29 03:22:11 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
Quant Title : SW846 8260  
QLast Update : Mon Oct 28 13:41:34 2024  
Response via : Initial Calibration



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
 Data File : VX043563.D  
 Acq On : 28 Oct 2024 14:27  
 Operator : JC/MD  
 Sample : VSTDICV050  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 ICVVX102824

Quant Time: Oct 29 03:22:11 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:41:34 2024  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

|       | Compound                    | AvgRF | CCRF  | %Dev  | Area% | Dev(min) |
|-------|-----------------------------|-------|-------|-------|-------|----------|
| 1 I   | Pentafluorobenzene          | 1.000 | 1.000 | 0.0   | 120   | 0.00     |
| 2 T   | Dichlorodifluoromethane     | 0.535 | 0.455 | 15.0  | 108   | 0.00     |
| 3 P   | Chloromethane               | 0.684 | 0.566 | 17.3  | 105   | 0.00     |
| 4 C   | Vinyl Chloride              | 0.634 | 0.555 | 12.5# | 105   | 0.00     |
| 5 T   | Bromomethane                | 0.259 | 0.215 | 17.0  | 99    | 0.00     |
| 6 T   | Chloroethane                | 0.223 | 0.179 | 19.7  | 96    | 0.00     |
| 7 T   | Trichlorofluoromethane      | 0.775 | 0.715 | 7.7   | 111   | 0.00     |
| 8 T   | Diethyl Ether               | 0.358 | 0.309 | 13.7  | 105   | 0.00     |
| 9 T   | 1,1,2-Trichlorotrifluoroeth | 0.524 | 0.468 | 10.7  | 107   | 0.00     |
| 10 T  | Methyl Iodide               | 0.757 | 0.678 | 10.4  | 104   | 0.00     |
| 11 T  | Tert butyl alcohol          | 0.149 | 0.137 | 8.1   | 106   | 0.00     |
| 12 CM | 1,1-Dichloroethene          | 0.536 | 0.482 | 10.1# | 108   | 0.00     |
| 13 T  | Acrolein                    | 0.116 | 0.102 | 12.1  | 113   | 0.00     |
| 14 T  | Allyl chloride              | 0.926 | 0.844 | 8.9   | 107   | 0.00     |
| 15 T  | Acrylonitrile               | 0.336 | 0.298 | 11.3  | 103   | 0.00     |
| 16 T  | Acetone                     | 0.317 | 0.284 | 10.4  | 109   | 0.00     |
| 17 T  | Carbon Disulfide            | 1.120 | 1.064 | 5.0   | 113   | 0.00     |
| 18 T  | Methyl Acetate              | 0.925 | 0.786 | 15.0  | 102   | 0.00     |
| 19 T  | Methyl tert-butyl Ether     | 2.037 | 1.767 | 13.3  | 102   | 0.00     |
| 20 T  | Methylene Chloride          | 0.682 | 0.567 | 16.9  | 103   | 0.00     |
| 21 T  | trans-1,2-Dichloroethene    | 0.566 | 0.500 | 11.7  | 107   | 0.00     |
| 22 T  | Diisopropyl ether           | 1.915 | 1.676 | 12.5  | 104   | 0.00     |
| 23 T  | Vinyl Acetate               | 1.582 | 1.451 | 8.3   | 104   | 0.00     |
| 24 P  | 1,1-Dichloroethane          | 1.101 | 0.960 | 12.8  | 104   | 0.00     |
| 25 T  | 2-Butanone                  | 0.462 | 0.411 | 11.0  | 103   | 0.00     |
| 26 T  | 2,2-Dichloropropane         | 0.901 | 0.830 | 7.9   | 112   | 0.00     |
| 27 T  | cis-1,2-Dichloroethene      | 0.723 | 0.631 | 12.7  | 103   | 0.00     |
| 28 T  | Bromochloromethane          | 0.524 | 0.446 | 14.9  | 106   | 0.00     |
| 29 T  | Tetrahydrofuran             | 0.300 | 0.262 | 12.7  | 102   | 0.00     |
| 30 C  | Chloroform                  | 1.154 | 1.006 | 12.8# | 104   | 0.00     |
| 31 T  | Cyclohexane                 | 0.842 | 0.745 | 11.5  | 107   | 0.00     |
| 32 T  | 1,1,1-Trichloroethane       | 0.969 | 0.880 | 9.2   | 107   | 0.00     |
| 33 S  | 1,2-Dichloroethane-d4       | 0.797 | 0.726 | 8.9   | 111   | 0.00     |
| 34 I  | 1,4-Difluorobenzene         | 1.000 | 1.000 | 0.0   | 118   | 0.00     |
| 35 S  | Dibromofluoromethane        | 0.339 | 0.323 | 4.7   | 114   | 0.00     |
| 36 T  | 1,1-Dichloropropene         | 0.402 | 0.361 | 10.2  | 110   | 0.00     |
| 37 T  | Ethyl Acetate               | 0.488 | 0.457 | 6.4   | 107   | 0.00     |
| 38 T  | Carbon Tetrachloride        | 0.444 | 0.409 | 7.9   | 109   | 0.00     |
| 39 T  | Methylcyclohexane           | 0.499 | 0.455 | 8.8   | 106   | 0.00     |
| 40 TM | Benzene                     | 1.341 | 1.184 | 11.7  | 103   | 0.00     |
| 41 T  | Methacrylonitrile           | 0.256 | 0.229 | 10.5  | 100   | 0.00     |
| 42 TM | 1,2-Dichloroethane          | 0.482 | 0.429 | 11.0  | 103   | 0.00     |
| 43 T  | Isopropyl Acetate           | 0.807 | 0.727 | 9.9   | 103   | 0.00     |
| 44 TM | Trichloroethene             | 0.333 | 0.299 | 10.2  | 105   | 0.00     |
| 45 C  | 1,2-Dichloropropane         | 0.330 | 0.296 | 10.3# | 104   | 0.00     |
| 46 T  | Dibromomethane              | 0.254 | 0.223 | 12.2  | 102   | 0.00     |
| 47 T  | Bromodichloromethane        | 0.446 | 0.421 | 5.6   | 104   | 0.00     |
| 48 T  | Methyl methacrylate         | 0.383 | 0.354 | 7.6   | 104   | 0.00     |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
 Data File : VX043563.D  
 Acq On : 28 Oct 2024 14:27  
 Operator : JC/MD  
 Sample : VSTDICV050  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 ICSVVX102824

Quant Time: Oct 29 03:22:11 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:41:34 2024  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

|       | Compound                    | AvgRF | CCRF  | %Dev | Area% | Dev(min) |
|-------|-----------------------------|-------|-------|------|-------|----------|
| 49 T  | 1,4-Dioxane                 | 0.008 | 0.008 | 0.0  | 119   | 0.00     |
| 50 S  | Toluene-d8                  | 1.174 | 1.138 | 3.1  | 115   | 0.00     |
| 51 T  | 4-Methyl-2-Pentanone        | 0.492 | 0.451 | 8.3  | 102   | 0.00     |
| 52 CM | Toluene                     | 0.813 | 0.748 | 8.0# | 106   | 0.00     |
| 53 T  | t-1,3-Dichloropropene       | 0.479 | 0.449 | 6.3  | 104   | 0.00     |
| 54 T  | cis-1,3-Dichloropropene     | 0.510 | 0.489 | 4.1  | 107   | 0.00     |
| 55 T  | 1,1,2-Trichloroethane       | 0.339 | 0.306 | 9.7  | 102   | 0.00     |
| 56 T  | Ethyl methacrylate          | 0.550 | 0.503 | 8.5  | 101   | 0.00     |
| 57 T  | 1,3-Dichloropropane         | 0.563 | 0.499 | 11.4 | 100   | 0.00     |
| 58 T  | 2-Chloroethyl Vinyl ether   | 0.266 | 0.240 | 9.8  | 106   | 0.00     |
| 59 T  | 2-Hexanone                  | 0.374 | 0.344 | 8.0  | 102   | 0.00     |
| 60 T  | Dibromochloromethane        | 0.335 | 0.325 | 3.0  | 105   | 0.00     |
| 61 T  | 1,2-Dibromoethane           | 0.351 | 0.315 | 10.3 | 102   | 0.00     |
| 62 S  | 4-Bromofluorobenzene        | 0.435 | 0.420 | 3.4  | 112   | 0.00     |
| 63 I  | Chlorobenzene-d5            | 1.000 | 1.000 | 0.0  | 115   | 0.00     |
| 64 T  | Tetrachloroethene           | 0.314 | 0.288 | 8.3  | 107   | 0.00     |
| 65 PM | Chlorobenzene               | 1.076 | 0.978 | 9.1  | 104   | 0.00     |
| 66 T  | 1,1,1,2-Tetrachloroethane   | 0.351 | 0.341 | 2.8  | 105   | 0.00     |
| 67 C  | Ethyl Benzene               | 1.754 | 1.648 | 6.0# | 106   | 0.00     |
| 68 T  | m/p-Xylenes                 | 0.671 | 0.639 | 4.8  | 106   | 0.00     |
| 69 T  | o-Xylene                    | 0.674 | 0.641 | 4.9  | 107   | 0.00     |
| 70 T  | Styrene                     | 1.120 | 1.078 | 3.8  | 105   | 0.00     |
| 71 P  | Bromoform                   | 0.253 | 0.253 | 0.0  | 105   | 0.00     |
| 72 I  | 1,4-Dichlorobenzene-d4      | 1.000 | 1.000 | 0.0  | 114   | 0.00     |
| 73 T  | Isopropylbenzene            | 3.542 | 3.330 | 6.0  | 106   | 0.00     |
| 74 T  | N-amyl acetate              | 1.725 | 1.627 | 5.7  | 104   | 0.00     |
| 75 P  | 1,1,2,2-Tetrachloroethane   | 1.274 | 1.164 | 8.6  | 103   | 0.00     |
| 76 T  | 1,2,3-Trichloropropane      | 1.069 | 0.947 | 11.4 | 100   | 0.00     |
| 77 T  | Bromobenzene                | 0.915 | 0.832 | 9.1  | 102   | 0.00     |
| 78 T  | n-propylbenzene             | 3.862 | 3.682 | 4.7  | 105   | 0.00     |
| 79 T  | 2-Chlorotoluene             | 2.561 | 2.330 | 9.0  | 105   | 0.00     |
| 80 T  | 1,3,5-Trimethylbenzene      | 2.953 | 2.835 | 4.0  | 106   | 0.00     |
| 81 T  | trans-1,4-Dichloro-2-butene | 0.389 | 0.382 | 1.8  | 104   | 0.00     |
| 82 T  | 4-Chlorotoluene             | 2.874 | 2.673 | 7.0  | 105   | 0.00     |
| 83 T  | tert-Butylbenzene           | 3.003 | 2.879 | 4.1  | 108   | 0.00     |
| 84 T  | 1,2,4-Trimethylbenzene      | 3.010 | 2.856 | 5.1  | 105   | 0.00     |
| 85 T  | sec-Butylbenzene            | 3.520 | 3.407 | 3.2  | 106   | 0.00     |
| 86 T  | p-Isopropyltoluene          | 2.992 | 2.891 | 3.4  | 105   | 0.00     |
| 87 T  | 1,3-Dichlorobenzene         | 1.639 | 1.507 | 8.1  | 104   | 0.00     |
| 88 T  | 1,4-Dichlorobenzene         | 1.699 | 1.514 | 10.9 | 104   | 0.00     |
| 89 T  | n-Butylbenzene              | 2.438 | 2.438 | 0.0  | 106   | 0.00     |
| 90 T  | Hexachloroethane            | 0.486 | 0.494 | -1.6 | 108   | 0.00     |
| 91 T  | 1,2-Dichlorobenzene         | 1.676 | 1.539 | 8.2  | 101   | 0.00     |
| 92 T  | 1,2-Dibromo-3-Chloropropane | 0.260 | 0.253 | 2.7  | 102   | 0.00     |
| 93 T  | 1,2,4-Trichlorobenzene      | 1.017 | 0.980 | 3.6  | 103   | 0.00     |
| 94 T  | Hexachlorobutadiene         | 0.375 | 0.357 | 4.8  | 109   | 0.00     |
| 95 T  | Naphthalene                 | 3.893 | 3.770 | 3.2  | 104   | 0.00     |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
Data File : VX043563.D  
Acq On : 28 Oct 2024 14:27  
Operator : JC/MD  
Sample : VSTDICV050  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 1 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
ICVVX102824

Quant Time: Oct 29 03:22:11 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
Quant Title : SW846 8260  
QLast Update : Mon Oct 28 13:41:34 2024  
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
Max. RRF Dev : 25% Max. Rel. Area : 150%

|      | Compound               | AvgRF | CCRF  | %Dev | Area% | Dev(min) |
|------|------------------------|-------|-------|------|-------|----------|
| 96 T | 1,2,3-Trichlorobenzene | 1.073 | 1.009 | 6.0  | 104   | 0.00     |

(#) = Out of Range

SPCC's out = 0 CCC's out = 6

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\ VX102824\  
 Data File : VX043563.D  
 Acq On : 28 Oct 2024 14:27  
 Operator : JC/MD  
 Sample : VSTDICV050  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 ICSVVX102824

Quant Time: Oct 29 03:22:11 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:41:34 2024  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

|       | Compound                    | Amount  | Calc.   | %Dev  | Area% | Dev(min) |
|-------|-----------------------------|---------|---------|-------|-------|----------|
| 1 I   | Pentafluorobenzene          | 50.000  | 50.000  | 0.0   | 120   | 0.00     |
| 2 T   | Dichlorodifluoromethane     | 50.000  | 42.565  | 14.9  | 108   | 0.00     |
| 3 P   | Chloromethane               | 50.000  | 41.434  | 17.1  | 105   | 0.00     |
| 4 C   | Vinyl Chloride              | 50.000  | 43.758  | 12.5# | 105   | 0.00     |
| 5 T   | Bromomethane                | 50.000  | 41.604  | 16.8  | 99    | 0.00     |
| 6 T   | Chloroethane                | 50.000  | 39.988  | 20.0  | 96    | 0.00     |
| 7 T   | Trichlorofluoromethane      | 50.000  | 46.124  | 7.8   | 111   | 0.00     |
| 8 T   | Diethyl Ether               | 50.000  | 43.186  | 13.6  | 105   | 0.00     |
| 9 T   | 1,1,2-Trichlorotrifluoroeth | 50.000  | 44.609  | 10.8  | 107   | 0.00     |
| 10 T  | Methyl Iodide               | 50.000  | 44.767  | 10.5  | 104   | 0.00     |
| 11 T  | Tert butyl alcohol          | 250.000 | 229.410 | 8.2   | 106   | 0.00     |
| 12 CM | 1,1-Dichloroethene          | 50.000  | 44.957  | 10.1# | 108   | 0.00     |
| 13 T  | Acrolein                    | 250.000 | 218.298 | 12.7  | 113   | 0.00     |
| 14 T  | Allyl chloride              | 50.000  | 45.529  | 8.9   | 107   | 0.00     |
| 15 T  | Acrylonitrile               | 250.000 | 221.401 | 11.4  | 103   | 0.00     |
| 16 T  | Acetone                     | 250.000 | 224.158 | 10.3  | 109   | 0.00     |
| 17 T  | Carbon Disulfide            | 50.000  | 47.524  | 5.0   | 113   | 0.00     |
| 18 T  | Methyl Acetate              | 50.000  | 42.460  | 15.1  | 102   | 0.00     |
| 19 T  | Methyl tert-butyl Ether     | 50.000  | 43.380  | 13.2  | 102   | 0.00     |
| 20 T  | Methylene Chloride          | 50.000  | 41.513  | 17.0  | 103   | 0.00     |
| 21 T  | trans-1,2-Dichloroethene    | 50.000  | 44.148  | 11.7  | 107   | 0.00     |
| 22 T  | Diisopropyl ether           | 50.000  | 43.777  | 12.4  | 104   | 0.00     |
| 23 T  | Vinyl Acetate               | 250.000 | 229.380 | 8.2   | 104   | 0.00     |
| 24 P  | 1,1-Dichloroethane          | 50.000  | 43.633  | 12.7  | 104   | 0.00     |
| 25 T  | 2-Butanone                  | 250.000 | 222.655 | 10.9  | 103   | 0.00     |
| 26 T  | 2,2-Dichloropropane         | 50.000  | 46.075  | 7.8   | 112   | 0.00     |
| 27 T  | cis-1,2-Dichloroethene      | 50.000  | 43.635  | 12.7  | 103   | 0.00     |
| 28 T  | Bromochloromethane          | 50.000  | 42.606  | 14.8  | 106   | 0.00     |
| 29 T  | Tetrahydrofuran             | 250.000 | 218.299 | 12.7  | 102   | 0.00     |
| 30 C  | Chloroform                  | 50.000  | 43.621  | 12.8# | 104   | 0.00     |
| 31 T  | Cyclohexane                 | 50.000  | 44.229  | 11.5  | 107   | 0.00     |
| 32 T  | 1,1,1-Trichloroethane       | 50.000  | 45.409  | 9.2   | 107   | 0.00     |
| 33 S  | 1,2-Dichloroethane-d4       | 50.000  | 45.512  | 9.0   | 111   | 0.00     |
| 34 I  | 1,4-Difluorobenzene         | 50.000  | 50.000  | 0.0   | 118   | 0.00     |
| 35 S  | Dibromofluoromethane        | 50.000  | 47.657  | 4.7   | 114   | 0.00     |
| 36 T  | 1,1-Dichloropropene         | 50.000  | 44.924  | 10.2  | 110   | 0.00     |
| 37 T  | Ethyl Acetate               | 50.000  | 46.862  | 6.3   | 107   | 0.00     |
| 38 T  | Carbon Tetrachloride        | 50.000  | 46.088  | 7.8   | 109   | 0.00     |
| 39 T  | Methylcyclohexane           | 50.000  | 45.618  | 8.8   | 106   | 0.00     |
| 40 TM | Benzene                     | 50.000  | 44.132  | 11.7  | 103   | 0.00     |
| 41 T  | Methacrylonitrile           | 50.000  | 44.704  | 10.6  | 100   | 0.00     |
| 42 TM | 1,2-Dichloroethane          | 50.000  | 44.475  | 11.0  | 103   | 0.00     |
| 43 T  | Isopropyl Acetate           | 50.000  | 45.049  | 9.9   | 103   | 0.00     |
| 44 TM | Trichloroethene             | 50.000  | 44.826  | 10.3  | 105   | 0.00     |
| 45 C  | 1,2-Dichloropropane         | 50.000  | 44.772  | 10.5# | 104   | 0.00     |
| 46 T  | Dibromomethane              | 50.000  | 43.863  | 12.3  | 102   | 0.00     |
| 47 T  | Bromodichloromethane        | 50.000  | 47.134  | 5.7   | 104   | 0.00     |
| 48 T  | Methyl methacrylate         | 50.000  | 46.235  | 7.5   | 104   | 0.00     |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
 Data File : VX043563.D  
 Acq On : 28 Oct 2024 14:27  
 Operator : JC/MD  
 Sample : VSTDICV050  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 ICSVVX102824

Quant Time: Oct 29 03:22:11 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:41:34 2024  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

|       | Compound                    | Amount   | Calc.    | %Dev | Area% | Dev(min) |
|-------|-----------------------------|----------|----------|------|-------|----------|
| 49 T  | 1,4-Dioxane                 | 1000.000 | 1047.352 | -4.7 | 119   | 0.00     |
| 50 S  | Toluene-d8                  | 50.000   | 48.461   | 3.1  | 115   | 0.00     |
| 51 T  | 4-Methyl-2-Pentanone        | 250.000  | 229.383  | 8.2  | 102   | 0.00     |
| 52 CM | Toluene                     | 50.000   | 46.000   | 8.0# | 106   | 0.00     |
| 53 T  | t-1,3-Dichloropropene       | 50.000   | 46.821   | 6.4  | 104   | 0.00     |
| 54 T  | cis-1,3-Dichloropropene     | 50.000   | 47.945   | 4.1  | 107   | 0.00     |
| 55 T  | 1,1,2-Trichloroethane       | 50.000   | 45.125   | 9.8  | 102   | 0.00     |
| 56 T  | Ethyl methacrylate          | 50.000   | 45.728   | 8.5  | 101   | 0.00     |
| 57 T  | 1,3-Dichloropropane         | 50.000   | 44.279   | 11.4 | 100   | 0.00     |
| 58 T  | 2-Chloroethyl Vinyl ether   | 250.000  | 225.175  | 9.9  | 106   | 0.00     |
| 59 T  | 2-Hexanone                  | 250.000  | 230.086  | 8.0  | 102   | 0.00     |
| 60 T  | Dibromochloromethane        | 50.000   | 48.399   | 3.2  | 105   | 0.00     |
| 61 T  | 1,2-Dibromoethane           | 50.000   | 44.841   | 10.3 | 102   | 0.00     |
| 62 S  | 4-Bromofluorobenzene        | 50.000   | 48.327   | 3.3  | 112   | 0.00     |
| 63 I  | Chlorobenzene-d5            | 50.000   | 50.000   | 0.0  | 115   | 0.00     |
| 64 T  | Tetrachloroethene           | 50.000   | 45.765   | 8.5  | 107   | 0.00     |
| 65 PM | Chlorobenzene               | 50.000   | 45.479   | 9.0  | 104   | 0.00     |
| 66 T  | 1,1,1,2-Tetrachloroethane   | 50.000   | 48.543   | 2.9  | 105   | 0.00     |
| 67 C  | Ethyl Benzene               | 50.000   | 46.977   | 6.0# | 106   | 0.00     |
| 68 T  | m/p-Xylenes                 | 100.000  | 95.253   | 4.7  | 106   | 0.00     |
| 69 T  | o-Xylene                    | 50.000   | 47.523   | 5.0  | 107   | 0.00     |
| 70 T  | Styrene                     | 50.000   | 48.130   | 3.7  | 105   | 0.00     |
| 71 P  | Bromoform                   | 50.000   | 50.009   | -0.0 | 105   | 0.00     |
| 72 I  | 1,4-Dichlorobenzene-d4      | 50.000   | 50.000   | 0.0  | 114   | 0.00     |
| 73 T  | Isopropylbenzene            | 50.000   | 47.005   | 6.0  | 106   | 0.00     |
| 74 T  | N-amyl acetate              | 50.000   | 47.145   | 5.7  | 104   | 0.00     |
| 75 P  | 1,1,2,2-Tetrachloroethane   | 50.000   | 45.712   | 8.6  | 103   | 0.00     |
| 76 T  | 1,2,3-Trichloropropane      | 50.000   | 44.275   | 11.5 | 100   | 0.00     |
| 77 T  | Bromobenzene                | 50.000   | 45.472   | 9.1  | 102   | 0.00     |
| 78 T  | n-propylbenzene             | 50.000   | 47.669   | 4.7  | 105   | 0.00     |
| 79 T  | 2-Chlorotoluene             | 50.000   | 45.500   | 9.0  | 105   | 0.00     |
| 80 T  | 1,3,5-Trimethylbenzene      | 50.000   | 48.003   | 4.0  | 106   | 0.00     |
| 81 T  | trans-1,4-Dichloro-2-butene | 50.000   | 49.126   | 1.7  | 104   | 0.00     |
| 82 T  | 4-Chlorotoluene             | 50.000   | 46.508   | 7.0  | 105   | 0.00     |
| 83 T  | tert-Butylbenzene           | 50.000   | 47.929   | 4.1  | 108   | 0.00     |
| 84 T  | 1,2,4-Trimethylbenzene      | 50.000   | 47.450   | 5.1  | 105   | 0.00     |
| 85 T  | sec-Butylbenzene            | 50.000   | 48.384   | 3.2  | 106   | 0.00     |
| 86 T  | p-Isopropyltoluene          | 50.000   | 48.310   | 3.4  | 105   | 0.00     |
| 87 T  | 1,3-Dichlorobenzene         | 50.000   | 45.977   | 8.0  | 104   | 0.00     |
| 88 T  | 1,4-Dichlorobenzene         | 50.000   | 44.556   | 10.9 | 104   | 0.00     |
| 89 T  | n-Butylbenzene              | 50.000   | 49.987   | 0.0  | 106   | 0.00     |
| 90 T  | Hexachloroethane            | 50.000   | 50.825   | -1.7 | 108   | 0.00     |
| 91 T  | 1,2-Dichlorobenzene         | 50.000   | 45.901   | 8.2  | 101   | 0.00     |
| 92 T  | 1,2-Dibromo-3-Chloropropane | 50.000   | 48.652   | 2.7  | 102   | 0.00     |
| 93 T  | 1,2,4-Trichlorobenzene      | 50.000   | 48.149   | 3.7  | 103   | 0.00     |
| 94 T  | Hexachlorobutadiene         | 50.000   | 47.558   | 4.9  | 109   | 0.00     |
| 95 T  | Naphthalene                 | 50.000   | 48.409   | 3.2  | 104   | 0.00     |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
Data File : VX043563.D  
Acq On : 28 Oct 2024 14:27  
Operator : JC/MD  
Sample : VSTDICV050  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 1 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
ICVVX102824

Quant Time: Oct 29 03:22:11 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
Quant Title : SW846 8260  
QLast Update : Mon Oct 28 13:41:34 2024  
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
Max. RRF Dev : 25% Max. Rel. Area : 150%

|      | Compound               | Amount | Calc.  | %Dev | Area% | Dev(min) |
|------|------------------------|--------|--------|------|-------|----------|
| 96 T | 1,2,3-Trichlorobenzene | 50.000 | 47.022 | 6.0  | 104   | 0.00     |

(#) = Out of Range                      SPCC's out = 0    CCC's out = 6



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: LOCK01

Lab Code: CHEM Case No.: P4548 SAS No.: P4548 SDG No.: P4548

Instrument ID: MSVOA\_X Calibration Date/Time: 10/29/2024 09:29

Lab File ID: VX043583.D Init. Calib. Date(s): 10/28/2024 10/28/2024

Heated Purge: (Y/N) N Init. Calib. Time(s): 10:59 12:54

GC Column: DB-624UI ID: 0.18 (mm)

| COMPOUND                  | RRF   | RRF050 | MIN<br>RRF | %D     | MAX%D |
|---------------------------|-------|--------|------------|--------|-------|
| Vinyl Chloride            | 0.634 | 0.614  |            | -3.31  | 20    |
| Chloroethane              | 0.223 | 0.209  |            | -6.28  | 20    |
| Trichlorofluoromethane    | 0.775 | 0.759  |            | -2.07  | 20    |
| 1,1-Dichloroethene        | 0.536 | 0.536  |            | 0      | 20    |
| Acrylonitrile             | 0.336 | 0.284  |            | -15.48 | 20    |
| Acetone                   | 0.317 | 0.297  |            | -6.31  | 20    |
| Carbon Disulfide          | 1.120 | 1.146  |            | 2.32   | 20    |
| Methylene Chloride        | 0.682 | 0.601  |            | -11.88 | 20    |
| Vinyl Acetate             | 1.582 | 1.472  |            | -6.95  | 20    |
| 2-Butanone                | 0.462 | 0.403  |            | -12.77 | 20    |
| Carbon Tetrachloride      | 0.444 | 0.466  |            | 4.95   | 20    |
| cis-1,2-Dichloroethene    | 0.723 | 0.687  |            | -4.98  | 20    |
| Bromochloromethane        | 0.524 | 0.462  |            | -11.83 | 20    |
| Chloroform                | 1.154 | 1.065  |            | -7.71  | 20    |
| 1,1,1-Trichloroethane     | 0.969 | 0.948  |            | -2.17  | 20    |
| Benzene                   | 1.341 | 1.333  |            | -0.6   | 20    |
| 1,2-Dichloropropane       | 0.330 | 0.327  |            | -0.91  | 20    |
| Dibromomethane            | 0.254 | 0.245  |            | -3.54  | 20    |
| Bromodichloromethane      | 0.446 | 0.461  |            | 3.36   | 20    |
| 4-Methyl-2-Pentanone      | 0.492 | 0.451  |            | -8.33  | 20    |
| Toluene                   | 0.813 | 0.854  |            | 5.04   | 20    |
| t-1,3-Dichloropropene     | 0.479 | 0.490  |            | 2.3    | 20    |
| cis-1,3-Dichloropropene   | 0.510 | 0.537  |            | 5.29   | 20    |
| 2-Hexanone                | 0.374 | 0.352  |            | -5.88  | 20    |
| Dibromochloromethane      | 0.335 | 0.358  |            | 6.87   | 20    |
| 1,2-Dibromoethane         | 0.351 | 0.346  |            | -1.42  | 20    |
| Tetrachloroethene         | 0.314 | 0.333  |            | 6.05   | 20    |
| Chlorobenzene             | 1.076 | 1.092  | 0.3        | 1.49   | 20    |
| 1,1,1,2-Tetrachloroethane | 0.351 | 0.374  |            | 6.55   | 20    |
| Ethyl Benzene             | 1.754 | 1.860  |            | 6.04   | 20    |
| m/p-Xylenes               | 0.671 | 0.725  |            | 8.05   | 20    |
| o-Xylene                  | 0.674 | 0.708  |            | 5.05   | 20    |
| Styrene                   | 1.120 | 1.213  |            | 8.3    | 20    |
| Bromoform                 | 0.253 | 0.265  | 0.1        | 4.74   | 20    |
| 1,1,2,2-Tetrachloroethane | 1.274 | 1.176  | 0.3        | -7.69  | 20    |
| 1,2,3-Trichloropropane    | 1.069 | 0.968  |            | -9.45  | 20    |
| 1,4-Dichlorobenzene       | 1.699 | 1.695  |            | -0.23  | 20    |
| 1,2-Dichlorobenzene       | 1.676 | 1.698  |            | 1.31   | 20    |

All other compounds must meet a minimum RRF of 0.010.  
RRF of 1,4-Dioxane = Value should be divide by 1000.



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: LOCK01

Lab Code: CHEM Case No.: P4548 SAS No.: P4548 SDG No.: P4548

Instrument ID: MSVOA\_X Calibration Date/Time: 10/29/2024 09:29

Lab File ID: VX043583.D Init. Calib. Date(s): 10/28/2024 10/28/2024

Heated Purge: (Y/N) N Init. Calib. Time(s): 10:59 12:54

GC Column: DB-624UI ID: 0.18 (mm)

| COMPOUND                    | RRF   | RRF050 | MIN<br>RRF | %D     | MAX%D |
|-----------------------------|-------|--------|------------|--------|-------|
| 1,2-Dibromo-3-Chloropropane | 0.260 | 0.235  |            | -9.61  | 20    |
| 1,2-Dichloroethane-d4       | 0.797 | 0.708  |            | -11.17 | 20    |
| Dibromofluoromethane        | 0.339 | 0.345  |            | 1.77   | 20    |
| Toluene-d8                  | 1.174 | 1.260  |            | 7.32   | 20    |
| 4-Bromofluorobenzene        | 0.435 | 0.471  |            | 8.28   | 20    |
| Methyl Iodide               | 0.757 | 0.732  |            | -3.3   | 20    |
| trans-1,4-Dichloro-2-butene | 0.389 | 0.386  |            | -0.77  | 20    |

All other compounds must meet a minimum RRF of 0.010.  
RRF of 1,4-Dioxane = Value should be divide by 1000.

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
 Data File : VX043583.D  
 Acq On : 29 Oct 2024 09:29  
 Operator : JC/MD  
 Sample : VSTDCCC050  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VSTDCCC050

Manual Integrations  
 APPROVED

Reviewed By :Semsettin Yesilyurt 10/30/2024  
 Supervised By :Mahesh Dadoda 10/30/2024

Quant Time: Oct 30 01:24:45 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:41:34 2024  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 5.544  | 168  | 185040   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 6.757  | 114  | 317661   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.055 | 117  | 277122   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.018 | 152  | 136145   | 50.000 | ug/l  | 0.00     |

## System Monitoring Compounds

|                           |        |       |          |          |      |          |
|---------------------------|--------|-------|----------|----------|------|----------|
| 33) 1,2-Dichloroethane-d4 | 5.946  | 65    | 130985   | 44.394   | ug/l | 0.00     |
| Spiked Amount             | 50.000 | Range | 74 - 125 | Recovery | =    | 88.780%  |
| 35) Dibromofluoromethane  | 5.373  | 113   | 109730   | 50.941   | ug/l | -0.01    |
| Spiked Amount             | 50.000 | Range | 75 - 124 | Recovery | =    | 101.880% |
| 50) Toluene-d8            | 8.647  | 98    | 400238   | 53.676   | ug/l | 0.00     |
| Spiked Amount             | 50.000 | Range | 86 - 113 | Recovery | =    | 107.360% |
| 62) 4-Bromofluorobenzene  | 11.079 | 95    | 149677   | 54.171   | ug/l | 0.00     |
| Spiked Amount             | 50.000 | Range | 77 - 121 | Recovery | =    | 108.340% |

## Target Compounds

|                              |       |     |         |         |        | Qvalue |
|------------------------------|-------|-----|---------|---------|--------|--------|
| 2) Dichlorodifluoromethane   | 1.166 | 85  | 96192   | 48.609  | ug/l   | 98     |
| 3) Chloromethane             | 1.294 | 50  | 110441  | 43.659  | ug/l   | 99     |
| 4) Vinyl Chloride            | 1.374 | 62  | 113522  | 48.354  | ug/l   | 98     |
| 5) Bromomethane              | 1.593 | 94  | 43728   | 45.689  | ug/l   | 98     |
| 6) Chloroethane              | 1.666 | 64  | 38745   | 46.843  | ug/l   | 96     |
| 7) Trichlorofluoromethane    | 1.861 | 101 | 140504  | 48.990  | ug/l   | 100    |
| 8) Diethyl Ether             | 2.136 | 74  | 59968   | 45.254  | ug/l   | 98     |
| 9) 1,1,2-Trichlorotrifluo... | 2.312 | 101 | 100354  | 51.739  | ug/l   | 97     |
| 10) Methyl Iodide            | 2.440 | 142 | 135379  | 48.310  | ug/l   | 98     |
| 11) Tert butyl alcohol       | 3.014 | 59  | 122889  | 223.146 | ug/l # | 100    |
| 12) 1,1-Dichloroethene       | 2.306 | 96  | 99213   | 50.054  | ug/l   | 95     |
| 13) Acrolein                 | 2.239 | 56  | 93394   | 216.855 | ug/l   | 97     |
| 14) Allyl chloride           | 2.654 | 41  | 163297  | 47.632  | ug/l   | 96     |
| 15) Acrylonitrile            | 3.062 | 53  | 262619  | 211.215 | ug/l   | 100    |
| 16) Acetone                  | 2.386 | 43  | 274914  | 234.636 | ug/l   | 97     |
| 17) Carbon Disulfide         | 2.495 | 76  | 212014  | 51.153  | ug/l   | 99     |
| 18) Methyl Acetate           | 2.703 | 43  | 136121  | 39.751  | ug/l   | 99     |
| 19) Methyl tert-butyl Ether  | 3.117 | 73  | 335598  | 44.520  | ug/l   | 97     |
| 20) Methylene Chloride       | 2.782 | 84  | 111138  | 44.012  | ug/l   | 97     |
| 21) trans-1,2-Dichloroethene | 3.081 | 96  | 102634  | 49.012  | ug/l   | 98     |
| 22) Diisopropyl ether        | 3.757 | 45  | 321130  | 45.317  | ug/l   | 98     |
| 23) Vinyl Acetate            | 3.715 | 43  | 1362160 | 232.674 | ug/l   | 99     |
| 24) 1,1-Dichloroethane       | 3.599 | 63  | 190272  | 46.716  | ug/l   | 99     |
| 25) 2-Butanone               | 4.556 | 43  | 373244  | 218.384 | ug/l   | 99     |
| 26) 2,2-Dichloropropane      | 4.464 | 77  | 170610  | 51.174  | ug/l   | 100    |
| 27) cis-1,2-Dichloroethene   | 4.477 | 96  | 127185  | 47.546  | ug/l   | 100    |
| 28) Bromochloromethane       | 4.891 | 49  | 85552   | 44.155  | ug/l   | 99     |
| 29) Tetrahydrofuran          | 5.001 | 42  | 226140  | 203.602 | ug/l   | 98     |
| 30) Chloroform               | 5.086 | 83  | 197102  | 46.165  | ug/l   | 99     |
| 31) Cyclohexane              | 5.458 | 56  | 160445  | 51.504  | ug/l   | 98     |
| 32) 1,1,1-Trichloroethane    | 5.373 | 97  | 175486  | 48.957  | ug/l   | 99     |
| 36) 1,1-Dichloropropene      | 5.684 | 75  | 132757  | 51.976  | ug/l   | 98     |
| 37) Ethyl Acetate            | 4.708 | 43  | 138087  | 44.531  | ug/l   | 98     |
| 38) Carbon Tetrachloride     | 5.665 | 117 | 148021  | 52.449  | ug/l   | 98     |
| 39) Methylcyclohexane        | 7.372 | 83  | 182236  | 57.467  | ug/l   | 97     |
| 40) Benzene                  | 6.025 | 78  | 423307  | 49.678  | ug/l   | 99     |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
 Data File : VX043583.D  
 Acq On : 29 Oct 2024 09:29  
 Operator : JC/MD  
 Sample : VSTDCCC050  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VSTDCCC050

Manual Integrations  
 APPROVED

Reviewed By :Semsettin Yesilyurt 10/30/2024  
 Supervised By :Mahesh Dadoda 10/30/2024

Quant Time: Oct 30 01:24:45 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:41:34 2024  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc    | Units  | Dev(Min) |
|-------------------------------|--------|------|----------|---------|--------|----------|
| 41) Methacrylonitrile         | 4.922  | 41   | 78897    | 48.472  | ug/l   | 98       |
| 42) 1,2-Dichloroethane        | 6.080  | 62   | 143431   | 46.823  | ug/l   | 99       |
| 43) Isopropyl Acetate         | 6.336  | 43   | 234002   | 45.631  | ug/l   | 98       |
| 44) Trichloroethene           | 7.116  | 130  | 111507   | 52.676  | ug/l   | 91       |
| 45) 1,2-Dichloropropane       | 7.427  | 63   | 103879   | 49.511  | ug/l   | 100      |
| 46) Dibromomethane            | 7.574  | 93   | 77712    | 48.105  | ug/l   | 98       |
| 47) Bromodichloromethane      | 7.818  | 83   | 146531   | 51.705  | ug/l   | 97       |
| 48) Methyl methacrylate       | 7.689  | 41   | 113890   | 46.843  | ug/l   | 97       |
| 49) 1,4-Dioxane               | 7.665  | 88   | 47931m   | 959.544 | ug/l   |          |
| 51) 4-Methyl-2-Pentanone      | 8.573  | 43   | 716488   | 229.232 | ug/l   | 99       |
| 52) Toluene                   | 8.714  | 92   | 271357   | 52.511  | ug/l   | 98       |
| 53) t-1,3-Dichloropropene     | 8.976  | 75   | 155688   | 51.148  | ug/l   | 99       |
| 54) cis-1,3-Dichloropropene   | 8.360  | 75   | 170511   | 52.575  | ug/l   | 97       |
| 55) 1,1,2-Trichloroethane     | 9.153  | 97   | 104415   | 48.542  | ug/l   | 99       |
| 56) Ethyl methacrylate        | 9.116  | 69   | 171964   | 49.201  | ug/l   | 96       |
| 57) 1,3-Dichloropropane       | 9.305  | 76   | 176717   | 49.396  | ug/l   | 100      |
| 58) 2-Chloroethyl Vinyl ether | 8.238  | 63   | 369838   | 218.483 | ug/l   | 97       |
| 59) 2-Hexanone                | 9.433  | 43   | 559686   | 235.767 | ug/l   | 98       |
| 60) Dibromochloromethane      | 9.518  | 129  | 113810   | 53.432  | ug/l   | 100      |
| 61) 1,2-Dibromoethane         | 9.604  | 107  | 109821   | 49.183  | ug/l   | 97       |
| 64) Tetrachloroethene         | 9.268  | 164  | 92204    | 52.901  | ug/l   | 98       |
| 65) Chlorobenzene             | 10.079 | 112  | 302575   | 50.750  | ug/l   | 97       |
| 66) 1,1,1,2-Tetrachloroethane | 10.159 | 131  | 103710   | 53.255  | ug/l   | 99       |
| 67) Ethyl Benzene             | 10.189 | 91   | 515530   | 53.028  | ug/l   | 99       |
| 68) m/p-Xylenes               | 10.299 | 106  | 401855   | 108.089 | ug/l   | 97       |
| 69) o-Xylene                  | 10.640 | 106  | 196198   | 52.523  | ug/l   | 99       |
| 70) Styrene                   | 10.652 | 104  | 336072   | 54.130  | ug/l   | 99       |
| 71) Bromoform                 | 10.799 | 173  | 73381    | 52.407  | ug/l # | 98       |
| 73) Isopropylbenzene          | 10.963 | 105  | 507198   | 52.592  | ug/l   | 99       |
| 74) N-amyl acetate            | 10.841 | 43   | 216499   | 46.083  | ug/l   | 98       |
| 75) 1,1,2,2-Tetrachloroethane | 11.213 | 83   | 160157   | 46.182  | ug/l   | 100      |
| 76) 1,2,3-Trichloropropane    | 11.238 | 75   | 131796m  | 45.276  | ug/l   |          |
| 77) Bromobenzene              | 11.195 | 156  | 126219   | 50.686  | ug/l   | 98       |
| 78) n-propylbenzene           | 11.305 | 91   | 571565   | 54.356  | ug/l   | 100      |
| 79) 2-Chlorotoluene           | 11.360 | 91   | 350419   | 50.257  | ug/l   | 97       |
| 80) 1,3,5-Trimethylbenzene    | 11.451 | 105  | 427235   | 53.132  | ug/l   | 98       |
| 81) trans-1,4-Dichloro-2-b... | 11.018 | 75   | 52521    | 49.635  | ug/l   | 94       |
| 82) 4-Chlorotoluene           | 11.451 | 91   | 399821   | 51.088  | ug/l   | 97       |
| 83) tert-Butylbenzene         | 11.713 | 119  | 436382   | 53.361  | ug/l   | 99       |
| 84) 1,2,4-Trimethylbenzene    | 11.750 | 105  | 437441   | 53.380  | ug/l   | 99       |
| 85) sec-Butylbenzene          | 11.890 | 105  | 528903   | 55.177  | ug/l   | 99       |
| 86) p-Isopropyltoluene        | 12.006 | 119  | 451954   | 55.469  | ug/l   | 99       |
| 87) 1,3-Dichlorobenzene       | 11.969 | 146  | 232425   | 52.073  | ug/l   | 99       |
| 88) 1,4-Dichlorobenzene       | 12.042 | 146  | 230728   | 49.888  | ug/l   | 99       |
| 89) n-Butylbenzene            | 12.329 | 91   | 387771   | 58.406  | ug/l   | 99       |
| 90) Hexachloroethane          | 12.536 | 117  | 75311    | 56.903  | ug/l   | 97       |
| 91) 1,2-Dichlorobenzene       | 12.335 | 146  | 231234   | 50.664  | ug/l   | 99       |
| 92) 1,2-Dibromo-3-Chloropr... | 12.939 | 75   | 31951    | 45.194  | ug/l   | 91       |
| 93) 1,2,4-Trichlorobenzene    | 13.585 | 180  | 148966   | 53.771  | ug/l   | 97       |
| 94) Hexachlorobutadiene       | 13.725 | 225  | 58808    | 57.574  | ug/l   | 99       |
| 95) Naphthalene               | 13.774 | 128  | 532111   | 50.193  | ug/l   | 100      |
| 96) 1,2,3-Trichlorobenzene    | 13.957 | 180  | 152724   | 52.286  | ug/l   | 100      |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
Data File : VX043583.D  
Acq On : 29 Oct 2024 09:29  
Operator : JC/MD  
Sample : VSTDCCC050  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 1 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
VSTDCCC050

Manual Integrations  
**APPROVED**

Reviewed By :Semsettin Yesilyurt 10/30/2024  
Supervised By :Mahesh Dadoda 10/30/2024

Quant Time: Oct 30 01:24:45 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
Quant Title : SW846 8260  
QLast Update : Mon Oct 28 13:41:34 2024  
Response via : Initial Calibration

| Compound | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|----------|------|------|----------|------|-------|----------|
|----------|------|------|----------|------|-------|----------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
 Data File : VX043583.D  
 Acq On : 29 Oct 2024 09:29  
 Operator : JC/MD  
 Sample : VSTDCCC050  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VSTDCCC050

### Manual Integrations APPROVED

Reviewed By :Semsettin Yesilyurt 10/30/2024  
 Supervised By :Mahesh Dadoda 10/30/2024

Quant Time: Oct 30 01:24:45 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:41:34 2024  
 Response via : Initial Calibration



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
 Data File : VX043583.D  
 Acq On : 29 Oct 2024 09:29  
 Operator : JC/MD  
 Sample : VSTDCCC050  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 LabSampleId :  
 VSTDCCC050

Quant Time: Oct 30 01:24:45 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:41:34 2024  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

|       | Compound                    | AvgRF | CCRF  | %Dev  | Area% | Dev(min) |
|-------|-----------------------------|-------|-------|-------|-------|----------|
| 1 I   | Pentafluorobenzene          | 1.000 | 1.000 | 0.0   | 124   | 0.00     |
| 2 T   | Dichlorodifluoromethane     | 0.535 | 0.520 | 2.8   | 128   | 0.00     |
| 3 P   | Chloromethane               | 0.684 | 0.597 | 12.7  | 114   | 0.00     |
| 4 C   | Vinyl Chloride              | 0.634 | 0.613 | 3.3#  | 120   | 0.00     |
| 5 T   | Bromomethane                | 0.259 | 0.236 | 8.9   | 112   | 0.00     |
| 6 T   | Chloroethane                | 0.223 | 0.209 | 6.3   | 116   | 0.00     |
| 7 T   | Trichlorofluoromethane      | 0.775 | 0.759 | 2.1   | 121   | 0.00     |
| 8 T   | Diethyl Ether               | 0.358 | 0.324 | 9.5   | 113   | 0.00     |
| 9 T   | 1,1,2-Trichlorotrifluoroeth | 0.524 | 0.542 | -3.4  | 128   | 0.00     |
| 10 T  | Methyl Iodide               | 0.757 | 0.732 | 3.3   | 116   | 0.00     |
| 11 T  | Tert butyl alcohol          | 0.149 | 0.133 | 10.7  | 106   | -0.04    |
| 12 CM | 1,1-Dichloroethene          | 0.536 | 0.536 | 0.0   | 124   | 0.00     |
| 13 T  | Acrolein                    | 0.116 | 0.101 | 12.9  | 115   | 0.00     |
| 14 T  | Allyl chloride              | 0.926 | 0.882 | 4.8   | 115   | 0.00     |
| 15 T  | Acrylonitrile               | 0.336 | 0.284 | 15.5  | 101   | -0.01    |
| 16 T  | Acetone                     | 0.317 | 0.297 | 6.3   | 118   | -0.01    |
| 17 T  | Carbon Disulfide            | 1.120 | 1.146 | -2.3  | 126   | 0.00     |
| 18 T  | Methyl Acetate              | 0.925 | 0.736 | 20.4  | 99    | 0.00     |
| 19 T  | Methyl tert-butyl Ether     | 2.037 | 1.814 | 10.9  | 108   | 0.00     |
| 20 T  | Methylene Chloride          | 0.682 | 0.601 | 11.9  | 113   | 0.00     |
| 21 T  | trans-1,2-Dichloroethene    | 0.566 | 0.555 | 1.9   | 123   | 0.00     |
| 22 T  | Diisopropyl ether           | 1.915 | 1.735 | 9.4   | 111   | 0.00     |
| 23 T  | Vinyl Acetate               | 1.582 | 1.472 | 7.0   | 108   | 0.00     |
| 24 P  | 1,1-Dichloroethane          | 1.101 | 1.028 | 6.6   | 115   | 0.00     |
| 25 T  | 2-Butanone                  | 0.462 | 0.403 | 12.8  | 104   | -0.01    |
| 26 T  | 2,2-Dichloropropane         | 0.901 | 0.922 | -2.3  | 129   | 0.00     |
| 27 T  | cis-1,2-Dichloroethene      | 0.723 | 0.687 | 5.0   | 115   | 0.00     |
| 28 T  | Bromochloromethane          | 0.524 | 0.462 | 11.8  | 113   | 0.00     |
| 29 T  | Tetrahydrofuran             | 0.300 | 0.244 | 18.7  | 98    | -0.01    |
| 30 C  | Chloroform                  | 1.154 | 1.065 | 7.7#  | 114   | 0.00     |
| 31 T  | Cyclohexane                 | 0.842 | 0.867 | -3.0  | 128   | 0.00     |
| 32 T  | 1,1,1-Trichloroethane       | 0.969 | 0.948 | 2.2   | 119   | 0.00     |
| 33 S  | 1,2-Dichloroethane-d4       | 0.797 | 0.708 | 11.2  | 112   | 0.00     |
| 34 I  | 1,4-Difluorobenzene         | 1.000 | 1.000 | 0.0   | 117   | 0.00     |
| 35 S  | Dibromofluoromethane        | 0.339 | 0.345 | -1.8  | 120   | -0.01    |
| 36 T  | 1,1-Dichloropropene         | 0.402 | 0.418 | -4.0  | 126   | 0.00     |
| 37 T  | Ethyl Acetate               | 0.488 | 0.435 | 10.9  | 101   | -0.01    |
| 38 T  | Carbon Tetrachloride        | 0.444 | 0.466 | -5.0  | 123   | 0.00     |
| 39 T  | Methylcyclohexane           | 0.499 | 0.574 | -15.0 | 132   | 0.00     |
| 40 TM | Benzene                     | 1.341 | 1.333 | 0.6   | 115   | 0.00     |
| 41 T  | Methacrylonitrile           | 0.256 | 0.248 | 3.1   | 108   | 0.00     |
| 42 TM | 1,2-Dichloroethane          | 0.482 | 0.452 | 6.2   | 107   | 0.00     |
| 43 T  | Isopropyl Acetate           | 0.807 | 0.737 | 8.7   | 103   | 0.00     |
| 44 TM | Trichloroethene             | 0.333 | 0.351 | -5.4  | 122   | 0.00     |
| 45 C  | 1,2-Dichloropropane         | 0.330 | 0.327 | 0.9#  | 114   | 0.00     |
| 46 T  | Dibromomethane              | 0.254 | 0.245 | 3.5   | 110   | 0.00     |
| 47 T  | Bromodichloromethane        | 0.446 | 0.461 | -3.4  | 114   | 0.00     |
| 48 T  | Methyl methacrylate         | 0.383 | 0.359 | 6.3   | 105   | 0.00     |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
 Data File : VX043583.D  
 Acq On : 29 Oct 2024 09:29  
 Operator : JC/MD  
 Sample : VSTDCCC050  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 LabSampleId :  
 VSTDCCC050

Quant Time: Oct 30 01:24:45 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:41:34 2024  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

|       | Compound                    | AvgRF | CCRF  | %Dev  | Area% | Dev(min) |
|-------|-----------------------------|-------|-------|-------|-------|----------|
| 49 T  | 1,4-Dioxane                 | 0.008 | 0.008 | 0.0   | 108   | 0.00     |
| 50 S  | Toluene-d8                  | 1.174 | 1.260 | -7.3  | 126   | 0.00     |
| 51 T  | 4-Methyl-2-Pentanone        | 0.492 | 0.451 | 8.3   | 101   | 0.00     |
| 52 CM | Toluene                     | 0.813 | 0.854 | -5.0# | 120   | 0.00     |
| 53 T  | t-1,3-Dichloropropene       | 0.479 | 0.490 | -2.3  | 113   | 0.00     |
| 54 T  | cis-1,3-Dichloropropene     | 0.510 | 0.537 | -5.3  | 116   | 0.00     |
| 55 T  | 1,1,2-Trichloroethane       | 0.339 | 0.329 | 2.9   | 109   | 0.00     |
| 56 T  | Ethyl methacrylate          | 0.550 | 0.541 | 1.6   | 108   | 0.00     |
| 57 T  | 1,3-Dichloropropane         | 0.563 | 0.556 | 1.2   | 111   | 0.00     |
| 58 T  | 2-Chloroethyl Vinyl ether   | 0.266 | 0.233 | 12.4  | 102   | 0.00     |
| 59 T  | 2-Hexanone                  | 0.374 | 0.352 | 5.9   | 103   | 0.00     |
| 60 T  | Dibromochloromethane        | 0.335 | 0.358 | -6.9  | 114   | 0.00     |
| 61 T  | 1,2-Dibromoethane           | 0.351 | 0.346 | 1.4   | 110   | 0.00     |
| 62 S  | 4-Bromofluorobenzene        | 0.435 | 0.471 | -8.3  | 124   | 0.00     |
| 63 I  | Chlorobenzene-d5            | 1.000 | 1.000 | 0.0   | 116   | 0.00     |
| 64 T  | Tetrachloroethene           | 0.314 | 0.333 | -6.1  | 125   | 0.00     |
| 65 PM | Chlorobenzene               | 1.076 | 1.092 | -1.5  | 118   | 0.00     |
| 66 T  | 1,1,1,2-Tetrachloroethane   | 0.351 | 0.374 | -6.6  | 117   | 0.00     |
| 67 C  | Ethyl Benzene               | 1.754 | 1.860 | -6.0# | 122   | 0.00     |
| 68 T  | m/p-Xylenes                 | 0.671 | 0.725 | -8.0  | 122   | 0.00     |
| 69 T  | o-Xylene                    | 0.674 | 0.708 | -5.0  | 119   | 0.00     |
| 70 T  | Styrene                     | 1.120 | 1.213 | -8.3  | 119   | 0.00     |
| 71 P  | Bromoform                   | 0.253 | 0.265 | -4.7  | 112   | 0.00     |
| 72 I  | 1,4-Dichlorobenzene-d4      | 1.000 | 1.000 | 0.0   | 119   | 0.00     |
| 73 T  | Isopropylbenzene            | 3.542 | 3.725 | -5.2  | 124   | 0.00     |
| 74 T  | N-amyl acetate              | 1.725 | 1.590 | 7.8   | 106   | 0.00     |
| 75 P  | 1,1,2,2-Tetrachloroethane   | 1.274 | 1.176 | 7.7   | 108   | 0.00     |
| 76 T  | 1,2,3-Trichloropropane      | 1.069 | 0.968 | 9.4   | 107   | 0.00     |
| 77 T  | Bromobenzene                | 0.915 | 0.927 | -1.3  | 119   | 0.00     |
| 78 T  | n-propylbenzene             | 3.862 | 4.198 | -8.7  | 125   | 0.00     |
| 79 T  | 2-Chlorotoluene             | 2.561 | 2.574 | -0.5  | 121   | 0.00     |
| 80 T  | 1,3,5-Trimethylbenzene      | 2.953 | 3.138 | -6.3  | 123   | 0.00     |
| 81 T  | trans-1,4-Dichloro-2-butene | 0.389 | 0.386 | 0.8   | 109   | 0.00     |
| 82 T  | 4-Chlorotoluene             | 2.874 | 2.937 | -2.2  | 121   | 0.00     |
| 83 T  | tert-Butylbenzene           | 3.003 | 3.205 | -6.7  | 125   | 0.00     |
| 84 T  | 1,2,4-Trimethylbenzene      | 3.010 | 3.213 | -6.7  | 123   | 0.00     |
| 85 T  | sec-Butylbenzene            | 3.520 | 3.885 | -10.4 | 127   | 0.00     |
| 86 T  | p-Isopropyltoluene          | 2.992 | 3.320 | -11.0 | 126   | 0.00     |
| 87 T  | 1,3-Dichlorobenzene         | 1.639 | 1.707 | -4.1  | 123   | 0.00     |
| 88 T  | 1,4-Dichlorobenzene         | 1.699 | 1.695 | 0.2   | 122   | 0.00     |
| 89 T  | n-Butylbenzene              | 2.438 | 2.848 | -16.8 | 129   | 0.00     |
| 90 T  | Hexachloroethane            | 0.486 | 0.553 | -13.8 | 126   | 0.00     |
| 91 T  | 1,2-Dichlorobenzene         | 1.676 | 1.698 | -1.3  | 117   | 0.00     |
| 92 T  | 1,2-Dibromo-3-Chloropropane | 0.260 | 0.235 | 9.6   | 99    | 0.00     |
| 93 T  | 1,2,4-Trichlorobenzene      | 1.017 | 1.094 | -7.6  | 120   | 0.00     |
| 94 T  | Hexachlorobutadiene         | 0.375 | 0.432 | -15.2 | 138   | 0.00     |
| 95 T  | Naphthalene                 | 3.893 | 3.908 | -0.4  | 112   | 0.00     |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
Data File : VX043583.D  
Acq On : 29 Oct 2024 09:29  
Operator : JC/MD  
Sample : VSTDCCC050  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 1 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
LabSampleId :  
VSTDCCC050

Quant Time: Oct 30 01:24:45 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
Quant Title : SW846 8260  
QLast Update : Mon Oct 28 13:41:34 2024  
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
Max. RRF Dev : 25% Max. Rel. Area : 150%

|      | Compound               | AvgRF | CCRF  | %Dev | Area% | Dev(min) |
|------|------------------------|-------|-------|------|-------|----------|
| 96 T | 1,2,3-Trichlorobenzene | 1.073 | 1.122 | -4.6 | 121   | 0.00     |

(#) = Out of Range                      SPCC's out = 0    CCC's out = 5

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
 Data File : VX043583.D  
 Acq On : 29 Oct 2024 09:29  
 Operator : JC/MD  
 Sample : VSTDCCC050  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 LabSampleId :  
 VSTDCCC050

Quant Time: Oct 30 01:24:45 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:41:34 2024  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

|       | Compound                    | Amount  | Calc.   | %Dev  | Area% | Dev(min) |
|-------|-----------------------------|---------|---------|-------|-------|----------|
| 1 I   | Pentafluorobenzene          | 50.000  | 50.000  | 0.0   | 124   | 0.00     |
| 2 T   | Dichlorodifluoromethane     | 50.000  | 48.609  | 2.8   | 128   | 0.00     |
| 3 P   | Chloromethane               | 50.000  | 43.659  | 12.7  | 114   | 0.00     |
| 4 C   | Vinyl Chloride              | 50.000  | 48.354  | 3.3#  | 120   | 0.00     |
| 5 T   | Bromomethane                | 50.000  | 45.689  | 8.6   | 112   | 0.00     |
| 6 T   | Chloroethane                | 50.000  | 46.843  | 6.3   | 116   | 0.00     |
| 7 T   | Trichlorofluoromethane      | 50.000  | 48.990  | 2.0   | 121   | 0.00     |
| 8 T   | Diethyl Ether               | 50.000  | 45.254  | 9.5   | 113   | 0.00     |
| 9 T   | 1,1,2-Trichlorotrifluoroeth | 50.000  | 51.739  | -3.5  | 128   | 0.00     |
| 10 T  | Methyl Iodide               | 50.000  | 48.310  | 3.4   | 116   | 0.00     |
| 11 T  | Tert butyl alcohol          | 250.000 | 223.146 | 10.7  | 106   | -0.04    |
| 12 CM | 1,1-Dichloroethene          | 50.000  | 50.054  | -0.1# | 124   | 0.00     |
| 13 T  | Acrolein                    | 250.000 | 216.855 | 13.3  | 115   | 0.00     |
| 14 T  | Allyl chloride              | 50.000  | 47.632  | 4.7   | 115   | 0.00     |
| 15 T  | Acrylonitrile               | 250.000 | 211.215 | 15.5  | 101   | -0.01    |
| 16 T  | Acetone                     | 250.000 | 234.636 | 6.1   | 118   | -0.01    |
| 17 T  | Carbon Disulfide            | 50.000  | 51.153  | -2.3  | 126   | 0.00     |
| 18 T  | Methyl Acetate              | 50.000  | 39.751  | 20.5  | 99    | 0.00     |
| 19 T  | Methyl tert-butyl Ether     | 50.000  | 44.520  | 11.0  | 108   | 0.00     |
| 20 T  | Methylene Chloride          | 50.000  | 44.012  | 12.0  | 113   | 0.00     |
| 21 T  | trans-1,2-Dichloroethene    | 50.000  | 49.012  | 2.0   | 123   | 0.00     |
| 22 T  | Diisopropyl ether           | 50.000  | 45.317  | 9.4   | 111   | 0.00     |
| 23 T  | Vinyl Acetate               | 250.000 | 232.674 | 6.9   | 108   | 0.00     |
| 24 P  | 1,1-Dichloroethane          | 50.000  | 46.716  | 6.6   | 115   | 0.00     |
| 25 T  | 2-Butanone                  | 250.000 | 218.384 | 12.6  | 104   | -0.01    |
| 26 T  | 2,2-Dichloropropane         | 50.000  | 51.174  | -2.3  | 129   | 0.00     |
| 27 T  | cis-1,2-Dichloroethene      | 50.000  | 47.546  | 4.9   | 115   | 0.00     |
| 28 T  | Bromochloromethane          | 50.000  | 44.155  | 11.7  | 113   | 0.00     |
| 29 T  | Tetrahydrofuran             | 250.000 | 203.602 | 18.6  | 98    | -0.01    |
| 30 C  | Chloroform                  | 50.000  | 46.165  | 7.7#  | 114   | 0.00     |
| 31 T  | Cyclohexane                 | 50.000  | 51.504  | -3.0  | 128   | 0.00     |
| 32 T  | 1,1,1-Trichloroethane       | 50.000  | 48.957  | 2.1   | 119   | 0.00     |
| 33 S  | 1,2-Dichloroethane-d4       | 50.000  | 44.394  | 11.2  | 112   | 0.00     |
| 34 I  | 1,4-Difluorobenzene         | 50.000  | 50.000  | 0.0   | 117   | 0.00     |
| 35 S  | Dibromofluoromethane        | 50.000  | 50.941  | -1.9  | 120   | -0.01    |
| 36 T  | 1,1-Dichloropropene         | 50.000  | 51.976  | -4.0  | 126   | 0.00     |
| 37 T  | Ethyl Acetate               | 50.000  | 44.531  | 10.9  | 101   | -0.01    |
| 38 T  | Carbon Tetrachloride        | 50.000  | 52.449  | -4.9  | 123   | 0.00     |
| 39 T  | Methylcyclohexane           | 50.000  | 57.467  | -14.9 | 132   | 0.00     |
| 40 TM | Benzene                     | 50.000  | 49.678  | 0.6   | 115   | 0.00     |
| 41 T  | Methacrylonitrile           | 50.000  | 48.472  | 3.1   | 108   | 0.00     |
| 42 TM | 1,2-Dichloroethane          | 50.000  | 46.823  | 6.4   | 107   | 0.00     |
| 43 T  | Isopropyl Acetate           | 50.000  | 45.631  | 8.7   | 103   | 0.00     |
| 44 TM | Trichloroethene             | 50.000  | 52.676  | -5.4  | 122   | 0.00     |
| 45 C  | 1,2-Dichloropropane         | 50.000  | 49.511  | 1.0#  | 114   | 0.00     |
| 46 T  | Dibromomethane              | 50.000  | 48.105  | 3.8   | 110   | 0.00     |
| 47 T  | Bromodichloromethane        | 50.000  | 51.705  | -3.4  | 114   | 0.00     |
| 48 T  | Methyl methacrylate         | 50.000  | 46.843  | 6.3   | 105   | 0.00     |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
 Data File : VX043583.D  
 Acq On : 29 Oct 2024 09:29  
 Operator : JC/MD  
 Sample : VSTDCCC050  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 LabSampleId :  
 VSTDCCC050

Quant Time: Oct 30 01:24:45 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:41:34 2024  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

|       | Compound                    | Amount   | Calc.   | %Dev  | Area% | Dev(min) |
|-------|-----------------------------|----------|---------|-------|-------|----------|
| 49 T  | 1,4-Dioxane                 | 1000.000 | 959.544 | 4.0   | 108   | 0.00     |
| 50 S  | Toluene-d8                  | 50.000   | 53.676  | -7.4  | 126   | 0.00     |
| 51 T  | 4-Methyl-2-Pentanone        | 250.000  | 229.232 | 8.3   | 101   | 0.00     |
| 52 CM | Toluene                     | 50.000   | 52.511  | -5.0# | 120   | 0.00     |
| 53 T  | t-1,3-Dichloropropene       | 50.000   | 51.148  | -2.3  | 113   | 0.00     |
| 54 T  | cis-1,3-Dichloropropene     | 50.000   | 52.575  | -5.2  | 116   | 0.00     |
| 55 T  | 1,1,2-Trichloroethane       | 50.000   | 48.542  | 2.9   | 109   | 0.00     |
| 56 T  | Ethyl methacrylate          | 50.000   | 49.201  | 1.6   | 108   | 0.00     |
| 57 T  | 1,3-Dichloropropane         | 50.000   | 49.396  | 1.2   | 111   | 0.00     |
| 58 T  | 2-Chloroethyl Vinyl ether   | 250.000  | 218.483 | 12.6  | 102   | 0.00     |
| 59 T  | 2-Hexanone                  | 250.000  | 235.767 | 5.7   | 103   | 0.00     |
| 60 T  | Dibromochloromethane        | 50.000   | 53.432  | -6.9  | 114   | 0.00     |
| 61 T  | 1,2-Dibromoethane           | 50.000   | 49.183  | 1.6   | 110   | 0.00     |
| 62 S  | 4-Bromofluorobenzene        | 50.000   | 54.171  | -8.3  | 124   | 0.00     |
| 63 I  | Chlorobenzene-d5            | 50.000   | 50.000  | 0.0   | 116   | 0.00     |
| 64 T  | Tetrachloroethene           | 50.000   | 52.901  | -5.8  | 125   | 0.00     |
| 65 PM | Chlorobenzene               | 50.000   | 50.750  | -1.5  | 118   | 0.00     |
| 66 T  | 1,1,1,2-Tetrachloroethane   | 50.000   | 53.255  | -6.5  | 117   | 0.00     |
| 67 C  | Ethyl Benzene               | 50.000   | 53.028  | -6.1# | 122   | 0.00     |
| 68 T  | m/p-Xylenes                 | 100.000  | 108.089 | -8.1  | 122   | 0.00     |
| 69 T  | o-Xylene                    | 50.000   | 52.523  | -5.0  | 119   | 0.00     |
| 70 T  | Styrene                     | 50.000   | 54.130  | -8.3  | 119   | 0.00     |
| 71 P  | Bromoform                   | 50.000   | 52.407  | -4.8  | 112   | 0.00     |
| 72 I  | 1,4-Dichlorobenzene-d4      | 50.000   | 50.000  | 0.0   | 119   | 0.00     |
| 73 T  | Isopropylbenzene            | 50.000   | 52.592  | -5.2  | 124   | 0.00     |
| 74 T  | N-amyl acetate              | 50.000   | 46.083  | 7.8   | 106   | 0.00     |
| 75 P  | 1,1,2,2-Tetrachloroethane   | 50.000   | 46.182  | 7.6   | 108   | 0.00     |
| 76 T  | 1,2,3-Trichloropropane      | 50.000   | 45.276  | 9.4   | 107   | 0.00     |
| 77 T  | Bromobenzene                | 50.000   | 50.686  | -1.4  | 119   | 0.00     |
| 78 T  | n-propylbenzene             | 50.000   | 54.356  | -8.7  | 125   | 0.00     |
| 79 T  | 2-Chlorotoluene             | 50.000   | 50.257  | -0.5  | 121   | 0.00     |
| 80 T  | 1,3,5-Trimethylbenzene      | 50.000   | 53.132  | -6.3  | 123   | 0.00     |
| 81 T  | trans-1,4-Dichloro-2-butene | 50.000   | 49.635  | 0.7   | 109   | 0.00     |
| 82 T  | 4-Chlorotoluene             | 50.000   | 51.088  | -2.2  | 121   | 0.00     |
| 83 T  | tert-Butylbenzene           | 50.000   | 53.361  | -6.7  | 125   | 0.00     |
| 84 T  | 1,2,4-Trimethylbenzene      | 50.000   | 53.380  | -6.8  | 123   | 0.00     |
| 85 T  | sec-Butylbenzene            | 50.000   | 55.177  | -10.4 | 127   | 0.00     |
| 86 T  | p-Isopropyltoluene          | 50.000   | 55.469  | -10.9 | 126   | 0.00     |
| 87 T  | 1,3-Dichlorobenzene         | 50.000   | 52.073  | -4.1  | 123   | 0.00     |
| 88 T  | 1,4-Dichlorobenzene         | 50.000   | 49.888  | 0.2   | 122   | 0.00     |
| 89 T  | n-Butylbenzene              | 50.000   | 58.406  | -16.8 | 129   | 0.00     |
| 90 T  | Hexachloroethane            | 50.000   | 56.903  | -13.8 | 126   | 0.00     |
| 91 T  | 1,2-Dichlorobenzene         | 50.000   | 50.664  | -1.3  | 117   | 0.00     |
| 92 T  | 1,2-Dibromo-3-Chloropropane | 50.000   | 45.194  | 9.6   | 99    | 0.00     |
| 93 T  | 1,2,4-Trichlorobenzene      | 50.000   | 53.771  | -7.5  | 120   | 0.00     |
| 94 T  | Hexachlorobutadiene         | 50.000   | 57.574  | -15.1 | 138   | 0.00     |
| 95 T  | Naphthalene                 | 50.000   | 50.193  | -0.4  | 112   | 0.00     |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
Data File : VX043583.D  
Acq On : 29 Oct 2024 09:29  
Operator : JC/MD  
Sample : VSTDCCC050  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 1 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
LabSampleId :  
VSTDCCC050

Quant Time: Oct 30 01:24:45 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
Quant Title : SW846 8260  
QLast Update : Mon Oct 28 13:41:34 2024  
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
Max. RRF Dev : 25% Max. Rel. Area : 150%

|      | Compound               | Amount | Calc.  | %Dev | Area% | Dev(min) |
|------|------------------------|--------|--------|------|-------|----------|
| 96 T | 1,2,3-Trichlorobenzene | 50.000 | 52.286 | -4.6 | 121   | 0.00     |

(#) = Out of Range                      SPCC's out = 0    CCC's out = 6





# QC SAMPLE DATA

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102824\  
Data File : VX043555.D  
Acq On : 28 Oct 2024 10:09  
Operator : JC/MD  
Sample : BFB  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 1 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
BFB

Integration File: RTEINT.P

Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
Title : SW846 8260  
Last Update : Mon Oct 28 13:41:34 2024



AutoFind: Scans 1638, 1639, 1640; Background Corrected with Scan 1631



| Target | Rel. to | Lower  | Upper  | Rel.  | Raw   | Result    |
|--------|---------|--------|--------|-------|-------|-----------|
| Mass   | Mass    | Limit% | Limit% | Abn%  | Abn   | Pass/Fail |
| 50     | 95      | 15     | 40     | 17.8  | 8521  | PASS      |
| 75     | 95      | 30     | 60     | 50.9  | 24360 | PASS      |
| 95     | 95      | 100    | 100    | 100.0 | 47901 | PASS      |
| 96     | 95      | 5      | 9      | 6.7   | 3204  | PASS      |
| 173    | 174     | 0.00   | 2      | 1.2   | 395   | PASS      |
| 174    | 95      | 50     | 100    | 71.2  | 34123 | PASS      |
| 175    | 174     | 5      | 9      | 7.9   | 2705  | PASS      |
| 176    | 174     | 95     | 101    | 96.7  | 32992 | PASS      |
| 177    | 176     | 5      | 9      | 6.0   | 1964  | PASS      |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
Data File : VX043582.D  
Acq On : 29 Oct 2024 08:30  
Operator : JC/MD  
Sample : BFB  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 1 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
BFB

Integration File: RTEINT.P

Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
Title : SW846 8260  
Last Update : Mon Oct 28 13:41:34 2024



AutoFind: Scans 1638, 1639, 1640; Background Corrected with Scan 1632

| Target | Rel. to | Lower  | Upper  | Rel.  | Raw   | Result    |
|--------|---------|--------|--------|-------|-------|-----------|
| Mass   | Mass    | Limit% | Limit% | Abn%  | Abn   | Pass/Fail |
| 50     | 95      | 15     | 40     | 16.5  | 9509  | PASS      |
| 75     | 95      | 30     | 60     | 50.1  | 28803 | PASS      |
| 95     | 95      | 100    | 100    | 100.0 | 57464 | PASS      |
| 96     | 95      | 5      | 9      | 6.0   | 3434  | PASS      |
| 173    | 174     | 0.00   | 2      | 0.7   | 307   | PASS      |
| 174    | 95      | 50     | 100    | 73.3  | 42096 | PASS      |
| 175    | 174     | 5      | 9      | 7.5   | 3171  | PASS      |
| 176    | 174     | 95     | 101    | 96.2  | 40501 | PASS      |
| 177    | 176     | 5      | 9      | 6.6   | 2676  | PASS      |

## Report of Analysis

|                    |                                    |                 |       |
|--------------------|------------------------------------|-----------------|-------|
| Client:            | Lockwood, Kessler & Bartlett, Inc. | Date Collected: |       |
| Project:           | Ansonia Landfill 2024              | Date Received:  |       |
| Client Sample ID:  | VX1029WBL01                        | SDG No.:        | P4548 |
| Lab Sample ID:     | VX1029WBL01                        | Matrix:         | Water |
| Analytical Method: | SW8260                             | % Solid:        | 0     |
| Sample Wt/Vol:     | 5                                  | Units:          | mL    |
| Soil Aliquot Vol:  |                                    |                 | uL    |
| GC Column:         | DB-624UI                           | ID :            | 0.18  |
| Prep Method :      |                                    | Level :         | LOW   |
|                    |                                    |                 |       |

| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
|-------------------|-----------|-----------|----------------|---------------|
| VX043585.D        | 1         |           | 10/29/24 10:31 | VX102924      |

| CAS Number | Parameter                 | Conc. | Qualifier | MDL  | LOQ / CRQL | Units |
|------------|---------------------------|-------|-----------|------|------------|-------|
| TARGETS    |                           |       |           |      |            |       |
| 75-01-4    | Vinyl Chloride            | 0.34  | U         | 0.34 | 1.00       | ug/L  |
| 75-00-3    | Chloroethane              | 0.56  | U         | 0.56 | 1.00       | ug/L  |
| 75-69-4    | Trichlorofluoromethane    | 0.34  | U         | 0.34 | 1.00       | ug/L  |
| 75-35-4    | 1,1-Dichloroethene        | 0.26  | U         | 0.26 | 1.00       | ug/L  |
| 107-13-1   | Acrylonitrile             | 0.90  | U         | 0.90 | 5.00       | ug/L  |
| 67-64-1    | Acetone                   | 1.40  | U         | 1.40 | 5.00       | ug/L  |
| 75-15-0    | Carbon Disulfide          | 0.32  | U         | 0.32 | 1.00       | ug/L  |
| 75-09-2    | Methylene Chloride        | 0.32  | U         | 0.32 | 1.00       | ug/L  |
| 108-05-4   | Vinyl Acetate             | 0.71  | U         | 0.71 | 5.00       | ug/L  |
| 78-93-3    | 2-Butanone                | 1.30  | U         | 1.30 | 5.00       | ug/L  |
| 56-23-5    | Carbon Tetrachloride      | 0.25  | U         | 0.25 | 1.00       | ug/L  |
| 156-59-2   | cis-1,2-Dichloroethene    | 0.25  | U         | 0.25 | 1.00       | ug/L  |
| 74-97-5    | Bromochloromethane        | 0.18  | U         | 0.18 | 1.00       | ug/L  |
| 67-66-3    | Chloroform                | 0.26  | U         | 0.26 | 1.00       | ug/L  |
| 71-55-6    | 1,1,1-Trichloroethane     | 0.19  | U         | 0.19 | 1.00       | ug/L  |
| 71-43-2    | Benzene                   | 0.16  | U         | 0.16 | 1.00       | ug/L  |
| 78-87-5    | 1,2-Dichloropropane       | 0.19  | U         | 0.19 | 1.00       | ug/L  |
| 74-95-3    | Dibromomethane            | 0.23  | U         | 0.23 | 1.00       | ug/L  |
| 75-27-4    | Bromodichloromethane      | 0.24  | U         | 0.24 | 1.00       | ug/L  |
| 108-10-1   | 4-Methyl-2-Pentanone      | 0.75  | U         | 0.75 | 5.00       | ug/L  |
| 108-88-3   | Toluene                   | 0.18  | U         | 0.18 | 1.00       | ug/L  |
| 10061-02-6 | t-1,3-Dichloropropene     | 0.21  | U         | 0.21 | 1.00       | ug/L  |
| 10061-01-5 | cis-1,3-Dichloropropene   | 0.18  | U         | 0.18 | 1.00       | ug/L  |
| 591-78-6   | 2-Hexanone                | 1.10  | U         | 1.10 | 5.00       | ug/L  |
| 124-48-1   | Dibromochloromethane      | 0.18  | U         | 0.18 | 1.00       | ug/L  |
| 106-93-4   | 1,2-Dibromoethane         | 0.16  | U         | 0.16 | 1.00       | ug/L  |
| 127-18-4   | Tetrachloroethene         | 0.25  | U         | 0.25 | 1.00       | ug/L  |
| 108-90-7   | Chlorobenzene             | 0.13  | U         | 0.13 | 1.00       | ug/L  |
| 630-20-6   | 1,1,1,2-Tetrachloroethane | 0.21  | U         | 0.21 | 1.00       | ug/L  |
| 100-41-4   | Ethyl Benzene             | 0.16  | U         | 0.16 | 1.00       | ug/L  |

## Report of Analysis

|                    |                                    |        |      |                 |              |
|--------------------|------------------------------------|--------|------|-----------------|--------------|
| Client:            | Lockwood, Kessler & Bartlett, Inc. |        |      | Date Collected: |              |
| Project:           | Ansonia Landfill 2024              |        |      | Date Received:  |              |
| Client Sample ID:  | VX1029WBL01                        |        |      | SDG No.:        | P4548        |
| Lab Sample ID:     | VX1029WBL01                        |        |      | Matrix:         | Water        |
| Analytical Method: | SW8260                             |        |      | % Solid:        | 0            |
| Sample Wt/Vol:     | 5                                  | Units: | mL   | Final Vol:      | 5000 uL      |
| Soil Aliquot Vol:  |                                    |        | uL   | Test:           | VOCMS Group1 |
| GC Column:         | DB-624UI                           | ID :   | 0.18 | Level :         | LOW          |
| Prep Method :      |                                    |        |      |                 |              |

| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
|-------------------|-----------|-----------|----------------|---------------|
| VX043585.D        | 1         |           | 10/29/24 10:31 | VX102924      |

| CAS Number                | Parameter                   | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|---------------------------|-----------------------------|--------|-----------|----------|------------|---------|
| 1330-20-7                 | Total Xylenes               | 0.45   | U         | 0.45     | 3.00       | ug/L    |
| 100-42-5                  | Styrene                     | 0.16   | U         | 0.16     | 1.00       | ug/L    |
| 75-25-2                   | Bromoform                   | 0.21   | U         | 0.21     | 1.00       | ug/L    |
| 79-34-5                   | 1,1,2,2-Tetrachloroethane   | 0.27   | U         | 0.27     | 1.00       | ug/L    |
| 96-18-4                   | 1,2,3-Trichloropropane      | 0.39   | U         | 0.39     | 1.00       | ug/L    |
| 106-46-7                  | 1,4-Dichlorobenzene         | 0.27   | U         | 0.27     | 1.00       | ug/L    |
| 95-50-1                   | 1,2-Dichlorobenzene         | 0.19   | U         | 0.19     | 1.00       | ug/L    |
| 96-12-8                   | 1,2-Dibromo-3-Chloropropane | 0.46   | U         | 0.46     | 1.00       | ug/L    |
| 74-88-4                   | Methyl Iodide               | 1.20   | U         | 1.20     | 5.00       | ug/L    |
| 110-57-6                  | trans-1,4-Dichloro-2-butene | 0.63   | U         | 0.63     | 5.00       | ug/L    |
| <b>SURROGATES</b>         |                             |        |           |          |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4       | 43.4   |           | 74 - 125 | 87%        | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane        | 45.5   |           | 75 - 124 | 91%        | SPK: 50 |
| 2037-26-5                 | Toluene-d8                  | 50.5   |           | 86 - 113 | 101%       | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene        | 50.6   |           | 77 - 121 | 101%       | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                             |        |           |          |            |         |
| 363-72-4                  | Pentafluorobenzene          | 160000 | 5.55      |          |            |         |
| 540-36-3                  | 1,4-Difluorobenzene         | 295000 | 6.757     |          |            |         |
| 3114-55-4                 | Chlorobenzene-d5            | 266000 | 10.055    |          |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4      | 128000 | 12.018    |          |            |         |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
Data File : VX043585.D  
Acq On : 29 Oct 2024 10:31  
Operator : JC/MD  
Sample : VX1029WBL01  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 1 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
VX1029WBL01

Quant Time: Oct 30 01:26:24 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
Quant Title : SW846 8260  
QLast Update : Mon Oct 28 13:41:34 2024  
Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 5.550  | 168  | 160199   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 6.757  | 114  | 295395   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.055 | 117  | 265502   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.018 | 152  | 128354   | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |          |
|-----------------------------|--------|-------|----------|----------|------|----------|
| System Monitoring Compounds |        |       |          |          |      |          |
| 33) 1,2-Dichloroethane-d4   | 5.946  | 65    | 110928   | 43.426   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 74 - 125 | Recovery | =    | 86.860%  |
| 35) Dibromofluoromethane    | 5.379  | 113   | 91054    | 45.457   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =    | 90.920%  |
| 50) Toluene-d8              | 8.647  | 98    | 350111   | 50.493   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 86 - 113 | Recovery | =    | 100.980% |
| 62) 4-Bromofluorobenzene    | 11.079 | 95    | 129946   | 50.575   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 77 - 121 | Recovery | =    | 101.160% |


| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
Data File : VX043585.D  
Acq On : 29 Oct 2024 10:31  
Operator : JC/MD  
Sample : VX1029WBL01  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 1 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
VX1029WBL01

Quant Time: Oct 30 01:26:24 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
Quant Title : SW846 8260  
QLast Update : Mon Oct 28 13:41:34 2024  
Response via : Initial Calibration









#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 5.550 min Scan# 71  
Delta R.T. -0.000 min  
Lab File: VX043585.D  
Acq: 29 Oct 2024 10:31




Instrument :  
MSVOA\_X  
ClientSampleId :  
VX1029WBL01


Tgt Ion:168 Resp: 160199  
Ion Ratio Lower Upper  
168 100  
99 59.3 52.6 78.8



#33  
1,2-Dichloroethane-d4  
Concen: 43.426 ug/l  
RT: 5.946 min Scan# 797  
Delta R.T. -0.006 min  
Lab File: VX043585.D  
Acq: 29 Oct 2024 10:31

Tgt Ion: 65 Resp: 110928  
Ion Ratio Lower Upper  
65 100  
67 51.9 0.0 103.4





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.757 min Scan# 91

Delta R.T. 0.000 min

Lab File: VX043585.D

Acq: 29 Oct 2024 10:31

Instrument :

MSVOA\_X

ClientSampleId :

VX1029WBL01





Tgt Ion:114 Resp: 295395

Ion Ratio Lower Upper

114 100

63 19.1 0.0 41.2

88 17.0 0.0 34.0



#35

Dibromofluoromethane

Concen: 45.457 ug/l

RT: 5.379 min Scan# 704

Delta R.T. -0.006 min

Lab File: VX043585.D

Acq: 29 Oct 2024 10:31




Tgt Ion:113 Resp: 91054


Ion Ratio Lower Upper

113 100

111 103.0 81.4 122.0

192 19.0 14.1 21.1





#50

Toluene-d8

Concen: 50.493 ug/l

RT: 8.647 min Scan# 11

Delta R.T. 0.000 min

Lab File: VX043585.D

Acq: 29 Oct 2024 10:31

Instrument :

MSVOA\_X

ClientSampleId :





VX1029WBL01

Tgt Ion: 98 Resp: 350111

Ion Ratio Lower Upper

98 100

100 67.0 53.4 80.2



#62

4-Bromofluorobenzene

Concen: 50.575 ug/l

RT: 11.079 min Scan# 1639

Delta R.T. 0.000 min

Lab File: VX043585.D

Acq: 29 Oct 2024 10:31




Tgt Ion: 95 Resp: 129946


Ion Ratio Lower Upper

95 100

174 74.8 0.0 146.6

176 71.3 0.0 139.6









#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 10.055 min Scan# 1471  
Delta R.T. 0.000 min  
Lab File: VX043585.D  
Acq: 29 Oct 2024 10:31




Instrument :  
MSVOA\_X  
ClientSampleId :  
VX1029WBL01

Tgt Ion:117 Resp: 265502  
Ion Ratio Lower Upper  
117 100  
82 53.4 42.1 63.1  
119 32.3 25.4 38.2



#72  
1,4-Dichlorobenzene-d4  
Concen: 50.000 ug/l  
RT: 12.018 min Scan# 1793  
Delta R.T. -0.006 min  
Lab File: VX043585.D  
Acq: 29 Oct 2024 10:31

Tgt Ion:152 Resp: 128354  
Ion Ratio Lower Upper  
152 100  
115 60.1 42.9 128.7  
150 156.4 0.0 343.6



### Report of Analysis

|                    |                                    |                 |              |
|--------------------|------------------------------------|-----------------|--------------|
| Client:            | Lockwood, Kessler & Bartlett, Inc. | Date Collected: |              |
| Project:           | Ansonia Landfill 2024              | Date Received:  |              |
| Client Sample ID:  | VX1029WBS01                        | SDG No.:        | P4548        |
| Lab Sample ID:     | VX1029WBS01                        | Matrix:         | Water        |
| Analytical Method: | SW8260                             | % Solid:        | 0            |
| Sample Wt/Vol:     | 5 Units: mL                        | Final Vol:      | 5000 uL      |
| Soil Aliquot Vol:  | uL                                 | Test:           | VOCMS Group1 |
| GC Column:         | DB-624UI ID : 0.18                 | Level :         | LOW          |
| Prep Method :      |                                    |                 |              |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VX043586.D        | 1         |           | 10/29/24 10:57 | VX102924      |

| CAS Number     | Parameter                 | Conc. | Qualifier | MDL  | LOQ / CRQL | Units |
|----------------|---------------------------|-------|-----------|------|------------|-------|
| <b>TARGETS</b> |                           |       |           |      |            |       |
| 75-01-4        | Vinyl Chloride            | 18.2  |           | 0.34 | 1.00       | ug/L  |
| 75-00-3        | Chloroethane              | 19.0  |           | 0.56 | 1.00       | ug/L  |
| 75-69-4        | Trichlorofluoromethane    | 20.7  |           | 0.34 | 1.00       | ug/L  |
| 75-35-4        | 1,1-Dichloroethene        | 19.4  |           | 0.26 | 1.00       | ug/L  |
| 107-13-1       | Acrylonitrile             | 85.2  |           | 0.90 | 5.00       | ug/L  |
| 67-64-1        | Acetone                   | 92.3  |           | 1.40 | 5.00       | ug/L  |
| 75-15-0        | Carbon Disulfide          | 18.2  |           | 0.32 | 1.00       | ug/L  |
| 75-09-2        | Methylene Chloride        | 17.1  |           | 0.32 | 1.00       | ug/L  |
| 108-05-4       | Vinyl Acetate             | 89.3  |           | 0.71 | 5.00       | ug/L  |
| 78-93-3        | 2-Butanone                | 86.1  |           | 1.30 | 5.00       | ug/L  |
| 56-23-5        | Carbon Tetrachloride      | 20.1  |           | 0.25 | 1.00       | ug/L  |
| 156-59-2       | cis-1,2-Dichloroethene    | 18.4  |           | 0.25 | 1.00       | ug/L  |
| 74-97-5        | Bromochloromethane        | 17.5  |           | 0.18 | 1.00       | ug/L  |
| 67-66-3        | Chloroform                | 18.1  |           | 0.26 | 1.00       | ug/L  |
| 71-55-6        | 1,1,1-Trichloroethane     | 19.4  |           | 0.19 | 1.00       | ug/L  |
| 71-43-2        | Benzene                   | 18.9  |           | 0.16 | 1.00       | ug/L  |
| 78-87-5        | 1,2-Dichloropropane       | 18.2  |           | 0.19 | 1.00       | ug/L  |
| 74-95-3        | Dibromomethane            | 17.9  |           | 0.23 | 1.00       | ug/L  |
| 75-27-4        | Bromodichloromethane      | 18.3  |           | 0.24 | 1.00       | ug/L  |
| 108-10-1       | 4-Methyl-2-Pentanone      | 90.2  |           | 0.75 | 5.00       | ug/L  |
| 108-88-3       | Toluene                   | 19.9  |           | 0.18 | 1.00       | ug/L  |
| 10061-02-6     | t-1,3-Dichloropropene     | 17.7  |           | 0.21 | 1.00       | ug/L  |
| 10061-01-5     | cis-1,3-Dichloropropene   | 19.5  |           | 0.18 | 1.00       | ug/L  |
| 591-78-6       | 2-Hexanone                | 91.2  |           | 1.10 | 5.00       | ug/L  |
| 124-48-1       | Dibromochloromethane      | 18.7  |           | 0.18 | 1.00       | ug/L  |
| 106-93-4       | 1,2-Dibromoethane         | 18.5  |           | 0.16 | 1.00       | ug/L  |
| 127-18-4       | Tetrachloroethene         | 21.2  |           | 0.25 | 1.00       | ug/L  |
| 108-90-7       | Chlorobenzene             | 19.4  |           | 0.13 | 1.00       | ug/L  |
| 630-20-6       | 1,1,1,2-Tetrachloroethane | 19.7  |           | 0.21 | 1.00       | ug/L  |
| 100-41-4       | Ethyl Benzene             | 20.2  |           | 0.16 | 1.00       | ug/L  |

## Report of Analysis

|                    |                                    |        |      |                 |              |
|--------------------|------------------------------------|--------|------|-----------------|--------------|
| Client:            | Lockwood, Kessler & Bartlett, Inc. |        |      | Date Collected: |              |
| Project:           | Ansonia Landfill 2024              |        |      | Date Received:  |              |
| Client Sample ID:  | VX1029WBS01                        |        |      | SDG No.:        | P4548        |
| Lab Sample ID:     | VX1029WBS01                        |        |      | Matrix:         | Water        |
| Analytical Method: | SW8260                             |        |      | % Solid:        | 0            |
| Sample Wt/Vol:     | 5                                  | Units: | mL   | Final Vol:      | 5000 uL      |
| Soil Aliquot Vol:  |                                    |        | uL   | Test:           | VOCMS Group1 |
| GC Column:         | DB-624UI                           | ID :   | 0.18 | Level :         | LOW          |
| Prep Method :      |                                    |        |      |                 |              |

| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
|-------------------|-----------|-----------|----------------|---------------|
| VX043586.D        | 1         |           | 10/29/24 10:57 | VX102924      |

| CAS Number                | Parameter                   | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|---------------------------|-----------------------------|--------|-----------|----------|------------|---------|
| 1330-20-7                 | Total Xylenes               | 60.7   |           | 0.45     | 3.00       | ug/L    |
| 100-42-5                  | Styrene                     | 20.2   |           | 0.16     | 1.00       | ug/L    |
| 75-25-2                   | Bromoform                   | 17.8   |           | 0.21     | 1.00       | ug/L    |
| 79-34-5                   | 1,1,2,2-Tetrachloroethane   | 18.5   |           | 0.27     | 1.00       | ug/L    |
| 96-18-4                   | 1,2,3-Trichloropropane      | 17.8   |           | 0.39     | 1.00       | ug/L    |
| 106-46-7                  | 1,4-Dichlorobenzene         | 19.3   |           | 0.27     | 1.00       | ug/L    |
| 95-50-1                   | 1,2-Dichlorobenzene         | 19.3   |           | 0.19     | 1.00       | ug/L    |
| 96-12-8                   | 1,2-Dibromo-3-Chloropropane | 16.5   |           | 0.46     | 1.00       | ug/L    |
| 74-88-4                   | Methyl Iodide               | 18.7   |           | 1.20     | 5.00       | ug/L    |
| 110-57-6                  | trans-1,4-Dichloro-2-butene | 17.9   |           | 0.63     | 5.00       | ug/L    |
| <b>SURROGATES</b>         |                             |        |           |          |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4       | 42.1   |           | 74 - 125 | 84%        | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane        | 46.6   |           | 75 - 124 | 93%        | SPK: 50 |
| 2037-26-5                 | Toluene-d8                  | 48.3   |           | 86 - 113 | 97%        | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene        | 47.0   |           | 77 - 121 | 94%        | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                             |        |           |          |            |         |
| 363-72-4                  | Pentafluorobenzene          | 202000 | 5.544     |          |            |         |
| 540-36-3                  | 1,4-Difluorobenzene         | 352000 | 6.757     |          |            |         |
| 3114-55-4                 | Chlorobenzene-d5            | 295000 | 10.055    |          |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4      | 143000 | 12.018    |          |            |         |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
 Data File : VX043586.D  
 Acq On : 29 Oct 2024 10:57  
 Operator : JC/MD  
 Sample : VX1029WBS01  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VX1029WBS01

Manual Integrations  
 APPROVED

Reviewed By :Semsettin Yesilyurt 10/30/2024  
 Supervised By :Mahesh Dadoda 10/30/2024

Quant Time: Oct 30 01:26:50 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:41:34 2024  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 5.544  | 168  | 202431   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 6.757  | 114  | 352202   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.055 | 117  | 294857   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.018 | 152  | 142936   | 50.000 | ug/l  | 0.00     |

## System Monitoring Compounds

|                           |        |       |          |          |      |         |
|---------------------------|--------|-------|----------|----------|------|---------|
| 33) 1,2-Dichloroethane-d4 | 5.952  | 65    | 135908   | 42.105   | ug/l | 0.00    |
| Spiked Amount             | 50.000 | Range | 74 - 125 | Recovery | =    | 84.220% |
| 35) Dibromofluoromethane  | 5.379  | 113   | 111394   | 46.642   | ug/l | 0.00    |
| Spiked Amount             | 50.000 | Range | 75 - 124 | Recovery | =    | 93.280% |
| 50) Toluene-d8            | 8.647  | 98    | 399169   | 48.283   | ug/l | 0.00    |
| Spiked Amount             | 50.000 | Range | 86 - 113 | Recovery | =    | 96.560% |
| 62) 4-Bromofluorobenzene  | 11.079 | 95    | 144111   | 47.042   | ug/l | 0.00    |
| Spiked Amount             | 50.000 | Range | 77 - 121 | Recovery | =    | 94.080% |

## Target Compounds

|                              |       |     |        |        |      | Qvalue |
|------------------------------|-------|-----|--------|--------|------|--------|
|                              |       |     |        |        |      |        |
| 2) Dichlorodifluoromethane   | 1.166 | 85  | 40027  | 18.489 | ug/l | 100    |
| 3) Chloromethane             | 1.294 | 50  | 44310  | 16.012 | ug/l | 92     |
| 4) Vinyl Chloride            | 1.374 | 62  | 46678  | 18.174 | ug/l | 99     |
| 5) Bromomethane              | 1.593 | 94  | 18192  | 17.375 | ug/l | 97     |
| 6) Chloroethane              | 1.660 | 64  | 17156m | 18.960 | ug/l |        |
| 7) Trichlorofluoromethane    | 1.861 | 101 | 64804  | 20.654 | ug/l | 98     |
| 8) Diethyl Ether             | 2.136 | 74  | 25896  | 17.863 | ug/l | 98     |
| 9) 1,1,2-Trichlorotrifluo... | 2.312 | 101 | 45384  | 21.388 | ug/l | 99     |
| 10) Methyl Iodide            | 2.440 | 142 | 57476  | 18.748 | ug/l | 97     |
| 11) Tert butyl alcohol       | 3.007 | 59  | 56407m | 93.626 | ug/l |        |
| 12) 1,1-Dichloroethene       | 2.306 | 96  | 42035  | 19.385 | ug/l | 92     |
| 13) Acrolein                 | 2.239 | 56  | 40906  | 86.821 | ug/l | 99     |
| 14) Allyl chloride           | 2.654 | 41  | 68347  | 18.223 | ug/l | 96     |
| 15) Acrylonitrile            | 3.068 | 53  | 115840 | 85.162 | ug/l | 99     |
| 16) Acetone                  | 2.386 | 43  | 118332 | 92.319 | ug/l | 98     |
| 17) Carbon Disulfide         | 2.501 | 76  | 82388  | 18.170 | ug/l | 100    |
| 18) Methyl Acetate           | 2.703 | 43  | 60142  | 16.054 | ug/l | 99     |
| 19) Methyl tert-butyl Ether  | 3.117 | 73  | 143107 | 17.354 | ug/l | 100    |
| 20) Methylene Chloride       | 2.782 | 84  | 47149  | 17.068 | ug/l | 97     |
| 21) trans-1,2-Dichloroethene | 3.081 | 96  | 44262  | 19.321 | ug/l | 97     |
| 22) Diisopropyl ether        | 3.757 | 45  | 139725 | 18.024 | ug/l | 92     |
| 23) Vinyl Acetate            | 3.721 | 43  | 571697 | 89.264 | ug/l | 99     |
| 24) 1,1-Dichloroethane       | 3.605 | 63  | 79799  | 17.909 | ug/l | 98     |
| 25) 2-Butanone               | 4.556 | 43  | 160914 | 86.062 | ug/l | 99     |
| 26) 2,2-Dichloropropane      | 4.465 | 77  | 72610  | 19.908 | ug/l | 99     |
| 27) cis-1,2-Dichloroethene   | 4.483 | 96  | 53987  | 18.448 | ug/l | 99     |
| 28) Bromochloromethane       | 4.891 | 49  | 37071  | 17.489 | ug/l | 96     |
| 29) Tetrahydrofuran          | 5.007 | 42  | 100228 | 82.487 | ug/l | 98     |
| 30) Chloroform               | 5.086 | 83  | 84330  | 18.055 | ug/l | 99     |
| 31) Cyclohexane              | 5.458 | 56  | 69310  | 20.338 | ug/l | 95     |
| 32) 1,1,1-Trichloroethane    | 5.373 | 97  | 76151  | 19.420 | ug/l | 99     |
| 36) 1,1-Dichloropropene      | 5.684 | 75  | 56285  | 19.875 | ug/l | 98     |
| 37) Ethyl Acetate            | 4.714 | 43  | 60171  | 17.501 | ug/l | 98     |
| 38) Carbon Tetrachloride     | 5.666 | 117 | 62906  | 20.104 | ug/l | 97     |
| 39) Methylcyclohexane        | 7.373 | 83  | 75030  | 21.340 | ug/l | 99     |
| 40) Benzene                  | 6.031 | 78  | 178716 | 18.917 | ug/l | 95     |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
 Data File : VX043586.D  
 Acq On : 29 Oct 2024 10:57  
 Operator : JC/MD  
 Sample : VX1029WBS01  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VX1029WBS01

Manual Integrations  
 APPROVED

Reviewed By :Semsettin Yesilyurt 10/30/2024  
 Supervised By :Mahesh Dadoda 10/30/2024

Quant Time: Oct 30 01:26:50 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:41:34 2024  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc    | Units  | Dev(Min) |
|-------------------------------|--------|------|----------|---------|--------|----------|
| 41) Methacrylonitrile         | 4.922  | 41   | 33159    | 18.374  | ug/l   | 97       |
| 42) 1,2-Dichloroethane        | 6.080  | 62   | 62263    | 18.332  | ug/l   | 99       |
| 43) Isopropyl Acetate         | 6.336  | 43   | 100112   | 17.607  | ug/l   | 100      |
| 44) Trichloroethene           | 7.123  | 130  | 46116    | 19.649  | ug/l   | 95       |
| 45) 1,2-Dichloropropane       | 7.427  | 63   | 42277    | 18.174  | ug/l   | 100      |
| 46) Dibromomethane            | 7.580  | 93   | 32080    | 17.910  | ug/l   | 96       |
| 47) Bromodichloromethane      | 7.818  | 83   | 57532    | 18.310  | ug/l   | 99       |
| 48) Methyl methacrylate       | 7.696  | 41   | 48326    | 17.927  | ug/l   | 98       |
| 49) 1,4-Dioxane               | 7.671  | 88   | 23130    | 417.634 | ug/l   | 98       |
| 51) 4-Methyl-2-Pentanone      | 8.574  | 43   | 312558   | 90.192  | ug/l   | 99       |
| 52) Toluene                   | 8.714  | 92   | 113851   | 19.871  | ug/l   | 100      |
| 53) t-1,3-Dichloropropene     | 8.976  | 75   | 59568    | 17.650  | ug/l   | 97       |
| 54) cis-1,3-Dichloropropene   | 8.366  | 75   | 70181    | 19.517  | ug/l   | 96       |
| 55) 1,1,2-Trichloroethane     | 9.153  | 97   | 44829    | 18.797  | ug/l   | 93       |
| 56) Ethyl methacrylate        | 9.116  | 69   | 69497    | 17.934  | ug/l   | 98       |
| 57) 1,3-Dichloropropane       | 9.305  | 76   | 74400    | 18.757  | ug/l   | 98       |
| 58) 2-Chloroethyl Vinyl ether | 8.238  | 63   | 172110   | 91.703  | ug/l   | 99       |
| 59) 2-Hexanone                | 9.433  | 43   | 240151   | 91.242  | ug/l   | 100      |
| 60) Dibromochloromethane      | 9.518  | 129  | 44184    | 18.709  | ug/l   | 98       |
| 61) 1,2-Dibromoethane         | 9.610  | 107  | 45897    | 18.539  | ug/l   | 96       |
| 64) Tetrachloroethene         | 9.269  | 164  | 39340    | 21.213  | ug/l   | 98       |
| 65) Chlorobenzene             | 10.079 | 112  | 123286   | 19.435  | ug/l   | 100      |
| 66) 1,1,1,2-Tetrachloroethane | 10.159 | 131  | 40788    | 19.685  | ug/l   | 99       |
| 67) Ethyl Benzene             | 10.195 | 91   | 209043   | 20.209  | ug/l   | 100      |
| 68) m/p-Xylenes               | 10.299 | 106  | 160547   | 40.586  | ug/l   | 99       |
| 69) o-Xylene                  | 10.640 | 106  | 79997    | 20.128  | ug/l   | 99       |
| 70) Styrene                   | 10.652 | 104  | 133590   | 20.223  | ug/l   | 99       |
| 71) Bromoform                 | 10.799 | 173  | 26501    | 17.788  | ug/l # | 96       |
| 73) Isopropylbenzene          | 10.963 | 105  | 207962   | 20.539  | ug/l   | 100      |
| 74) N-amyl acetate            | 10.841 | 43   | 89068    | 18.058  | ug/l   | 99       |
| 75) 1,1,2,2-Tetrachloroethane | 11.213 | 83   | 67422    | 18.518  | ug/l   | 98       |
| 76) 1,2,3-Trichloropropane    | 11.238 | 75   | 54362m   | 17.788  | ug/l   |          |
| 77) Bromobenzene              | 11.195 | 156  | 50119    | 19.170  | ug/l   | 99       |
| 78) n-propylbenzene           | 11.305 | 91   | 227750   | 20.630  | ug/l   | 99       |
| 79) 2-Chlorotoluene           | 11.360 | 91   | 143898   | 19.657  | ug/l   | 99       |
| 80) 1,3,5-Trimethylbenzene    | 11.451 | 105  | 171034   | 20.260  | ug/l   | 97       |
| 81) trans-1,4-Dichloro-2-b... | 11.018 | 75   | 19932    | 17.942  | ug/l   | 96       |
| 82) 4-Chlorotoluene           | 11.451 | 91   | 162418   | 19.767  | ug/l   | 96       |
| 83) tert-Butylbenzene         | 11.713 | 119  | 176326   | 20.537  | ug/l   | 100      |
| 84) 1,2,4-Trimethylbenzene    | 11.750 | 105  | 176438   | 20.508  | ug/l   | 99       |
| 85) sec-Butylbenzene          | 11.890 | 105  | 214438   | 21.308  | ug/l   | 100      |
| 86) p-Isopropyltoluene        | 12.006 | 119  | 180325   | 21.080  | ug/l   | 99       |
| 87) 1,3-Dichlorobenzene       | 11.969 | 146  | 92275    | 19.691  | ug/l   | 99       |
| 88) 1,4-Dichlorobenzene       | 12.042 | 146  | 93923    | 19.343  | ug/l   | 99       |
| 89) n-Butylbenzene            | 12.329 | 91   | 148112   | 21.249  | ug/l   | 99       |
| 90) Hexachloroethane          | 12.536 | 117  | 28082    | 20.210  | ug/l   | 99       |
| 91) 1,2-Dichlorobenzene       | 12.335 | 146  | 92312    | 19.265  | ug/l   | 99       |
| 92) 1,2-Dibromo-3-Chloropr... | 12.939 | 75   | 12277    | 16.540  | ug/l   | 94       |
| 93) 1,2,4-Trichlorobenzene    | 13.585 | 180  | 55722    | 19.158  | ug/l   | 98       |
| 94) Hexachlorobutadiene       | 13.725 | 225  | 22819    | 21.279  | ug/l   | 98       |
| 95) Naphthalene               | 13.774 | 128  | 207496   | 18.643  | ug/l   | 100      |
| 96) 1,2,3-Trichlorobenzene    | 13.957 | 180  | 57807    | 18.850  | ug/l   | 99       |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
Data File : VX043586.D  
Acq On : 29 Oct 2024 10:57  
Operator : JC/MD  
Sample : VX1029WBS01  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 1 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
VX1029WBS01

Manual Integrations  
**APPROVED**

Reviewed By :Semsettin Yesilyurt 10/30/2024  
Supervised By :Mahesh Dadoda 10/30/2024

Quant Time: Oct 30 01:26:50 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
Quant Title : SW846 8260  
QLast Update : Mon Oct 28 13:41:34 2024  
Response via : Initial Calibration

| Compound | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|----------|------|------|----------|------|-------|----------|
|----------|------|------|----------|------|-------|----------|

-----  
(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
Data File : VX043586.D  
Acq On : 29 Oct 2024 10:57  
Operator : JC/MD  
Sample : VX1029WBS01  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 1 Sample Multiplier: 1

**Instrument :**  
MSVOA\_X  
**ClientSampleId :**  
VX1029WBS01

## Manual Integrations APPROVED

Reviewed By :Semsettin Yesilyurt 10/30/2024  
Supervised By :Mahesh Dadoda 10/30/2024

Quant Time: Oct 30 01:26:50 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
Quant Title : SW846 8260  
QLast Update : Mon Oct 28 13:41:34 2024  
Response via : Initial Calibration



### Report of Analysis

|                    |                                    |           |                 |              |
|--------------------|------------------------------------|-----------|-----------------|--------------|
| Client:            | Lockwood, Kessler & Bartlett, Inc. |           | Date Collected: |              |
| Project:           | Ansonia Landfill 2024              |           | Date Received:  |              |
| Client Sample ID:  | VX1029WBSD01                       |           | SDG No.:        | P4548        |
| Lab Sample ID:     | VX1029WBSD01                       |           | Matrix:         | Water        |
| Analytical Method: | SW8260                             |           | % Solid:        | 0            |
| Sample Wt/Vol:     | 5                                  | Units: mL | Final Vol:      | 5000 uL      |
| Soil Aliquot Vol:  |                                    | uL        | Test:           | VOCMS Group1 |
| GC Column:         | DB-624UI                           | ID : 0.18 | Level :         | LOW          |
| Prep Method :      |                                    |           |                 |              |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VX043587.D        | 1         |           | 10/29/24 11:20 | VX102924      |

| CAS Number     | Parameter                 | Conc. | Qualifier | MDL  | LOQ / CRQL | Units |
|----------------|---------------------------|-------|-----------|------|------------|-------|
| <b>TARGETS</b> |                           |       |           |      |            |       |
| 75-01-4        | Vinyl Chloride            | 18.1  |           | 0.34 | 1.00       | ug/L  |
| 75-00-3        | Chloroethane              | 18.9  |           | 0.56 | 1.00       | ug/L  |
| 75-69-4        | Trichlorofluoromethane    | 20.6  |           | 0.34 | 1.00       | ug/L  |
| 75-35-4        | 1,1-Dichloroethene        | 19.1  |           | 0.26 | 1.00       | ug/L  |
| 107-13-1       | Acrylonitrile             | 90.3  |           | 0.90 | 5.00       | ug/L  |
| 67-64-1        | Acetone                   | 95.8  |           | 1.40 | 5.00       | ug/L  |
| 75-15-0        | Carbon Disulfide          | 18.1  |           | 0.32 | 1.00       | ug/L  |
| 75-09-2        | Methylene Chloride        | 17.0  |           | 0.32 | 1.00       | ug/L  |
| 108-05-4       | Vinyl Acetate             | 92.3  |           | 0.71 | 5.00       | ug/L  |
| 78-93-3        | 2-Butanone                | 91.3  |           | 1.30 | 5.00       | ug/L  |
| 56-23-5        | Carbon Tetrachloride      | 20.0  |           | 0.25 | 1.00       | ug/L  |
| 156-59-2       | cis-1,2-Dichloroethene    | 18.6  |           | 0.25 | 1.00       | ug/L  |
| 74-97-5        | Bromochloromethane        | 18.8  |           | 0.18 | 1.00       | ug/L  |
| 67-66-3        | Chloroform                | 18.3  |           | 0.26 | 1.00       | ug/L  |
| 71-55-6        | 1,1,1-Trichloroethane     | 19.1  |           | 0.19 | 1.00       | ug/L  |
| 71-43-2        | Benzene                   | 19.5  |           | 0.16 | 1.00       | ug/L  |
| 78-87-5        | 1,2-Dichloropropane       | 19.1  |           | 0.19 | 1.00       | ug/L  |
| 74-95-3        | Dibromomethane            | 19.0  |           | 0.23 | 1.00       | ug/L  |
| 75-27-4        | Bromodichloromethane      | 18.9  |           | 0.24 | 1.00       | ug/L  |
| 108-10-1       | 4-Methyl-2-Pentanone      | 98.8  |           | 0.75 | 5.00       | ug/L  |
| 108-88-3       | Toluene                   | 20.2  |           | 0.18 | 1.00       | ug/L  |
| 10061-02-6     | t-1,3-Dichloropropene     | 19.1  |           | 0.21 | 1.00       | ug/L  |
| 10061-01-5     | cis-1,3-Dichloropropene   | 20.1  |           | 0.18 | 1.00       | ug/L  |
| 591-78-6       | 2-Hexanone                | 100   |           | 1.10 | 5.00       | ug/L  |
| 124-48-1       | Dibromochloromethane      | 19.6  |           | 0.18 | 1.00       | ug/L  |
| 106-93-4       | 1,2-Dibromoethane         | 19.7  |           | 0.16 | 1.00       | ug/L  |
| 127-18-4       | Tetrachloroethene         | 21.1  |           | 0.25 | 1.00       | ug/L  |
| 108-90-7       | Chlorobenzene             | 19.8  |           | 0.13 | 1.00       | ug/L  |
| 630-20-6       | 1,1,1,2-Tetrachloroethane | 20.7  |           | 0.21 | 1.00       | ug/L  |
| 100-41-4       | Ethyl Benzene             | 20.2  |           | 0.16 | 1.00       | ug/L  |

## Report of Analysis

|                    |                                    |        |      |                 |              |
|--------------------|------------------------------------|--------|------|-----------------|--------------|
| Client:            | Lockwood, Kessler & Bartlett, Inc. |        |      | Date Collected: |              |
| Project:           | Ansonia Landfill 2024              |        |      | Date Received:  |              |
| Client Sample ID:  | VX1029WBSD01                       |        |      | SDG No.:        | P4548        |
| Lab Sample ID:     | VX1029WBSD01                       |        |      | Matrix:         | Water        |
| Analytical Method: | SW8260                             |        |      | % Solid:        | 0            |
| Sample Wt/Vol:     | 5                                  | Units: | mL   | Final Vol:      | 5000 uL      |
| Soil Aliquot Vol:  |                                    |        | uL   | Test:           | VOCMS Group1 |
| GC Column:         | DB-624UI                           | ID :   | 0.18 | Level :         | LOW          |
| Prep Method :      |                                    |        |      |                 |              |

| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
|-------------------|-----------|-----------|----------------|---------------|
| VX043587.D        | 1         |           | 10/29/24 11:20 | VX102924      |

| CAS Number                | Parameter                   | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|---------------------------|-----------------------------|--------|-----------|----------|------------|---------|
| 1330-20-7                 | Total Xylenes               | 62.7   |           | 0.45     | 3.00       | ug/L    |
| 100-42-5                  | Styrene                     | 20.5   |           | 0.16     | 1.00       | ug/L    |
| 75-25-2                   | Bromoform                   | 18.8   |           | 0.21     | 1.00       | ug/L    |
| 79-34-5                   | 1,1,2,2-Tetrachloroethane   | 19.6   |           | 0.27     | 1.00       | ug/L    |
| 96-18-4                   | 1,2,3-Trichloropropane      | 18.9   |           | 0.39     | 1.00       | ug/L    |
| 106-46-7                  | 1,4-Dichlorobenzene         | 19.1   |           | 0.27     | 1.00       | ug/L    |
| 95-50-1                   | 1,2-Dichlorobenzene         | 20.1   |           | 0.19     | 1.00       | ug/L    |
| 96-12-8                   | 1,2-Dibromo-3-Chloropropane | 18.7   |           | 0.46     | 1.00       | ug/L    |
| 74-88-4                   | Methyl Iodide               | 19.5   |           | 1.20     | 5.00       | ug/L    |
| 110-57-6                  | trans-1,4-Dichloro-2-butene | 18.5   |           | 0.63     | 5.00       | ug/L    |
| <b>SURROGATES</b>         |                             |        |           |          |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4       | 42.9   |           | 74 - 125 | 86%        | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane        | 47.2   |           | 75 - 124 | 94%        | SPK: 50 |
| 2037-26-5                 | Toluene-d8                  | 50.0   |           | 86 - 113 | 100%       | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene        | 50.1   |           | 77 - 121 | 100%       | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                             |        |           |          |            |         |
| 363-72-4                  | Pentafluorobenzene          | 180000 | 5.55      |          |            |         |
| 540-36-3                  | 1,4-Difluorobenzene         | 312000 | 6.757     |          |            |         |
| 3114-55-4                 | Chlorobenzene-d5            | 270000 | 10.055    |          |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4      | 131000 | 12.024    |          |            |         |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of OC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
 Data File : VX043587.D  
 Acq On : 29 Oct 2024 11:20  
 Operator : JC/MD  
 Sample : VX1029WBSD01  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VX1029WBSD01

Manual Integrations  
 APPROVED

Reviewed By :Semsettin Yesilyurt 10/30/2024  
 Supervised By :Mahesh Dadoda 10/30/2024

Quant Time: Oct 30 01:27:53 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:41:34 2024  
 Response via : Initial Calibration

| Compound                     | R.T.           | QIon | Response   | Conc     | Units  | Dev(Min) |
|------------------------------|----------------|------|------------|----------|--------|----------|
| -----                        |                |      |            |          |        |          |
| Internal Standards           |                |      |            |          |        |          |
| 1) Pentafluorobenzene        | 5.550          | 168  | 180366     | 50.000   | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene      | 6.757          | 114  | 312050     | 50.000   | ug/l   | 0.00     |
| 63) Chlorobenzene-d5         | 10.055         | 117  | 270005     | 50.000   | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4   | 12.024         | 152  | 131226     | 50.000   | ug/l   | 0.00     |
| System Monitoring Compounds  |                |      |            |          |        |          |
| 33) 1,2-Dichloroethane-d4    | 5.952          | 65   | 123296     | 42.871   | ug/l   | 0.00     |
| Spiked Amount 50.000         | Range 74 - 125 |      | Recovery = | 85.740%  |        |          |
| 35) Dibromofluoromethane     | 5.385          | 113  | 99899      | 47.211   | ug/l   | 0.00     |
| Spiked Amount 50.000         | Range 75 - 124 |      | Recovery = | 94.420%  |        |          |
| 50) Toluene-d8               | 8.647          | 98   | 366426     | 50.025   | ug/l   | 0.00     |
| Spiked Amount 50.000         | Range 86 - 113 |      | Recovery = | 100.060% |        |          |
| 62) 4-Bromofluorobenzene     | 11.079         | 95   | 135860     | 50.055   | ug/l   | 0.00     |
| Spiked Amount 50.000         | Range 77 - 121 |      | Recovery = | 100.100% |        |          |
| Target Compounds             |                |      |            |          |        |          |
|                              |                |      |            |          | Qvalue |          |
| 2) Dichlorodifluoromethane   | 1.166          | 85   | 35143      | 18.219   | ug/l   | 98       |
| 3) Chloromethane             | 1.294          | 50   | 40942      | 16.605   | ug/l   | 99       |
| 4) Vinyl Chloride            | 1.374          | 62   | 41339      | 18.065   | ug/l   | 98       |
| 5) Bromomethane              | 1.593          | 94   | 17344      | 18.591   | ug/l   | 94       |
| 6) Chloroethane              | 1.660          | 64   | 15277      | 18.949   | ug/l   | 100      |
| 7) Trichlorofluoromethane    | 1.861          | 101  | 57506      | 20.570   | ug/l   | 98       |
| 8) Diethyl Ether             | 2.136          | 74   | 23314      | 18.050   | ug/l   | 97       |
| 9) 1,1,2-Trichlorotrifluo... | 2.313          | 101  | 37452      | 19.809   | ug/l   | 97       |
| 10) Methyl Iodide            | 2.441          | 142  | 53263      | 19.499   | ug/l   | 96       |
| 11) Tert butyl alcohol       | 3.008          | 59   | 57011m     | 106.205  | ug/l   |          |
| 12) 1,1-Dichloroethene       | 2.307          | 96   | 36845      | 19.070   | ug/l   | 96       |
| 13) Acrolein                 | 2.239          | 56   | 39535      | 94.177   | ug/l   | 100      |
| 14) Allyl chloride           | 2.660          | 41   | 61519      | 18.409   | ug/l   | 97       |
| 15) Acrylonitrile            | 3.069          | 53   | 109405     | 90.270   | ug/l   | 99       |
| 16) Acetone                  | 2.392          | 43   | 109359     | 95.756   | ug/l   | 100      |
| 17) Carbon Disulfide         | 2.502          | 76   | 73159      | 18.108   | ug/l   | 99       |
| 18) Methyl Acetate           | 2.709          | 43   | 57203      | 17.138   | ug/l   | 99       |
| 19) Methyl tert-butyl Ether  | 3.117          | 73   | 131788     | 17.936   | ug/l   | 97       |
| 20) Methylene Chloride       | 2.782          | 84   | 41826      | 16.993   | ug/l   | 99       |
| 21) trans-1,2-Dichloroethene | 3.087          | 96   | 38207      | 18.718   | ug/l   | 93       |
| 22) Diisopropyl ether        | 3.764          | 45   | 127741     | 18.494   | ug/l   | 97       |
| 23) Vinyl Acetate            | 3.721          | 43   | 526774     | 92.311   | ug/l   | 99       |
| 24) 1,1-Dichloroethane       | 3.605          | 63   | 72922      | 18.368   | ug/l   | 98       |
| 25) 2-Butanone               | 4.562          | 43   | 152135     | 91.321   | ug/l   | 100      |
| 26) 2,2-Dichloropropane      | 4.465          | 77   | 61908      | 19.050   | ug/l   | 98       |
| 27) cis-1,2-Dichloroethene   | 4.483          | 96   | 48502      | 18.602   | ug/l   | 99       |
| 28) Bromochloromethane       | 4.898          | 49   | 35416      | 18.753   | ug/l   | 100      |
| 29) Tetrahydrofuran          | 5.007          | 42   | 96260      | 88.912   | ug/l   | 98       |
| 30) Chloroform               | 5.086          | 83   | 75982      | 18.258   | ug/l   | 98       |
| 31) Cyclohexane              | 5.458          | 56   | 60944      | 20.070   | ug/l   | 94       |
| 32) 1,1,1-Trichloroethane    | 5.379          | 97   | 66644      | 19.074   | ug/l   | 98       |
| 36) 1,1-Dichloropropene      | 5.684          | 75   | 50726      | 20.217   | ug/l   | 99       |
| 37) Ethyl Acetate            | 4.715          | 43   | 57527      | 18.885   | ug/l   | 98       |
| 38) Carbon Tetrachloride     | 5.672          | 117  | 55313      | 19.952   | ug/l   | 95       |
| 39) Methylcyclohexane        | 7.373          | 83   | 65547      | 21.041   | ug/l   | 95       |
| 40) Benzene                  | 6.031          | 78   | 162811     | 19.451   | ug/l   | 97       |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
 Data File : VX043587.D  
 Acq On : 29 Oct 2024 11:20  
 Operator : JC/MD  
 Sample : VX1029WBSD01  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VX1029WBSD01

Manual Integrations  
 APPROVED

Reviewed By :Semsettin Yesilyurt 10/30/2024  
 Supervised By :Mahesh Dadoda 10/30/2024

Quant Time: Oct 30 01:27:53 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 28 13:41:34 2024  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc    | Units  | Dev(Min) |
|-------------------------------|--------|------|----------|---------|--------|----------|
| 41) Methacrylonitrile         | 4.922  | 41   | 30340    | 18.975  | ug/l   | 96       |
| 42) 1,2-Dichloroethane        | 6.086  | 62   | 57693    | 19.172  | ug/l   | 98       |
| 43) Isopropyl Acetate         | 6.342  | 43   | 94365    | 18.732  | ug/l   | 98       |
| 44) Trichloroethene           | 7.123  | 130  | 40576    | 19.513  | ug/l   | 98       |
| 45) 1,2-Dichloropropane       | 7.428  | 63   | 39286    | 19.061  | ug/l   | 98       |
| 46) Dibromomethane            | 7.580  | 93   | 30214    | 19.039  | ug/l   | 98       |
| 47) Bromodichloromethane      | 7.818  | 83   | 52666    | 18.918  | ug/l   | 96       |
| 48) Methyl methacrylate       | 7.696  | 41   | 45342    | 18.984  | ug/l   | 98       |
| 49) 1,4-Dioxane               | 7.671  | 88   | 22833    | 465.320 | ug/l   | 99       |
| 51) 4-Methyl-2-Pentanone      | 8.574  | 43   | 303410   | 98.818  | ug/l   | 100      |
| 52) Toluene                   | 8.720  | 92   | 102358   | 20.164  | ug/l   | 100      |
| 53) t-1,3-Dichloropropene     | 8.976  | 75   | 57218    | 19.136  | ug/l   | 97       |
| 54) cis-1,3-Dichloropropene   | 8.366  | 75   | 64125    | 20.128  | ug/l   | 93       |
| 55) 1,1,2-Trichloroethane     | 9.153  | 97   | 42874    | 20.290  | ug/l   | 96       |
| 56) Ethyl methacrylate        | 9.116  | 69   | 67171    | 19.564  | ug/l   | 97       |
| 57) 1,3-Dichloropropane       | 9.305  | 76   | 69379    | 19.741  | ug/l   | 98       |
| 58) 2-Chloroethyl Vinyl ether | 8.238  | 63   | 161188   | 96.934  | ug/l   | 98       |
| 59) 2-Hexanone                | 9.433  | 43   | 235915   | 101.166 | ug/l   | 100      |
| 60) Dibromochloromethane      | 9.519  | 129  | 41001    | 19.595  | ug/l   | 98       |
| 61) 1,2-Dibromoethane         | 9.610  | 107  | 43112    | 19.655  | ug/l   | 97       |
| 64) Tetrachloroethene         | 9.275  | 164  | 35803    | 21.083  | ug/l   | 94       |
| 65) Chlorobenzene             | 10.079 | 112  | 114879   | 19.776  | ug/l   | 100      |
| 66) 1,1,1,2-Tetrachloroethane | 10.159 | 131  | 39255    | 20.689  | ug/l   | 99       |
| 67) Ethyl Benzene             | 10.195 | 91   | 191684   | 20.237  | ug/l   | 97       |
| 68) m/p-Xylenes               | 10.299 | 106  | 151758   | 41.895  | ug/l   | 95       |
| 69) o-Xylene                  | 10.640 | 106  | 75831    | 20.836  | ug/l   | 97       |
| 70) Styrene                   | 10.653 | 104  | 124213   | 20.534  | ug/l   | 99       |
| 71) Bromoform                 | 10.799 | 173  | 25655    | 18.805  | ug/l # | 96       |
| 73) Isopropylbenzene          | 10.963 | 105  | 190648   | 20.509  | ug/l   | 99       |
| 74) N-amyl acetate            | 10.842 | 43   | 86862    | 19.182  | ug/l   | 99       |
| 75) 1,1,2,2-Tetrachloroethane | 11.213 | 83   | 65393    | 19.563  | ug/l   | 100      |
| 76) 1,2,3-Trichloropropane    | 11.238 | 75   | 52914m   | 18.859  | ug/l   |          |
| 77) Bromobenzene              | 11.195 | 156  | 46994    | 19.579  | ug/l   | 99       |
| 78) n-propylbenzene           | 11.305 | 91   | 208848   | 20.606  | ug/l   | 99       |
| 79) 2-Chlorotoluene           | 11.366 | 91   | 133377   | 19.846  | ug/l   | 99       |
| 80) 1,3,5-Trimethylbenzene    | 11.451 | 105  | 161261   | 20.806  | ug/l   | 100      |
| 81) trans-1,4-Dichloro-2-b... | 11.018 | 75   | 18827    | 18.460  | ug/l   | 98       |
| 82) 4-Chlorotoluene           | 11.451 | 91   | 150670   | 19.974  | ug/l   | 99       |
| 83) tert-Butylbenzene         | 11.713 | 119  | 165824   | 21.037  | ug/l   | 99       |
| 84) 1,2,4-Trimethylbenzene    | 11.750 | 105  | 163892   | 20.749  | ug/l   | 99       |
| 85) sec-Butylbenzene          | 11.890 | 105  | 197051   | 21.328  | ug/l   | 100      |
| 86) p-Isopropyltoluene        | 12.006 | 119  | 164691   | 20.970  | ug/l   | 99       |
| 87) 1,3-Dichlorobenzene       | 11.969 | 146  | 85827    | 19.950  | ug/l   | 99       |
| 88) 1,4-Dichlorobenzene       | 12.043 | 146  | 85335    | 19.143  | ug/l   | 99       |
| 89) n-Butylbenzene            | 12.329 | 91   | 132178   | 20.655  | ug/l   | 98       |
| 90) Hexachloroethane          | 12.536 | 117  | 25551    | 20.029  | ug/l   | 98       |
| 91) 1,2-Dichlorobenzene       | 12.335 | 146  | 88551    | 20.129  | ug/l   | 99       |
| 92) 1,2-Dibromo-3-Chloropr... | 12.939 | 75   | 12736    | 18.690  | ug/l   | 94       |
| 93) 1,2,4-Trichlorobenzene    | 13.585 | 180  | 51206    | 19.176  | ug/l   | 97       |
| 94) Hexachlorobutadiene       | 13.725 | 225  | 20393    | 20.713  | ug/l   | 98       |
| 95) Naphthalene               | 13.774 | 128  | 200939   | 19.665  | ug/l   | 99       |
| 96) 1,2,3-Trichlorobenzene    | 13.963 | 180  | 53643    | 19.053  | ug/l   | 99       |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
Data File : VX043587.D  
Acq On : 29 Oct 2024 11:20  
Operator : JC/MD  
Sample : VX1029WBSD01  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 1 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
VX1029WBSD01

Manual Integrations  
**APPROVED**

Reviewed By :Semsettin Yesilyurt 10/30/2024  
Supervised By :Mahesh Dadoda 10/30/2024

Quant Time: Oct 30 01:27:53 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
Quant Title : SW846 8260  
QLast Update : Mon Oct 28 13:41:34 2024  
Response via : Initial Calibration

| Compound | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|----------|------|------|----------|------|-------|----------|
|----------|------|------|----------|------|-------|----------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102924\  
Data File : VX043587.D  
Acq On : 29 Oct 2024 11:20  
Operator : JC/MD  
Sample : VX1029WBSD01  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 1 Sample Multiplier: 1

**Instrument :**  
MSVOA\_X  
**ClientSampleId :**  
VX1029WBSD01

## Manual Integrations

Reviewed By :Semsettin Yesilyurt 10/30/2024  
Supervised By :Mahesh Dadoda 10/30/2024

Quant Time: Oct 30 01:27:53 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X102824W.M  
Quant Title : SW846 8260  
QLast Update : Mon Oct 28 13:41:34 2024  
Response via : Initial Calibration



## Manual Integration Report

|           |          |            |         |
|-----------|----------|------------|---------|
| Sequence: | VX102824 | Instrument | MSVOA_x |
|-----------|----------|------------|---------|

| Sample ID   | File ID    | Parameter              | Review By | Review On                | Supervised By | Supervised On             | Reason                      |
|-------------|------------|------------------------|-----------|--------------------------|---------------|---------------------------|-----------------------------|
| VSTDIC001   | VX043556.D | 1,2,3-Trichloropropane | SAM       | 10/29/2024<br>8:57:08 AM | MMDadoda      | 10/29/2024<br>12:19:41 PM | Peak Integrated by Software |
| VSTDIC001   | VX043556.D | 1,4-Dichlorobenzene    | SAM       | 10/29/2024<br>8:57:08 AM | MMDadoda      | 10/29/2024<br>12:19:41 PM | Peak Integrated by Software |
| VSTDIC001   | VX043556.D | Ethyl Acetate          | SAM       | 10/29/2024<br>8:57:08 AM | MMDadoda      | 10/29/2024<br>12:19:41 PM | Peak Integrated by Software |
| VSTDIC001   | VX043556.D | Methacrylonitrile      | SAM       | 10/29/2024<br>8:57:08 AM | MMDadoda      | 10/29/2024<br>12:19:41 PM | Peak Integrated by Software |
| VSTDIC005   | VX043557.D | 1,2,3-Trichloropropane | SAM       | 10/29/2024<br>8:57:13 AM | MMDadoda      | 10/29/2024<br>12:19:39 PM | Peak Integrated by Software |
| VSTDIC020   | VX043558.D | 1,2,3-Trichloropropane | SAM       | 10/29/2024<br>8:57:18 AM | MMDadoda      | 10/29/2024<br>12:19:37 PM | Peak Integrated by Software |
| VSTDIC020   | VX043558.D | Tert butyl alcohol     | SAM       | 10/29/2024<br>8:57:18 AM | MMDadoda      | 10/29/2024<br>12:19:37 PM | Peak Integrated by Software |
| VSTDICCC050 | VX043559.D | 1,2,3-Trichloropropane | SAM       | 10/29/2024<br>8:57:53 AM | MMDadoda      | 10/29/2024<br>12:19:36 PM | Peak Integrated by Software |
| VSTDICCC050 | VX043559.D | Tert butyl alcohol     | SAM       | 10/29/2024<br>8:57:53 AM | MMDadoda      | 10/29/2024<br>12:19:36 PM | Peak Integrated by Software |
| VSTDIC100   | VX043560.D | 1,2,3-Trichloropropane | SAM       | 10/29/2024<br>8:57:22 AM | MMDadoda      | 10/29/2024<br>12:19:34 PM | Peak Integrated by Software |
| VSTDIC150   | VX043561.D | 1,2,3-Trichloropropane | SAM       | 10/29/2024<br>8:57:57 AM | MMDadoda      | 10/29/2024<br>12:19:32 PM | Peak Integrated by Software |
| VSTDICV050  | VX043563.D | 1,2,3-Trichloropropane | SAM       | 10/29/2024<br>8:57:27 AM | MMDadoda      | 10/29/2024<br>12:19:30 PM | Peak Integrated by Software |
| VSTDCCC050  | VX043581.D | 1,2,3-Trichloropropane | SAM       | 10/29/2024<br>8:57:42 AM | MMDadoda      | 10/29/2024<br>12:19:26 PM | Peak Integrated by Software |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

## Manual Integration Report

Sequence:

VX102824

Instrument

MSVOA\_x

Sample ID

File ID

Parameter

Review By

Review On

Supervised  
By

Supervised On

Reason

## Manual Integration Report

|           |          |            |         |
|-----------|----------|------------|---------|
| Sequence: | VX102924 | Instrument | MSVOA_x |
|-----------|----------|------------|---------|

| Sample ID        | File ID    | Parameter              | Review By | Review On                 | Supervised By | Supervised On            | Reason                      |
|------------------|------------|------------------------|-----------|---------------------------|---------------|--------------------------|-----------------------------|
| VSTDCCC050       | VX043583.D | 1,2,3-Trichloropropane | SAM       | 10/30/2024<br>11:31:32 AM | MMDadoda      | 10/30/2024<br>1:23:51 PM | Peak Integrated by Software |
| VX1029WBS01      | VX043586.D | 1,2,3-Trichloropropane | SAM       | 10/30/2024<br>11:31:35 AM | MMDadoda      | 10/30/2024<br>1:23:53 PM | Peak Integrated by Software |
| VX1029WBS01      | VX043586.D | Chloroethane           | SAM       | 10/30/2024<br>11:31:35 AM | MMDadoda      | 10/30/2024<br>1:23:53 PM | Peak Integrated by Software |
| VX1029WBS01      | VX043586.D | Tert butyl alcohol     | SAM       | 10/30/2024<br>11:31:35 AM | MMDadoda      | 10/30/2024<br>1:23:53 PM | Peak Integrated by Software |
| VX1029WBSD0<br>1 | VX043587.D | 1,2,3-Trichloropropane | SAM       | 10/30/2024<br>11:31:36 AM | MMDadoda      | 10/30/2024<br>1:23:55 PM | Peak Integrated by Software |
| VX1029WBSD0<br>1 | VX043587.D | Tert butyl alcohol     | SAM       | 10/30/2024<br>11:31:36 AM | MMDadoda      | 10/30/2024<br>1:23:55 PM | Peak Integrated by Software |
| VSTDCCC050       | VX043608.D | 1,2,3-Trichloropropane | SAM       | 10/30/2024<br>11:31:39 AM | MMDadoda      | 10/30/2024<br>1:23:58 PM | Peak Integrated by Software |

Instrument ID: **MSVOA\_X**

**Daily Analysis Runlog For Sequence/QC Batch ID # VX102824**

|                          |                     |                                                       |                        |                      |              |
|--------------------------|---------------------|-------------------------------------------------------|------------------------|----------------------|--------------|
| Review By                | Mahesh Dadoda       | Review On                                             | 10/29/2024 12:19:57 PM |                      |              |
| Supervise By             | Semsettin Yesilyurt | Supervise On                                          | 10/29/2024 12:21:34 PM |                      |              |
| SubDirectory             | VX102824            | HP Acquire Method                                     | MSVOA_X                | HP Processing Method | 82x102824w.m |
| STD. NAME                |                     | STD REF.#                                             |                        |                      |              |
| Tune/Reschk              |                     | VP131142                                              |                        |                      |              |
| Initial Calibration Stds |                     | VP131143,VP131144,VP131145,VP131147,VP131148,VP131149 |                        |                      |              |
| CCC                      |                     | VP131151,VP131152                                     |                        |                      |              |
| Internal Standard/PEM    |                     | VP128298                                              |                        |                      |              |
| ICV/I.BLK                |                     | VP131150                                              |                        |                      |              |
| Surrogate Standard       |                     |                                                       |                        |                      |              |
| MS/MSD Standard          |                     |                                                       |                        |                      |              |
| LCS Standard             |                     |                                                       |                        |                      |              |

| Sr# | SampleId       | Data File Name | Date-Time         | Operator | Status |
|-----|----------------|----------------|-------------------|----------|--------|
| 1   | BFB            | VX043555.D     | 28 Oct 2024 10:09 | JC/MD    | Ok     |
| 2   | VSTDIC001      | VX043556.D     | 28 Oct 2024 10:59 | JC/MD    | Ok,M   |
| 3   | VSTDIC005      | VX043557.D     | 28 Oct 2024 11:22 | JC/MD    | Ok,M   |
| 4   | VSTDIC020      | VX043558.D     | 28 Oct 2024 11:45 | JC/MD    | Ok,M   |
| 5   | VSTDIC050      | VX043559.D     | 28 Oct 2024 12:08 | JC/MD    | Ok,M   |
| 6   | VSTDIC100      | VX043560.D     | 28 Oct 2024 12:31 | JC/MD    | Ok,M   |
| 7   | VSTDIC150      | VX043561.D     | 28 Oct 2024 12:54 | JC/MD    | Ok,M   |
| 8   | VIBLK          | VX043562.D     | 28 Oct 2024 14:04 | JC/MD    | Ok     |
| 9   | VSTDICV050     | VX043563.D     | 28 Oct 2024 14:27 | JC/MD    | Ok,M   |
| 10  | VX1028MBL01    | VX043564.D     | 28 Oct 2024 15:02 | JC/MD    | Not Ok |
| 11  | VX1028WBL01    | VX043565.D     | 28 Oct 2024 15:52 | JC/MD    | Ok     |
| 12  | VX1028WBS01    | VX043566.D     | 28 Oct 2024 16:28 | JC/MD    | Ok,M   |
| 13  | VX1028WBSD01   | VX043567.D     | 28 Oct 2024 16:51 | JC/MD    | Ok,M   |
| 14  | PB164394TB     | VX043568.D     | 28 Oct 2024 17:14 | JC/MD    | Ok     |
| 15  | PB164394ZHE#01 | VX043569.D     | 28 Oct 2024 17:38 | JC/MD    | Ok     |
| 16  | PB164394ZHE#02 | VX043570.D     | 28 Oct 2024 18:01 | JC/MD    | Ok     |
| 17  | PB164394ZHE#03 | VX043571.D     | 28 Oct 2024 18:24 | JC/MD    | Ok     |
| 18  | PB164394ZHE#04 | VX043572.D     | 28 Oct 2024 18:47 | JC/MD    | Ok     |
| 19  | PB164394ZHE#05 | VX043573.D     | 28 Oct 2024 19:10 | JC/MD    | Ok     |
| 20  | PB164394ZHE#06 | VX043574.D     | 28 Oct 2024 19:33 | JC/MD    | Ok     |
| 21  | PB164394ZHE#07 | VX043575.D     | 28 Oct 2024 19:56 | JC/MD    | Ok     |

Instrument ID: **MSVOA\_X**

**Daily Analysis Runlog For Sequence/QC Batch ID # VX102824**

| Review By                | Mahesh Dadoda       | Review On                                             | 10/29/2024 12:19:57 PM |                      |              |
|--------------------------|---------------------|-------------------------------------------------------|------------------------|----------------------|--------------|
| Supervise By             | Semsettin Yesilyurt | Supervise On                                          | 10/29/2024 12:21:34 PM |                      |              |
| SubDirectory             | VX102824            | HP Acquire Method                                     | MSVOA_X                | HP Processing Method | 82x102824w.m |
| STD. NAME                |                     | STD REF.#                                             |                        |                      |              |
| Tune/Reschk              |                     | VP131142                                              |                        |                      |              |
| Initial Calibration Stds |                     | VP131143,VP131144,VP131145,VP131147,VP131148,VP131149 |                        |                      |              |
| CCC                      |                     | VP131151,VP131152                                     |                        |                      |              |
| Internal Standard/PEM    |                     | VP128298                                              |                        |                      |              |
| ICV/I.BLK                |                     | VP131150                                              |                        |                      |              |
| Surrogate Standard       |                     |                                                       |                        |                      |              |
| MS/MSD Standard          |                     |                                                       |                        |                      |              |
| LCS Standard             |                     |                                                       |                        |                      |              |

|    |                |            |                   |       |        |
|----|----------------|------------|-------------------|-------|--------|
| 22 | PB164394ZHE#08 | VX043576.D | 28 Oct 2024 20:19 | JC/MD | Ok     |
| 23 | PB164394ZHE#09 | VX043577.D | 28 Oct 2024 20:42 | JC/MD | Ok     |
| 24 | PB164394ZHE#10 | VX043578.D | 28 Oct 2024 21:05 | JC/MD | Ok     |
| 25 | PB164394ZHE#11 | VX043579.D | 28 Oct 2024 21:28 | JC/MD | Ok     |
| 26 | PB164394ZHE#12 | VX043580.D | 28 Oct 2024 21:52 | JC/MD | Ok     |
| 27 | VSTDCCC050     | VX043581.D | 28 Oct 2024 22:15 | JC/MD | Not Ok |

M : Manual Integration

Instrument ID: **MSVOA\_X**

**Daily Analysis Runlog For Sequence/QC Batch ID # VX102924**

|                                         |                     |                   |                        |                      |              |
|-----------------------------------------|---------------------|-------------------|------------------------|----------------------|--------------|
| Review By                               | Semsettin Yesilyurt | Review On         | 10/30/2024 11:31:42 AM |                      |              |
| Supervise By                            | Maresh Dadoda       | Supervise On      | 10/30/2024 1:24:02 PM  |                      |              |
| SubDirectory                            | VX102924            | HP Acquire Method | MSVOA_X                | HP Processing Method | 82x102824w.m |
| STD. NAME                               |                     | STD REF.#         |                        |                      |              |
| Tune/Reschk<br>Initial Calibration Stds |                     | VP131169          |                        |                      |              |
| CCC                                     |                     | VP131171,VP131172 |                        |                      |              |
| Internal Standard/PEM                   |                     | VP128298          |                        |                      |              |
| ICV/I.BLK                               |                     |                   |                        |                      |              |
| Surrogate Standard                      |                     |                   |                        |                      |              |
| MS/MSD Standard                         |                     |                   |                        |                      |              |
| LCS Standard                            |                     |                   |                        |                      |              |

| Sr# | SampleId     | Data File Name | Date-Time         | Operator | Status |
|-----|--------------|----------------|-------------------|----------|--------|
| 1   | BFB          | VX043582.D     | 29 Oct 2024 08:30 | JC/MD    | Ok     |
| 2   | VSTDCCC050   | VX043583.D     | 29 Oct 2024 09:29 | JC/MD    | Ok,M   |
| 3   | VX1029MBL01  | VX043584.D     | 29 Oct 2024 10:06 | JC/MD    | Ok     |
| 4   | VX1029WBL01  | VX043585.D     | 29 Oct 2024 10:31 | JC/MD    | Ok     |
| 5   | VX1029WBS01  | VX043586.D     | 29 Oct 2024 10:57 | JC/MD    | Ok,M   |
| 6   | VX1029WBSD01 | VX043587.D     | 29 Oct 2024 11:20 | JC/MD    | Ok,M   |
| 7   | VIBLK        | VX043588.D     | 29 Oct 2024 11:43 | JC/MD    | Ok     |
| 8   | P4596-07     | VX043589.D     | 29 Oct 2024 12:10 | JC/MD    | Ok,M   |
| 9   | VIBLK        | VX043590.D     | 29 Oct 2024 12:33 | JC/MD    | Ok     |
| 10  | P4578-09     | VX043591.D     | 29 Oct 2024 12:56 | JC/MD    | Ok     |
| 11  | P4548-09     | VX043592.D     | 29 Oct 2024 13:19 | JC/MD    | Ok     |
| 12  | P4548-01     | VX043593.D     | 29 Oct 2024 13:43 | JC/MD    | Ok     |
| 13  | P4548-03     | VX043594.D     | 29 Oct 2024 14:06 | JC/MD    | Ok     |
| 14  | P4548-05     | VX043595.D     | 29 Oct 2024 14:29 | JC/MD    | Ok     |
| 15  | P4548-07     | VX043596.D     | 29 Oct 2024 14:52 | JC/MD    | Ok     |
| 16  | P4578-01     | VX043597.D     | 29 Oct 2024 15:15 | JC/MD    | Ok     |
| 17  | P4578-02     | VX043598.D     | 29 Oct 2024 15:38 | JC/MD    | Ok     |
| 18  | P4600-01     | VX043599.D     | 29 Oct 2024 16:01 | JC/MD    | Ok     |
| 19  | P4600-02     | VX043600.D     | 29 Oct 2024 16:24 | JC/MD    | Ok     |
| 20  | P4600-03     | VX043601.D     | 29 Oct 2024 16:48 | JC/MD    | Ok     |
| 21  | P4600-04     | VX043602.D     | 29 Oct 2024 17:11 | JC/MD    | Ok     |

Instrument ID: **MSVOA\_X**

**Daily Analysis Runlog For Sequence/QC Batch ID # VX102924**

| Review By                               | Semsettin Yesilyurt | Review On         | 10/30/2024 11:31:42 AM |                      |              |
|-----------------------------------------|---------------------|-------------------|------------------------|----------------------|--------------|
| Supervise By                            | Mahesh Dadoda       | Supervise On      | 10/30/2024 1:24:02 PM  |                      |              |
| SubDirectory                            | VX102924            | HP Acquire Method | MSVOA_X                | HP Processing Method | 82x102824w.m |
| STD. NAME                               | STD REF.#           |                   |                        |                      |              |
| Tune/Reschk<br>Initial Calibration Stds | VP131169            |                   |                        |                      |              |
| CCC                                     | VP131171,VP131172   |                   |                        |                      |              |
| Internal Standard/PEM                   | VP128298            |                   |                        |                      |              |
| ICV/I.BLK                               |                     |                   |                        |                      |              |
| Surrogate Standard                      |                     |                   |                        |                      |              |
| MS/MSD Standard                         |                     |                   |                        |                      |              |
| LCS Standard                            |                     |                   |                        |                      |              |

|    |            |            |                   |       |       |
|----|------------|------------|-------------------|-------|-------|
| 22 | P4600-05   | VX043603.D | 29 Oct 2024 17:34 | JC/MD | ReRun |
| 23 | P4600-06   | VX043604.D | 29 Oct 2024 17:57 | JC/MD | Ok    |
| 24 | P4600-07   | VX043605.D | 29 Oct 2024 18:20 | JC/MD | Ok    |
| 25 | P4562-01   | VX043606.D | 29 Oct 2024 18:43 | JC/MD | Ok    |
| 26 | P4562-01   | VX043607.D | 29 Oct 2024 19:06 | JC/MD | ReRun |
| 27 | VSTDCCC050 | VX043608.D | 29 Oct 2024 19:29 | JC/MD | Ok,M  |

M : Manual Integration

Instrument ID: MSVOA\_X

**Daily Analysis Runlog For Sequence/QC Batch ID # VX102824**

|              |                     |                   |                                           |
|--------------|---------------------|-------------------|-------------------------------------------|
| Review By    | Mahesh Dadoda       | Review On         | 10/29/2024 12:19:57 PM                    |
| Supervise By | Semsettin Yesilyurt | Supervise On      | 10/29/2024 12:21:34 PM                    |
| SubDirectory | VX102824            | HP Acquire Method | MSVOA_X HP Processing Method 82x102824w.m |

| STD. NAME                | STD REF.#                                             |
|--------------------------|-------------------------------------------------------|
| Tune/Reschk              | VP131142                                              |
| Initial Calibration Stds | VP131143,VP131144,VP131145,VP131147,VP131148,VP131149 |
| CCC                      | VP131151,VP131152                                     |
| Internal Standard/PEM    | VP128298                                              |
| ICV/I.BLK                | VP131150                                              |
| Surrogate Standard       |                                                       |
| MS/MSD Standard          |                                                       |
| LCS Standard             |                                                       |

| Sr# | SampleID       | ClientID       | Data File Name | Date-Time         | Comment                | Operator | Status |
|-----|----------------|----------------|----------------|-------------------|------------------------|----------|--------|
| 1   | BFB            | BFB            | VX043555.D     | 28 Oct 2024 10:09 |                        | JC/MD    | Ok     |
| 2   | VSTDICC001     | VSTDICC001     | VX043556.D     | 28 Oct 2024 10:59 | Method pass            | JC/MD    | Ok,M   |
| 3   | VSTDICC005     | VSTDICC005     | VX043557.D     | 28 Oct 2024 11:22 | 8260D                  | JC/MD    | Ok,M   |
| 4   | VSTDICC020     | VSTDICC020     | VX043558.D     | 28 Oct 2024 11:45 |                        | JC/MD    | Ok,M   |
| 5   | VSTDICCC050    | VSTDICCC050    | VX043559.D     | 28 Oct 2024 12:08 |                        | JC/MD    | Ok,M   |
| 6   | VSTDICC100     | VSTDICC100     | VX043560.D     | 28 Oct 2024 12:31 |                        | JC/MD    | Ok,M   |
| 7   | VSTDICC150     | VSTDICC150     | VX043561.D     | 28 Oct 2024 12:54 |                        | JC/MD    | Ok,M   |
| 8   | VIBLK          | VIBLK          | VX043562.D     | 28 Oct 2024 14:04 |                        | JC/MD    | Ok     |
| 9   | VSTDICV050     | ICVVX102824    | VX043563.D     | 28 Oct 2024 14:27 |                        | JC/MD    | Ok,M   |
| 10  | VX1028MBL01    | VX1028MBL01    | VX043564.D     | 28 Oct 2024 15:02 | Internal standard fail | JC/MD    | Not Ok |
| 11  | VX1028WBL01    | VX1028WBL01    | VX043565.D     | 28 Oct 2024 15:52 |                        | JC/MD    | Ok     |
| 12  | VX1028WBS01    | VX1028WBS01    | VX043566.D     | 28 Oct 2024 16:28 |                        | JC/MD    | Ok,M   |
| 13  | VX1028WBSD01   | VX1028WBSD01   | VX043567.D     | 28 Oct 2024 16:51 |                        | JC/MD    | Ok,M   |
| 14  | PB164394TB     | PB164394TB     | VX043568.D     | 28 Oct 2024 17:14 | pH#5.0 A               | JC/MD    | Ok     |
| 15  | PB164394ZHE#01 | PB164394ZHE#01 | VX043569.D     | 28 Oct 2024 17:38 | pH#5.0 A               | JC/MD    | Ok     |
| 16  | PB164394ZHE#02 | PB164394ZHE#02 | VX043570.D     | 28 Oct 2024 18:01 | pH#5.0 A               | JC/MD    | Ok     |
| 17  | PB164394ZHE#03 | PB164394ZHE#03 | VX043571.D     | 28 Oct 2024 18:24 | pH#5.0 A               | JC/MD    | Ok     |
| 18  | PB164394ZHE#04 | PB164394ZHE#04 | VX043572.D     | 28 Oct 2024 18:47 | pH#5.0 A               | JC/MD    | Ok     |

Instrument ID: MSVOA\_X

**Daily Analysis Runlog For Sequence/QC Batch ID # VX102824**

|                          |                     |                                                       |                        |                      |              |
|--------------------------|---------------------|-------------------------------------------------------|------------------------|----------------------|--------------|
| Review By                | Mahesh Dadoda       | Review On                                             | 10/29/2024 12:19:57 PM |                      |              |
| Supervise By             | Semsettin Yesilyurt | Supervise On                                          | 10/29/2024 12:21:34 PM |                      |              |
| SubDirectory             | VX102824            | HP Acquire Method                                     | MSVOA_X                | HP Processing Method | 82x102824w.m |
| STD. NAME                |                     | STD REF.#                                             |                        |                      |              |
| Tune/Reschk              |                     | VP131142                                              |                        |                      |              |
| Initial Calibration Stds |                     | VP131143,VP131144,VP131145,VP131147,VP131148,VP131149 |                        |                      |              |
| CCC                      |                     | VP131151,VP131152                                     |                        |                      |              |
| Internal Standard/PEM    |                     | VP128298                                              |                        |                      |              |
| ICV/I.BLK                |                     | VP131150                                              |                        |                      |              |
| Surrogate Standard       |                     |                                                       |                        |                      |              |
| MS/MSD Standard          |                     |                                                       |                        |                      |              |
| LCS Standard             |                     |                                                       |                        |                      |              |

|    |                |                |            |                   |                  |       |        |
|----|----------------|----------------|------------|-------------------|------------------|-------|--------|
| 19 | PB164394ZHE#05 | PB164394ZHE#05 | VX043573.D | 28 Oct 2024 19:10 | pH#5.0 A         | JC/MD | Ok     |
| 20 | PB164394ZHE#06 | PB164394ZHE#06 | VX043574.D | 28 Oct 2024 19:33 | pH#5.0 A         | JC/MD | Ok     |
| 21 | PB164394ZHE#07 | PB164394ZHE#07 | VX043575.D | 28 Oct 2024 19:56 | pH#5.0 A         | JC/MD | Ok     |
| 22 | PB164394ZHE#08 | PB164394ZHE#08 | VX043576.D | 28 Oct 2024 20:19 | pH#5.0 A         | JC/MD | Ok     |
| 23 | PB164394ZHE#09 | PB164394ZHE#09 | VX043577.D | 28 Oct 2024 20:42 | pH#5.0 A         | JC/MD | Ok     |
| 24 | PB164394ZHE#10 | PB164394ZHE#10 | VX043578.D | 28 Oct 2024 21:05 | pH#5.0 A         | JC/MD | Ok     |
| 25 | PB164394ZHE#11 | PB164394ZHE#11 | VX043579.D | 28 Oct 2024 21:28 | pH#5.0 A         | JC/MD | Ok     |
| 26 | PB164394ZHE#12 | PB164394ZHE#12 | VX043580.D | 28 Oct 2024 21:52 | pH#5.0 A         | JC/MD | Ok     |
| 27 | VSTDCCC050     | VSTDCCC050EC   | VX043581.D | 28 Oct 2024 22:15 | out of tune time | JC/MD | Not Ok |

M : Manual Integration

Instrument ID: MSVOA\_X

**Daily Analysis Runlog For Sequence/QC Batch ID # VX102924**

|              |                     |                   |                                           |
|--------------|---------------------|-------------------|-------------------------------------------|
| Review By    | Semsettin Yesilyurt | Review On         | 10/30/2024 11:31:42 AM                    |
| Supervise By | Maresh Dadoda       | Supervise On      | 10/30/2024 1:24:02 PM                     |
| SubDirectory | VX102924            | HP Acquire Method | MSVOA_X HP Processing Method 82x102824w.m |

| STD. NAME                                                                                          | STD REF.#                     |
|----------------------------------------------------------------------------------------------------|-------------------------------|
| Tune/Reschk<br>Initial Calibration Stds                                                            | VP131169                      |
| CCC<br>Internal Standard/PEM<br>ICV/I.BLK<br>Surrogate Standard<br>MS/MSD Standard<br>LCS Standard | VP131171,VP131172<br>VP128298 |

| Sr# | SampleID     | ClientID            | Data File Name | Date-Time         | Comment        | Operator | Status |
|-----|--------------|---------------------|----------------|-------------------|----------------|----------|--------|
| 1   | BFB          | BFB                 | VX043582.D     | 29 Oct 2024 08:30 |                | JC/MD    | Ok     |
| 2   | VSTDCCC050   | VSTDCCC050          | VX043583.D     | 29 Oct 2024 09:29 |                | JC/MD    | Ok,M   |
| 3   | VX1029MBL01  | VX1029MBL01         | VX043584.D     | 29 Oct 2024 10:06 |                | JC/MD    | Ok     |
| 4   | VX1029WBL01  | VX1029WBL01         | VX043585.D     | 29 Oct 2024 10:31 |                | JC/MD    | Ok     |
| 5   | VX1029WBS01  | VX1029WBS01         | VX043586.D     | 29 Oct 2024 10:57 |                | JC/MD    | Ok,M   |
| 6   | VX1029WBSD01 | VX1029WBSD01        | VX043587.D     | 29 Oct 2024 11:20 |                | JC/MD    | Ok,M   |
| 7   | VIBLK        | VIBLK               | VX043588.D     | 29 Oct 2024 11:43 |                | JC/MD    | Ok     |
| 8   | P4596-07     | TOTE-WATER-COMP     | VX043589.D     | 29 Oct 2024 12:10 |                | JC/MD    | Ok,M   |
| 9   | VIBLK        | VIBLK               | VX043590.D     | 29 Oct 2024 12:33 |                | JC/MD    | Ok     |
| 10  | P4578-09     | TB-10252024         | VX043591.D     | 29 Oct 2024 12:56 | vial A pH<2 TB | JC/MD    | Ok     |
| 11  | P4548-09     | TRIP BLANK          | VX043592.D     | 29 Oct 2024 13:19 | vial A pH<2 TB | JC/MD    | Ok     |
| 12  | P4548-01     | MW-1                | VX043593.D     | 29 Oct 2024 13:43 | vial A pH<2    | JC/MD    | Ok     |
| 13  | P4548-03     | MW-2                | VX043594.D     | 29 Oct 2024 14:06 | vial A pH<2    | JC/MD    | Ok     |
| 14  | P4548-05     | MW-3                | VX043595.D     | 29 Oct 2024 14:29 | vial A pH<2    | JC/MD    | Ok     |
| 15  | P4548-07     | MW-4                | VX043596.D     | 29 Oct 2024 14:52 | vial A pH<2    | JC/MD    | Ok     |
| 16  | P4578-01     | WB-305-SW           | VX043597.D     | 29 Oct 2024 15:15 | vial A pH<2    | JC/MD    | Ok     |
| 17  | P4578-02     | WB-305-SW-1         | VX043598.D     | 29 Oct 2024 15:38 | vial A pH<2    | JC/MD    | Ok     |
| 18  | P4600-01     | BP-VPB-190-TB-20241 | VX043599.D     | 29 Oct 2024 16:01 | vial A pH<2 TB | JC/MD    | Ok     |

Instrument ID: MSVOA\_X

**Daily Analysis Runlog For Sequence/QC Batch ID # VX102924**

| Review By                               | Semsettin Yesilyurt | Review On         | 10/30/2024 11:31:42 AM                    |
|-----------------------------------------|---------------------|-------------------|-------------------------------------------|
| Supervise By                            | Maresh Dadoda       | Supervise On      | 10/30/2024 1:24:02 PM                     |
| SubDirectory                            | VX102924            | HP Acquire Method | MSVOA_X HP Processing Method 82x102824w.m |
| STD. NAME                               | STD REF.#           |                   |                                           |
| Tune/Reschk<br>Initial Calibration Stds | VP131169            |                   |                                           |
| CCC                                     | VP131171,VP131172   |                   |                                           |
| Internal Standard/PEM                   | VP128298            |                   |                                           |
| ICV/I.BLK                               |                     |                   |                                           |
| Surrogate Standard                      |                     |                   |                                           |
| MS/MSD Standard                         |                     |                   |                                           |
| LCS Standard                            |                     |                   |                                           |

|    |            |                       |            |                   |                                    |       |       |
|----|------------|-----------------------|------------|-------------------|------------------------------------|-------|-------|
| 19 | P4600-02   | BP-VPB-190-DUP-2024   | VX043600.D | 29 Oct 2024 16:24 | vial A pH<2                        | JC/MD | Ok    |
| 20 | P4600-03   | BP-VPB-190-GW-438-4   | VX043601.D | 29 Oct 2024 16:48 | vial A pH<2                        | JC/MD | Ok    |
| 21 | P4600-04   | BP-VPB-190-GW-458-4   | VX043602.D | 29 Oct 2024 17:11 | vial A pH<2                        | JC/MD | Ok    |
| 22 | P4600-05   | BP-VPB-190-GW-478-4   | VX043603.D | 29 Oct 2024 17:34 | vial A pH<2 Internal standard fail | JC/MD | ReRun |
| 23 | P4600-06   | BP-VPB-190-GW-498-5   | VX043604.D | 29 Oct 2024 17:57 | vial A pH<2                        | JC/MD | Ok    |
| 24 | P4600-07   | BP-VPB-190-GW-518-5   | VX043605.D | 29 Oct 2024 18:20 | vial A pH<2                        | JC/MD | Ok    |
| 25 | P4562-01   | Storage-Blank-SOIL-RE | VX043606.D | 29 Oct 2024 18:43 | vial A pH<2                        | JC/MD | Ok    |
| 26 | P4562-01   | Storage-Blank-SOIL-RE | VX043607.D | 29 Oct 2024 19:06 | vial A pH<2 Hit of com# 3          | JC/MD | ReRun |
| 27 | VSTDCCC050 | VSTDCCC050EC          | VX043608.D | 29 Oct 2024 19:29 |                                    | JC/MD | Ok,M  |

M : Manual Integration



# SHIPPING DOCUMENTS

# CHEMTECH

## CHAIN OF CUSTODY RECORD

284 Sheffield Street, Mountainside, NJ 07092  
(908) 789-8900 • Fax (908) 789-8922  
www.chemtech.net

CHEMTECH PROJECT NO. **Bottle # P4548**  
QUOTE NO. **B2410024**  
COC Number **2042090**

### CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY: **LKB, INC.**  
ADDRESS: **1 AERIAL WAY**  
CITY: **SYOSSET** STATE: **NY** ZIP: **11791**  
ATTENTION: **JOHN GERLACH**  
PHONE: **516-210-8931** FAX:

### CLIENT PROJECT INFORMATION

PROJECT NAME: **ANSONIA LANDFILL**  
PROJECT NO.: **0774-08** LOCATION: **CT**  
PROJECT MANAGER: **JOHN GERLACH**  
e-mail: **jgerlach@LKBINC.COM**  
PHONE: **SAME** FAX:

### CLIENT BILLING INFORMATION

BILL TO: **LKB, INC.** PO#: **NA for Lab**  
ADDRESS: **SAME**  
CITY: STATE: ZIP:  
ATTENTION: **SHARON F.** PHONE:

### ANALYSIS

### DATA TURNAROUND INFORMATION

FAX (RUSH) \_\_\_\_\_ DAYS\*  
HARDCOPY (DATA PACKAGE): **STD.** DAYS\*  
EDD: \_\_\_\_\_ DAYS\*  
\*TO BE APPROVED BY CHEMTECH  
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS DAYS

### DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)  
☒ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP  
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B  
+ Raw Data ☐ Other \_\_\_\_\_  
☒ EDD FORMAT **NYS DEC**

**VOCs SEE BOTTLE ORDER # B2410024**

| CHEMTECH<br>SAMPLE<br>ID | PROJECT<br>SAMPLE IDENTIFICATION | SAMPLE<br>MATRIX | SAMPLE<br>TYPE |      | SAMPLE<br>COLLECTION |        | # OF BOTTLES | PRESERVATIVES |   |   |   |   |   |   |   |   | COMMENTS                                                                   |  |
|--------------------------|----------------------------------|------------------|----------------|------|----------------------|--------|--------------|---------------|---|---|---|---|---|---|---|---|----------------------------------------------------------------------------|--|
|                          |                                  |                  | COMP           | GRAB | DATE                 | TIME   |              | 1             | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | ← Specify Preservatives<br>A-HCl D-NaOH<br>B-HNO3 E-ICE<br>C-H2SO4 F-OTHER |  |
| 1.                       | MW-1                             | GW               | X              |      | 10/23/24             | 10:05A | 10           |               | X |   |   |   |   |   |   |   | SAMPLES FOR<br>DISS. Fe + Mn<br>FILTERED IN<br>FIELD.                      |  |
| 2.                       | MW-2                             |                  | X              |      |                      | 12:15P | 10           |               | X |   |   |   |   |   |   |   |                                                                            |  |
| 3.                       | MW-3                             |                  | X              |      |                      | 11:00A | 10           |               | X |   |   |   |   |   |   |   |                                                                            |  |
| 4.                       | MW-4                             |                  | X              |      |                      | 11:30A | 10           |               | X |   |   |   |   |   |   |   |                                                                            |  |
| 5.                       | TRIP BLANK                       | DI               | X              |      |                      |        | 2            | X             |   |   |   |   |   |   |   |   |                                                                            |  |
| 6.                       |                                  |                  |                |      |                      |        |              |               |   |   |   |   |   |   |   |   |                                                                            |  |
| 7.                       |                                  |                  |                |      |                      |        |              |               |   |   |   |   |   |   |   |   |                                                                            |  |
| 8.                       |                                  |                  |                |      |                      |        |              |               |   |   |   |   |   |   |   |   |                                                                            |  |
| 9.                       |                                  |                  |                |      |                      |        |              |               |   |   |   |   |   |   |   |   |                                                                            |  |
| 10.                      |                                  |                  |                |      |                      |        |              |               |   |   |   |   |   |   |   |   |                                                                            |  |

### SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

|                          |                                   |                                           |                                                                                                                                                                                       |
|--------------------------|-----------------------------------|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| RELINQUISHED BY SAMPLER: | DATE/TIME: <b>7:50A 10/24/24</b>  | RECEIVED BY: <b>[Signature] 1024-2024</b> | Conditions of bottles or coolers at receipt: <input type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <input checked="" type="checkbox"/> COOLER TEMP <b>3.02</b> °C |
| 1. <b>[Signature]</b>    |                                   | 1. <b>[Signature] 1340</b>                | Comments:                                                                                                                                                                             |
| RELINQUISHED BY SAMPLER: | DATE/TIME:                        | RECEIVED BY:                              |                                                                                                                                                                                       |
| 2.                       |                                   | 2.                                        |                                                                                                                                                                                       |
| RELINQUISHED BY SAMPLER: | DATE/TIME: <b>1905 10-24-2024</b> | RECEIVED BY: <b>[Signature]</b>           |                                                                                                                                                                                       |
| 3. <b>[Signature]</b>    |                                   | 3. <b>[Signature]</b>                     |                                                                                                                                                                                       |

Page \_\_\_\_ of \_\_\_\_

CLIENT: ☐ Hand Delivered ☐ Other \_\_\_\_\_  
CHEMTECH: ☐ Picked Up ☐ Field Sampling

Shipment Complete  
☐ YES ☐ NO



284 Sheffield Street, Mountainside NJ 07092 (908)-789-8900 Fax : 908 789 8922

## Laboratory Certification

| Certified By         | License No.      |
|----------------------|------------------|
| CAS EPA CLP Contract | 68HERH20D0011    |
| Connecticut          | PH-0830          |
| DOD ELAP (L-A-B)     | L2219            |
| Maine                | 2024021          |
| Maryland             | 296              |
| New Hampshire        | 255423           |
| New Jersey           | 20012            |
| New York             | 11376            |
| Pennsylvania         | 68-00548         |
| Soil Permit          | 525-24-234-08441 |
| Texas                | T104704488       |

## LOGIN REPORT/SAMPLE TRANSFER

|                                                 |               |                                                   |                                   |
|-------------------------------------------------|---------------|---------------------------------------------------|-----------------------------------|
| <b>Order ID :</b> P4548                         | <b>LOCK01</b> | <b>Order Date :</b> 10/24/2024 3:18:00 PM         | <b>Project Mgr :</b>              |
| <b>Client Name :</b> Lockwood, Kessler & Barth  |               | <b>Project Name :</b> Ansonia Landfill 2024       | <b>Report Type :</b> Level 2      |
| <b>Client Contact :</b> John Gerlach            |               | <b>Receive Date/Time :</b> 10/23/2024 12:00:00 AM | <b>EDD Type :</b> EXCEL NOCLEANUP |
| <b>Invoice Name :</b> Lockwood, Kessler & Barth |               | <b>Purchase Order :</b> 19:05                     | <b>Hard Copy Date :</b>           |
| <b>Invoice Contact :</b> John Gerlach           |               |                                                   | <b>Date Signoff :</b>             |

| LAB ID   | CLIENT ID  | MATRIX | SAMPLE DATE | SAMPLE TIME | TEST         | TEST GROUP | METHOD   | FAX DATE     | DUE DATES |
|----------|------------|--------|-------------|-------------|--------------|------------|----------|--------------|-----------|
| P4548-01 | MW-1       | Water  | 10/23/2024  | 10:05       | VOCMS Group1 |            | 8260-Low | 10 Bus. Days |           |
| P4548-03 | MW-2       | Water  | 10/23/2024  | 12:15       | VOCMS Group1 |            | 8260-Low | 10 Bus. Days |           |
| P4548-05 | MW-3       | Water  | 10/23/2024  | 11:00       | VOCMS Group1 |            | 8260-Low | 10 Bus. Days |           |
| P4548-07 | MW-4       | Water  | 10/23/2024  | 11:30       | VOCMS Group1 |            | 8260-Low | 10 Bus. Days |           |
| P4548-09 | TRIP BLANK | Water  | 10/23/2024  | 00:00       | VOCMS Group1 |            | 8260-Low | 10 Bus. Days |           |

Relinquished By :

Date / Time : 10/25/24 0900

Received By :

Date / Time : 10/25/24 0900 Ref # 4

Storage Area : VOA Refridgerator Room