

Report of Analysis

Client:	Portal Partners Tri-Venture		Date Collected:	10/24/24	
Project:	CTO WE13		Date Received:	10/24/24	
Client Sample ID:	TT-069-IDWGW-20241024RE		SDG No.:	P4549	
Lab Sample ID:	P4549-04RE		Matrix:	WATER	
Analytical Method:	SW8082A		% Solid:	0	Decanted:
Sample Wt/Vol:	990	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO107432.D	1	10/25/24 09:10	10/28/24 14:40	PB164403

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
12674-11-2	Aroclor-1016	0.40	U	0.15	0.40	0.51	ug/L
11104-28-2	Aroclor-1221	0.40	U	0.23	0.40	0.51	ug/L
11141-16-5	Aroclor-1232	0.40	U	0.37	0.40	0.51	ug/L
53469-21-9	Aroclor-1242	0.40	U	0.16	0.40	0.51	ug/L
12672-29-6	Aroclor-1248	0.40	U	0.12	0.40	0.51	ug/L
11097-69-1	Aroclor-1254	0.40	U	0.11	0.40	0.51	ug/L
37324-23-5	Aroclor-1262	0.40	U	0.14	0.40	0.51	ug/L
11100-14-4	Aroclor-1268	0.40	U	0.12	0.40	0.51	ug/L
11096-82-5	Aroclor-1260	0.40	U	0.15	0.40	0.51	ug/L
SURROGATES							
877-09-8	Tetrachloro-m-xylene	18.8		35 - 137		94%	SPK: 20
2051-24-3	Decachlorobiphenyl	6.75	*	40 - 135		34%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit