

SOP ID : M9030B-Sulfide-12

SDG No : N/A

Start Digest Date: 10/26/2024 Time : 09:30 Temp : N/A

Matrix : SOIL

End Digest Date: 10/26/2024 Time : 11:00 Temp : N/A

Pipette ID : WC

Balance ID : WC SC-4

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1,MC-2

Filter paper ID : N/A

Prep Technician Signature: RM

Weigh By : RM

pH Meter ID : N/A

Supervisor Signature:

Standard Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.5M ZINC ACETATE	5.0ML	WP108780
FORMALDEHYDE	2.0ML	W2725
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

10/26/2024 RM

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/Nitrite	Comment	Prep Pos
P4545-02	VNJ-215	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4545-02DUP	VNJ-215DUP	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4547-04	BP-F-21	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
P4547-08	BP-F-20	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
P4561-04	BP-F-19	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
P4561-08	BP-F-18	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
P4567-04	WC-1	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4567-08	WC-2	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
P4567-12	WC-3	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
P4574-03	GRAVEL-1	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
P4574-06	GRAVEL-2	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
P4578-06	WB-305-BOT	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
P4578-08	WB-305-BOT-1	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
PB164425BL	PBS425	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A