

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-20

SDG No : N/A

Start Digest Date: 10/29/2024 Time : 09:00 Temp : N/A

Matrix : SOLID

End Digest Date: 10/29/2024 Time : 10:30 Temp : N/A

Pipette ID : N/A

Balance ID : WC SC-4

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1,MC-2

Filter paper ID : N/A

Prep Technician Signature: NF

Weigh By : NF

pH Meter ID : N/A

Supervisor Signature: 12

Standardized Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP108640
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
10-29-2024, 10:45	NF(WC)	NF(WC)
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
P4574-03	GRAVEL-1	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
P4574-06	GRAVEL-2	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
P4578-06	WB-305-BOT	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
P4578-08	WB-305-BOT-1	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4594-04	TP-4	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
P4594-08	BP-F17	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4594-12	BP-F16	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
P4594-16	TP-5	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4594-20	BP-F15	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
P4595-02	PITKIN-COMP	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
P4597-03	RED-1-1	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
P4597-06	RED-1-2	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
P4597-09	BLUE-2-1	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4597-12	BLUE-2-2	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
P4598-04	BP-F12	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
P4598-08	BP-F11	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
P4598-12	TP-8	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
P4598-12DUP	TP-8DUP	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
PB164488BL	PBS488	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A