

Cover Page

Order ID : P4578

Project ID : Amtrak Sawtooth Bridges 2024

Client : Portal Partners Tri-Venture

Lab Sample Number

P4578-01
P4578-02
P4578-03
P4578-04
P4578-05
P4578-06
P4578-07
P4578-08
P4578-09

Client Sample Number

WB-305-SW
WB-305-SW-1
WB-305-TOP
WB-305-TOP-1
WB-305-BOT
WB-305-BOT
WB-305-BOT-1
WB-305-BOT-1
TB-10252024

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 11/4/2024

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: P4578

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: PRIYANKA DAVE

Date: 11/04/2024

LAB CHRONICLE

OrderID:	P4578	OrderDate:	10/25/2024 3:58:00 PM
Client:	Portal Partners Tri-Venture	Project:	Amtrak Sawtooth Bridges 2024
Contact:	Joseph Krupansky	Location:	K63,VOA Ref. #2 Soil,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P4578-01	WB-305-SW	WATER			10/25/24 08:20			10/25/24
			Hexavalent Chromium	7196A				
			trivalent Chromium	6010D				
P4578-02	WB-305-SW-1	WATER			10/25/24 08:30			10/25/24
			Hexavalent Chromium	7196A				
			trivalent Chromium	6010D				
P4578-03	WB-305-TOP	SOIL			10/25/24 09:20	10/28/24		10/25/24
			Hexavalent Chromium	7196A				
			Trivalent Chromium	6010D				
P4578-04	WB-305-TOP-1	SOIL			10/25/24 09:30	10/28/24		10/25/24
			Hexavalent Chromium	7196A				
			Trivalent Chromium	6010D				
P4578-05	WB-305-BOT	SOIL			10/25/24 11:15	10/28/24		10/25/24
			Hexavalent Chromium	7196A				

LAB CHRONICLE

P4578-06	WB-305-BOT	SOIL	Trivalent Chromium	6010D		10/28/24 20:43	10/25/24
					10/25/24 11:15		
			Corrosivity	9045D		10/25/24 18:00	
			Ignitability	1030		10/29/24 11:08	
			Reactive Cyanide	9012B	10/29/24	10/29/24 13:34	
			Reactive Sulfide	9034	10/26/24	10/26/24 12:10	
P4578-07	WB-305-BOT-1	SOIL			10/25/24 11:20		10/25/24
			Hexavalent Chromium	7196A	10/28/24	10/28/24 16:22	
			Trivalent Chromium	6010D		10/28/24 20:47	
P4578-08	WB-305-BOT-1	SOIL			10/25/24 11:20		10/25/24
			Corrosivity	9045D		10/25/24 18:10	
			Ignitability	1030		10/29/24 11:15	
			Reactive Cyanide	9012B	10/29/24	10/29/24 13:34	
			Reactive Sulfide	9034	10/26/24	10/26/24 12:12	



SAMPLE DATA

Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	10/25/24 08:20
Project:	Amtrak Sawtooth Bridges 2024	Date Received:	10/25/24
Client Sample ID:	WB-305-SW	SDG No.:	P4578
Lab Sample ID:	P4578-01	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Dissolved Hexavalent Chromium	0.0030	U	1	0.0030	0.010	mg/L		10/25/24 17:24	7196A
trivalent Chromium	0.010	U	1	0.010	0.010	mg/L		10/29/24 17:15	6010D

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	10/25/24 08:30
Project:	Amtrak Sawtooth Bridges 2024	Date Received:	10/25/24
Client Sample ID:	WB-305-SW-1	SDG No.:	P4578
Lab Sample ID:	P4578-02	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Dissolved Hexavalent Chromium	0.0030	U	1	0.0030	0.010	mg/L		10/25/24 17:28	7196A
trivalent Chromium	0.010	U	1	0.010	0.010	mg/L		10/29/24 17:20	6010D

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	10/25/24 09:20
Project:	Amtrak Sawtooth Bridges 2024	Date Received:	10/25/24
Client Sample ID:	WB-305-TOP	SDG No.:	P4578
Lab Sample ID:	P4578-03	Matrix:	SOIL
		% Solid:	53.8

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Hexavalent Chromium	0.15	U	1	0.15	0.74	mg/Kg	10/28/24 12:20	10/28/24 16:17	7196A
Trivalent Chromium	135		1	0.93	0.93	mg/Kg		10/28/24 20:35	6010D

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	10/25/24 09:30
Project:	Amtrak Sawtooth Bridges 2024	Date Received:	10/25/24
Client Sample ID:	WB-305-TOP-1	SDG No.:	P4578
Lab Sample ID:	P4578-04	Matrix:	SOIL
		% Solid:	58.7

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Hexavalent Chromium	0.13	U	1	0.13	0.67	mg/Kg	10/28/24 12:20	10/28/24 16:18	7196A
Trivalent Chromium	185		1	0.85	0.85	mg/Kg		10/28/24 20:39	6010D

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	10/25/24 11:15
Project:	Amtrak Sawtooth Bridges 2024	Date Received:	10/25/24
Client Sample ID:	WB-305-BOT	SDG No.:	P4578
Lab Sample ID:	P4578-05	Matrix:	SOIL
		% Solid:	82.1

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Hexavalent Chromium	0.095	U	1	0.095	0.48	mg/Kg	10/28/24 12:20	10/28/24 16:21	7196A
Trivalent Chromium	10.7		1	0.61	0.61	mg/Kg		10/28/24 20:43	6010D

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	10/25/24 11:15
Project:	Amtrak Sawtooth Bridges 2024	Date Received:	10/25/24
Client Sample ID:	WB-305-BOT	SDG No.:	P4578
Lab Sample ID:	P4578-06	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	7.71	H	1	0	0	pH		10/25/24 18:00	9045D
Ignitability	NO		1	0	0	oC		10/29/24 11:08	1030
Reactive Cyanide	0.0088	U	1	0.0088	0.050	mg/Kg	10/29/24 09:00	10/29/24 13:34	9012B
Reactive Sulfide	4.78	J	1	0.19	10.0	mg/Kg	10/26/24 09:30	10/26/24 12:10	9034

Comments: pH result reported at temperature 21.2 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	10/25/24 11:20
Project:	Amtrak Sawtooth Bridges 2024	Date Received:	10/25/24
Client Sample ID:	WB-305-BOT-1	SDG No.:	P4578
Lab Sample ID:	P4578-07	Matrix:	SOIL
		% Solid:	94.4

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Hexavalent Chromium	0.082	U	1	0.082	0.42	mg/Kg	10/28/24 12:20	10/28/24 16:22	7196A
Trivalent Chromium	11.7		1	0.53	0.53	mg/Kg		10/28/24 20:47	6010D

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	10/25/24 11:20
Project:	Amtrak Sawtooth Bridges 2024	Date Received:	10/25/24
Client Sample ID:	WB-305-BOT-1	SDG No.:	P4578
Lab Sample ID:	P4578-08	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	8.10	H	1	0	0	pH		10/25/24 18:10	9045D
Ignitability	NO		1	0	0	oC		10/29/24 11:15	1030
Reactive Cyanide	0.0087	U	1	0.0087	0.050	mg/Kg	10/29/24 09:00	10/29/24 13:34	9012B
Reactive Sulfide	4.76	J	1	0.19	10.0	mg/Kg	10/26/24 09:30	10/26/24 12:12	9034

Comments: pH result reported at temperature 21.4 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits



QC RESULT SUMMARY



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Initial and Continuing Calibration Verification

Client: Portal Partners Tri-Venture
Project: Amtrak Sawtooth Bridges 2024

SDG No.: P4578
RunNo.: LB133136

Analyte	Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID: ICV Hexavalent Chromium	mg/L	0.504	0.5	101	90-110	10/25/2024
Sample ID: CCV1 Hexavalent Chromium	mg/L	0.505	0.5	101	90-110	10/25/2024
Sample ID: CCV2 Hexavalent Chromium	mg/L	0.500	0.5	100	90-110	10/25/2024

Initial and Continuing Calibration Verification

Client: Portal Partners Tri-Venture

SDG No.: P4578

Project: Amtrak Sawtooth Bridges 2024

RunNo.: LB133138

Analyte		Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID:	ICV						
Corrosivity		pH	7.00	7	100	90-110	10/25/2024
Sample ID:	CCV1						
Corrosivity		pH	2.01	2.00	101	90-110	10/25/2024
Sample ID:	CCV2						
Corrosivity		pH	12.02	12.00	100	90-110	10/25/2024

Initial and Continuing Calibration Verification

Client: Portal Partners Tri-Venture

SDG No.: P4578

Project: Amtrak Sawtooth Bridges 2024

RunNo.: LB133174

Analyte	Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID: ICV Hexavalent Chromium	mg/L	0.502	0.5	100	90-110	10/28/2024
Sample ID: CCV1 Hexavalent Chromium	mg/L	0.499	0.5	100	90-110	10/28/2024
Sample ID: CCV2 Hexavalent Chromium	mg/L	0.501	0.5	100	90-110	10/28/2024
Sample ID: CCV3 Hexavalent Chromium	mg/L	0.501	0.5	100	90-110	10/28/2024
Sample ID: CCV4 Hexavalent Chromium	mg/L	0.498	0.5	100	90-110	10/28/2024

Initial and Continuing Calibration Verification

Client: Portal Partners Tri-Venture

SDG No.: P4578

Project: Amtrak Sawtooth Bridges 2024

RunNo.: LB133190

Analyte	Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID: ICV1 Reactive Cyanide	mg/L	0.099	0.099	100	85-115	10/29/2024
Sample ID: CCV1 Reactive Cyanide	mg/L	0.25	0.25	100	90-110	10/29/2024
Sample ID: CCV2 Reactive Cyanide	mg/L	0.25	0.25	100	90-110	10/29/2024
Sample ID: CCV3 Reactive Cyanide	mg/L	0.26	0.25	104	90-110	10/29/2024



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Initial and Continuing Calibration Blank Summary

Client: Portal Partners Tri-Venture
Project: Amtrak Sawtooth Bridges 2024

SDG No.: P4578
RunNo.: LB133136

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: ICB Hexavalent Chromium	mg/L	< 0.0050	0.0050	U	0.0027	0.01	10/25/2024
Sample ID: CCB1 Hexavalent Chromium	mg/L	< 0.0050	0.0050	U	0.0027	0.01	10/25/2024
Sample ID: CCB2 Hexavalent Chromium	mg/L	< 0.0050	0.0050	U	0.0027	0.01	10/25/2024

Initial and Continuing Calibration Blank Summary

Client: Portal Partners Tri-Venture
Project: Amtrak Sawtooth Bridges 2024

SDG No.: P4578
RunNo.: LB133174

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: ICB Hexavalent Chromium	mg/L	< 0.0050	0.0050	U	0.0027	0.01	10/28/2024
Sample ID: CCB1 Hexavalent Chromium	mg/L	< 0.0050	0.0050	U	0.0027	0.01	10/28/2024
Sample ID: CCB2 Hexavalent Chromium	mg/L	< 0.0050	0.0050	U	0.0027	0.01	10/28/2024
Sample ID: CCB3 Hexavalent Chromium	mg/L	< 0.0050	0.0050	U	0.0027	0.01	10/28/2024
Sample ID: CCB4 Hexavalent Chromium	mg/L	< 0.0050	0.0050	U	0.0027	0.01	10/28/2024

Initial and Continuing Calibration Blank Summary

Client: Portal Partners Tri-Venture
Project: Amtrak Sawtooth Bridges 2024

SDG No.: P4578
RunNo.: LB133190

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: ICB1 Reactive Cyanide	mg/L	< 0.0025	0.0025	U	0.00099	0.005	10/29/2024
Sample ID: CCB1 Reactive Cyanide	mg/L	< 0.0025	0.0025	U	0.00099	0.005	10/29/2024
Sample ID: CCB2 Reactive Cyanide	mg/L	< 0.0025	0.0025	U	0.00099	0.005	10/29/2024
Sample ID: CCB3 Reactive Cyanide	mg/L	< 0.0025	0.0025	U	0.00099	0.005	10/29/2024

Preparation Blank Summary

Client: Portal Partners Tri-Venture

SDG No.: P4578

Project: Amtrak Sawtooth Bridges 2024

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: LB133136BL Hexavalent Chromium	mg/L	< 0.0050	0.0050	U	0.003	0.01	10/25/2024
Sample ID: PB164406BL Hexavalent Chromium	mg/Kg	< 0.2000	0.2000	U	0.079	0.4	10/28/2024
Sample ID: PB164425BL Reactive Sulfide	mg/Kg	< 5.0000	5.0000	U	0.186	10	10/26/2024
Sample ID: PB164488BL Reactive Cyanide	mg/Kg	< 0.0250	0.0250	U	0.0088	0.05	10/29/2024

Matrix Spike Summary

Client:	Portal Partners Tri-Venture	SDG No.:	P4578
Project:	Amtrak Sawtooth Bridges 2024	Sample ID:	P4547-01
Client ID:	BP-F-21MS	Percent Solids for Spike Sample:	88.9

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Hexavalent Chromium	mg/Kg	75-125	1420		0.089	U	1440	40	99		10/28/2024

Matrix Spike Summary

Client:	Portal Partners Tri-Venture	SDG No.:	P4578
Project:	Amtrak Sawtooth Bridges 2024	Sample ID:	P4547-01
Client ID:	BP-F-21MS	Percent Solids for Spike Sample:	88.9

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Hexavalent Chromium	mg/Kg	85-115	44.5		0.089	U	45	2	99		10/28/2024

Matrix Spike Summary

Client:	Portal Partners Tri-Venture	SDG No.:	P4578
Project:	Amtrak Sawtooth Bridges 2024	Sample ID:	P4547-01
Client ID:	BP-F-21MS	Percent Solids for Spike Sample:	88.9

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Hexavalent Chromium	mg/Kg	75-125	41.1		0.089	U	45	2	91		10/28/2024

Matrix Spike Summary

Client:	Portal Partners Tri-Venture	SDG No.:	P4578
Project:	Amtrak Sawtooth Bridges 2024	Sample ID:	P4578-01
Client ID:	WB-305-SWMS	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Hexavalent Chromium	mg/L	90-111	1.00		0.0030	U	1.0	2	100		10/25/2024

Matrix Spike Summary

Client:	Portal Partners Tri-Venture	SDG No.:	P4578
Project:	Amtrak Sawtooth Bridges 2024	Sample ID:	P4578-01
Client ID:	WB-305-SWMSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Hexavalent Chromium	mg/L	90-111	1.01		0.0030	U	1.0	2	101		10/25/2024

Duplicate Sample Summary

Client:	Portal Partners Tri-Venture	SDG No.:	P4578
Project:	Amtrak Sawtooth Bridges 2024	Sample ID:	P4545-02
Client ID:	VNJ-215DUP	Percent Solids for Spike Sample:	87

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Reactive Sulfide	mg/Kg	+/-20	3.17	J	3.17	J	1	0		10/26/2024

Duplicate Sample Summary

Client:	Portal Partners Tri-Venture	SDG No.:	P4578
Project:	Amtrak Sawtooth Bridges 2024	Sample ID:	P4547-01
Client ID:	BP-F-21DUP	Percent Solids for Spike Sample:	88.9

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Hexavalent Chromium	mg/Kg	+/-20	0.089	U	0.088	U	1	0		10/28/2024

Duplicate Sample Summary

Client: Portal Partners Tri-Venture	SDG No.: P4578
Project: Amtrak Sawtooth Bridges 2024	Sample ID: P4561-01
Client ID: BP-F-19DUP	Percent Solids for Spike Sample: 89.3

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Ignitability	oC	+/-20	NO		NO		1	0		10/29/2024

Duplicate Sample Summary

Client: Portal Partners Tri-Venture Project: Amtrak Sawtooth Bridges 2024 Client ID: BP-F-19DUP	SDG No.: P4578 Sample ID: P4561-04 Percent Solids for Spike Sample: 100
--	--

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Corrosivity	pH	+/-20	7.65		7.66		1	0.13		10/25/2024

Duplicate Sample Summary

Client:	Portal Partners Tri-Venture	SDG No.:	P4578
Project:	Amtrak Sawtooth Bridges 2024	Sample ID:	P4578-01
Client ID:	WB-305-SWDUP	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Hexavalent Chromium	mg/L	+/-20	0.0030	U	0.0030	U	1	0		10/25/2024

Duplicate Sample Summary

Client:	Portal Partners Tri-Venture	SDG No.:	P4578
Project:	Amtrak Sawtooth Bridges 2024	Sample ID:	P4578-01
Client ID:	WB-305-SWMSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Hexavalent Chromium	mg/L	+/-20	1.00		1.01		2	1		10/25/2024

Duplicate Sample Summary

Client:	Portal Partners Tri-Venture	SDG No.:	P4578
Project:	Amtrak Sawtooth Bridges 2024	Sample ID:	P4598-12
Client ID:	TP-8DUP	Percent Solids for Spike Sample:	100

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Reactive Cyanide	mg/Kg	+/-20	0.0088	U	0.0088	U	1	0		10/29/2024

Laboratory Control Sample Summary

Client: Portal Partners Tri-Venture

SDG No.: P4578

Project: Amtrak Sawtooth Bridges 2024

Run No.: LB133136

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB133136BS							
Hexavalent Chromium	mg/L	0.5	0.52		104	1	90-111	10/25/2024

Laboratory Control Sample Summary

Client: Portal Partners Tri-Venture

SDG No.: P4578

Project: Amtrak Sawtooth Bridges 2024

Run No.: LB133174

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	PB164406BS							
Hexavalent Chromium	mg/Kg	20	19.9		100	1	84-110	10/28/2024



RAW DATA

Analysis Method: 7196A

ANALYST: rubina

Parameter: ~~Hexavalent Chromium~~

SUPERVISOR REVIEW BY: Iwona

Run Number: LB133136

pH Meter ID: WC pH Meter-1

Reagent/Standard	Lot/Log #
Calibration Std. hexchrome 0.1 ppm	WP110441
Calibration Std. hexchrome 0.05 ppm	WP110440
calibration std. hexchrome 0.01 ppm	WP110438
calibration std. hexchrome 0 ppm	WP110437
hexavalent chromium color reagent	WP110382
5N sulfuric acid	WP110380
Calibration Std Hexachrome 0.025 ppm	WP110439
Hexavalent Chromium ICV-LCS Std	WP110444
Calibration and CCV std HexChrome 0.5PPM	WP110442
Calibration std HexChrome 1.0PPM	WP110443

Intercept: -0.0007

Slope: 0.7809

Regression: 0.999995

Seq	Lab ID	True Value (mg/l)	DF	Initial Vol (ml)	Final Vol (ml)	pH HN03	pH H2SO4	Absorb.at 540nm		Absorbance Difference	Result (mg/L)	%D	Anal Date	Anal Time
								Backgrnd	Color					
1	CAL1	0	1	100	100		1.81	0.000	0.000	0.000	0.000		10/25/2024	17:10
2	CAL2	0.01	1	100	100		1.92	0.000	0.006	0.006	0.008	-20	10/25/2024	17:11
3	CAL3	0.025	1	100	100		1.93	0.000	0.018	0.018	0.023	-8	10/25/2024	17:12
4	CAL4	0.05	1	100	100		1.94	0.000	0.038	0.038	0.049	-2	10/25/2024	17:13
5	CAL5	0.1	1	100	100		1.92	0.000	0.079	0.079	0.102	2	10/25/2024	17:14
6	CAL6	0.5	1	100	100		1.92	0.000	0.390	0.390	0.500	0	10/25/2024	17:15
7	CAL7	1	1	100	100		1.95	0.000	0.780	0.780	0.999	-0.1	10/25/2024	17:16

Analytical Summary Report

Analysis Method: 7196A

ANALYST:rubina

Parameter: Hexavalent Chromium

SUPERVISOR REVIEW BY:Iwona

Run Number: LB133136

pH Meter ID:WC pH Meter-1

Seq	Lab ID	True Value	DF	Initial Vol (ml/gm)	Final Vol (ml)	pH HN03	pH H2SO4	Absorb.at540nm		Absorbance Difference	Intermediate Result (mg/L)	Anal Date	Anal Time
								Backgrnd	Color				
1	ICV	0.5	1	100	100		1.92	0.000	0.393	0.393	0.504	10/25/2024	17:17
2	ICB		1	100	100		1.80	0.000	0.001	0.001	0.002	10/25/2024	17:18
3	CCV1	0.5	1	100	100		1.95	0.000	0.394	0.394	0.505	10/25/2024	17:19
4	CCB1		1	100	100		1.79	0.000	0.000	0.000	0.001	10/25/2024	17:20
5	RL Check	0.01	1	100	100		1.96	0.000	0.008	0.008	0.011	10/25/2024	17:21
6	LB133136BL		1	100	100		1.79	0.000	0.001	0.001	0.002	10/25/2024	17:22
7	LB133136BS	0.5	1	100	100		1.98	0.000	0.404	0.404	0.518	10/25/2024	17:23
8	P4578-01		1	100	100		2.10	0.001	0.001	0.000	0.001	10/25/2024	17:24
9	P4578-01DU		1	100	100		2.14	0.001	0.001	0.000	0.001	10/25/2024	17:25
10	P4578-01MS	1	2	100	100		2.18	0.001	0.392	0.391	0.502	10/25/2024	17:26
11	P4578-01MS	1	2	100	100		2.12	0.000	0.394	0.394	0.505	10/25/2024	17:27
12	P4578-02		1	100	100		2.16	0.000	0.000	0.000	0.001	10/25/2024	17:28
13	CCV2	0.5	1	100	100		1.98	0.000	0.390	0.390	0.500	10/25/2024	17:29
14	CCB2		1	100	100		1.82	0.000	0.001	0.001	0.002	10/25/2024	17:30

WORKLIST(Hardcopy Internal Chain)

66133136

WorkList Name : HEX W-1025 WorkList ID : 184803 Department : Wet-Chemistry Date : 10-25-2024 15:54:06

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4578-01	WB-305-SW	Water	Hexavalent Chromium	Ammonium sulfate buffer	PORT06	K63	10/25/2024	7196A
P4578-02	WB-305-SW-1	Water	Hexavalent Chromium	Ammonium sulfate buffer	PORT06	K63	10/25/2024	7196A

Date/Time 10/25/2024 16:15
Raw Sample Received by: RM CWC
Raw Sample Relinquished by: RM CWC

Date/Time 10/25/2024 16:15
Raw Sample Received by: RM CWC
Raw Sample Relinquished by: RM CWC

Analytical Summary Report

Analysis Method: 9045D

Analyst By : jignesh

Parameter: Corrosivity

Supervisor Review By : Iwona

Run Number: LB133138

Slope : 98.6

BalanceID: WC SC-4

pH Meter ID : WC PH METER-1

Calibration Standards	Chemtech Log#
PH 4 BUFFER SOLUTION	W3107
BUFFER PH 7.00 GREEN 1PINT PK6	W3093
PH 10.01 BUFFER, COLOR CD 475ML	W3094
buffer solution pH 7 yellow	W3071
Buffer Solution, PH2 (500ml)	W3005
Buffer Solution, PH12 (500ml)	W3072

True Value of ICV = 7.00 Control Limits[+/- 0.1].

True Value of CCV1 = 2.00 Control Limits[+/- 0.1].

True Value of CCV2 = 12.00 Control Limits[+/- 0.1].

Seq	LabID	DF	Matrix	Weight (gm)	Volume (ml)	Temperature (°C)	Result (pH)	Anal Date	Anal Time
1	CAL1	1	Water	NA	NA	20.2	4.01	10/25/2024	17:30
2	CAL2	1	Water	NA	NA	20.2	7.00	10/25/2024	17:31
3	CAL3	1	Water	NA	NA	20.2	10.02	10/25/2024	17:33
4	ICV	1	Water	NA	NA	20.1	7.00	10/25/2024	17:35
5	CCV1	1	Water	NA	NA	20.2	2.01	10/25/2024	17:38
6	P4561-04	1	Solid	20.02	20	20.9	7.65	10/25/2024	17:40
7	P4561-04DUP	1	Solid	20.03	20	20.8	7.66	10/25/2024	17:41
8	P4561-08	1	Solid	20.02	20	20.4	6.85	10/25/2024	17:42
9	P4567-04	1	Solid	20.03	20	21.0	9.09	10/25/2024	17:45
10	P4567-08	1	Solid	20.02	20	21.0	9.44	10/25/2024	17:46
11	P4567-12	1	Solid	20.03	20	21.4	7.19	10/25/2024	17:49
12	P4574-03	1	Solid	20.02	20	20.9	5.99	10/25/2024	17:50
13	P4574-06	1	Solid	20.03	20	20.9	5.50	10/25/2024	17:53
14	P4578-06	1	Solid	20.02	20	21.2	7.71	10/25/2024	18:00
15	P4578-08	1	Solid	20.03	20	21.4	8.10	10/25/2024	18:10
16	CCV2	1	Water	NA	NA	20.3	12.02	10/25/2024	18:11

WORKLIST(Hardcopy Internal Chain)

133138

WorkList Name : corrosivity p4567 WorkList ID : 184785 Department : Wet-Chemistry Date : 10-25-2024 13:34:47

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4561-04	BP-F-19	Solid	Corrosivity	Cool 4 deg C	PSEG03	K63	10/25/2024	9045D
P4561-08	BP-F-18	Solid	Corrosivity	Cool 4 deg C	PSEG03	K63	10/25/2024	9045D
P4567-04	WC-1	Solid	Corrosivity	Cool 4 deg C	PSEG03	K61	10/25/2024	9045D
P4567-08	WC-2	Solid	Corrosivity	Cool 4 deg C	PSEG03	K61	10/25/2024	9045D
P4567-12	WC-3	Solid	Corrosivity	Cool 4 deg C	PSEG03	K61	10/25/2024	9045D
P4574-03	GRAVEL-1	Solid	Corrosivity	Cool 4 deg C	PSEG03	K63	10/25/2024	9045D
P4574-06	GRAVEL-2	Solid	Corrosivity	Cool 4 deg C	PSEG03	K63	10/25/2024	9045D
P4578-06	WB-305-BOT	Solid	Corrosivity	Cool 4 deg C	PORT06	K63	10/25/2024	9045D
P4578-08	WB-305-BOT-1	Solid	Corrosivity	Cool 4 deg C	PORT06	K63	10/25/2024	9045D

Date/Time 10/25/24 17:25

Raw Sample Received by: SO WDC

Raw Sample Relinquished by: A.C (SM)

Date/Time 10/25/24

Raw Sample Received by: A.C (SM)

Raw Sample Relinquished by: SO WDC

Analysis Method: 9034

ANALYST: rubina

Parameter: Reactive Sulfide

SUPERVISOR REVIEW BY: Iwona

Run Number: LB133148

Constant: 16000

Normality1: 0.025

Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W3105
IODINE SOLUTION .025N 1L	W3114
Starch Solution, 4L	W3149

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB164425BL		1	5.00	50	2.00	0.00	1.94	1.94	0.06	0.00	0.00	10/26/2024	11:40
2	P4545-02		1	5.04	50	2.00	0.00	1.90	1.90	0.10	0.04	3.17	10/26/2024	11:43
3	P4545-02DUP		1	5.04	50	2.00	0.00	1.90	1.90	0.10	0.04	3.17	10/26/2024	11:45
4	P4547-04		1	5.07	50	2.00	0.00	1.86	1.86	0.14	0.08	6.31	10/26/2024	11:48
5	P4547-08		1	5.03	50	2.00	0.00	1.88	1.88	0.12	0.06	4.77	10/26/2024	11:50
6	P4561-04		1	5.01	50	2.00	0.00	1.90	1.90	0.10	0.04	3.19	10/26/2024	11:52
7	P4561-08		1	5.07	50	2.00	0.00	1.86	1.86	0.14	0.08	6.31	10/26/2024	11:55
8	P4567-04		1	5.04	50	2.00	0.00	1.90	1.90	0.10	0.04	3.17	10/26/2024	11:58
9	P4567-08		1	5.07	50	2.00	0.00	1.90	1.90	0.10	0.04	3.16	10/26/2024	12:00
10	P4567-12		1	5.05	50	2.00	0.00	1.86	1.86	0.14	0.08	6.34	10/26/2024	12:03
11	P4574-03		1	5.03	50	2.00	0.00	1.90	1.90	0.10	0.04	3.18	10/26/2024	12:05
12	P4574-06		1	5.05	50	2.00	0.00	1.86	1.86	0.14	0.08	6.34	10/26/2024	12:08

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume

Analysis Method: 9034

Parameter: Reactive Sulfide

Run Number: LB133148

ANALYST: rubina

SUPERVISOR REVIEW BY: Iwona

Constant: 16000

Normality1: 0.025

Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W3105
IODINE SOLUTION .025N 1L	W3114
Starch Solution, 4L	W3149

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
13	P4578-06		1	5.02	50	2.00	0.00	1.88	1.88	0.12	0.06	4.78	10/26/2024	12:10
14	P4578-08		1	5.04	50	2.00	0.00	1.88	1.88	0.12	0.06	4.76	10/26/2024	12:12

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume

Analytical Summary Report

Analysis Method: 1030
Parameter: Ignitability
Run Number: LB133169

Reviewed By: Iwona

Supervisor Review By: jignesh

Seq	LabID	ClientID	DF	matrix	Result Status	Burning Rate	Anal Date	Anal Time
1	P4561-01	BP-F-19	1	Solid	NO	0.00	10/29/2024	09:15
2	P4561-01DUP	BP-F-19DUP	1	Solid	NO	0.00	10/29/2024	09:23
3	P4561-04	BP-F-19	1	Solid	NO	0.00	10/29/2024	09:30
4	P4561-05	BP-F-18	1	Solid	NO	0.00	10/29/2024	09:38
5	P4561-08	BP-F-18	1	Solid	NO	0.00	10/29/2024	09:45
6	P4567-01	WC-1	1	Solid	NO	0.00	10/29/2024	09:52
7	P4567-04	WC-1	1	Solid	NO	0.00	10/29/2024	10:00
8	P4567-05	WC-2	1	Solid	NO	0.00	10/29/2024	10:08
9	P4567-08	WC-2	1	Solid	NO	0.00	10/29/2024	10:15
10	P4567-09	WC-3	1	Solid	NO	0.00	10/29/2024	10:23
11	P4567-12	WC-3	1	Solid	NO	0.00	10/29/2024	10:30
12	P4574-01	GRAVEL-1	1	Solid	NO	0.00	10/29/2024	10:38
13	P4574-03	GRAVEL-1	1	Solid	NO	0.00	10/29/2024	10:45
14	P4574-04	GRAVEL-2	1	Solid	NO	0.00	10/29/2024	10:52
15	P4574-06	GRAVEL-2	1	Solid	NO	0.00	10/29/2024	11:00
16	P4578-06	WB-305-BOT	1	Solid	NO	0.00	10/29/2024	11:08
17	P4578-08	WB-305-BOT-1	1	Solid	NO	0.00	10/29/2024	11:15

Burning Rate = $\frac{\text{Length (mm)}}{\text{Total Time (sec)}}$

WORKLIST(Hardcopy Internal Chain)

LB133169

WorkList Name : IGN-1028 WorkList ID : 184858 Department : Wet-Chemistry Date : 10-28-2024 08:58:29

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4561-01	BP-F-19	Solid	Ignitability	Cool 4 deg C	PSEG03	K63	10/25/2024	1030
P4561-04	BP-F-19	Solid	Ignitability	Cool 4 deg C	PSEG03	K63	10/25/2024	1030
P4561-05	BP-F-18	Solid	Ignitability	Cool 4 deg C	PSEG03	K63	10/25/2024	1030
P4561-08	BP-F-18	Solid	Ignitability	Cool 4 deg C	PSEG03	K63	10/25/2024	1030
P4567-01	WC-1	Solid	Ignitability	Cool 4 deg C	PSEG03	K61	10/25/2024	1030
P4567-04	WC-1	Solid	Ignitability	Cool 4 deg C	PSEG03	K61	10/25/2024	1030
P4567-05	WC-2	Solid	Ignitability	Cool 4 deg C	PSEG03	K61	10/25/2024	1030
P4567-08	WC-2	Solid	Ignitability	Cool 4 deg C	PSEG03	K61	10/25/2024	1030
P4567-09	WC-3	Solid	Ignitability	Cool 4 deg C	PSEG03	K61	10/25/2024	1030
P4567-12	WC-3	Solid	Ignitability	Cool 4 deg C	PSEG03	K61	10/25/2024	1030
P4574-01	GRAVEL-1	Solid	Ignitability	Cool 4 deg C	PSEG03	K63	10/25/2024	1030
P4574-03	GRAVEL-1	Solid	Ignitability	Cool 4 deg C	PSEG03	K63	10/25/2024	1030
P4574-04	GRAVEL-2	Solid	Ignitability	Cool 4 deg C	PSEG03	K63	10/25/2024	1030
P4574-06	GRAVEL-2	Solid	Ignitability	Cool 4 deg C	PSEG03	K63	10/25/2024	1030
P4578-06	WB-305-BOT	Solid	Ignitability	Cool 4 deg C	PORT06	K63	10/25/2024	1030
P4578-08	WB-305-BOT-1	Solid	Ignitability	Cool 4 deg C	PORT06	K63	10/25/2024	1030

Date/Time 10/29/2024:00
Raw Sample Received by: 12/29
Raw Sample Relinquished by: 707 wdcj

Date/Time 10/29/24 11:35
Raw Sample Received by: 707 wdcj
Raw Sample Relinquished by: 12/29

Analytical Summary Report

Analysis Method: 7196A

ANALYST: rubina

Parameter: ~~Hexavalent Chromium~~

SUPERVISOR REVIEW BY: Iwona

Run Number: LB133174

pH Meter ID: WC pH Meter-1

Reagent/Standard	Lot/Log #
hexavalent chromium color reagent	WP110382
5N sulfuric acid	WP110380
HNO3 Hex-Chrome, 5M	WP110381
Hexchrome Cleaning Solution	WP108645

Intercept: 0.0008

Slope: 0.7676

Regression: 0.999993

Seq	Lab ID	True Value (mg/l)	DF	Initial Vol (ml)	Final Vol (ml)	pH HNO3	pH H2SO4	Absorb.at 540nm		Absorbance Difference	Result (mg/L)	%D	Anal Date	Anal Time
								Backgrnd	Color					
1	CAL1	0	1	100	100	7.25	1.78	0.000	0.000	0.000	-0.00		10/28/2024	15:45
2	CAL2	0.01	1	100	100	7.36	1.89	0.000	0.008	0.008	0.009	-10	10/28/2024	15:46
3	CAL3	0.025	1	100	100	7.39	1.90	0.000	0.021	0.021	0.026	4	10/28/2024	15:47
4	CAL4	0.05	1	100	100	7.37	1.86	0.000	0.039	0.039	0.049	-2	10/28/2024	15:48
5	CAL5	0.1	1	100	100	7.36	1.88	0.000	0.079	0.079	0.101	1	10/28/2024	15:49
6	CAL6	0.5	1	100	100	7.38	1.88	0.000	0.383	0.383	0.497	-0.6	10/28/2024	15:50
7	CAL7	1	1	100	100	7.36	1.85	0.000	0.769	0.769	1.000	0	10/28/2024	15:51

Analytical Summary Report

Analysis Method: 7196A

ANALYST:rubina

Parameter: Hexavalent Chromium

SUPERVISOR REVIEW BY:Iwona

Run Number: LB133174

pH Meter ID:WC pH Meter-1

Seq	Lab ID	True Value	DF	Initial Vol (ml/gm)	Final Vol (ml)	pH HN03	pH H2SO4	Absorb.at540nm		Absorbance Difference	Intermediate Result (mg/L)	Anal Date	Anal Time
								Backgrnd	Color				
1	ICV	0.5	1	100	100	7.43	1.91	0.000	0.386	0.386	0.502	10/28/2024	15:52
2	ICB		1	100	100	7.28	1.74	0.0000	0.001	0.001	0.000	10/28/2024	15:53
3	CCV1	0.5	1	100	100	7.40	1.92	0.000	0.384	0.384	0.499	10/28/2024	15:54
4	CCB1		1	100	100	7.24	1.79	0.000	0.000	0.000	-0.001	10/28/2024	15:55
5	RL Check	0.01	1	100	100	7.40	1.90	0.0000	0.009	0.009	0.011	10/28/2024	15:56
6	PB164406BL		1	2.50	100	7.25	1.76	0.000	0.001	0.001	0.000	10/28/2024	15:57
7	PB164406BS	20	1	2.50	100	7.44	1.93	0.000	0.383	0.383	0.498	10/28/2024	15:58
8	P4545-01		1	2.53	100	7.60	2.06	0.006	0.007	0.001	0.000	10/28/2024	15:59
9	P4547-01		1	2.51	100	7.52	2.14	0.003	0.004	0.001	0.000	10/28/2024	16:00
10	P4547-01DU		1	2.52	100	7.60	2.10	0.003	0.004	0.001	0.000	10/28/2024	16:01
11	P4547-01MS	40	2	2.51	100	7.58	2.16	0.000	0.352	0.352	0.458	10/28/2024	16:02
12	P4547-01MS	1284	40	2.52	100	7.60	2.10	0.000	0.612	0.612	0.796	10/28/2024	16:03
13	P4547-01MS	40	2	2.51	100	7.60	2.14	0.000	0.382	0.382	0.497	10/28/2024	16:04
14	P4547-05		1	2.54	100	7.66	2.10	0.002	0.002	0.000	-0.001	10/28/2024	16:05
15	P4561-01		1	2.52	100	7.67	2.06	0.004	0.005	0.001	0.000	10/28/2024	16:06
16	CCV2	0.5	1	100	100	7.46	1.94	0.000	0.385	0.385	0.501	10/28/2024	16:07
17	CCB2		1	100	100	7.30	1.78	0.000	0.001	0.001	0.000	10/28/2024	16:08
18	P4561-05		1	2.54	100	7.55	2.10	0.003	0.004	0.001	0.000	10/28/2024	16:09
19	P4567-01		1	2.52	100	7.58	2.06	0.004	0.004	0.000	-0.001	10/28/2024	16:10
20	P4567-05		1	2.51	100	7.52	2.06	0.006	0.011	0.005	0.005	10/28/2024	16:11
21	P4567-09		1	2.54	100	7.60	2.10	0.002	0.003	0.001	0.000	10/28/2024	16:12
22	P4574-01		1	2.54	100	7.68	2.14	0.006	0.006	0.000	-0.001	10/28/2024	16:13
23	P4574-04		1	2.56	100	7.60	2.04	0.008	0.009	0.001	0.000	10/28/2024	16:14
24	P4575-01		1	2.53	100	7.54	2.10	0.004	0.004	0.000	-0.001	10/28/2024	16:15
25	P4577-01		1	2.56	100	7.55	2.18	0.006	0.007	0.001	0.000	10/28/2024	16:16
26	P4578-03		1	2.51	100	7.52	2.20	0.020	0.020	0.000	-0.001	10/28/2024	16:17
27	P4578-04		1	2.53	100	7.60	2.10	0.010	0.010	0.000	-0.001	10/28/2024	16:18
28	CCV3	0.5	1	100	100	7.42	1.96	0.000	0.385	0.385	0.501	10/28/2024	16:19
29	CCB3		1	100	100	7.29	1.79	0.000	0.000	0.000	-0.001	10/28/2024	16:20
30	P4578-05		1	2.52	100	7.62	2.28	0.002	0.003	0.001	0.000	10/28/2024	16:21
31	P4578-07		1	2.54	100	7.64	2.18	0.002	0.002	0.000	-0.001	10/28/2024	16:22
32	CCV4	0.5	1	100	100	7.42	1.92	0.000	0.383	0.383	0.498	10/28/2024	16:23
33	CCB4		1	100	100	7.31	1.77	0.000	0.001	0.001	0.000	10/28/2024	16:24

LB133

Test results

Aquakem 7.2AQ1

Page:

1

CHEMTECH CONSULTING GROUP INC
284 Sheffield Street, Mountainside, NJ 07092

Reviewed by : NF Instrument ID : Konelab

10/29/2024 13:55

Test: Total CN

Sample Id	Result	Dil. 1 +	Response	Errors
ICV1	98.681	0.0	0.074	
ICB1	0.051	0.0	0.002	
CCV1	249.305	0.0	0.185	
CCB1	0.430	0.0	0.002	
PB164488BL	0.136	0.0	0.002	
P4574-03	0.358	0.0	0.002	
P4574-06	0.159	0.0	0.002	
P4578-06	0.129	0.0	0.002	
P4578-08	0.176	0.0	0.002	
P4594-04	0.254	0.0	0.002	
P4594-08	0.281	0.0	0.002	
P4594-12	0.141	0.0	0.002	
P4594-16	0.136	0.0	0.002	
P4594-20	0.230	0.0	0.002	
CCV2	249.112	0.0	0.185	
CCB2	0.281	0.0	0.002	
P4595-02	0.078	0.0	0.002	
P4597-03	0.056	0.0	0.002	
P4597-06	0.002	0.0	0.002	
P4597-09	0.229	0.0	0.002	
P4597-12	0.169	0.0	0.002	
P4598-04	0.410	0.0	0.002	
P4598-08	0.542	0.0	0.002	
P4598-12	0.178	0.0	0.002	
P4598-12DUP	0.228	0.0	0.002	
CCV3	257.755	0.0	0.191	
CCB3	0.711	0.0	0.002	
N	27			
Mean	31.860			
SD	81.5665			
CV%	256.02			

Aquakem v. 7.2AQ1

Results from time period:

Tue Oct 29 12:52:15 2024

Tue Oct 29 13:45:08 2024

Sample Id	Sam/Ctr/c/	Test short r	Test type	Result	Result unit	Result date and time	Stat
0.0PPBCN	A	Total CN	P	0.0674	µg/l	10/29/2024 12:52:15	
5.0PPBCN	A	Total CN	P	4.7357	µg/l	10/29/2024 12:52:16	
10PPBCN	A	Total CN	P	9.8459	µg/l	10/29/2024 12:52:17	
50PPBCN	A	Total CN	P	48.5342	µg/l	10/29/2024 12:52:18	
100PPBCN	A	Total CN	P	101.8676	µg/l	10/29/2024 12:52:19	
250PPBCN	A	Total CN	P	250.3407	µg/l	10/29/2024 12:52:20	
500PPBCN	A	Total CN	P	499.6084	µg/l	10/29/2024 12:52:21	
ICV1	S	Total CN	P	98.6812	µg/l	10/29/2024 13:26:38	
ICB1	S	Total CN	P	0.0511	µg/l	10/29/2024 13:26:39	
CCV1	S	Total CN	P	249.3046	µg/l	10/29/2024 13:26:42	
CCB1	S	Total CN	P	0.4297	µg/l	10/29/2024 13:26:44	
PB164488BL	S	Total CN	P	0.1361	µg/l	10/29/2024 13:26:46	
P4574-03	S	Total CN	P	0.3577	µg/l	10/29/2024 13:26:47	
P4574-06	S	Total CN	P	0.1594	µg/l	10/29/2024 13:34:09	
P4578-06	S	Total CN	P	0.1291	µg/l	10/29/2024 13:34:10	
P4578-08	S	Total CN	P	0.1757	µg/l	10/29/2024 13:34:11	
P4594-04	S	Total CN	P	0.2537	µg/l	10/29/2024 13:34:12	
P4594-08	S	Total CN	P	0.2812	µg/l	10/29/2024 13:34:13	
P4594-12	S	Total CN	P	0.1412	µg/l	10/29/2024 13:34:14	
P4594-16	S	Total CN	P	0.136	µg/l	10/29/2024 13:34:15	
P4594-20	S	Total CN	P	0.2302	µg/l	10/29/2024 13:34:16	
CCV2	S	Total CN	P	249.1117	µg/l	10/29/2024 13:34:17	
CCB2	S	Total CN	P	0.2806	µg/l	10/29/2024 13:34:18	
P4595-02	S	Total CN	P	0.0776	µg/l	10/29/2024 13:34:19	
P4597-03	S	Total CN	P	0.0564	µg/l	10/29/2024 13:41:44	
P4597-06	S	Total CN	P	0.0015	µg/l	10/29/2024 13:41:45	
P4597-09	S	Total CN	P	0.2295	µg/l	10/29/2024 13:41:46	
P4597-12	S	Total CN	P	0.169	µg/l	10/29/2024 13:41:47	
P4598-04	S	Total CN	P	0.4102	µg/l	10/29/2024 13:41:48	
P4598-08	S	Total CN	P	0.542	µg/l	10/29/2024 13:41:52	
P4598-12	S	Total CN	P	0.1781	µg/l	10/29/2024 13:41:53	
P4598-12DUP	S	Total CN	P	0.2275	µg/l	10/29/2024 13:41:54	
CCV3	S	Total CN	P	257.7548	µg/l	10/29/2024 13:45:07	
CCB3	S	Total CN	P	0.7111	µg/l	10/29/2024 13:45:08	

=====
Calibration results Aquakem 7.2AQ1 Page: 1

CHEMTECH CONSULTING GROUP INC
284 Sheffield Street, Mountainside, NJ 07092

Reviewed by : NF Instrument ID : Konelab

10/29/2024 12:55


Test Total CN

Accepted 10/29/2024 12:55

Factor 1362
Bias 0.002

Coeff. of det. 0.999971

Errors



	Calibrator	Response	Calc. con.	Conc.	R_e Errors	
1	0.0PPBCN	0.002	0.0674	0.0000		
2	5.0PPBCN	0.005	4.7357	5.0000	-5.3	
3	10PPBCN	0.009	9.8459	10.0000	-1.5	
4	50PPBCN	0.037	48.5342	50.0000	-2.9	
5	100PPBCN	0.076	101.8676	100.0000	1.9	NF
6	250PPBCN	0.185	250.3407	250.0000	0.1	
7	500PPBCN	0.369	499.6084	500.0000	-0.1	10.29.2024

SOP ID : M3060A,7196A-Hex.Chromium-26

SDG No : N/A

Matrix : SOIL

Pipette ID : WC

Balance ID : WC SC-4

Hood ID : HOOD#3

Block ID : WC S-2, WC S-1

Weigh By : RM

Start Digest Date: 10/28/2024 Time : 12:20 Temp : 90 °C

End Digest Date: 10/28/2024 Time : 13:20 Temp : 95 °C

1st batch 10/28/2024 10/28/2024 19.00 15.00 90°C 95°C RM

Digestion tube ID : M5595

Block Thermometer ID : WC-Block#1

Filter paper ID : 400213

Prep Technician Signature: *RM*

pH Meter ID : WC pH meter-1

Supervisor Signature: *12*

Standard Name	MLS USED	STD REF. # FROM LOG
PRE-DIGESTION SPIKE	2.0ML	WP108658
INSOLUBLE SPIKE	0.02GM	W2202
POST-DIGESTION SPIKE	2.0ML	WP108658
LCSS	1.0ML	WP108659
PBS003	50.0ML	W3112

Chemical Used	ML/SAMPLE USED	Lot Number
MAGNESIUM CHLORIDE	0.4GM	W3001
PHOSPHATE BUFFER	0.5ML	WP108008
HEX. DIGESTION SOLN.	50.0ML	WP110092
5M HNO3	5-7ML	WP110381
5N H2SO4	1-3ML	WP110380
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Vol(ml)	Comment
CAL1	CAL1	2.5ML	W3112
CAL2	CAL2	0.2ML	WP110450
CAL3	CAL3	0.5ML	WP110450
CAL4	CAL4	1ML	WP110450
CAL5	CAL5	0.2ML	WP108658
CAL6	CAL6	1ML	WP108658
CAL7	CAL7	2.0ML	WP108658
ICV	ICV	1ML	WP108659
ICB	ICB	2.5ML	W3112
CCV	CCV	1ML	WP108658
CCB	CCB	2.5ML	W3112

Extraction Conformance/Non-Conformance Comments:

10/28/2024 RM

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
P4545-01	VNJ-215	2.53	100	N/A	N/A	N/A	N/A	N/A	N/A
P4547-01	BP-F-21	2.51	100	N/A	N/A	N/A	N/A	N/A	N/A
P4547-01DUP	BP-F-21DUP	2.52	100	N/A	N/A	N/A	N/A	N/A	N/A
P4547-01MSPre	BP-F-21MSPRE	2.51	100	N/A	N/A	N/A	N/A	N/A	N/A
P4547-01MS2Ins	BP-F-21MS2INS	2.52	100	N/A	N/A	N/A	N/A	N/A	N/A
P4547-01MS3Post	BP-F-21MS3POST	2.51	100	N/A	N/A	N/A	N/A	N/A	N/A
P4547-05	BP-F-20	2.54	100	N/A	N/A	N/A	N/A	N/A	N/A
P4561-01	BP-F-19	2.52	100	N/A	N/A	N/A	N/A	N/A	N/A
P4561-05	BP-F-18	2.54	100	N/A	N/A	N/A	N/A	N/A	N/A
P4567-01	WC-1	2.52	100	N/A	N/A	N/A	N/A	N/A	N/A
P4567-05	WC-2	2.51	100	N/A	N/A	N/A	N/A	N/A	N/A
P4567-09	WC-3	2.54	100	N/A	N/A	N/A	N/A	N/A	N/A
P4574-01	GRAVEL-1	2.54	100	N/A	N/A	N/A	N/A	N/A	N/A
P4574-04	GRAVEL-2	2.56	100	N/A	N/A	N/A	N/A	N/A	N/A
P4575-01	PL-02-102424	2.53	100	N/A	N/A	N/A	N/A	N/A	N/A
P4577-01	TR-05-102524	2.56	100	N/A	N/A	N/A	N/A	N/A	N/A
P4578-03	WB-305-TOP	2.51	100	N/A	N/A	N/A	N/A	N/A	N/A
P4578-04	WB-305-TOP-1	2.53	100	N/A	N/A	N/A	N/A	N/A	N/A
P4578-05	WB-305-BOT	2.52	100	N/A	N/A	N/A	N/A	N/A	N/A
P4578-07	WB-305-BOT-1	2.54	100	N/A	N/A	N/A	N/A	N/A	N/A
PB164406BL	PBS406	2.50	100	N/A	N/A	N/A	N/A	N/A	N/A
PB164406BS	LCS406	2.50	100	N/A	N/A	N/A	N/A	N/A	N/A

WORKLIST(Hardcopy Internal Chain)

WorkList Name : hex-1028 WorkList ID : 184854 Department : Distillation Date : 10-28-2024 08:27:42

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4545-01	VNJ-215	Solid	Hexavalent Chromium	Cool 4 deg C	PSEG03	K61	10/24/2024	7196A
P4547-01	BP-F-21	Solid	Hexavalent Chromium	Cool 4 deg C	PSEG03	K51	10/24/2024	7196A
P4547-05	BP-F-20	Solid	Hexavalent Chromium	Cool 4 deg C	PSEG03	K51	10/24/2024	7196A
P4561-01	BP-F-19	Solid	Hexavalent Chromium	Cool 4 deg C	PSEG03	K63	10/25/2024	7196A
P4561-05	BP-F-18	Solid	Hexavalent Chromium	Cool 4 deg C	PSEG03	K63	10/25/2024	7196A
P4567-01	WC-1	Solid	Hexavalent Chromium	Cool 4 deg C	PSEG03	K61	10/25/2024	7196A
P4567-05	WC-2	Solid	Hexavalent Chromium	Cool 4 deg C	PSEG03	K61	10/25/2024	7196A
P4567-09	WC-3	Solid	Hexavalent Chromium	Cool 4 deg C	PSEG03	K61	10/25/2024	7196A
P4574-01	GRAVEL-1	Solid	Hexavalent Chromium	Cool 4 deg C	PSEG03	K63	10/25/2024	7196A
P4574-04	GRAVEL-2	Solid	Hexavalent Chromium	Cool 4 deg C	PSEG03	K63	10/25/2024	7196A
P4575-01	PL-02-102424	Solid	Hexavalent Chromium	Cool 4 deg C	PSEG05	K63	10/25/2024	7196A
P4577-01	TR-05-102524	Solid	Hexavalent Chromium	Cool 4 deg C	PSEG05	K63	10/25/2024	7196A
P4578-03	WB-305-TOP	Solid	Hexavalent Chromium	Cool 4 deg C	PORT06	K63	10/25/2024	7196A
P4578-04	WB-305-TOP-1	Solid	Hexavalent Chromium	Cool 4 deg C	PORT06	K63	10/25/2024	7196A
P4578-05	WB-305-BOT	Solid	Hexavalent Chromium	Cool 4 deg C	PORT06	K63	10/25/2024	7196A
P4578-07	WB-305-BOT-1	Solid	Hexavalent Chromium	Cool 4 deg C	PORT06	K63	10/25/2024	7196A

Date/Time 10/28/2024 11:40
 Raw Sample Received by: RM cwc
 Raw Sample Relinquished by: RM cwc

SOP ID : M9030B-Sulfide-12

SDG No : N/A

Start Digest Date: 10/26/2024 Time : 09:30 Temp : N/A

Matrix : SOIL

End Digest Date: 10/26/2024 Time : 11:00 Temp : N/A

Pipette ID : WC

Balance ID : WC SC-4

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1,MC-2

Filter paper ID : N/A

Prep Technician Signature: RM

Weigh By : RM

pH Meter ID : N/A

Supervisor Signature:

Standard Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.5M ZINC ACETATE	5.0ML	WP108780
FORMALDEHYDE	2.0ML	W2725
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

10/26/2024 RM

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/Nitrite	Comment	Prep Pos
P4545-02	VNJ-215	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4545-02DUP	VNJ-215DUP	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4547-04	BP-F-21	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
P4547-08	BP-F-20	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
P4561-04	BP-F-19	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
P4561-08	BP-F-18	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
P4567-04	WC-1	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4567-08	WC-2	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
P4567-12	WC-3	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
P4574-03	GRAVEL-1	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
P4574-06	GRAVEL-2	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
P4578-06	WB-305-BOT	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
P4578-08	WB-305-BOT-1	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
PB164425BL	PBS425	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A

WORKLIST(Hardcopy Internal Chain)

WorkList Name : rsul-1026 WorkList ID : 184821 Department : Distillation Date : 10-26-2024 08:49:48

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4545-02	VNJ-215	Solid	Reactive Sulfide	Cool 4 deg C	PSEG03	K61	10/24/2024	9034
P4547-04	BP-F-21	Solid	Reactive Sulfide	Cool 4 deg C	PSEG03	K51	10/24/2024	9034
P4547-08	BP-F-20	Solid	Reactive Sulfide	Cool 4 deg C	PSEG03	K51	10/24/2024	9034
P4561-04	BP-F-19	Solid	Reactive Sulfide	Cool 4 deg C	PSEG03	K63	10/25/2024	9034
P4561-08	BP-F-18	Solid	Reactive Sulfide	Cool 4 deg C	PSEG03	K63	10/25/2024	9034
P4567-04	WC-1	Solid	Reactive Sulfide	Cool 4 deg C	PSEG03	K61	10/25/2024	9034
P4567-08	WC-2	Solid	Reactive Sulfide	Cool 4 deg C	PSEG03	K61	10/25/2024	9034
P4567-12	WC-3	Solid	Reactive Sulfide	Cool 4 deg C	PSEG03	K61	10/25/2024	9034
P4574-03	GRAVEL-1	Solid	Reactive Sulfide	Cool 4 deg C	PSEG03	K63	10/25/2024	9034
P4574-06	GRAVEL-2	Solid	Reactive Sulfide	Cool 4 deg C	PSEG03	K63	10/25/2024	9034
P4578-06	WB-305-BOT	Solid	Reactive Sulfide	Cool 4 deg C	PORT06	K63	10/25/2024	9034
P4578-08	WB-305-BOT-1	Solid	Reactive Sulfide	Cool 4 deg C	PORT06	K63	10/25/2024	9034

Date/Time 10/26/2024 08:58
Raw Sample Received by: RM (WC)
Raw Sample Relinquished by: RM (WC)

Date/Time 10/26/2024 09:40
Raw Sample Received by: RM (WC)
Raw Sample Relinquished by: RM (WC)

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-20

SDG No : N/A

Start Digest Date: 10/29/2024 Time : 09:00 Temp : N/A

Matrix : SOLID

End Digest Date: 10/29/2024 Time : 10:30 Temp : N/A

Pipette ID : N/A

Balance ID : WC SC-4

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1,MC-2

Filter paper ID : N/A

Prep Technician Signature: NF

Weigh By : NF

pH Meter ID : N/A

Supervisor Signature: 12

Standardized Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP108640
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
10-29-2024, 10:45	NF(WC)	NF(WC)
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
P4574-03	GRAVEL-1	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
P4574-06	GRAVEL-2	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
P4578-06	WB-305-BOT	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
P4578-08	WB-305-BOT-1	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4594-04	TP-4	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
P4594-08	BP-F17	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4594-12	BP-F16	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
P4594-16	TP-5	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4594-20	BP-F15	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
P4595-02	PITKIN-COMP	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
P4597-03	RED-1-1	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
P4597-06	RED-1-2	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
P4597-09	BLUE-2-1	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4597-12	BLUE-2-2	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
P4598-04	BP-F12	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
P4598-08	BP-F11	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
P4598-12	TP-8	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
P4598-12DUP	TP-8DUP	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
PB164488BL	PBS488	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A

WORKLIST(Hardcopy Internal Chain)

WorkList Name : RCN S-10282024 WorkList ID : 184885 Department : Distillation Date : 10-28-2024 16:23:04

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4574-03	GRAVEL-1	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	K63	10/25/2024	9012B
P4574-06	GRAVEL-2	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	K63	10/25/2024	9012B
P4578-06	WB-305-BOT	Solid	Reactive Cyanide	Cool 4 deg C	PORT06	K63	10/25/2024	9012B
P4578-08	WB-305-BOT-1	Solid	Reactive Cyanide	Cool 4 deg C	PORT06	K63	10/25/2024	9012B
P4594-04	TP-4	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	K63	10/26/2024	9012B
P4594-08	BP-F17	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	K63	10/26/2024	9012B
P4594-12	BP-F16	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	K63	10/26/2024	9012B
P4594-16	TP-5	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	K63	10/26/2024	9012B
P4594-20	BP-F15	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	K63	10/26/2024	9012B
P4595-02	PITKIN-COMP	Solid	Reactive Cyanide	Cool 4 deg C	TULL02	K61	10/28/2024	9012B
P4597-03	RED-1-1	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	K63	10/28/2024	9012B
P4597-06	RED-1-2	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	K63	10/28/2024	9012B
P4597-09	BLUE-2-1	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	K63	10/28/2024	9012B
P4597-12	BLUE-2-2	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	K63	10/28/2024	9012B
P4598-04	BP-F12	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	K63	10/25/2024	9012B
P4598-08	BP-F11	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	K63	10/25/2024	9012B
P4598-12	TP-8	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	K63	10/25/2024	9012B

Date/Time 10-29-2024, 08:30
Raw Sample Received by: NF(wc)
Raw Sample Relinquished by: [Signature]

Date/Time 10-29-2024, 11:00
Raw Sample Received by: [Signature]
Raw Sample Relinquished by: NF(wc)

Instrument ID: SPECTROPHOTOMETER-1

Daily Analysis Runlog For Sequence/QC Batch ID # LB133136

Review By	rubina	Review On	10/26/2024 1:30:43 PM
Supervise By	Iwona	Supervise On	10/28/2024 10:29:16 AM
SubDirectory	LB133136	Test	Hexavalent Chromium
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP110441,WP110440,WP110438,WP110437,WP110382,WP110380,WP110439,WP110444,WP110442,WP110443		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	CAL1	CAL1	CAL	10/25/24 17:10		rubina	OK
2	CAL2	CAL2	CAL	10/25/24 17:11		rubina	OK
3	CAL3	CAL3	CAL	10/25/24 17:12		rubina	OK
4	CAL4	CAL4	CAL	10/25/24 17:13		rubina	OK
5	CAL5	CAL5	CAL	10/25/24 17:14		rubina	OK
6	CAL6	CAL6	CAL	10/25/24 17:15		rubina	OK
7	CAL7	CAL7	CAL	10/25/24 17:16		rubina	OK
8	ICV	ICV	ICV	10/25/24 17:17		rubina	OK
9	ICB	ICB	ICB	10/25/24 17:18		rubina	OK
10	CCV1	CCV1	CCV	10/25/24 17:19		rubina	OK
11	CCB1	CCB1	CCB	10/25/24 17:20		rubina	OK
12	RL Check	RL Check	SAM	10/25/24 17:21		rubina	OK
13	LB133136BL	LB133136BL	MB	10/25/24 17:22		rubina	OK
14	LB133136BS	LB133136BS	LCS	10/25/24 17:23		rubina	OK
15	P4578-01	WB-305-SW	SAM	10/25/24 17:24		rubina	OK
16	P4578-01DUP	WB-305-SWDUP	DUP	10/25/24 17:25		rubina	OK
17	P4578-01MS	WB-305-SWMS	MS	10/25/24 17:26		rubina	OK
18	P4578-01MSD	WB-305-SWMSD	MSD	10/25/24 17:27		rubina	OK

Instrument ID: SPECTROPHOTOMETER-1

Daily Analysis Runlog For Sequence/QC Batch ID # LB133136

Review By	rubina	Review On	10/26/2024 1:30:43 PM
Supervise By	Iwona	Supervise On	10/28/2024 10:29:16 AM
SubDirectory	LB133136	Test	Hexavalent Chromium
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP110441,WP110440,WP110438,WP110437,WP110382,WP110380,WP110439,WP110444,WP110442,WP110443		

19	P4578-02	WB-305-SW-1	SAM	10/25/24 17:28		rubina	OK
20	CCV2	CCV2	CCV	10/25/24 17:29		rubina	OK
21	CCB2	CCB2	CCB	10/25/24 17:30		rubina	OK

Instrument ID: WC PH METER-1

Daily Analysis Runlog For Sequence/QC Batch ID # LB133138

Review By	jignesh	Review On	10/26/2024 9:50:45 AM
Supervise By	Iwona	Supervise On	10/28/2024 10:09:02 AM
SubDirectory	LB133138	Test	Corrosivity
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	W3107,W3093,W3094,W3071,W3005,W3072		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	CAL1	CAL1	CAL	10/25/24 17:30		Jignesh	OK
2	CAL2	CAL2	CAL	10/25/24 17:31		Jignesh	OK
3	CAL3	CAL3	CAL	10/25/24 17:33		Jignesh	OK
4	ICV	ICV	ICV	10/25/24 17:35		Jignesh	OK
5	CCV1	CCV1	CCV	10/25/24 17:38		Jignesh	OK
6	P4561-04	BP-F-19	SAM	10/25/24 17:40		Jignesh	OK
7	P4561-04DUP	BP-F-19DUP	DUP	10/25/24 17:41		Jignesh	OK
8	P4561-08	BP-F-18	SAM	10/25/24 17:42		Jignesh	OK
9	P4567-04	WC-1	SAM	10/25/24 17:45		Jignesh	OK
10	P4567-08	WC-2	SAM	10/25/24 17:46		Jignesh	OK
11	P4567-12	WC-3	SAM	10/25/24 17:49		Jignesh	OK
12	P4574-03	GRAVEL-1	SAM	10/25/24 17:50		Jignesh	OK
13	P4574-06	GRAVEL-2	SAM	10/25/24 17:53		Jignesh	OK
14	P4578-06	WB-305-BOT	SAM	10/25/24 18:00		Jignesh	OK
15	P4578-08	WB-305-BOT-1	SAM	10/25/24 18:10		Jignesh	OK
16	CCV2	CCV2	CCV	10/25/24 18:11		Jignesh	OK

Instrument ID: TITRAMETRIC

Daily Analysis Runlog For Sequence/QC Batch ID # LB133148

Review By	rubina	Review On	10/26/2024 2:16:15 PM
Supervise By	Iwona	Supervise On	10/28/2024 10:23:13 AM
SubDirectory	LB133148	Test	Reactive Sulfide
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	W3105,W3114,W3149		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	PB164425BL	PB164425BL	MB	10/26/24 11:40		rubina	OK
2	P4545-02	VNJ-215	SAM	10/26/24 11:43		rubina	OK
3	P4545-02DUP	VNJ-215DUP	DUP	10/26/24 11:45		rubina	OK
4	P4547-04	BP-F-21	SAM	10/26/24 11:48		rubina	OK
5	P4547-08	BP-F-20	SAM	10/26/24 11:50		rubina	OK
6	P4561-04	BP-F-19	SAM	10/26/24 11:52		rubina	OK
7	P4561-08	BP-F-18	SAM	10/26/24 11:55		rubina	OK
8	P4567-04	WC-1	SAM	10/26/24 11:58		rubina	OK
9	P4567-08	WC-2	SAM	10/26/24 12:00		rubina	OK
10	P4567-12	WC-3	SAM	10/26/24 12:03		rubina	OK
11	P4574-03	GRAVEL-1	SAM	10/26/24 12:05		rubina	OK
12	P4574-06	GRAVEL-2	SAM	10/26/24 12:08		rubina	OK
13	P4578-06	WB-305-BOT	SAM	10/26/24 12:10		rubina	OK
14	P4578-08	WB-305-BOT-1	SAM	10/26/24 12:12		rubina	OK

Instrument ID: FLAME

Daily Analysis Runlog For Sequence/QC Batch ID # LB133169

Review By	Iwona	Review On	10/29/2024 2:47:17 PM
Supervise By	jignesh	Supervise On	10/29/2024 2:54:55 PM
SubDirectory	LB133169	Test	Ignitability
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	N/A		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	P4561-01	BP-F-19	SAM	10/29/24 09:15		rubina	OK
2	P4561-01DUP	BP-F-19DUP	DUP	10/29/24 09:23		rubina	OK
3	P4561-04	BP-F-19	SAM	10/29/24 09:30		rubina	OK
4	P4561-05	BP-F-18	SAM	10/29/24 09:38		rubina	OK
5	P4561-08	BP-F-18	SAM	10/29/24 09:45		rubina	OK
6	P4567-01	WC-1	SAM	10/29/24 09:52		rubina	OK
7	P4567-04	WC-1	SAM	10/29/24 10:00		rubina	OK
8	P4567-05	WC-2	SAM	10/29/24 10:08		rubina	OK
9	P4567-08	WC-2	SAM	10/29/24 10:15		rubina	OK
10	P4567-09	WC-3	SAM	10/29/24 10:23		rubina	OK
11	P4567-12	WC-3	SAM	10/29/24 10:30		rubina	OK
12	P4574-01	GRAVEL-1	SAM	10/29/24 10:38		rubina	OK
13	P4574-03	GRAVEL-1	SAM	10/29/24 10:45		rubina	OK
14	P4574-04	GRAVEL-2	SAM	10/29/24 10:52		rubina	OK
15	P4574-06	GRAVEL-2	SAM	10/29/24 11:00		rubina	OK
16	P4578-06	WB-305-BOT	SAM	10/29/24 11:08		rubina	OK
17	P4578-08	WB-305-BOT-1	SAM	10/29/24 11:15		rubina	OK

Instrument ID: SPECTROPHOTOMETER-1

Daily Analysis Runlog For Sequence/QC Batch ID # LB133174

Review By	rubina	Review On	10/28/2024 4:58:09 PM
Supervise By	Iwona	Supervise On	10/28/2024 4:58:29 PM
SubDirectory	LB133174	Test	Hexavalent Chromium
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP110382,WP110380,WP110381,WP108645		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	CAL1	CAL1	CAL	10/28/24 15:45		rubina	OK
2	CAL2	CAL2	CAL	10/28/24 15:46		rubina	OK
3	CAL3	CAL3	CAL	10/28/24 15:47		rubina	OK
4	CAL4	CAL4	CAL	10/28/24 15:48		rubina	OK
5	CAL5	CAL5	CAL	10/28/24 15:49		rubina	OK
6	CAL6	CAL6	CAL	10/28/24 15:50		rubina	OK
7	CAL7	CAL7	CAL	10/28/24 15:51		rubina	OK
8	ICV	ICV	ICV	10/28/24 15:52		rubina	OK
9	ICB	ICB	ICB	10/28/24 15:53		rubina	OK
10	CCV1	CCV1	CCV	10/28/24 15:54		rubina	OK
11	CCB1	CCB1	CCB	10/28/24 15:55		rubina	OK
12	RL Check	RL Check	SAM	10/28/24 15:56		rubina	OK
13	PB164406BL	PB164406BL	MB	10/28/24 15:57		rubina	OK
14	PB164406BS	PB164406BS	LCS	10/28/24 15:58		rubina	OK
15	P4545-01	VNJ-215	SAM	10/28/24 15:59		rubina	OK
16	P4547-01	BP-F-21	SAM	10/28/24 16:00		rubina	OK
17	P4547-01DUP	BP-F-21DUP	DUP	10/28/24 16:01		rubina	OK
18	P4547-01MSPre	BP-F-21MS	MS	10/28/24 16:02		rubina	OK

Instrument ID: SPECTROPHOTOMETER-1

Daily Analysis Runlog For Sequence/QC Batch ID # LB133174

Review By	rubina	Review On	10/28/2024 4:58:09 PM
Supervise By	Iwona	Supervise On	10/28/2024 4:58:29 PM
SubDirectory	LB133174	Test	Hexavalent Chromium
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP110382,WP110380,WP110381,WP108645		

19	P4547-01MS2Ins	BP-F-21MS	MS	10/28/24 16:03		rubina	OK
20	P4547-01MS3Post	BP-F-21MS	MS	10/28/24 16:04		rubina	OK
21	P4547-05	BP-F-20	SAM	10/28/24 16:05		rubina	OK
22	P4561-01	BP-F-19	SAM	10/28/24 16:06		rubina	OK
23	CCV2	CCV2	CCV	10/28/24 16:07		rubina	OK
24	CCB2	CCB2	CCB	10/28/24 16:08		rubina	OK
25	P4561-05	BP-F-18	SAM	10/28/24 16:09		rubina	OK
26	P4567-01	WC-1	SAM	10/28/24 16:10		rubina	OK
27	P4567-05	WC-2	SAM	10/28/24 16:11		rubina	OK
28	P4567-09	WC-3	SAM	10/28/24 16:12		rubina	OK
29	P4574-01	GRAVEL-1	SAM	10/28/24 16:13		rubina	OK
30	P4574-04	GRAVEL-2	SAM	10/28/24 16:14		rubina	OK
31	P4575-01	PL-02-102424	SAM	10/28/24 16:15		rubina	OK
32	P4577-01	TR-05-102524	SAM	10/28/24 16:16		rubina	OK
33	P4578-03	WB-305-TOP	SAM	10/28/24 16:17		rubina	OK
34	P4578-04	WB-305-TOP-1	SAM	10/28/24 16:18		rubina	OK
35	CCV3	CCV3	CCV	10/28/24 16:19		rubina	OK
36	CCB3	CCB3	CCB	10/28/24 16:20		rubina	OK
37	P4578-05	WB-305-BOT	SAM	10/28/24 16:21		rubina	OK
38	P4578-07	WB-305-BOT-1	SAM	10/28/24 16:22		rubina	OK

Instrument ID: SPECTROPHOTOMETER-1

Daily Analysis Runlog For Sequence/QC Batch ID # LB133174

Review By	rubina	Review On	10/28/2024 4:58:09 PM
Supervise By	Iwona	Supervise On	10/28/2024 4:58:29 PM
SubDirectory	LB133174	Test	Hexavalent Chromium

STD. NAME	STD REF.#
ICAL Standard	N/A
ICV Standard	N/A
CCV Standard	N/A
ICSA Standard	N/A
CRI Standard	N/A
LCS Standard	N/A
Chk Standard	WP110382,WP110380,WP110381,WP108645

39	CCV4	CCV4	CCV	10/28/24 16:23		rubina	OK
40	CCB4	CCB4	CCB	10/28/24 16:24		rubina	OK

Instrument ID: KONELAB

Daily Analysis Runlog For Sequence/QC Batch ID # LB133190

Review By	Niha	Review On	10/30/2024 9:24:14 AM
Supervise By	Iwona	Supervise On	10/30/2024 1:27:50 PM
SubDirectory	LB133190	Test	Reactive Cyanide
STD. NAME	STD REF.#		
ICAL Standard	WP110467,WP110468,WP110469,WP110470,WP110471,WP110472,WP110473		
ICV Standard	WP110475		
CCV Standard	WP110468		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP109068,WP110103,WP110474		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	0.0PPBCN	0.0PPBCN	CAL1	10/29/24 12:52		Niha	OK
2	5.0PPBCN	5.0PPBCN	CAL2	10/29/24 12:52		Niha	OK
3	10PPBCN	10PPBCN	CAL3	10/29/24 12:52		Niha	OK
4	50PPBCN	50PPBCN	CAL4	10/29/24 12:52		Niha	OK
5	100PPBCN	100PPBCN	CAL5	10/29/24 12:52		Niha	OK
6	250PPBCN	250PPBCN	CAL6	10/29/24 12:52		Niha	OK
7	500PPBCN	500PPBCN	CAL7	10/29/24 12:52		Niha	OK
8	ICV1	ICV1	ICV	10/29/24 13:26		Niha	OK
9	ICB1	ICB1	ICB	10/29/24 13:26		Niha	OK
10	CCV1	CCV1	CCV	10/29/24 13:26		Niha	OK
11	CCB1	CCB1	CCB	10/29/24 13:26		Niha	OK
12	PB164488BL	PB164488BL	MB	10/29/24 13:26		Niha	OK
13	P4574-03	GRAVEL-1	SAM	10/29/24 13:26		Niha	OK
14	P4574-06	GRAVEL-2	SAM	10/29/24 13:34		Niha	OK
15	P4578-06	WB-305-BOT	SAM	10/29/24 13:34		Niha	OK
16	P4578-08	WB-305-BOT-1	SAM	10/29/24 13:34		Niha	OK
17	P4594-04	TP-4	SAM	10/29/24 13:34		Niha	OK
18	P4594-08	BP-F17	SAM	10/29/24 13:34		Niha	OK

Instrument ID: KONELAB

Daily Analysis Runlog For Sequence/QC Batch ID # LB133190

Review By	Niha	Review On	10/30/2024 9:24:14 AM
Supervise By	Iwona	Supervise On	10/30/2024 1:27:50 PM
SubDirectory	LB133190	Test	Reactive Cyanide
STD. NAME	STD REF.#		
ICAL Standard	WP110467,WP110468,WP110469,WP110470,WP110471,WP110472,WP110473		
ICV Standard	WP110475		
CCV Standard	WP110468		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP109068,WP110103,WP110474		

19	P4594-12	BP-F16	SAM	10/29/24 13:34		Niha	OK
20	P4594-16	TP-5	SAM	10/29/24 13:34		Niha	OK
21	P4594-20	BP-F15	SAM	10/29/24 13:34		Niha	OK
22	CCV2	CCV2	CCV	10/29/24 13:34		Niha	OK
23	CCB2	CCB2	CCB	10/29/24 13:34		Niha	OK
24	P4595-02	PITKIN-COMP	SAM	10/29/24 13:34		Niha	OK
25	P4597-03	RED-1-1	SAM	10/29/24 13:41		Niha	OK
26	P4597-06	RED-1-2	SAM	10/29/24 13:41		Niha	OK
27	P4597-09	BLUE-2-1	SAM	10/29/24 13:41		Niha	OK
28	P4597-12	BLUE-2-2	SAM	10/29/24 13:41		Niha	OK
29	P4598-04	BP-F12	SAM	10/29/24 13:41		Niha	OK
30	P4598-08	BP-F11	SAM	10/29/24 13:41		Niha	OK
31	P4598-12	TP-8	SAM	10/29/24 13:41		Niha	OK
32	P4598-12DUP	TP-8DUP	DUP	10/29/24 13:41		Niha	OK
33	CCV3	CCV3	CCV	10/29/24 13:45		Niha	OK
34	CCB3	CCB3	CCB	10/29/24 13:45		Niha	OK

Instrument ID: GRAVIMETRIC

Daily Analysis Runlog For Sequence/QC Batch ID # LB133282

Review By	hemangini	Review On	11/5/2024 4:53:10 AM
Supervise By	Baldev	Supervise On	11/5/2024 4:53:19 AM
SubDirectory	LB133282	Test	trivalent Chromium

STD. NAME	STD REF.#
ICAL Standard	N/A
ICV Standard	N/A
CCV Standard	N/A
ICSA Standard	N/A
CRI Standard	N/A
LCS Standard	N/A
Chk Standard	N/A

Sr#	SampleID	ClientID	QcType	Date	Comment	Operator	Status
1	P4578-01	WB-305-SW	SAM	10/29/24 17:15		Baldev	OK
2	P4578-02	WB-305-SW-1	SAM	10/29/24 17:20		Baldev	OK

Instrument ID: GRAVIMETRIC

Daily Analysis Runlog For Sequence/QC Batch ID # LB133283

Review By	Baldev	Review On	11/5/2024 4:59:53 AM
Supervise By	hemangini	Supervise On	11/5/2024 4:59:45 AM
SubDirectory	LB133283	Test	Trivalent Chromium
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	N/A		

Sr#	SampleID	ClientID	QcType	Date	Comment	Operator	Status
1	P4578-03	WB-305-TOP	SAM	10/28/24 20:35		Baldev	OK
2	P4578-04	WB-305-TOP-1	SAM	10/28/24 20:39		Baldev	OK
3	P4578-05	WB-305-BOT	SAM	10/28/24 20:43		Baldev	OK
4	P4578-07	WB-305-BOT-1	SAM	10/28/24 20:47		Baldev	OK

Prep Standard - Chemical Standard Summary

Order ID : P4578

Test : Corrosivity, Hexavalent Chromium, Ignitability, Percent Solids, Reactive Cyanide, Reactive Sulfide, Trivalent Chromium

Prepbatch ID : PB164406, PB164425, PB164488,

Sequence ID/Qc Batch ID: LB133136, LB133138, LB133148, LB133169, LB133174, LB133190, LB133282, LB133283,

Standard ID :

WP108008, WP108640, WP108645, WP108658, WP108659, WP108780, WP109068, WP109549, WP110092, WP110103, WP110380, WP110381, WP110382, WP110436, WP110437, WP110438, WP110439, WP110440, WP110441, WP110442, WP110443, WP110444, WP110466, WP110467, WP110468, WP110469, WP110470, WP110471, WP110472, WP110473, WP110474, WP110475,

Chemical ID :

E3657, E3788, M5673, M5929, M5947, M5954, M6096, W2202, W2511, W2606, W2651, W2652, W2668, W2699, W2725, W2882, W2926, W2979, W3001, W3005, W3019, W3058, W3071, W3072, W3093, W3094, W3105, W3107, W3112, W3113, W3114, W3138, W3139, W3142, W3149,



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
190	HEX CHROME PHOSPHATE BUFFER	WP108008	05/20/2024	10/24/2024	Rubina Mughal	WETCHEM_S CALE_5 (WC SC-5)	None	Iwona Zarych 05/20/2024
<u>FROM</u> 0.84500L of W2606 + 68.04000gram of W2699 + 87.09000gram of W2511 = Final Quantity: 1.000 L								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
11	Sodium hydroxide absorbing solution 0.25 N	WP108640	07/05/2024	01/05/2025	Rubina Mughal	WETCHEM_S CALE_4 (WC SC-4)	None	Iwona Zarych 07/08/2024
<u>FROM</u>	21.00000L of W3112 + 210.00000gram of E3657 = Final Quantity: 21.000 L							

Wet Chemistry STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3354	Hexchrome Cleaning Solution	WP108645	07/05/2024	12/27/2024	Rubina Mughal	None	None	Iwona Zarych
								07/08/2024

FROM 182.00000ml of M5947 + 727.00000ml of W3112 + 91.00000ml of M5954 = Final Quantity: 1000.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1993	HEXAVALENTCHROMIUM STOCK STD 1, 50PPM	WP108658	07/09/2024	01/09/2025	Rubina Mughal	WETCHEM_SCALE_5 (WC SC-5)	None	Iwona Zarych
								07/09/2024

FROM 0.14140gram of W2651 + 1000.00000ml of W3112 = Final Quantity: 1000.000 ml



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1994	HEXAVALENTCHROMIUM STOCK STD 2, 50PPM	WP108659	07/09/2024	01/09/2025	Rubina Mughal	WETCHEM_S CALE_5 (WC SC-5)	None	Iwona Zarych 07/09/2024
<u>FROM</u> 0.14140gram of W2652 + 1000.00000ml of W3112 = Final Quantity: 1000.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
160	0.5M ZINC ACETATE	WP108780	07/22/2024	12/08/2024	Rubina Mughal	WETCHEM_SCALE_5 (WC-5)	WETCHEM_PIPETTE_3 (WC)	Iwona Zarych 07/23/2024
<u>FROM</u> 0.88900L of W3112 + 1.00000ml of M5929 + 110.00000gram of W2926 = Final Quantity: 1000.000 ml								



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
607	PYRIDINE-BARBITURIC ACID	WP109068	08/06/2024	12/08/2024	Niha Farheen Shaik	WETCHEM_S CALE_5 (WC SC-5)	None	Iwona Zarych 08/07/2024
<u>FROM</u> 145.00000ml of W3112 + 15.00000gram of W2882 + 15.00000ml of M5929 + 75.00000ml of W3019 = Final Quantity: 250.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3371	Cyanide LCS Spike Solution, 5PPM	WP109549	09/06/2024	01/05/2025	Niha Farheen Shaik	None	WETCHEM_PIPETTE_3 (WC)	Iwona Zarych 09/06/2024
<u>FROM</u>	1.00000ml of W3138 + 199.00000ml of WP108640 = Final Quantity: 200.000 ml							



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
148	hexchrome digestion fluid	WP110092	10/08/2024	11/08/2024	Rubina Mughal	WETCHEM_S CALE_4 (WC SC-4)	None	Iwona Zarych 10/08/2024
<u>FROM</u>	120.00000gram of W3058 + 4.00000L of W3112 + 80.00000gram of W3113 = Final Quantity: 4000.000 ml							

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
539	CN BUFFER	WP110103	10/08/2024	04/08/2025	Rubina Mughal	WETCHEM_S CALE_5 (WC SC-5)	None	Iwona Zarych 10/08/2024
<u>FROM</u> 138.00000gram of W2668 + 862.00000ml of W3112 = Final Quantity: 1000.000 ml								

Wet Chemistry STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
126	5N sulfuric acid	WP110380	10/24/2024	04/24/2025	Rubina Mughal	None	None	Iwona Zarych
								10/24/2024

FROM 140.00000ml of M5673 + 860.00000ml of W3112 = Final Quantity: 1.000 L

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1836	HNO3 Hex-Chrome, 5M	WP110381	10/24/2024	04/24/2025	Rubina Mughal	None	None	Iwona Zarych
								10/24/2024

FROM 320.00000ml of M6096 + 680.00000ml of W3112 = Final Quantity: 1000.000 ml



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
114	hexavalent chromium color reagent	WP110382	10/24/2024	10/31/2024	Rubina Mughal	WETCHEM_S CALE_5 (WC SC-5)	None	Iwona Zarych 10/24/2024
<u>FROM</u> 0.25000gram of W2979 + 50.00000ml of E3788 = Final Quantity: 50.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1103	HEX CHROME INTERMEDIATE STD SOURCE 1 (5PPM)	WP110436	10/25/2024	10/26/2024	Rubina Mughal	None	WETCHEM_PIPETTE_3 (WC)	Iwona Zarych 10/25/2024
<u>FROM</u> 9.00000ml of W3112 + 1.00000ml of WP108658 = Final Quantity: 10.000 ml								

Wet Chemistry STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
110	calibration std. hexchrome 0 ppm	WP110437	10/25/2024	10/26/2024	Rubina Mughal	None	None	Iwona Zarych
								10/25/2024

FROM 100.00000ml of W3112 = Final Quantity: 100.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
109	calibration std. hexchrome 0.01 ppm	WP110438	10/25/2024	10/26/2024	Rubina Mughal	None	WETCHEM_FIPETTE_3	Iwona Zarych
							(WC)	10/25/2024

FROM 99.80000ml of W3112 + 0.20000ml of WP110436 = Final Quantity: 100.000 ml



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3800	Calibration Std Hexachrome 0.025 ppm	WP110439	10/25/2024	10/26/2024	Rubina Mughal	None	WETCHEM_FIPETTE_3 (WC)	Iwona Zarych 10/25/2024
<u>FROM</u> 99.50000ml of W3112 + 0.50000ml of WP110436 = Final Quantity: 100.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
108	Calibration Std. hexchrome 0.05 ppm	WP110440	10/25/2024	10/26/2024	Rubina Mughal	None	WETCHEM_FIPETTE_3 (WC)	Iwona Zarych 10/25/2024
<u>FROM</u> 99.00000ml of W3112 + 1.00000ml of WP110436 = Final Quantity: 100.000 ml								



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
107	Calibration Std. hexchrome 0.1 ppm	WP110441	10/25/2024	10/26/2024	Rubina Mughal	None	WETCHEM_PIPETTE_3 (WC)	Iwona Zarych 10/25/2024
<u>FROM</u>	99.80000ml of W3112 + 0.20000ml of WP108658 = Final Quantity: 100.000 ml							

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3808	Calibration and CCV std HexChrome 0.5PPM	WP110442	10/25/2024	10/26/2024	Rubina Mughal	None	WETCHEM_P IPETTE_3 (WC)	Iwona Zarych 10/25/2024
<u>FROM</u> 99.00000ml of W3112 + 1.00000ml of WP108658 = Final Quantity: 100.000 ml								



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3809	Calibration std HexChrome 1.0PPM	WP110443	10/25/2024	10/26/2024	Rubina Mughal	None	WETCHEM_PIPETTE_3 (WC)	Iwona Zarych 10/25/2024
<u>FROM</u> 98.00000ml of W3112 + 2.00000ml of WP108658 = Final Quantity: 100.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3804	Hexavalent Chromium ICV-LCS Std	WP110444	10/25/2024	10/26/2024	Rubina Mughal	None	WETCHEM_PIPETTE_3 (WC)	Iwona Zarych 10/25/2024
<u>FROM</u>	99.00000ml of W3112 + 1.00000ml of WP108659 = Final Quantity: 100.000 ml							

Wet Chemistry STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3456	Cyanide Intermediate Working Std, 5PPM	WP110466	10/29/2024	10/30/2024	Niha Farheen Shaik	None	WETCHEM_FIPETTE_3 (WC)	Iwona Zarych 10/30/2024

FROM 0.25000ml of W3142 + 49.75000ml of WP108640 = Final Quantity: 50.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
4	Calibration standard 500 ppb	WP110467	10/29/2024	10/30/2024	Niha Farheen Shaik	None	None	Iwona Zarych 10/30/2024

FROM 45.00000ml of WP108640 + 5.00000ml of WP110466 = Final Quantity: 50.000 ml

Wet Chemistry STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3761	Calibration-CCV CN Standard 250 ppb	WP110468	10/29/2024	10/30/2024	Niha Farheen Shaik	None	None	Iwona Zarych
								10/30/2024

FROM 2.50000ml of WP110466 + 47.50000ml of WP108640 = Final Quantity: 50.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
6	Calibration Standard 100 ppb	WP110469	10/29/2024	10/30/2024	Niha Farheen Shaik	None	None	Iwona Zarych
								10/30/2024

FROM 1.00000ml of WP110466 + 49.00000ml of WP108640 = Final Quantity: 50.000 ml



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
7	Calibration Standard 50 ppb	WP110470	10/29/2024	10/30/2024	Niha Farheen Shaik	None	WETCHEM_FIPETTE_3 (WC)	Iwona Zarych 10/30/2024
<u>FROM</u> 0.50000ml of WP110466 + 49.50000ml of WP108640 = Final Quantity: 50.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
8	Calibration Standard 10 ppb	WP110471	10/29/2024	10/30/2024	Niha Farheen Shaik	None	WETCHEM_FIPETTE_3 (WC)	Iwona Zarych 10/30/2024
<u>FROM</u>	1.00000ml of WP110467 + 49.00000ml of WP108640 = Final Quantity: 50.000 ml							



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
9	Calibration Standard 5 ppb	WP110472	10/29/2024	10/30/2024	Niha Farheen Shaik	None	WETCHEM_PIPETTE_3 (WC)	Iwona Zarych 10/30/2024
FROM 0.50000ml of WP110467 + 49.50000ml of WP108640 = Final Quantity: 50.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
167	0 ppb CN calibration std	WP110473	10/29/2024	10/30/2024	Niha Farheen Shaik	None	None	Iwona Zarych 10/30/2024
<u>FROM</u> 50.00000ml of WP108640 = Final Quantity: 50.000 ml								

Wet Chemistry STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1582	Chloramine T solution, 0.014M	WP110474	10/29/2024	10/30/2024	Niha Farheen Shaik	WETCHEM_SCALE_5 (WC SC-5)	None	Iwona Zarych 10/30/2024

FROM 0.08000gram of W3139 + 20.00000ml of W3112 = Final Quantity: 20.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
2168	RCN ICV STD, 100 PPB	WP110475	10/29/2024	10/30/2024	Niha Farheen Shaik	None	None	Iwona Zarych 10/30/2024

FROM 1.00000ml of WP109549 + 49.00000ml of WP108640 = Final Quantity: 50.000 ml

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	PC19510-5 / Sodium Hydroxide Pellets 2.5 Kg, Pk of 4	23B1556310	12/31/2025	12/04/2023 / Rajesh	12/01/2023 / Rajesh	E3657

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9254-03 / Acetone, Ultra Resi (cs/4x4L)	23H1462005	04/23/2025	08/13/2024 / Rajesh	08/13/2024 / Rajesh	E3788

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9673-33 / Sulfuric Acid, Instra-Analyzed (cs/6c2.5L)	23D2462010	03/20/2028	09/21/2023 / mohan	09/05/2023 / mohan	M5673

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9530-33 / Hydrochloric Acid, Instra-Analyzed (cs/6x2.5L)	22G2862015	12/08/2024	06/24/2024 / Al-Terek	06/07/2024 / Al-Terek	M5929

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9530-33 / Hydrochloric Acid, Instra-Analyzed (cs/6x2.5L)	22G2862015	12/27/2024	06/27/2024 / Al-Terek	06/23/2024 / Al-Terek	M5947

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9598-34 / Nitric Acid, Instra-Analyzed (cs/4x2.5L)	24D1062002	01/02/2025	07/01/2024 / Al-Terek	06/25/2024 / Al-Terek	M5954

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9598-34 / Nitric Acid, Instra-Analyzed (cs/4x2.5L)	24D1062002	03/25/2029	10/22/2024 / Janvi	09/21/2024 / Janvi	M6096

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AA14125-36 / LEAD (II) CHROMATE, ACS, 500G	U19B018	01/23/2027	01/23/2017 / apatel	01/23/2017 / apatel	W2202

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	J3252-1 / POTAS PHOSPHATE, DIBASIC PWD, ACS, 500G	0000207436	04/29/2025	05/22/2019 / AMANDEEP	03/21/2019 / apatel	W2511

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	DIW / DI Water	Daily Lab-Certified	10/24/2024	10/24/2019 / apatel	10/24/2019 / apatel	W2606

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AA13450-36 / Potassium Dichromate, 500g(NEW)	T15F019	01/24/2030	01/24/2020 / apatel	01/24/2020 / apatel	W2651

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	P188-500 / Potassium Dichromate, 500g(new-2nd lot)	194664	01/24/2030	01/24/2020 / apatel	01/24/2020 / apatel	W2652

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	J3818-5 / SODIUM PHOSPHATE, MONOBAS/HYD, CRY, ACS, 2.5 KG	0000225799	12/03/2025	04/05/2021 / Alexander	02/10/2020 / apatel	W2668

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	J3246-1 / POTAS PHOSPHATE, MONO, CRY, ACS, 500G	04/2019-20	04/23/2025	04/23/2020 / apatel	03/11/2020 / apatel	W2699

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	EMD-FX0410-5 / FORMALDEHYDE SOLUTION 450ML	60045	06/22/2025	08/19/2024 / lwona	06/22/2020 / apatel	W2725

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	EM-BX0035-3 / Barbituric Acid, 100 gms	1.00132.0100	04/30/2025	12/07/2021 / iwona	11/30/2021 / apatel	W2882

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	J4296-1 / ZINC ACETATE,DIHYD,CRY,AC S,500G	383058	07/05/2027	07/05/2022 / ketankumar	07/05/2022 / ketankumar	W2926

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	31390 / 1,5-Diphenylcarbazine	MKCR6636	12/09/2027	12/09/2022 / lwona	12/09/2022 / lwona	W2979

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	01237-10KG / Megnasium Chloride Hexahydrate ACS 10KG	002251-03319	06/06/2027	01/23/2023 / Iwona	06/06/2022 / Iwona	W3001

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL13850-1 / Buffer Solution, PH2 (500ml)	4212E45	12/31/2024	01/31/2023 / Iwona	01/31/2023 / Iwona	W3005

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
SIGMA ALDRICH	270970-1L / Pyridine 1L	SHBQ2113	04/03/2028	04/03/2023 / Iwona	04/03/2023 / Iwona	W3019

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	EM-SX0395-3 / SODIUM CARBONATE ANHYDR 2.5KG	2023012653	10/19/2028	09/03/2024 / jignesh	10/19/2023 / Iwona	W3058

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL14455-3 / buffer solution pH 7 yellow	4308H30	07/31/2025	01/02/2024 / JIGNESH	12/06/2023 / Iwona	W3071

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL14940-1 / Buffer Solution, PH12 (500ml)	2310P21	04/30/2025	01/02/2024 / JIGNESH	12/07/2023 / Iwona	W3072

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	566002 / BUFFER PH 7.00 GREEN 1PINT PK6	44001f99	12/31/2025	04/03/2024 / jignesh	04/02/2024 / jignesh	W3093

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	1601-1 / PH 10.01 BUFFER,COLOR CD 475ML	4310g83	03/31/2025	04/03/2024 / jignesh	04/02/2024 / jignesh	W3094

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL69870-8 / SODIUM THIOSULFATE,0.025N,4LIT RE	4403S13	09/30/2025	04/22/2024 / lwona	04/22/2024 / lwona	W3105

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL14055-3 / PH 4 BUFFER SOLUTION	AL14055-3	02/27/2026	09/05/2024 / jignesh	05/13/2024 / jignesh	W3107

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	DIW / DI Water	Daily Lab-Certified	07/03/2029	07/03/2024 / lwona	07/03/2024 / lwona	W3112

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	PC19510-7 / Sodium Hydroxide Pellets 12 Kg	23B1556310	12/31/2025	07/08/2024 / lwona	07/08/2024 / lwona	W3113

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL35830-4 / IODINE SOLUTION .025N 1L	2405D89	05/31/2025	07/10/2024 / lwona	07/10/2024 / lwona	W3114

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	LC135457 / Cyanide Standard, 1000 PPM, Second Source	44080060	01/30/2025	09/06/2024 / lwona	08/28/2024 / lwona	W3138

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	JTE494-6 / CHLORAMINE-T BAKER 250GM	10239484	09/09/2029	09/09/2024 / lwona	09/09/2024 / lwona	W3139

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	RC2543-4 / CYANIDE STD 1000PPM 4OZ	1405J81	11/30/2024	09/25/2024 / lwona	09/25/2024 / lwona	W3142

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL70850-8 / Starch Solution, 4L	4408P62	08/31/2026	10/16/2024 / lwona	10/16/2024 / lwona	W3149

Certificate of analysis

Product No. 14125
Product: Lead(II) chromate, ACS, 98%
Lot No.: U19B018

Test	Limits	Results
Assay	98.0 % min	99.3 %
Soluble matter	0.15 % max	< 0.02 %
Carbon compounds	0.01 % max	< 0.01 %

Traceable to NIST? Yes

This document has been electronically generated and does not require a signature.

Order our products online www.alfa.com

ThermoFisher
S C I E N T I F I C

Subject to Vadodara Jurisdiction



CHAMPA PURIE-CHEM INDUSTRIES

ISO 9001 : 2015 CERTIFIED COMPANY

Importers Exporters Manufacturers & Marketing of Fine Chemicals & Pharmaceuticals

262-263, G.I.D.C. Estate,
Makarpura,
Vadodara - 390 010.
Gujarat - INDIA.

Phone : (F) +91-265-2633314 / 2643723
Fax : (F) +91-265-2638038
E-mail : info@cpclndia.com
Web : www.cpcindia.com

CERTIFICATE OF ANALYSIS

PRODUCT : POTASSIUM PHOSPHATE MONOBASIC Anhy. - ACS		
CERTIFICATE NO	: 04/2019-20	DATE 13-05-2019
Date of receipt of sample	: 29.04.2019	Quantity : 1000 KGS.
Batch No. /Lot No.	: 04/2019-20	
Mfg. Date	: April-2019	
1. Characteristic : A White powder		
2. Identification : Positive		
	RESULT OBTAINED	LIMITS
3. Clarity and colour of solution : 10% solution is clear and colourless		
4. Assay (on dry basis)	99.35%	Min.99.00%
5. PH (5% solution)	4.28	4.1-4.5
6. Loss on Drying	0.06%	Max 0.2%
7. Heavy Metals	0.0004%	Max.0.001%
8. iron	0.001%	Max 0.002%
9. Sulphate	0.0015%	Max. 0.003%
10. Chloride	0.0005%	Max.0.001%
11. Insoluble Matter	0.002%	Max. 0.01%
12. Sodium	0.0038%	Max. 0.005%
The sample does comply with specification as per Above.		
Analysed by <u>J. A. PATHAK</u>		Quality Control Department

Product No.: 13450
Product: Potassium dichromate, ACS, 99.0% min
Lot No.: T15F019

Test	Limits	Results
Appearance	Orange-red crystals	Orange-red crystals
Identification	To Pass	Passes
Purity	99.0 % min	99.67 %
Insoluble matter	0.005 % max	0.004 %
Loss on drying	0.05 % max	0.03 %
Chloride	0.001 % max	< 0.001 %
Sulfate	0.005 % max	< 0.005 %
Iron	0.001 % max	< 0.001 %
Calcium	0.003 % max	0.0012 %
Sodium	0.02 % max	0.0047 %

Order our products online [alfa.com](https://www.thermofisher.com/alfa)

This document has been electronically generated and does not require a signature.

This is to certify that units of the lot number above were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the purchaser, formulator or those performing further manufacturing to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The above information is the actual analytical results obtained.

Potassium Phosphate, Dibasic, Powder
BAKER ANALYZED® A.C.S. Reagent

(dipotassium hydrogen phosphate)



Material No.: 3252-01
Batch No.: 0000207436
Manufactured Date: 2018/05/01
Retest Date: 2025/04/29
Revision No: 1

Certificate of Analysis

Meets ACS Reagent Chemical Requirements,

Test	Specification	Result
Assay (K ₂ HPO ₄) (by acidimetry)	>= 98.0 %	99.2
Insoluble Matter	<= 0.01 %	< 0.01
Loss on Drying at 105°C	<= 1.0 %	< 1.0
pH of 5% Solution at 25°C	8.5 – 9.6	9.1
Chloride (Cl)	<= 0.003 %	< 0.003
Fluoride (F)	<= 0.001 %	< 0.001
Nitrogen Compounds (as N)	<= 0.001 %	< 0.001
Sulfate (SO ₄)	<= 0.005 %	< 0.005
Trace Impurities – Iron (Fe)	<= 0.001 %	< 0.001
Sodium (Na)	<= 0.05 %	< 0.05
Trace Impurities – Arsenic (As)	<= 1.000 ppm	< 1.000
Trace Impurities – ACS – Heavy Metals (as Pb)	<= 5 ppm	< 5
Trace Impurities – Lead (Pb)	<= 5.000 ppm	< 5.000
Color (APHA), For Information Only		5

For Laboratory, Research or Manufacturing Use
Meets Reagent Specifications for testing USP/NF monographs

Country of Origin: US
Packaging Site: Paris Mfg Ctr & DC



Phillipsburg, NJ 9001:2015, FSC22000
Paris, KY 9001:2008
Mexico City, Mexico 9001:2008
Gliwice, Poland 9001:2015, 13485:2012
Selangor, Malaysia 9001:2008
Dehradun, India, 9001:2008, 14001:2004, 13485:2003
Mumbai, India, 9001:2015, 17025:2005
Panoli, India 9001:2015

James Ethier
Jamie Ethier
Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700
Avantor Performance Materials, LLC
100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700

W3071
Rec 12/6/23

Certificate of Analysis 12

Buffer, Reference Standard, pH 7.00 ± 0.01 at 25°C (Color Coded Yellow)

Lot Number: 4308H30

Product Number: 1551

Manufacture Date: AUG 09, 2023

Expiration Date: JUL 2025

The certified value for this product is confirmed in independent testing by a second qualified chemist.

The NIST traceable pH value is certified to ±0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05.

°C	0	5	10	15	20	25	30	35	40	45	50
pH	7.12	7.09	7.06	7.04	7.02	7.00	6.99	6.98	6.98	6.97	6.97

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Sodium Phosphate Dibasic	7558-79-4	ACS
Potassium Dihydrogen Phosphate	7778-77-0	ACS
Preservative	Proprietary	
Yellow Dye	Proprietary	
Sodium Hydroxide	1310-73-2	Reagent

Test	Specification	Result
Appearance	Yellow liquid	Passed

*Not a certified value.

Test	Certified Value	Uncertainty	NIST SRM#
pH at 25°C (Method: SQCP027, SQCP033)	7.002	0.02	186-I-g, 186-II-g, 191d

Specification	Reference
Commercial Buffer Solutions	ASTM (D 1293 B)
Buffer A	ASTM (D 5464)
Buffer A	ASTM (D 5128)

pH measurements were performed in our Batesville, IN laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.02) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1551-2.5	10 L Cubitainer®	24 months
1551-5	20 L Cubitainer®	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)



Paul Brandon (08/09/2023)

Production Manager

This document is designed to comply with ISO Guide 31 "Reference Materials --
Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

W2918
W3001
rec. 06/06/22
exp. 06/06/27

Chem-Impex International, Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191

Certificate of Analysis

Catalogue Number	01237
Product	Magnesium chloride hexahydrate
Lot Number	002251-03319 Magnesium chloride•6H ₂ O
CAS Number	7791-18-6
Molecular Formula	MgCl ₂ •6H ₂ O
Molecular Weight	203.3

Appearance	Colorless crystals, very deliquescent
Heavy Metals	< 5 ppm
Anion	Nitrate : < 0.001% Phosphate : < 5 ppm Sulfate : < 0.002%
Cation	Ammonium : < 0.002% Barium : < 0.005% Calcium : 0.0006% Iron : < 5 ppm Manganese : 1.8 ppm Potassium : 0.0006% Sodium : 0.0008% Strontium : 0.0015%
Insoluble material	0.0025%
Assay by titration	100.29%
Grade	ACS reagent
Storage	Store at RT
Country of Origin	India

Certificate of Analysis

Catalog Number: 01237

Lot Number: 002251-03319

Remarks

See material safety data sheet for additional information

For laboratory use only

The foregoing is a copy of the Certificate of Analysis as provided by our supplier



Bala Kumar
Quality Control Manager

W3019
rec 4/3/23

3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.comEmail USA: techserv@sial.comOutside USA: eurtechserv@sial.com

Certificate of Analysis

Product Name:

Pyridine - anhydrous, 99.8%

Product Number:

270970

Batch Number:

SHBQ2113

Brand:

SIAL

CAS Number:

110-86-1

MDL Number:

MFCD00011732

Formula:


C₅H₅N

Formula Weight:

79.10 g/mol

Quality Release Date:

15 DEC 2022



Test	Specification	Result
Appearance (Color)	Colorless	Colorless
Appearance (Form)	Liquid	Liquid
Infrared Spectrum	Conforms to Structure	Conforms
Purity (GC)	≥ 99.75 %	99.99 %
Water (by Karl Fischer)	≤ 0.003 %	0.002 %
Residue on Evaporation	≤ 0.0005 %	< 0.0001 %


Larry Coers, Director
Quality Control
Sheboygan Falls, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.



Certificate Of Analysis



W 3058

Re. 10/19/23 12

Date of Release: 1/27/2023

Name: **Sodium Carbonate, Anhydrous**

Powder, ACS

Item No: **SX0395 All Sizes**

Lot / Batch No: **2023012653**

Country of Origin: **India**

Item	Specifications	Analysis
Assay (calculated on dried substance)	99.5% min.	100.2%
Calcium (Ca)	0.03% max.	0.004%
Chloride (Cl)	0.001% max.	<0.001%
Color	White	Passes Test
Form	Powder	Passes Test
Heavy metals (by ICP-OES)	5 ppm max.	<5 ppm
Insoluble Matter	0.01% max.	0.003%
Iron (Fe)	5 ppm max.	<5 ppm
Loss on heating at 285C	1.0% max.	0.1%
Magnesium (Mg)	0.005% max.	0.0008%
Phosphate (PO ₄)	0.001% max.	<0.001%
Potassium (K)	0.005% max.	0.003%
Silica (SiO ₂)	0.005% max.	<0.005%
Sulfur compounds (as SO ₄)	0.003% max.	<0.003%

Joe Schoellkopf

Quality Control Manager

This document has been produced electronically and is valid without a signature.

EMD Millipore is a division of Merck KGaA, Darmstadt, Germany

EMD Millipore Corporation

400 Summit Drive
Burlington, MA 01803
U.S.A.

Form number: 00005624CA, Rev. 2.0



RICCA CHEMICAL COMPANY®

1841 Broad Street
Pocomoke City, MD 21851
<http://www.riccachemical.com>
1-888-GO-RICCA
customerservice@riccachemical.com

W 3072
REC. 12/01/23
12

Certificate of Analysis

Buffer, Reference Standard, pH 12.00 ± 0.01 at 25°C

Lot Number: 2310P21

Product Number: 1615

Manufacture Date: OCT 24, 2023

Expiration Date: APR 2025

The certified value for this product is confirmed in independent testing by a second qualified chemist.

°C	15	20	25	30	35	40
pH	12.35	12.17	11.99	11.78	11.62	11.46

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Potassium Chloride	7447-40-7	ACS
Sodium Hydroxide	1310-73-2	Reagent

Test	Specification	Result
Appearance	Colorless liquid	Passed


*Not a certified value.

Test	Certified Value	Uncertainty	NIST SRM#
pH at 25°C (Method: SQCP027, SQCP033)	12.005	0.02	186-I-g, 186-II-g, 191d

pH measurements were performed in our Pocomoke City, MD laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.01) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1615-1	4 L natural poly	18 months
1615-16	500 mL clear PET-G	18 months
1615-32	1 L natural poly	18 months
1615-5	20 L Cubitainer®	18 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)



Sharon Travers (10/24/2023)

Operations Manager

This document is designed to comply with ISO Guide 31 "Reference Materials --
Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.



Certificate of Analysis

Date of Release: 2/26/2020

Name: Formaldehyde Solution
GR ACS
Meets ACS Specifications

Item No: FX0410 all size codes

Lot / Batch No: 60045

Country of Origin: USA

Characteristic	Requirement		Results	Units
	Min.	Max.		
Assay	36.5	38.0	36.71	%
Chloride (Cl)		5	<5	ppm
Color (APHA)		10	<10	
Form			Passes test	
Heavy metals (as Pb)		5	<5	ppm
Iron (Fe)		5	0.6	ppm
Residue after ignition		0.005	<0.0050	%
Sulfate (SO ₄)		0.002	<0.0020	%
Titrate acid		0.006	<0.0060	meq/g

Heather Sinn,

Quality Control Manager

This document has been produced electronically and is valid without a signature.

EMD Millipore Corporation, an affiliate of Merck KGaA, Darmstadt, Germany
290 Concord Road
Billerica, MA 01821
U.S.A

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the U.S. and Canada.



Certificate of Analysis

1 Reagent Lane
Fair Lawn, NJ 07410
201.796.7100 tel
201.796.1329 fax

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System
Standard ISO9001:2015 by SAI Global Certificate Number CERT – 0120632

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the final formulator and end user to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

Catalog Number	P188	Quality Test / Release Date	08/12/2019
Lot Number	194664		
Description	POTASSIUM DICHROMATE, A.C.S.		
Country of Origin	United States	Suggested Retest Date	Aug/2024
Chemical Origin	Inorganic-non animal		
BSE/TSE Comment	No animal products are used as starting raw material ingredients, or used in processing, including lubricants, processing aids, or any other material that might migrate to the finished product.		
Chemical Comment			

N/A			
Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	Fine, orange-red crystals
ASSAY	%	>= 99	99.2
CALCIUM	%	<= 0.003	<0.003
CHLORIDE	%	<= 0.001	<0.001
LOSS ON DRYING @ 105 C	%	<= 0.05	<0.05
SULFATE (SO4)	%	<= 0.005	<0.005
INSOLUBLE MATTER	%	<= 0.005	0.003
IRON (Fe)	%	<= 0.001	<0.001
SODIUM (Na)	%	<= 0.02	<0.02
IDENTIFICATION	PASS/FAIL	= PASS TEST	PASS TEST

Jerusa Bailey-Wyche

Quality Assurance Specialist - Certificate of Analysis Fair Lawn

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of this catalog number listed above. If there are any questions with this certificate, please call at (800) 227-6701.

*Based on suggested storage condition.



Certificate of Analysis

Sodium Hydroxide (Pellets)

Material: 0583
Grade: ACS GRADE
Batch Number: 23B1556310

Chemical Formula: NaOH
Molecular Weight: 40
CAS #: 1310-73-2
Appearance:

Manufacture Date: 12/14/2022
Expiration Date: 12/31/2025

Storage: Room Temperature

Pellets

TEST	SPECIFICATION	ANALYSIS	DISPOSITION
Calcium	$\leq 0.005 \%$	$< 0.005 \%$	PASS
Chloride	$\leq 0.005 \%$	0.002 %	PASS
Heavy Metals	$\leq 0.002 \%$	$< 0.002 \%$	PASS
Iron	$\leq 0.001 \%$	$< 0.001 \%$	PASS
Magnesium	$\leq 0.002 \%$	$< 0.002 \%$	PASS
Mercury	$\leq 0.1 \text{ ppm}$	$< 0.1 \text{ ppm}$	PASS
Nickel	$\leq 0.001 \%$	$< 0.001 \%$	PASS
Nitrogen Compounds	$\leq 0.001 \%$	$< 0.001 \%$	PASS
Phosphate	$\leq 0.001 \%$	$< 0.001 \%$	PASS
Potassium	$\leq 0.02 \%$	$< 0.02 \%$	PASS
Purity	$\geq 97.0 \%$	99.2 %	PASS
Sodium Carbonate	$\leq 1.0 \%$	0.5 %	PASS
Sulfate	$\leq 0.003 \%$	$< 0.003 \%$	PASS

Internal ID #: 710

Signature

We certify that this batch conforms to the specifications listed.


This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon
VWR Chemicals, LLC.
28600 Fountain Parkway, Solon OH 44139 USA

Additional Information

Analysis may have been rounded to significant digits in specification limits.

Product meets analytical specifications of the grades listed.



Acetone

BAKER RESI-ANALYZED® Reagent
For Organic Residue Analysis

Avantor™



Material No.: 9254-03
Batch No.: 23H1462005
Manufactured Date: 2023-07-26
Expiration Date: 2026-07-25
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
Assay ((CH ₃) ₂ CO) (by GC, corrected for water)	≥ 99.4 %	99.7 %
Color (APHA)	≤ 10	5
Residue after Evaporation	≤ 1.0 ppm	0.3 ppm
Substances Reducing Permanganate	Passes Test	Passes Test
Titration Acid (μeq/g)	≤ 0.3	0.1
Titration Base (μeq/g)	≤ 0.6	< 0.1
Water (H ₂ O)	≤ 0.5 %	0.3 %
FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)	≤ 5	< 1
ECD Sensitive Impurities (as Heptachlor Epoxide) Single Peak (pg/mL)	≤ 10	1

For Laboratory, Research, or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC

Recd by RP on 8/13/24

E 3788

Ken Koehnlein
Sr. Manager, Quality Assurance

Sulfuric Acid
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis
Low Selenium

 **avantor**™



Material No.: 9673-33
Batch No.: 23D2462010
Manufactured Date: 2023-03-22
Retest Date: 2028-03-20
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
ACS – Assay (H ₂ SO ₄)	95.0 – 98.0 %	96.1 %
Appearance	Passes Test	Passes Test
ACS – Color (APHA)	≤ 10	5
ACS – Residue after Ignition	≤ 3 ppm	< 1 ppm
ACS – Substances Reducing Permanganate (as SO ₂)	≤ 2 ppm	< 2 ppm
Ammonium (NH ₄)	≤ 1 ppm	1 ppm
Chloride (Cl)	≤ 0.1 ppm	< 0.1 ppm
Nitrate (NO ₃)	≤ 0.2 ppm	< 0.1 ppm
Phosphate (PO ₄)	≤ 0.5 ppm	< 0.1 ppm
Trace Impurities – Aluminum (Al)	≤ 30.0 ppb	< 5.0 ppb
Arsenic and Antimony (as As)	≤ 4.0 ppb	< 2.0 ppb
Trace Impurities – Boron (B)	≤ 10.0 ppb	8.5 ppb
Trace Impurities – Cadmium (Cd)	≤ 2.0 ppb	< 0.3 ppb
Trace Impurities – Chromium (Cr)	≤ 6.0 ppb	< 0.4 ppb
Trace Impurities – Cobalt (Co)	≤ 0.5 ppb	< 0.3 ppb
Trace Impurities – Copper (Cu)	≤ 1.0 ppb	< 0.1 ppb
Trace Impurities – Gold (Au)	≤ 10.0 ppb	0.5 ppb
Heavy Metals (as Pb)	≤ 500.0 ppb	< 100.0 ppb
Trace Impurities – Iron (Fe)	≤ 50.0 ppb	1.3 ppb
Trace Impurities – Lead (Pb)	≤ 0.5 ppb	< 0.5 ppb
Trace Impurities – Magnesium (Mg)	≤ 7.0 ppb	0.8 ppb
Trace Impurities – Manganese (Mn)	≤ 1.0 ppb	< 0.4 ppb
Trace Impurities – Mercury (Hg)	≤ 0.5 ppb	< 0.1 ppb
Trace Impurities – Nickel (Ni)	≤ 2.0 ppb	0.3 ppb
Trace Impurities – Potassium (K)	≤ 500.0 ppb	< 2.0 ppb
Trace Impurities – Selenium (Se)	≤ 50.0 ppb	< 0.1 ppb
Trace Impurities – Silicon (Si)	≤ 100.0 ppb	31.5 ppb
Trace Impurities – Silver (Ag)	≤ 1.0 ppb	< 0.3 ppb

>>> Continued on page 2 >>>

Sulfuric Acid
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis
Low Selenium



Material No.: 9673-33
Batch No.: 23D2462010

Test	Specification	Result
Trace Impurities – Sodium (Na)	≤ 500.0 ppb	5.4 ppb
Trace Impurities – Strontium (Sr)	≤ 5.0 ppb	< 0.2 ppb
Trace Impurities – Tin (Sn)	≤ 5.0 ppb	< 0.8 ppb
Trace Impurities – Zinc (Zn)	≤ 5.0 ppb	0.4 ppb

For Laboratory, Research, or Manufacturing Use

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC

A handwritten signature in cursive script that reads 'Jamie Ethier'.
Jamie Ethier
Vice President Global Quality

Hydrochloric Acid, 36.5–38.0%
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis

 **avantorsm**



MS947 MS948 MS949
MS950 MS951 MS952

Material No.: 9530-33
Batch No.: 22G2862015
Manufactured Date: 2022-06-15
Retest Date: 2027-06-14
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
ACS – Assay (as HCl) (by acid–base titrn)	36.5 – 38.0 %	37.9 %
ACS – Color (APHA)	≤ 10	5
ACS – Residue after Ignition	≤ 3 ppm	< 1 ppm
ACS – Specific Gravity at 60°/60°F	1.185 – 1.192	1.191
ACS – Bromide (Br)	≤ 0.005 %	< 0.005 %
ACS – Extractable Organic Substances	≤ 5 ppm	< 1 ppm
ACS – Free Chlorine (as Cl ₂)	≤ 0.5 ppm	< 0.5 ppm
Phosphate (PO ₄)	≤ 0.05 ppm	< 0.03 ppm
Sulfate (SO ₄)	≤ 0.5 ppm	< 0.3 ppm
Sulfite (SO ₃)	≤ 0.8 ppm	0.3 ppm
Ammonium (NH ₄)	≤ 3 ppm	< 1 ppm
Trace Impurities – Arsenic (As)	≤ 0.010 ppm	< 0.003 ppm
Trace Impurities – Aluminum (Al)	≤ 10.0 ppb	1.3 ppb
Arsenic and Antimony (as As)	≤ 5.0 ppb	< 3.0 ppb
Trace Impurities – Barium (Ba)	≤ 1.0 ppb	0.2 ppb
Trace Impurities – Beryllium (Be)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Bismuth (Bi)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Boron (B)	≤ 20.0 ppb	< 5.0 ppb
Trace Impurities – Cadmium (Cd)	≤ 1.0 ppb	< 0.3 ppb
Trace Impurities – Calcium (Ca)	≤ 50.0 ppb	163.0 ppb
Trace Impurities – Chromium (Cr)	≤ 1.0 ppb	0.7 ppb
Trace Impurities – Cobalt (Co)	≤ 1.0 ppb	< 0.3 ppb
Trace Impurities – Copper (Cu)	≤ 1.0 ppb	< 0.1 ppb
Trace Impurities – Gallium (Ga)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Germanium (Ge)	≤ 3.0 ppb	< 2.0 ppb
Trace Impurities – Gold (Au)	≤ 4.0 ppb	0.6 ppb
Heavy Metals (as Pb)	≤ 100 ppb	< 50 ppb
Trace Impurities – Iron (Fe)	≤ 15 ppb	6 ppb

>>> Continued on page 2 >>>

Hydrochloric Acid, 36.5–38.0%
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis

 **avantor™**



Material No.: 9530-33
Batch No.: 22G2862015

Test	Specification	Result
Trace Impurities – Lead (Pb)	≤ 1.0 ppb	< 0.5 ppb
Trace Impurities – Lithium (Li)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Magnesium (Mg)	≤ 10.0 ppb	2.9 ppb
Trace Impurities – Manganese (Mn)	≤ 1.0 ppb	< 0.4 ppb
Trace Impurities – Mercury (Hg)	≤ 0.5 ppb	0.1 ppb
Trace Impurities – Molybdenum (Mo)	≤ 10.0 ppb	< 3.0 ppb
Trace Impurities – Nickel (Ni)	≤ 4.0 ppb	< 0.3 ppb
Trace Impurities – Niobium (Nb)	≤ 1.0 ppb	0.8 ppb
Trace Impurities – Potassium (K)	≤ 9.0 ppb	< 2.0 ppb
Trace Impurities – Selenium (Se), For Information Only		< 1.0 ppb
Trace Impurities – Silicon (Si)	≤ 100.0 ppb	< 10.0 ppb
Trace Impurities – Silver (Ag)	≤ 1.0 ppb	0.5 ppb
Trace Impurities – Sodium (Na)	≤ 100.0 ppb	2.3 ppb
Trace Impurities – Strontium (Sr)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Tantalum (Ta)	≤ 1.0 ppb	1.6 ppb
Trace Impurities – Thallium (Tl)	≤ 5.0 ppb	< 2.0 ppb
Trace Impurities – Tin (Sn)	≤ 5.0 ppb	4.0 ppb
Trace Impurities – Titanium (Ti)	≤ 1.0 ppb	1.5 ppb
Trace Impurities – Vanadium (V)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Zinc (Zn)	≤ 5.0 ppb	0.8 ppb
Trace Impurities – Zirconium (Zr)	≤ 1.0 ppb	0.3 ppb

>>> Continued on page 3 >>>

Hydrochloric Acid, 36.5–38.0%

BAKER INSTRA-ANALYZED® Reagent

For Trace Metal Analysis

 **avantorsm**




Material No.: 9530-33
Batch No.: 22G2862015

Test	Specification	Result
------	---------------	--------

For Laboratory, Research, or Manufacturing Use
Product Information (not specifications):
Appearance (clear, fuming liquid)
Meets ACS Specifications
Storage Condition: Store below 25 °C.

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC


Jamie Ethier
Vice President Global Quality

Nitric Acid 69%
CMOS

avantor™



MS954 MS955 MS956
MS957 MS958

Material No.: 9606-03
Batch No.: 24D1062002
Manufactured Date: 2024-03-26
Retest Date: 2029-03-25
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
Assay (HNO ₃)	69.0 – 70.0 %	69.7 %
Appearance	Passes Test	Passes Test
Color (APHA)	≤ 10	5
Residue after Ignition	≤ 2 ppm	1 ppm
Chloride (Cl)	≤ 0.08 ppm	< 0.03 ppm
Phosphate (PO ₄)	≤ 0.10 ppm	< 0.03 ppm
Sulfate (SO ₄)	≤ 0.2 ppm	< 0.2 ppm
Trace Impurities – Aluminum (Al)	≤ 40.0 ppb	< 1.0 ppb
Arsenic and Antimony (as As)	≤ 5.0 ppb	< 2.0 ppb
Trace Impurities – Barium (Ba)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Beryllium (Be)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Bismuth (Bi)	≤ 20.0 ppb	< 10.0 ppb
Trace Impurities – Boron (B)	≤ 10.0 ppb	< 5.0 ppb
Trace Impurities – Cadmium (Cd)	≤ 50 ppb	< 1 ppb
Trace Impurities – Calcium (Ca)	≤ 50.0 ppb	2.3 ppb
Trace Impurities – Chromium (Cr)	≤ 30.0 ppb	< 1.0 ppb
Trace Impurities – Cobalt (Co)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Copper (Cu)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Gallium (Ga)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Germanium (Ge)	≤ 20 ppb	< 10 ppb
Trace Impurities – Gold (Au)	≤ 20 ppb	< 5 ppb
Heavy Metals (as Pb)	≤ 100 ppb	100 ppb
Trace Impurities – Iron (Fe)	≤ 40.0 ppb	< 1.0 ppb
Trace Impurities – Lead (Pb)	≤ 20.0 ppb	< 10.0 ppb
Trace Impurities – Lithium (Li)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Magnesium (Mg)	≤ 20 ppb	< 1 ppb
Trace Impurities – Manganese (Mn)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Nickel (Ni)	≤ 20.0 ppb	< 5.0 ppb

>>> Continued on page 2 >>>

Nitric Acid 69%
CMOS



Material No.: 9606-03
Batch No.: 24D1062002

Test	Specification	Result
Trace Impurities – Niobium (Nb)	≤ 50.0 ppb	< 1.0 ppb
Trace Impurities – Potassium (K)	≤ 50 ppb	16 ppb
Trace Impurities – Silicon (Si)	≤ 50 ppb	< 10 ppb
Trace Impurities – Silver (Ag)	≤ 20.0 ppb	< 1.0 ppb
Trace Impurities – Sodium (Na)	≤ 150.0 ppb	< 5.0 ppb
Trace Impurities – Strontium (Sr)	≤ 30.0 ppb	< 1.0 ppb
Trace Impurities – Tantalum (Ta)	≤ 10.0 ppb	< 5.0 ppb
Trace Impurities – Thallium (Tl)	≤ 10.0 ppb	< 5.0 ppb
Trace Impurities – Tin (Sn)	≤ 20.0 ppb	< 10.0 ppb
Trace Impurities – Titanium (Ti)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Vanadium (V)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Zinc (Zn)	≤ 20.0 ppb	< 1.0 ppb
Trace Impurities – Zirconium (Zr)	≤ 10.0 ppb	< 1.0 ppb
Particle Count – 0.5 µm and greater	≤ 60 par/ml	10 par/ml
Particle Count – 1.0 µm and greater	≤ 10 par/ml	3 par/ml

>>> Continued on page 3 >>>

Nitric Acid 69%
CMOS



Material No.: 9606-03
Batch No.: 24D1062002

Test	Specification	Result
------	---------------	--------

For Microelectronic Use

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC

A handwritten signature in cursive script, appearing to read 'J. Croak'.

Jamie Croak
Director Quality Operations, Bioscience Production

Nitric Acid 69%
CMOS

avantor™



M6096
M6097
M6098
M6099
M6100

Mutdig
9/21/24

Material No.: 9606-03
Batch No.: 24D1062002
Manufactured Date: 2024-03-26
Retest Date: 2029-03-25
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
Assay (HNO ₃)	69.0 – 70.0 %	69.7 %
Appearance	Passes Test	Passes Test
Color (APHA)	≤ 10	5
Residue after Ignition	≤ 2 ppm	1 ppm
Chloride (Cl)	≤ 0.08 ppm	< 0.03 ppm
Phosphate (PO ₄)	≤ 0.10 ppm	< 0.03 ppm
Sulfate (SO ₄)	≤ 0.2 ppm	< 0.2 ppm
Trace Impurities – Aluminum (Al)	≤ 40.0 ppb	< 1.0 ppb
Arsenic and Antimony (as As)	≤ 5.0 ppb	< 2.0 ppb
Trace Impurities – Barium (Ba)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Beryllium (Be)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Bismuth (Bi)	≤ 20.0 ppb	< 10.0 ppb
Trace Impurities – Boron (B)	≤ 10.0 ppb	< 5.0 ppb
Trace Impurities – Cadmium (Cd)	≤ 50 ppb	< 1 ppb
Trace Impurities – Calcium (Ca)	≤ 50.0 ppb	2.3 ppb
Trace Impurities – Chromium (Cr)	≤ 30.0 ppb	< 1.0 ppb
Trace Impurities – Cobalt (Co)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Copper (Cu)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Gallium (Ga)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Germanium (Ge)	≤ 20 ppb	< 10 ppb
Trace Impurities – Gold (Au)	≤ 20 ppb	< 5 ppb
Heavy Metals (as Pb)	≤ 100 ppb	100 ppb
Trace Impurities – Iron (Fe)	≤ 40.0 ppb	< 1.0 ppb
Trace Impurities – Lead (Pb)	≤ 20.0 ppb	< 10.0 ppb
Trace Impurities – Lithium (Li)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Magnesium (Mg)	≤ 20 ppb	< 1 ppb
Trace Impurities – Manganese (Mn)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Nickel (Ni)	≤ 20.0 ppb	< 5.0 ppb

>>> Continued on page 2 >>>

Nitric Acid 69%
CMOS



Material No.: 9606-03
Batch No.: 24D1062002

Test	Specification	Result
Trace Impurities – Niobium (Nb)	≤ 50.0 ppb	< 1.0 ppb
Trace Impurities – Potassium (K)	≤ 50 ppb	16 ppb
Trace Impurities – Silicon (Si)	≤ 50 ppb	< 10 ppb
Trace Impurities – Silver (Ag)	≤ 20.0 ppb	< 1.0 ppb
Trace Impurities – Sodium (Na)	≤ 150.0 ppb	< 5.0 ppb
Trace Impurities – Strontium (Sr)	≤ 30.0 ppb	< 1.0 ppb
Trace Impurities – Tantalum (Ta)	≤ 10.0 ppb	< 5.0 ppb
Trace Impurities – Thallium (Tl)	≤ 10.0 ppb	< 5.0 ppb
Trace Impurities – Tin (Sn)	≤ 20.0 ppb	< 10.0 ppb
Trace Impurities – Titanium (Ti)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Vanadium (V)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Zinc (Zn)	≤ 20.0 ppb	< 1.0 ppb
Trace Impurities – Zirconium (Zr)	≤ 10.0 ppb	< 1.0 ppb
Particle Count – 0.5 µm and greater	≤ 60 par/ml	10 par/ml
Particle Count – 1.0 µm and greater	≤ 10 par/ml	3 par/ml

>>> Continued on page 3 >>>

Nitric Acid 69%
CMOS



Material No.: 9606-03
Batch No.: 24D1062002

Test	Specification	Result
------	---------------	--------

For Microelectronic Use
Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC

J. Croak
Jamie Croak
Director Quality Operations, Bioscience Production



Certificate of Analysis

1.00132.0000 Barbituric acid for analysis EMSURE®
Batch N020065932

	Spec. Values		Batch Values	
Assay (acidimetric)	≥ 99	%	99.6	%
Identity (IR-spectrum)	passes test		passes test	
Chloride (Cl)	≤ 40	ppm	≤ 40	ppm
Heavy metals (as Pb)	≤ 50	ppm	≤ 50	ppm
Fe (Iron)	≤ 10	ppm	≤ 10	ppm
Sulfated ash	≤ 0.1	%	≤ 0.1	%
Loss on Drying (105 °C)	≤ 0.1	%	≤ 0.1	%
Suitability as reagent (for cyanide determination)	passes test		passes test	

Date of release (DD.MM.YYYY) 17.04.2020
Minimum shelf life (DD.MM.YYYY) 30.04.2025

Ioannis Chartomatsidis
Responsible laboratory manager quality control

This document has been produced electronically and is valid without a signature.

Sodium Phosphate, Monobasic, Monohydrate,
Crystal
BAKER ANALYZED® A.C.S. Reagent

(sodium dihydrogen phosphate, monohydrate)



Material No.: 3818-05
Batch No.: 0000225799
Manufactured Date: 2018/12/05
Retest Date: 2025/12/03
Revision No: 1

Certificate of Analysis

Meets ACS Reagent Chemical Requirements,

Test	Specification	Result
Assay ($\text{NaH}_2\text{PO}_4 \cdot \text{H}_2\text{O}$)	98.0 – 102.0 %	99.5
pH of 5% Solution at 25°C	4.1 – 4.5	4.3
Insoluble Matter	≤ 0.01 %	< 0.01
Chloride (Cl)	≤ 5 ppm	< 5
ACS – Sulfate (SO_4)	≤ 0.003 %	< 0.003
Calcium (Ca)	≤ 0.005 %	< 0.005
Potassium (K)	≤ 0.01 %	< 0.01
Heavy Metals (as Pb)	≤ 0.001 %	< 0.001
Trace Impurities – Iron (Fe)	≤ 0.001 %	< 0.001

For Laboratory, Research or Manufacturing Use
Meets Reagent Specifications for testing USP/NF monographs

Country of Origin: IN
Packaging Site: Paris Mfg Ctr & DC


Jamie Ethier
Vice President Global Quality


For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700
Avantor Performance Materials, LLC
100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700

Certificate of Analysis

Product Name:

Zinc acetate dihydrate - ACS reagent, $\geq 98\%$

Product Number: 383058
Batch Number: MKCQ9159
Brand: SIGALD
CAS Number: 5970-45-6
MDL Number: MFCD00066961
Formula: $C_4H_6O_4Zn \cdot 2H_2O$
Formula Weight: 219.51 g/mol
Quality Release Date: 06 JAN 2022



W2926
open 7/5/22
received
on 7/5/22

Test	Specification	Result
Appearance (Color)	White	White
Appearance (Form)	Powder or Crystal or Chunk(s)	Powder
Infrared Spectrum	Conforms to Structure	Conforms
Insoluble Matter	$\leq 0.005\%$	0.003 %
Calcium (Ca)	$\leq 0.005\%$	0.003 %
Chloride (Cl)	≤ 5 ppm	< 5 ppm
Iron (Fe)	≤ 5 ppm	< 5 ppm
Potassium (K)	$\leq 0.01\%$	0.00 %
Magnesium (Mg)	$\leq 0.005\%$	0.003 %
Sodium (Na)	$\leq 0.05\%$	0.03 %
Lead (Pb)	$\leq 0.002\%$	$< 0.001\%$
pH	6.0 - 7.0	6.1
Sulfate (SO ₄)	$\leq 0.005\%$	$< 0.005\%$
Complexometric EDTA	98.0 - 101.0 %	100.3 %
Meets ACS Requirements	Meets Requirements	Meets Requirements


Larry Coers, Director
Quality Control
Milwaukee, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.



W 2979

Rec: 12/09/22

exp. 12/09/27

Product Name:

1,5-Diphenylcarbazide - ACS reagent

Product Number:

259225

Batch Number:

MKCR6636

Brand:

SIAL

CAS Number:

140-22-7

MDL Number:

MFCD00003013

Formula:


C₁₃H₁₄N₄O

Formula Weight:

242.28 g/mol

Quality Release Date:

02 JUN 2022



Certificate of Analysis

Test	Specification	Result
Appearance (Color)	Conforms to Requirements	Pink
Off-White to Pink, Light Purple or Tan		
Appearance (Form)	Powder or Chunks	Powder
Melting Point	173.0 - 176.0 °C	173.0 °C
Infrared Spectrum	Conforms to Structure	Conforms
Residue on ignition (Ash)	≤ 0.05 %	0.01 %
15 minutes, 800 Degrees Celsius		
Solubility	Pass	Pass
Sensitivity Test	Pass	Pass
Meets ACS Requirements	Current ACS Specification	Conforms



Larry Coers, Director
Quality Control
Milwaukee, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.



**RICCA CHEMICAL COMPANY®**

W 3005

REC- 1/31/23

12

1490 Lammers Pike

Batesville, IN 47006

<http://www.riccachemical.com>

1-888-GO-RICCA

customerservice@riccachemical.com

Certificate of Analysis

Buffer, Reference Standard, pH 2.00 ± 0.01 at 25°C**Lot Number: 4212E45****Product Number: 1493****Manufacture Date: DEC 20, 2022****Expiration Date: DEC 2024**

The certified value for this product is confirmed in independent testing by a second qualified chemist.

The NIST traceable pH value is certified to ±0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05.

°C	10	15	20	25	30	35	40	45	50
pH	1.93	1.98	1.98	2.00	2.01	2.03	2.03	2.04	2.04

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Potassium Chloride	7447-40-7	ACS
Hydrochloric Acid	7647-01-0	ACS

Test	Specification	Result
Appearance	Colorless liquid	Passed

*Not a certified value.

Test	Certified Value	Uncertainty	NIST SRM#
pH at 25°C (Method: SQCP027, SQCP033)	2.000	0.02	185i, 186-I-g, 186-II-g

pH measurements were performed in our Batesville, IN laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.02) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1493-1	4 L natural poly	24 months
1493-16	500 mL natural poly	24 months
1493-32	1 L natural poly	24 months
1493-5	20 L Cubitainer®	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)



Paul Brandon (12/20/2022)

Production Manager

This Certificate of Analysis is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

**RICCA CHEMICAL COMPANY®**

1490 Lammers Pike

Batesville, IN 47006

<http://www.riccachemical.com>

1-888-GO-RICCA

customerservice@riccachemical.com

Certificate of Analysis

W3093
004121
04/03/2024
16

Buffer, Reference Standard, pH 7.00 ± 0.01 at 25°C (Color Coded Yellow)**Lot Number:** 4401F99**Product Number:** 1551**Manufacture Date:** JAN 08, 2024**Expiration Date:** DEC 2025

The certified value for this product is confirmed in independent testing by a second qualified chemist.

The NIST traceable pH value is certified to ±0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05.

°C	0	5	10	15	20	25	30	35	40	45	50
pH	7.12	7.09	7.06	7.04	7.02	7.00	6.99	6.98	6.98	6.97	6.97

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Sodium Phosphate Dibasic	7558-79-4	ACS
Potassium Dihydrogen Phosphate	7778-77-0	ACS
Preservative	Proprietary	
Yellow Dye	Proprietary	
Sodium Hydroxide	1310-73-2	

Test	Specification	Result
Appearance	Yellow liquid	Passed

*Not a certified value.

Test	Certified Value	Uncertainty	NIST SRM#
pH at 25°C (Method: SQCP027, SQCP033)	7.004	0.02	186-I-g, 186-II-g, 191d

Specification	Reference
Commercial Buffer Solutions	ASTM (D 1293 B)
Buffer A	ASTM (D 5464)
Buffer A	ASTM (D 5128)

pH measurements were performed in our Batesville, IN laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.02) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1551-1	4 L natural poly	24 months
1551-1CT	4 L Cubitainer®	24 months
1551-2.5	10 L Cubitainer®	24 months
1551-5	20 L Cubitainer®	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)



Paul Brandon (01/08/2024)

Production Manager

This document is designed to comply with ISO Guide 31 "Reference Materials --
Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.



Certificate of Analysis

Buffer, Reference Standard, pH 10.00 ± 0.01 at 25°C (Color Coded Blue)

Lot Number: 4310G83

Product Number: 1601

Manufacture Date: OCT 09, 2023

Expiration Date: MAR 2025

The certified value for this product is confirmed in independent testing by a second qualified chemist.

The NIST traceable pH value is certified to ±0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05.

°C	0	5	10	15	20	25	30	35	40	50
pH	10.31	10.23	10.17	10.11	10.05	10.00	9.95	9.91	9.87	9.81

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Sodium Carbonate	497-19-8	ACS
Sodium Bicarbonate	144-55-8	ACS
Sodium Hydroxide	1310-73-2	Reagent
Preservative	Proprietary	
Blue Dye	Proprietary	

Test	Specification	Result
Appearance	Blue liquid	Passed

*Not a certified value.

Test	Certified Value	Uncertainty	NIST SRM#
pH at 25°C (Method: SQCP027, SQCP033)	10.003	0.02	186-I-g, 186-II-g, 191d

Specification	Reference
Commercial Buffer Solutions	ASTM (D 1293 B)
Buffer C	ASTM (D 5464)
Buffer C	ASTM (D 5128)

pH measurements were performed in our Batesville, IN laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.02) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1601-16	500 mL natural poly	18 months
1601-5	20 L Cubitainer®	18 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)



Paul Brandon (10/09/2023)

Production Manager

This document is designed to comply with ISO Guide 31 "Reference Materials --
Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

Certificate of Analysis

Sodium Thiosulfate, 0.0250 Normal (N/40)

Lot Number: 4403S13

Product Number: 7900

Manufacture Date: MAR 29, 2024

Expiration Date: SEP 2025

This product is specially formulated to increase its stability. A preservative is added to prevent bacterial contamination. However, all Sodium Thiosulfate solutions are subject to slow chemical deterioration and should be restandardized periodically.

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Sodium Thiosulfate Pentahydrate	10102-17-7	ACS
Organic Preservative	Proprietary	
Sodium Carbonate	497-19-8	ACS

Test	Specification	Result	NIST SRM#
Appearance	Colorless liquid	Passed	
Assay (vs. Potassium Iodate/Starch)	0.02499-0.02501 N at 20°C	0.02501 N at 20°C	136

Specification	Reference
Standard Sodium Thiosulfate Solution, 0.0250 N	APHA (4500-S2- F)
Standard Sodium Thiosulfate Titrant	APHA (4500-O D)
Standard Sodium Thiosulfate Titrant	APHA (4500-O E)
Standard Sodium Thiosulfate Titrant	APHA (4500-O F)
Standard Sodium Thiosulfate Titrant, 0.025 N	APHA (4500-CI B)
Standard Sodium Thiosulfate Titrant	APHA (4500-O C)
Standard Sodium Thiosulfate Titrant, 0.025 M	APHA (5530 C)
Standard Sodium Thiosulfate Solution (0.025 N)	EPA (SW-846) (9031)
Standard Sodium Thiosulfate solution (0.025 N)	EPA (SW-846) (9034)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
7900-1	4 L natural poly	18 months
7900-16	500 mL natural poly	18 months
7900-1CT	4 L Cubitainer®	18 months
7900-32	1 L natural poly	18 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)



Paul Brandon (03/29/2024)

Production Manager

This document is designed to comply with ISO Guide 31 "Reference Materials --
Contents of Certificates and Labels."

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.



Certificate of Analysis

Buffer, Reference Standard, pH 4.00 ± 0.01 at 25°C (Color Coded Red)

Lot Number: 4403F90

Product Number: 1501

Manufacture Date: MAR 09, 2024

Expiration Date: FEB 2026

The certified value for this product is confirmed in independent testing by a second qualified chemist.

The NIST Traceable pH value is certified to ±0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05.

°C	0	5	10	15	20	25	30	35	40	45	50
pH	4.00	4.00	4.00	4.00	4.00	4.00	4.01	4.02	4.03	4.04	4.06

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Potassium Acid Phthalate	877-24-7	Buffer
Preservative	Proprietary	Commercial
Red Dye	Proprietary	Purified

Test	Specification	Result
Appearance	Red liquid	Passed

*Not a certified value.

Test	Certified Value	Uncertainty	NIST SRM#
pH at 25°C (Method: SQCP027, SQCP033)	4.000	0.02	185i, 186-I-g, 186-II-g

Specification	Reference
Commercial Buffer Solutions	ASTM (D 1293 B)
Buffer B	ASTM (D 5464)
Buffer B	ASTM (D 5128)

pH measurements were performed in our Batesville, IN laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.02) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1501-2.5	10 L Cubitainer®	24 months
1501-32	1 L natural poly	24 months
1501-5	20 L Cubitainer®	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)



Paul Brandon (03/09/2024)

Production Manager

This document is designed to comply with ISO Guide 31 "Reference Materials --
Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.



Certificate of Analysis



Sodium Hydroxide (Pellets)

Material: 0583
Grade: ACS GRADE
Batch Number: 23B1556310

Chemical Formula: NaOH
Molecular Weight: 40
CAS #: 1310-73-2
Appearance:

Manufacture Date: 12/14/2022
Expiration Date: 12/31/2025

Storage: Room Temperature

Pellets

TEST	SPECIFICATION	ANALYSIS	DISPOSITION
Calcium	<= 0.005 %	<0.005 %	PASS
Chloride	<= 0.005 %	0.002 %	PASS
Heavy Metals	<= 0.002 %	<0.002 %	PASS
Iron	<= 0.001 %	<0.001 %	PASS
Magnesium	<= 0.002 %	<0.002 %	PASS
Mercury	<= 0.1 ppm	<0.1 ppm	PASS
Nickel	<= 0.001 %	<0.001 %	PASS
Nitrogen Compounds	<= 0.001 %	<0.001 %	PASS
Phosphate	<= 0.001 %	<0.001 %	PASS
Potassium	<= 0.02 %	<0.02 %	PASS
Purity	>= 97.0 %	99.2 %	PASS
Sodium Carbonate	<= 1.0 %	0.5 %	PASS
Sulfate	<= 0.003 %	<0.003 %	PASS

Internal ID #: 710

Signature

We certify that this batch conforms to the specifications listed.

This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon
VWR Chemicals, LLC.
28600 Fountain Parkway, Solon OH 44139 USA

Additional Information

Analysis may have been rounded to significant digits in specification limits.

Product meets analytical specifications of the grades listed.



Sodium Hydroxide (Pellets)

Material: 0583
Grade: ACS GRADE
Batch Number: 23B1556310

Chemical Formula: NaOH
Molecular Weight: 40
CAS #: 1310-73-2
Appearance:

Manufacture Date: 12/14/2022
Expiration Date: 12/31/2025

Storage: Room Temperature

Pellets

Spec Set: 0583ACS

Internal ID #: 710

Signature

We certify that this batch conforms to the specifications listed.

This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon
VWR Chemicals, LLC.
28600 Fountain Parkway, Solon OH 44139 USA

Additional Information

Analysis may have been rounded to significant digits in specification limits.

Product meets analytical specifications of the grades listed.

Certificate of Analysis

Iodine (Iodine-Iodide), 0.0250 Normal (N/40), 1 mL = 0.4008 mg S²⁻

Lot Number: 2405D89

Product Number: 3975

Manufacture Date: MAY 10, 2024

Expiration Date: MAY 2025

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Potassium Iodide	7681-11-0	ACS
Iodine	7553-56-2	ACS

Test	Specification	Result	NIST SRM#
Appearance	Dark brown liquid	Passed	
Assay (vs. Sodium Thiosulfate/Starch)	0.02498-0.02502 N at 20°C	0.02502 N at 20°C	136

Specification	Reference
Standard Iodine Solution, 0.0250 N	APHA (4500-S2- F)
Iodine Solution (approximately 0.025 N)	EPA (SW-846) (9031)
Standard Iodine Solution, 0.0250 N	EPA (376.1)
Iodine Solution (approximately 0.025 N)	EPA (SW-846) (9034)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
3975-1	4 L amber glass	12 months
3975-16	500 mL amber glass	12 months
3975-32	1 L amber glass	12 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)



Jose Pena (05/10/2024)
Operations Manager

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.



Part of TCP Analytical Group

Jackson's Pointe Commerce Park- Building 1000
1010 Jackson's Pointe Court, Zelienople, PA 16063

Certificate of Analysis

Cyanide Standard 1000 ppm (1ml = 1mg CN)

Product Code: **LC13545**

Manufacture Date: August 01, 2024

Lot Number: **44080060**

Expiration Date: January 30, 2025

Test	Specification	Result
Appearance (clarity)	clear solution	clear solution
Appearance (color)	colorless	colorless
Concentration (CN)	0.990 - 1.010mg/mL	1.008mg/mL
Concentration (CN)	990 - 1,010ppm	1,008ppm
Traceable to NIST SRM	Report	999b

Intended Use - Product is intended for use in manufacturing procedures and laboratory procedures and protocols.

Storage Information - Unless noted on the product label, store the product under normal lab conditions in its tightly closed, original container. Do not pipet directly from the container or return unused portions to the container.

Instructions for Handling and Use - Please refer to the associated product label and Safety Data Sheet (SDS) for information regarding safety and handling of this product.

Preparation - All products are manufactured and tested according to established, documented procedures and methodology. Production documentation records manufacturing data, raw material traceability and testing history on a per lot basis. Balances, thermometers, and glassware are calibrated before first use and on a regular schedule with references traceable to NIST standards.

The suffix of the product code may differ from what is on your product label. The suffix will designate the size and be associated with a numeric digit(s). Visit LabChem.com for more information

Suffix	1	2	3/3S/36/36S	4/4C	5	6	7	8	9	20	44	200	246	486
Size	500mL or g	1L or 1kg	2.5L/2.5L Coated/6x2.5L/6x2.5L Coated	4L	20L	10L	125mL	25g	100g	20x20mL	4x4L	200L	24x6mL	48x6mL

Michael Monteleone

Michael Monteleone
Chemistry Supervisor - Quality Control

ISO9001:2015 Registration #0306-01

2024080113:32:16bsturges-0-0

W3139 Received on 9/9/24 by IZ

Product No.: A12044
Product: Chloramine-T trihydrate, 98%
Lot No.: 10239484

Appearance:	White powder
Melting Point:	166°C(dec)
Assay (Iodometric titration):	100.5%
Identification (FTIR):	Conforms

Order our products online thermofisher.com/chemicals

This document has been electronically generated and does not require a signature.

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Certificate of Analysis

Cyanide Standard, 1000 ppm CN⁻

Lot Number: 1405J81

Product Number: 2543

Manufacture Date: MAY 20, 2024

Expiration Date: NOV 2024

This standard is prepared using accurate volumetric techniques from material that has been assayed against Silver Nitrate solution certified traceable to NIST Standard Reference Material 999. The certified value reported is the prepared value based upon the method of preparation of the material. The uncertainty in the prepared value is the combined uncertainty based on the stability of the assayed Potassium Cyanide, and the uncertainty in the mass and volume measurements.

Use 0.16% (w/v) (0.04 N) Sodium Hydroxide or 0.225 % (w/v) (0.04 N) Potassium Hydroxide to make dilutions of this standard. Restandardize weekly if extreme accuracy is required.

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Potassium Cyanide	151-50-8	ACS
Sodium Hydroxide	1310-73-2	Reagent

Test	Specification	Result
Appearance	Colorless liquid	Passed
Cyanide (CN ⁻)	995-1005 ppm	1000 ppm

Specification	Reference
Stock Standard Cyanide Solution	APHA (4500-CN- F)
Stock Cyanide Solution	APHA (4500-CN- E)
Stock Cyanide Solution	APHA (4500-CN- K)
Stock Cyanide Solution	APHA (4500-CN- H)
Cyanide Reference Solution (1000 mg/L)	EPA (SW-846) (7.3.3.2)
Cyanide Calibration Stock Solution (1,000 mg/L CN ⁻)	EPA (SW-846) (9213)
Stock Cyanide Solution	EPA (335.3)
Stock Cyanide Solution	EPA (335.2)
Cyanide Solution Stock	ASTM (D 4282)
Simple Cyanide Solution, Stock (1.0 g/L CN ⁻)	ASTM (D 4374)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
2543-16	500 mL amber poly	6 months
2543-4	120 mL amber poly	6 months

Recommended Storage: 2°C - 8°C (36°F - 46°F)



Heidi J Green (05/20/2024)
Operations Manager

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.



Certificate of Analysis

Starch Indicator, 0.5% (w/v), Mercury Free, for Iodometric Titrations

Lot Number: 4408P62

Product Number: 8000

Manufacture Date: AUG 28, 2024

Expiration Date: AUG 2026

This product is Mercury-free.

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Starch, soluble	9005-84-9	ACS
Salicylic Acid	69-72-7	ACS

Test	Specification	Result
Appearance	White translucent liquid	Passed
Suitability for Use	Colorless (Iodine absent) - Blue (Iodine present)	Passed

Specification	Reference
Starch Solution	APHA (4500-S2- F)
Starch Indicator Solution	APHA (4500-CI B)
Starch Indicator	APHA (4500-SO32- B)
Starch indicator solution	APHA (2350 B)
Starch indicator solution	APHA (2350 E)
Starch Solution	APHA (510 B)
Starch Solution	APHA (5530 C)
Starch Indicator	APHA (4500-CI C)
Starch Indicator	EPA (345.1)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
8000-1	4 L natural poly	24 months
8000-16	500 mL natural poly	24 months
8000-32	1 L natural poly	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)

A handwritten signature in blue ink that reads "Paul Brandon". The signature is fluid and cursive, with the first name "Paul" and last name "Brandon" clearly distinguishable.

Paul Brandon (08/28/2024)
Production Manager

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 10/28/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 18:15
In Date: 10/25/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:38
Out Date: 10/26/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB133131

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P4561-01	BP-F-19	1	1.16	8.48	9.64	8.73	89.3	
P4561-02	BP-F-19-EPH	2	1.16	8.50	9.66	8.77	89.5	
P4561-03	BP-F-19-VOC	3	1.15	8.80	9.95	9.16	91.0	
P4561-05	BP-F-18	4	1.15	8.40	9.55	8.36	85.8	
P4561-06	BP-F-18-EPH	5	1.13	8.44	9.57	8.29	84.8	
P4561-07	BP-F-18-VOC	6	1.12	8.71	9.83	8.52	85.0	
P4562-05	SVOC-GPC-BLANK	7	1.00	1.00	2.00	2.00	100.0	
P4562-06	PEST-GPC-BLANK	8	1.00	1.00	2.00	2.00	100.0	
P4562-07	PEST-GPC-BLANK-SPIKE	9	1.00	1.00	2.00	2.00	100.0	
P4562-08	PCB-GPC-BLANK	10	1.00	1.00	2.00	2.00	100.0	
P4562-09	PCB-GPC-BLANK-SPIKE	11	1.00	1.00	2.00	2.00	100.0	
P4562-10	SVOC-GPC2-BLANK	12	1.00	1.00	2.00	2.00	100.0	
P4562-11	PEST-GPC2-BLANK	13	1.00	1.00	2.00	2.00	100.0	
P4562-12	PEST-GPC2-BLANK-SPIKE	14	1.00	1.00	2.00	2.00	100.0	
P4562-13	PCB-GPC2-BLANK	15	1.00	1.00	2.00	2.00	100.0	
P4562-14	PCB-GPC2-BLANK-SPIKE	16	1.00	1.00	2.00	2.00	100.0	
P4563-01	100724-A	26	1.00	1.00	2.00	2.00	100.0	wipe sample
P4563-02	100724-B	27	1.00	1.00	2.00	2.00	100.0	wipe sample
P4563-03	100724-C	28	1.00	1.00	2.00	2.00	100.0	wipe sample
P4563-04	100724-D	29	1.00	1.00	2.00	2.00	100.0	wipe sample
P4563-05	100824-A	30	1.00	1.00	2.00	2.00	100.0	wipe sample
P4563-06	100924-A	31	1.00	1.00	2.00	2.00	100.0	wipe sample
P4563-07	100924-B	32	1.00	1.00	2.00	2.00	100.0	wipe sample
P4563-08	101424-A	33	1.00	1.00	2.00	2.00	100.0	wipe sample
P4563-09	102324-A	34	1.00	1.00	2.00	2.00	100.0	wipe sample
P4563-10	102524-A	35	1.00	1.00	2.00	2.00	100.0	wipe sample
P4563-11	FITTING-1	36	1.00	1.00	2.00	2.00	100.0	wipe sample
P4563-12	FITTING-2	37	1.00	1.00	2.00	2.00	100.0	wipe sample



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 10/28/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 18:15
In Date: 10/25/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:38
Out Date: 10/26/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB133131

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P4565-01	2054	38	1.00	1.00	2.00	2.00	100.0	wipe sample
P4565-02	2055	39	1.00	1.00	2.00	2.00	100.0	wipe sample
P4565-03	2056	40	1.00	1.00	2.00	2.00	100.0	wipe sample
P4565-04	2057	41	1.00	1.00	2.00	2.00	100.0	wipe sample
P4565-05	2058	42	1.00	1.00	2.00	2.00	100.0	wipe sample
P4565-06	2059	43	1.00	1.00	2.00	2.00	100.0	wipe sample
P4566-01	HD-01-102524	44	1.14	8.57	9.71	9.47	97.2	
P4566-02	HD-01-102524-E2	45	1.13	8.84	9.97	9.42	93.8	
P4567-01	WC-1	17	1.16	8.50	9.66	8.89	90.9	
P4567-02	WC-1-EPH	18	1.13	8.67	9.8	8.99	90.7	
P4567-03	WC-1-VOC	19	1.18	8.35	9.53	9.05	94.3	
P4567-05	WC-2	20	1.11	8.58	9.69	8.99	91.8	
P4567-06	WC-2-EPH	21	1.18	8.79	9.97	9.12	90.3	
P4567-07	WC-2-VOC	22	1.16	8.46	9.62	9.46	98.1	
P4567-09	WC-3	23	1.17	8.41	9.58	8.69	89.4	
P4567-10	WC-3-EPH	24	1.19	8.78	9.97	9.17	90.9	
P4567-11	WC-3-VOC	25	1.14	8.82	9.96	9.19	91.3	
P4574-01	GRAVEL-1	50	1.00	1.00	2.00	2.00	100.0	stone sample, 100 % solids
P4574-02	GRAVEL-1-E2	51	1.00	1.00	2.00	2.00	100.0	stone sample, 100 % solids
P4574-04	GRAVEL-2	52	1.00	1.00	2.00	2.00	100.0	stone sample, 100 % solids
P4574-05	GRAVEL-2-E2	53	1.00	1.00	2.00	2.00	100.0	stone sample, 100 % solids
P4574-07	CONCRETE-1	54	1.00	1.00	2.00	2.00	100.0	CONCRETE sample
P4574-09	CONCRETE-2	55	1.00	1.00	2.00	2.00	100.0	CONCRETE sample
P4574-11	CONCRETE-3	56	1.00	1.00	2.00	2.00	100.0	CONCRETE sample
P4575-01	PL-02-102424	57	1.15	8.42	9.57	8.84	91.3	
P4575-02	PL-02-102424-E2	58	1.15	8.83	9.98	8.99	88.8	
P4576-01	1097	59	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
P4576-02	1098	60	1.00	1.00	2.00	2.00	100.0	WIPE Sample



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 10/28/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 18:15
In Date: 10/25/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:38
Out Date: 10/26/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB133131

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P4577-01	TR-05-102524	61	1.18	8.40	9.58	9.03	93.5	
P4577-02	TR-05-102524-E2	62	1.17	8.53	9.7	9.03	92.1	
P4578-03	WB-305-TOP	46	1.15	8.81	9.96	5.89	53.8	
P4578-04	WB-305-TOP-1	47	1.12	8.82	9.94	6.3	58.7	
P4578-05	WB-305-BOT	48	1.15	8.81	9.96	8.38	82.1	
P4578-07	WB-305-BOT-1	49	1.13	8.86	9.99	9.49	94.4	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

WORKLIST(Hardcopy Internal Chain)

133131

WorkList Name : %1-102524 WorkList ID : 184773 Department : Wet-Chemistry Date : 10-25-2024 09:56:39

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4561-01	BP-F-19	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4561-02	BP-F-19-EPH	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4561-03	BP-F-19-VOC	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4561-05	BP-F-18	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4561-06	BP-F-18-EPH	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4561-07	BP-F-18-VOC	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4562-05	SVOC-GPC-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	K11	10/25/2024	Chemtech -SO
P4562-06	PEST-GPC-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	K11	10/25/2024	Chemtech -SO
P4562-07	PEST-GPC-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	K11	10/25/2024	Chemtech -SO
P4562-08	PCB-GPC-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	K11	10/25/2024	Chemtech -SO
P4562-09	PCB-GPC-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	K11	10/25/2024	Chemtech -SO
P4562-10	SVOC-GPC2-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	K11	10/25/2024	Chemtech -SO
P4562-11	PEST-GPC2-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	K11	10/25/2024	Chemtech -SO
P4562-12	PEST-GPC2-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	K11	10/25/2024	Chemtech -SO
P4562-13	PCB-GPC2-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	K11	10/25/2024	Chemtech -SO
P4562-14	PCB-GPC2-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	K11	10/25/2024	Chemtech -SO
P4563-01	100724-A	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4563-02	100724-B	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4563-03	100724-C	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4563-04	100724-D	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4563-05	100824-A	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO

Date/Time 10/25/24 16:30
 Raw Sample Received by: J.C. W.C.
 Raw Sample Relinquished by: J.C. W.C.
 Date/Time 10/25/24 18:30
 Raw Sample Received by: J.C. W.C.
 Raw Sample Relinquished by: J.C. W.C.

WORKLIST(Hardcopy Internal Chain)

133131

WorkList Name : %1-102524 WorkList ID : 184773 Department : Wet-Chemistry Date : 10-25-2024 09:56:39

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4563-06	100924-A	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4563-07	100924-B	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4563-08	101424-A	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4563-09	102324-A	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4563-10	102524-A	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4563-11	FITTING-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4563-12	FITTING-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4565-01	2054	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4565-02	2055	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4565-03	2056	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4565-04	2057	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4565-05	2058	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4565-06	2059	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4566-01	HD-01-102524	Solid	Percent Solids	Cool 4 deg C	PSEG05	K63	10/25/2024	Chemtech -SO
P4566-02	HD-01-102524-E2	Solid	Percent Solids	Cool 4 deg C	PSEG05	K63	10/25/2024	Chemtech -SO
P4567-01	WC-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/25/2024	Chemtech -SO
P4567-02	WC-1-EPH	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/25/2024	Chemtech -SO
P4567-03	WC-1-VOC	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/25/2024	Chemtech -SO
P4567-05	WC-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/25/2024	Chemtech -SO
P4567-06	WC-2-EPH	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/25/2024	Chemtech -SO
P4567-07	WC-2-VOC	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/25/2024	Chemtech -SO

Date/Time 10/25/24 16:30
 Raw Sample Received by: J.C. Jm
 Raw Sample Relinquished by: J.C. Jm
 Date/Time 10/25/24 18:30
 Raw Sample Received by: J.C. Jm
 Raw Sample Relinquished by: J.C. Jm

WORKLIST(Hardcopy Internal Chain)

WB133131

WorkList Name : %1-102524

WorkList ID : 184773

Department : Wet-Chemistry

Date : 10-25-2024 09:56:39

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4567-09	WC-3	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/25/2024	Chemtech -SO
P4567-10	WC-3-EPH	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/25/2024	Chemtech -SO
P4567-11	WC-3-VOC	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/25/2024	Chemtech -SO
P4574-01	GRAVEL-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4574-02	GRAVEL-1-E2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4574-04	GRAVEL-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4574-05	GRAVEL-2-E2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4574-07	CONCRETE-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4574-09	CONCRETE-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4574-11	CONCRETE-3	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4575-01	PL-02-102424	Solid	Percent Solids	Cool 4 deg C	PSEG05	K63	10/25/2024	Chemtech -SO
P4575-02	PL-02-102424-E2	Solid	Percent Solids	Cool 4 deg C	PSEG05	K63	10/25/2024	Chemtech -SO
P4576-01	1097	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4576-02	1098	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4577-01	TR-05-102524	Solid	Percent Solids	Cool 4 deg C	PSEG05	K63	10/25/2024	Chemtech -SO
P4577-02	TR-05-102524-E2	Solid	Percent Solids	Cool 4 deg C	PSEG05	K63	10/25/2024	Chemtech -SO
P4578-03	WB-305-TOP	Solid	Percent Solids	Cool 4 deg C	PORT06	K63	10/25/2024	Chemtech -SO
P4578-04	WB-305-TOP-1	Solid	Percent Solids	Cool 4 deg C	PORT06	K63	10/25/2024	Chemtech -SO
P4578-05	WB-305-BOT	Solid	Percent Solids	Cool 4 deg C	PORT06	K63	10/25/2024	Chemtech -SO
P4578-07	WB-305-BOT-1	Solid	Percent Solids	Cool 4 deg C	PORT06	K63	10/25/2024	Chemtech -SO

Date/Time 10/25/24 16:30
 Raw Sample Received by: [Signature]
 Raw Sample Relinquished by: [Signature]

Date/Time 10/25/24 18:30
 Raw Sample Received by: [Signature]
 Raw Sample Relinquished by: [Signature]



SHIPPING DOCUMENTS

CHEMTECH

CHAIN OF CUSTODY RECORD

284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 • Fax (908) 789-8922
www.chemtech.net

CHEMTECH PROJECT NO.

QUOTE NO.

COC Number

2042038

P4578/79

CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY: GANNETT FLEMING
ADDRESS: 1010 Adams Avenue
CITY: Audubon STATE: PA ZIP: 19408
ATTENTION: JOE Krupansky
PHONE: 610-301-8342 FAX:

CLIENT PROJECT INFORMATION

PROJECT NAME: Amtrak's rep. of SB
PROJECT NO.: 95000088 LOCATION: Kearny, NJ
PROJECT MANAGER: JOE Krupansky
e-mail: QAQC@bomys.com
PHONE: 610-301-8342 FAX:

CLIENT BILLING INFORMATION

BILL TO: chemtech PO#:
ADDRESS: 284 Sheffield St.
CITY: Mountainside STATE: NJ ZIP: 07092
ATTENTION: Samantha PHONE: 908-789-298

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) _____ DAYS*
HARDCOPY (DATA PACKAGE): 10 DAYS*
EDD: 10 DAYS*

*TO BE APPROVED BY CHEMTECH

STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS DAYS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☒ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B
+ Raw Data ☐ Other
☐ EDD FORMAT BEN EDD

TECH VOC TO
TECH PAH
PCB'S
CHLORINATED
TAA Metals
EPH
TCLP-FULL
PCRA Parameters
TOX

CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS			
			COMP	GRAB	DATE	TIME		A			F	B							← Specify Preservatives A-HCl B-HNO3 C-H2SO4	D-NaOH E-ICE F-OTHER
1.	NB-305-SW	GW	X		10/25	8:20	7	X	X	X	X	X	X							
2.	NB-305-SW-1	GW	X		10/25	8:30	7	X	X	X	X	X	X							
3.	NB-305-Top	S	X		10/25	9:20	11	X	X	X	X	X	X							
4.	NB-305-Top-1	S	X		10/25	9:30	11	X	X	X	X	X	X							
5.	NB-305-Bot	S	X		10/25	11:15	11	X	X	X	X	X	X	X	X	X				
6.	NB-305-Bot-1.	S	X		10/25	11:20	11	X	X	X	X	X	X	X	X	X				
7.	FB-10252024.	DIW.			10/25		2	X												
8.																				
9.																				
10.																				

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:	Conditions of bottles or coolers at receipt: ☐ COMPLIANT ☐ NON COMPLIANT ☒ COOLER TEMP: 3.1°C
1. Yvonda Pujara	10/25/24-3:11	1. [Signature]	Comments:
RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:	
2. [Signature]		2. [Signature]	
RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:	
3. [Signature]	10.25.2024	3. [Signature]	

Page ____ of ____

CLIENT: ☐ Hand Delivered ☐ Other
CHEMTECH: ☐ Picked Up ☐ Field Sampling

Shipment Complete
☐ YES ☐ NO



284 Sheffield Street, Mountainside NJ 07092 (908)-789-8900 Fax : 908 789 8922

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

LOGIN REPORT/SAMPLE TRANSFER

Order ID : P4578	PORT06	Order Date : 10/25/2024 3:58:00 PM	Project Mgr :
Client Name : Portal Partners Tri-Venture		Project Name : Amtrak Sawtooth Bridges 2	Report Type : NJ Reduced
Client Contact : Joseph Krupansky		Receive DateTime : 10/25/2024 4:04:00 PM	EDD Type : EXCEL NJCLEANUP
Invoice Name : Portal Partners Tri-Venture		Purchase Order :	Hard Copy Date :
Invoice Contact : Joseph Krupansky			Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
P4578-01	WB-305-SW	Water	10/25/2024	08:20	VOC-TCLVOA-10		8260-Low	10 Bus. Days	
P4578-02	WB-305-SW-1	Water	10/25/2024	08:30	VOC-TCLVOA-10		8260-Low	10 Bus. Days	
P4578-03	WB-305-TOP	Solid	10/25/2024	09:20	VOC-TCLVOA-10		8260D	10 Bus. Days	
P4578-04	WB-305-TOP-1	Solid	10/25/2024	09:30	VOC-TCLVOA-10		8260D	10 Bus. Days	
P4578-05	WB-305-BOT	Solid	10/25/2024	11:15	VOC-TCLVOA-10		8260D	10 Bus. Days	
P4578-07	WB-305-BOT-1	Solid	10/25/2024	11:20	VOC-TCLVOA-10		8260D	10 Bus. Days	
P4578-09	TB-10252024	Water	10/25/2024	00:00	VOC-TCLVOA-10		8260-Low	10 Bus. Days	

LOGIN REPORT/SAMPLE TRANSFER

Order ID : P4578	PORT06	Order Date : 10/25/2024 3:58:00 PM	Project Mgr :
Client Name : Portal Partners Tri-Venture		Project Name : Amtrak Sawtooth Bridges 2	Report Type : NJ Reduced
Client Contact : Joseph Krupansky		Receive DateTime : 10/25/2024 4:04:00 PM	EDD Type : EXCEL NJCLEANUP
Invoice Name : Portal Partners Tri-Venture		Purchase Order :	Hard Copy Date :
Invoice Contact : Joseph Krupansky			Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
--------	-----------	--------	-------------	-------------	------	------------	--------	----------	-----------

* J.C samples are in sm Refrigerator *

Relinquished By :

J.C.

Date / Time :

10-25-2024 1710

Received By :

Sam
10/25/2024 1710

Date / Time :

Sam

Storage Area : VOA Refridgerator Room

Rg 6
122
Rg 45