

DATA PACKAGE

SUB - DATA

PROJECT NAME : AMTRAK SAWTOOTH BRIDGES 2024

PORTAL PARTNERS TRI-VENTURE

c/o Gannett Fleming Inc. Transit and Rail System

207 Senate Avenue

Camp Hill, PA - 17011

Phone No: 610-650-8101

ORDER ID : P4579

ATTENTION : Joseph Krupansky



Cover Page

Order ID : P4579

Project ID : Amtrak Sawtooth Bridges 2024

Client : Portal Partners Tri-Venture

Lab Sample Number

P4579-01
P4579-02

Client Sample Number

WB-305-BOT
WB-305-BOT-1

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 11/6/2024

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



Summit Environmental Technologies, Inc.
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

November 04, 2024

PM
AAS-NEW
284 Sheffield Street
Mountainside, NJ 07092
TEL:
FAX:
RE: P4579

Dear PM:

Order No.: 24102210

Summit Environmental Technologies, Inc. received 2 sample(s) on 10/29/2024 for the analyses presented in the following report.

There were no problems with the analytical events associated with this report unless noted in the Case Narrative.

Quality control data is within laboratory defined or method specified acceptance limits except where noted.

If you have any questions regarding these tests results, please feel free to call the laboratory.

Sincerely,

Jennifer Woolf

Project Manager

3310 Win St.
Cuyahoga Falls, Ohio 44223

Arkansas 88-0735, California 2943, Colorado, Connecticut PH-0108, Florida NELAC E87688, Idaho OH00923, Illinois 200061, Indiana C-OH-13, ISO/IEC 17025:2017 119125 L22-544, Kansas E-10347, Kentucky (Underground Storage Tank) 3, Kentucky 90146, Maryland 339, Michigan 9988, Minnesota 1780279, Nevada OH009232020-1, New Hampshire 2996, New Jersey OH006, New York 11777, North Carolina 39705 and 631, North Dakota R-201, Ohio DW, Ohio VAP CL0052, Oklahoma 2019-155, Oregon OH200001, Pennsylvania 68-01335, Rhode Island LA000317, South Carolina 92016001, Texas T104704466-19-16, Utah OH009232020-12, Virginia VELAP 10381, West Virginia 9957C



Summit Environmental Technologies, Inc.
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4485
Website: <http://www.settek.com>

Case Narrative

WO#: 24102210
Date: 11/4/2024

CLIENT: AAS-NEW

Project: P4579

WorkOrder Narrative:

24102210: This report in its entirety consists of the following documents: Cover Letter, Case Narrative, Analytical Results, QC Summary Report, Applicable Accreditation Information, Chain-of-Custody, Cooler Receipt Form, and other applicable forms as necessary. All documents contain the Summit Environmental Technologies, Inc., Work Order Number assigned to this report.

Summit Environmental Technologies, Inc., holds the accreditations/certifications listed at the bottom of the cover letter that may or may not pertain to this report. Please refer to the "Accreditation Program Analytes Report" for accredited analytes list.

The information contained in this analytical report is the sole property of Summit Environmental Technologies, Inc. and that of the customer. It cannot be reproduced in any form without the consent of Summit Environmental Technologies, Inc. or the customer for which this report was issued. The results contained in this report are only representative of the samples received. Conditions can vary at different times and at different sampling conditions. Summit Environmental Technologies, Inc. is not responsible for use or interpretation of the data included herein.

All results for Solid Samples are reported on an "as received" or "wet weight" basis unless indicated as "dry weight" using the "-dry" designation on the reporting units.

This report is believed to meet all of the requirements of the accrediting agency, where applicable. Any comments or problems with the analytical events associated with this report are noted below.

WorkOrder Comments:

Sample analyzed by SW846: 9023 EOX due to matrix; Results reported on "as received" basis.

Analytical Sequence Sample Notes:

24102210-001A EOX_S(9023): MS has low recovery possibly due to sample matrix interference. MS/MSD has high RPD due to low failing MS.

Original

These commonly used Qualifiers and Acronyms may or may not be present in this report.

Qualifiers

U	The compound was analyzed for but was not detected above the MDL.
J	The reported value is greater than the Method Detection Limit but less than the Reporting Limit.
H	The hold time for sample preparation and/or analysis was exceeded. Not Clean Water Act compliant.
D	The result is reported from a dilution.
E	The result exceeded the linear range of the calibration or is estimated due to interference.
MC	The result is below the Minimum Compound Limit.
*	The result exceeds the Regulatory Limit or Maximum Contamination Limit.
m	Manual integration was used to determine the area response.
d	Manual integration in which peak was deleted
N	The result is presumptive based on a Mass Spectral library search assuming a 1:1 response.
P	The second column confirmation exceeded 25% difference.
C	The result has been confirmed by GC/MS.
X	The result was not confirmed when GC/MS Analysis was performed.
B	The analyte was detected in the Method Blank at a concentration greater than the RL.
MB+	The analyte was detected in the Method Blank at a concentration greater than the MDL.
G	The ICB or CCB contained reportable amounts of analyte.
QC-/+	The CCV recovery failed low (-) or high (+).
R/QDR	The RPD was outside of accepted recovery limits.
QL-/+	The LCS or LCSD recovery failed low (-) or high (+).
QLR	The LCS/LCSD RPD was outside of accepted recovery limits.
QM-/+	The MS or MSD recovery failed low (-) or high (+).
QMR	The MS/MSD RPD was outside of accepted recovery limits.
QV-/+	The ICV recovery failed low (-) or high (+).
S	The spike result was outside of accepted recovery limits.
W	Samples were received outside temperature limits (0° – 6° C). Not Clean Water Act compliant.
Z	Deviation; A deviation from the method was performed; Please refer to the Case Narrative for additional information

Acronyms

ND	Not Detected	RL	Reporting Limit
QC	Quality Control	MDL	Method Detection Limit
MB	Method Blank	LOD	Level of Detection
LCS	Laboratory Control Sample	LOQ	Level of Quantitation
LCSD	Laboratory Control Sample Duplicate	PQL	Practical Quantitation Limit
QCS	Quality Control Sample	CRQL	Contract Required Quantitation Limit
DUP	Duplicate	PL	Permit Limit
MS	Matrix Spike	RegLvl	Regulatory Limit
MSD	Matrix Spike Duplicate	MCL	Maximum Contamination Limit
RPD	Relative Percent Different	MinCL	Minimum Compound Limit
ICV	Initial Calibration Verification	RA	Reanalysis
ICB	Initial Calibration Blank	RE	Reextraction
CCV	Continuing Calibration Verification	TIC	Tentatively Identified Compound
CCB	Continuing Calibration Blank	RT	Retention Time
RLC	Reporting Limit Check	CF	Calibration Factor

This list of Qualifiers and Acronyms reflects the most commonly utilized Qualifiers and Acronyms for reporting. Please refer to the Analytical Notes in the Case Narrative for any Qualifiers or Acronyms that do not appear in this list or for additional information regarding the use of these Qualifiers on reported data.



Summit Environmental Technologies, Inc.
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

Workorder Sample Summary

WO#: 24102210
04-Nov-24

CLIENT: AAS-NEW
Project: P4579

Lab SampleID	Client Sample ID	Tag No	Date Collected	Date Received	Matrix
24102210-001	WB-305-BOT		10/25/2024 11:15:00 AM	10/29/2024 9:45:00 AM	Solid
24102210-002	WB-305-BOT-1		10/25/2024 11:20:00 AM	10/29/2024 9:45:00 AM	Solid



SUMMIT
ENVIRONMENTAL TECHNOLOGIES, INC.
Analytical Laboratories

Summit Environmental Technologies, Inc.
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

DATES REPORT

WO#: 24102210

04-Nov-24

Client: AAS-NEW

Project: P4579

Sample ID	Client Sample ID	Collection Date	Matrix	Test Name	Leachate Date	Prep Date	Analysis Date
24102210-001A	WB-305-BOT	10/25/2024 11:15:00 AM	Solid	Extractable Organic Halides (EOX) (9			11/1/2024 3:00:00 PM
24102210-002A	WB-305-BOT-1	10/25/2024 11:20:00 AM		Extractable Organic Halides (EOX) (9			11/1/2024 3:00:00 PM

Original



Summit Environmental Technologies, Inc.
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

WO#: 24102210
Date Reported: 11/4/2024
Company: AAS-NEW
Address: 284 Sheffield Street
Mountainside NJ 07092
Received: 10/29/2024
Project#: P4579

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
WB-305-BOT	001	10/25/2024	Extractable Organic Halides	14.5	mg/Kg	JQM-QMR	Solid	EPA 9023	1	11.7	40.0	11/1/2024	KMS

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
WB-305-BOT-1	002	10/25/2024	Extractable Organic Halides	39.0	mg/Kg	J	Solid	EPA 9023	1	11.7	40.0	11/1/2024	KMS



Summit Environmental Technologies, Inc.
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4486
Website: <http://www.settek.com>

Accreditation Program Analytes Report

WO#: 24102210
04-Nov-24

Client: AAS-NEW

State: NJ

Project: P4579

Program Name: W_NPW_SCM_NI

Sample ID	Matrix	Test Name	Analyte	Status
24102210-001A	Solid	Extractable Organic Halides (EOX) (9023)	Extractable Organic Halides	A
24102210-002A	Solid	Extractable Organic Halides (EOX) (9023)	Extractable Organic Halides	A

AL	U	Unavailable	AR	N	Not Accredited	A-NELA	N	Not Accredited
CO	U	Unavailable	CT	A	Accredited	L-NELAI	A	Accredited
HI-DW	U	Unavailable	IA	N	Not Accredited	L-NELAF	A	Accredited
IN_DW	U	Unavailable	S - NELA	A	Accredited	KY_UST	A	Accredited

Page 7 of 11

Original #1



Summit Environmental Technologies, Inc.
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 24102210
04-Nov-24

Client: AAS-NEW
Project: P4579

BatchID: R196211

Sample ID: MB-R196211	SampType: MBLK	TestCode: EOX_S(9023)	Units: mg/Kg	Prep Date:	RunNo: 196211						
Client ID: PBS	Batch ID: R196211	TestNo: SW9023		Analysis Date: 11/1/2024	SeqNo: 5307677						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Extractable Organic Halides	ND	40.0									U

Sample ID: LCS-R196211	SampType: LCS	TestCode: EOX_S(9023)	Units: mg/Kg	Prep Date:	RunNo: 196211						
Client ID: LCSS	Batch ID: R196211	TestNo: SW9023		Analysis Date: 11/1/2024	SeqNo: 5307678						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Extractable Organic Halides	46.5	40.0	50.00	0	93.0	72	125				

Sample ID: 24102210-001AMS	SampType: MS	TestCode: EOX_S(9023) Units: mg/Kg				Prep Date:				RunNo: 196211		
Client ID: WB-305-BOT	Batch ID: R196211	TestNo: SW9023				Analysis Date: 11/1/2024				SeqNo: 5309568		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Extractable Organic Halides	340	40.0	500.0	14.50	65.1	78	136				SQMR	

Sample ID: 24102210-001AMSD	SampType: MSD	TestCode: EOX_S(9023)	Units: mg/Kg	Prep Date:	RunNo: 196211						
Client ID: WB-305-BOT	Batch ID: R196211	TestNo: SW9023		Analysis Date: 11/1/2024	SeqNo: 5309569						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Extractable Organic Halides	510	40.0	500.0	14.50	99.1	78	136	340.0	40.0	20	R

Qualifiers:
H Holding times for preparation or analysis exceeded
ND Not Detected
RL Reporting Detection Limit
W Sample container temperature is out of limit as specified at testcode

J Analyte detected below quantitation limits
PL Permit Limit
S Spike Recovery outside accepted recovery limits

M Manual Integration used to determine area response
R RPD outside accepted recovery limits
U Samples with CalcVal < MDL

Original



Summit Environmental Technologies, Inc.
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 24102210
04-Nov-24

Client: AAS-NEW
Project: P4579

BatchID: R196211

Sample ID: 24102210-001AMSD		SampType: MSD		TestCode: EOX_S(9023)		Units: mg/Kg		Prep Date:			RunNo: 196211	
Client ID: WB-305-BOT		Batch ID: R196211		TestNo: SW9023		Analysis Date: 11/1/2024			SeqNo: 5309569			
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Sample ID: MB-R196211	SampType: MBLK	TestCode: EOX_S(9023)	Units: mg/Kg	Prep Date:	RunNo: 196211						
Client ID: PBS	Batch ID: R196211	TestNo: SW9023		Analysis Date: 11/1/2024	SeqNo: 5309573						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Extractable Organic Halides	ND	40.0									U

Qualifiers: H Holding times for preparation or analysis exceeded
ND Not Detected
RL Reporting Detection Limit
W Sample container temperature is out of limit as specified at testcode

J Analyte detected below quantitation limits
PL Permit Limit
S Spike Recovery outside accepted recovery limits

M Manual Integration used to determine area response
R RPD outside accepted recovery limits
U Samples with CalcVal < MDL

Original

CHEMTECH

CHAIN OF CUSTODY RECORD

284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 • Fax (908) 789-8922
www.chemtech.net

CHEMTECH PROJECT NO.

QUOTE NO.

COC Number

2042038

P4578/79

CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY: GANNETT FLEMING
ADDRESS: 1010 Adams Avenue
CITY: Audubon STATE: PA ZIP: 19408
ATTENTION: JOE Krupansky
PHONE: 610-301-8342 FAX:

CLIENT PROJECT INFORMATION

PROJECT NAME: Amtrak's rep. of SB
PROJECT NO.: 95000088 LOCATION: Kearny, NJ
PROJECT MANAGER: JOE Krupansky
e-mail: QAQC@bomys.com
PHONE: 610-301-8342 FAX:

CLIENT BILLING INFORMATION

BILL TO: chemtech PO#:
ADDRESS: 284 Sheffield St.
CITY: Mountainside STATE: NJ ZIP: 07092
ATTENTION: Samantha PHONE: 908-789-298

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) _____ DAYS*
HARDCOPY (DATA PACKAGE): 10 DAYS*
EDD: 10 DAYS*

*TO BE APPROVED BY CHEMTECH

STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS DAYS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☒ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B
+ Raw Data ☐ Other
☐ EDD FORMAT BEN EDD

TECH VOC TO
TECH PAH
PCB'S
CHLORINATED
TAA Metals
EPH
TCLP-FULL
PCRA Parameters
TOX

CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS			
			COMP	GRAB	DATE	TIME		A			F	B							← Specify Preservatives A-HCl B-HNO3 C-H2SO4	D-NaOH E-ICE F-OTHER
1	2	3	4	5	6	7	8	9												
1.	NB-305-SW	GW	X		10/25	8:20	7	X	X	X	X	X	X							
2.	NB-305-SW-1	GW	X		10/25	8:30	7	X	X	X	X	X	X							
3.	NB-305-Top	S	X		10/25	9:20	11	X	X	X	X	X	X							
4.	NB-305-Top-1	S	X		10/25	9:30	11	X	X	X	X	X	X							
5.	NB-305-Bot	S	X		10/25	11:15	11	X	X	X	X	X	X	X	X	X				
6.	NB-305-Bot-1	S	X		10/25	11:20	11	X	X	X	X	X	X	X	X	X				
7.	FB-10252024	DIW			10/25		2	X												
8.																				
9.																				
10.																				

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:	Conditions of bottles or coolers at receipt: <input type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <input checked="" type="checkbox"/> COOLER TEMP: 3.1°C
1. Yvonda Pujara	10/25/24-3:11	1. [Signature]	Comments:
RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:	
2. [Signature]		2. [Signature]	
RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:	
3. [Signature]	10.25.2024	3. [Signature]	

Page ____ of ____

CLIENT: ☐ Hand Delivered ☐ Other
CHEMTECH: ☐ Picked Up ☐ Field Sampling

Shipment Complete
☐ YES ☐ NO

24102210

CHAIN OF CUSTODY RECORD

Sub Lab INFORMATION		CLIENT PROJECT INFORMATION		CLIENT BILLING INFORMATION	
COMPANY : Summit Enviromental Technologies I		ORDER ID : P4579		BILL TO: CHEMTECH PO# : P4579	
ADDRESS : 3310 Win St		PROJECT ID:Amtrak Sawtooth Bridges 2024		ADDRESS : 284, Sheffield Street	
CITY:Cuyahoga State :Ohio ZIP :44223		PROJECT MANAGER YAZMEEN		CITY: Mountainside State : NJ ZIP : 07092	
E-mail :		E-mail : YAZMEEN@CHEMTECH.NET		ATTENTION :YAZMEE	
PHONE :330-253-8211		PHONE : (908) 789 8900	FAX: (908) 789 8922	PHONE : (908) 789 8900 FAX : (908) 789 8922	

EDD : EXCEL NJCLEAN	Report : NJ Reduced	Comment :
---------------------	---------------------	-----------

ID	CLIENT SAMPLE IDENTIFICATION	SAMPLE MATRIX	ANALYSIS	Preservative	Method	SAMPLE COLLECTION		# OF BOTTLES	TAT DAYS
						DATE	TIME		
01	WB-305-BOT	Solid	TOX	Cool 4 deg C	9023	10/25/2024	11:15:00	1	10
02	WB-305-BOT-1	Solid	TOX	Cool 4 deg C	9023	10/25/2024	11:20:00	1	10

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGES POSSESSION INCLUDING COURIER DELIVERY					
RELINQUISHED BY SAMPLER:	DATETIME: 10-28-24	RECEIVED BY: 10/29/24	Conditions of bottles or Coolers at receipt: <input type="checkbox"/> Compliant <input type="checkbox"/> Non Compliant Cooler Temp _____ Ice or Cooler? _____		
1.		1.	2.9-0.1=2.8 Fedex cooler 77957430 0603		
RELINQUISHED BY:	DATETIME:	RECEIVED BY:			
2.		2.	Page 10 of 11		
RELINQUISHED BY:	DATETIME:	RECEIVED BY:	Page 1 of 1		
3.		3.	<input type="checkbox"/> OVERNIGHT <input type="checkbox"/> OVERNIGHT		
			Shipment Complete: <input type="checkbox"/> YES <input type="checkbox"/> NO		

Sample Log-In Check List

Client Name: CHE-NJ-07972

Work Order Number: 24102210

RcptNo: 1

Logged by: Christina N. Gemma 10/29/2024 9:45:00 AM

Completed By: Tegan A. Richards 10/29/2024 2:05:56 PM

Reviewed By: Jennifer Woolf 10/29/2024 3:39:01 PM

C. Gemma
Tegan Richards
Jennifer Woolf

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? FedEx
Tracking No.: 779574300603

Log In

3. Coolers are present? Yes ☒ No ☐ NA ☐
4. Shipping container/cooler in good condition? Yes ☒ No ☐
Custody seals intact on shipping container/cooler? Yes ☐ No ☐ Not Present ☒
No. Seal Date: Signed By:
5. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
6. Were all samples received at a temperature of >0° C to 6.0°C Yes ☒ No ☐ NA ☐
7. Sample(s) in proper container(s)? Yes ☒ No ☐
8. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
9. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
10. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
11. Is the headspace in the VOA vials less than 1/4 inch or 6 mm? Yes ☐ No ☐ No VOA Vials ☒
12. Were any sample containers received broken? Yes ☐ No ☒
13. Does paperwork match bottle labels? Yes ☒ No ☐
(Note discrepancies on chain of custody)
14. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
15. Is it clear what analyses were requested? Yes ☒ No ☐
16. Were all holding times able to be met? Yes ☒ No ☐
(If no, notify customer for authorization.)

Special Handling (if applicable)

17. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified: Date:
By Whom: Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person
Regarding:
Client Instructions:

18. Additional remarks:

Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	2.8	Good	Not Present			