

SOP ID : M9030B-Sulfide-12

SDG No : N/A

Matrix : SOIL

Pipette ID : WC

Balance ID : WC SC-4

Hood ID : HOOD#1

Block ID : MC-1,MC-2

Weigh By : RM

Start Digest Date: 10/30/2024 Time : 08:45 Temp : N/A

End Digest Date: 10/30/2024 Time : 10:15 Temp : N/A

Digestion tube ID : M5595

Block Thermometer ID : N/A

Filter paper ID : N/A

Prep Technician Signature: RM

pH Meter ID : N/A

Supervisor Signature: 12

Standard Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.5M ZINC ACETATE	5.0ML	WP108780
FORMALDEHYDE	2.0ML	W2725
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

10/30/2024 RM

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
P4594-04	TP-4	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4594-04DUP	TP-4DUP	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4594-08	BP-F17	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
P4594-12	BP-F16	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
P4594-16	TP-5	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
P4594-20	BP-F15	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4595-02	PITKIN-COMP	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
P4597-03	RED-1-1	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
P4597-06	RED-1-2	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
P4597-09	BLUE-2-1	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
P4597-12	BLUE-2-2	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
P4598-04	BP-F12	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
P4598-08	BP-F11	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4598-12	TP-8	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
P4612-04	MOO-24-00335	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
P4613-02	ARS20-0001	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
P4616-04	BP-F10	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
P4616-08	BP-F9-MOVED	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
P4617-04	CONCRETE-PILE	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
PB164492BL	PBS492	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A