

Prep Standard - Chemical Standard Summary

Order ID : P4595

Test : Corrosivity,Ignitability,Percent Solids,Reactive Cyanide,Reactive Sulfide

Prepbatch ID : PB164488,PB164492,

Sequence ID/Qc Batch ID: LB133178,LB133190,LB133207,LB133208,

Standard ID :

WP108640,WP108780,WP109068,WP109549,WP110103,WP110466,WP110467,WP110468,WP110469,WP110470,WP110471,WP110472,WP110473,WP110474,WP110475,

Chemical ID :

E3657,M5929,W2668,W2725,W2882,W2926,W3005,W3019,W3071,W3072,W3093,W3094,W3105,W3107,W3112,W31 14,W3138,W3139,W3142,W3149,



Recipe ID 11 FROM	NAME Sodium hydroxide absorbing solution 0.25 N 21.00000L of W3112 + 210.00000gra		Prep Date 07/05/2024		Prepared By Rubina Mughal	ScaleID WETCHEM_S CALE_4 (WC SC-4)	PipettelD None	Supervised By Iwona Zarych 07/08/2024
<u>Recipe</u> <u>ID</u> 160	NAME 0.5M ZINC ACETATE	<u>NO.</u> WP108780	<u>Prep Date</u> 07/22/2024	Expiration Date 12/08/2024	<u>Prepared</u> <u>By</u> Rubina Mughal	CALE_5 (WC	IPETTE_3	Supervised By Iwona Zarych 07/23/2024
FROM	0.88900L of W3112 + 1.00000ml of N	15929 + 110	.00000gram c	of W2926 = Fir	nal Quantity: 100	SC-5) 00.000 ml	(WC)	



Т

Wet Chemistry STANDARD PREPARATION LOG

<u>Recipe</u> <u>ID</u> 607	NAME PYRIDINE-BARBITURIC ACID	<u>NO.</u> WP109068	<u>Prep Date</u> 08/06/2024		<u>Prepared</u> <u>By</u> Niha Farheen Shaik	ScaleID WETCHEM_S CALE_5 (WC	<u>PipetteID</u> None	Supervised By Iwona Zarych 08/07/2024
FROM	145.00000ml of W3112 + 15.00000g ml	ram of W288	32 + 15.00000)ml of M5929 +	75.0000ml of	SC-5) W3019 = Final	Quantity: 250.	000

Recipe				Expiration	Prepared			Supervised By
<u>ID</u>	NAME	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	PipettelD	Iwona Zarych
3371	Cyanide LCS Spike Solution, 5PPM	<u>WP109549</u>	09/06/2024	01/05/2025	Niha Farheen Shaik	None	WETCHEM_P IPETTE_3	09/06/2024
FROM	1.00000ml of W3138 + 199.00000ml	of WP1086	40 = Final Qu	antity: 200.000) ml		(WC)	

Т

Т

Т

Т

Т

Т

Т



Recipe ID 539	NAME CN BUFFER	<u>NO.</u> WP110103	Prep Date 10/08/2024	Expiration Date 04/08/2025	Prepared By Rubina Mughal	CALE_5 (WC	<u>PipetteID</u> None	Supervised By Iwona Zarych 10/08/2024
<u>FROM</u>	138.00000gram of W2668 + 862.000	00ml of W3	112 = Final Q	uantity: 1000.0	100 ml	SC-5)		
Recipe ID 3456	NAME	<u>NO.</u> WP110466	Prep Date	Expiration Date	<u>Prepared</u> <u>By</u> Niha Earbeen	<u>ScaleID</u> None	<u>PipettelD</u> WETCHEM F	Supervised By Iwona Zarych

3456	Cyanide Intermediate Working Std, 5PPM	<u>WP110466</u>	10/29/2024	10/30/2024	Niha Farheen Shaik	None	WETCHEM_P IPETTE_3	10/30/2024
<u>FROM</u>	0.25000ml of W3142 + 49.75000ml of	of WP10864	0 = Final Qua	antity: 50.000	ml		(WC)	



Recipe ID 4	NAME	<u>NO.</u> WP110467	Prep Date 10/29/2024		<u>Prepared</u> <u>By</u> Niha Farheen Shaik	<u>ScaleID</u> None	<u>PipetteID</u> None	Supervised By Iwona Zarych 10/30/2024
FROM	45.00000ml of WP108640 + 5.00000	ml of WP11	0466 = Final	Quantity: 50.00	00 ml			

<u>Recipe</u> <u>ID</u> 3761	NAME Calibration-CCV CN Standard 250 ppb	<u>NO.</u> WP110468	<u>Prep Date</u> 10/29/2024	Expiration Date 10/30/2024	<u>Prepared</u> <u>By</u> Niha Farheen Shaik	<u>ScaleID</u> None	PipettelD None	Supervised By Iwona Zarych 10/30/2024
FROM	2.50000ml of WP110466 + 47.50000	nl of WP10	8640 = Final	Quantity: 50.00	1 1 00 ml		I	



Recipe ID 6	NAME	<u>NO.</u> WP110469	Prep Date 10/29/2024		Prepared By Niha Farheen Shaik	<u>ScaleID</u> None	<u>PipetteID</u> None	Supervised By Iwona Zarych 10/30/2024
FROM	1.00000ml of WP110466 + 49.00000	ml of WP10	8640 = Final	Quantity: 50.00	00 ml			

<u>Recipe</u> <u>ID</u>	NAME	<u>NO.</u>	Prep Date	Expiration Date	<u>Prepared</u> <u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By
7			10/29/2024		Niha Farheen Shaik		WETCHEM_P IPETTE_3	Iwona Zarych 10/30/2024
FROM	I 0.50000ml of WP110466 + 49.50000	I ml of WP10	I 8640 = Final	Quantity: 50.00			(WC)	10,00,2024



Recipe ID 8	NAME Calibration Standard 10 ppb	<u>NO.</u> WP110471	Prep Date 10/29/2024	Expiration Date 10/30/2024	<u>Prepared</u> <u>By</u> Niha Farheen Shaik	<u>ScaleID</u> None	PipettelD WETCHEM_F IPETTE_3	Supervised By Iwona Zarych 10/30/2024
FROM	1.00000ml of WP110467 + 49.00000	ml of WP10	8640 = Final	Quantity: 50.00			(WC)	

<u>Recipe</u> <u>ID</u> 9	NAME Calibration Standard 5 ppb	<u>NO.</u> WP110472	<u>Prep Date</u> 10/29/2024	Expiration Date 10/30/2024	<u>Prepared</u> <u>By</u> Niha Farheen Shaik	<u>ScaleID</u> None	PipettelD WETCHEM_P IPETTE_3	Supervised By Iwona Zarych 10/30/2024
<u>FROM</u>	0.50000ml of WP110467 + 49.50000	ml of WP10	8640 = Final	Quantity: 50.00)0 ml		(WC) '	



Recipe ID 167	NAME 0 ppb CN calibration std	<u>NO.</u> WP110473	Prep Date 10/29/2024	<u>Prepared</u> <u>By</u> Niha Farheen Shaik	<u>ScaleID</u> None	<u>PipetteID</u> None	Supervised By Iwona Zarych 10/30/2024
FROM	50.00000ml of WP108640 = Final Q	uantity: 50.0	00 ml				

<u>Recipe</u> <u>ID</u>	NAME	<u>NO.</u>	Prep Date	Expiration Date	<u>Prepared</u> <u>Βγ</u>	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By
1582			10/29/2024		Niha Farheen	WETCHEM_S	None	Iwona Zarych
					Shaik	CALE_5 (WC SC-5)		10/30/2024
FROM	0.08000gram of W3139 + 20.00000n	nl of W3112	= Final Quan	itity: 20.000 ml		30-5)		
	-			-				



Recipe ID 2168	NAME	<u>NO.</u> WP110475	Prep Date 10/29/2024		<u>Prepared</u> <u>By</u> Niha Farheen Shaik	<u>ScaleID</u> None	<u>PipetteID</u> None	Supervised By Iwona Zarych 10/30/2024
FROM	1.00000ml of WP109549 + 49.00000	Iml of WP10	8640 = Final	Quantity: 50.00	00 ml			



Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	PC19510-5 / Sodium Hydroxide Pellets 2.5 Kg, Pk of 4	23B1556310	12/31/2025	12/04/2023 / Rajesh	12/01/2023 / Rajesh	E3657
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9530-33 / Hydrochloric Acid, Instra-Analyzed (cs/6x2.5L)	22G2862015	12/08/2024	06/24/2024 / Al-Terek	06/07/2024 / Al-Terek	M5929
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	J3818-5 / SODIUM PHOSPHATE, MONOBAS/HYD, CRYS, ACS, 2.5 KG	0000225799	12/03/2025	04/05/2021 / Alexander	02/10/2020 / apatel	W2668
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	EMD-FX0410-5 / FORMALDEHYDE SOLUTION 450ML	60045	06/22/2025	08/19/2024 / Iwona	06/22/2020 / apatel	W2725
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	EM-BX0035-3 / Barbituric Acid, 100 gms	1.00132.0100	04/30/2025	12/07/2021 /	11/30/2021 / apatel	W2882
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Supplier						



Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL13850-1 / Buffer Solution, PH2 (500ml)	4212E45	12/31/2024	01/31/2023 / Iwona	01/31/2023 / Iwona	W3005
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
SIGMA ALDRICH	270970-1L / Pyridine 1L	SHBQ2113	04/03/2028	04/03/2023 / Iwona	04/03/2023 / Iwona	W3019
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL14455-3 / buffer solution pH 7 yellow	4308H30	07/31/2025	01/02/2024 / JIGNESH	12/06/2023 / Iwona	W3071
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL14940-1 / Buffer Solution, PH12 (500ml)	2310P21	04/30/2025	01/02/2024 / JIGNESH	12/07/2023 / Iwona	W3072
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	566002 / BUFFER PH 7.00 GREEN 1PINT PK6	44001f99	12/31/2025	04/03/2024 / jignesh	04/02/2024 / jignesh	W3093
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	1601-1 / PH 10.01 BUFFER,COLOR CD 475ML	4310g83	03/31/2025	04/03/2024 / jignesh	04/02/2024 / jignesh	W3094



Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL69870-8 / SODIUM THIOSULFATE,0.025N,4LIT RE	4403S13	09/30/2025	04/22/2024 / Iwona	04/22/2024 / Iwona	W3105
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL14055-3 / PH 4 BUFFER SOLUTION	AL14055-3	02/27/2026	09/05/2024 / jignesh	05/13/2024 / jignesh	W3107
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	DIW / DI Water	Daily Lab-Certified	07/03/2029	07/03/2024 / Iwona	07/03/2024 / Iwona	W3112

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL35830-4 / IODINE SOLUTION .025N 1L	2405D89	05/31/2025	07/10/2024 / Iwona	07/10/2024 / Iwona	W3114

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	LC135457 / Cyanide Standard, 1000 PPM, Second Source	44080060	01/30/2025	09/06/2024 / Iwona	08/28/2024 / Iwona	W3138

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	JTE494-6 / CHLORAMINE-T BAKER 250GM	10239484	09/09/2029	09/09/2024 / Iwona	09/09/2024 / Iwona	W3139



Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	RC2543-4 / CYANIDE STD 1000PPM 4OZ	1405J81	11/30/2024	09/25/2024 / Iwona	09/25/2024 / Iwona	W3142
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #

RICCA CHEMICAL COMPANY®

W³07/ Mc 12/6/23 Certificate of Analysis 12

1490 Lammers Pike Batesville, IN 47006 http://www.riccachemical.com 1-888-GO-RICCA customerservice@riccachemical.com

Buffer, Reference Standard, pH 7.00 ± 0.01 at 25°C (Color Coded Yellow)

Lot Number: 4308H30

Product Number: 1551

Manufacture Date: AUG 09, 2023 Expiration Date: JUL 2025

The certified value for this product is confirmed in independent testing by a second qualified chemist. The NIST traceable pH value is certified to ± 0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05 .

°C pH	0 7.12	5 7.09	$\begin{array}{c} 10 \\ 7.06 \end{array}$	15 7.04	20 7.02	$\begin{array}{c} 25 \\ 7.00 \end{array}$	30 6.99	35 6.98	$\begin{array}{c} 40 \\ 6.98 \end{array}$	45 6.97	50 6.97	

Name	CAS#	Grade		
Water	7732-18-5	ACS/ASTM/USP/I	RP	
Sodium Phosphate Dibasic	7558-79-4	ACS		
Potassium Dihydrogen Phosphate	7778-77-0	ACS		
Preservative	Proprietary			
Yellow Dye	Proprietary	1111 B. Luce		
Sodium Hydroxide	1310-73-2	Reagent		
Test	Specification	Result		
Appearance	Yellow liquid	Passed	*Not a certified value	
Test	Certified Value	Uncertainty	NIST SRM#	
pH at 25°C (Method: SQCP027, SQCP033)	7.002	0.02	186-I-g, 186-II-g, 191d	
Specification	Re	ference		
Commercial Buffer Solutions	AS	TM (D 1293 B)		
Buffer A		TM (D 5464)		
Buffer A		ГМ (D 5128)		

per industributions were periorined in our Batesvine, in laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.02) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1551-2.5	10 L Cubitainer®	24 months
1551-5	20 L Cubitainer®	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Foul Brandon

Paul Brandon (08/09/2023) Production Manager This document is designed to comply with ISO Guide 31 "Reference Materials --Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

Sigma-Aldrich

W3019 Rec 4/3/23

3050 Spruce Street, Saint Louis, MO 63103, USA Website: www.sigmaaldrich.com Email USA: techserv@sial.com Outside USA: eurtechserv@sial.com

Product Name: Pyridine - anhydrous, 99.8%

Product Number:	270970
Batch Number:	SHBQ2113
Brand:	SIAL
CAS Number:	110-86-1
MDL Number:	MFCD00011732
Formula:	C5H5N
Formula Weight:	79.10 g/mol
Quality Release Date:	15 DEC 2022

Certificate of Analysis

Test	Specification	Result	
Appearance (Color)	Colorless	Colorless	
Appearance (Form)	Liquid	Liquid	
Infrared Spectrum	Conforms to Structure	Conforms	
Purity (GC)	> 99.75 %	99.99 %	
Water (by Karl Fischer)	_ < 0.003 %	0.002 %	
Residue on Evaporation	_ 	< 0.0001 %	

Larry Coers, Director Quality Control Sheboygan Falls, WI US

Z

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.



RICCA CHEMICAL COMPANY[®] W^{3,072} M^c. (2/01/23) Certificate of Analysis

1841 Broad Street Pocomoke City, MD 21851 http://www.riccachemical.com 1-888-GO-RICCA customerservice@riccachemical.com

Buffer, Reference Standard, pH 12.00 ± 0.01 at $25^{\circ}C$

Lot Number: 2310P21	Product Number: 1615	Manufacture Date: OCT 24, 2023
Lot Humper: 20101 21	110ddet 14dmber: 1015	Expiration Date: APR 2025

The certified value for this product is confirmed in independent testing by a second qualified chemist.

°C	15	20	25	30	35	40
pН	12.35	12.17	11.99	11.78	11.62	11.46

Name	CAS#	Grade	
Water	7732-18-5	ACS/ASTM/USP/EP	
Potassium Chloride	7447-40-7	ACS	6.00
Sodium Hydroxide	1310-73-2	Reagent	
Test	Specification	Result	
Appearance	Colorless liquid	Passed *Not a certified va	alue

		• • • • • • • • • • • • • • • • • • •	
Test	Certified Value	Uncertainty	NIST SRM#
pH at 25°C (Method: SQCP027, SQCP033)		0.02	186-I-g, 186-II-g, 191d

pH measurements were performed in our Pocomoke City, MD laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.01) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1615-1	4 L natural poly	18 months
1615-16	500 mL clear PET-G	18 months
1615-32	1 L natural poly	18 months
1615-5	20 L Cubitainer®	18 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)

nron Jrauers

Sharon Travers (10/24/2023) Operations Manager This document is designed to comply with ISO Guide 31 "Reference Materials --Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

Certificate of Analysis



Date of Release:	2/26/2020
Name:	Formaldehyde Solution GR ACS Meets ACS Specifications
Item No:	FX0410 all size codes
Lot / Batch No:	60045
Country of Origin:	USA

Characteristic	Re	quirement	Results	Units
	Min.	Max.		
Assay	36.5	38.0	36.71	%
Chloride (Cl)		5	<5	ppm
Color (APHA)		10	<10	
Form			Passes test	
Heavy metals (as Pb)		5	<5	ppm
Iron (Fe)		5	0.6	ppm
Residue after ignition		0.005	<0.0050	%
Sulfate (SO4)		0.002	<0.0020	%
Titrable acid		0.006	<0.0060	meq/g

Heather Sinn,

Quality Control Manager

This document has been produced electronically and is valid without a signature.

EMD Millipore Corporation, an affiliate of Merck KGaA, Darmstadt, Germany 290 Concord Road Billerica, MA 01821 U.S.A The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the U.S. and Canada.



Certificate of Analysis

Sodium Hydroxide (Pellets)

Material: Grade: Batch Number: 0583 ACS GRADE 23B1556310

 Manufacture Date:
 12/14/2022

 Expiration Date:
 12/31/2025

Storage: Room Temperature

Pellets

TEST	SPECIFICATION	ANALYSIS	DISPOSITION
Calcium	<= 0.005 %	<0.005 %	PASS
Chloride	<= 0.005 %	0.002 %	PASS
Heavy Metals	<= 0.002 %	<0.002 %	PASS
Iron	<= 0.001 %	<0.001 %	PASS
Magnesium	<= 0.002 %	<0.002 %	PASS
Mercury	<= 0.1 ppm	<0.1 ppm	PASS
Nickel	<= 0.001 %	<0.001 %	PASS
Nitrogen Compounds	<= 0.001 %	<0.001 %	PASS
Phosphate	<= 0.001 %	<0.001 %	PASS
Potassium	<= 0.02 %	<0.02 %	PASS
Purity	>= 97.0 %	99.2 %	PASS
Sodium Carbonate	<= 1.0 %	0.5 %	PASS
Sulfate	<= 0.003 %	<0.003 %	PASS

Internal ID #: 710

Signature

Additional Information

Analysis may have been rounded to significant digits in specification limits.

This document has been electronically produced and is valid without a signature.

We certify that this batch conforms to the specifications listed.

Leona Edwardson, Quality Control Sr. Manager - Solon VWR Chemicals, LLC. 28600 Fountain Parkway, Solon OH 44139 USA Product meets analytical specifications of the grades listed.

VWR International LLC, Radnor Corporate Center, Suite 200, 100 Matsonford Road, Radnor, PA 19087, USA

Date Printed:



Certificate of Analysis

1.00132.0000 Barbituric acid for analysis EMSURE® Batch N020065932

	Spec. Values	3	Batch Values	
		A /		24
Assay (acidimetric)	≥ 99	%	99.6	%
Identity (IR-spectrum)	passes test		passes test	
Chloride (Cl)	≤ 40	ppm	≤ 40	ppm
Heavy metals (as Pb)	≤ 50	ppm	≤ 50	ppm
Fe (Iron)	≤ 10	ppm	≤ 10	ppm
Sulfated ash	≤ 0.1	%	≤ 0.1	%
Loss on Drying (105 °C)	≤ 0.1	%	≤ 0.1	%
Suitability as reagent (for cyanide determination)	passes test		passes test	

Date of release (DD.MM.YYYY) 17.04.2020 Minimum shelf life (DD.MM.YYYY) 30.04.2025

Ioannis Chartomatsidis

Responsible laboratory manager quality control

This document has been produced electronically and is valid without a signature.

Sodium Phosphate, Monobasic, Monohydrate, Crystal BAKER ANALYZED® A.C.S. Reagent

(sodium dihydrogen phosphate, monohydrate)





Material No.: 3818-05 Batch No.: 0000225799 Manufactured Date: 2018/12/05 Retest Date: 2025/12/03 Revision No: 1

Certificate of Analysis

Meets ACS Reagent Chemical Requirements,

Test	Specification	Result
Assay (NaH2PO4 · H2O)	98.0 - 102.0 %	99.5
oH of 5% Solution at 25℃	4.1 - 4.5	4.3
nsoluble Matter	<= 0.01 %	< 0.01
Chloride (Cl)	<= 5 ppm	< 5
ACS – Sulfate (SO4)	<= 0.003 %	< 0.003
Calcium (Ca)	<= 0.005 %	<0.005
Potassium (K)	<= 0.01 %	< 0.01
leavy Metals (as Pb)	<= 0.001 %	< 0.001
Frace Impurities – Iron (Fe)	<= 0.001 %	< 0.001

For Laboratory, Research or Manufacturing Use Meets Reagent Specifications for testing USP/NF monographs

Country of Origin:	IN		
Packaging Site:	Paris Mfg Ctr & DC		

James Techie

Jamie Ethier Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700 Avantor Performance Materials, LLC 100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700 Sigma-Aldrich

3050 Spruce Street, Saint Louis, MO 63103, USA Website: www.sigmaaldrich.com Email USA: techserv@sial.com Outside USA: eurtechserv@sial.com

Certificate of Analysis


Product Name: CCTC Zinc acetate dihydrate - ACS reagent, ≥98%

Product Number:							
Batch Number:							
Brand:							
CAS Number:							
MDL Number:							
Formula:							
Formula Weight:							
Quality Release Date:							

MKCQ9159 SIGALD 5970-45-6 MFCD00066961 C4H6O4Zn · 2H2O 219.51 g/mol 06 JAN 2022

383058

Hyc 0 2n2+ + 2H2O



Test	Specification	Result
Appearance (Color)	White	White
Appearance (Form)	Powder or Crystal or Chunk(s)	Powder
Infrared Spectrum	Conforms to Structure	Conforms
Insoluble Matter	< 0.005 %	0.003 %
Calcium (Ca)	< 0.005 %	0.003 %
Chloride (Cl)	_ < 5 ppm	< 5 ppm
Iron (Fe)	< 5 ppm	< 5 ppm
Potassium (K)	< 0.01 %	0.00 %
Magnesium (Mg)	< 0.005 %	0.003 %
Sodium (Na)	< 0.05 %	0.03 %
Lead (Pb)	< 0.002 %	< 0.001 %
pH	6.0 - 7.0	6.1
Sulfate (SO4)	< 0.005 %	< 0.005 %
Complexometric EDTA	98.0 - 101.0 %	100.3 %
Meets ACS Requirements	Meets Requirements	Meets Requirements

Larry Coers, Director Quality Control Milwaukee, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

	RI			W3	005		ec.	1/31/ 12	23			Batesy //www.ricca 1-88	Lammers Pik ville, IN 4700 achemical.com 88-GO-RICCA achemical.com
	. D. C								S				
Buffer Lot Nu	mber:	4212E	E45	P	roduct	Numb	er: 149	3)EC 20, 2022 æ: DEC 2024
THE IND	L Haceap	e for this le pH val	product is ue is certi	s confirme fied to ±0	ed in indej .01 at 25 °	pendent t °C only. A	esting by a 11 other pl	a second q H values a	ualified of the state of the st	chemist. orresponding temper			
°C pH	10 1.93	15 1.98	20 1.98	$\begin{array}{c} 25\\ 2.00\end{array}$	30 2.01	$\begin{array}{c} 35\\ 2.03\end{array}$	$\begin{array}{c} 40\\ 2.03\end{array}$	$\begin{array}{c} 45\\ 2.04\end{array}$	$50 \\ 2.04$				
Name	ni lok			35.5		CA	AS#	Tr'in T	10	Grade		114 53	and the second
Water						77	32-18-5	100001		ACS/ASTM/US	SP/EP		
Potassi Hydroc	*******			u tu bee			47-40-7	SIN ILLA		ACS			
*********						/0	47-01-0			ACS	11222		
Test		11-21		2131 <u>5</u>			and the second second	cificatio		Result			
Appeara	ance						Colo	orless li	quid	Passed		*Not a c	ertified value.
Test			2012				Cert	ified Va	lue	Uncertain	ty i	NIST SRM#	0-1-4-1-5
comparisor Standard F a normal d before first weights cer regularly w	ements v o Nationa as. The un deference istributio use and i tified tra ith a the	were perfo al Institut ncertainty Material, on. Volume recalibrat ceable to rmometer	ormed in o te of Stand y is calcula , and the etric glass ted regula the NIST	our Batesy dards and ated from uncertain sware com rly in acco national	ville, IN la Technolo the uncer ty of the r plies with ordance w mass stan	tainty of neasurem Class A ith ASTM dard. The	the measu ent proces tolerance I E 542 an ermometer	D/IEC 1700 I Reference urement v ss. The un requirem Id NIST P rs and ten	ce Materi ariation : acertainty ents of A rocedure aperature	0.02 ditation (ANAB Cert ial as indicated above from sample to samp y is multiplied by k= STM E 288 and NIS NBSIR 74-461. Bala e probes are calibrat to master document on and testing histor	ificate l e via ar ole, the 2, corre T Circu ances a ed befo	unbroken cha uncertainty in esponding to 95 llar 434; it is ca re calibrated re re first use and	are certified in of the NIST % coverage in librated gularly with recalibrated
Part Nu					and the second s	The second second	age Typ				_	opened Cont	
1493-1 1493-16 1493-32 1493-5 ecommer	•••••••••				500 1 L	natural mL nat natural Cubita	ural pol poly	У.		24 month 24 month 24 month 24 month 24 month	ns ns		

Foul Brandon

Paul Brandon (12/20/2022) Production Manager This Certificate of Analysis is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

RICCA CHEMICAL COMPANY[®] 3^{003} 0^{001} Certificate of Analysis 0^{010}

1490 Lammers Pike Batesville, IN 47006 http://www.riccachemical.com 1-888-GO-RICCA customerservice@riccachemical.com

Manufacture Date: JAN 08, 2024

Expiration Date: DEC 2025

Buffer, Reference Standard, pH 7.00 ± 0.01 at 25°C (Color Coded Yellow)

Product Number: 1551

°C pH	0 7.12	5 7.09	10 7.06	15 7.04	20 7.02	25 7.00	30 6.99	35 6.98	40 6.98	45 6.97	50 6.97	
Name						CA	S#		1.15	Grade		
Water						77	32-18-5			ACS/AS	STM/USP/I	С Р
Sodiun	n Phosp	hate Di	basic			758	58-79-4	-		ACS		
Potass	ium Dił	nydrogen	n Phospi	hate		77	78-77-0			ACS		
Preserv	vative					Pro	prietar	У				
Yellow	Dye				•		prietar					
Sodium	n Hydro	xide					.0-73-2	· .				
Test						1.1	Specification Result					
Appear	arance				LEC.	Yellow liquid				Pas	ssed	*Not a certified value
<u>Fest</u>	Sec.				54-		Cert	ified Va	lue	Un	certainty	NIST SRM#
H at 25°C (Method: SQCP027, SQCP033)					SQCP027, SQCP033)			4		0.0	2	186-I-g, 186-II-g, 191d
Specific	ation	ion					- 21	- 11	Refe	rence		
Comme	rcial Bu	ffer Sol	utions						ASTN	A (D 1293	B)	
Buffer A						ASTM (D 5464)						
Buffer A	1					ASTM (D 5128) N laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.02) and are certified						

a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1551-1	4 L natural poly	24 months
1551-1CT	4 L Cubitainer®	24 months
1551-2.5	10 L Cubitainer®	24 months
1551-5	20 L Cubitainer®	24 months
Decommonded Steven 1500	0000 (F007)	

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Lot Number: 4401F99

Paul Drondon

Paul Brandon (01/08/2024) Production Manager This document is designed to comply with ISO Guide 31 "Reference Materials --Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

RICCA CHEMICAL COMPANY°

1490 Lammers Pike Batesville, IN 47006 http://www.riccachemical.com 1-888-GO-RICCA customerservice@riccachemical.com

Certificate of Analysis

Buffer, Reference Standard, pH 10.00 ± 0.01 at 25°C (Color Coded Blue)

The cer	tified valu	mber: 4310G83 Product 2 Tred value for this product is confirmed in indep traceable pH value is certified to ±0.01 at 25 %				Number: 1601]	facture Date: OCT 09, 2023 Expiration Date: MAR 2025
°C pH	0 10.31	5 10.23	10 10.17	15 10.11	20 10.05	25 10.00	30 9.95	35 9.91	40 9.87	50 9.81	res are accurate to ± 0.05 .
Name						CA	S#			Grade	
Water						773	32-18-5			ACS/ASTM/USP/	EP
Sodiur	n Carbo	nate				497	-19-8			ACS	T
Sodiur	n Bicarl	oonate				144	-55-8			ACS	
Sodiur	n Hydro	xide				131	0-73-2			Reagent	
Preser	vative						prietary	v		Intragent	
Blue D	ye						prietary	· ·			· · · ·
Test							Spec	ification		Result	
Appear	ance						Blue	e liquid		Passed	*Not a certified value.
Test	t					120	Cert	ified Val	ue	Uncertainty	NIST SRM#
pH at 2	at 25°C (Method: SQCP027, SQCP033)						10.00)3		0.02	186-I-g, 186-II-g, 191d
Specific	ation			1.2					Refe	rence	
Comme	rcial Bu	ffer Sol	utions							M (D 1293 B)	
Buffer (ASTM (D 5464)					
Buffer (7					ASTM (D 5128)					
comparis Standard a normal	ons. The u l Referenc distributi	incertaint e Materia on. Volum	y is calcul l, and the netric glas	lated from uncertain sware con	the unce ty of the provide	rtainty of measurem h Class A	the meas ent proce	d Reference urement v ss. The ur	ce Mater ariation certaint	fial as indicated above v from sample to sample, y is multiplied by k=2, o STM F 288 and NICE (cate L2387.02) and are certified ia an unbroken chain of the uncertainty in the NIST corresponding to 95% coverage in Circular 434; it is calibrated ses are calibrated regularly with

before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured. Part Number

I di ti tullibel	Size / Package Type	Shelf Life (Unopened Container)
1601-16	500 mL natural poly	18 months
1601-5	20 L Cubitainer®	18 months
Person and ad Steven 1500		

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Fand Brandon 1

F

Paul Brandon (10/09/2023) Production Manager This document is designed to comply with ISO Guide 31 "Reference Materials --Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory



W3105 Received on 4/22/24 by IZ

Certificate of Analysis

Sodium Thiosulfate, 0.0250 Normal (N/40)

Lot Number: 4403S13

Product Number: 7900

Manufacture Date: MAR 29, 2024 Expiration Date: SEP 2025

This product is specially formulated to increase its stability. A preservative is added to prevent bacterial contamination. However, all Sodium Thiosulfate solutions are subject to slow chemical deterioration and should be restandardized periodically.

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Sodium Thiosulfate Pentahydrate	10102-17-7	ACS
Organic Preservative	Proprietary	
Sodium Carbonate	497-19-8	ACS

Test	Specification	\mathbf{Result}	NIST SRM#
Appearance	Colorless liquid	Passed	
Assay (vs. Potassium Iodate/Starch)	0.02499- 0.02501 N at 20°C	0.02501 N at 20°C	136

Specification	Reference
Standard Sodium Thiosulfate Solution, 0.0250 N	APHA (4500-S2- F)
Standard Sodium Thiosulfate Titrant	APHA (4500-O D)
Standard Sodium Thiosulfate Titrant	APHA (4500-O E)
Standard Sodium Thiosulfate Titrant	APHA (4500-O F)
Standard Sodium Thiosulfate Titrant, 0.025 N	APHA (4500-Cl B)
Standard Sodium Thiosulfate Titrant	АРНА (4500-О С)
Standard Sodium Thiosulfate Titrant, 0.025 M	АРНА (5530 С)
Standard Sodium Thiosulfate Solution (0.025 N)	EPA (SW-846) (9031)
Standard Sodium Thiosulfate solution (0.025 N)	EPA (SW-846) (9034)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
7900-1	4 L natural poly	18 months
7900-16	500 mL natural poly	18 months
7900-1CT	4 L Cubitainer®	18 months
7900-32	1 L natural poly	18 months
D 110/ 1500		

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Fand Brandon

Paul Brandon (03/29/2024) Production Manager This document is designed to comply with ISO Guide 31 "Reference Materials --Contents of Certificates and Labels."

RICCA CHEMICAL COMPANY

Certificate of Analysis

1490 Lammers Pike Batesville, IN 47006 http://www.riccachemical.com 1-888-GO-RICCA customerservice@riccachemical.com

Buffer, Reference Standard, pH 4.00 ± 0.01 at 25°C (Color Coded Red)

Product Number: 1501

Manufacture Date: MAR 09, 2024 Expiration Date: FEB 2026

The certified value for this product is confirmed in independent testing by a second qualified chemist. The NIST Traceable pH value is certified to ± 0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05 .

							-			^	0 1	
°C	0	5	10	15	20	25	30	35	40	45	50	
$_{\rm pH}$	4.00	4.00	4.00	4.00	4.00	4.00	4.01	4.02	4.03	4.04	4.06	

Name	CAS#	Grade		
Water	7732-18-5	ACS/ASTM/USP/H	ΞP	
Potassium Acid Phthalate	877-24-7	Buffer		
Preservative	Proprietary	Commercial	••	
Red Dye	Proprietary	Purified		
Test	Specification	Result		
Appearance	Red liquid	Passed	*Not a certified value	
Test	Certified Value	Uncertainty	NIST SRM#	
pH at 25°C (Method: SQCP027, SQCP033)	4.000	0.02	185i, 186-I-g, 186-II-g	
Specification	Re			
Commercial Buffer Solutions	AS	TM (D 1293 B)		
Buffer B	ASTM (D 5464)			

Buffer B

pH measurements were performed in our Batesville, IN laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.02) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

ASTM (D 5128)

Part Number	Size / Package Type	Shelf Life (Unopened Container)				
1501-2.5	10 L Cubitainer®	24 months				
1501-32	1 L natural poly	24 months				
1501-5	20 L Cubitainer®	24 months				

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Foul Brandon

Paul Brandon (03/09/2024) Production Manager This document is designed to comply with ISO Guide 31 "Reference Materials --Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

RICCA CHEMICAL COMPANY[®]

Manufacture Date: MAY 10, 2024

Certificate of Analysis

Iodine (Iodine-Iodide), 0.0250 Normal (N/40), 1 mL = 0.4008 mg S^2

Product Number: 3975

Lot Number: 2405D89 Product	5 Number: 3975		Expiration Da	ate: MAY 2025
Name	CAS#	Grade		
Water	7732-18-5	ACS/A	STM/USP/EP	
Potassium Iodide	7681-11-0	ACS		
Iodine	7553-56-2	ACS		
Test	Specification		Result	NIST SRM#
Appearance	Dark brown liquid		Passed	
Assay (vs. Sodium Thiosulfate/Starch)	0.02498-0.02502 N	at 20°C	0.02502 N at 20°C	136

Specification	Reference
Standard Iodine Solution, 0.0250 N	APHA (4500-S2- F)
Iodine Solution (approximately 0.025 N)	EPA (SW-846) (9031)
Standard Iodine Solution, 0.0250 N	EPA (376.1)
Iodine Solution (approximately 0.025 N)	EPA (SW-846) (9034)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
3975-1	4 L amber glass	12 months
3975-16	500 mL amber glass	12 months
3975-32	1 L amber glass	12 months
	,	

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Jose Pena (05/10/2024) **Operations Manager**

Lot Number: 2405D89



Part of TCP Analytical Group

Jackson's Pointe Commerce Park- Building 1000 1010 Jackson's Pointe Court, Zelienople, PA 16063

Certificate of Analysis

Cyanide Standard 1000 ppm (1ml = 1mg CN)

Product Code:	LC13545		Manufacture Date: August 01, 2024	
Lot Number:	44080060		Expiration Date: January 30, 2025	
Test		Specification	Result	
Appearance (cla	arity)	clear solution	clear solution	
Appearance (co	blor)	colorless	colorless	
Concentration (CN)	0.990 - 1.010mg/mL	1.008mg/mL	
Concentration (CN)		990 - 1,010ppm	1,008ppm	
Traceable to NI	ST SRM	Report	999b	

Intended Use - Product is intended for use in manufacturing procedures and laboratory procedures and protocols.

Storage Information - Unless noted on the product label, store the product under normal lab conditions in its tightly closed, original container. Do not pipet directly from the container or return unused portions to the container.

Instructions for Handling and Use - Please refer to the associated product label and Safety Data Sheet (SDS) for information regarding safety and handling of this product.

Preparation - All products are manufactured and tested according to established, documented procedures and methodology. Production documentation records manufacturing data, raw material traceability and testing history on a per lot basis. Balances, thermometers, and glassware are calibrated before first use and on a regular schedule with references traceable to NIST standards.

The suffix of the product code may differ from what is on your product label. The suffix will designate the size and be associated with a numeric digit(s). Visit LabChem.com for more information

Suffix	1	2	3/35/36/365	4/4C	5	6	7	8	9	20	44	200	246	486
Size	500mL or g	1L or 1kg	2.5L/2.5L Coated/6x2.5L/6x2.5L Coated	4L	20L	10L	125mL	25g	100g	20x20mL	4x4L	200L	24x6mL	48x6mL

Michael Montelsons

Michael Monteleone Chemistry Supervisor - Quality Control



W3139 Received on 9/9/24 by IZ

Product No.:

A12044

Product: Chloramine-T trihydrate, 98%

Lot No.: 10239484

Appearance: Melting Point: Assay (lodometric titration): Identification (FTIR): White powder 166°C(dec) 100.5% Conforms

Order our products online thermofisher.com/chemicals

This document has been electronically generated and does not require a signature.

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

RICCA CHEMICAL COMPANY®

Certificate of Analysis

Cyanide Standard, 1000 ppm CN

Lot Number: 1405J81

Product Number: 2543

Manufacture Date: MAY 20, 2024

Expiration Date: NOV 2024

This standard is prepared using accurate volumetric techniques from material that has been assayed against Silver Nitrate solution certified traceable to NIST Standard Reference Material 999. The certified value reported is the prepared value based upon the method of preparation of the material The uncertainty in the prepared value is the combined uncertainty based on the stability of the assayed Potassium Cyanide, and the uncertainty ir the mass and volume measurements.

Use 0.16% (w/v) (0.04 N) Sodium Hydroxide or 0.225 % (w/v) (0.04 N) Potassium Hydroxide to make dilutions of this standard. Restandardize weekly if extreme accuracy is required.

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Potassium Cyanide	151-50-8	ACS
Sodium Hydroxide	1310-73-2	Reagent

Test	Specification	Result
Appearance	Colorless liquid	Passed
Cyanide (CN)	995-1005 ppm	1000 ppm

Specification	Reference
Stock Standard Cyanide Solution	APHA (4500-CN- F)
Stock Cyanide Solution	APHA (4500-CN- E)
Stock Cyanide Solution	APHA (4500-CN- K)
Stock Cyanide Solution	APHA (4500-CN- H)
Cyanide Reference Solution (1000 mg/L)	EPA (SW-846) (7.3.3.2)
Cyanide Calibration Stock Solution (1,000 mg/L CN-)	EPA (SW-846) (9213)
Stock Cyanide Solution	EPA (335.3)
Stock Cyanide Solution	EPA (335.2)
Cyanide Solution Stock	ASTM (D 4282)
Simple Cyanide Solution, Stock (1.0 g/L CN)	ASTM (D 4374)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
2543-16	500 mL amber poly	6 months
2543-4	120 mL amber poly	6 months

Recommended Storage: 2°C - 8°C (36°F - 46°F)

Al

Heidi J Green (05/20/2024) Operations Manager

W3149 Received on 10/16/24 by IZ

Certificate of Analysis

Starch Indicator, 0.5% (w/v), Mercury Free, for Iodometric Titrations

Lot Number: 4408P62

Product Number: 8000

Manufacture Date: AUG 28, 2024 Expiration Date: AUG 2026

This product is Mercury-free.

Name	CAS#	Grade	
Water	7732-18-5	ACS/ASTM/USP/EP	
Starch, soluble	9005-84-9	ACS	
Salicylic Acid	69-72-7	ACS	
Test	Specification	Result	

Test	Specification	Result
Appearance	White translucent liquid	Passed
Suitability for Use	Colorless (Iodine absent) - Blue	Passed
	(Iodine present)	

Specification	Reference
Starch Solution	APHA (4500-S2- F)
Starch Indicator Solution	APHA (4500-Cl B)
Starch Indicator	APHA (4500-SO32- B)
Starch indicator solution	APHA (2350 B)
Starch indicator solution	APHA (2350 E)
Starch Solution	APHA (510 B)
Starch Solution	APHA (5530 C)
Starch Indicator	APHA (4500-Cl C)
Starch Indicator	EPA (345.1)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
8000-1	4 L natural poly	24 months
8000-16	500 mL natural poly	24 months
8000-32	1 L natural poly	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)

1490 Lammers Pike Batesville, IN 47006 http://www.riccachemical.com 1-888-GO-RICCA customerservice@riccachemical.com

Paul Brandon

Paul Brandon (08/28/2024) Production Manager