

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,

Fax: 908 789 8922

Report of Analysis

Client: **PSEG** Date Collected: 10/28/24 10:15 Project: Date Received: Harvey Switch 10/28/24 Client Sample ID: BLUE-2-2 SDG No.: P4597 Lab Sample ID: P4597-10 Matrix: **SOIL** % Solid: 100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weigh	nt) Prep Date	Date Ana.	Ana Met.
Hexavalent Chromium	0.39	U	1	0.077	0.39	mg/Kg	10/29/24 14:45	10/30/24 10:08	7196A
Ignitability	NO		1	0	0	oC		10/30/24 12:45	1030
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		10/29/24 13:08	9095B

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits