

## Report of Analysis

Client:	Tetra Tech, EMI		Date Collected:	10/23/24	
Project:	R36704		Date Received:	10/29/24	
Client Sample ID:	CC0Q7		SDG No.:	P4602	
Lab Sample ID:	P4602-30		Matrix:	SOIL	
Analytical Method:	SW8151A		% Solid:	85	Decanted:
Sample Wt/Vol:	30.01	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	Herbicide	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	8151A				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PS028428.D	1	11/01/24 08:25	11/12/24 01:23	PB164725

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
1918-00-9	DICAMBA	78.8	U	10.2	78.8	ug/Kg
120-36-5	DICHLORPROP	78.8	U	11.2	78.8	ug/Kg
94-75-7	2,4-D	78.8	U	14.2	78.8	ug/Kg
93-72-1	2,4,5-TP (Silvex)	78.8	U	11.0	78.8	ug/Kg
93-76-5	2,4,5-T	78.8	U	11.9	78.8	ug/Kg
94-82-6	2,4-DB	78.8	U	21.5	78.8	ug/Kg
88-85-7	DINOSEB	78.8	U	14.6	78.8	ug/Kg
<b>SURROGATES</b>						
19719-28-9	2,4-DCAA	161		10 - 141	32%	SPK: 500

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit