

## Report of Analysis

Client:	Tetra Tech, EMI		Date Collected:		
Project:	R36704		Date Received:		
Client Sample ID:	PB164725BL		SDG No.:	P4602	
Lab Sample ID:	PB164725BL		Matrix:	SOIL	
Analytical Method:	SW8151A		% Solid:	100	Decanted:
Sample Wt/Vol:	30.03	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	Herbicide	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	8151A				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PS028414.D	1	11/01/24 08:25	11/11/24 19:46	PB164725

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
1918-00-9	DICAMBA	66.9	U	8.70	66.9	ug/Kg
120-36-5	DICHLORPROP	66.9	U	9.50	66.9	ug/Kg
94-75-7	2,4-D	66.9	U	12.1	66.9	ug/Kg
93-72-1	2,4,5-TP (Silvex)	66.9	U	9.40	66.9	ug/Kg
93-76-5	2,4,5-T	66.9	U	10.1	66.9	ug/Kg
94-82-6	2,4-DB	66.9	U	18.3	66.9	ug/Kg
88-85-7	DINOSEB	66.9	U	12.4	66.9	ug/Kg
<b>SURROGATES</b>						
19719-28-9	2,4-DCAA	558		10 - 141	112%	SPK: 500

### Comments:

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 P = Indicates >25% difference for detected concentrations between the two GC columns  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.  
 () = Laboratory InHouse Limit