
From: Bett, Daisy <Daisy.Bett@gdit.com>
Sent: Tuesday, November 19, 2024 3:16 PM
To: Sohil Jodhani; Deepak Parmar; Mohammad Ahmed
Cc: burman.jarmael@epa.gov; Roberson, Sharon; Bauer, Heather E; Johnson, Matthew
Subject: Region 03 | Case 51716 | Lab ACE | Issue Incorrect/duplicated sample IDs | FINAL
Attachments: P4607-TR.pdf; P4608-TR.pdf

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point


Good afternoon,

Issue: The laboratory received sample MCCOP0 in two separate coolers and the sample is listed in both attached COCs.
Resolution: Per Region 3, a revised COC will be provided as soon as possible. The laboratory should place sample MCCOP0 in SDG MCCOP0, note the issue in the SDG Narrative and proceed with the analysis of the samples.

Please note that the laboratory may contact the appropriate CLP PM should any defects need to be waived for this issue.

Thank you,
Daisy Bett
Research Analyst Associate
GDIT Federal Civilian Division
EPA Region 2&3 CLP QSS Coordinator
Under contract to the EPA

T: 571.454.0186
daisy.bett@gdit.com
15036 Conference Center Drive
Chantilly, VA 20151
www.gdit.com



GENERAL DYNAMICS
Information Technology

Leave alert: Nov 29th

This electronic message transmission contains information from GDIT that may be attorney-client privileged, proprietary or confidential. The information in this message is intended only for use by the individual(s) to whom it is addressed. If you believe you have received this message in error, please contact me immediately

and be aware that any use, disclosure, copying or distribution of the contents of this message is strictly prohibited. NOTE: Regardless of content, this email shall not operate to bind GDIT to any order or other contract unless pursuant to explicit written agreement or government initiative expressly permitting the use of email for such purpose.

From: Burman, Jarmael <Burman.Jarmael@epa.gov>
Sent: Tuesday, November 19, 2024 1:48 PM
To: Bett, Daisy <Daisy.Bett@gdit.com>
Cc: Roberson, Sharon <Roberson.Sharon@epa.gov>
Subject: RE: NEW ISSUE | Case 51716 | Lab ACE | Issue Incorrect/duplicated sample IDs

This Message Is From an External Sender

Please use caution with links, attachments, and any requests for credentials.

Good afternoon Daisy,

Have ACE make note of the issue in their SDG Narrative, proceed with the analysis of the samples, placing Sample MCC0P0 in SDG MCC0P0. I will email revised COCs as soon as possible.

Jarmael Burman
US EPA Region 3 - CLP RR/RSCC/DDS/QA Chemist/DAS PO/EEOC
701 Mapes Road
Fort Meade, Maryland 20755-5350
(410) 305-2743 (office)
(410) 305-3095 (fax)

From: Bett, Daisy <Daisy.Bett@gdit.com>
Sent: Tuesday, November 19, 2024 1:21 PM
To: Burman, Jarmael <Burman.Jarmael@epa.gov>
Cc: Roberson, Sharon <Roberson.Sharon@epa.gov>
Subject: NEW ISSUE | Case 51716 | Lab ACE | Issue Incorrect/duplicated sample IDs
Importance: High

Caution: This email originated from outside EPA, please exercise additional caution when deciding whether to open attachments or click on provided links.

Good afternoon Jay,

Please see the below issue from ACE.

Issue: The laboratory received sample MCC0P0 in two separate coolers and the sample is listed in both attached COCs. The laboratory would like to know how to proceed.

Thank you,
Daisy Bett
Research Analyst Associate
GDIT Federal Civilian Division
EPA Region 2&3 CLP QSS Coordinator

Under contract to the EPA


T: 571.454.0186

daisy.bett@gdit.com

15036 Conference Center Drive

Chantilly, VA 20151

www.gdit.com



GENERAL DYNAMICS
Information Technology

Leave alert: Nov 29th

This electronic message transmission contains information from GDIT that may be attorney-client privileged, proprietary or confidential. The information in this message is intended only for use by the individual(s) to whom it is addressed. If you believe you have received this message in error, please contact me immediately and be aware that any use, disclosure, copying or distribution of the contents of this message is strictly prohibited. NOTE: Regardless of content, this email shall not operate to bind GDIT to any order or other contract unless pursuant to explicit written agreement or government initiative expressly permitting the use of email for such purpose.

From: Sohil Jodhani <Sohil.Jodhani@alliancetg.com>

Sent: Tuesday, November 19, 2024 9:07 AM

To: Bett, Daisy <Daisy.Bett@gdit.com>

Cc: Mohammad Ahmed <mohammad.ahmed@alliancetg.com>; Deepak Parmar <Deepak.Parmar@AllianceTG.com>

Subject: REGION 3 | CASE 51716 | LAB ACE | SDG E27G9 | SOW SFAM-ORG | CONTRACT 68HERH20D0011 | ISSUE DASS SUPPORT

This Message Is From an External Sender

Please use caution with links, attachments, and any requests for credentials.

Hello,

Lab has received sample MCC0P0 in two different coolers as you can see attached two COCs therefore lab would like to confirm that the how should lab proceed with this sample. The two SDGs are affected by this sample and the SDGS are due today.

Thanks & Regards,



Sohil Jodhani

QA/QC Director

An Alliance Technical Group Company

Main: 908-789-8900

Direct: 908-728-3152

Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092

