

1.00

1

U

1.00

ml/100gm

10/30/24 13:30 9095B

Report of Analysis

Client:	PSEG			Da	te Collected:	10/29/24 10	0:05
Project:	Branch Brook Sub			Da	te Received:	10/29/24	
Client Sample ID:	TP-1			SD	OG No.:	P4611	
Lab Sample ID:	P4611-01			Ma	Matrix:		
				%	Solid:	94.8	
Parameter	Conc. Qua.	DF MDL	LOQ / CRQL	Units(Dry Weight	t) Prep Date	Date Ana.	Ana Met.
Hexavalent Chromium	0.42 U	1 0.082	0.42	mg/Kg	10/31/24 12:20	10/31/24 15:44	7196A
Ignitability	NO	1 0	0	oC		10/30/24 15:55	1030

1.00

Comments:

Paint Filter

- U = Not Detected
- LOQ = Limit of Quantitation
- MDL = Method Detection Limit
- LOD = Limit of Detection
- D = Dilution
- Q = indicates LCS control criteria did not meet requirements
- H = Sample Analysis Out Of Hold Time

- J = Estimated Value
- B = Analyte Found in Associated Method Blank
- * = indicates the duplicate analysis is not within control limits.
- E = Indicates the reported value is estimated because of the presence of interference.
- OR = Over Range
- N =Spiked sample recovery not within control limits