

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Report of Analysis

Client: PSEG Date Collected: 10/29/24 10:20

Project: Branch Brook Sub Date Received: 10/29/24

Client Sample ID: TP-2 SDG No.: P4611

Lab Sample ID: P4611-06 Matrix: SOIL

% Solid: 100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	7.01	Н	1	0	0	pН		10/29/24 16:30	9045D
Ignitability	NO		1	0	0	oC		10/30/24 16:25	1030
Reactive Cyanide	0.050	U	1	0.0088	0.050	mg/Kg	10/31/24 09:00	10/31/24 13:47	9012B
Reactive Sulfide	4.76	J	1	0.19	10.0	mg/Kg	10/31/24 14:00	10/31/24 16:48	9034

Comments: pH result reported at temperature 24.4 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits