



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: P4658
Client: Portal Partners Tri-Venture

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
-----------	-----------	--------	-----------	---------------	---	-----	-----	-------

Client ID: 0

Total Voc :
Total Concentration:

- A
- B
- C
- D
- E
- F
- G
- H
- I
- J



SAMPLE DATA

Report of Analysis

Client:	Portal Partners Tri-Venture		Date Collected:	10/31/24	
Project:	Amtrak Sawtooth Bridges 2024		Date Received:	10/31/24	
Client Sample ID:	TB		SDG No.:	P4658	
Lab Sample ID:	P4658-04		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN084634.D	1		11/01/24 13:20	VN110124

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	1.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	1.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	1.00	ug/L
67-64-1	Acetone	1.40	U	1.40	5.00	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	1.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.25	U	0.25	1.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	1.00	ug/L
67-66-3	Chloroform	0.26	U	0.26	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	1.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	1.00	ug/L
71-43-2	Benzene	0.16	U	0.16	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	1.00	ug/L
79-01-6	Trichloroethene	0.32	U	0.32	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	1.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	5.00	ug/L
108-88-3	Toluene	0.18	U	0.18	1.00	ug/L

Report of Analysis

Client:	Portal Partners Tri-Venture			Date Collected:	10/31/24	
Project:	Amtrak Sawtooth Bridges 2024			Date Received:	10/31/24	
Client Sample ID:	TB			SDG No.:	P4658	
Lab Sample ID:	P4658-04			Matrix:	Water	
Analytical Method:	SW8260			% Solid:	0	
Sample Wt/Vol:	5	Units:	mL	Final Vol:	5000	uL
Soil Aliquot Vol:			uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID :	0.25	Level :	LOW	
Prep Method :						

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN084634.D	1		11/01/24 13:20	VN110124

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	1.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	1.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	1.00	ug/L
100-41-4	Ethyl Benzene	0.16	U	0.16	1.00	ug/L
179601-23-1	m/p-Xylenes	0.31	U	0.31	2.00	ug/L
95-47-6	o-Xylene	0.14	U	0.14	1.00	ug/L
100-42-5	Styrene	0.16	U	0.16	1.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	1.00	ug/L
98-82-8	Isopropylbenzene	0.13	U	0.13	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	50.7		70 (74) - 130 (125)	101%	SPK: 50
1868-53-7	Dibromofluoromethane	49.3		70 (75) - 130 (124)	99%	SPK: 50
2037-26-5	Toluene-d8	47.6		70 (86) - 130 (113)	95%	SPK: 50
460-00-4	4-Bromofluorobenzene	45.3		70 (77) - 130 (121)	91%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	178000	8.224			
540-36-3	1,4-Difluorobenzene	313000	9.1			
3114-55-4	Chlorobenzene-d5	276000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	123000	13.788			

Report of Analysis

Client:	Portal Partners Tri-Venture		Date Collected:	10/31/24	
Project:	Amtrak Sawtooth Bridges 2024		Date Received:	10/31/24	
Client Sample ID:	TB		SDG No.:	P4658	
Lab Sample ID:	P4658-04		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN084634.D	1		11/01/24 13:20	VN110124

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products



QC SUMMARY

Surrogate Summary

SDG No.: **P4658**

Client: **Portal Partners Tri-Venture**

Analytical Method: **SW8260-Low**

Lab Sample ID	Client ID	Parameter	Spike	Result	RecoveryQual	Limits	
						Low	High
P4658-04	TB	1,2-Dichloroethane-d4	50	50.6	101	70 (74)	130 (125)
		Dibromofluoromethane	50	49.3	99	70 (75)	130 (124)
		Toluene-d8	50	47.6	95	70 (86)	130 (113)
		4-Bromofluorobenzene	50	45.3	91	70 (77)	130 (121)
VN1101WBL01	VN1101WBL01	1,2-Dichloroethane-d4	50	51.6	103	70 (74)	130 (125)
		Dibromofluoromethane	50	49.8	100	70 (75)	130 (124)
		Toluene-d8	50	47.4	95	70 (86)	130 (113)
		4-Bromofluorobenzene	50	46.8	94	70 (77)	130 (121)
VN1101WBS01	VN1101WBS01	1,2-Dichloroethane-d4	50	44.3	89	70 (74)	130 (125)
		Dibromofluoromethane	50	45.1	90	70 (75)	130 (124)
		Toluene-d8	50	46.1	92	70 (86)	130 (113)
		4-Bromofluorobenzene	50	47.0	94	70 (77)	130 (121)
VN1101WBSD0	VN1101WBSD01	1,2-Dichloroethane-d4	50	45.0	90	70 (74)	130 (125)
		Dibromofluoromethane	50	46.5	93	70 (75)	130 (124)
		Toluene-d8	50	46.3	93	70 (86)	130 (113)
		4-Bromofluorobenzene	50	46.5	93	70 (77)	130 (121)

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: P4658

Client: Portal Partners Tri-Venture

Analytical Method: SW8260-Low

Datafile : VN084631.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VN1101WBS01	Dichlorodifluoromethane	20	19.2	ug/L	96			40 (69)	160 (116)	
	Chloromethane	20	16.4	ug/L	82			40 (65)	160 (116)	
	Vinyl chloride	20	18.9	ug/L	95			70 (65)	130 (117)	
	Bromomethane	20	18.0	ug/L	90			40 (58)	160 (125)	
	Chloroethane	20	18.2	ug/L	91			40 (56)	160 (128)	
	Trichlorofluoromethane	20	18.8	ug/L	94			40 (73)	160 (115)	
	1,1,2-Trichlorotrifluoroethane	20	19.3	ug/L	97			70 (80)	130 (112)	
	1,1-Dichloroethene	20	17.7	ug/L	89			70 (74)	130 (110)	
	Acetone	100	96.0	ug/L	96			40 (60)	160 (125)	
	Carbon disulfide	20	16.7	ug/L	84			40 (64)	160 (112)	
	Methyl tert-butyl Ether	20	19.1	ug/L	96			70 (78)	130 (114)	
	Methyl Acetate	20	16.1	ug/L	81			70 (67)	130 (125)	
	Methylene Chloride	20	19.0	ug/L	95			70 (72)	130 (114)	
	trans-1,2-Dichloroethene	20	18.5	ug/L	93			70 (75)	130 (108)	
	1,1-Dichloroethane	20	19.1	ug/L	96			70 (78)	130 (112)	
	Cyclohexane	20	18.3	ug/L	92			70 (75)	130 (110)	
	2-Butanone	100	96.7	ug/L	97			40 (65)	160 (122)	
	Carbon Tetrachloride	20	19.7	ug/L	99			70 (77)	130 (113)	
	cis-1,2-Dichloroethene	20	18.4	ug/L	92			70 (77)	130 (110)	
	Bromochloromethane	20	21.5	ug/L	108			70 (70)	130 (124)	
	Chloroform	20	19.6	ug/L	98			70 (79)	130 (113)	
	1,1,1-Trichloroethane	20	19.4	ug/L	97			70 (80)	130 (108)	
	Methylcyclohexane	20	18.4	ug/L	92			70 (72)	130 (115)	
	Benzene	20	18.8	ug/L	94			70 (82)	130 (109)	
	1,2-Dichloroethane	20	19.5	ug/L	98			70 (80)	130 (115)	
	Trichloroethene	20	18.4	ug/L	92			70 (77)	130 (113)	
	1,2-Dichloropropane	20	19.1	ug/L	96			70 (83)	130 (111)	
	Bromodichloromethane	20	19.2	ug/L	96			70 (83)	130 (110)	
	4-Methyl-2-Pentanone	100	100	ug/L	100			40 (74)	160 (118)	
	Toluene	20	20.1	ug/L	101			70 (82)	130 (110)	
	t-1,3-Dichloropropene	20	17.7	ug/L	89			70 (79)	130 (110)	
	cis-1,3-Dichloropropene	20	18.7	ug/L	94			70 (82)	130 (110)	
	1,1,2-Trichloroethane	20	20.0	ug/L	100			70 (83)	130 (112)	
	2-Hexanone	100	110	ug/L	110			40 (73)	160 (117)	
	Dibromochloromethane	20	20.3	ug/L	102			70 (82)	130 (110)	
	1,2-Dibromoethane	20	19.0	ug/L	95			70 (81)	130 (110)	
	Tetrachloroethene	20	18.6	ug/L	93			70 (67)	130 (123)	
	Chlorobenzene	20	18.3	ug/L	92			70 (82)	130 (109)	
	Ethyl Benzene	20	18.8	ug/L	94			70 (83)	130 (109)	
	m/p-Xylenes	40	38.9	ug/L	97			70 (82)	130 (110)	
	o-Xylene	20	20.0	ug/L	100			70 (83)	130 (109)	
	Styrene	20	19.4	ug/L	97			70 (80)	130 (111)	
	Bromoform	20	19.0	ug/L	95			70 (79)	130 (109)	
	Isopropylbenzene	20	18.5	ug/L	93			70 (83)	130 (112)	
	1,1,2,2-Tetrachloroethane	20	18.1	ug/L	91			70 (76)	130 (118)	
	1,3-Dichlorobenzene	20	16.8	ug/L	84			70 (82)	130 (108)	
	1,4-Dichlorobenzene	20	17.3	ug/L	86			70 (82)	130 (107)	
	1,2-Dichlorobenzene	20	17.0	ug/L	85			70 (82)	130 (109)	

() = LABORATORY INHOUSE LIMIT

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: P4658

Client: Portal Partners Tri-Venture

Analytical Method: SW8260-Low

Datafile : VN084631.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VN1101WBS01	1,2-Dibromo-3-Chloropropane	20	17.9	ug/L	90			40 (68)	160 (112)	
	1,2,4-Trichlorobenzene	20	14.7	ug/L	74			70 (75)	130 (113)	
	1,2,3-Trichlorobenzene	20	15.3	ug/L	77			70 (76)	130 (114)	

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: P4658

Client: Portal Partners Tri-Venture

Analytical Method: SW8260-Low

Datafile : VN084632.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VN1101WBSD01	Dichlorodifluoromethane	20	19.4	ug/L	97	1		40 (69)	160 (116)	20 (20)
	Chloromethane	20	16.8	ug/L	84	2		40 (65)	160 (116)	20 (20)
	Vinyl chloride	20	18.9	ug/L	95	0		70 (65)	130 (117)	20 (20)
	Bromomethane	20	18.4	ug/L	92	2		40 (58)	160 (125)	20 (20)
	Chloroethane	20	19.0	ug/L	95	4		40 (56)	160 (128)	20 (20)
	Trichlorofluoromethane	20	20.1	ug/L	101	7		40 (73)	160 (115)	20 (20)
	1,1,2-Trichlorotrifluoroethane	20	19.7	ug/L	99	2		70 (80)	130 (112)	20 (20)
	1,1-Dichloroethene	20	18.5	ug/L	93	4		70 (74)	130 (110)	20 (20)
	Acetone	100	110	ug/L	110	14		40 (60)	160 (125)	20 (20)
	Carbon disulfide	20	17.5	ug/L	88	5		40 (64)	160 (112)	20 (20)
	Methyl tert-butyl Ether	20	20.4	ug/L	102	6		70 (78)	130 (114)	20 (20)
	Methyl Acetate	20	18.2	ug/L	91	12		70 (67)	130 (125)	20 (20)
	Methylene Chloride	20	19.4	ug/L	97	2		70 (72)	130 (114)	20 (20)
	trans-1,2-Dichloroethene	20	19.0	ug/L	95	2		70 (75)	130 (108)	20 (20)
	1,1-Dichloroethane	20	19.9	ug/L	100	4		70 (78)	130 (112)	20 (20)
	Cyclohexane	20	19.5	ug/L	98	6		70 (75)	130 (110)	20 (20)
	2-Butanone	100	100	ug/L	100	3		40 (65)	160 (122)	20 (20)
	Carbon Tetrachloride	20	20.1	ug/L	101	2		70 (77)	130 (113)	20 (20)
	cis-1,2-Dichloroethene	20	19.6	ug/L	98	6		70 (77)	130 (110)	20 (20)
	Bromochloromethane	20	22.1	ug/L	111	3		70 (70)	130 (124)	20 (20)
	Chloroform	20	20.1	ug/L	101	3		70 (79)	130 (113)	20 (20)
	1,1,1-Trichloroethane	20	20.1	ug/L	101	4		70 (80)	130 (108)	20 (20)
	Methylcyclohexane	20	19.6	ug/L	98	6		70 (72)	130 (115)	20 (20)
	Benzene	20	19.4	ug/L	97	3		70 (82)	130 (109)	20 (20)
	1,2-Dichloroethane	20	20.4	ug/L	102	4		70 (80)	130 (115)	20 (20)
	Trichloroethene	20	19.2	ug/L	96	4		70 (77)	130 (113)	20 (20)
	1,2-Dichloropropane	20	20.1	ug/L	101	5		70 (83)	130 (111)	20 (20)
	Bromodichloromethane	20	20.1	ug/L	101	5		70 (83)	130 (110)	20 (20)
	4-Methyl-2-Pentanone	100	110	ug/L	110	10		40 (74)	160 (118)	20 (20)
	Toluene	20	20.8	ug/L	104	3		70 (82)	130 (110)	20 (20)
	t-1,3-Dichloropropene	20	19.3	ug/L	97	9		70 (79)	130 (110)	20 (20)
	cis-1,3-Dichloropropene	20	19.6	ug/L	98	4		70 (82)	130 (110)	20 (20)
	1,1,2-Trichloroethane	20	21.1	ug/L	106	6		70 (83)	130 (112)	20 (20)
	2-Hexanone	100	110	ug/L	110	0		40 (73)	160 (117)	20 (20)
	Dibromochloromethane	20	21.1	ug/L	106	4		70 (82)	130 (110)	20 (20)
	1,2-Dibromoethane	20	20.6	ug/L	103	8		70 (81)	130 (110)	20 (20)
	Tetrachloroethene	20	19.8	ug/L	99	6		70 (67)	130 (123)	20 (20)
	Chlorobenzene	20	18.9	ug/L	95	3		70 (82)	130 (109)	20 (20)
	Ethyl Benzene	20	19.4	ug/L	97	3		70 (83)	130 (109)	20 (20)
	m/p-Xylenes	40	39.8	ug/L	100	3		70 (82)	130 (110)	20 (20)
	o-Xylene	20	20.1	ug/L	101	1		70 (83)	130 (109)	20 (20)
	Styrene	20	20.2	ug/L	101	4		70 (80)	130 (111)	20 (20)
	Bromoform	20	19.5	ug/L	98	3		70 (79)	130 (109)	20 (20)
	Isopropylbenzene	20	19.2	ug/L	96	3		70 (83)	130 (112)	20 (20)
	1,1,2,2-Tetrachloroethane	20	18.7	ug/L	94	3		70 (76)	130 (118)	20 (20)
	1,3-Dichlorobenzene	20	17.3	ug/L	86	2		70 (82)	130 (108)	20 (20)
	1,4-Dichlorobenzene	20	18.5	ug/L	93	8		70 (82)	130 (107)	20 (20)
	1,2-Dichlorobenzene	20	18.2	ug/L	91	7		70 (82)	130 (109)	20 (20)

() = LABORATORY INHOUSE LIMIT

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: P4658

Client: Portal Partners Tri-Venture

Analytical Method: SW8260-Low

Datafile : VN084632.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VN1101WBSD01	1,2-Dibromo-3-Chloropropane	20	18.1	ug/L	91	1		40 (68)	160 (112)	20 (20)
	1,2,4-Trichlorobenzene	20	16.0	ug/L	80	8		70 (75)	130 (113)	20 (20)
	1,2,3-Trichlorobenzene	20	16.1	ug/L	81	5		70 (76)	130 (114)	20 (20)

VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VN1101WBL01

Lab Name: CHEMTECH

Contract: PORT06

Lab Code: CHEM Case No.: P4658

SAS No.: P4658 SDG NO.: P4658

Lab File ID: VN084630.D

Lab Sample ID: VN1101WBL01

Date Analyzed: 11/01/2024

Time Analyzed: 11:29

GC Column: RXI-624 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Instrument ID: MSVOA_N

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
VN1101WBS01	VN1101WBS01	VN084631.D	11/01/2024
VN1101WBSD01	VN1101WBSD01	VN084632.D	11/01/2024
TB	P4658-04	VN084634.D	11/01/2024

COMMENTS: _____

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name: CHEMTECH Contract: PORT06
Lab Code: CHEM Case No.: P4658 SAS No.: P4658 SDG NO.: P4658
Lab File ID: VN084569.D BFB Injection Date: 10/30/2024
Instrument ID: MSVOA_N BFB Injection Time: 10:42
GC Column: RXI-624 ID: 0.25 (mm) Heated Purge: Y/N N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	19.5
75	30.0 - 60.0% of mass 95	50.7
95	Base Peak, 100% relative abundance	100
96	5.0 - 9.0% of mass 95	7.2
173	Less than 2.0% of mass 174	1.2 (1.6) 1
174	50.0 - 100.0% of mass 95	73.5
175	5.0 - 9.0% of mass 174	5.7 (7.7) 1
176	95.0 - 101.0% of mass 174	70.1 (95.4) 1
177	5.0 - 9.0% of mass 176	4.8 (6.9) 2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
VSTDICC100	VSTDICC100	VN084570.D	10/30/2024	11:46
VSTDICCC050	VSTDICCC050	VN084571.D	10/30/2024	12:09
VSTDICC020	VSTDICC020	VN084572.D	10/30/2024	12:33
VSTDICC010	VSTDICC010	VN084573.D	10/30/2024	12:57
VSTDICC005	VSTDICC005	VN084574.D	10/30/2024	13:21
VSTDICC001	VSTDICC001	VN084575.D	10/30/2024	13:45

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name: CHEMTECH Contract: PORT06
Lab Code: CHEM Case No.: P4658 SAS No.: P4658 SDG NO.: P4658
Lab File ID: VN084627.D BFB Injection Date: 11/01/2024
Instrument ID: MSVOA_N BFB Injection Time: 09:48
GC Column: RXI-624 ID: 0.25 (mm) Heated Purge: Y/N N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	19.5
75	30.0 - 60.0% of mass 95	51.3
95	Base Peak, 100% relative abundance	100
96	5.0 - 9.0% of mass 95	7.2
173	Less than 2.0% of mass 174	1.1 (1.5) 1
174	50.0 - 100.0% of mass 95	74.6
175	5.0 - 9.0% of mass 174	5.4 (7.2) 1
176	95.0 - 101.0% of mass 174	71.2 (95.5) 1
177	5.0 - 9.0% of mass 176	4.9 (6.9) 2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
VSTDCCC050	VSTDCCC050	VN084628.D	11/01/2024	10:22
VN1101WBL01	VN1101WBL01	VN084630.D	11/01/2024	11:29
VN1101WBS01	VN1101WBS01	VN084631.D	11/01/2024	12:08
VN1101WBSD01	VN1101WBSD01	VN084632.D	11/01/2024	12:32
TB	P4658-04	VN084634.D	11/01/2024	13:20

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH Contract: PORT06
Lab Code: CHEM Case No.: P4658 SAS No.: P4658 SDG NO.: P4658
Lab File ID: VN084628.D Date Analyzed: 11/01/2024
Instrument ID: MSVOA_N Time Analyzed: 10:22
GC Column: RXI-624 ID: 0.25 (mm) Heated Purge: (Y/N) N

	IS1 AREA #	RT #	IS2 AREA #	RT #	IS3 AREA #	RT #
12 HOUR STD	184180	8.22	299507	9.10	271207	11.87
UPPER LIMIT	368360	8.724	599014	9.6	542414	12.365
LOWER LIMIT	92090	7.724	149754	8.6	135604	11.365
EPA SAMPLE NO.						
TB	177716	8.22	313388	9.10	275782	11.87
VN1101WBL01	180035	8.22	318575	9.10	285991	11.87
VN1101WBS01	190995	8.22	320452	9.10	287801	11.87
VN1101WBSD01	179647	8.22	303928	9.10	276373	11.87

IS1 = Pentafluorobenzene
IS2 = 1,4-Difluorobenzene
IS3 = Chlorobenzene-d5

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.50 minutes of internal standard RT
RT LOWER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH Contract: PORT06
 Lab Code: CHEM Case No.: P4658 SAS No.: P4658 SDG NO.: P4658
 Lab File ID: VN084628.D Date Analyzed: 11/01/2024
 Instrument ID: MSVOA_N Time Analyzed: 10:22
 GC Column: RXI-624 ID: 0.25 (mm) Heated Purge: (Y/N) N

	IS4 AREA #	RT #				
12 HOUR STD	136355	13.794				
UPPER LIMIT	272710	14.294				
LOWER LIMIT	68177.5	13.294				
EPA SAMPLE NO.						
TB	122691	13.79				
VN1101WBL01	125664	13.79				
VN1101WBS01	147052	13.79				
VN1101WBSD01	139639	13.79				

IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area
 AREA LOWER LIMIT = -50% of internal standard area
 RT UPPER LIMIT = +0.50 minutes of internal standard RT
 RT LOWER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
 * Values outside of QC limits.



QC SAMPLE DATA

Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	
Project:	Amtrak Sawtooth Bridges 2024	Date Received:	
Client Sample ID:	VN1101WBL01	SDG No.:	P4658
Lab Sample ID:	VN1101WBL01	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN084630.D	1		11/01/24 11:29	VN110124

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	1.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	1.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	1.00	ug/L
67-64-1	Acetone	1.40	U	1.40	5.00	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	1.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.25	U	0.25	1.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	1.00	ug/L
67-66-3	Chloroform	0.26	U	0.26	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	1.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	1.00	ug/L
71-43-2	Benzene	0.16	U	0.16	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	1.00	ug/L
79-01-6	Trichloroethene	0.32	U	0.32	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	1.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	5.00	ug/L
108-88-3	Toluene	0.18	U	0.18	1.00	ug/L

Report of Analysis

Client:	Portal Partners Tri-Venture		Date Collected:	
Project:	Amtrak Sawtooth Bridges 2024		Date Received:	
Client Sample ID:	VN1101WBL01		SDG No.:	P4658
Lab Sample ID:	VN1101WBL01		Matrix:	Water
Analytical Method:	SW8260		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN084630.D	1		11/01/24 11:29	VN110124

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	1.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	1.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	1.00	ug/L
100-41-4	Ethyl Benzene	0.16	U	0.16	1.00	ug/L
179601-23-1	m/p-Xylenes	0.31	U	0.31	2.00	ug/L
95-47-6	o-Xylene	0.14	U	0.14	1.00	ug/L
100-42-5	Styrene	0.16	U	0.16	1.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	1.00	ug/L
98-82-8	Isopropylbenzene	0.13	U	0.13	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	51.6		70 (74) - 130 (125)	103%	SPK: 50
1868-53-7	Dibromofluoromethane	49.8		70 (75) - 130 (124)	100%	SPK: 50
2037-26-5	Toluene-d8	47.4		70 (86) - 130 (113)	95%	SPK: 50
460-00-4	4-Bromofluorobenzene	46.8		70 (77) - 130 (121)	94%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	180000	8.224			
540-36-3	1,4-Difluorobenzene	319000	9.1			
3114-55-4	Chlorobenzene-d5	286000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	126000	13.788			

Report of Analysis

Client:	Portal Partners Tri-Venture		Date Collected:	
Project:	Amtrak Sawtooth Bridges 2024		Date Received:	
Client Sample ID:	VN1101WBL01		SDG No.:	P4658
Lab Sample ID:	VN1101WBL01		Matrix:	Water
Analytical Method:	SW8260		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN084630.D	1		11/01/24 11:29	VN110124

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Portal Partners Tri-Venture		Date Collected:	
Project:	Amtrak Sawtooth Bridges 2024		Date Received:	
Client Sample ID:	VN1101WBS01		SDG No.:	P4658
Lab Sample ID:	VN1101WBS01		Matrix:	Water
Analytical Method:	SW8260		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN084631.D	1		11/01/24 12:08	VN110124

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	19.2		0.21	1.00	ug/L
74-87-3	Chloromethane	16.4		0.35	1.00	ug/L
75-01-4	Vinyl Chloride	18.9		0.34	1.00	ug/L
74-83-9	Bromomethane	18.0		1.40	5.00	ug/L
75-00-3	Chloroethane	18.2		0.56	1.00	ug/L
75-69-4	Trichlorofluoromethane	18.8		0.34	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	19.3		0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	17.7		0.26	1.00	ug/L
67-64-1	Acetone	96.0		1.40	5.00	ug/L
75-15-0	Carbon Disulfide	16.7		0.32	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	19.1		0.16	1.00	ug/L
79-20-9	Methyl Acetate	16.1		0.60	1.00	ug/L
75-09-2	Methylene Chloride	19.0		0.32	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	18.5		0.25	1.00	ug/L
75-34-3	1,1-Dichloroethane	19.1		0.23	1.00	ug/L
110-82-7	Cyclohexane	18.3		1.60	5.00	ug/L
78-93-3	2-Butanone	96.7		1.30	5.00	ug/L
56-23-5	Carbon Tetrachloride	19.7		0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	18.4		0.25	1.00	ug/L
74-97-5	Bromochloromethane	21.5		0.18	1.00	ug/L
67-66-3	Chloroform	19.6		0.26	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	19.4		0.19	1.00	ug/L
108-87-2	Methylcyclohexane	18.4		0.19	1.00	ug/L
71-43-2	Benzene	18.8		0.16	1.00	ug/L
107-06-2	1,2-Dichloroethane	19.5		0.24	1.00	ug/L
79-01-6	Trichloroethene	18.4		0.32	1.00	ug/L
78-87-5	1,2-Dichloropropane	19.1		0.19	1.00	ug/L
75-27-4	Bromodichloromethane	19.2		0.24	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	100		0.75	5.00	ug/L
108-88-3	Toluene	20.1		0.18	1.00	ug/L

Report of Analysis

Client:	Portal Partners Tri-Venture		Date Collected:	
Project:	Amtrak Sawtooth Bridges 2024		Date Received:	
Client Sample ID:	VN1101WBS01		SDG No.:	P4658
Lab Sample ID:	VN1101WBS01		Matrix:	Water
Analytical Method:	SW8260		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN084631.D	1		11/01/24 12:08	VN110124

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	17.7		0.21	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	18.7		0.18	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	20.0		0.21	1.00	ug/L
591-78-6	2-Hexanone	110		1.10	5.00	ug/L
124-48-1	Dibromochloromethane	20.3		0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	19.0		0.16	1.00	ug/L
127-18-4	Tetrachloroethene	18.6		0.25	1.00	ug/L
108-90-7	Chlorobenzene	18.3		0.13	1.00	ug/L
100-41-4	Ethyl Benzene	18.8		0.16	1.00	ug/L
179601-23-1	m/p-Xylenes	38.9		0.31	2.00	ug/L
95-47-6	o-Xylene	20.0		0.14	1.00	ug/L
100-42-5	Styrene	19.4		0.16	1.00	ug/L
75-25-2	Bromoform	19.0		0.21	1.00	ug/L
98-82-8	Isopropylbenzene	18.5		0.13	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	18.1		0.27	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	16.8		0.24	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	17.3		0.27	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	17.0		0.19	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	17.9		0.46	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	14.7		0.42	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	15.3		0.51	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	44.3		70 (74) - 130 (125)	89%	SPK: 50
1868-53-7	Dibromofluoromethane	45.1		70 (75) - 130 (124)	90%	SPK: 50
2037-26-5	Toluene-d8	46.1		70 (86) - 130 (113)	92%	SPK: 50
460-00-4	4-Bromofluorobenzene	47.0		70 (77) - 130 (121)	94%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	191000	8.224			
540-36-3	1,4-Difluorobenzene	320000	9.1			
3114-55-4	Chlorobenzene-d5	288000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	147000	13.794			

Report of Analysis

Client:	Portal Partners Tri-Venture		Date Collected:	
Project:	Amtrak Sawtooth Bridges 2024		Date Received:	
Client Sample ID:	VN1101WBS01		SDG No.:	P4658
Lab Sample ID:	VN1101WBS01		Matrix:	Water
Analytical Method:	SW8260		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN084631.D	1		11/01/24 12:08	VN110124

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	
Project:	Amtrak Sawtooth Bridges 2024	Date Received:	
Client Sample ID:	VN1101WBSD01	SDG No.:	P4658
Lab Sample ID:	VN1101WBSD01	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN084632.D	1		11/01/24 12:32	VN110124

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	19.4		0.21	1.00	ug/L
74-87-3	Chloromethane	16.8		0.35	1.00	ug/L
75-01-4	Vinyl Chloride	18.9		0.34	1.00	ug/L
74-83-9	Bromomethane	18.4		1.40	5.00	ug/L
75-00-3	Chloroethane	19.0		0.56	1.00	ug/L
75-69-4	Trichlorofluoromethane	20.1		0.34	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	19.7		0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	18.5		0.26	1.00	ug/L
67-64-1	Acetone	110		1.40	5.00	ug/L
75-15-0	Carbon Disulfide	17.5		0.32	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	20.4		0.16	1.00	ug/L
79-20-9	Methyl Acetate	18.2		0.60	1.00	ug/L
75-09-2	Methylene Chloride	19.4		0.32	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	19.0		0.25	1.00	ug/L
75-34-3	1,1-Dichloroethane	19.9		0.23	1.00	ug/L
110-82-7	Cyclohexane	19.5		1.60	5.00	ug/L
78-93-3	2-Butanone	100		1.30	5.00	ug/L
56-23-5	Carbon Tetrachloride	20.1		0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	19.6		0.25	1.00	ug/L
74-97-5	Bromochloromethane	22.1		0.18	1.00	ug/L
67-66-3	Chloroform	20.1		0.26	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	20.1		0.19	1.00	ug/L
108-87-2	Methylcyclohexane	19.6		0.19	1.00	ug/L
71-43-2	Benzene	19.4		0.16	1.00	ug/L
107-06-2	1,2-Dichloroethane	20.4		0.24	1.00	ug/L
79-01-6	Trichloroethene	19.2		0.32	1.00	ug/L
78-87-5	1,2-Dichloropropane	20.1		0.19	1.00	ug/L
75-27-4	Bromodichloromethane	20.1		0.24	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	110		0.75	5.00	ug/L
108-88-3	Toluene	20.8		0.18	1.00	ug/L

Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	
Project:	Amtrak Sawtooth Bridges 2024	Date Received:	
Client Sample ID:	VN1101WBSD01	SDG No.:	P4658
Lab Sample ID:	VN1101WBSD01	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN084632.D	1		11/01/24 12:32	VN110124

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	19.3		0.21	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	19.6		0.18	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	21.1		0.21	1.00	ug/L
591-78-6	2-Hexanone	110		1.10	5.00	ug/L
124-48-1	Dibromochloromethane	21.1		0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	20.6		0.16	1.00	ug/L
127-18-4	Tetrachloroethene	19.8		0.25	1.00	ug/L
108-90-7	Chlorobenzene	18.9		0.13	1.00	ug/L
100-41-4	Ethyl Benzene	19.4		0.16	1.00	ug/L
179601-23-1	m/p-Xylenes	39.8		0.31	2.00	ug/L
95-47-6	o-Xylene	20.1		0.14	1.00	ug/L
100-42-5	Styrene	20.2		0.16	1.00	ug/L
75-25-2	Bromoform	19.5		0.21	1.00	ug/L
98-82-8	Isopropylbenzene	19.2		0.13	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	18.7		0.27	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	17.3		0.24	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	18.5		0.27	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	18.2		0.19	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	18.1		0.46	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	16.0		0.42	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	16.1		0.51	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	45.0		70 (74) - 130 (125)	90%	SPK: 50
1868-53-7	Dibromofluoromethane	46.5		70 (75) - 130 (124)	93%	SPK: 50
2037-26-5	Toluene-d8	46.3		70 (86) - 130 (113)	93%	SPK: 50
460-00-4	4-Bromofluorobenzene	46.5		70 (77) - 130 (121)	93%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	180000	8.224			
540-36-3	1,4-Difluorobenzene	304000	9.1			
3114-55-4	Chlorobenzene-d5	276000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	140000	13.788			

Report of Analysis

Client:	Portal Partners Tri-Venture		Date Collected:	
Project:	Amtrak Sawtooth Bridges 2024		Date Received:	
Client Sample ID:	VN1101WBSD01		SDG No.:	P4658
Lab Sample ID:	VN1101WBSD01		Matrix:	Water
Analytical Method:	SW8260		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN084632.D	1		11/01/24 12:32	VN110124

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products



CALIBRATION SUMMARY

VOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: CHEMTECH Contract: PORT06

Lab Code: CHEM Case No.: P4658 SAS No.: P4658 SDG No.: P4658

Instrument ID: MSVOA_N Calibration Date(s): 10/30/2024 10/30/2024

Heated Purge: (Y/N) N Calibration Time(s): 11:46 13:45

GC Column: RXI-624 ID: 0.25 (mm)

LAB FILE ID:								
RRF100 = VN084570.D			RRF050 = VN084571.D			RRF020 = VN084572.D		
RRF010 = VN084573.D			RRF005 = VN084574.D			RRF001 = VN084575.D		
COMPOUND	RRF100	RRF050	RRF020	RRF010	RRF005	RRF001	RRF	% RSD
Dichlorodifluoromethane	0.571	0.552	0.552	0.598	0.594	0.581	0.575	3.4
Chloromethane	0.658	0.672	0.725	0.871	0.995	1.789	0.952	45.2
Vinyl Chloride	0.613	0.605	0.623	0.636	0.651	0.581	0.618	4
Bromomethane	0.292	0.296	0.310	0.336	0.405		0.328	14.2
Chloroethane	0.378	0.376	0.413	0.426	0.475	0.863	0.488	38.3
Trichlorofluoromethane	0.971	0.959	1.017	1.022	1.070	1.071	1.018	4.7
1,1,2-Trichlorotrifluoroethane	0.566	0.557	0.571	0.585	0.588	0.586	0.575	2.2
1,1-Dichloroethene	0.548	0.538	0.560	0.575	0.552	0.644	0.569	6.8
Acetone	0.209	0.204	0.213	0.223	0.241	0.338	0.238	21.3
Carbon Disulfide	1.604	1.603	1.700	1.714	1.784	2.117	1.753	10.9
Methyl tert-butyl Ether	1.773	1.758	1.802	1.779	1.786	1.572	1.745	4.9
Methyl Acetate	0.731	0.749	0.954	1.044	1.266	2.291	1.172	49.7
Methylene Chloride	0.604	0.602	0.633	0.658	0.714	0.600	0.635	7.1
trans-1,2-Dichloroethene	0.565	0.563	0.596	0.600	0.584	0.601	0.585	2.9
1,1-Dichloroethane	1.067	1.066	1.114	1.127	1.203	1.033	1.102	5.5
Cyclohexane	0.956	0.938	0.956	1.043	1.093		0.997	6.8
2-Butanone	0.316	0.315	0.348	0.338	0.370	0.334	0.337	6.1
Carbon Tetrachloride	0.530	0.514	0.532	0.548	0.537	0.488	0.525	4
cis-1,2-Dichloroethene	0.675	0.662	0.697	0.685	0.705	0.673	0.683	2.4
Bromochloromethane	0.483	0.511	0.388	0.415	0.408	0.429	0.439	10.8
Chloroform	1.099	1.086	1.142	1.154	1.222	1.025	1.121	6
1,1,1-Trichloroethane	1.000	0.991	1.046	1.073	1.032	0.980	1.021	3.5
Methylcyclohexane	0.546	0.509	0.495	0.487	0.458	0.371	0.478	12.5
Benzene	1.494	1.448	1.509	1.507	1.546	1.540	1.507	2.4
1,2-Dichloroethane	0.488	0.494	0.493	0.492	0.503	0.459	0.488	3.1
Trichloroethene	0.339	0.335	0.345	0.338	0.341	0.387	0.348	5.7
1,2-Dichloropropane	0.356	0.348	0.358	0.357	0.373	0.330	0.354	4
Bromodichloromethane	0.528	0.521	0.526	0.522	0.529	0.530	0.526	0.7
4-Methyl-2-Pentanone	0.424	0.423	0.416	0.417	0.412	0.344	0.406	7.6
Toluene	0.923	0.899	0.919	0.902	0.891	0.757	0.882	7.1

* Compounds with required minimum RRF and maximum %RSD values.
All other compounds must meet a minimum RRF of 0.010.
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: CHEMTECH Contract: PORT06

Lab Code: CHEM Case No.: P4658 SAS No.: P4658 SDG No.: P4658

Instrument ID: MSVOA_N Calibration Date(s): 10/30/2024 10/30/2024

Heated Purge: (Y/N) N Calibration Time(s): 11:46 13:45

GC Column: RXI-624 ID: 0.25 (mm)

LAB FILE ID:								
RRF100 = VN084570.D			RRF050 = VN084571.D			RRF020 = VN084572.D		
RRF010 = VN084573.D			RRF005 = VN084574.D			RRF001 = VN084575.D		
COMPOUND	RRF100	RRF050	RRF020	RRF010	RRF005	RRF001	RRF	% RSD
t-1,3-Dichloropropene	0.552	0.543	0.538	0.532	0.547	0.555	0.544	1.6
cis-1,3-Dichloropropene	0.592	0.581	0.582	0.569	0.584	0.548	0.576	2.7
1,1,2-Trichloroethane	0.336	0.329	0.334	0.342	0.342	0.309	0.332	3.7
2-Hexanone	0.314	0.312	0.301	0.297	0.294	0.256	0.296	7.1
Dibromochloromethane	0.404	0.394	0.391	0.393	0.377	0.312	0.378	8.9
1,2-Dibromoethane	0.340	0.333	0.341	0.335	0.355	0.336	0.340	2.4
Tetrachloroethene	0.326	0.313	0.333	0.347	0.351	0.325	0.333	4.3
Chlorobenzene	1.068	1.061	1.149	1.123	1.165	1.146	1.119	3.9
Ethyl Benzene	1.957	1.891	1.928	1.880	1.849	1.697	1.867	4.9
m/p-Xylenes	0.737	0.728	0.737	0.701	0.683	0.654	0.707	4.8
o-Xylene	0.703	0.690	0.701	0.679	0.645	0.550	0.661	8.9
Styrene	1.223	1.205	1.206	1.144	1.093	1.050	1.154	6.1
Bromoform	0.287	0.295	0.298	0.289	0.302	0.286	0.293	2.3
Isopropylbenzene	3.558	3.570	3.701	3.605	3.402	3.188	3.504	5.2
1,1,2,2-Tetrachloroethane	1.052	1.073	1.163	1.190	1.317	1.222	1.170	8.4
1,3-Dichlorobenzene	1.642	1.668	1.770	1.802	1.884	2.264	1.838	12.3
1,4-Dichlorobenzene	1.646	1.674	1.782	1.867	1.879	2.773	1.937	21.7
1,2-Dichlorobenzene	1.601	1.618	1.748	1.732	1.879	2.021	1.766	9.1
1,2-Dibromo-3-Chloropropane	0.204	0.217	0.229	0.226	0.274	0.272	0.237	12.3
1,2,4-Trichlorobenzene	0.852	0.865	0.895	0.881	0.956	1.353	0.967	19.9
1,2,3-Trichlorobenzene	0.832	0.841	0.953	0.877	0.939	1.189	0.939	14.1
1,2-Dichloroethane-d4	0.689	0.721	0.708	0.722	0.771		0.722	4.2
Dibromofluoromethane	0.334	0.344	0.326	0.336	0.353		0.338	3.1
Toluene-d8	1.267	1.303	1.216	1.231	1.217		1.247	3
4-Bromofluorobenzene	0.481	0.493	0.450	0.451	0.454		0.466	4.3

* Compounds with required minimum RRF and maximum %RSD values.
All other compounds must meet a minimum RRF of 0.010.
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: PORT06

Lab Code: CHEM Case No.: P4658 SAS No.: P4658 SDG No.: P4658

Instrument ID: MSVOA_N Calibration Date/Time: 11/01/2024 10:22

Lab File ID: VN084628.D Init. Calib. Date(s): 10/30/2024 10/30/2024

Heated Purge: (Y/N) N Init. Calib. Time(s): 11:46 13:45

GC Column: RXI-624 ID: 0.25 (mm)

COMPOUND	RRF	RRF050	MIN RRF	%D	MAX%D
Dichlorodifluoromethane	0.575	0.538		-6.43	20
Chloromethane	0.952	0.582	0.1	-38.87	20
Vinyl Chloride	0.618	0.566		-8.41	20
Bromomethane	0.328	0.288		-12.19	20
Chloroethane	0.488	0.364		-25.41	20
Trichlorofluoromethane	1.018	0.944		-7.27	20
1,1,2-Trichlorotrifluoroethane	0.575	0.549		-4.52	20
1,1-Dichloroethene	0.569	0.502		-11.77	20
Acetone	0.238	0.204		-14.29	20
Carbon Disulfide	1.753	1.480		-15.57	20
Methyl tert-butyl Ether	1.745	1.720		-1.43	20
Methyl Acetate	1.172	0.691		-41.04	20
Methylene Chloride	0.635	0.598		-5.83	20
trans-1,2-Dichloroethene	0.585	0.542		-7.35	20
1,1-Dichloroethane	1.102	1.047	0.1	-4.99	20
Cyclohexane	0.997	0.878		-11.94	20
2-Butanone	0.337	0.326		-3.26	20
Carbon Tetrachloride	0.525	0.514		-2.1	20
cis-1,2-Dichloroethene	0.683	0.652		-4.54	20
Bromochloromethane	0.439	0.492		12.07	20
Chloroform	1.121	1.078		-3.84	20
1,1,1-Trichloroethane	1.021	0.967		-5.29	20
Methylcyclohexane	0.478	0.490		2.51	20
Benzene	1.507	1.457		-3.32	20
1,2-Dichloroethane	0.488	0.484		-0.82	20
Trichloroethene	0.348	0.325		-6.61	20
1,2-Dichloropropane	0.354	0.356		0.56	20
Bromodichloromethane	0.526	0.522		-0.76	20
4-Methyl-2-Pentanone	0.406	0.430		5.91	20
Toluene	0.882	0.905		2.61	20
t-1,3-Dichloropropene	0.544	0.517		-4.96	20
cis-1,3-Dichloropropene	0.576	0.566		-1.74	20
1,1,2-Trichloroethane	0.332	0.331		-0.3	20
2-Hexanone	0.296	0.316		6.76	20
Dibromochloromethane	0.378	0.401		6.09	20
1,2-Dibromoethane	0.340	0.338		-0.59	20
Tetrachloroethene	0.333	0.327		-1.8	20
Chlorobenzene	1.119	1.038	0.3	-7.24	20

All other compounds must meet a minimum RRF of 0.010.
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: PORT06

Lab Code: CHEM Case No.: P4658 SAS No.: P4658 SDG No.: P4658

Instrument ID: MSVOA_N Calibration Date/Time: 11/01/2024 10:22

Lab File ID: VN084628.D Init. Calib. Date(s): 10/30/2024 10/30/2024

Heated Purge: (Y/N) N Init. Calib. Time(s): 11:46 13:45

GC Column: RXI-624 ID: 0.25 (mm)

COMPOUND	RRF	RRF050	MIN RRF	%D	MAX%D
Ethyl Benzene	1.867	1.850		-0.91	20
m/p-Xylenes	0.707	0.721		1.98	20
o-Xylene	0.661	0.681		3.03	20
Styrene	1.154	1.181		2.34	20
Bromoform	0.293	0.294	0.1	0.34	20
Isopropylbenzene	3.504	3.470		-0.97	20
1,1,2,2-Tetrachloroethane	1.170	1.079	0.3	-7.78	20
1,3-Dichlorobenzene	1.838	1.617		-12.02	20
1,4-Dichlorobenzene	1.937	1.621		-16.31	20
1,2-Dichlorobenzene	1.766	1.620		-8.27	20
1,2-Dibromo-3-Chloropropane	0.237	0.209		-11.81	20
1,2,4-Trichlorobenzene	0.967	0.796		-17.68	20
1,2,3-Trichlorobenzene	0.939	0.784		-16.51	20
1,2-Dichloroethane-d4	0.722	0.644		-10.8	20
Dibromofluoromethane	0.338	0.325		-3.85	20
Toluene-d8	1.247	1.185		-4.97	20
4-Bromofluorobenzene	0.466	0.451		-3.22	20

All other compounds must meet a minimum RRF of 0.010.
RRF of 1,4-Dioxane = Value should be divide by 1000.



SAMPLE RAW DATA

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN110124\
Data File : VN084634.D
Acq On : 01 Nov 2024 13:20
Operator : JC\MD
Sample : P4658-04
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
TB

Quant Time: Nov 04 04:26:43 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N103024W.M
Quant Title : SW846 8260
QLast Update : Thu Oct 31 18:45:38 2024
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	8.224	168	177716	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.100	114	313388	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.865	117	275782	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.788	152	122691	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.576	65	130011	50.651	ug/l	0.00
Spiked Amount	50.000	Range 74 - 125	Recovery	=	101.300%	
35) Dibromofluoromethane	8.165	113	104651	49.334	ug/l	0.00
Spiked Amount	50.000	Range 75 - 124	Recovery	=	98.660%	
50) Toluene-d8	10.565	98	371650	47.562	ug/l	0.00
Spiked Amount	50.000	Range 86 - 113	Recovery	=	95.120%	
62) 4-Bromofluorobenzene	12.847	95	132405	45.339	ug/l	0.00
Spiked Amount	50.000	Range 77 - 121	Recovery	=	90.680%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN110124\
Data File : VN084634.D
Acq On : 01 Nov 2024 13:20
Operator : JC\MD
Sample : P4658-04
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
TB


Quant Time: Nov 04 04:26:43 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N103024W.M
Quant Title : SW846 8260
QLast Update : Thu Oct 31 18:45:38 2024
Response via : Initial Calibration








#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 8.224 min Scan# 1066
Delta R.T. -0.000 min
Lab File: VN084634.D
Acq: 01 Nov 2024 13:20

Instrument :
MSVOA_N
ClientSampleId :
TB







Tgt Ion:168 Resp: 177716
Ion Ratio Lower Upper
168 100
99 66.1 54.2 81.2



#33
1,2-Dichloroethane-d4
Concen: 50.651 ug/l
RT: 8.576 min Scan# 1126
Delta R.T. -0.001 min
Lab File: VN084634.D
Acq: 01 Nov 2024 13:20

Tgt Ion: 65 Resp: 130011
Ion Ratio Lower Upper
65 100
67 51.6 0.0 102.0





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 9.100 min Scan# 1215

Delta R.T. -0.000 min

Lab File: VN084634.D

Acq: 01 Nov 2024 13:20





Instrument :

MSVOA_N

ClientSampleId :

TB

Tgt Ion:	114	Resp:	313388
Ion	Ratio	Lower	Upper
114	100		
63	20.9	0.0	43.8
88	16.2	0.0	31.6



#35

Dibromofluoromethane

Concen: 49.334 ug/l




RT: 8.165 min Scan# 1056


Delta R.T. -0.000 min

Lab File: VN084634.D

Acq: 01 Nov 2024 13:20

Tgt Ion:	113	Resp:	104651
Ion	Ratio	Lower	Upper
113	100		
111	100.4	83.3	124.9
192	18.4	13.5	20.3





#50

Toluene-d8

Concen: 47.562 ug/l

RT: 10.565 min Scan# 1464

Delta R.T. -0.000 min

Lab File: VN084634.D

Acq: 01 Nov 2024 13:20

Instrument :

MSVOA_N

ClientSampleId :





TB

Tgt Ion: 98 Resp: 371650

Ion Ratio Lower Upper

98 100

100 64.9 52.7 79.1



#62

4-Bromofluorobenzene

Concen: 45.339 ug/l

RT: 12.847 min Scan# 1852

Delta R.T. -0.000 min

Lab File: VN084634.D

Acq: 01 Nov 2024 13:20




Tgt Ion: 95 Resp: 132405


Ion Ratio Lower Upper

95 100

174 75.6 0.0 145.2

176 73.0 0.0 140.0





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.865 min Scan# 16

Delta R.T. -0.001 min

Lab File: VN084634.D

Acq: 01 Nov 2024 13:20

Instrument :

MSVOA_N

ClientSampleId :

TB





Tgt Ion:117 Resp: 275782

Ion Ratio Lower Upper

117 100

82 55.2 47.2 70.8

119 31.3 25.4 38.0



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.788 min Scan# 2012

Delta R.T. -0.000 min

Lab File: VN084634.D

Acq: 01 Nov 2024 13:20




Tgt Ion:152 Resp: 122691

Ion Ratio Lower Upper

152 100

115 62.0 31.3 93.9

150 156.3 0.0 349.8



Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN110124\
 Data File : VN084634.D
 Acq On : 01 Nov 2024 13:20
 Operator : JC\MD
 Sample : P4658-04
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 TB

Integration Parameters: RTEINT.P

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N103024W.M

Title : SW846 8260

Signal : TIC: VN084634.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	2.295	53	58	67	rVB4	4513	12527	1.28%	0.239%
2	2.818	139	147	148	rBV3	7859	12821	1.31%	0.245%
3	8.165	1046	1056	1060	rBV	145508	332051	33.85%	6.338%
4	8.224	1060	1066	1077	rVB	246621	560785	57.18%	10.703%
5	8.576	1117	1126	1135	rBV2	154259	351686	35.86%	6.712%
6	9.100	1207	1215	1224	rBV	364155	742737	75.73%	14.176%
7	10.565	1454	1464	1472	rBV	540087	980805	100.00%	18.720%
8	11.865	1677	1685	1698	rVB	489011	851304	86.80%	16.248%
9	12.847	1844	1852	1860	rBV	379887	638017	65.05%	12.177%
10	13.788	2005	2012	2022	rVB	450588	756611	77.14%	14.441%




Sum of corrected areas: 5239344

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN110124\
Data File : VN084634.D
Acq On : 01 Nov 2024 13:20
Operator : JC\MD
Sample : P4658-04
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
TB

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N103024W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN110124\
Data File : VN084634.D
Acq On : 01 Nov 2024 13:20
Operator : JC\MD
Sample : P4658-04
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
TB

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N103024W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

A
B
C
D
E
F
G
H
I
J

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN110124\
Data File : VN084634.D
Acq On : 01 Nov 2024 13:20
Operator : JC\MD
Sample : P4658-04
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
TB

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N103024W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN110124\
 Data File : VN084630.D
 Acq On : 01 Nov 2024 11:29
 Operator : JC\MD
 Sample : VN1101WBL01
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 VN1101WBL01

Quant Time: Nov 04 04:23:48 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N103024W.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 31 18:45:38 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	8.224	168	180035	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.100	114	318575	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.865	117	285991	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.788	152	125664	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.576	65	134085	51.565	ug/l	0.00
Spiked Amount	50.000	Range 74 - 125	Recovery	=	103.120%	
35) Dibromofluoromethane	8.159	113	107465	49.836	ug/l	0.00
Spiked Amount	50.000	Range 75 - 124	Recovery	=	99.680%	
50) Toluene-d8	10.565	98	376240	47.365	ug/l	0.00
Spiked Amount	50.000	Range 86 - 113	Recovery	=	94.740%	
62) 4-Bromofluorobenzene	12.847	95	139006	46.824	ug/l	0.00
Spiked Amount	50.000	Range 77 - 121	Recovery	=	93.640%	


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN110124\
Data File : VN084630.D
Acq On : 01 Nov 2024 11:29
Operator : JC\MD
Sample : VN1101WBL01
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
VN1101WBL01


Quant Time: Nov 04 04:23:48 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N103024W.M
Quant Title : SW846 8260
QLast Update : Thu Oct 31 18:45:38 2024
Response via : Initial Calibration








#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 8.224 min Scan# 1066
Delta R.T. -0.000 min
Lab File: VN084630.D
Acq: 01 Nov 2024 11:29

Instrument :
MSVOA_N
ClientSampleId :
VN1101WBL01







Tgt Ion: 168 Resp: 180035
Ion Ratio Lower Upper
168 100
99 63.5 54.2 81.2



#33
1,2-Dichloroethane-d4
Concen: 51.565 ug/l
RT: 8.576 min Scan# 1126
Delta R.T. -0.001 min
Lab File: VN084630.D
Acq: 01 Nov 2024 11:29

Tgt Ion: 65 Resp: 134085
Ion Ratio Lower Upper
65 100
67 51.8 0.0 102.0









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 9.100 min Scan# 1215
Delta R.T. -0.000 min
Lab File: VN084630.D
Acq: 01 Nov 2024 11:29




Instrument :
MSVOA_N
ClientSampleId :
VN1101WBL01


Tgt Ion:	114	Resp:	318575
Ion Ratio	Lower	Upper	
114	100		
63	21.7	0.0	43.8
88	15.7	0.0	31.6



#35
Dibromofluoromethane
Concen: 49.836 ug/l
RT: 8.159 min Scan# 1055
Delta R.T. -0.006 min
Lab File: VN084630.D
Acq: 01 Nov 2024 11:29

Tgt Ion:	113	Resp:	107465
Ion Ratio	Lower	Upper	
113	100		
111	103.2	83.3	124.9
192	18.8	13.5	20.3





#50

Toluene-d8

Concen: 47.365 ug/l

RT: 10.565 min Scan# 1464

Delta R.T. -0.000 min

Lab File: VN084630.D


Acq: 01 Nov 2024 11:29

Instrument :

MSVOA_N

ClientSampleId :

VN1101WBL01






Tgt Ion: 98 Resp: 376240

Ion Ratio Lower Upper

98 100

100 64.0 52.7 79.1



#62

4-Bromofluorobenzene

Concen: 46.824 ug/l

RT: 12.847 min Scan# 1852

Delta R.T. -0.000 min

Lab File: VN084630.D

Acq: 01 Nov 2024 11:29




Tgt Ion: 95 Resp: 139006


Ion Ratio Lower Upper

95 100

174 74.7 0.0 145.2

176 72.2 0.0 140.0





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.865 min Scan# 16

Delta R.T. -0.000 min

Lab File: VN084630.D

Acq: 01 Nov 2024 11:29

Instrument :

MSVOA_N

ClientSampleId :

VN1101WBL01





Tgt Ion:117 Resp: 285991

Ion Ratio Lower Upper

117 100

82 55.4 47.2 70.8

119 31.4 25.4 38.0



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.788 min Scan# 2012

Delta R.T. -0.000 min

Lab File: VN084630.D

Acq: 01 Nov 2024 11:29




Tgt Ion:152 Resp: 125664

Ion Ratio Lower Upper

152 100

115 60.9 31.3 93.9

150 154.9 0.0 349.8



Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN110124\
Data File : VN084630.D
Acq On : 01 Nov 2024 11:29
Operator : JC\MD
Sample : VN1101WBL01
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
VN1101WBL01

Integration Parameters: RTEINT.P

Integrator: RTE

Smoothing : ON

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 3 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N103024W.M

Title : SW846 8260

Signal : TIC: VN084630.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	2.900	159	161	167	rVB2	16708	23699	2.40%	0.443%
2	7.441	924	933	940	rBV2	4311	10250	1.04%	0.191%
3	8.165	1046	1056	1060	rBV	148145	346437	35.10%	6.469%
4	8.224	1060	1066	1077	rVB	250837	566865	57.43%	10.586%
5	8.576	1116	1126	1139	rBV	162571	362771	36.76%	6.774%
6	9.100	1205	1215	1225	rBV	366220	754715	76.47%	14.093%
7	10.565	1455	1464	1477	rBV	544611	986986	100.00%	18.431%
8	11.865	1677	1685	1696	rBV	508549	878010	88.96%	16.396%
9	12.847	1845	1852	1862	rBV	404332	664162	67.29%	12.402%
10	13.788	2005	2012	2023	rVB	452800	761197	77.12%	14.214%




Sum of corrected areas: 5355092

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN110124\
Data File : VN084630.D
Acq On : 01 Nov 2024 11:29
Operator : JC\MD
Sample : VN1101WBL01
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
VN1101WBL01

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N103024W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN110124\
Data File : VN084630.D
Acq On : 01 Nov 2024 11:29
Operator : JC\MD
Sample : VN1101WBL01
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
VN1101WBL01

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N103024W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

A
B
C
D
E
F
G
H
I
J

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN110124\
Data File : VN084630.D
Acq On : 01 Nov 2024 11:29
Operator : JC\MD
Sample : VN1101WBL01
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
VN1101WBL01

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N103024W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------

A
B
C
D
E
F
G
H
I
J

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN110124\
 Data File : VN084631.D
 Acq On : 01 Nov 2024 12:08
 Operator : JC\MD
 Sample : VN1101WBS01
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 VN1101WBS01

Manual Integrations APPROVED

Reviewed By :Mahesh Dadoda 11/04/2024
 Supervised By :Semsettin Yesilyurt 11/04/2024

Quant Time: Nov 04 04:24:13 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N103024W.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 31 18:45:38 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	8.224	168	190995	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.100	114	320452	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.865	117	287801	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.794	152	147052	50.000	ug/l	0.00

System Monitoring Compounds

33) 1,2-Dichloroethane-d4	8.577	65	122248	44.315	ug/l	0.00
Spiked Amount	50.000	Range	74 - 125	Recovery	=	88.640%
35) Dibromofluoromethane	8.165	113	97927	45.147	ug/l	0.00
Spiked Amount	50.000	Range	75 - 124	Recovery	=	90.300%
50) Toluene-d8	10.565	98	368236	46.086	ug/l	0.00
Spiked Amount	50.000	Range	86 - 113	Recovery	=	92.180%
62) 4-Bromofluorobenzene	12.847	95	140490	47.047	ug/l	0.00
Spiked Amount	50.000	Range	77 - 121	Recovery	=	94.100%

Target Compounds

						Qvalue
2) Dichlorodifluoromethane	2.124	85	42141	19.193	ug/l	100
3) Chloromethane	2.359	50	46710	16.439	ug/l	100
4) Vinyl Chloride	2.507	62	44544	18.862	ug/l	97
5) Bromomethane	2.901	94	22475	17.963	ug/l	97
6) Chloroethane	3.077	64	27854	18.166	ug/l	99
7) Trichlorofluoromethane	3.471	101	73135	18.800	ug/l	91
8) Diethyl Ether	3.959	74	24492	17.848	ug/l	95
9) 1,1,2-Trichlorotrifluo...	4.359	101	42530	19.348	ug/l	97
10) Methyl Iodide	4.583	142	53226	18.118	ug/l	96
11) Tert butyl alcohol	5.542	59	31560	86.672	ug/l	97
12) 1,1-Dichloroethene	4.330	96	38487	17.695	ug/l	98
13) Acrolein	4.177	56	36832	101.438	ug/l	98
14) Allyl chloride	5.018	41	65987	18.707	ug/l	91
15) Acrylonitrile	5.718	53	103209	97.908	ug/l	98
16) Acetone	4.436	43	77869	95.962	ug/l	97
17) Carbon Disulfide	4.700	76	112044	16.728	ug/l	98
18) Methyl Acetate	5.024	43	54615	16.052	ug/l	99
19) Methyl tert-butyl Ether	5.789	73	127569	19.135	ug/l	94
20) Methylene Chloride	5.271	84	46004	18.961	ug/l	82
21) trans-1,2-Dichloroethene	5.777	96	41275	18.481	ug/l	96
22) Diisopropyl ether	6.671	45	136454	19.469	ug/l	98
23) Vinyl Acetate	6.600	43	469366	97.108	ug/l	97
24) 1,1-Dichloroethane	6.565	63	80215	19.063	ug/l	98
25) 2-Butanone	7.477	43	124468	96.713	ug/l	98
26) 2,2-Dichloropropane	7.489	77	70266	19.185	ug/l	100
27) cis-1,2-Dichloroethene	7.483	96	48039	18.421	ug/l	98
28) Bromochloromethane	7.806	49	36023	21.487	ug/l	93
29) Tetrahydrofuran	7.836	42	84907	99.446	ug/l	97
30) Chloroform	7.965	83	83941	19.599	ug/l	97
31) Cyclohexane	8.253	56	69789	18.324	ug/l	98
32) 1,1,1-Trichloroethane	8.165	97	75478	19.362	ug/l	98
36) 1,1-Dichloropropene	8.365	75	54975	18.275	ug/l	99
37) Ethyl Acetate	7.559	43	55210	20.228	ug/l	97
38) Carbon Tetrachloride	8.359	117	66382	19.742	ug/l	98
39) Methylcyclohexane	9.600	83	56415	18.434	ug/l	98
40) Benzene	8.606	78	181197	18.756	ug/l	99

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN110124\
 Data File : VN084631.D
 Acq On : 01 Nov 2024 12:08
 Operator : JC\MD
 Sample : VN1101WBS01
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 VN1101WBS01

Manual Integrations
 APPROVED

Reviewed By :Mahesh Dadoda 11/04/2024
 Supervised By :Semsettin Yesilyurt 11/04/2024

Quant Time: Nov 04 04:24:13 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N103024W.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 31 18:45:38 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	7.777	41	30555	20.818	ug/l	97
42) 1,2-Dichloroethane	8.665	62	60923	19.472	ug/l	100
43) Isopropyl Acetate	8.688	43	91436	17.507	ug/l	97
44) Trichloroethene	9.347	130	41099	18.446	ug/l	100
45) 1,2-Dichloropropane	9.618	63	43224	19.073	ug/l	99
46) Dibromomethane	9.706	93	30391	19.005	ug/l	96
47) Bromodichloromethane	9.888	83	64821	19.230	ug/l #	96
48) Methyl methacrylate	9.677	41	42680	20.092	ug/l	98
49) 1,4-Dioxane	9.694	88	15461	410.740	ug/l #	79
51) 4-Methyl-2-Pentanone	10.447	43	272747	104.826	ug/l	99
52) Toluene	10.630	92	113778	20.137	ug/l	99
53) t-1,3-Dichloropropene	10.835	75	61679	17.677	ug/l	97
54) cis-1,3-Dichloropropene	10.312	75	69008	18.686	ug/l	98
55) 1,1,2-Trichloroethane	11.018	97	42540	19.987	ug/l	95
56) Ethyl methacrylate	10.877	69	62329	20.246	ug/l	97
57) 1,3-Dichloropropane	11.159	76	71264	19.510	ug/l	99
58) 2-Chloroethyl Vinyl ether	10.159	63	137645	95.550	ug/l	99
59) 2-Hexanone	11.194	43	201434	106.361	ug/l	99
60) Dibromochloromethane	11.359	129	49329	20.336	ug/l	100
61) 1,2-Dibromoethane	11.465	107	41441	19.014	ug/l	100
64) Tetrachloroethene	11.106	164	35660	18.628	ug/l	99
65) Chlorobenzene	11.888	112	117685	18.278	ug/l	98
66) 1,1,1,2-Tetrachloroethane	11.959	131	42403	18.934	ug/l	99
67) Ethyl Benzene	11.965	91	202367	18.829	ug/l	98
68) m/p-Xylenes	12.071	106	158415	38.934	ug/l	99
69) o-Xylene	12.394	106	75949	19.953	ug/l	98
70) Styrene	12.412	104	128771	19.394	ug/l	99
71) Bromoform	12.576	173	31965	18.968	ug/l #	97
73) Isopropylbenzene	12.694	105	190126	18.450	ug/l	99
74) N-ethyl acetate	12.494	43	79438	18.112	ug/l	96
75) 1,1,2,2-Tetrachloroethane	12.935	83	62261	18.101	ug/l	100
76) 1,2,3-Trichloropropane	12.994	75	49964m	16.997	ug/l	
77) Bromobenzene	12.982	156	48929	17.662	ug/l	93
78) n-propylbenzene	13.035	91	220072	18.224	ug/l	98
79) 2-Chlorotoluene	13.123	91	145506	18.441	ug/l	98
80) 1,3,5-Trimethylbenzene	13.171	105	164177	19.222	ug/l	99
81) trans-1,4-Dichloro-2-b...	12.735	75	24782	20.001	ug/l #	84
82) 4-Chlorotoluene	13.218	91	146733	17.670	ug/l	98
83) tert-Butylbenzene	13.435	119	138949	19.657	ug/l	99
84) 1,2,4-Trimethylbenzene	13.482	105	169251	19.200	ug/l	99
85) sec-Butylbenzene	13.618	105	185297	18.558	ug/l	100
86) p-Isopropyltoluene	13.729	119	157950	19.288	ug/l	99
87) 1,3-Dichlorobenzene	13.729	146	91095	16.849	ug/l	98
88) 1,4-Dichlorobenzene	13.812	146	89211	17.266	ug/l	99
89) n-Butylbenzene	14.059	91	126030	16.453	ug/l	99
90) Hexachloroethane	14.335	117	31832	17.431	ug/l	98
91) 1,2-Dichlorobenzene	14.106	146	88346	17.005	ug/l	100
92) 1,2-Dibromo-3-Chloropr...	14.717	75	12487	17.920	ug/l	95
93) 1,2,4-Trichlorobenzene	15.394	180	41786	14.695	ug/l	98
94) Hexachlorobutadiene	15.500	225	19729	15.799	ug/l	98
95) Naphthalene	15.641	128	130709	15.357	ug/l	99
96) 1,2,3-Trichlorobenzene	15.841	180	42159	15.273	ug/l	99

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN110124\
Data File : VN084631.D
Acq On : 01 Nov 2024 12:08
Operator : JC\MD
Sample : VN1101WBS01
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
VN1101WBS01

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 11/04/2024
Supervised By :Semsettin Yesilyurt 11/04/2024

Quant Time: Nov 04 04:24:13 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N103024W.M
Quant Title : SW846 8260
QLast Update : Thu Oct 31 18:45:38 2024
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

(#) = qualifier out of range (m) = manual integration (+) = signals summed


```
Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN110124\  
Data File : VN084631.D  
Acq On    : 01 Nov 2024 12:08  
Operator  : JC\MD  
Sample    : VN1101WBS01  
Misc      : 5.0mL/MSVOA_N/WATER  
ALS Vial  : 1 Sample Multiplier: 1
```

Instrument :
MSVOA_N
ClientSampleId :
VN1101WBS01

Manual Integrations APPROVED

Reviewed By :Mahesh Dadoda 11/04/2024
Supervised By :Semsettin Yesilyurt 11/04/2024

Quant Time: Nov 04 04:24:13 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N103024W.M
Quant Title : SW846 8260
QLast Update : Thu Oct 31 18:45:38 2024
Response via : Initial Calibration



Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN110124\
 Data File : VN084632.D
 Acq On : 01 Nov 2024 12:32
 Operator : JC\MD
 Sample : VN1101WBSD01
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 VN1101WBSD01

Manual Integrations APPROVED

Reviewed By :Mahesh Dadoda 11/04/2024
 Supervised By :Semsettin Yesilyurt 11/04/2024

Quant Time: Nov 04 04:25:11 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N103024W.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 31 18:45:38 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	8.224	168	179647	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.100	114	303928	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.865	117	276373	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.788	152	139639	50.000	ug/l	0.00

System Monitoring Compounds

33) 1,2-Dichloroethane-d4	8.577	65	116705	44.978	ug/l	0.00
Spiked Amount	50.000	Range	74 - 125	Recovery	=	89.960%
35) Dibromofluoromethane	8.165	113	95578	46.460	ug/l	0.00
Spiked Amount	50.000	Range	75 - 124	Recovery	=	92.920%
50) Toluene-d8	10.565	98	350812	46.293	ug/l	0.00
Spiked Amount	50.000	Range	86 - 113	Recovery	=	92.580%
62) 4-Bromofluorobenzene	12.847	95	131770	46.526	ug/l	0.00
Spiked Amount	50.000	Range	77 - 121	Recovery	=	93.060%

Target Compounds

						Qvalue
2) Dichlorodifluoromethane	2.124	85	39968	19.353	ug/l	97
3) Chloromethane	2.365	50	44651	16.750	ug/l	100
4) Vinyl Chloride	2.512	62	41926	18.875	ug/l	96
5) Bromomethane	2.901	94	21697	18.436	ug/l	93
6) Chloroethane	3.071	64	27307	18.995	ug/l	95
7) Trichlorofluoromethane	3.465	101	73409	20.063	ug/l	94
8) Diethyl Ether	3.948	74	26516	20.543	ug/l	99
9) 1,1,2-Trichlorotrifluo...	4.359	101	40756	19.712	ug/l	96
10) Methyl Iodide	4.577	142	53396	19.324	ug/l	95
11) Tert butyl alcohol	5.542	59	32016	93.479	ug/l	98
12) 1,1-Dichloroethene	4.324	96	37823	18.488	ug/l	96
13) Acrolein	4.177	56	35001	102.484	ug/l	97
14) Allyl chloride	5.012	41	64716	19.506	ug/l	92
15) Acrylonitrile	5.718	53	104289	105.182	ug/l	98
16) Acetone	4.424	43	80384	105.601	ug/l	99
17) Carbon Disulfide	4.701	76	110433	17.529	ug/l	99
18) Methyl Acetate	5.012	43	56734	18.181	ug/l	100
19) Methyl tert-butyl Ether	5.795	73	128070	20.424	ug/l	97
20) Methylene Chloride	5.271	84	44336	19.428	ug/l	86
21) trans-1,2-Dichloroethene	5.771	96	39898	18.993	ug/l	99
22) Diisopropyl ether	6.671	45	136989	20.780	ug/l	97
23) Vinyl Acetate	6.600	43	473087	104.061	ug/l	99
24) 1,1-Dichloroethane	6.559	63	78807	19.911	ug/l	96
25) 2-Butanone	7.483	43	126655	104.629	ug/l	99
26) 2,2-Dichloropropane	7.489	77	68278	19.820	ug/l	99
27) cis-1,2-Dichloroethene	7.483	96	48150	19.630	ug/l	98
28) Bromochloromethane	7.812	49	34905	22.135	ug/l	93
29) Tetrahydrofuran	7.841	42	83561	104.051	ug/l	96
30) Chloroform	7.959	83	80798	20.057	ug/l	96
31) Cyclohexane	8.253	56	69908	19.515	ug/l	96
32) 1,1,1-Trichloroethane	8.165	97	73597	20.072	ug/l	98
36) 1,1-Dichloropropene	8.365	75	54311	19.036	ug/l	99
37) Ethyl Acetate	7.559	43	54883	21.202	ug/l	98
38) Carbon Tetrachloride	8.359	117	63997	20.068	ug/l	98
39) Methylcyclohexane	9.600	83	56902	19.604	ug/l	99
40) Benzene	8.600	78	178059	19.433	ug/l	98

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN110124\
 Data File : VN084632.D
 Acq On : 01 Nov 2024 12:32
 Operator : JC\MD
 Sample : VN1101WBSD01
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 VN1101WBSD01

Manual Integrations
 APPROVED

Reviewed By :Mahesh Dadoda 11/04/2024
 Supervised By :Semsettin Yesilyurt 11/04/2024

Quant Time: Nov 04 04:25:11 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N103024W.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 31 18:45:38 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	7.777	41	29975	21.533	ug/l	96
42) 1,2-Dichloroethane	8.671	62	60410	20.358	ug/l	98
43) Isopropyl Acetate	8.688	43	94407	19.145	ug/l	99
44) Trichloroethene	9.347	130	40547	19.188	ug/l	97
45) 1,2-Dichloropropane	9.624	63	43144	20.073	ug/l	99
46) Dibromomethane	9.706	93	29954	19.750	ug/l	96
47) Bromodichloromethane	9.888	83	64340	20.125	ug/l	93
48) Methyl methacrylate	9.683	41	41114	20.408	ug/l	96
49) 1,4-Dioxane	9.700	88	15620	437.525	ug/l	95
51) 4-Methyl-2-Pentanone	10.447	43	269825	109.342	ug/l	99
52) Toluene	10.630	92	111675	20.840	ug/l	98
53) t-1,3-Dichloropropene	10.835	75	63947	19.323	ug/l	99
54) cis-1,3-Dichloropropene	10.312	75	68709	19.617	ug/l	98
55) 1,1,2-Trichloroethane	11.012	97	42554	21.081	ug/l	94
56) Ethyl methacrylate	10.871	69	62143	21.283	ug/l	98
57) 1,3-Dichloropropane	11.159	76	70269	20.283	ug/l	99
58) 2-Chloroethyl Vinyl ether	10.159	63	137129	100.367	ug/l	98
59) 2-Hexanone	11.194	43	194808	108.454	ug/l	97
60) Dibromochloromethane	11.359	129	48478	21.072	ug/l	100
61) 1,2-Dibromoethane	11.465	107	42488	20.554	ug/l	96
64) Tetrachloroethene	11.100	164	36361	19.779	ug/l	95
65) Chlorobenzene	11.888	112	116675	18.870	ug/l	97
66) 1,1,1,2-Tetrachloroethane	11.959	131	42973	19.982	ug/l	99
67) Ethyl Benzene	11.965	91	200430	19.420	ug/l	99
68) m/p-Xylenes	12.071	106	155447	39.784	ug/l	98
69) o-Xylene	12.400	106	73499	20.108	ug/l	98
70) Styrene	12.412	104	128498	20.153	ug/l	98
71) Bromoform	12.576	173	31565	19.505	ug/l #	97
73) Isopropylbenzene	12.694	105	187731	19.185	ug/l	100
74) N-ethyl acetate	12.494	43	80040	19.218	ug/l	98
75) 1,1,2,2-Tetrachloroethane	12.935	83	61000	18.676	ug/l	99
76) 1,2,3-Trichloropropane	12.994	75	50243m	18.000	ug/l	
77) Bromobenzene	12.976	156	48197	18.321	ug/l	93
78) n-propylbenzene	13.035	91	219361	19.130	ug/l	99
79) 2-Chlorotoluene	13.124	91	142054	18.959	ug/l	98
80) 1,3,5-Trimethylbenzene	13.171	105	161079	19.861	ug/l	99
81) trans-1,4-Dichloro-2-b...	12.735	75	21497	18.271	ug/l	97
82) 4-Chlorotoluene	13.218	91	143409	18.187	ug/l	97
83) tert-Butylbenzene	13.435	119	137807	20.530	ug/l	98
84) 1,2,4-Trimethylbenzene	13.482	105	164356	19.634	ug/l	98
85) sec-Butylbenzene	13.612	105	184495	19.458	ug/l	99
86) p-Isopropyltoluene	13.729	119	155045	19.939	ug/l	99
87) 1,3-Dichlorobenzene	13.729	146	89011	17.338	ug/l	98
88) 1,4-Dichlorobenzene	13.812	146	90455	18.501	ug/l	100
89) n-Butylbenzene	14.053	91	126197	17.349	ug/l	99
90) Hexachloroethane	14.329	117	30596	17.643	ug/l	99
91) 1,2-Dichlorobenzene	14.106	146	89620	18.166	ug/l	99
92) 1,2-Dibromo-3-Chloropr...	14.723	75	12000	18.135	ug/l	97
93) 1,2,4-Trichlorobenzene	15.394	180	43138	15.975	ug/l	99
94) Hexachlorobutadiene	15.500	225	19708	16.620	ug/l	98
95) Naphthalene	15.641	128	131737	16.299	ug/l	99
96) 1,2,3-Trichlorobenzene	15.835	180	42176	16.090	ug/l	99

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN110124\
Data File : VN084632.D
Acq On : 01 Nov 2024 12:32
Operator : JC\MD
Sample : VN1101WBSD01
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
VN1101WBSD01

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 11/04/2024
Supervised By :Semsettin Yesilyurt 11/04/2024

Quant Time: Nov 04 04:25:11 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N103024W.M
Quant Title : SW846 8260
QLast Update : Thu Oct 31 18:45:38 2024
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

(#) = qualifier out of range (m) = manual integration (+) = signals summed


```
Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN110124\  
Data File : VN084632.D  
Acq On    : 01 Nov 2024 12:32  
Operator  : JC\MD  
Sample    : VN1101WBSD01  
Misc      : 5.0mL/MSVOA_N/WATER  
ALS Vial  : 1 Sample Multiplier: 1
```

Instrument :
MSVOA_N
ClientSampleId :
VN1101WBSD01

Manual Integrations APPROVED

Reviewed By :Mahesh Dadoda 11/04/2024
Supervised By :Semsettin Yesilyurt 11/04/2024

Quant Time: Nov 04 04:25:11 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N103024W.M
Quant Title : SW846 8260
QLast Update : Thu Oct 31 18:45:38 2024
Response via : Initial Calibration



Manual Integration Report

Sequence:	vn103024	Instrument	MSVOA_n
-----------	----------	------------	---------

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
VSTDICC100	VN084570.D	1,2,3-Trichloropropane	SAM	11/4/2024 1:12:14 AM	MMDadoda	11/4/2024 1:18:00 AM	Peak Integrated by Software
VSTDICCC050	VN084571.D	1,2,3-Trichloropropane	SAM	11/4/2024 1:12:15 AM	MMDadoda	11/4/2024 1:18:01 AM	Peak Integrated by Software
VSTDICC020	VN084572.D	1,2,3-Trichloropropane	SAM	11/4/2024 1:12:16 AM	MMDadoda	11/4/2024 1:18:03 AM	Peak Integrated by Software
VSTDICC010	VN084573.D	1,2,3-Trichloropropane	SAM	11/4/2024 1:12:17 AM	MMDadoda	11/4/2024 1:18:04 AM	Peak Integrated by Software
VSTDICC005	VN084574.D	1,2,3-Trichloropropane	SAM	11/4/2024 1:12:20 AM	MMDadoda	11/4/2024 1:18:05 AM	Peak Integrated by Software
VSTDICC001	VN084575.D	1,2,3-Trichloropropane	SAM	11/4/2024 1:12:21 AM	MMDadoda	11/4/2024 1:18:07 AM	Peak Integrated by Software
VSTDICC001	VN084575.D	1,4-Dichlorobenzene	SAM	11/4/2024 1:12:21 AM	MMDadoda	11/4/2024 1:18:07 AM	Peak Integrated by Software
VSTDICC001	VN084575.D	Acetone	SAM	11/4/2024 1:12:21 AM	MMDadoda	11/4/2024 1:18:07 AM	Peak Integrated by Software
VSTDICC001	VN084575.D	Diethyl Ether	SAM	11/4/2024 1:12:21 AM	MMDadoda	11/4/2024 1:18:07 AM	Peak Integrated by Software
VSTDICV050	VN084577.D	1,2,3-Trichloropropane	SAM	11/4/2024 1:12:23 AM	MMDadoda	11/4/2024 1:18:09 AM	Peak Integrated by Software
VSTDCCC050	VN084579.D	1,2,3-Trichloropropane	SAM	11/4/2024 1:12:34 AM	MMDadoda	11/4/2024 1:18:38 AM	Peak Integrated by Software
VSTDCCC050	VN084579.D	trans-1,4-Dichloro-2-butene	SAM	11/4/2024 1:12:34 AM	MMDadoda	11/4/2024 1:18:38 AM	Peak Integrated by Software



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Manual Integration Report

Sequence:

vn103024

Instrument

MSVOA_n

Sample ID

File ID

Parameter

Review By

Review On

Supervised
By

Supervised On

Reason

Manual Integration Report

Sequence:	VN110124	Instrument	MSVOA_n
-----------	----------	------------	---------

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
VSTDCCC050	VN084628.D	1,2,3-Trichloropropane	MMDadoda	11/4/2024 5:57:12 PM	SAM	11/4/2024 5:58:20 PM	Peak Integrated by Software
VN1101WBS01	VN084631.D	1,2,3-Trichloropropane	MMDadoda	11/4/2024 5:57:14 PM	SAM	11/4/2024 5:58:21 PM	Peak Integrated by Software
VN1101WBSD01	VN084632.D	1,2,3-Trichloropropane	MMDadoda	11/4/2024 5:57:16 PM	SAM	11/4/2024 5:58:23 PM	Peak Integrated by Software
VSTDCCC050	VN084643.D	1,2,3-Trichloropropane	MMDadoda	11/4/2024 5:57:22 PM	SAM	11/4/2024 5:58:27 PM	Peak Integrated by Software

Instrument ID: **MSVOA_N**

Daily Analysis Runlog For Sequence/QC Batch ID # VN103024

Review By	Semsettin Yesilyurt	Review On	11/1/2024 2:56:11 PM		
Supervise By	Maresh Dadoda	Supervise On	11/4/2024 1:18:30 AM		
SubDirectory	VN103024	HP Acquire Method	MSVOA_N	HP Processing Method	82n103024w.m
STD. NAME		STD REF.#			
Tune/Reschk		VP131194.VP131195			
Initial Calibration Stds		VP131185,VP131186,VP131187,VP131188,VP131189,VP131190			
CCC		VP131191,VP131192			
Internal Standard/PEM		VP128298			
ICV/I.BLK		VP131193			
Surrogate Standard					
MS/MSD Standard					
LCS Standard					

Sr#	Sampleld	Data File Name	Date-Time	Operator	Status
1	BFB	VN084569.D	30 Oct 2024 10:42	JC\MD	Ok
2	VSTDICC100	VN084570.D	30 Oct 2024 11:46	JC\MD	Ok,M
3	VSTDICCC050	VN084571.D	30 Oct 2024 12:09	JC\MD	Ok,M
4	VSTDICC020	VN084572.D	30 Oct 2024 12:33	JC\MD	Ok,M
5	VSTDICC010	VN084573.D	30 Oct 2024 12:57	JC\MD	Ok,M
6	VSTDICC005	VN084574.D	30 Oct 2024 13:21	JC\MD	Ok,M
7	VSTDICC001	VN084575.D	30 Oct 2024 13:45	JC\MD	Ok,M
8	VIBLK	VN084576.D	30 Oct 2024 14:42	JC\MD	Ok
9	VSTDICV050	VN084577.D	30 Oct 2024 15:06	JC\MD	Ok,M
10	BFB	VN084578.D	30 Oct 2024 19:24	JC\MD	Ok
11	VSTDCCC050	VN084579.D	30 Oct 2024 20:12	JC\MD	Ok,M
12	VN1030MBL01	VN084580.D	30 Oct 2024 20:48	JC\MD	Ok
13	VN1030WBL01	VN084581.D	30 Oct 2024 21:12	JC\MD	Ok
14	VN1030WBS01	VN084582.D	30 Oct 2024 21:46	JC\MD	Ok,M
15	VN1030WBSD01	VN084583.D	30 Oct 2024 22:10	JC\MD	Ok,M
16	P4594-04	VN084584.D	30 Oct 2024 22:34	JC\MD	Ok,M
17	P4594-08	VN084585.D	30 Oct 2024 22:58	JC\MD	Ok
18	P4594-12	VN084586.D	30 Oct 2024 23:22	JC\MD	Ok
19	P4594-16	VN084587.D	30 Oct 2024 23:46	JC\MD	Ok
20	P4594-20	VN084588.D	31 Oct 2024 00:09	JC\MD	Ok
21	P4597-03	VN084589.D	31 Oct 2024 00:34	JC\MD	Ok

Instrument ID: **MSVOA_N**

Daily Analysis Runlog For Sequence/QC Batch ID # VN103024

Review By	Semsettin Yesilyurt	Review On	11/1/2024 2:56:11 PM		
Supervise By	Maresh Dadoda	Supervise On	11/4/2024 1:18:30 AM		
SubDirectory	VN103024	HP Acquire Method	MSVOA_N	HP Processing Method	82n103024w.m
STD. NAME		STD REF.#			
Tune/Reschk		VP131194.VP131195			
Initial Calibration Stds		VP131185,VP131186,VP131187,VP131188,VP131189,VP131190			
CCC		VP131191,VP131192			
Internal Standard/PEM		VP128298			
ICV/I.BLK		VP131193			
Surrogate Standard					
MS/MSD Standard					
LCS Standard					

22	P4597-06	VN084590.D	31 Oct 2024 00:57	JC\MD	Ok,M
23	P4597-09	VN084591.D	31 Oct 2024 01:21	JC\MD	Ok
24	P4597-12	VN084592.D	31 Oct 2024 01:45	JC\MD	Ok,M
25	P4598-04	VN084593.D	31 Oct 2024 02:09	JC\MD	Ok
26	P4598-08	VN084594.D	31 Oct 2024 02:33	JC\MD	Ok
27	P4598-12	VN084595.D	31 Oct 2024 02:57	JC\MD	Ok
28	P4611-03	VN084596.D	31 Oct 2024 03:21	JC\MD	Ok
29	P4611-06	VN084597.D	31 Oct 2024 03:45	JC\MD	Ok
30	P4611-09	VN084598.D	31 Oct 2024 04:09	JC\MD	Ok
31	P4611-12	VN084599.D	31 Oct 2024 04:33	JC\MD	Ok
32	P4611-15	VN084600.D	31 Oct 2024 04:57	JC\MD	Ok
33	P4611-18	VN084601.D	31 Oct 2024 05:21	JC\MD	Ok
34	P4612-04	VN084602.D	31 Oct 2024 05:45	JC\MD	Ok
35	P4613-02	VN084603.D	31 Oct 2024 06:09	JC\MD	Ok
36	PB164501ZHE#13	VN084604.D	31 Oct 2024 06:33	JC\MD	Ok,M
37	PB164501ZHE#14	VN084605.D	31 Oct 2024 06:57	JC\MD	Ok,M
38	PB164501ZHE#15	VN084606.D	31 Oct 2024 07:22	JC\MD	Ok,M
39	PB164501ZHE#16	VN084607.D	31 Oct 2024 07:46	JC\MD	Ok
40	PB164501ZHE#17	VN084608.D	31 Oct 2024 08:10	JC\MD	Ok,M
41	PB164501ZHE#18	VN084609.D	31 Oct 2024 08:34	JC\MD	Ok,M
42	PB164501ZHE#19	VN084610.D	31 Oct 2024 08:58	JC\MD	Ok,M
43	PB164501ZHE#20	VN084611.D	31 Oct 2024 09:22	JC\MD	Ok

M : Manual Integration

Instrument ID: **MSVOA_N**

Daily Analysis Runlog For Sequence/QC Batch ID # VN110124

Review By	Mahesh Dadoda	Review On	11/4/2024 5:57:30 PM		
Supervise By	Semsettin Yesilyurt	Supervise On	11/4/2024 5:58:33 PM		
SubDirectory	VN110124	HP Acquire Method	MSVOA_N	HP Processing Method	82n103024w.m
STD. NAME		STD REF.#			
Tune/Reschk Initial Calibration Stds		VP131230			
CCC		VP131233,VP131234			
Internal Standard/PEM		VP128298			
ICV/I.BLK					
Surrogate Standard					
MS/MSD Standard					
LCS Standard					

Sr#	SampleId	Data File Name	Date-Time	Operator	Status
1	BFB	VN084627.D	01 Nov 2024 09:48	JC\MD	Ok
2	VSTDCCC050	VN084628.D	01 Nov 2024 10:22	JC\MD	Ok,M
3	VN1101MBL01	VN084629.D	01 Nov 2024 11:04	JC\MD	Not Ok
4	VN1101WBL01	VN084630.D	01 Nov 2024 11:29	JC\MD	Ok
5	VN1101WBS01	VN084631.D	01 Nov 2024 12:08	JC\MD	Ok,M
6	VN1101WBSD01	VN084632.D	01 Nov 2024 12:32	JC\MD	Ok,M
7	VIBLK	VN084633.D	01 Nov 2024 12:56	JC\MD	Ok
8	P4658-04	VN084634.D	01 Nov 2024 13:20	JC\MD	Ok
9	P4665-01	VN084635.D	01 Nov 2024 13:53	JC\MD	Ok
10	P4665-05	VN084636.D	01 Nov 2024 14:17	JC\MD	Ok
11	P4665-06	VN084637.D	01 Nov 2024 14:42	JC\MD	Ok
12	P4665-02	VN084638.D	01 Nov 2024 15:06	JC\MD	Ok
13	P4665-03	VN084639.D	01 Nov 2024 15:30	JC\MD	Ok
14	P4665-04	VN084640.D	01 Nov 2024 15:54	JC\MD	Ok
15	P4665-07	VN084641.D	01 Nov 2024 16:19	JC\MD	Ok,M
16	VIBLK	VN084642.D	01 Nov 2024 16:43	JC\MD	Ok
17	VSTDCCC050	VN084643.D	01 Nov 2024 17:07	JC\MD	Ok,M

M : Manual Integration

Instrument ID: MSVOA_N

Daily Analysis Runlog For Sequence/QC Batch ID # VN103024

Review By	Semsettin Yesilyurt	Review On	11/1/2024 2:56:11 PM
Supervise By	Maresh Dadoda	Supervise On	11/4/2024 1:18:30 AM
SubDirectory	VN103024	HP Acquire Method	MSVOA_N HP Processing Method 82n103024w.m
STD. NAME	STD REF.#		
Tune/Reschk	VP131194,VP131195		
Initial Calibration Stds	VP131185,VP131186,VP131187,VP131188,VP131189,VP131190		
CCC	VP131191,VP131192		
Internal Standard/PEM	VP128298		
ICV/I.BLK	VP131193		
Surrogate Standard			
MS/MSD Standard			
LCS Standard			

Sr#	Sampleld	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	BFB	BFB	VN084569.D	30 Oct 2024 10:42		JC\MD	Ok
2	VSTDICC100	VSTDICC100	VN084570.D	30 Oct 2024 11:46	Comp #03 fail for %D	JC\MD	Ok,M
3	VSTDICCC050	VSTDICCC050	VN084571.D	30 Oct 2024 12:09	LR-03,06,16,18,43	JC\MD	Ok,M
4	VSTDICC020	VSTDICC020	VN084572.D	30 Oct 2024 12:33	QR-88	JC\MD	Ok,M
5	VSTDICC010	VSTDICC010	VN084573.D	30 Oct 2024 12:57		JC\MD	Ok,M
6	VSTDICC005	VSTDICC005	VN084574.D	30 Oct 2024 13:21		JC\MD	Ok,M
7	VSTDICC001	VSTDICC001	VN084575.D	30 Oct 2024 13:45		JC\MD	Ok,M
8	VIBLK	VIBLK	VN084576.D	30 Oct 2024 14:42		JC\MD	Ok
9	VSTDICV050	ICVVN103024	VN084577.D	30 Oct 2024 15:06		JC\MD	Ok,M
10	BFB	BFB	VN084578.D	30 Oct 2024 19:24		JC\MD	Ok
11	VSTDCCC050	VSTDCCC050	VN084579.D	30 Oct 2024 20:12		JC\MD	Ok,M
12	VN1030MBL01	VN1030MBL01	VN084580.D	30 Oct 2024 20:48		JC\MD	Ok
13	VN1030WBL01	VN1030WBL01	VN084581.D	30 Oct 2024 21:12		JC\MD	Ok
14	VN1030WBS01	VN1030WBS01	VN084582.D	30 Oct 2024 21:46		JC\MD	Ok,M
15	VN1030WBSD01	VN1030WBSD01	VN084583.D	30 Oct 2024 22:10		JC\MD	Ok,M
16	P4594-04	TP-4	VN084584.D	30 Oct 2024 22:34	pH#5.0 A	JC\MD	Ok,M
17	P4594-08	BP-F17	VN084585.D	30 Oct 2024 22:58	pH#5.0 A	JC\MD	Ok
18	P4594-12	BP-F16	VN084586.D	30 Oct 2024 23:22	pH#5.0 A	JC\MD	Ok

Instrument ID: MSVOA_N

Daily Analysis Runlog For Sequence/QC Batch ID # VN103024

Review By	Semsettin Yesilyurt	Review On	11/1/2024 2:56:11 PM		
Supervise By	Mahesh Dadoda	Supervise On	11/4/2024 1:18:30 AM		
SubDirectory	VN103024	HP Acquire Method	MSVOA_N	HP Processing Method	82n103024w.m
STD. NAME		STD REF.#			
Tune/Reschk		VP131194.VP131195			
Initial Calibration Stds		VP131185,VP131186,VP131187,VP131188,VP131189,VP131190			
CCC		VP131191,VP131192			
Internal Standard/PEM		VP128298			
ICV/I.BLK		VP131193			
Surrogate Standard					
MS/MSD Standard					
LCS Standard					

19	P4594-16	TP-5	VN084587.D	30 Oct 2024 23:46	pH#7.0 A	JC\MD	Ok
20	P4594-20	BP-F15	VN084588.D	31 Oct 2024 00:09	pH#6.0 A	JC\MD	Ok
21	P4597-03	RED-1-1	VN084589.D	31 Oct 2024 00:34	pH#6.0 A	JC\MD	Ok
22	P4597-06	RED-1-2	VN084590.D	31 Oct 2024 00:57	pH#5.0 A	JC\MD	Ok,M
23	P4597-09	BLUE-2-1	VN084591.D	31 Oct 2024 01:21	pH#5.0 A	JC\MD	Ok
24	P4597-12	BLUE-2-2	VN084592.D	31 Oct 2024 01:45	pH#5.0 A	JC\MD	Ok,M
25	P4598-04	BP-F12	VN084593.D	31 Oct 2024 02:09	pH#7.0 A	JC\MD	Ok
26	P4598-08	BP-F11	VN084594.D	31 Oct 2024 02:33	pH#7.0 A	JC\MD	Ok
27	P4598-12	TP-8	VN084595.D	31 Oct 2024 02:57	pH#6.0 A	JC\MD	Ok
28	P4611-03	TP-1	VN084596.D	31 Oct 2024 03:21	pH#5.0 A	JC\MD	Ok
29	P4611-06	TP-2	VN084597.D	31 Oct 2024 03:45	pH#5.0 A	JC\MD	Ok
30	P4611-09	TP-3	VN084598.D	31 Oct 2024 04:09	pH#5.0 A	JC\MD	Ok
31	P4611-12	TP-4	VN084599.D	31 Oct 2024 04:33	pH#5.0 A	JC\MD	Ok
32	P4611-15	TP-5	VN084600.D	31 Oct 2024 04:57	pH#5.0 A	JC\MD	Ok
33	P4611-18	TP-6	VN084601.D	31 Oct 2024 05:21	pH#5.0 A	JC\MD	Ok
34	P4612-04	MOO-24-00335	VN084602.D	31 Oct 2024 05:45	pH#5.0 A	JC\MD	Ok
35	P4613-02	ARS20-0001	VN084603.D	31 Oct 2024 06:09	pH#5.0 A	JC\MD	Ok
36	PB164501ZHE#13	PB164501ZHE#13	VN084604.D	31 Oct 2024 06:33	pH#5.0 A	JC\MD	Ok,M
37	PB164501ZHE#14	PB164501ZHE#14	VN084605.D	31 Oct 2024 06:57	pH#5.0 A	JC\MD	Ok,M

Instrument ID: MSVOA_N

Daily Analysis Runlog For Sequence/QC Batch ID # VN103024

Review By	Semsettin Yesilyurt	Review On	11/1/2024 2:56:11 PM		
Supervise By	Mahesh Dadoda	Supervise On	11/4/2024 1:18:30 AM		
SubDirectory	VN103024	HP Acquire Method	MSVOA_N	HP Processing Method	82n103024w.m
STD. NAME	STD REF.#				
Tune/Reschk	VP131194,VP131195				
Initial Calibration Stds	VP131185,VP131186,VP131187,VP131188,VP131189,VP131190				
CCC	VP131191,VP131192				
Internal Standard/PEM	VP128298				
ICV/I.BLK	VP131193				
Surrogate Standard					
MS/MSD Standard					
LCS Standard					

38	PB164501ZHE#15	PB164501ZHE#15	VN084606.D	31 Oct 2024 07:22	pH#5.0 A	JC\MD	Ok,M
39	PB164501ZHE#16	PB164501ZHE#16	VN084607.D	31 Oct 2024 07:46	pH#5.0 A	JC\MD	Ok
40	PB164501ZHE#17	PB164501ZHE#17	VN084608.D	31 Oct 2024 08:10	pH#5.0 A	JC\MD	Ok,M
41	PB164501ZHE#18	PB164501ZHE#18	VN084609.D	31 Oct 2024 08:34	pH#5.0 A	JC\MD	Ok,M
42	PB164501ZHE#19	PB164501ZHE#19	VN084610.D	31 Oct 2024 08:58	pH#5.0 A	JC\MD	Ok,M
43	PB164501ZHE#20	PB164501ZHE#20	VN084611.D	31 Oct 2024 09:22	pH#5.0 A	JC\MD	Ok

M : Manual Integration

Instrument ID: MSVOA_N

Daily Analysis Runlog For Sequence/QC Batch ID # VN110124

Review By	Maresh Dadoda	Review On	11/4/2024 5:57:30 PM
Supervise By	Semsettin Yesilyurt	Supervise On	11/4/2024 5:58:33 PM
SubDirectory	VN110124	HP Acquire Method	MSVOA_N HP Processing Method 82n103024w.m
STD. NAME	STD REF.#		
Tune/Reschk Initial Calibration Stds	VP131230		
CCC	VP131233,VP131234		
Internal Standard/PEM	VP128298		
ICV/I.BLK			
Surrogate Standard			
MS/MSD Standard			
LCS Standard			

Sr#	SampleID	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	BFB	BFB	VN084627.D	01 Nov 2024 09:48		JC\MD	Ok
2	VSTDCCC050	VSTDCCC050	VN084628.D	01 Nov 2024 10:22		JC\MD	Ok,M
3	VN1101MBL01	VN1101MBL01	VN084629.D	01 Nov 2024 11:04	Contaminated	JC\MD	Not Ok
4	VN1101WBL01	VN1101WBL01	VN084630.D	01 Nov 2024 11:29		JC\MD	Ok
5	VN1101WBS01	VN1101WBS01	VN084631.D	01 Nov 2024 12:08		JC\MD	Ok,M
6	VN1101WBSD01	VN1101WBSD01	VN084632.D	01 Nov 2024 12:32		JC\MD	Ok,M
7	VIBLK	VIBLK	VN084633.D	01 Nov 2024 12:56		JC\MD	Ok
8	P4658-04	TB	VN084634.D	01 Nov 2024 13:20	pH<2 A TB	JC\MD	Ok
9	P4665-01	BP-VPB-190-TB-20241	VN084635.D	01 Nov 2024 13:53	pH<2 A TB;Hit of comp.#29	JC\MD	Ok
10	P4665-05	BP-VPB-190-GW-558-5	VN084636.D	01 Nov 2024 14:17	pH<2 A	JC\MD	Ok
11	P4665-06	BP-VPB-190-GW-583-5	VN084637.D	01 Nov 2024 14:42	pH<2 A	JC\MD	Ok
12	P4665-02	VPB190-HYD-2024103	VN084638.D	01 Nov 2024 15:06	pH<2 A	JC\MD	Ok
13	P4665-03	BP-VPB-190-EB-20241	VN084639.D	01 Nov 2024 15:30	pH<2 A EB	JC\MD	Ok
14	P4665-04	BP-VPB-190-GW-538-5	VN084640.D	01 Nov 2024 15:54	pH<2 A	JC\MD	Ok
15	P4665-07	BP-VPB-190-GW-598-6	VN084641.D	01 Nov 2024 16:19	pH<2 A	JC\MD	Ok,M
16	VIBLK	VIBLK	VN084642.D	01 Nov 2024 16:43		JC\MD	Ok
17	VSTDCCC050	VSTDCCC050EC	VN084643.D	01 Nov 2024 17:07		JC\MD	Ok,M

M : Manual Integration



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

LAB CHRONICLE

OrderID:	P4658	OrderDate:	10/31/2024 12:18:00 PM
Client:	Portal Partners Tri-Venture	Project:	Amtrak Sawtooth Bridges 2024
Contact:	Joseph Krupansky	Location:	K61,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P4658-04	TB	Water	VOC-TCLVOA-10	8260-Low	10/31/24		11/01/24	10/31/24