

Report of Analysis

Client:	Union Paving & Construction Company		Date Collected:	10/31/24	
Project:	Rt. 10 Whippany		Date Received:	10/31/24	
Client Sample ID:	RES-BUILDING-PAD-NO-2		SDG No.:	P4663	
Lab Sample ID:	P4663-08		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	91.3	Decanted:
Sample Wt/Vol:	30.06	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP068353.D	1	11/01/24 09:09	11/01/24 17:22	PB164590

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	3.70	U	3.70	18.6	ug/kg
11104-28-2	Aroclor-1221	7.00	U	7.00	18.6	ug/kg
11141-16-5	Aroclor-1232	3.70	U	3.70	18.6	ug/kg
53469-21-9	Aroclor-1242	3.70	U	3.70	18.6	ug/kg
12672-29-6	Aroclor-1248	8.60	U	8.60	18.6	ug/kg
11097-69-1	Aroclor-1254	3.00	U	3.00	18.6	ug/kg
37324-23-5	Aroclor-1262	5.00	U	5.00	18.6	ug/kg
11100-14-4	Aroclor-1268	3.70	U	3.70	18.6	ug/kg
11096-82-5	Aroclor-1260	3.20	U	3.20	18.6	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	18.5		30 (32) - 150 (144)	92%	SPK: 20
2051-24-3	Decachlorobiphenyl	16.9		30 (32) - 150 (175)	85%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit