

Report of Analysis

Client:	Kleinfelder	Date Collected:	
Project:	Harrington School	Date Received:	
Client Sample ID:	VY1104SBS01	SDG No.:	P4675
Lab Sample ID:	VY1104SBS01	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	100
Sample Wt/Vol:	5 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group1
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020135.D	1		11/04/24 11:38	VY110424

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
156-59-2	cis-1,2-Dichloroethene	21.1		0.61	5.00	ug/Kg
71-55-6	1,1,1-Trichloroethane	21.2		0.78	5.00	ug/Kg
71-43-2	Benzene	20.7		0.72	5.00	ug/Kg
79-01-6	Trichloroethene	20.8		0.75	5.00	ug/Kg
108-88-3	Toluene	20.9		0.67	5.00	ug/Kg
100-41-4	Ethyl Benzene	20.7		0.62	5.00	ug/Kg
1330-20-7	Total Xylenes	62.1		2.10	15.0	ug/Kg
98-82-8	Isopropylbenzene	21.3		0.67	5.00	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	54.6		50 - 163	109%	SPK: 50
1868-53-7	Dibromofluoromethane	54.8		54 - 147	110%	SPK: 50
2037-26-5	Toluene-d8	54.6		58 - 134	109%	SPK: 50
460-00-4	4-Bromofluorobenzene	54.1		29 - 146	108%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	236000	7.713			
540-36-3	1,4-Difluorobenzene	425000	8.622			
3114-55-4	Chlorobenzene-d5	362000	11.42			
3855-82-1	1,4-Dichlorobenzene-d4	165000	13.347			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products